

**PRICE LIST PL-41
2023-2024**





@ a glance...

- Rich experience of 4 decades
- Highly qualified and experienced team
- Professional management
- ISO 9001:2015
- ISO 14001:2015
- ISO 45001:2018
- ISO 13485:2016
- WHO GMP CERTIFIED
- CE CERTIFIED



**Driving Your
Innovation
with our chemistry**



Corporate Profile

We thank you all for your kind patronage and support which makes us more stronger every year to serve you with best of our capabilities.

Idea Innovation and Invention are the part of our company policy and this year has come with the several consolidation of all. We are pleased to inform you that **CDH** introduces new products every year with the growing demand to meet your requirements and be a part of your research always.

Now **CDH** has expanded the production capacity by setting second state-of-the-art manufacturing facility at Dahej-Gujarat which competes with all the International Industrial hubs across the Asia. The area is spread over 35000 sqm nearly 8.6 acres of land in compliance to GMP with ultra modern infrastructure. We would utilize the 7000 litre state-of-the-art for high purity solvents with the storage capacity of 300000 litre of solvents.

Every year we add on Super Stockist / Distributors / Stockist to ensure availability at your door step. Marketing, administration and operation is our main power to serve our valued customers over the years with the efficient management of the company.

Team - 



PRODUCTION CAPABILITY



EQUIPMENTS	CAPACITY
S. S. Distillation unit cum reactor	1000L
S. S. Distillation unit cum reactor	230L
Glasslined reactor with Distillation unit	600L
Glasslined reactor with Distillation unit	1600L
Glasslined reactor with Distillation unit	200L
Glass Distillation cum reactor	100L
Glass Distillation unit	50L
Glass Distillation unit	20L

CDH has complete in house production facilities.

We have highly sophisticated facilities for distillation and purification of different kind of solvents. We offer the most comprehensive range of solvents from HPLC to Electronic grade to Dry solvents. We utilize over 7000 liters state of the art distillation reactors of both SS/ GLR for high purity solvents.

Our storage capacity is over 300000 liters with our existing capacity, we can increase our production and packaging capability to meet the requirements of our customers worldwide.

our tireless efforts to
maintain consistent quality



EQUIPMENTS	CAPACITY
S.S. Evaporating pan jacketed	1000L
S.S. Evaporating pan jacketed	750L
S.S. Jacketed crystalliser pan	500L
Glasslined Jacketed evaporating pan	500L
Glasslined Jacketed evaporating pan	50L
S.S. Evaporating pan jacketed	50L
S.S. 316 High pressure autoclave	10L
S.S. Centrifuge Basket size	dia 24, 18, 10
S.S 316 Nutsche filter	250 L
S.S 316 Nutsche filter	130 L
Steam heated tray dryer	12 tray
Steam heated tray dryer	24 tray
Steam / Electric heated tray dryer	48 tray


CDH is recognized as a benchmark for wide range of products of high purity. Our Analytical Reagent grade is in compliance to the specification of IP, BP, USP and EP grades. We also produce MB (Molecular Biology Reagents), Reagents for Microbiology, Reagents for Biochemistry, etc. using superior quality raw material. During manufacturing our team of engineers ensures that the quality and purity of each product is as per specification by conducting series of tests at different stages of production. Environmental & Safety concerns are also taken into account.

Our production operation offers a wide range of products under one roof. Our engineers and chemists employ variety of ultra modern techniques for the development of new products.

QUALITY ASSURANCE



CDH ensures all the products have clearly defined specifications guaranteed by careful and sophisticated quality control with compliance to the international standard requirements.



Our Q C and R & D departments are equipped with highly modern and sophisticated facilities to attain precise results.

We at **CDH** feel that Quality is the most important aspect without any substitute. In addition to that we are constantly monitoring our sales and customer care services to build closer relation with our customers.



Major QC Instruments

- Gas Chromatography
- UV Spectrophotometer
- AAS
- HPLC
- ICP

CERTIFICATION

CDH an ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018 certified company in accordance with the Quality Management System, a quality manual and inspection documents define the processes and activities of our organisation. We periodically monitor our services and performance to constantly improve and update ourselves. We are committed to manufacture products as per International Standards for total customer satisfaction, achieved by our dedicated team work.



GMP is a system for ensuring that products are consistently produced and controlled according to quality standards. It is designed to minimize the risks involved in any pharmaceutical production that cannot be eliminated through testing the final product.

CE & ISO 13485:2016 marking on a product indicates that the product complies with and has satisfied the essential requirements set out by the In Vitro Diagnostic (IVD) Medical Devices Directive 98/79/EC, it also demonstrates the fact that the product is fit for its intended purpose.

TERMS OF SALE

PRICES

Prices quoted in this List are nett ex-our or our distributors warehouse. These prices are ruling at the time of printing and are subject to change without prior notice. The sellers reserve the right to accept the order at their own descretion and to invoice the goods at the prevailing prices on the date of despatch.

ORDER PLACEMENT

Orders must specify Product Code, Rate or Price List Number and Price Revision Circular Number, if any.

STANDARD PACKINGS FOR SOLVENTS & ACIDS :

4x2.5 litres 12x1 litres 20x500 ml

HYDROGEN PEROXIDE : 20x500 ml or 20x1 litres.

MINIMUM ORDER

If the net value of order exceeds Rs. 10000/- goods will be despatched F.O.R. destination by transport. If required by any costly mean/post parcel/courier or passenger train 50% of the postage/freight will be charged extra. Liquid items cannot be sent by post parcel/courier. Dangerous goods are not acceptable for transport by road carriers and would therefore be despatched by rail.

Wherever net value of the order is less than Rs. 10000/- the packing, forwarding and freight will be charged extra. Where it is not possible to know the exact freight in advance, the goods will be sent on "Freight to Pay" basis.

AMENDMENT/CANCELLATION

No amendment or cancellation of order will be accepted once the goods have been packed for despatch.

TAXES AND DUTIES

The prices are exclusive of Goods and Services Tax (GST) and will be charge extra as applicable at the time of supply.

FORCE MAJEURE

Not withstanding whatever contained herein, in the event due to reasons beyond our control such as riots, strike, civil commotions, shortage of raw material, act of God, Government restrictions etc. we are prevented from making supplies, we or our authorised stockists will not be liable for any penalisation for delay or non-supply of the items.

PAYMENT

All sales are against Cash payment in the case of outstation buyers. Minimum 25% of the value of the order is payable in advance and the balance will be realised through V.P.P. or any recognised scheduled BANK. If the payment is not made within 15 days after intimation by the Bank, interest @ 24% will be charged till the date of retirement.

INSURANCE

Consignment can be insured at buyers request and at their cost, if instructions in this behalf are received with order. Insurance charges are normally 1.5% on non-dangerous and 3% on dangerous products.



BREAKAGE & SHORTAGE

The goods are packed with utmost care by experienced hands using the most suitable packing materials. Our responsibility, however, ceases as soon as the consignment leaves our warehouse. Claims if any for loss, damage, breakage, or delay in transit will not be entertained by us. Buyers are advised to refer such claims to the carriers or insurers.

BULK ENQUIRIES

Special Prices will be offered for bulk packs and large quantities.

SPECIAL NOTE

All chemicals enlisted in this Price list are for LABORATORY USE ONLY. No responsibility is accepted if these items are used for House Hold uses or other applications or for an accident or loss due to mishandling.

We solicit your enquiries for other than listed items.

CONTACT

E-mail :

sales@cdhfinechemical.com

WE RESERVE THE RIGHT TO DISCONTINUE MARKETING ANY ITEM WITHOUT NOTICE.

ALL DISPUTES WILL BE SUBJECT TO DELHI JURISDICTION ONLY.



Central Drug House (P) Ltd.

AN ISO 9001:2015 COMPANY

Corp. Office : 7/28, Vardaan House, Mahavir Street
Ansari Road, Darya Ganj, New Delhi-110002 (INDIA)

Phone : +91-11-49404040 (100 lines)

E-mail : sales@cdhfinechemical.com - (Domestic)

Website : www.cdhfinechemical.com

Mfg Unit : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)



LOT ORDERING :

Customers are requested to place their orders for products in their lot size as much as possible.

E.g. 4x2.5 ltr or 20x500 ml, so on and so forth. Lot shipments are easier to handle and reduce any chance of breakage or damage during transit.

QUOTATIONS :

For special products, or customized packing, please place your requests via mail / email or fax only. We shall revert back to you with availability & pricing information at the earliest.

BULK PACKS :

Please get in touch with us for special pricing on products required in their bulk packs, which are listed as "P.O.R." in the price list.

CUSTOM SYNTHESIS :

CDH may also be able to supply products not listed in this catalogue. Please get in touch with us for your customized product requirements. We shall be obliged to evaluate them.

Registered Trademarks of **Central Drug House (P) Ltd.**



CPECTROSOL®

CRISTAR®

CEDEPOL®

CLENTORN®


CFLORISIL®

CRITON X100®

Other Registered Trademarks used:

Chemical	Company
Amberlite, Duolite	- Dow Chemicals
Brij	- Atlas Powder
Carbopol	- Goodrich B. F. Chemical Co.
Celite	- Manville GB Ltd.
Florisil	- US Silica Company
Span	- Atlas Chemical Inc, USA
Indion	- Ion Exchange India Limited

Plant Tissue Culture Tested Chemicals




CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.



Animal Tissue Culture Tested Chemicals



CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing.

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specification.



Culture Media Bases

Ingredients




Product Code	Product Name
BC 2112	Basic Fuchsin Certified
BA 2274	Beef Extract Paste
BA 2002	Beef Extract Powder
BA 2669	Beef Extract Powder Type 1
BC 2002	Beef Extract Powder, Certified
BA 2008	Bile Salts for Bacteriology
BC 2009	Bile Salts Mixture, Certified
BC 2008	Bile Salts, Certified
BC 2021	Bio Peptone, Certified
BA 2498	Casein Acid Hydrolysate special for Pertussis Vaccine production.
BC 2013	Casein Acid Hydrolysate, Certified, recommended for use in culture media where
BA 2189	Casein Acid Hydrolysate, Certified, Sodium chloride less than 3%

..... and many more

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.



Molecular Biology Grade Reagents



Product Code	Product Name	CAS No.
910548	Acrylamide for Electrophoresis	79-06-1
910550	Acrylamide 3x cryst. DNase, RNase, protease And Phosphate not detected	79-06-1
911010	Agarose high EEO	9012-36-6
911050	Agarose medium EEO type II	9012-36-6
911120	Agarose low EEO	9012-36-6
913150	Ammonium Acetate	631-61-8
913350	Ammonium Chloride	12125-02-9
914350	Ammonium Persulphate	7727-54-0
914550	Ammonium Sulphate	7783-20-2
918000	Boric Acid	10043-35-3
920900	Calcium Chloride Dihydrate	10035-04-8
921000	Cesium Chloride	7647-17-8
926500	N,N-Dimethyl Formamide	68-12-2
926590	Dimethyl Sulphoxide	67-68-5
928500	Dithioerythritol (D.T.E.)	6892-68-8
932500	Ethylene Diamine Tetra Acetic Acid Disodium Salt	6381-92-6

..... and many more

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.



GRADES OF PURITY



ANALYTICAL REAGENT (AR)

Our Product range covers many AR Products conforming to the highest international standards for Analytical and Research work of the most responsible character. The trace impurities in these Products are restricted to the lowest possible limits for the utmost precision in laboratory work. We have designed a lot of products to meet the analytical specifications of IP, BP, USP, EP to fulfill the requirements of Pharma Industry.



DIAGNOSTIC REAGENTS

These are specially produced for the use in various hospitals, clinical & pathological laboratories for diagnostic purpose.



CPECTROSOL^o & CRISTAR^o

CDH offer a wide range of single element standard solutions (1000mg/L) suitable for AAS (CPECTROSOL^o) & ICP (CRISTAR^o). We also offer multi elements concentrated solutions at 10,000 mg/L in accordance with NIST.



FOR MICROBIOLOGY

Products which have been specially purified and tested for their microbiological applications.



FOR SYNTHESIS (LR & EP)

General purpose reagents used in many potential applications in chemical laboratories, careful control ensures that a consistently high defined quality is maintained throughout.



FOR MICROSCOPY

Microscopy stains are standardised by UV spectrum and controlled by TLC. They correspond normally to the specifications given in H.J. Conn's Biological Stain (1977).



FOR BIOCHEMISTRY

Highly Purified Reagents for use in Biochemical research and analysis. They are free from inhibits such as traces of heavy metals and tested with a view for Biochemical work.



HPLC GRADE

Continuing advances in the use of HPLC have led to an increased demand for solvents and reagents in wider range of application areas, particularly for biomolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.



GRADES OF PURITY



HISURE^o These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.



MOLECULAR BIOLOGY & ELECTROPHORESIS GRADE

Wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.



PESTICIDE RESIDUE ANALYSIS SOLVENTS

These solvents are developed especially for the applications in residual pesticides analysis and analysis of other low-volatile, environmentally relevant substances by using GC/ECD or GC/PND or GC/MSD instrumentation. These solvents are also suitable for analysis of polychlorinated biphenyls (PCBs) class of substance.



DRY SOLVENTS

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.



SPECTROSCOPY GRADE

These are solvents of high optical purity for UV / Visible / IR / Fluorescence / NMR and Mass spectroscopy. The certificate of guarantee includes assay, minimum transmission at certain defined wavelengths in UV range, moisture content, non-volatile matter etc.



NMR FOR SPECTROSCOPY

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.



EL GRADE CHEMICALS

These chemicals have very stringent limits for metallic impurities as required by the Electronic Industry.



BP/USP/EP

Suitable for Pharmaceutical application these products are specially purified to meet the Analytical specification of BP/USP/EP



AGAROSE



911000	Agarose High EEO	10 gm 25 gm 100 gm 500 gm
(9012-36-6)	This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	
911010	Agarose High EEO for molecular biology DNase, RNase, Protease not detected	10 gm 25 gm 100 gm 500 gm 1 kg
(9012-36-6)	This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	
911020	Agarose Medium EEO type II	10 gm 25 gm
(9012-36-6)	A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	
911050	Agarose Medium EEO type II for molecular biology DNase, RNase, Protease not detected	10 gm 25 gm 100 gm
(9012-36-6)	A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	
911100	Agarose Low EEO Regular grade	10 gm 25 gm 100 gm
(9012-36-6)	A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	
911120	Agarose Low EEO for molecular biology DNase, RNase, Protease not detected	10 gm 25 gm 100 gm
(9012-36-6)	A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	

..... and many more



ACIPUR



Product Code	Product Name	CAS No.
494825	Chloro Sulphonic Acid AR	7790-94-5
025732	Chloro Sulphonic Acid Pract 97.0%	7790-94-5
026099	Fluo Boric Acid Abt. 40%	16872-11-0
095735	Fluosilicic Acid for Synthesis	16961-83-4
544305	Hydriodic Acid AR/ACS 54-56%	10034-85-2
028505	Hydrobromic Acid 48.0-49.0%	10035-10-6
544425	Hydrobromic Acid AR/ACS 48.0%-49.0%	10035-10-6
028516	Hydrobromic Acid in Glacial acetic acid Abt. 33.0%	10035-10-6
113460	Hydrochloric Acid (1.18) 35-38%	7647-01-0
544475	Hydrochloric Acid (1.18) AR 35.4%	7647-01-0
744580	Hydrochloric Acid Abt. 36% (1.18) EL	7647-01-0
942120	Hydrochloric Acid Fuming 37% for MB	7647-01-0
028514	Hydrofluoric Acid 39.0-43.0%	7664-39-3
544735	Hydrofluoric Acid AR 40.0-42.0%	7664-39-3
544738	Hydrofluoric Acid AR 48.0-51.0%	7664-39-3
744120	Hydrofluoric Acid EL grade 40.0-42.0%	7664-39-3
025330	Hypophosphorous Acid 30-32%	6303-21-5
545505	Hypophosphorous Acid AR 50.0%	6303-21-5
029270	Molybdic Acid 85.0%	7782-91-4
587100	Molybdic Acid AR/ACS 87.0%	7782-91-4
756355	Nitric Acid EL 69-71%	7697-37-2
169215	Nitric Acid (1.41-1.42) 69-72%	7697-37-2
594655	Nitric Acid (1.42) AR/ACS 69-72%	7697-37-2
177615	Oleum 20% Pract	8014-95-7
029420	ortho-Phosphoric Acid 85.0%	7664-38-2
037137	ortho-Phosphoric Acid 85.0%	7664-38-2
609725	ortho-Phosphoric Acid AR 88.0%	7664-38-2
605075	Perchloric Acid 60% AR	7601-90-3

High purity acids
for trace metal analysis



..... and many more

STANDARD SOLUTION



CPECTROSOL^o & CRISTAR^o

Single element standard solutions concentrated at 1000mg/L
CPECTROSOL^o suitable for AAS & **CRISTAR^o** for ICP. We also offer multi elements concentrated solutions at 10,000 mg/L in accordance with NIST.

Conductivity Standard Solutions

Available in various Microsiemens in accordance with NIST.

Buffer Standard

Available in various pH in solutions and powder.



HPLC SOLVENTS



Product Features

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorption.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 µm filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.

Product Code	Product Name	CAS No.
720750	1,2-Dichloroethane	107-06-2
729500	1,4-Dioxane	123-91-1
709700	1-Butanol	71-36-3
714900	1-Chloro Butane (n-Butyl Chloride)	109-69-3
753020	1-Methyl-2-Pyrrolidone	872-50-4
759200	1-Octanol	111-87-5
765800	1-Propanol	71-23-8
765860	2-Propanol	67-63-0
700380	Acetone	67-64-1
700630	Acetonitrile	75-05-8
700580	Acetonitrile for preparative	75-05-8
706950	Benzene	71-43-2
711100	Butanone	78-93-3
713910	Carbo Tech	56-23-5
715910	Chloroform	67-66-3
717600	Cyclohexane	110-82-7
720950	Dichloromethane	75-09-2
721900	Diethyl Ether	60-29-7
728300	Dimethyl Sulphoxide	67-68-5
730900	Ethyl Acetate	141-78-6
743560	Hexane	110-54-3
747000	Iso Butyl Methyl Ketone	108-10-1
747500	Iso Octane	540-84-1
752140	Methanol	67-56-1
752650	Methyl Acetate	79-20-9
723000	N,N-Dimethyl Acetamide	127-19-5
723600	N,N-Dimethyl Formamide	68-12-2

..... and many more



NMR SOLVENTS



NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.

Product Code	Product Name	CAS No.
D00990	Acetic-d ₃ Acid-d	1186-52-3
D01269	Acetone-d ₆	666-52-4
D01548	Acetonitrile-d ₃	2206-26-0
D06957	Ammonium-d ₄ Formate-d	65387-23-7
D08757	Ammonium-d ₈ Sulphate	13814-01-2
D12357	Anthracene-d ₁₀	1719-06-8
D14175	Benzene-d ₆	1076-43-3
D15417	Benzoic-d ₅ Acid	1079-02-3
D16227	Biphenyl-d ₁₀	1486-01-7
D18927	Boric Acid-d ₃	14149-58-7
D28827	Chlorobenzene - d ₅	3114-55-4
D29727	Chloroform -d	865-49-6
D29754	Chloroform -d, Cont. 0.03 v/v % TMS	865-49-6
D39663	Dichloromethane-d ₂	1665-00-5
D54072	Dimethyl Sulphoxide-d ₆ (DMSO-d ₆)	2206-27-1
D63126	Hexane-d ₁₄	21666-38-6
D73026	Methyl-d ₃ Alcohol	1849-29-2
D73206	Methyl-d ₃ Alcohol-d (Methanol-d ₄)	811-98-3
D44172	N,N-Dimethyl-d ₆ -Formamide (DMF-d ₆)	185990-36-7
D79578	Naphthalene-d ₈	1146-65-2

..... and many more



DRY SOLVENTS



Product Code	Product Name
515970	1,4-Dioxane
617675	2-Propanol
450410	Acetone
493915	Chloroform
500390	Cyclohexane
508710	Dichloromethane
515510	Dimethyl Sulphoxide
029193	Methanol Dry
514365	N,N-Dimethyl Formamide
661480	Toluene

..... and many more

These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.



GC/HS SOLVENTS



Product Code	Product Name
700387	Acetone
700636	Acetonitrile
707052	Benzyl Alcohol
709706	n-Butanol
712095	n-Butyl Acetate
712897	tert-Butyl Methyl Ether
715916	Chloroform
717595	Cyclohexane
717850	Cyclohexanone
723100	N,N-Dimethyl Acetamide
727800	N,N-Dimethyl Formamide
720946	Dichloromethane
728700	Dimethyl Sulphoxide
729496	1,4-Dioxane
730897	Ethyl Acetate
752138	Methanol
753040	n-Methyl-2-Pyrrolidone
765793	1-Propanol
765853	2-Propanol
775783	Toluene
779645	Water

GC-HS solvents have been developed for more sensitive GC-headspace analysis of volatile organic impurities.

Exclusively designed for analysis of residual solvents described in the European Pharmacopoeia (Ph. Eur.), United States Pharmacopoeia (USP) and Q3C guidelines of International Conference on Harmonization (ICH)

Features:

- Highly pure solvents, especially tested for headspace application
- Ensure high sensitivity
- Long life - time packaged under Nitrogen gas
- Microfiltration (0.2 μm)

VARIETY OF OILS



Product Code	Product Name	CAS No.
033220	Castor Oil Saponification value :- 176-187	8001-79-4
025719	Cedar Wood Oil For Microscopy	8000-27-9
036063	Clove Oil for Microscopy	8000-34-8
025539	Eucalyptus Oil	8000-48-4
120940	Immersion Oil for Microscopy	—
036061	Immersion Oil Natural	—
177215	Oil Bergamot	8007-75-8
177245	Oil Corn	8001-30-7
177285	Oil Geranium	8000-46-2
177325	Oil Mentha	8008-79-5
177305	Oil of Lemon Grass Oil	8007-02-1
177395	Oil of Peppermint (peppermint oil)	8006-90-4
177425	Oil Orange	8008-57-9
024798	Olive Oil (Oil of Olive)	8001-25-0
191855	Pine Oil	8006-64-2
015067	Silicon Oil For Oil Baths upto 250	63148-62-9

..... and many more

Available Packs :
25 ml, 100 ml, 500 ml



NANO POWDERS



Product No.	Product Name	CAS No.
N01175	Aluminum (Al, 99.0% 18nm)	7429-90-5
N01180	Aluminum (Al, 99.9% 70-80nm)	7429-90-5
N01295	Aluminum Oxide (Alumina, Alfa-Al ₂ O ₃ , high purity 99.99%30nm)	1344-28-1
N01301	Aluminum Oxide (Alumina, gamma-Al ₂ O ₃ , high purity 99.97%20-30nm)	1344-28-1
N05760	Barium Titanate (BaTiO ₃ , 99.9%, 100-200nm)	12047-27-7
N06993	Boron Nitride (BN, hexagonal, 99. 70 nm)	10043-11-5
N06984	Boron Carbide (B ₄ C, Hexagonal, 99%, 50 nm)	12069-32-8
N09765	Chromium Oxide (Cr ₂ O ₃ , 99+%, 60 nm)	1308-38-9
N10368	Copper (Cu, 99.9%, 40 nm)	7440-50-8
N10450	Copper Oxide (CuO, 99%, 40nm)	1317-38-0
N11930	Diamond (C, 98% 3-10 nm)	7782-40-3
N23882	Graphene (C, 1-5 nm) 99.5+%	7782-42-5
N23886	Graphene (C, 6-8 nm) 99.5+%	7782-42-5
N23891	Graphene (C, 11-15 nm) 99.5+%	7782-42-5
N31257	Iron(III) Oxide (Fe ₂ O ₃ , alpha, 99%, 30 nm)	1309-37-1
N31262	Iron(III) Oxide (gamma- Fe ₂ O ₃ , 99%, 20-40 nm)	1309-37-1
N73107	Tantalum (Ta, 99.7% 60-80 nm)	7440-25-7
N74282	Tin Oxide (SnO ₂ , 99.9%, 50-70 nm)	18282-10-5



RARE EARTH METAL & SALTS



CDH a pioneer producer of Laboratory Fine Chemical in India Since 1981. CDH always keep enhancing product range and with the growing demand and repeated requests by our customers we are pleased to introduce a series of Rare Earth metals and their salts. These products are available in various purities from 99% to 99.999% of individual and co-precipitated Rare Earth chemicals, including Oxides, Acetates, Chlorides, Carbonates, Hydroxides, Fluorides, Nitrates, Oxalates, totally covered 90% of Rare Earth products, applied widely in manufacturing phosphors, advanced ceramics, pigments, glass, glazes, laser crystals, Rare Earth doped fibers.



CERIC

- RE0150 Ceric Hydroxide AR
- RE0165 Ceric Oxide 99.9% AR (Cerium IV Oxide)
- RE0190 Ceric Sulphate Tetrahydrate 99.0% AR
- 815300 Ceric Sulphate N/10 Solution



CERIUM

- RE0215 Cerium Metal Powder 99.9%
- RE0260 Cerium (III) Acetate Hydrate 99.9%
- RE0280 Cerium (III) Carbonate Hydrate
- RE0285 Cerium (III) Carbonate Hydrate 99.9%
- RE0310 Cerium(III) Chloride 99.9%
- RE0325 Cerium (III) Chloride Heptahydrate AR
- RE0340 Cerium (III) Fluoride 99.9%
- RE0370 Cerium (III) Nitrate 6H₂O 99.9%
- RE0395 Cerium (III) Oxalate 99.9%
- RE0415 Cerium (III) Sulphate Hydrate 99%



DYSPROSIUM

- RE0445 Dysprosium Metal Powder 99.99%
- RE0485 Dysprosium Acetate Hydrate 99.9%
- RE0515 Dysprosium Carbonate X H₂O 99%
- RE0540 Dysprosium Chloride 6 H₂O 99.99%
- RE0600 Dysprosium Nitrate X H₂O 99.9%
- RE0650 Dysprosium Oxide 99.9%
- RE0655 Dysprosium Oxide 99.99%



ERBIUM

- RE0710 Erbium Metal Powder 99.9%
- RE0755 Erbium Acetate Hydrate 99.9%
- RE0780 Erbium Carbonate Hydrate 99.9%
- RE0805 Erbium Chloride 6H₂O 99.9%
- RE0840 Erbium Nitrate 5H₂O 99.9%
- RE0865 Erbium Oxide 99.9%
- RE0890 Erbium Sulphate 8H₂O 99.9%



HOLMIUM

- RE1360 Holmium Acetate XH₂O 99.9%
- RE1380 Holmium Carbonate XH₂O 99.90%
- RE1390 Holmium Chloride 6H₂O 99.90%
- RE1415 Holmium Oxide 99.9%
- RE1420 Holmium Oxide 99.99%
- RE1440 Holmium Sulphate 8H₂O 99.9%



NEODYMIUM

- RE1940 Neodymium Metal Powder 99.99%
- RE1985 Neodymium Acetate XH₂O 99.9%
- RE2010 Neodymium Carbonate XH₂O 99.9%
- RE2035 Neodymium Chloride XH₂O 99.9%
- RE2070 Neodymium Nitrate 6H₂O 99.9%
- RE2095 Neodymium Oxide 99.9%
- RE2120 Neodymium Sulphate 8H₂O 99.9%



SCANDIUM

- RE2595 Scandium Metal Powder 99.99%
- RE2635 Scandium Acetate XH₂O 99.9%
- RE2680 Scandium Chloride 6H₂O 99.9%
- RE2755 Scandium Nitrate XH₂O 99.9%
- RE2805 Scandium Oxide 99.9%
- RE2830 Scandium Sulphate 8H₂O 99.9%



TERBIUM

- RE2860 Terbium Metal Powder 99.9%
- RE2900 Terbium Acetate XH₂O 99.9%
- RE2925 Terbium Carbonate XH₂O 99.9%
- RE2950 Terbium Chloride 6H₂O 99.9%
- RE2975 Terbium Nitrate 5H₂O 99.9%
- RE3000 Terbium Oxide 99.9%
- RE3025 Terbium Sulphate 8H₂O 99.9%



YTTRIUM

- RE3445 Yttrium Metal Powder 99.99%
- RE3485 Yttrium Acetate XH₂O 99.9%
- RE3510 Yttrium Carbonate XH₂O 99.9%
- RE3535 Yttrium Chloride 6H₂O 99.9%
- RE3615 Yttrium Nitrate XH₂O 99.9%
- RE3685 Yttrium Oxide 99.9%
- RE3690 Yttrium Oxide 99.99%

STAINING SOLUTION



Product Code	Product Name
801040	Aceto Orcein Solution
800340	Acetone Alcohol 50% Solution Decolorizer
802440	Alcian Blue Solution for Microscopy
802720	Alizarin Red Solution 0.1 % w/v
802725	Alkali Blue (6B) Solution 0.1% in Alcohol
802860	Alkaline Copper Tartrate Solution
803660	Amaranth Solution
810600	Borax Carmine Alcoholic Solution
810620	Borax Carmine Aqueous Solution
811040	Bouin's Fluid (Bouin's Picro Formal fixing Soln.)
811200	Brilliant Cresyl Blue Solution Alcoholic
811220	Brilliant Cresyl Blue Solution Aqueous
811270	Brilliant Green 1% (w/v) Aqueous Indicator Solution
811745	Bromo Cresol Green Sodium Salt Solution 0.04%
811740	Bromo Cresol Green Solution
811780	Bromo Cresol Purple Indicator Solution
812010	Bromo Phenol Blue ABT. 1% Solution in DMF
812000	Bromo Phenol Blue Solution
812050	Bromo Phenol Blue-Xylene Cyanol Dye Solution
812170	Bromo Thymol Blue Solution
814520	Calmagite 0.1% (w/v) Aqueous Indicator Solution
814920	Carbol Fuchsin (Dilute) Solution
814900	Carbol Fuchsin Staining Solution Strong
817340	Chloro Phenol Red Indicator Solution
817500	Cholesterol Stock Standard solution 0.1%
819040	Congo Red Solution
819480	Cotton Blue Solution
819600	Creatinine Standard Solution
819740	Cresol Red Indicator Solution
828705	Diacetyl Monoxine Solution 2%
827000	Drabkin's Solution
829620	Eosine Yellow Stain Solution 2% w/v
829710	Eriochrome Black T Indicator Solution
834200	Fehling's Solution NO. 1
834220	Fehling's Solution NO. 2

Product Code	Product Name
819700	m-Cresol Purple Solution
865850	Methyl Orange Indicator Solution
865855	Methyl Orange Mixed Indicator Solution
865895	Methyl Purple (pH Indicator) Solution AR
866040	Methyl Red Indicator Solution
866180	Methyl Violet Aqueous Solution
865650	Methylene Blue Aqueous Staining Solution
865670	Methylene Blue Gabbots Solution
866260	Miller's Reagent for Fluorine
866270	Millon's Reagent
866320	Molish's Reagent
866490	Morner's Reagent
868500	Neisser's Metachromatic Stains kit
868520	Neisser's Stain A Soln. (Methylene Blue)
868520	Neisser's Stain A Soln. (Methylene Blue)
868530	Neisser's Stain B Soln. (Crystal Violet)
868530	Neisser's Stain B Soln. (Crystal Violet)
868540	Neisser's Stain C Soln. (Chrysodine)
868540	Neisser's Stain C Soln. (Chrysodine)
868740	Nessler's Reagent
868760	Nessler's Reagent King's
868790	Neutral Red pH Indicator Solution
868820	Newman's Stain Soln.
869200	Nigrosine 10% Solution For Negative
871200	O'meara Reagent
897900	o-Tolidine Reagent
874370	Pandy's Reagent
874420	Papanicolaous Solution 1a
874430	Papanicolaous Solution 2b
874440	Papanicolaous Solution 3b
875200	Phenol Red (Indicator Solution)
875180	Phenolphthalein (Indicator Solution) 1%w/v
875185	Phenolphthalein 2% Solution in Alcohol
875920	Picric Acid Saturated Aqueous Soln.
875900	Picric Acid Solution 1.2% AR

STAIN AND INDICATORS



Product Code	Product Name	CAS No.
606025	1,10-Phenanthroline (Monohydrate) AR Redox Indicator	5144-89-8
516525	1,5-Diphenyl Carbazide AR	140-22-7
516535	1,5-Diphenyl Carbazone AR	538-62-5
508805	2,6-Dichloro Phenol Indophenol Sodium Salt AR	620-45-1
027041	Acridine Orange (M.S.)	10127-02-3
027043	Acriflavine for Biochemistry	8048-52-0
025955	Alcian Blue 8GX for Microscopy	33864-99-2
452905	Alizarin pH indicator AR	72-48-0
013006	Alizarin Yellow GG	584-42-9
453645	Alizarin Yellow R AR for Microscopy	2243-76-7
015042	Amido Black 10B Dye content (Titanometry on Dried Subs.)	1064-48-8
457535	Ammonium Purpurate AR/ACS	3051-09-0
020075	a-Naphthol Benzein (pH Indicator)	145-50-6
020076	a-Naphtholphthalein pH Indicator	596-01-0
459095	Anthrone AR/ACS	90-44-8
459635	Arsenazo I AR (Neothorone)	520-10-5
459725	Arsenazo III AR	62337-00-2
034095	Auramine for Microscopy (Auramine-O)	2465-27-2
013895	Azur A (M.S.)	531-53-3
013900	Azur B (M.S.)	531-55-5
013905	Azur C	531-57-7
034007	Azur II Eosine for Microscopy	53092-85-6
034006	Azur II for Microscopy	37247-10-2
461865	Barium Diphenylamine Sulphonate AR Redox Indicator	6211-24-1
034010	Bismark Brown R C.I.21010	5421-66-9
025841	Bismark Brown Y for Microscopy	10114-58-6
025854	Brilliant Cresyl Blue Indicator	81029-05-2
467805	Bromo Cresol Green Indicator AR	76-60-8
469395	Bromo Thymol Blue AR (pH Indicator)	76-59-5
034016	Carbol Fuchsin Powder for Microscopy	4197-24-4

Product Code	Product Name	CAS No.
131005	Janus Green (M.S. & Redox Indicator)	2869-83-2
034042	Leishman's Stain for Microscopy (Eosine Methylene Blue Compound)	12627-53-1
034043	Light Green for Microscopy Light Green SF Yellowish	5141-20-8
145500	Malachite Green for Microscopy (Malachite Green Oxalate)	2437-29-8
034047	Methyl Blue for Microscopy C.I. No. 42780	28983-56-4
020065	Methyl Orange pH Indicator C.I. No. 13025	547-58-0
586085	Methyl Red AR/ACS pH Indicator	493-52-7
020071	Methyl Thymol Blue Complexone Indicator For Complexometric titration	1945-77-3
585205	Methylene Blue for Microscopy AR	61-73-4
034055	Naphthol Green B for Microscopy C.I. No. 10020	19381-50-1
592855	Naphthoresorcinol AR (1,3-Dihydroxynaphthalene)	132-86-5
593630	Neutral Red AR (pH Indicator) C.I. No. 50040 (Neutral Red Chloride)	553-24-2
034184	New Fuchsin for Microscopy	3248-91-7
167905	New Methylene Blue	1934-16-3
024897	Night Blue for Microscopy C.I. 44085	4692-38-0
034131	Nigrosin (Alcohol soluble)	11099-03-9
024875	Nile Blue Chloride C.I. : 51180	2381-85-3
970100	Nitro B.T. for Microscopy	298-83-9
173035	Nuclear Fast Red for Microscopy	6409-77-4
020026	o-Cresolphthaleine pH Indicator	596-27-0
174900	Oracet Blue B Indicator	12769-16-3
034062	Orange G Indicator for Microscopy C.I. No. 16230	1936-15-8
034063	Orcein for Microscopy	1400-62-0
029418	Orcinol Monohydrate	6153-39-5
034134	Patent Blue V F C.I. 42045	129-17-9
604585	Patton & Reeder's Reagent AR	3737-95-9
606415	Phenol Red Indicator AR	143-74-8
020088	Phenolphthalein pH Indicator	77-09-8
195005	Ponceau for Electrophoresis	6226-79-5

contents

PRICE LIST | PL-41 | 2023-2024

CDH	LABORATORY CHEMICALS	1-272
	◇ Cross Reference for New Product Code	
microgen	MICROBIOLOGY	273-386
	◇ Ready Prepared Media	276-286
	◇ Dehydrated Culture Media & Supplement	287-323
	◇ Media Supplements	324-337
	◇ Culture Media Bases	338-342
	◇ Antimicrobial Susceptibility Systems	343-386
	ANIMAL CELL CULTURE	387-441
	◇ CELL CULTURE PLATFORM	390-404
	- Cell Culture Media	390-402
	- Cell Culture Reagents	404-409
	- Cell Culture Supplements	409-410
	- Speciality Product Segment	410-411
	- Viral Transport System	412
	◇ CELL CULTURE TESTED CHEMICALS CDH	413-441
	PLANT TISSUE CULTURE	442-478
	◇ Plant Tissue Culture Media & Media Supplements	445-456
	◇ Plant Growth Regulators CDH	457-461
	◇ Contamination Control Systems CDH	462-467
	◇ Plant Tissue Culture Tested Chemicals CDH	468-478
CDH	MOLECULAR BIOLOGY CHEMICALS	481-492
	READYMADE STAINING SOLUTIONS CDH	493-498
	LABORATORY DISINFECTANT CDH	499-501

Product Code	Product Name	Price	Packing
TC1409	ATC ▲17-AAG 17-(Allylamino)-17-Demethoxygeldanamycin Cell Culture Tested M. W.: 585.69 Assay : ≥99%	32760.00	1 mg
		77813.00	5 mg
C ₃₁ H ₄₃ N ₃ O ₈ (75747-14-7)	AAS Solution See Complete List Standards Solution Page No.- 224		
001000	▲(±)-Abscisic Acid Extra Pure (ABA) M. W.: 264.32	1315.00	25 mgm
		4599.00	100 mgm
		19998.00	500 mgm
C ₁₅ H ₂₀ O ₄ (14375-45-2)			
PCT1815	PTC ▲(±)-Abscisic acid Plant Culture Tested M. W.: 264.32 Assay 99%	7812.00	100 mg
		35100.00	500 mg
		56840.00	1 gm
C ₁₅ H ₂₀ O ₄ (14375-45-2)			
001025	Acacia (Gum Acacia, Gum Arabic)	621.00	500 gm
		5094.00	5 kg
(9000-01-5)		POR	25 kg
450005	Acacia enzyme free AR Meets Analytical Specification of IP, B.P., U.S.P., N.F., Ph.EVR.	842.00	500 gm
(9000-01-5)			
H00155	Acacia Meets Analytical Specification of IP, B.P., U.S.P., N.F., Ph.EVR.	2601.00	500 gm
(9000-01-5)			
001055	Acenaphthene for Synthesis M. W.: 154.21 Assay (GC) 98.0%	460.00	100 gm
		1701.00	500 gm
C ₁₂ H ₁₀ (83-32-9)			
450050	Acenaphthene AR M. W.: 154.2 Assay 99.0%	1440.00	100 gm
		5742.00	500 gm
C ₁₂ H ₁₀ (83-32-9)			
001085	ACES Buffer M. W.: 182.2 Assay 99.0%	2007.00	25 gm
		7704.00	100 gm
			1 kg
C ₄ H ₁₀ N ₂ O ₄ S (7365-82-4)			
909860	MB ACES Buffer (N-[2-Acetamido]-2-Aminoethane Sulfonic Acid) For Molecular Biology M. W.: 182.2 Assay : ≥ 99% Store Below 30°C	711.00	5 gm
		2642.00	25 gm
		9450.00	100 gm
C ₄ H ₁₀ N ₂ O ₄ S (7365-82-4)			
001115	Acetaldehyde Soln. Pract M. W.: 44.05 Assay (By acidimetric) 20-30% w/w	680.00	500 ml
		10080.00	10 lit
C ₂ H ₄ O (75-07-0)			
027005	Acetamide for Synthesis M. W.: 59.07 Assay 98.0%	747.00	250 gm
		1350.00	500 gm
CH ₃ .CONH ₂ (60-35-5)		POR	25 kg
909910	MB Acetamide (Amide C ₂) For Molecular Biology M. W.: 59.07 Assay : > 99% Store Below 30°C	891.00	100 gm
C ₂ H ₅ NO (60-35-5)			
001175	Acetamidinium Chloride for Synthesis (Acetamidium Hydrochloride) M. W.: 94.54	7740.00	250 gm
C ₂ H ₆ N ₂ .HCl (124-42-5)			

Product Code	Product Name	Price	Packing
	N-(2-Acetamido)-2-Aminoethanesulphonic Acid See ACES		
	2-Acetamido-2-Deoxy Galactosamine See N-Acetyl-D-galactosamine		
	N-(2-Acetamido) Iminodiacetic See ADA Buffer		
	2-Acetamido-3-Mercaptopropionic Acid See N-Acetyl-L-Cysteine		
001205	4-Acetamidophenol M. W.: 151.16	486.00	100 gm
		1919.00	500 gm
C ₈ H ₉ NO ₂ (103-90-2)			
027008	Acetanilide for Synthesis M. W.: 135.17 Assay 98.5%	684.00	250 gm
		1296.00	500 gm
			POR 25 kg
C ₆ H ₅ .NH.CO.CH ₃ (103-84-4)			POR 50 kg
800100	Acetate Buffer Solution pH 4.6 pH (as such) 4.6±0.2	306.00	500 ml
800105	Acetate Buffer TS acc. To USP	423.00	500 ml
027017	Acetic Acid Glacial for Synthesis Meets Analytical Specification of IP M. W.: 60.05	351.00	500 ml
		1301.00	2.5 lit
CH ₃ .COOH (64-19-7)	Assay (acidimetric) 99.5%		POR 25 lit
450140	Acetic Acid Glacial (about 1.05) AR/ACS & P Test (Unaffected by chromic acid) Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 60.05 Assay (acidimetric) 99.7%	405.00	500 ml
		1593.00	2.5 lit
			POR 25 lit
CH ₃ .COOH (64-19-7)			POR 200 lit
700100	Acetic Acid for HPLC & Spectroscopy M. W. 60.0	648.00	500 ml
		1071.00	1 lit
CH ₃ COOH (64-19-7)	Assay (GC) 99.8%		2340.00 2.5 lit
909960	MB Acetic Acid For Molecular Biology M. W.: 60.05 Assay : ≥ 99.7% Store Below 30°C	1998.00	500 ml
C ₂ H ₄ O ₂ (64-19-7)			
450230	Acetic Acid Glacial (Aldehyde Free) AR Specially suitable for use in determination of Cholesterol in blood plasma and for wj's solution M. W.: 60.05 Assay (acidimetric) 99.8%	495.00	500 ml
		1746.00	2.5 lit
			POR 25 lit
CH ₃ COOH (64-19-7)			POR 200 lit
700140	Acetic Acid EL Grade M. W.: 60.05	684.00	500 ml
		2601.00	2.5 lit
CH ₃ COOH (64-19-7)	Assay (acidimetric) 99.8%		
TC1574M	ATC Acetic Acid, Glacial Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 60.05 Store below 30°C	3960.00	1 lit
CH ₃ COOH (64-19-7)			
D00990	Acetic-d₃ Acid-d (for NMR Spectroscopy) M. W.: 64.08	15660.00	10x0.75 ml
		11394.00	10 ml
C ₂ D ₄ O ₂ (1186-52-3)	Assay Min. 99.5 atom%D		
800240	Acetic Acid CPECTROSOL ® 0.1M (0.1N) Standard Solution in accordance with NIST	1400.00	1 lit

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

A

Laboratory Chemicals

Product Code	Product Name	Price	Packing
800242	Acetic Acid 0.1 M (0.1N) for 500 ml Solution	154.00 333.00 603.00	1 Amp 3 Amp 6 Amp
800253	Acetic Acid 1M	594.00	1 lit
800252	Acetic Acid mol/L (1N) for 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
800250	Acetic Acid CPECTROSOL® 0.5M (0.5N) Standard Solution in accordance with NIST	1400.00	1 lit
800255	Acetic Acid CPECTROSOL® 1M (1N) Standard Solution in accordance with NIST	1400.00	1 lit
800260	Acetic Acid CPECTROSOL® 2M (2N) Standard Solution in accordance with NIST	1400.00	1 lit
800263	Acetic Acid Solution 2N acc. to USP	423.00	500 ml
800280	Acetic Acid Solution 3%	158.00	500 ml
800300	Acetic Acid Solution 5%	167.00	500 ml
800320	Acetic Acid Solution 10%	171.00	500 ml
800323	Acetic Acid 25% AR	414.00	1 lit
800325	Acetic Acid 30%	333.00 POR	1 lit 25 lit
800330	Acetic Acid 60%	387.00 POR	1 lit 25 lit
800333	Acetic Acid 80%	550.00 POR	1 lit 25 lit
800334	Acetic Acid 90% AR	504.00	1 lit
800336	Acetic Acid Ammonium Acetate Buffer TS acc. to USP	900.00	500 ml
	Acetic Acid Benzyl Ester See Benzyl Acetate		
	Acetic Acid Isobutyl Ester See Iso Butyl Acetate		
	Acetic Acid Isopropyl Ester See Iso Propyl Acetate		
001295 C ₁₀ H ₁₁ NO ₂ (102-01-2)	Aceto Acetanilide Tech. M. W.: 177.20	851.00 POR POR	500 gm 25 kg 50 kg
	Acetoacetic Ethylester See Ethyl Acetoacetate		
	Acetoacetic Methylester See Methyl Acetoacetate		
	Aceto Carmine See Carmine Aceto		
001520 C ₂ H ₅ NO ₂ (546-88-3)	Aceto Hydroxamic Acid M. W.: 75.07 Assay 98.0%	7200.00	10 gm
	1-Acetonaphthone See 1-Acetyl Naphthalene		

Product Code	Product Name	Price	Packing
800340	Acetone Alcohol 50% Solution Decolourizer	288.00	500 ml
800338	Acetone 1% w/v Solution	306.00	1 lit
027023 (CH ₃) ₂ CO (67-64-1)	Acetone for Synthesis M. W.: 58.08 Assay (GC) 99.0%	396.00 1400.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
450320 (CH ₃) ₂ CO (67-64-1)	Acetone AR/ACS Meets Analytical Specification of BP,USP,Ph,Eur M. W.: 58.08 Assay (GC) 99.5%	450.00 1593.00 POR	500 ml 2.5 lit 25 lit
450410 (CH ₃) ₂ CO (67-64-1)	Acetone Specially Dried AR M. W.: 58.08 Assay (GC) 99.5%	630.00 2133.00	500 ml 2.5 lit
700330 (CH ₃) ₂ CO (67-64-1)	Acetone EL Grade M. W.: 58.08 Assay (GC) 99.8%	1900.00	2.5 lit
700387 (CH ₃) ₂ CO (67-64-1)	Acetone GC-HS Grade M. W.: 58.08 Assay (GC) 99.9%	1107.00 1593.00	500 ml 1 lit
700380 (CH ₃) ₂ CO (67-64-1)	Acetone for HPLC & Spectroscopy M. W.: 58.08 Assay (GC) 99.8%	851.00 1854.00	1 lit 2.5 lit
910010 CH ₃ COCH ₃ (67-64-1)	Acetone For Molecular Biology M. W.: 58.08 Assay : ≥ 99.5% Store Below 30°C	873.00 2988.00	500 ml 2.5 lit
700430 C ₃ H ₆ O (67-64-1)	Acetone for Pesticide Residue Analysis M. W.: 58.08 Assay 99.9%	1818.00 3700.00	1 lit 2.5 lit
D01269 C ₃ D ₆ O (666-52-4)	▲Acetone-d₆ (for NMR Spectroscopy) M. W.: 64.13 Assay Min. 99.5 atom%D	10800.00	10 ml
D01278 C ₃ D ₆ O (666-52-4)	▲Acetone-d₆ (for NMR Spectroscopy) M. W.: 64.13 Assay Min. 99.8 atom%D	10800.00	10x0.75ml
	Acetone Dimethyl Acetal See -2,-2 Dimethoxy Propane		
029220 CH ₃ CN (75-05-8)	Acetonitrile for Synthesis M. W.: 41.05 Assay (GC) 99.0%	770.00 3294.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
450500 CH ₃ CN (75-05-8)	Acetonitrile AR/ACS M. W.: 41.05 Assay (GC) 99.5%	837.00 3690.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
450505 CH ₃ CN (75-05-8)	Acetonitrile Specially Dried AR M. W.: 41.05 Assay (GC) 99.5%	936.00 4680.00	500 ml 2.5 lit
700580 CH ₃ CN (75-05-8)	Acetonitrile for preparative (HPLC) M. W.: 41.05 Assay (GC) 99.8%	4392.00	2.5 lit

Product Code	Product Name	Price	Packing
700636 CH ₃ CN (75-05-8)	Acetonitrile GC HS Grade M. W.: 41.05 Assay (GC) 99.9%	1800.00 3330.00	500 ml 1 lit
700630 CH ₃ CN (75-05-8)	Acetonitrile for HPLC & Spectroscopy M. W.: 41.05 Assay (GC) 99.8%	1944.00 4095.00	1 lit 2.5 lit
910090 MB CH ₃ CN (75-05-8)	Acetonitrile For Molecular Biology M. W.: 41.05 Assay : ≥ 99.9% Store Below 30°C	1197.00	500 ml
700640 CH ₃ CN (75-05-8)	Acetonitrile for Gradient Grade M. W.: 41.05 Assay (GC) 99.9%	1944.00 4203.00	1 lit 2.5 lit POR 25 lit
700780 CH ₃ CN (75-05-8)	Acetonitrile for Pesticide Residue Analysis M. W.: 41.05 Assay (GC) 99.9%	4860.00	1 lit
700920 CH ₃ CN (75-05-8)	Acetonitrile Dna for Synthesis M. W.: 41.05 Assay 99.8%	3393.00 7227.00	1 lit 2.5 lit
D01548 C ₂ D ₃ N (2206-26-0)	Acetonitrile-d₃ (for NMR Spectroscopy) M. W.: 44.08 Assay Min. 99.8 atom%D	13005.00	10 ml
D01557 C ₂ D ₃ N (2206-26-0)	Acetonitrile-d₃ (for NMR Spectroscopy) M. W.: 44.08 Assay Min. 99.8 atom%D	13500.00	10X0.75ml
700660	Acetonitrile LCMS	8001.00	1 lit
800400	Acetonitrile with 0.1% Acetic Acid for LCMS	13203.00	2.5 lit
800405	Acetonitrile with 0.1% Formic Acid for LCMS	21060.00	2.5 lit
800407	Acetonitrile with 0.1% Trifluoroacetic Acid for LCMS	21060.00	2.5 lit
800410	Acetonitrile/Water 50:50 (w/w) for HPLC	4392.00	2.5 lit
801040	Aceto Orcein Solution	432.00	100 ml
027030 C ₆ H ₅ .CO.CH ₃ (98-86-2)	Acetophenone M. W.: 120.15 Assay (GC) 99.0%	1044.00 4680.00	500 ml 2.5 lit POR 25 lit POR 200 lit
451005 C ₆ H ₅ .CO.CH ₃ (98-86-2)	Acetophenone AR M. W.: 120.15 Assay (GC) 99.0%	1170.00 5454.00	500 ml 2.5 lit POR 25 lit
PCT2301 PTC C ₁₀ H ₁₂ O ₄ (2478-38-8)	▲ Acetosyringone Plant Culture Tested M. W.: 196.2 Assay 98%	2480.00 11160.00 50310.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
027035 CH ₃ .CO.CH ₂ .CO.CH ₃ (123-54-6)	Acetyl Acetone for Synthesis M. W.: 100.12 Assay (GC) 98.0%	1800.00 8460.00	500 ml 2.5 lit
451095 CH ₃ .CO.CH ₂ .CO.CH ₃ (123-54-6)	Acetyl Acetone AR M. W.: 100.12 Assay (GC) 99.5%	2070.00	500 ml
	N-Acetyl-4-Aminophenol See 4-Acetamidophenol (Paracetamol)		
	4-Acetylanisole See 4-Methoxyacetophenone		
001705 C ₂ H ₃ BrO (506-96-7)	Acetyl Bromide for Synthesis M. W.: 122.95 Assay 98.0%	3105.00 5904.00	250 ml 500 ml
451125 C ₂ H ₃ BrO (506-96-7)	Acetyl Bromide AR M. W.: 122.95	6993.00	500 ml
001735 C ₆ H ₈ O ₃ (517-23-7)	α-Acetyl-g-Butyrolactone for Synthesis M. W.: 128.13 Assay 99.0%	2255.00 6003.00 30015.00	100 gm 500 gm 5 kg POR 25 kg
027037 CH ₃ COCl (75-36-5)	Acetyl Chloride for Synthesis M. W.: 78.50 Assay (ex Cl) 98.0-102.0%	873.00 3402.00	500 ml 2.5 lit
451175 C ₇ H ₁₆ ClNO ₂ (60-31-1)	▲ Acetyl Choline Chloride AR Store at - 20°C M. W.: 181.66 Assay 99.0%	3402.00 7803.00	10 gm 25 gm
451185 C ₇ H ₁₆ INO ₂ (2260-50-6)	▲ Acetyl Choline Iodide AR M. W.: 273.12 Assay (Argentometry) 98.5%	2511.00	5 gm
001855 C ₅ H ₉ NO ₃ S (616-91-1)	▲ N-Acetyl-L-Cysteine M. W.: 163.19 Assay (Iodometric) 99.0%	396.00 2620.00	10 gm 100 gm
TC1054 ATC C ₅ H ₉ NO ₃ S (616-91-1)	▲ N-Acetyl-L-Cysteine (From non-animal source) Cell Culture Tested M. W.: 163.19 Assay : ≥98%	1450.00 3591.00 13010.00	5 gm 25 gm 100 gm
TC1054M ATC C ₅ H ₉ NO ₃ S (616-91-1)	▲ N-Acetyl-L-Cysteine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 163.191	4730.00 18180.00 48520.00	5 gm 25 gm 100 gm
001885 C ₆ H ₁₁ NO ₃ S (7652-46-2)	N-Acetyl-L-Cysteine Methyl Ester for Biochemistry M. W.: 177.22 Assay (HPLC) 90%	9000.00	2.5 gm
	Acetylene Tetra Bromide See 1,1,2,2-Tetrabromoethane		
001900 C ₈ H ₁₅ NO ₆ (14215-68-0)	▲ N-Acetyl-D-Galactosamine for Biochemistry M. W.: 221.21 Assay (ex N) 98%	2520.00 7520.00	100 mgm 1 gm

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

A

Laboratory Chemicals

Product Code	Product Name	Price	Packing
001950	▲N-Acetyl-D-Glucosamine for Biochemistry	936.00 2620.00 4590.00 20930.00	10 gm 50 gm 100 gm 500 gm
C ₈ H ₁₅ NO ₆ (7512-17-6)	M. W.: 221.21 Assay 99.0%		
TC1081	▲N-Acetyl-D-Glucosamine Cell Culture Tested	2350.00 3340.00 10009.00	10 gm 25 gm 100 gm
C ₈ H ₁₅ NO ₆ (7512-17-6)	M. W.: 221.21 Assay : ≥98.5%		
002000	▲N-Acetyl Glycine	1022.00 3744.00	100 gm 500 gm
C ₄ H ₇ NO ₃ (543-24-8)	M. W.: 117.10 Assay 98.0%		
002080	1-Acetyl Naphthalene for Synthesis	603.00 2601.00	100 ml 500 ml
C ₁₂ H ₁₀ O (941-98-0)	M. W.: 170.21 Assay 97.5%		
002100	▲N-Acetyl Neuraminic Acid (Nana) for Biochemistry	1890.00 4824.00 7875.00	100 mgm 500 mgm 1 gm
C ₁₁ H ₁₉ NO ₉ (131-48-6)	M. W.: 309.27 Assay 95.0%		
002150	1-Acetyl-4-Piperidone	2106.00 8604.00	5 gm 25 gm
C ₇ H ₁₁ NO ₂ (32161-06-1)	M. W.: 141.17 Assay 94%		
002300	2-Acetyl Pyridine for Synthesis (Methyl 2-Pyridyl Ketone)	1710.00 5000.00	25 gm 100 gm
C ₇ H ₇ NO (1122-62-9)	M. W.: 121.14 Assay (GC) 98.0%		
002350	3-Acetyl Pyridine for Synthesis (Methyl 2-Pyridyl Ketone)	2934.00	100 ml
C ₇ H ₇ NO (350-03-8)	M. W.: 121.14 Assay (GC) 98.0%		
451275	▲S-Acetyl Thiocholine Iodide AR	2205.00 8600.00	1 gm 5 gm
C ₇ H ₁₆ INOS (1866-15-5)	M. W.: 289.17 Assay (Argentometric) 98.5%		
002394	2-Acetyl Thiophene for Synthesis (Methyl-2-Thienyl ketone)	1800.00 7506.00	100 gm 500 gm
C ₆ H ₆ OS (88-15-3)	M. W.: 126.18 Assay 98.0%		
002400	▲N-Acetyl-DL-Tryptophan for Biochemistry	2007.00	25 gm
C ₁₃ H ₁₄ N ₂ O ₃ (87-32-1)	M. W.: 246.27 Assay 99%		
TC1055	▲N-Acetyl-L-Tyrosine (From non-animal source) Cell Culture Tested	5590.00 19620.00 61489.00	5 gm 25 gm 100 gm
C ₁₁ H ₁₃ NO ₄ (537-55-3)	M. W.: 223.23 Assay : ≥98%		
002450	N-Acetyl-L-Tyrosine Ethyl Ester for Biochemistry	2115.00 4032.00	5 gm 10 gm
C ₁₃ H ₁₇ NO ₄ .H ₂ O (36546-50-6)	M. W.: 269.29		
	1,2,4- Acid See 1-Amino-2-Naphthol-4-sulphonic acid		
801740	Acid Alcohol	297.00 1000.00	125 ml 500 ml
801790	Acid Fast Decolourizer	423.00 1440.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
	Acid Fuchsin See Fuchsin acid		
801840	Acid Mixture (Phosphoric Sulphuric)	135.00	125 ml
801890	Acid Molybdate Solution For determination of Phosphate in boiler water	252.00	500 ml
TC1678	▲Acid Phosphatase Cell Culture Tested	5230.00 17730.00	50 units 200 units
(9001-77-8)	Store at -20°C		
	Acid Red 66 See Biebrich Scarlet		
	Acid Red 87 See Eosin Yellow		
TC1419	▲Aclarubicin Hydrochloride Cell Culture Tested	35433.00	5 mg
C ₄₂ H ₅₃ NO ₁₅ .HCl (75443-99-1)	M. W.: 848.33 Assay : ≥90%		
280135	Acridine Orange (M.S.) C.I. 46005	1242.00 5760.00	5 gm 25 gm
C ₁₇ H ₁₉ N ₃ .½ZnCl ₂ .HCl (10127-02-3)	M. W.: 369.94 Dye content 87.0%		
910140	Acridine Orange For Molecular Biology C. I. No. : 46005	2430.00 5850.00	10 gm 25 gm
C ₁₇ H ₂₀ ClN ₃ .HCl.½ZnCl ₂ (10127-02-3)	M. W.: 369.96		
	Store Below 30°C		
280275	Acriflavine for Biochemistry C.I. 46000	603.00 2304.00 13005.00	5 gm 25 gm 250 gm
C ₁₄ H ₁₄ Cl N ₃ (8048-52-0)	M. W.: 259.7 Dye content (dried) 98.5-105%		
910200	Acriflavine, Neutral For Molecular Biology C. I. No. : 46000	5391.00	100 gm
C ₁₄ H ₁₄ ClN ₃ (8048-52-0)	M. W.: 259.73 Store Below 30°C		
280285	Acriflavine Hydrochloride Fluorescence Grade	2305.00	25 gm
(8063-24-9)			
027045	▲Acrylamide	810.00 5760.00	500 gm 5 kg
C ₃ H ₅ NO (79-06-1)	M. W.: 71.08 Assay (G.C) 98.5%		25 kg 50 kg
910548	▲Acrylamide for Electrophoresis	221.00 603.00 1602.00	25 gm 100 gm 500 gm
C ₃ H ₅ NO (79-06-1)	M. W.: 71.08 Assay 99.0%		
451365	▲Acrylamide 3X cryst AR	270.00 923.00 3843.00 6462.00 26235.00	25 gm 100 gm 500 gm 1 kg 5 kg
C ₃ H ₅ NO (79-06-1)	M. W.: 71.08 Assay (GC) 99.9%		
910550	▲Acrylamide 3x cryst. For molecular biology DNase, RNase, protease And Phosphate not detected	396.00 1040.00 4442.00 7812.00 28062.00	25 gm 100 gm 500 gm 1 kg 5 kg
C ₃ H ₅ NO (79-06-1)	M. W. : 71.08 Assay Min. 99.9%		

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
910560	MB ▲ Acrylamide for Electrophoresis (Low Conductance < 5uS/cm) 3x Crystallised M. W.: 71.08 Assay (By GC) 99.5%	2286.00 6606.00	100 gm 500 gm
C ₃ H ₅ NO (79-06-1)			
801990	MB ▲ Acrylamide 40% Solution in Water for Molecular Biology	2493.00 4806.00	250 ml 500 ml
	Bis-Acrylamide See N,N-Methylene bis-Acrylamide		
002600	2-Acrylamido 2-Methyl-Propane Sulphonic Acid for Synthesis M. W.: 207 Assay 98.5%	2403.00 6003.00	250 gm 1 kg
C ₇ H ₁₃ NO ₄ S (15214-89-8)			
002635	Acrylic Acid for Synthesis M. W.: 72.06 Assay (GC) 99.0%	855.00 3700.00	500 ml 2.5 lit
C ₃ H ₄ O ₂ (79-10-7)		POR POR	25 lit 200 lit
027047	Acrylonitrile Stabilised for Synthesis (Vinyl Cyanide) M. W.: 53.06 Assay (GC) 99.0%	725.00 3303.00	500 ml 2.5 lit
CH ₂ .CH.CN (107-13-1)		POR POR	25 lit 200 lit
452025	Acrylonitrile AR (Vinyl cyanide) M. W.: 53.06 Assay 99.5%	990.00	500 ml
C ₃ H ₃ N (107-13-1)			
	Activated Charcoal See Charcoal Activated		
002685	* Actidione (Cycloheximide) Inhibitor of Protein Biosynthesis (Antibiotic against yeast) M. W.: 281.35 Assay 99.0%	2196.00 9320.00	1 gm 5 gm
C ₁₅ H ₂₃ NO ₄ (66-81-9)			
452115	* Actidione AR (Cycloheximide) Inhibitor of Protein Biosynthesis (Antibiotic against yeast) M. W.: 281.35 Assay 99.0%	3501.00 17001.00	1 gm 5 gm
C ₁₅ H ₂₃ NO ₄ (66-81-9)			
TC1196	ATC Actidione Cell Culture Tested M. W.: 281.35 Assay : ≥ 96%	3033.00 11260.00	1 gm 5 gm
C ₁₅ H ₂₃ NO ₄ (66-81-9)			
PCT2122	PTC Actidione Plant Culture Tested M. W.: 281.35 Assay 96%	4482.00 21110.00	1 gm 5 gm
C ₁₅ H ₂₃ NO ₄ (66-81-9)			
TC1018	ATC ▲ Actinomycin D Cell Culture Tested Recommended for use in cell culture applications at 1 mg/L M. W.: 1255.42 Assay : ≥ 97.5%	12420.00 20170.00 40275.00	5 mg 2x5 mg 5x5 mg
C ₆₂ H ₈₆ N ₁₂ O ₁₆ (50-76-0)			
PCT2140	PTC Acyclovir Plant Culture Tested M. W.: 225.2 Store below 30°C	4743.00 10000.00	1 gm 5x1 gm
C ₈ H ₁₁ N ₅ O ₃ (59277-89-3)			

Product Code	Product Name	Price	Packing
002800	ADA Buffer for Biochemistry [N-(Carbamoylmethyl)-Iminodiacetic M. W.: 190.2 Assay 98%	1476.00 4932.00	25 gm 100 gm 500 gm
C ₆ H ₁₀ N ₂ O ₅ (26239-55-4)			
	Adam's Catalyst See Platinum Dioxide Hydrate		
042001	Adenine for Biochemistry Meets Analytical Specification of BP, USP M. W.: 135.13 Assay (Non-aqueous by potentiometric W.r. to dried sub) 98.5-101%	360.00 1098.00 2610.00 27810.00	5 gm 25 gm 100 gm 1 kg
C ₅ H ₅ N ₅ (73-24-5)			
PCT1842	PTC Adenine (6-Aminopurine; Vitamin B4) Plant Culture Tested M. W.: 135.13 Assay 99% Store below 30°C	293.00 833.00 2660.00	5 gm 25 gm 100 gm
C ₅ H ₅ N ₅ (73-24-5)			
TC1082	ATC Adenine Cell Culture Tested M. W.: 135.13 Assay : ≥ 99% Store below 30°C	1440.00 5760.00 16700.00	5 gm 25 gm 100 gm
C ₅ H ₅ N ₅ (73-24-5)			
	Adenine Hemisulphate See Adenine Sulphate		
002865	Adenine Sulphate (Adenine Hemisulphate) M. W.: 184.17 Assay (Acidimetric) 98.0%	648.00 5805.00	10 gm 100 gm
C ₅ H ₅ N ₅ .½H ₂ SO ₄ (321-30-2)			
PCT1801	PTC Adenine Sulphate Plant Culture Tested M. W.: 184.17 Assay 98% Store below 30°C	891.00 8397.00 41886.00 75402.00	10 gm 100 gm 500 gm 1 kg
C ₅ H ₅ N ₅ .½H ₂ SO ₄ (321-30-2)			
TC1071	ATC Adenine Sulphate Cell Culture Tested M. W.: 184.17 Assay : ≥ 99% Store below 30°C	2250.00 9019.00 26100.00 76230.00	5 gm 25 gm 100 gm 500 gm
C ₅ H ₅ N ₅ .½H ₂ SO ₄ (321-30-2)			
042003	▲ Adenosine M. W.: 267.24 Assay (Spectrophotometric) (259 nm at pH 7.0) 98.5%	401.00 1701.00	5 gm 25 gm
C ₁₀ H ₁₃ N ₅ O ₄ (58-61-7)			
TC1083	ATC ▲ Adenosine Cell Culture Tested M. W.: 267.24 Assay : ≥ 99%	1670.00 6615.00	5 gm 25 gm
C ₁₀ H ₁₃ N ₅ O ₄ (58-61-7)			
002925	Adenosine-5-Diphosphate Disodium Salt (ADP-Na ₂) M. W.: 471.17 Assay (dried) 95.0%	860.00 1511.00 6921.00	500 mgm 1 gm 5 gm
C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ (16178-48-6)			
910660	MB ▲ Adenosine-5-Diphosphate Disodium Salt For Molecular Biology M. W.: 471.16 Assay : ≥ 95%	1692.00 8001.00	1 gm 5 gm
C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ (16178-48-6)			

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C

* Delivery Period 4-6 Weeks

* Supply Against Licence

⊗ Supply Only to End User

A

Laboratory Chemicals

Product Code	Product Name	Price	Packing
002955	- Adenosine-5-Mono Phosphate Disodium Salt (AMP-Na ₂) M. W.: 391.19 Assay (Spectrophotometric) (259 nm at pH 7.0) 96.0%	280.00 851.00 3402.00	1 gm 5 gm 25 gm
TC1312	ATC ▲ Adenosine-5'-Monophosphate Disodium Salt Cell Culture Tested M. W.: 391.18 Assay : ≥95%	630.00 4640.00 12700.00	1 gm 5 gm 25 gm
TC1084	ATC ▲ Adenosine-5'-Monophosphate Sodium Salt Cell Culture Tested M. W.: 347.22 (Anhydrous free acid basis) Assay : ≥99%	2930.00 10143.00	1 gm 5 gm
042008	- Adenosine-5-Triphosphate Disodium Salt (ATP-Na ₂) M. W.: 623.21 Assay (Spectrophotometric; on dried material) 98.0%	252.00 1008.00 3452.00	1 gm 5 gm 25 gm
TC1085	ATC ▲ Adenosine-5'-Triphosphate Disodium Salt Cell Culture Tested M. W.: 554.14 Assay : ≥95%	1130.00 2745.00 9603.00	1 gm 5 gm 25 gm
027049	Adipic Acid Pure M. W.: 146.14 Assay 99.0%	756.00 5166.00	500 gm 5 kg
038002	Adonitol M. W.: 152.15	1170.00 4581.00	5 gm 25 gm
TC1086	ATC Adonitol (Adonite, Ribitol) Cell Culture Tested M. W.: 152.15 Assay : ≥99% Store below 30°C	4960.00 9711.00 30411.00	10 gm 25 gm 100 gm
452725	L-Adrenaline AR/ACS M. W.: 183.21 Assay 99.0%	2502.00 12006.00	1 gm 5 gm
	Adrenaline Bitartrate See Adrenaline Hydrogen Tartrate		
452205	Adrenaline Hydrogen Tartrate AR (Adrenaline Hydrogen Tartrate) Meets IP,BP,USP,Ph,Eur M. W.: 333.3 Assay (Non-aqueous) 99.0%	3402.00 13005.00	1 gm 5 gm
	AEBSF-2-Hydrochloride See 4-(2-Amino Ethyl) Benzene Sulphonyl Fluoride Hydrochloride		
003135	Aerosil 200 (Fumed Silica Gel)	639.00 1278.00	100 gm 250 gm
	Aerosol OT See Dioctyl Sodium Sulphosuccinate		

Product Code	Product Name	Price	Packing
038003	- Aesculin M. W.: 340.28 (Anhydrous)	4194.00 17001.00	5 gm 25 gm
333105	Agar Agar Shredded for Bacteriology (9002-18-0)	6003.00	500 gm
333085	Agar Powder Ultra Pure Recommended for use in immunoelectrophoretic procedures, Nutritional Studies (vitamin assay media) or sensitivity testing procedure Gelling Temperature not more than 35°C (Equivalent to noble agar) (9002-18-0)	7830.00	500 gm
H00765	REBUR Agar Powder Certified Extensively processed to guarantee the absence of inhibition, allowing growth of even the most sensitive microorganisms, it can be used in electrophoretic studies. Immunodiffusion assays and tissue culture procedures (9002-18-0)	15400.00	500 gm
333045	Agar Powder Extra Pure Recommended for culture media, disc diffusion, susceptibility tests where low mineral/metal content is desirable. Gelling Temperature not more than 38°C (9002-18-0)	13770.00	500 gm
333065	Agar Purified Powder Free from all nitrogenous compounds, Inorganic salts and vitamins and therefore ideal for culture media and bacteriological work Gelling Temperature not more than 38°C	13221.00 POR	500 gm 25 kg
333025	Agar Powder Bacteriological Bacterial content as per IP recommended for routine bacteriological work and particularly useful in pharmaceutical preparation where it passes in microbial limit tests for the presence of bacteria. (9002-18-0)	1400.00 5310.00 49725.00 POR	100 gm 500 gm 5 kg 25 kg
910780	MB Agar Powder For Molecular Biology (9002-18-0) Store Below 30°C	2493.00 6507.00 11430.00	100 gm 500 gm 1 kg
333005	MB Agar Agar Powder No. I (9002-18-0)	4707.00 POR	500 gm 25 kg
911000	MB Agarose High EEO (9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	1107.00 2403.00 9000.00 POR	10 gm 25 gm 100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
911010	Agarose High EEO for molecular biology DNase, RNase, Protease not detected	1350.00	10 gm
		2907.00	25 gm
		11250.00	100 gm
		POR	500 gm
		POR	1 kg
(9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.			
911020	Agarose Medium EEO type II	1053.00	10 gm
		2205.00	25 gm
		8505.00	100 gm
		POR	500 gm
		POR	1 kg
(9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis Techniques.			
911050	Agarose Medium EEO type II for molecular biology DNase, RNase, Protease not detected	3492.00	10 gm
		6984.00	25 gm
		27900.00	100 gm
		54810.00	500 gm
		POR	1 kg
(9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.			
911100	Agarose Low EEO Regular grade	981.00	10 gm
		2106.00	25 gm
		8010.00	100 gm
		POR	500 gm
		POR	1 kg
(9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.			
911120	Agarose Low EEO for molecular biology DNase, RNase, Protease not detected	1260.00	10 gm
		2700.00	25 gm
		9900.00	100 gm
		POR	500 gm
		POR	1 kg
(9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.			
911150	Agarose Low EEO Superior grade type II for molecular biology	1400.00	10 gm
		2970.00	25 gm
		9990.00	100 gm
		POR	500 gm
		POR	1 kg
(9012-36-6) A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR & RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp To 25kb.			
Aibn See (A-A-Azo-Iso-Butyronitrile)			
003550	* ▲Ajmalicine Pure C ₂₁ H ₂₄ N ₂ O ₃ (483-04-5) M.W. 352.43 Assay 98.0%	25200.00	50 mgm
003570	* ▲Ajmaline Pure C ₂₀ H ₂₆ N ₂ O ₂ (4360-12-7) M.W. 326.44 Assay 98.0%	6606.00	1 gm
347005	Ajowan Seed Oil	1305.00	100 ml
		5418.00	500 ml

Product Code	Product Name	Price	Packing
TC1235	▲Alamar Blue® Resazurin Sodium salt Cell Culture Tested M. W.: 251.17	2854.00	1 gm
		6670.00	5 gm
C ₁₂ H ₆ NNaO ₄ (62758-13-8)			
037009	B-Alanine for Biochemistry NH ₂ .CH ₂ .CH ₂ .COOH (107-95-9) M. W.: 89.09 Assay (Non-aqueous) 99.0%	297.00	25 gm
		1000.00	100 gm
8613.00	1 kg		
037005	D-Alanine for Biochemistry C ₃ H ₇ NO ₂ (338-69-2) M. W.: 89.09 Assay (Non-aqueous, on dry basis) 98.0%	1031.00	5 gm
		3240.00	25 gm
037007	DL-Alanine for Biochemistry CH ₃ CH(NH ₂)COOH (302-72-7) M. W.: 89.09 Assay (Non aqueous) 98.5%-100.5%	190.00	25 gm
		594.00	100 gm
4374.00	1 kg		
037006	L-Alanine for Biochemistry CH ₃ CH(NH ₂)COOH (56-41-7) M. W.: 89.09 Assay (Non-aqueous) 99.0%	252.00	25 gm
		756.00	100 gm
3015.00	500 gm		
5283.00	1 kg		
PCT1301	L-Alanine (2-Aminopropionic acid) Plant Culture Tested M. W.: 89.09 Assay 99% Store below 30°C	387.00	25 gm
		7047.00	500 gm
12700.00	1 kg		
TC1056	L-Alanine (From non-animal source) Cell Culture Tested MW : 89.09 Assay : ≥99% Store below 30°C	1360.00	25 gm
		3033.00	100 gm
12110.00	500 gm		
21870.00	1 kg		
TC1056M	L-Alanine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications MW : 89.09 Store below 30°C	1809.00	25 gm
		5247.00	100 gm
18198.00	500 gm		
36360.00	1 kg		
003870	L-Alanine Benzyl Ester-P-Toluene Sulfonate for Biochemistry M. W.: 351.42 Assay 95.0%	7120.00	25 gm
C ₁₇ H ₂₁ NO ₅ (42854-62-6)			
003880	L-Alanine Methyl Ester Hydrochloride for Biochemistry M. W.: 139.58 Assay 99%	1782.00	5 gm
		6831.00	25 gm
21591.00	100 gm		
TC1089	▲L-Alanyl-L-Glutamine (Glutamine-s) Cell Culture Tested M. W.: 217.22 Assay : ≥98%	1773.00	5 gm
		7110.00	25 gm
21375.00	100 gm		
452815	▲Alar (B-9) AR Plant Growth Regular M.W. 160.17 Assay (dried) 99.0%	1400.00	5 gm
		6660.00	25 gm
C ₆ H ₁₂ N ₂ O ₃ (1596-84-5)			
802370	Albert's Stain A	162.00	125 ml
		495.00	500 ml

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

A

Laboratory Chemicals

Product Code	Product Name	Price	Packing
802380	Albert's Stain B	162.00 450.00	125 ml 500 ml
	Albumin Bovine See Bovin Albumin		
	Albumin Egg Flakes See Egg Albumin Flakes		
	Albumin Egg Powder See Egg Albumin Powder		
K000495	Albert Metachromatic stains kit	343.00	KIT
280425	Alcian Blue 8GX for Microscopy (Ingrain blue 1) C.I. 74240 M.W.: 1298.88 Dye content (Spectrophotometric) abt. 50%	1953.00 9000.00	5 gm 25 gm
C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ (33864-99-2)			
911250	Alcian Blue 8GX For Molecular Biology C. I. No. : 74240 M. W.: 1298.86	12790.00 24220.00	25 gm 50 gm
C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ (33864-99-2)			
	Store Below 30°C		
PCT2514	Alcian Blue 8GX Plant Culture Tested MW : 1298.86 Assay 99.5% Store below 30°C	8091.00 13600.00	10 gm 25 gm
C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ (33864-99-2)			
802440	Alcian Blue Solution for Microscopy Clear, Permanent Stain for Mucin	801.00	100 ml
TC1679	Aldehyde Dehydrogenase Cell Culture Tested Activity : NLT 1U/mg	10670.00	10 mg
(9028-88-0)			
004005	Aleuritic Acid M. W.: 304.43	1800.00	5 gm
C ₁₆ H ₃₂ O ₅ (533-87-9)			
004035	Alginate Acid Meet BP,Ph,Eur. M.W:(176.13)n Assay (as COOH w.r.t. Dried subs.) 19-25% POR	702.00 2106.00 19530.00	100 gm 500 gm 5 kg 25 kg 50 kg
(C ₆ H ₈ O ₆)n (9005-32-7)			
	Alginate Acid Sodium Salt See Sodium Alginate		
004065	Aliquat 336 ~ (Triethyl Methyl Ammonium Chloride) M. W.: 404.17 Assay 80.0%	2016.00 7866.00	250 ml 1 lit
C ₂₅ H ₅₄ NCl (5137-55-3)			
	Alizarin Complexone See 3-Aminomethylalizarin N,N'-Diacetic Acid		
280585	Alizarin pH indicator AR C.I. 58000 M. W.: 240.22	540.00 2205.00	25 gm 100 gm
CO.C ₆ H ₄ .CO.C ₆ H ₂ (OH) ₂ (72-48-0)			

Product Code	Product Name	Price	Packing
280725	Alizarin Canine Green G (C.I. 61570) M. W.: 622.59	585.00 2106.00	25 gm 100 gm
C ₂₈ H ₂₀ N ₂ Na ₂ O ₈ S ₂ (4403-90-1)			
802723	Alizarin Red S, 1% w/v aqueous indicator solution	181.00	100 ml
802720	Alizarin Red Solution 0.1 % w/v (Alizarin alcohol Solution)	198.00	50 ml
280865	Alizarin Red S pH Indicator C.I. 58005 M.W.:364.24 Dye content (Spectro) 70%	774.00 2394.00	25 gm 100 gm
C ₁₄ H ₆ Na ₂ O ₇ S (130-22-3)			
280875	Alizarin Red S AR (Sodium Alizarine Sulphonate) C.I. 58005 M.W.:342.26	820.00 2700.00	25 gm 100 gm
C ₁₄ H ₇ NaO ₇ S (130-22-3)			
281165	Alizarin Yellow R AR for Microscopy M. W.:287.23 Assay (Dye content) 70.0%	2520.00 8190.00	25 gm 100 gm
C ₁₃ H ₉ N ₃ O ₅ (2243-76-7)			
281015	Alizarin Yellow GG M. W.:309.21	2520.00 8109.00	25 gm 100 gm
C ₁₃ H ₈ N ₃ NaO ₅ (584-42-9)			
	Alizarin Sulphonic Acid Sodium Salt & Redox Indicator See Alizarine Red S		
802725	Alkali Blue (6B) Solution 0.1% in Alcohol	441.00	250 ml
802727	Alkali Blue Solution Indicator for Neutralization and Saponification Number	1260.00	1 lit
281305	Alkali Blue (6B) (pH Indicator) (C.I. 42750) M. W.: 573.65	594.00 2502.00	5 gm 25 gm
C ₃₂ H ₂₈ N ₃ NaO ₄ S (1324-76-1)			
	Alkaline Copper Solution See Folin & Wu's Alkaline Copper Solution		
802860	Alkaline Copper Tartrate Solution (Folin and wu ; Alkaline copper Soln.)	225.00	500 ml
TC1488	Alkaline Phosphatase From Bovine Intestine Cell Culture Tested M. W.: ~160 kDa Activity : 2000-4000 DAE unit/mg	7790.00	1000 units
(9001-78-9)			
	Alkyl Dimethyl Benzyl Ammonium Chloride See Benzalkonium Chloride		
042010	Allantoin Fine Powder M. W.: 158.12 Assay (Acidimetric, dried) 99-101%	522.00 4001.00 18000.00	100 gm 1 kg 5 kg
C ₄ H ₆ N ₄ O ₃ (97-59-6)			
042011	Alloxan Monohydrate M. W.: 160.09 Assay (ex N) 98.5%	950.00 3303.00	25 gm 100 gm
C ₄ H ₂ N ₂ O ₄ .H ₂ O (2244-11-3)			
	Alloy According to Devardas See Devardas Alloy		

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Alloy According to Wood See Wood's (Metal)		
281455	Allura Red M.W : 496.42 Assay 80.0%	581.00 2763.00	100 gm 500 gm
004375	Allyl Alcohol for Synthesis (2-Propan-1-ol) M. W.: 58.08 Assay (GC) 99.0%	963.00 4680.00	500 ml 2.5 lit POR 25 lit POR 200 lit
453835	Allyl Alcohol AR (2-propen-1-ol) M. W.: 58.08 Assay 99.5%	1800.00 7443.00	500 ml 2.5 lit
004540	Allylamine for Synthesis (2-Propen-1-ylamine, 3-Amino-1-Propene) M.W. 57.10 Assay 99.0%	3105.00 10800.00	250 ml 1 lit
004575	Allyl Bromide (3-Bromo-1-Propene) (Stabilised with Silver Wire) M. W.: 120.98 Assay (GC) 98.0%	4500.00	500 ml
004605	Allyl Chloride for Synthesis M. W.: 76.53 Assay (GC) 98.0%	1017.00 4806.00	500 ml 2.5 lit POR 25 lit POR 200 lit
	Alpha Benzoinoxime See a-Benzoinoxime		
	Alpha-Bromo-P-Nitro Toluene See 4-Nitrobenzyl Bromide		
	Alum Ammonium See Aluminium Ammonium Sulphate		
	Alum Chrome Potassium See Chromium Potassium Sulphate		
	Alum Potassium See Aluminium Potassium Sulphate		
	Aluminium Silicate Hydrate See Bentonite Powder		
803140	Aluminium (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
803142	Aluminium (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2295.00 3852.00	100 ml 250 ml 500 ml
803190	Aluminium (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5301.00 8505.00	100 ml 500 ml
803192	Aluminium (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	5301.00 8505.00	100 ml 500 ml
803194	Aluminium (Al) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	16030.00 48240.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
027064	Aluminium (Metal) Fine Powder At. W. 26.98 Assay (Complexometric) 99.0%	576.00 1053.00 9500.00	250 gm 500 gm 5 kg POR 25 kg POR 50 kg
N01175	Aluminum Nanoparticles/ Nanopowder (18nm) At. W. 26.98 Assay 99.0%	6003.00 17710.00	1 gm 5 gm
N01180	Aluminum Nanoparticles/ Nanopowder (70-80nm) At. W. 26.98 Assay 99.9%	4500.00 13500.00	1 gm 5 gm
004680	Aluminium Foil Tech. (Roll) At. W.: 26.98 Assay 97.0%	360.00	100 gm
453925	Aluminium Foil (Roll) AR At. W. : 26.98 Assay (Complexometry) 99.0%	675.00	100 gm
027067	Aluminium Foil 0.14mm thickness Sheet At W. 26.98 Assay 99.0%	639.00 1107.00	250 gm 500 gm POR 25 kg POR 50 kg
454015	Aluminium Foil (FOIL) 0.14 AR At. W. : 26.98	1900.00 3501.00	250 gm 500 gm
004700	Aluminium Ingots At. W.: 26.98 Assay (Trace metal basis) 99.99%	2439.00 10000.00	100 gm 500 gm
027070	Aluminium Ammonium Sulphate 12 Hydrate M. W.: 453.32 Assay (Complexometry ex Al) 99.0%	306.00 1980.00	500 gm 5 kg POR 25 kg POR 50 kg
454105	Aluminium Ammonium Sulphate AR/ACS M. W.: 453.32 Assay (Complexometric ex Al) 99.5%	414.00 POR POR	500 gm 25 kg 50 kg
004900	Aluminium Borate M.W.: 85.791 Assay 96%	1080.00	500 gm
027073	Aluminium Chloride Anhydrous M. W.: 133.34 Assay (Argentometric) 98.0%	221.00 387.00	250 gm 500 gm POR 25 kg POR 50 kg
H01265	Aluminium Chloride Anhydrous M. W.: 133.34 Assay (Argentometric) 98.0%	792.00	500 gm
005025	Aluminium Chloride Hexahydrate Purified M. W.: 241.43 Assay 97.0-101.0%	648.00 POR POR	500 gm 25 kg 50 kg
454195	Aluminium Chloride Hexahydrate AR Meet BP,USP,Ph,Eur. M. W.: 241.43 Assay (Complexometric) 97-102%	3492.00 POR POR	500 gm 25 kg 50 kg

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

A

Laboratory Chemicals

Product Code	Product Name	Price	Packing
027075 AlF ₃ + H ₂ O (7784-18-1)	Aluminium Fluoride M. W.: 83.98+H ₂ O Assay (Complexometric, after drying) 97.0%	783.00 POR	500 gm 25 kg 50 kg
027076 Al (OH) ₃ (21645-51-2)	Aluminium Hydroxide GEL (Powder) M. W.: 78.00 Assay (Al ₂ O ₃) 47%	306.00 504.00 POR	250 gm 500 gm 25 kg
TC1550M ATC (21645-51-2)	Aluminium Hydroxide, Dried Gel Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 78.00 Store below 30°C	4420.00 7970.00 31770.00	500 gm 1 kg 5 kg
	Aluminium Isopropylate See Aluminium-tri-iso-Propoxide		
	Aluminium Lithium Hydride See Lithium Aluminium Hydride		
027079 Al(NO ₃) ₃ ·9H ₂ O (7784-27-2)	Aluminium Nitrate Nonahydrate Cryst. M. W.: 375.13 Assay (Complexometric) 98.0%	405.00 POR POR	500 gm 25 kg 50 kg
454285 Al(NO ₃) ₃ ·9H ₂ O (7784-27-2)	Aluminium Nitrate Nonahydrate AR/ACS M. W.: 375.13 Assay (Complexometric) 98.5%	1800.00 POR	500 gm 25 kg
005145 C ₆ Al ₂ O ₁₂ (814-87-9)	Aluminium Oxalate M.W. : 318.2	1791.00	500 gm
005150 Al ₂ O ₃ (1344-28-1)	Aluminium Oxide Calcined (Activated Alumina, Activated 2-5mm, Alumina) M. W.: 101.96	401.00 POR POR	500 gm 25 kg 50 kg
005195 Al ₂ O ₃ (1344-28-1)	Aluminium Oxide G Neutral (with Binder) for TLC M. W.: 101.96	657.00 POR POR	500 gm 25 kg 50 kg
005170 Al ₂ O ₃ (1344-28-1)	Aluminium Oxide Acidic (Brockmann Grade I, II) (pH value 3.5 - 4.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	550.00 POR POR	500 gm 25 kg 50 kg
005180 Al ₂ O ₃ (1344-28-1)	Aluminium Oxide Basic (Brockmann Grade I, II) (pH value 9.5 ± 0.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	522.00 POR POR	500 gm 25 kg 50 kg
005185 Al ₂ O ₃ (1344-28-1)	Aluminium Oxide Neutral (Brockmann Grade I, II) (pH value 6.5 - 7.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	550.00 POR POR	500 gm 25 kg 50 kg
454375 Al ₂ O ₃ (1344-28-1)	Aluminium Oxide AR/EL M. W.: 101.96 Assay (Al ₂ O ₃) 99.9%	4005.00 15003.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
N01295 Al ₂ O ₃ (1344-28-1)	Aluminum Oxide Nanoparticles/ Nanopowder (Alumina, Alfa-Al ₂ O ₃ high purity 20-40nm) M. W.: 101.96 Assay (Al ₂ O ₃) 99.99%	2264.00 7200.00 18000.00	25 gm 100 gm 250 gm
N01301 Al ₂ O ₃ (1344-28-1)	Aluminum Oxide Nanoparticles/ Nanopowder (Alumina, gamma-Al ₂ O ₃ high purity 20-40nm) M. W.: 101.96 Assay (Al ₂ O ₃) 99.97%	9243.00 13860.00	25 gm 100 gm
005325 AlO ₄ P (7784-30-7)	Aluminium Phosphate Pract M. W.: 121.95 Assay 98.0%	1080.00	500 gm
TC1551M ATC AlO ₄ P (7784-30-7)	Aluminium Phosphate Gel Meets EP 9.0 and BP 2016 testing specifications MW : 121.95 Store below 30°C	POR POR	100 ml 500 ml
TC1551U ATC AlO ₄ P (7784-30-7)	Aluminium Phosphate Gel Meets USP 41-NF 36 testing specifications M. W.: 121.95 Store below 30°C	POR POR	100 ml 500 ml
027085 AlK(SO ₄) ₂ ·12H ₂ O (7784-24-9)	Aluminium Potassium Sulphate Purified Dodecahydrate (Potassium Alum) M. W.: 474.38 Assay (ex Al) 99.0%	288.00 1008.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
454465 AlK(SO ₄) ₂ ·12H ₂ O (7784-24-9)	Aluminium Potassium Sulphate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 474.38 Assay (Complexometric) 99.5%	342.00 1305.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
TC1552M ATC KAl(SO ₄) ₂ ·12H ₂ O (7784-24-9)	Aluminium Potassium Sulphate Dodecahydrate (Potassium alum dodecahydrate) Meets USP 41-NF 36, EP 9.0, JP and BP 2016 testing specifications M. W.: 474.39 Store below 30°C	13600.00 15300.00	500 gm 1 kg
027087 C ₉ H ₂₁ AlO ₃ (555-31-7)	Aluminium-tri-iso-Propoxide for Synthesis M. W.: 204.25 Assay (Iodometric) 97.0%	1305.00 POR POR	500gm 25 kg 50 kg
005425 [CH ₃ (CH ₂) ₁₆ COO] ₃ Al (637-12-7)	Aluminium Stearate Extra Pure M.W. : 877.35	891.00 POR	1 kg 25 kg
027090 Al ₂ (SO ₄) ₃ ·16H ₂ O (16828-11-8)	Aluminium Sulphate Purified Hexadecahydrate M. W.: 630.38 Assay 98.0%	252.00 POR POR	500 gm 25 kg 50 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
454555	Aluminium Sulphate AR/ACS , (Hexadecahydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 630.38 Assay [As Al ₂ (SO ₄) ₃ .16H ₂ O] 99.5-102%	306.00 POR POR	500 gm 25 kg 50 kg
Al ₂ (SO ₄) ₃ .16H ₂ O (16828-11-8)			
TC1553U ATC	Aluminium Sulphate Diammonium sulphate Meets USP 41-NF 36 testing specifications M. W.: 132.14 Store below 30°C	4707.00 7430.00 29700.00	500 gm 1 kg 5 kg
(NH ₄) ₂ SO ₄ (7783-20-2)			
281605	Aluminon AR/ACS Reagent for Aluminium M. W.: 473.44	801.00 1800.00	10 gm 25 gm
C ₂₂ H ₂₃ N ₃ O ₉ (569-58-4)			
803610	Aluminon Reagent	144.00 442.00	125 ml 500 ml
281745	Amaranth C.I. 16185 M. W.: 604.50 Assy (Dye content titrimetry) 85.0%	180.00 693.00 4600.00	25 gm 100 gm 1 kg
C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ (915-67-3)			
911400 MB	Amaranth For Molecular Biology M. W.: 604-47 Store Below 30°C	324.00 873.00	25 gm 100 gm
C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ (915-67-3)			
803660	Amaranth Solution	216.00 630.00	100 ml 500 ml
	Amberlite 120 See Ceralite IR 120		
	Amberlite 400 See Ceralite IR 400		
	Amberlite 410 See Ceralite IR 410		
	Amberlite IRC 50 See Ceralite IRC 50		
281895	Amido Black 10B C.I. 20470 M. W.: 616.50 Dye content (Titanometry on Dried Subs.) Abt 50.0%	306.00 1009.00	25 gm 100 gm
C ₂₂ H ₁₄ N ₆ O ₉ S ₂ Na ₂ (1064-48-8)			
911420 MB	Amido Black 10B For Molecular Biology M. W.: 616.49 Store Below 30°C	2007.00 4806.00	25 gm 100 gm
C ₂₂ H ₁₄ N ₆ Na ₂ O ₉ S ₂ (1064-48-8)			
	Amido Sulphonic Acid See Sulphamic Acid		
005975	▲ Amikacin Sulphate for Lab use Potency not less than 900 mcg/mg M. W.: 781.76 Assay (HPLC) 99.0%	2151.00 9810.00	1 gm 5 gm
C ₂₂ H ₄₃ N ₅ O ₁₃ .2H ₂ SO ₄ (39831-55-5)			
006065	p-Amino Acetanilide Pure M. W.: 150.18 Assay (NT) 98.0%	567.00 2502.00	100 gm 500 gm
C ₈ H ₁₀ N ₂ O (122-80-5)			
006136	▲ 2-Amino Acetophenone for Synthesis M.W : 135.16 Assay 98.0%	1233.00 10665.00	10 gm 100 gm
C ₈ H ₉ NO (551-93-9)			

Product Code	Product Name	Price	Packing
006138	3-Amino Acetophenone for Synthesis M.W : 135.16 Assay 98.0%	1450.00 5000.00	100 gm 500 gm
C ₈ H ₉ NO (99-03-6)			
006140	4-Amino Acetophenone for Synthesis M. W.: 135.16 Assay 98.0%	3200.00 13707.00	100 gm 500 gm
C ₈ H ₉ NO (99-92-3)			
	Amino Acetic Acid See Glycine		
K001015	Amino Acid Kit of 24 items (each tube contain 1 gm except 3 (3,4-Dihydroxy Phenyl) DL-Alanine and L-Hydroxy Proline which contain 0.1 gm) DL- Alanine, DL-Nor-Leucine, DL-2-Amino-n-butyric Acid, L-Leucine, L-Arginine Monohydrochloride, L-Lysine Monohydrochloride, DL-Aspartic Acid, DL-Methionine, L-Cysteine Hydrochloride, L-Ornithine Monohydrochloride, L-Cystine, DL-Phenyl Alanine, 3-(3,4-Di Hydroxy Phenyl) DL-Alanine, L-Proline, L-Glutamic Acid, DL-Serine, Glycine, DL-Threonine, L-Histidine Monohydrochloride, DL-Tryptophan, L-Hydroxy Proline, L-Tyrosine, DL-ISO-Leucine & DL-Valine	4500.00	1 kit
	3-Amino Anisole See m-Anisidine		
	4-Amino Anisole See p-Anisidine		
454855	p-Amino Antipyrine AR M. W.: 203.24 Assay (Non-aqueous) 98.0%	1404.00 5310.00	25 gm 100 gm
C ₁₁ H ₁₃ N ₃ O (83-07-8)			
H01765	p-Amino Antipyrine M. W.: 203.24 Assay (Non-aqueous) 98.0%	3771.00 14220.00	25 gm 100 gm
C ₁₁ H ₁₃ N ₃ O (83-07-8)			
006350	4-Amino Azobenzene (4-phenylazoaniline) for Synthesis M. W.: 197.24 Assay 98.0%	401.00 1800.00	100 gm 500 gm
C ₁₂ H ₁₁ N ₃ (60-09-3)			
	p-Aminobenzene Sulphonamide See Sulphanilamide		
	3-Aminobenzene Sulphonic Acid See Metanilic Acid		
	p-Aminobenzene Sulphonic Acid See Sulphanilic Acid		
006450	m-Amino Benzoic Acid (3-Aminobenzoic Acid) for Synthesis M. W.: 137.4 Assay 98.0%	1107.00 4005.00	100 gm 500 gm
C ₇ H ₇ NO ₂ (99-05-8)			
006470	p-Amino Benzoic Acid Pract. (4-Amino Benzoic acid) M. W.: 137.14 Assay (acidimetric) 98.5-100.5%	765.00 2808.00	100 gm 500 gm
NH ₂ C ₆ H ₄ COOH (150-13-0)			

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

A

Laboratory Chemicals

Product Code	Product Name	Price	Packing
PCT1211	PTC 4-Aminobenzoic Acid (PABA; p-Aminobenzoic acid) Plant Culture Tested M. W.: 137.14 Assay 99% Store below 30°C	801.00 3006.00	100 gm 500 gm
C ₇ H ₇ NO ₂ (150-13-0)			
006500	2-Amino Benzophenone M. W.: 197.23 Assay 98.0%	4500.00 15651.00	25 gm 100 gm
C ₁₃ H ₁₁ NO (2835-77-0)			
006550	S(+)-2-Amino-1-Butanol (D-2-Aminobutanol) M. W.: 89.14 Assay 98.0%	1900.00 6507.00	1 gm 5 gm
C ₄ H ₁₁ NO (5856-62-2)			
006745	DL-2-Amino Butyric Acid M. W.: 103.12 Assay 99.0%	1962.00 5850.00	25 gm 100 gm
C ₂ H ₅ CH(NH ₂)CO ₂ H (2835-81-6)			
006825	p-Amino Butyric Acid M. W.: 103.12 Assay (Non aqueous) 98.0%	1152.00 3690.00	100 gm 500 gm
C ₄ H ₉ NO ₂ (56-12-2)		POR 5 kg POR 25 kg	
454945	p-Amino Butyric Acid AR for biochemistry M. W.: 103.12 Assay (NT) 99.0%	324.00 801.00 2997.00	10 gm 25 gm 100 gm
C ₄ H ₉ NO ₂ (56-12-2)			
TC1090	ATC L-α-Amino-n-Butyric Acid (L-(+)-2-Aminobutyric Acid) Cell Culture Tested M. W.: 103.12 Assay : ≥98% Store below 30°C	1872.00 5463.00 21726.00	250 mg 1 gm 5 gm
C ₄ H ₉ NO ₂ (1492-24-6)			
	DL-2-Amino-n-Caproic Acid See dl-NOR Leucine		
006950	6-Amino Caproic Acid for Biochemistry M. W.: 131.17 Assay 99.0%	3780.00 18351.00	100 gm 500 gm
C ₆ H ₁₃ NO ₂ (60-32-2)		POR 1 kg	
007105	2-Amino-5-Chloro Benzophenone M. W.: 231.68 Assay 98.0%	3573.00 17478.00	100 gm 500 gm
H ₂ NC ₆ H ₃ (Cl).COC ₆ H ₅ (719-59-5)			
007205	4-Amino-3,5-Dichloro Benzoic Acid M. W.: 206.03 Assay 98.0%	6003.00 18000.00	5 gm 25 gm
H ₆ NC ₆ H ₂ Cl ₂ CO ₂ H (56961-25-2)			
281995	4-Amino Diphenylamine Crystalline M. W.: 206.03 Assay 98.0%	1620.00	25 gm
(101-54-2)			
	4-Amino-N,N-Diethylaniline Dihydrochloride See N,N-Dimethyl-P-Phenylene Diamine Dihydrochloride		
	4-Amino-N,N-Diethyl Aniline Sulphate See N,N-Diethyl-p-Phenylene Diamine Sulphate		
	4-Amino-2,3-Dimethyl-1-Phenyl-3-Pyrazolin-5-One See 4-Aminoantipyrine		
	5-Amino-2,3-Dihydro-1, 4-Phthalazinedione See Luminol		
	2-Amino Ethanol See Ethanolamine Mono		

Product Code	Product Name	Price	Packing
	2-Aminoethylbromide Hydrobromide See-2-Bromoethylamine Hydrobromide		
	N-(2-Aminoethyl)Ethanolamine See 2-(2-Aminoethylamine)ethanol		
007350	2-(2-Amino Ethylamino) Ethanol for Synthesis, [N-(2-Aminoethyl) Ethanolamine,N-(2-2-Hydroxyethyl) Ethylenediamine] M. W.: 104.15	1152.00 5202.00	500 ml 2.5 lit
C ₄ H ₁₂ N ₂ O (111-41-1)		POR 25 lit POR 200 lit	
007550	▲4-(2-Amino Ethyl) Benzene Sulphonyl Fluoride Hydrochloride for Biochemistry (AEBSF-2-Hydrochloride) (Substitute for PMSF) M. W.: 239.7 Assay 98.0%	1143.00 3510.00	25 mg 100 mg
C ₈ H ₁₀ FNO ₂ S.HCl (30827-99-7)			
007595	1-(2-Amino Ethyl) Piperazine M. W.: 129.21 Assay (GC) 99.0%	1530.00 3006.00	100 ml 500 ml
C ₆ H ₁₅ N ₃ (140-31-8)			
	1-Amino-2-Fluorobenzene See 2-Fluoroaniline		
	1-Amino-4-Fluorobenzene See 4-Fluoroaniline		
	4-Amino Folic Acid See Aminopterin		
	(R)-2-Aminoglutaric Acid See d-Glutamic Acid		
	(S)-2-Aminoglutaric Acid See L-Glutamic Acid		
	1-Amino Guanidinium Hydrogen Carbonate See Amino guanidine Bicarbonate		
007650	Amino Guanidine Bicarbonate (1-Aminoguanidinium Hydrogen Carbonate, Guanylhydrazine Bicarbonate Salt) for Synthesis M. W.: 136.11 Assay 97.0%	360.00 1503.00	100 gm 500 gm
C ₂ H ₈ N ₄ O ₃ (2582-30-1)			
	DL-Amino-N-Hexanoic Acid See dl-Norleucine		
	2-Amino-3-Hydroxybutyric Acid See dl-Threonine		
	1-Amino-2-Hydroxy Naphthalene-4-Sulfonic Acid See 1-Amino-2-Naphthol-4-Sulphonic Acid		
	4-Amino-3-Hydroxy Naphthalene-1-Sulphonic Acid See 1-Amino-2-Naphthol-4-Sulphonic Acid		
	4-Amino-2-Hydroxy Pyrimidine See Cytosine		
007750	3-Amino Methylalizarin- N,N-Diacetic Acid (Alizarin Complexone) M. W.: 421.36 Assay 95.0%	855.00 3906.00	1 gm 5 gm
C ₁₉ H ₁₅ NO ₈ .2H ₂ O (3952-78-1)			
	DL-2-Amino-3-Methylpentanoic Acid See dl-Isoleucine		
	2-Amino-2-Methylpropane See tert-Butylamine		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
455125	2-Amino-2-Methyl-1,3-Propanediol AR	8640.00	100 gm
C ₄ H ₁₁ NO ₂ (115-69-5)	M. W.: 105.14 Assay (GC) 99.0%		
007850	2-Amino-2-Methyl-Propan-1-OL (Isobutanolamine)	1980.00 9468.00	500 ml 2.5 lit
(CH ₃) ₂ C(NH ₂)CH ₂ OH (124-68-5)	M. W.: 89.14 POR		25 lit
455645	2-Amino-2-Methyl-Propan-1-OL AR (Isobutanolamine)	3600.00 14400.00	500 ml 2.5 lit
(CH ₃) ₂ C(NH ₂)CH ₂ OH (124-68-5)	M. W.: 89.14		
007950	2-Amino-3-Methylpyridine for Synthesis	5000.00 19530.00	100 gm 500 gm
C ₆ H ₈ N ₂ (1603-40-3)	M. W.: 108.14 Assay 95.0%		
007955	2-Amino-4-Methylpyridine for Synthesis	1000.00 4302.00	100 gm 500 gm
C ₆ H ₈ N ₂ (695-34-1)	M. W.: 108.14 Assay 98.0%		
007960	2-Amino-5-Methylpyridine for Synthesis	1980.00 7200.00	25 gm 100 gm
C ₆ H ₈ N ₂ (1603-41-4)	M. W.: 108.14		
007965	2-Amino-6-Methylpyridine(6-Amino -2-Picoline) for Synthesis	2700.00 11430.00	100 gm 500 gm
C ₆ H ₈ N ₂ (1824-81-3)	M. W.: 108.1 Assay 98.0%		
008075	4-Amino Morpholine	3366.00	10 gm
C ₄ H ₁₀ N ₂ O (4319-49-7)	M. W.: 102.14 Assay 97.0%		
008235	8-Amino-1-Naphthol-3,6 Disulphonic Acid Sodium Salt	2403.00 11601.00	100 gm 1 kg
(5460-09-3)			
282135	1-Amino-2-Naphthol-4-Sulphonic Acid	540.00 1701.00	25 gm 100 gm
NH ₂ C ₁₀ H ₅ (OH)SO ₃ H (116-63-2)	M. W.: 239.25 Assay 95.0%		
282145	1-Amino-2-Naphthol-4-Sulphonic Acid AR For determination of Phosphates	621.00 1854.00	25 gm 100 gm
NH ₂ .C ₁₀ H ₅ (OH).SO ₃ H (116-63-2)	M. W.: 239.25 Assay 98.0%		
	1-Aminopentane See Amylamine		
	(R)-2-Aminopentanedioic Acid See d-Glutamic Acid		
	(S)-2-Aminopentanedioic Acid See L-Glutamic Acid		
	4-Amino Phenazone See p-Amino Antipyrine		
008295	m-Aminophenol (3-Aminophenol)	963.00 4401.00	100 gm 500 gm
C ₆ H ₇ NO (591-27-5)	M. W.: 109.13 Assay(Non-aqueous) 99.0%		

Product Code	Product Name	Price	Packing
008285	o-Aminophenol Pract (2-Aminophenol)	730.00 1305.00	100 gm 250 gm
C ₆ H ₇ NO (95-55-6)	M. W.: 109.13 Assay (GC) 95.0%		
008315	p-Aminophenol Pract (4-Aminophenol)	621.00 1314.00	100 gm 250 gm
C ₆ H ₇ NO (123-30-8)	M. W.: 109.13 Assay (Non-aqueous titration) 96.0%		
	6-Amino-2-Picoline See 2-Amino-6-Methylpyridine		
	2-Amino-3-Picoline See 2-Amino-3-Methylpyridine		
	6-Amino-3-Picoline See 2-Amino-5-Methylpyridine		
	2-Amino-4-Picoline See 2-Amino-4-Methylpyridine		
	2-Amino-5-Picoline See 2-Amino-5-Methylpyridine		
	2-Amino-6-Picoline See 2-Amino 6-Methylpyridine		
008405	3-Amino-1-Propanol for Synthesis (3-Aminopropyl alcohol)	1197.00 5500.00	100 ml 500 ml
C ₃ H ₉ NO (156-87-6)	M.W. 75.11		
	1-Aminopropane See n-Propylamine		
	2-Aminopropane See Isopropylamine		
	(S)-2-Aminopropionic Acid See l-Alanine		
	(R)-2-Aminopropionic Acid See d-Alanine		
008555	3-Amino Pterin (4-Amino Folic Acid)	2601.00 5850.00	10 mg 25 mg
C ₁₉ H ₂₀ N ₈ O ₅ (54-62-6)	M. W.: 440.4 Assay 98.0%		
TC1091	▲ Amino Pterin (4-Aminofolic acid) Cell Culture Tested	3636.00 8964.00 27810.00	10 mg 25 mg 100 mg
C ₁₉ H ₂₀ N ₈ O ₅ (54-62-6)	M. W.: 440.41 Assay : ≥98%		
027135	2-Amino Pyridine for Synthesis (o-Amino Pyridine)	603.00 2799.00	100 gm 500 gm
N.CH.CH.CH.CH. C.NH ₂ (504-29-0)	M. W.: 94.12 Assay (G.C) 98.0%		1 kg
008655	3-Amino Pyridine (m-Aminopyridine) (for Synthesis)	3807.00 14130.00	100 gm 500 gm
C ₅ H ₆ N ₂ (462-08-8)	M. W.: 94.12 Assay 99.0%		
008665	4-Amino Pyridine for Synthesis (p-Amino pyridine)	1000.00 3600.00	25 gm 100 gm
C ₅ H ₆ N ₂ (504-24-5)	M. W.: 94.12		
	Aminopyrine See 4-Dimethylamino Antipyrine		
008765	5-Amino Salicylic Acid for Synthesis (5-Amino-2-Hydroxybenzoic acid, Mesalamine)	2196.00 8910.00	100 gm 500 gm
C ₇ H ₇ NO ₃ (89-57-6)	M. W.: 153.14		

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
008865	5-Amino Tetrazole Monohydrate for Biochemistry CH ₃ N ₅ .H ₂ O (15454-54-3) M. W.: 103.08 Assay 97.0%	3006.00	100 gm
009015	2-Amino Thiazole for Synthesis C ₃ N ₄ N ₂ S (96-50-4) M. W.: 100.14 Assay 97.0%	1800.00	50 gm
009075	2-Amino Thiophenol for Synthesis (2-Mercaptoaniline) C ₆ H ₇ NS (137-07-5) M. W.: 125.19 Assay 98.0%	7489.00	500 ml
	o-Aminotoluene See o-Toluidine		
	m-Aminotoluene See m-Toluidine		
	p-Aminotoluene See p-Toluidine		
009125	3-Amino-1,2,4-Triazole for Synthesis (Amitrol,3-Amino-1H-1,2,4-Triazole) C ₂ H ₄ N ₂ (61-82-5) M. W.: 84.08	3087.00 10800.00 POR	100 gm 500 gm 1 kg
009135	▲ 4-Amino-1,2,4-Triazole (4-H-1,2,4-Triazole-4-Amine) C ₂ H ₄ N ₄ (584-13-4) M. W.: 84.08	1602.00 6408.00	100 gm 500 gm
	N-Amino Urea Hydrochloride See Semicarbazide Hydrochloride		
PCT2141	▲ Amiprofos methyl Plant Culture Tested C ₁₁ H ₁₇ N ₂ O ₄ PS (36001-88-4) M. W.: 304.3	10710.00 35555.00	250 mg 1 gm
009235	Amitriptyline Hydrochloride for Biochemistry C ₂₀ H ₂₃ N.HCl (549-18-8) M. W.: 313.86	1062.00 3461.00 12006.00	25 gm 100 gm 500 gm
	Amitrol See 3-Amino-1,2,4-Triazole		
804800	Ammonia TS acc. to USP	369.00	500 ml
804500	Ammonia Buffer Solution	270.00	500 ml
804550	Ammonia Buffer Solution for Hardness of Water Determination	243.00 1134.00	500 ml 2.5 lit
804585	Ammonia Solution 0.04%	99.00	500 ml
804600	Ammonia CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
804750	Ammonia Solution About 10% w/v NH ₃	144.00 585.00	500 ml 2.5 lit
009305	Ammonia Solution (SP. GR. 0.91) NH ₃ (1336-21-6) M. W.: 17.03 Assay (NH ₃) About 25%	252.00 702.00 981.00	500 ml 2.5 lit 5 lit
009315	Ammonia Solution (SP. GR. 0.89) NH ₃ (1336-21-6) M. W.: 17.03 Assay (NH ₃) About 30%	333.00 999.00	500 ml 2.5 lit
456145	Ammonia Solution AR (SP. GR. 0.91) NH ₃ (1336-21-6) M. W.: 17.03 Assay (NH ₃) About 25%	302.00 792.00 1044.00	500 ml 2.5 lit 5 lit

Product Code	Product Name	Price	Packing
456165	Ammonia Solution AR/ACS (SP. GR. 0.89) NH ₃ (1336-21-6) M. W.: 17.03 Assay (NH ₃) About 28-30%	396.00 1206.00	500 ml 2.5 lit
703740	Ammonia Solution for HPLC Concentration In Water ~10% NH ₃ (1336-21-6) M. W.: 17.03	801.00	500 ml
804805	Ammonia Ammonium Chloride Buffer TS acc. to USP	225.00	500 ml
027142	Ammonium Acetate Cryst. Pure CH ₃ COONH ₄ (631-61-8) M. W.: 77.08 Assay (ex NH ₃) 96.0%	423.00 3231.00 POR	500 gm 5 kg 25 kg POR
456255	Ammonium Acetate Cryst. AR/ACS CH ₃ COONH ₄ (631-61-8) M. W.: 77.08 Assay (ex NH ₃) 98.0%	495.00 4140.00 POR	500 gm 5 kg 25 kg POR
703790	Ammonium Acetate for HPLC CH ₃ COONH ₄ (631-61-8) M. W.: 77.08 Assay (Acidimetric; ex NH ₃ Calculated. on dried subs.) 99.0%	432.00 693.00	250 gm 500 gm
913150	Ammonium Acetate for Molecular Biology CH ₃ COONH ₄ (631-61-8) M. W.: 77.08 Assay (Acidimetric ex NH ₃ Calc. on dry subs.) 99.0%	302.00 801.00	100 gm 500 gm
703890	Ammonium Acetate for ULC-MS Hygroscopic CH ₃ COONH ₄ (631-61-8) M. W.: 77.08	6156.00	100 gm
804960	Ammonium Acetate 5M Ultrapure Solution For Molecular Biology	1800.00 3402.00	250 ml 500 ml
456300	Ammonium Adipate AR C ₆ H ₁₆ N ₂ O ₄ (3385-41-9) M. W.: 180.20 Assay (Acidimetric) 99.6%	963.00 POR	500 gm 25 kg
703940	Ammonium Adipate EL Grade C ₆ H ₁₆ N ₂ O ₄ (3385-41-9) M. W.: 180.20 Assay (Acidimetric) 99.0%	1090.00	500 gm
	Ammonium Aluminium Sulphate (Ammonium Alum) See Aluminium Ammonium Sulphate		
	Ammonium Amido Sulphonate See Ammonium Sulphamate		
009405	Ammonium Benzoate C ₆ H ₅ COONH ₄ (1863-63-4) M. W.: 139.15 Assay (by acidimetry) 98.0%	1422.00 POR	500 gm 25 kg
	Ammonium Bicarbonate See Ammonium Hydrogen Carbonate		
	Ammonium Bichromate See Ammonium Dichromate		
009415	Ammonium Bifluoride Pure (Ammonium Hydrogen Difluoride) NH ₄ F.HF (1341-49-7) M. W.: 57.04 Assay (acidimetric) 98.0%	702.00 5805.00 POR	500 gm 5 kg 25 kg POR

Product Code	Product Name	Price	Packing
456390 NH ₄ FHF (1341-49-7)	Ammonium Bifluoride AR/ACS M. W.: 57.04 Assay (acidimetric) 98.5%	990.00	500 gm
	Ammonium Bismuth Citrate See Bismuth Ammonium Citrate		
009435 (NH ₄)HSO ₄ (7803-63-6)	Ammonium Bisulphate Pure (Ammonium Hydrogen Sulphate) M. W.: 115.11 Assay 98.0%	2403.00 3006.00	250 gm 500 gm
027145 NH ₄ Br (12124-97-9)	Ammonium Bromide M. W.: 97.94 Assay (Argentometric; on dried substance) 99.0%	1305.00 POR POR	500 gm 25 kg 50 kg
456435 NH ₄ Br (12124-97-9)	Ammonium Bromide AR/ACS M. W.: 97.94 Assay (Argentometric; after drying) 99.5%	1404.00 POR POR	500 gm 25 kg 50 kg
H02265 NH ₄ Br (12124-97-9)	Ammonium Bromide M. W.: 97.94 Assay (Argentometric; after drying) 99.5%	3825.00	500 gm
027147 NH ₄ HCO ₃ + NH ₂ CO ₂ NH ₄ (10361-29-2)	Ammonium Carbonate Purified M. W.: 157.13 Assay (Acidimetric NH ₃) 30-33%	432.00 POR POR	500 gm 25 kg 50 kg
456525 NH ₄ HCO ₃ + NH ₂ COONH ₄ (10361-29-2)	Ammonium Carbonate AR/ACS M. W.: 157.13 Assay (Acidimetric) : 31.0%	531.00 POR POR	500 gm 25 kg 50 kg
704900 NH ₄ HCO ₃ + NH ₂ COONH ₄ (10361-29-2)	Ammonium Carbonate for HPLC M. W.: 157.13	1000.00	500 gm
805070	Ammonium Carbonate TS acc. to USP	302.00	500 ml
805100	Ammonium Ceric Nitrate N/20 Soln. Normality 0.05 ± 0.0005	333.00	500 ml
RE0100 (NH ₄) ₂ [Ce(NO ₃) ₆] (16774-21-3)	Ammonium Ceric Nitrate (Ammonium Cerium (IV) Nitrate) M. W.: 548.23 Assay (after drying ex Ce) 98.0%	437.00 1305.00	25 gm 100 gm
RE0110 (NH ₄) ₂ [Ce(NO ₃) ₆] (16774-21-3)	Ammonium Ceric Nitrate AR/ACS M. W.: 548.23 Assay (after drying ex Ce) 99.0%	1602.00 6138.00	100 gm 500 gm
H02755 (NH ₄) ₂ [Ce(NO ₃) ₆] (16774-21-3)	Ammonium Ceric Nitrate M. W.: 548.23 Assay (after drying ex Ce) 99.0%	2781.00	100 gm
RE0120 (NH ₄) ₄ [Ce(SO ₄) ₄].2H ₂ O (10378-47-9)	Ammonium Ceric Sulphate Dihydrate (Ammonium Cerium (IV) Sulphate) M. W.: 632.55 Assay (ex Ce) 90.0-105.0%	1503.00 6003.00	100 gm 500 gm
RE0130 (NH ₄) ₄ [Ce(SO ₄) ₄].2H ₂ O (10378-47-9)	Ammonium Ceric Sulphate AR/ACS (Ceric Ammonium Sulphate) M. W.: 632.55 Assay 99.0%	1800.00 6507.00	100 gm 500 gm
H02805 (NH ₄) ₄ [Ce(SO ₄) ₄].2H ₂ O (10378-47-9)	Ammonium Ceric Sulphate Dihydrate (Ceric Ammonium Sulphate) M. W.: 632.55 Assay 99.0%	3960.00 15300.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
027149 NH ₄ Cl (12125-02-9)	Ammonium Chloride Purified M. W.: 53.49 Assay (ex Cl) 99.0%	311.00 550.00 2304.00	500 gm 1 kg 5 kg
		POR POR	25 kg 50 kg
456615 NH ₄ Cl (12125-02-9)	Ammonium Chloride AR/ACS Suitable for Chromatographic use M. W.: 53.49 Assay (Argentometric; ex Cl) 99.8%	477.00 4005.00 POR POR	500 gm 5 kg 25 kg 50 kg
913350 MB NH ₄ Cl (12125-02-9)	Ammonium Chloride Molecular Biology M. W.: 53.49	774.00	500 gm
PCT1123 PTC NH ₄ Cl (12125-02-9)	Ammonium Chloride Plant Culture Tested M. W.: 53.49 Assay 99% Store below 30°C	104.00 477.00 869.00	100 gm 500 gm 1 kg
TC1092 ATC NH ₄ Cl (12125-02-9)	Ammonium Chloride Cell Culture Tested M. W.: 53.49 Assay : ≥99.5% Store below 30°C	460.00 1206.00	100 gm 500 gm
TC1092M ATC ClH ₄ N (12125-02-9)	Ammonium Chloride Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 53.49 Store below 30°C	1819.00 5454.00	100 gm 500 gm
805135 MB NH ₄ Cl (12125-02-9)	Ammonium Chloride 5M Ultrapure Solution For Molecular Biology	2898.00 5500.00 8001.00	500 ml 1 lit 2.5 lit
805138	Ammonium Chloride TS acc. to USP	239.00	500 ml
805140	Ammonium Chloride-Ammonium Hydroxide TS acc. to USP	320.00	500 ml
009635 (NH ₄) ₂ Pt Cl ₆ (16919-58-7)	Ammonium Chloro Platinate M. W.: 443.87	10440.00	1 gm
009645 (NH ₄) ₂ CrO ₄ (7788-98-9)	Ammonium Chromate Extra Pure M. W.: 152.07 Assay 98.0%	1800.00	500 gm
	di-Ammonium Citrate See di-Ammonium hydrogen-Citrate		
027153 (NH ₄) ₃ C ₆ H ₅ O ₇ (3458-72-8)	tri-Ammonium Citrate M. W.: 243.22 Assay (ex NH ₃) 97.0-103.0%	1503.00 POR POR	500 gm 25 kg 50 kg
456705 (NH ₄) ₃ C ₆ H ₅ O ₇ (3458-72-8)	tri-Ammonium Citrate AR M. W.: 243.22 Assay (acidimetric) 98.5-101.0%	1656.00 POR POR	500 gm 25 kg 50 kg
027159 (NH ₄) ₂ Cr ₂ O ₇ (7789-09-5)	Ammonium Dichromate Cryst. M. W.: 252.06 Assay (iodometric) 99.5-100.5%	1026.00 9000.00 POR POR	500 gm 5 kg 25 kg 50 kg
456795 (NH ₄) ₂ Cr ₂ O ₇ (7789-09-5)	Ammonium Dichromate AR/ACS M. W.: 252.06 Assay (after drying) 99.5%	1152.00 POR POR	500 gm 25 kg 50 kg

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
027161 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Ortho Phosphate Purified M. W.: 115.03 Assay (acidimetric) 98.0-101.0%	756.00	500 gm
		7002.00	5 kg
		POR	25 kg
		POR	50 kg
456885 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Ortho Phosphate AR M. W.: 115.03 Assay (acidimetric) 99.0%	855.00	500 gm
		7992.00	5 kg
		POR	25 kg
		POR	50 kg
704940 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Orthophosphate for HPLC (Ammonium Phosphate Monobasic) M. W.: 115.03 Assay 99.0%	1305.00	500 gm
913780 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Ortho Phosphate For Molecular Biology M. W.: 115.03 Assay ≥ 99% Store Below 30°C	1000.00	500 gm
PCT1001 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Phosphate Plant Culture Tested M. W.: 115.03 Assay 98% Store below 30°C	873.00	500 gm
		1575.00	1 kg
PCT1107 (1185-57-5)	Ammonium Ferric Citrate Plant Culture Tested Assay 17 -18.5% Fe Store below 30°C	234.00	100 gm
		936.00	500 gm
009685 (1185-57-5)	Ammonium Ferric Citrate Brown Meets Analytical Specification of IP Iron content (iodometric) 20.5 - 22.5%	680.00	500 gm
		POR	25 kg
		POR	50 kg
456995 (1185-57-5)	Ammonium Ferric Citrate Brown AR (Ammonium Iron (III) Citrate)	1000.00	500 gm
		POR	25 kg
		POR	50 kg
TC1453 (1185-57-5)	Ammonium Ferric Citrate, Brown Ammonium iron (III) citrate Cell Culture Tested Assay : 16.5-22.5% Fe Store below 30°C	1044.00	100 gm
		4343.00	500 gm
TC1453U C ₆ H ₉ O ₇ .xFe ₃ + . yNH ₃ (1185-57-5)	Ammonium Ferric Citrate, Brown (Ammonium iron(III) citrate) Meets USP 41-NF 36 testing specifications Store below 30°C	1260.00	100 gm
		5022.00	500 gm
009695 (1185-57-5)	Ammonium Ferric Citrate Green	954.00	500 gm
457005 (1185-57-5)	Ammonium Ferric Citrate Green AR	1350.00	500 gm
009705 C ₆ FeO ₁₂ .3H ₄ N (14221-47-7)	Ammonium Ferric Oxalate M. W.: 374.01	900.00	500 gm
027164 NH ₄ Fe(SO ₄) ₂ .12H ₂ O (7783-83-7)	Ammonium Ferric Sulphate Dodecahydrate M. W.: 482.18 Assay (ex Fe) 98.0-101.0%	360.00	500 gm
		POR	25 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
457050 NH ₄ Fe(SO ₄) ₂ .12H ₂ O (7783-83-7)	Ammonium Ferric Sulphate AR/ACS Dodecahydrate M. W.: 482.1 Assay (Iodometric) 99.0%	428.00	500 gm
		POR	25 kg
		POR	50 kg
805155	Ammonium Ferric Sulphate TS acc to USP	176.00	500 ml
805150	Ammonium Ferric Sulphate 8% W/v for Chloride (Volhard's Indicator)	280.00	100 ml
027166 (NH ₄) ₂ SO ₄ FeSO ₄ .6H ₂ O (7783-85-9)	Ammonium Ferrous Sulphate Hexahydrate Cryst. M. W.: 392.13 Assay (redox titration) 98.5%	302.00	500 gm
		504.00	1 kg
		2205.00	5 kg
		POR	25 kg
457095 (NH ₄) ₂ SO ₄ FeSO ₄ .6H ₂ O (7783-85-9)	Ammonium Ferrous Sulphate AR/ACS Hexahydrate M. W.:392.13 Assay (redox titration) 99.0%	405.00	500 gm
		2808.00	5 kg
		POR	25 kg
		POR	50 kg
027167 NH ₄ F (12125-01-8)	Ammonium Fluoride M. W.: 37.04 Assay (Acidimetric) 95.0%	1090.00	500 gm
		1998.00	1 kg
		POR	25 kg
457140 NH ₄ F (12125-01-8)	Ammonium Fluoride AR/ACS M. W.: 37.04 Assay (Acidimetric) 98.0%	1494.00	250 gm
		2601.00	500 gm
		4806.00	1 kg
		POR	25 kg
805160	Ammonium Fluoride 40% Solution In Water	513.00	500 ml
		1022.00	1 lit
		2300.00	2.5 lit
H03215 NH ₄ F (12125-01-8)	Ammonium Fluoride M. W.: 37.04 Assay (Acidimetric) 98.0%	5720.00	250 gm
		10296.00	500 gm
027169 H.COONH ₄ (540-69-2)	Ammonium Formate M. W.: 63.06 Assay (Acidimetric ex NH ₃) 97.0%	333.00	250 gm
		540.00	500 gm
		POR	25 kg
457185 H.COONH ₄ (540-69-2)	Ammonium Formate AR M. W.: 63.06 Assay (Acidimetric ex NH ₃)97.0%	693.00	500 gm
		POR	50 kg
D06957 CD ₅ NO ₂ (65387-23-7)	Ammonium-d₄ Formate-d (for NMR Spectroscopy) M. W.: 68.06 Assay Min. 98 atom%D	9000.00	1 gm
		34610.00	5 gm
Ammonium Hepta Molybdate See Ammonium Molybdate			
di-Ammonium Hexanitratocerate (IV) See Ammonium Ceric Nitrate			
027170 NH ₄ HCO ₃ (1066-33-7)	Ammonium Hydrogen Carbonate (Ammonium Bicarbonate) M. W.: 79.06 Assay (acidimetric) 98.5%	203.00	500 gm
		351.00	1 kg
		1400.00	5 kg
		POR	25 kg
457230 NH ₄ HCO ₃ (1066-33-7)	Ammonium Hydrogen Carbonate AR (Ammonium Bicarbonate) M. W.: 79.06 Assay (Acidimetric) 99.0%	POR	50 kg
		347.00	500 gm
		POR	25 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
027171	di-Ammonium Hydrogen-Citrate (di-Ammonium Citrate)	1107.00	500 gm
C ₆ H ₈ O ₇ ·2NH ₃ (3012-65-5)	M.W.: 226.18	POR	25 kg
		POR	50 kg
913450	MB di-Ammonium Hydrogen Citrate For Molecular Biology	5500.00	500 gm
C ₆ H ₁₄ N ₂ O ₇ (3012-65-5)	M. W.: 226.18 Assay ≥ 99% Store Below 30°C		
	Ammonium Hydrogen Difluoride See Ammonium Bifluoride		
027173	di-Ammonium Hydrogen Ortho Phosphate Anhydrous Purified	837.00	500 gm
(NH ₄) ₂ HPO ₄ (7783-28-0)	M. W.: 132.06 Assay (acidimetric) 97.0-102%	6705.00	5 kg
		POR	25 kg
		POR	50 kg
457275	di-Ammonium Hydrogen Ortho Phosphate Anhydrous AR/ACS	927.00	500 gm
(NH ₄) ₂ HPO ₄ (7783-28-0)	M. W.: 132.06 Assay (Acidimetric) 98.0-102.0%	POR	25 kg
		POR	50 kg
913770	MB di-Ammonium Hydrogen Ortho Phosphate	1071.00	500 gm
(NH ₄) ₂ HPO ₄ (7783-28-0)	For Molecular Biology M. W.: 132.06 Assay ≥ 98% Store Below 30°C		
TC1578	ATC di-Ammonium Hydrogen Phosphate Ammonium monohydrogen phosphate, Ammonium phosphate Dibasic	2170.00	100 gm
(NH ₄) ₂ HPO ₄ (7783-28-0)	Cell Culture Tested M. W.: 132.06 Assay : ≥98% Store below 30°C	4780.00	500 gm
	Ammonium Hydroxide Solution See Ammonia Solution		
027180	Ammonium Iodide	3654.00	100 gm
NH ₄ I (12027-06-4)	M. W.: 144.94 Assay 99.0%	17600.00	500 gm
457320	Ammonium Iodide AR/ACS	2970.00	50 gm
NH ₄ I (12027-06-4)	M. W.: 144.94 Assay (redox titration of iodide) 99.0%	13005.00	250 gm
	Ammonium Iron (III) Citrate See Ammonium Ferric Citrate		
805450	Ammonium Iron (II) Sulphate CPECTROSOL® 0.1M (0.1N) Standard Solution in accordance with NIST	1400.00	1 lit
	Ammonium Iron (II) Sulphate See Ammonium Ferrous Sulphate		
	Ammonium Iron (III) Sulphate See Ammonium Ferric Sulphate		
	Ammonium Meta Vanadate See Ammonium-m-Vanadate		

Product Code	Product Name	Price	Packing
027187	Ammonium Molybdate Tetrahydrate Cold Soluble	1602.00	100 gm
(NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O (12054-85-2)	M. W.: 1235.9 Assay (Oxidimetric) 98.0-102.0%	3600.00	250 gm
		6507.00	500 gm
		12520.00	1 kg
		POR	25 kg
457430	Ammonium Molybdate Tetrahydrate AR/ACS Cold Soluble	1908.00	100 gm
(NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O (12054-85-2)	M. W.: 1235.9 Assay (Oxidimetric) 99.0%	7200.00	500 gm
		13500.00	1 kg
		POR	25 kg
457435	Ammonium Molybdate AR/ACS Tetrahydrate Hot soluble for steel industry	1900.00	100 gm
(NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O (12054-85-2)	M. W.: 1235.9 Assay (Oxidimetric) 99.0%	7200.00	500 gm
		13500.00	1 kg
914110	MB Ammonium Molybdate Tetrahydrate For Molecular Biology	2350.00	100 gm
(NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O (12054-85-2)	M. W.: 1235.86 Assay ≥ 99% Store Below 30°C	10530.00	500 gm
PCT1119	PTC Ammonium Molybdate Tetrahydrate Plant Culture Tested	1090.00	25 gm
(NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O (12054-85-2)	M. W.: 1235.86 Assay 99% Store below 30°C	2520.00	100 gm
		11340.00	500 gm
	Ammonium Mono Vanadate See Ammonium-m-Vanadate		
027189	Ammonium Nickel Sulphate Hexahydrate	999.00	250gm
(NH ₄) ₂ Ni(SO ₄) ₂ ·6H ₂ O (7785-20-8)	(di-Ammonium Nickel (II) Sulphate) M. W.: 394.97 Assay (Complexometric) 98.5%	1881.00	500 gm
		POR	25 kg
		POR	50 kg
457460	Ammonium Nickel Sulphate AR Hexahydrate	2390.00	500 gm
(NH ₄) ₂ Ni(SO ₄) ₂ ·6H ₂ O (7785-20-8)	M. W.: 394.97 Assay (Complexometric) 99.0%	POR	25 kg
		POR	50 kg
027192	Ammonium Oxalate Monohydrate Purified	495.00	500 gm
(COONH ₄) ₂ H ₂ O (6009-70-7)	M. W.: 142.11 Assay (ex oxalate) 99.0%	4041.00	5 kg
		POR	25 kg
		POR	50 kg
457480	Ammonium Oxalate Monohydrate AR	576.00	500 gm
(COONH ₄) ₂ H ₂ O (6009-70-7)	M. W.: 142.11 Assay 99.0%	POR	25 kg
		POR	50 kg
	Ammonium Para Tungstate See Ammonium Tungstate		
009845	Ammonium Pentaborate Tetrahydrate	693.00	500 gm
(NH ₄)B ₅ O ₈ ·4H ₂ O (12007-89-5)	M. W.: 272.14 Assay (Acidimetric) 99.0%	POR	25 kg
		POR	50 kg
457490	Ammonium Pentaborate Tetrahydrate AR	945.00	500 gm
(NH ₄)B ₅ O ₈ ·4H ₂ O (12007-89-5)	M. W.: 272.14 Assay (Acidimetric) 99.5%	POR	50 kg
009855	* Ammonium Perchlorate	POR	1 kg
NH ₄ ClO ₄ (7790-98-9)	M. W.: 117.49	POR	5 kg
		POR	25 kg

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
* Supply Against Licence
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
457500 NH ₄ ClO ₄ (7790-98-9)	* Ammonium Perchlorate AR M. W.: 117.49	1000.00	5 gm
		3006.00	100 gm
		9000.00	500 gm
805550	Ammonium Perchlorate Solution 1M in H ₂ O	900.00	100 ml
		1998.00	500 ml
		2700.00	1 lit
	Ammonium Peroxodisulphate See Ammonium Persulphate		
027195 NH ₄) ₂ S ₂ O ₈ (7727-54-0)	▲ Ammonium Persulphate M. W.: 228.19 Assay (iodometric) 98.0%	370.00	500 gm
		3402.00	5 kg
		POR	50 kg
457510 (NH ₄) ₂ S ₂ O ₈ (7727-54-0)	▲ Ammonium Persulphate AR/ACS M. W.: 228.19 Assay (iodometric) 98.0%	531.00	500 gm
		4203.00	5 kg
		POR	25 kg
		POR	50 kg
914350 (NH ₄) ₂ S ₂ O ₈ (7727-54-0)	MB ▲ Ammonium Persulphate for Molecular Biology M. W.: 228.19 Assay (iodometric) 98.0%	550.00	100 gm
		1800.00	500 gm
	Ammonium Phosphate Dibasic See di-Ammonium Hydrogen Orthophosphate		
	Ammonium Phosphate Mono basic See Ammonium Dihydrogen Orthophosphate		
805600	Ammonium Potassium Oxalate Soln. Assay: 10.0±0.5%	131.00	125 ml
282335 C ₈ H ₄ N ₅ O ₆ .NH ₄ (3051-09-0)	Ammonium Purpurate (Murexide) C.I. 56085 M. W.: 284.19	423.00	5 gm
		1503.00	25 gm
		POR	500 gm
282345 C ₈ H ₄ N ₅ O ₆ .NH ₄ (3051-09-0)	Ammonium Purpurate AR/ACS M. W.: 284.19	486.00	5 gm
		1701.00	25 gm
		POR	500 gm
	Ammonium Pyrochromate See Ammonium Dichromate		
457695 C ₅ H ₁₂ N ₂ H ₂ (5108-96-3)	Ammonium Pyrrolidine Dithiocarbamate AR (Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium Tetramethylene Pithio Carbamate) M. W.: 164.29	2304.00	10 gm
		5508.00	25 gm
009905 NH ₄ [Cr(NH ₃) ₂ (SCN) ₄]H ₂ O (13573-16-5)	Ammonium Reineckate Monohydrate Colour Reagent And Precipitant For Mercury M. W.: 354.44	2403.00	25 gm
457745 NH ₄ [Cr(NH ₃) ₂ (SCN) ₄]H ₂ O (13573-16-5)	Ammonium Reineckate Monohydrate AR M. W.: 354.44 Assay 96.0%	1107.00	5 gm
		4203.00	25 gm
009915 C ₄ N ₂ O ₄ H ₁₂ (2226-88-2)	Ammonium Succinate M. W.: 152.15 Assay 99.0%	2196.00	500 gm
027201 NH ₄ SO ₃ NH ₂ (7773-06-0)	Ammonium Sulphamate (Ammonium Amido Sulphonate) M. W.: 114.13 Assay (Redox Titration)98.0%	657.00	500 gm
		5202.00	5 kg
		POR	25 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
457790 NH ₄ SO ₃ NH ₂ (7773-06-0)	Ammonium Sulphamate AR/ACS M. W.: 114.13 Assay (Redox titration) 99.0%	603.00	100 gm
		2754.00	500 gm
805850	Ammonium Sulphate CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
805880	MB Ammonium Sulphate 3.2M Ultrapure Solution For Molecular Biology	3744.00	250 ml
		6930.00	500 ml
027202 (NH ₄) ₂ SO ₄ (7783-20-2)	Ammonium Sulphate Purified M. W.: 132.13 Assay (Acidimetric) 99.0%	243.00	500 gm
		1656.00	5 kg
		POR	25 kg
		POR	50 kg
457815 (NH ₄) ₂ SO ₄ (7783-20-2)	Ammonium Sulphate AR/ACS M. W.: 132.13 Assay after drying (acidimetry) 99.5%	306.00	500 gm
		2007.00	5 kg
		POR	25 kg
		POR	50 kg
009940 H ₈ N ₂ SO ₄ (7783-20-2)	Ammonium Sulphate enzyme grade low Heavy Metals Content M. W.: 132.13 Assay 99.5%	378.00	250 gm
		1332.00	1 kg
914550 (NH ₄) ₂ SO ₄ (7783-20-2)	MB Ammonium Sulphate for Molecular Biology M. W.: 132.14 Assay 99.5%	792.00	250 gm
		1566.00	500 gm
		13005.00	5 kg
PCT1003 (NH ₄) ₂ SO ₄ (7783-20-2)	PTC Ammonium Sulphate Plant Culture Tested M. W.: 132.14 Assay 99% Store below 30°C	460.00	500 gm
		842.00	1 kg
		3402.00	5 kg
		POR	25 kg
805950	Ammonium Sulphide Soln. (Yellow) Ammonium Sulphocyanide See Ammonium Thiocyanate	594.00	500 ml
	Ammonium Sulphocyanate Crystalse See Ammonium thiocyanate crystals		
009945 (CHOH.COONH ₄) ₂ (3164-29-2)	Ammonium (+) Tartrate M. W.: 184.15 Assay (ex NH ₃) 98.0%	1503.00	500 gm
		POR	25 kg
		POR	50 kg
457840 (CHOH.COONH ₄) ₂ (3164-29-2)	Ammonium (+) Tartrate AR M. W.: 184.15 Assay (ex NH ₃) 99.0%	2007.00	500 gm
		POR	25 kg
		POR	50 kg
009955	Ammonium Tetraborate Ammonium Tetramethylene Dithiocarbamate See Ammonium Pyrrolidine Dithiocarbamate,	1170.00	500 gm
027206 NH ₄ SCN (1762-95-4)	Ammonium Thiocyanate Cryst. Purified Also suitable for Silver Recovery M. W.: 76.12 Assay (argentometric) 98.0%	594.00	500 gm
		5202.00	5 kg
		POR	25 kg
		POR	50 kg
457865 NH ₄ SCN (1762-95-4)	Ammonium Thiocyanate AR/ACS M. W.: 76.12 Assay (Argentometric) 99.0%	869.00	500 gm
		POR	25 kg
		POR	50 kg
914600 NH ₄ SCN (1762-95-4)	MB Ammonium Thiocyanate For Molecular Biology M. W.: 76.12 Assay ≥ 99% Store Below 30°C	900.00	500 gm

ATC : Animal Cell Culture
 MB : Molecular Biology
 PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
806100	Ammonium Thiocyanate CPECTROSOL® 1400.00 0.1M/ (0.1N) CTITRINORM Standard Solution in accordance with NIST	1400.00	1 lit
806150	Ammonium Thiocyanate CPECTROSOL® 1400.00 1M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
806200	Ammonium Thiocyanate TS acc. to USP	261.00	500 ml
806203	Ammonium Thiocyanate 0.1 mol/l (0.1N) for 500 ml Solution	396.00 765.00 1467.00	1 Amp 3 Amp 6 Amp
027207	Ammonium Thiosulphate Cryst. (NH ₄) ₂ S ₂ O ₃ (7783-18-8) Assay (iodometric) 98.0%	702.00 3195.00	1 kg 5 kg
009985	Ammonium Tungstate (NH ₄) ₁₀ H ₂ W ₁₂ O ₄₂ .XH ₂ O M. W.: 3060.46 (anhy.) (11120-25-5) Assay (Dried) 98.0%	2961.00 12069.00	100 gm 500 gm
027186	Ammonium-m-Vanadate NH ₄ VO ₃ (7803-55-6) Assay (oxidimetric) 98.0%	1400.00 6507.00	100 gm 500 gm
457890	Ammonium-m-Vanadate AR/ACS NH ₄ VO ₃ (7803-55-6) Assay (oxidimetric) 99.0%	1602.00 7002.00	100 gm 500 gm
010005	Amoxicillin for Lab Use C ₁₆ H ₁₉ N ₃ O ₅ S (26787-78-0) M. W.: 365.40	297.00 1287.00 2331.00	1 gm 5 gm 10 gm
PCT2107	Amoxicillin Plant Culture Tested C ₁₆ H ₁₉ N ₃ O ₅ S (26787-78-0) M. W.: 365.4 Potency : ≥900 µg/mg	387.00 3690.00 8820.00	1 gm 10 gm 25 gm
PCT2115	Amoxicillin:clavulanic acid potassium salt (5:1) (Augmentin) Plant Culture Tested	3195.00	2 gm
AMPD See 2-Amino-2-Methyl-1,3-Propanediol AR			
010025	Amphotericin - B for Biochemistry (1397-89-3)	4673.00	1 gm
PCT2108	Amphotericin B Plant Culture Tested C ₄₇ H ₇₃ NO ₁₇ (1397-89-3) M. W.: 924.08 Potency 750 µg/mg Assay 80%	4673.00 23000.00 POR	1 gm 5 gm 25 gm
TC1019	Amphotericin B Cell Culture Tested Recommended for use in cell culture applications at 2.5 mg/L C ₄₇ H ₇₃ NO ₁₇ (1397-89-3) M. W.: 924.08 Assay : ≥90% Potency : ≥750 µg/mg	6210.00 24170.00	1 gm 5 gm
010075	Ampicillin Sodium Salt for Biochemistry for Lab Use C ₁₆ H ₁₈ N ₃ NaO ₄ S (69-52-3) M. W.: 371.39	1720.00 6282.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
914750	Ampicillin Sodium Salt For Molecular Biology C ₁₆ H ₁₈ N ₃ NaO ₄ S (69-52-3) M. W.: 371.39 Assay ≥ 91%	414.00 1602.00	1 gm 5 gm
PCT2101	Ampicillin Sodium salt Plant Culture Tested C ₁₆ H ₁₈ N ₃ NaO ₄ S (69-52-3) M. W.: 371.39 Assay : ≥ 91%	432.00 1737.00 3123.00 7840.00	1 gm 5 gm 10 gm 25 gm
TC1021	Ampicillin Sodium Salt Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L C ₁₆ H ₁₈ N ₃ NaO ₄ S (69-52-3) MW : 371.39 Assay : ≥91% Potency : ≥845 µg/mg	743.00 2952.00 11520.00	1 gm 5 gm 25 gm
010065	Ampicillin Trihydrate for Lab Use C ₁₆ H ₁₉ N ₃ O ₄ S.3H ₂ O (7177-48-2) M. W.: 403.46 Assay (anhydrous HPLC) 96-100.5%	1413.00 2570.00	5 gm 10 gm
Amprone See 4-Amino antipyrine			
010115	D-Amygdalin for Biochemistry C ₂₀ H ₂₇ NO ₁₁ (29883-15-6) M. W.: 457.43 Assay 99.0%	4410.00	10 gm
010165	n-Amyl Acetate for Synthesis C ₇ H ₁₄ O ₂ (628-63-7) M. W.: 130.18 Assay 99.0%	558.00 1917.00	500 ml 2.5 lit
iso-Amyl Acetate See Iso-Amyl Acetate			
iso-Amyl Alcohol See Iso-Amyl Alcohol			
029455	n-Amyl Alcohol for synthesis (n-Pentanol) C ₅ H ₁₂ O (71-41-0) M. W.: 88.15	1503.00 5490.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
457915	n-Amyl Alcohol AR/ACS C ₅ H ₁₂ O (71-41-0) M.W.: 88.15	1701.00 5760.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
010405	tert-Amyl Alcohol for Synthesis (2-Methyl-2-Butanol Tert-Pentyl Alcohol, Dimethyl Ethyl Carbinol) C ₅ H ₁₂ O (75-85-4) M. W.: 88.15	1431.00 6606.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
458115	tert-Amyl Alcohol AR (2-Methyl-2-Butanol, Tert-Pentyl Alcohol, Dimethylethyl Carbinol) C ₅ H ₁₂ O (75-85-4) M. W.: 88.15	1620.00 7020.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
802000	Amylamine (1-Aminopentane, n-Amylamine, Pentylamine) C ₅ H ₁₃ N (110-58-7) M. W.: 87.16	2007.00 8001.00	100 ml 500 ml
a-Amylase See Diastase			
010455	Amyl Benzoate for Synthesis C ₁₂ H ₁₆ O ₂ (2049-96-9) M. W.: 192.25 Assay 98.0%	2700.00	500 gm

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

A

Laboratory Chemicals

Product Code	Product Name	Price	Packing
	n-Amyl Bromide See 1-Bromo pentane		
010465 C ₉ H ₁₈ O ₂ (540-18-1)	n-Amyl Butyrate for Synthesis M. W.: 158.24	4500.00	500 gm
010485 C ₁₄ H ₁₈ O ₂	n-Amyl Cinnamate for Synthesis M. W.: 218.29	5500.00	500 gm
010495 C ₁₄ H ₁₈ O (122-40-7)	a-Amyl Cinnamaldehyde for Synthesis M.W. : 202.29	3699.00	500 gm
010595 C ₆ H ₁₂ O ₂ (638-49-3)	Amyl Formate for Synthesis M. W.: 116.15	3555.00	500 gm
	iso-Amyl Iodide See Iso-Amyl Iodide		
010605 C ₉ H ₁₈ O ₂ (106-27-4)	Amyl Isobutyrate for Synthesis M. W.: 158.24	3231.00	500 gm
010615 C ₁₀ H ₂₀ O ₂ (25415-62-7)	Amyl Isovalerate for Synthesis M. W.: 172.26	3888.00	500 gm
038005 (9037-22-3)	· Amylopectin From Potato Starch	5994.00 58085.00	1 gm 25 gm
038006 (9005-82-7)	· Amylose From Potato Starch	10000.00	1 gm
010625 C ₁₃ H ₁₈ O ₂ (5137-52-0)	Amyl Phenyl Acetate for Synthesis M. W.: 206.28	4950.00	500 gm
010635 C ₈ H ₁₆ O ₂ (624-54-4)	Amyl Propionate for Synthesis M. W.: 144.21	2889.00	500 gm
010645 C ₁₂ H ₁₆ O ₃ (2050-08-0)	Amyl Salicylate for Synthesis M. W.: 208.25	2619.00	500 gm
PCT1837 PTC C ₁₅ H ₁₆ N ₂ O ₂ (12771-68-5)	▲ Ancymidol Plant Culture Tested M. W.: 256.3 Assay 98%	9666.00 19530.00	50 mg 100 mg
806250	Andrade's Indicator	180.00	125 ml
010865	Anethole for Synthesis [trans-Anethole, 1-Methoxy-4-(1-Propenyl) Benzene] CH ₃ CH=CHC ₆ H ₄ OCH ₃ M. W.: 148.20 (4180-23-8) Assay (GC) 99.0%	2800.00 13050.00	500 ml 2.5 lit
	Aneurine Hydrochloride See Thiamine Hydrochloride		
027226 C ₆ H ₅ NH ₂ (62-53-3)	Aniline for Synthesis M. W.: 93.13 Assay (GC) 99.0%	756.00 3402.00	500 ml 2.5 lit POR 25 lit POR 200 lit
458205 C ₆ H ₅ NH ₂ (62-53-3)	Aniline AR/ACS M. W.: 93.13 Assay (By GC) 99.5%	864.00 3600.00	500 ml 2.5 lit POR 25 lit POR 200 lit

Product Code	Product Name	Price	Packing
282485 (8004-91-9)	Aniline Blue (Spirit Soluble) C.I. 42775 for Microscopy	918.00 2800.00	25 gm 100 gm POR 500 gm
282535 C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ (28983-56-4)	Aniline Blue (Water Soluble) C.I. 42780 for Microscopy M. W.: 799.80	423.00 900.00 2601.00	10 gm 25 gm 100 gm
806270	Aniline Blue - Orange (Mallory) Connective Tissue Stain for Collagen	891.00	100 ml
806267	Aniline Blue - Orange G Acetic (for Azan Stain) Connective Tissue Stain for Collagen	833.00	100 ml
806265	Aniline Blue Solution (2.5% in 2% acetic acid)	770.00	250 ml
027229 C ₆ H ₅ NH ₂ HCl (142-04-1)	Aniline Hydrochloride for Synthesis M. W.: 129.59 Assay (Argentometric; ex Cl) 99-100.5%	707.00 1251.00	250 gm 500 gm
027230 (C ₆ H ₅ NH ₂) ₂ H ₂ SO ₄ (542-16-5)	Aniline Sulphate M. W.: 284.33 Assay (acidimetric) 98.0%	770.00 1440.00	250 gm 500 gm
	Anion Exchange RESINS See Ceralite resins (33 items) See (2 items) See Indion resins (18 items)		
027231 CH ₃ OC ₆ H ₄ CHO (123-11-5)	Anisaldehyde M. W.: 136.15 Assay (GC) 99.0%	1206.00 2300.00	250 ml 500 ml POR 25 lit
	m-Anisaldehyde See 3-Methoxybenzaldehyde		
	p-Anisaldehyde See Anisaldehyde		
011285 C ₈ H ₈ O ₃ (586-38-9)	m-Anisic Acid for synthesis (m-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	900.00 3303.00	25 gm 100 gm
011275 C ₈ H ₈ O ₃ (579-75-9)	o-Anisic Acid for Synthesis M. W.: 152.15 Assay 98.0%	1305.00 5103.00	100 gm 500 gm
011295 C ₈ H ₈ O ₃ (100-09-4)	p-Anisic Acid for Synthesis (4-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	585.00 2304.00	100 gm 500 gm
011395 C ₈ H ₁₀ O ₂ (105-13-5)	Anisic Alcohol for Synthesis Anise Alcohol, Anisyl Alcohol) M. W.: 138.16 Assay 98.0%	855.00 3006.00	100 gm 500 gm
011495 CH ₃ OC ₆ H ₄ NH ₂ (536-90-3)	m-Anisidine (3-Methoxyaniline, (Anise Alcohol, Anisyl Alcohol) 3-Aminoanisole, 3-Aminophenyl Methyl Ether) for Synthesis M. W.: 123.15 Assay 98.0%	2097.00 7596.00	100 ml 500 ml
027233 C ₇ H ₉ NO (90-04-0)	o-Anisidine M. W.: 123.16 Assay (GC) 98.0%	1206.00 5256.00	500 ml 2.5 lit
027235 C ₇ H ₉ NO (104-94-9)	p-Anisidine M. W.: 123.16 Assay (GC) 98.0%	720.00 1350.00	250 gm 500 gm

Product Code	Product Name	Price	Packing
459005 C ₇ H ₉ NO (104-94-9)	p-Anisidine AR M. W.: 123.16 Assay (GC) 98.0%	1998.00	100 gm
		5679.00	500 gm
027237 CH ₃ OC ₆ H ₅ (100-66-3)	Anisole M. W.: 108.14 Assay (GC) 98.5%	950.00	500 ml
		4104.00	2.5 lit POR 25 lit
011585 C ₁₄ H ₁₀ (120-12-7)	Anthracene Pure (Blue Fluorescence) M. W.: 178.23 Assay (GC) 97.0%	1701.00	100 gm
		7002.00	500 gm
701005 C ₁₄ H ₁₀ (120-12-7)	Anthracene for Scintillation grade M. W.: 178.22 Assay (GC) 99.5%	1220.00	25 gm
		4716.00	100 gm
D12357 C ₁₄ D ₁₀ (1719-06-8)	Anthracene-d₁₀ (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 98 atom%D	32940.00	1 gm
027243 (C ₆ H ₄ CO) ₂ (84-65-1)	Anthraquinone for Synthesis M. W.: 208.22 Assay 98.0%	1107.00	500 gm
			POR 25 kg POR 50 kg
282685 C ₁₄ H ₇ NaO ₅ S.H ₂ O (153277-35-1)	Anthraquinone-2-Sulphonic Acid Sodium Salt M. W.: 328.27 Assay (HPLC) 97.0%	594.00	25 gm
		2250.00	100 gm
282695 C ₁₄ H ₇ NaO ₅ S.H ₂ O (153277-35-1)	Anthraquinone-2-Sulphonic Acid Sodium Salt AR (Silver Salt) M. W.: 328.27 Assay (HPLC) 98.0%	752.00	25 gm
		2700.00	100 gm
282835 C ₁₄ H ₁₀ O (90-44-8)	Anthrone for Synthesis M. W.: 194.23 Assay (GC) 97.0%	370.00	10 gm
		747.00	25 gm
282845 C ₁₄ H ₁₀ O (90-44-8)	Anthrone AR/ACS M. W.: 194.23 Assay (GC) 98.0%	405.00	10 gm
		855.00	25 gm
		3070.00	100 gm
PCT2106 PTC	Antimicrobial supplement Plant Culture Tested Store below 30°C	4600.00	50 ml
		8163.00	100 ml
806500	Antimony (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml
803502	Antimony (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml
806550	Antimony (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5500.00	100 ml
		8505.00	500 ml
806600	Antimony (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	5500.00	100 ml
		8505.00	500 ml

Product Code	Product Name	Price	Packing
806650	Antimony (Sb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl in accordance With NIST	16020.00	100 ml
		48240.00	500 ml
011805 Sb (7440-36-0)	Antimony Metal Lumps At. W.: 121.75 Assay (Iodometric) 99.5%	900.00	100 gm
		3600.00	500 gm
027248 (7440-36-0)	Antimony (Metal) Powder 200 Mesh At. W.: 121.75 Assay (Iodometric; ex Sb) 98.5%	1107.00	100 gm
		4770.00	500 gm POR 25 kg
459185 Sb (7440-36-0)	Antimony (Metal) Powder AR At. W.: 121.75 Assay (Trace metals basis) 99.99%	2700.00	10 gm
		5400.00	25 gm
011795 Sb (7440-36-0)	Antimony Ingots A. W.: 121.75 Assay (Trace metals basis) 99.999%	5562.00	10 gm
		11430.00	25 gm
	Antimony (III) Chloride See Antimony Trichloride		
	Antimony (III) Oxide See Antimony Trioxide		
	Antimony Pentasulphide See Antimony Sulphide Golden		
011865 Sb ₂ O ₅ (1314-60-9)	Antimony Pentoxide (Antimony (V) Oxide) M. W.: 323.52 Assay 99.0%	2610.00	250 gm
011915 C ₄ H ₄ O ₇ KSb1/2H ₂ O (28300-74-5)	Antimony Potassium (+L) Tartrate M. W.: 324.92	657.00	100 gm
		1360.00	250 gm
		2403.00	500 gm
			POR 25 kg POR 50 kg
459275 C ₄ H ₄ O ₇ KSb 1/2H ₂ O (28300-74-5)	Antimony Potassium (+L) Tartrate AR M. W.: 324.92	657.00	100 gm
		2601.00	500 gm
806750	Antimony Potassium Tartrate Solution for Phosphate	666.00	500 ml
011935 Sb ₂ S ₅ (1315-04-4)	Antimony Sulphide Golden (Antimony Pentasulphide) M. W.: 403.85 Assay (Sb basis) 60.0%	4005.00	500 gm
			POR 25 kg
011930 Sb ₂ S ₃ (1345-04-6)	Antimony (III) Sulphide (Antimony Sulphide Black) M. W.: 339.68 Assay (Oxidimetric) 95.0%	3807.00	500 gm
			POR 25 kg
027258 SbCl ₃ (10025-91-9)	Antimony Trichloride M. W.: 228.11 Assay (Iodometric; ex Sb) 98.5%	923.00	100 gm
		2295.00	250 gm
		4392.00	500 gm
			POR 5 kg POR 25 kg
459365 SbCl ₃ (10025-91-9)	Antimony Trichloride AR/ACS M. W.: 228.11 Assay (Iodometric; ex Sb) 99.0%	1350.00	100 gm
		2592.00	250 gm
		4590.00	500 gm
011985 SbF ₃ (7783-56-4)	Antimony Trifluoride Pure (Antimony (III) Fluoride) M. W.: 178.76 Assay 98.0%	6327.00	250 gm

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
027261 Sb ₂ O ₃ (1309-64-4)	Antimony Trioxide Pure M. W.: 291.50 Assay (Iodometric) 99.0%	2601.00 4950.00 POR	500 gm 1 kg 50 kg
459455 Sb ₂ O ₃ (1309-64-4)	Antimony Trioxide AR M. W.: 291.50 Assay (Iodometric) 99.0%	747.00 2997.00 26100.00 POR	100 gm 500 gm 5 kg 25 kg
012065 C ₁₁ H ₁₂ N ₂ O (60-80-0)	Antipyrine (Phenazone) M.W.: 188.23 Assay 99.0%	1206.00 4950.00	100 gm 500 gm
PCT2313 PTC	Apple Green Colour Plant Culture Tested Store below 30°C	4509.00	250 gm
PCT1411 PTC (9000-69-5)	Apple Pectin Plant Culture Tested Store below 30°C	4320.00 7776.00	500 gm 1 kg
PCT1401 PTC	Apple Powder (Malus sylvestris) Plant Culture Tested Store below 30°C	6102.00	250 gm
012115 C ₂₈₄ H ₄₃₂ N ₈₄ O ₇₉ S ₇ (9087-70-1)	Aprotinin From Bovine Lung Activity Min 5400 KIU/mg for Biochemistry M. W. 6511.52	1872.00 3636.00 23400.00	5 mgm 10 mgm 100 mgm
914890 MB C ₂₈₄ H ₄₃₂ N ₈₄ O ₇₉ S ₇ (9087-70-1)	▲Aprotinin, From Bovine Lung For Molecular Biology M. W.: 6511.14 Specific activity : ≥ 3.0 PEU/mg (≥ 5400 KIU/mg)	12222.00 22195.00	50 mg 100 mg
	L(-) Arabinitol See l (-) Arabitol		
	D(+) Arabinitol See d (+) Arabitol		
TC1717 ATC C ₂₈₄ H ₄₃₂ N ₈₄ O ₇₉ S ₇ (9087-70-1)	▲Aprotinin Source: Bovine lung Cell Culture Tested M. W.: 6511.44	13320.00 25430.00	25 mg 50 mg
459545 C ₅ H ₁₀ O ₅ (10323-20-3)	D-Arabinose for Biochemistry AR M. W.: 150.13	500.00 1900.00	5 gm 25 gm
038008 C ₅ H ₁₀ O ₅ (5328-37-0)	L (+) Arabinose AR M. W.: 150.13 Assay 99.0%	450.00 954.00	10 gm 25 gm
012185 C ₅ H ₁₂ O ₅ (488-82-4)	· D(+)-Arabitol [D (+) Arabinitol] for Biochemistry M. W.: 152.15	3020.00	5 gm
012235 C ₅ H ₁₂ O ₅ (7643-75-6)	L (-) Arabitol [L (-) Arabinitol] for Biochemistry M. W.: 152.15	1152.00 5130.00	1 gm 5 gm
TC1389 ATC C ₂₀ H ₃₂ O ₂ (506-32-1)	· Arachidonic Acid Cell Culture Tested M. W.: 304.47 Assay : ≥90%	4019.00 12700.00	10 mg 50 mg
012265 C ₁₂ H ₁₆ O ₇ (497-76-7)	p-Arbutin for Biochemistry M. W.: 272.25	6390.00 13050.00 22293.00	10 gm 25 gm 50 gm

Product Code	Product Name	Price	Packing
012295 C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	L-Arginine for Biochemistry M. W.: 174.20 Assay (Non-aqueous) 98.0%	270.00 873.00 7750.00	25 gm 100 gm 1 kg
PCT1302 PTC C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	L-Arginine Plant Culture Tested M. W.: 174.2 Assay 99% Store below 30°C	302.00 1031.00 9270.00	25 gm 100 gm 1 kg
TC1052 ATC C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	L-Arginine (From non-animal source) Cell Culture Tested M. W.: 174.2 Assay : ≥98% Store below 30°C	1450.00 4383.00 12033.00 18054.00	25 gm 100 gm 500 gm 1 kg
TC1052M ATC C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	L-Arginine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 174.2 Store below 30°C	2300.00 5697.00 14922.00 28990.00	25 gm 100 gm 500 gm 1 kg
037016 C ₆ H ₁₄ N ₄ O ₂ HCl (1119-34-2)	L-Arginine Monohydrochloride for Biochemistry M. W.: 210.67 Assay (Non-aqueous) 98.5%	306.00 801.00 6507.00	25 gm 100 gm 1 kg
TC1053 ATC C ₆ H ₁₄ N ₄ O ₂ HCl (1119-34-2)	L-Arginine Monohydrochloride (From non-animal source) Cell Culture Tested M. W.: 210.66 Assay : ≥98.5% Store below 30°C	1260.00 3160.00 9500.00 14310.00	25 gm 100 gm 500 gm 1 kg
TC1053M ATC C ₆ H ₁₄ N ₄ O ₂ .HCl (1119-34-2)	L-Arginine Monohydrochloride (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing Specifications M. W.: 210.66 Store below 30°C	2430.00 6170.00 18180.00 27720.00	25 gm 100 gm 500 gm 1 kg
012365 C ₆ H ₈ AsNO ₃ (98-50-0)	p-Arsanilic Acid for Synthesis M. W.: 217.05 Assay 99.0%	5000.00 POR	100 gm 500 gm
282995 C ₁₆ H ₁₀ N ₂ O ₁₁ S ₂ AsNa ₃ (520-10-5)	Arsenazo I AR (Neothorone) M. W.: 614.28	3006.00	5 gm
283035 C ₂₂ H ₁₆ As ₂ N ₄ Na ₂ O ₁₄ S ₂ 4H ₂ O (62337-00-2)	Arsenazo III AR M. W.: 892.40	7506.00	5 gm
807000	Arsenic (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
807002	Arsenic (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
807050	Arsenic (As) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5301.00	100 ml
		8505.00	500 ml
807100	Arsenic (As) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	16660.00	100 ml
		48204.00	500 ml
H04065 (7440-38-2)	Arsenic Metal Reference Standard Assay (Trace metal basis) 99.997%	18000.00	25 gm
012475 (7440-38-2)	Arsenic Metal Lump	477.00	100 gm
012495 As ₂ O ₃ (1327-53-3)	Arsenic Trioxide Pract M. W.:197.84 Assay (iodometric) 95.0%	531.00	500 gm
459815 As ₂ O ₃ (1327-53-3)	Arsenic Trioxide AR M. W.: 197.84 Assay (iodometric) 99.0%	360.00	100 gm
		1400.00	500 gm
	Arsenous Oxide See Arsenic Trioxide		
012545 (1334-28-1)	Asbestos for Gooch Crucibles	450.00	100 gm
		1980.00	500 gm
459905 (1310-73-2)	Ascarite AR 1.6-3 mm Acid Washed Absorption capacity for CO ₂ : 50.0%	13500.00	100 gm
		29700.00	250 gm
012585 (9029-44-1)	Ascorbate Oxidase ex. Cucumber Activity 150u/mg (Ascorbase, L-Ascorbate: Oxygen Oxidoreductase	10287.00	2500 Units
012625 C ₆ H ₈ O ₆ (50-81-7)	L-Ascorbic Acid M. W.: 176.13 Assay (iodometric) 99.0%	234.00	25 gm
		603.00	100 gm
		2637.00	500 gm
			POR 5 kg
			POR 25 kg
459995 C ₆ H ₈ O ₆ (50-81-7)	L-Ascorbic Acid AR/ACS for Biochemistry Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:176.13 Assay (iodometric) 99.7%	702.00	100 gm
		3078.00	500 gm
			POR 25 kg
H04205 C ₆ H ₈ O ₆ (50-81-7)	L-Ascorbic Acid Type I M. W.: 176.13 Assay (iodometric) 99.0%	7300.00	500 gm
		37000.00	5 kg
H04209 C ₆ H ₈ O ₆ (50-81-7)	L-Ascorbic Acid Type II for Biochemistry Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:176.13 Assay (iodometric) 99.7%	2170.00	100 gm
		8010.00	500 gm
PCT1207	L-Ascorbic Acid (Vitamin C) Plant Culture Tested M. W.: 176.12 Assay 99% Store below 30°C	590.00	50 gm
		1044.00	100 gm
TC1094	L-Ascorbic Acid (Vitamin C) Cell Culture Tested M. W.: 176.12 Assay : ≥99% Store below 30°C	1566.00	25 gm
		2502.00	100 gm
		7947.00	500 gm

Product Code	Product Name	Price	Packing
	Ascorbic Acid Sodium Salt See Sodium L (+) Ascorbate		
037019	D-Asparagine Monohydrate for Biochemistry M. W.: 150.14 Assay 99.0%	860.00	5 gm
		2970.00	25 gm
		11700.00	100 gm
012665 C ₄ H ₈ N ₂ O ₃ .H ₂ O (3130-87-8)	DL-Asparagine Monohydrate M. W.: 150.14 Assay (NT) 98.0%	2714.00	25 gm
		8640.00	100 gm
037020	L-Asparagine Monohydrate for Biochemistry M. W.: 150.13 Assay (Non-aqueous) 98.5%	383.00	25 gm
		1202.00	100 gm
		8811.00	1 kg
TC1057	L-Asparagine Monohydrate (From non-animal source) Cell Culture Tested M. W.: 150.13 Assay : ≥99% Store below 30°C	1332.00	25 gm
		4014.00	100 gm
		15561.00	500 gm
		28170.00	1 kg
TC1057M	L-Asparagine Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 150.13 Store below 30°C	3033.00	25 gm
		9090.00	100 gm
		26676.00	500 gm
		40005.00	1 kg
PCT1303	L-Asparagine Monohydrate Plant Culture Tested M. W.: 150.13 Assay 99.5% Store below 30°C	396.00	25 gm
		1279.00	100 gm
		5994.00	500 gm
012725 C ₁₄ H ₁₈ O ₅ N ₂ (22839-47-0)	Aspartame for Synthesis M.W.: 294.30	1656.00	5 gm
		3960.00	100 gm
037022	DL-Aspartic Acid NH ₂ CH(COOH)CH ₂ COOH M. W.: 133.10 Assay (Non-aqueous) 99.0%	162.00	25 gm
		500.00	100 gm
		4707.00	1 kg
037021	L-Aspartic Acid Pure NH ₂ CH(COOH)CH ₂ COOH M. W.: 133.10 Assay (Non-aqueous) 99.0%	153.00	25 gm
		401.00	100 gm
		3501.00	1 kg
PCT1304	L-Aspartic Acid Plant Culture Tested M. W.: 133.1 Assay 99% Store below 30°C	145.00	25 gm
		495.00	100 gm
		2142.00	500 gm
TC1059	L-Aspartic Acid (From non-animal source) Cell Culture Tested M. W.: 133.1 Assay : ≥99% Store below 30°C	482.00	25 gm
		1459.00	100 gm
		4383.00	500 gm
TC1059M	L-Aspartic Acid (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 133.11 Store below 30°C	1215.00	25 gm
		3636.00	100 gm
		16920.00	500 gm

A

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
A 027039 C ₉ H ₈ O ₄ (50-78-2)	Aspirin (Acetyl Salicylic Acid) M. W.: 180.16	637.00	250 gm
PCT2526 PTC C ₉ H ₈ O ₄ (50-78-2)	Aspirin (Acetyl Salicylic Acid) Plant Culture Tested M. W.: 180.16 Assay 98.5% Store below 30°C	1386.00 2754.00	100 gm 250 gm
PCT2143 PTC C ₈ H ₁₄ ClN ₅ (1912-24-9)	Atrazine Plant Culture Tested M. W.: 215.68 Assay : > 97 % Store below 30°C	8316.00	250 mg
Atomic Absorption Standards Solution See AAS Solution Page No.- 224			
027277 (C ₁₇ H ₂₃ NO ₃) ₂ .H ₂ SO ₄ .H ₂ O (5908-99-6)	Atropine Sulphate Monohydrate Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:694.84 Assay (Non-aqueous; Calc. W.r.t. anhy. Subs.) 99.0-101%	1755.00 3420.00 7700.00	5 gm 10 gm 25 gm
283175 C ₁₇ H ₂₁ N ₃ .HCl (2465-27-2)	Auramine for Microscopy (Auramine-O) C.I. 41000 M. W.: 303.84	221.00 522.00 3600.00	25 gm 100 gm 1 kg
807180	Auramine Phenolic (Lempert) Solution for Microscopy	1125.00	100 ml
013125 C ₂₀ H ₃₀ O ₇ (522-16-7)	Aurantin for Synthesis M. W.: 372.37	7506.00	500 gm
Aurin See p-Rosolic Acid			
Aurin Tricarboxylic Acid Ammonium Salt See Aluminon			
Auxin See Indole 3-Acetic Acid			
TC1410 ATC C ₄₈ H ₇₂ O ₁₄ (65195-55-3)	Avermectin B1a, EvoPure [®] 5-O-Demethylavermectin A1a Cell Culture Tested M. W.: 873.1 Assay : ≥95.00% Store at -20°C	185130.00	5 mg
915250 MB (1405-69-2)	Avidin, From Egg White For Molecular Biology M. W.: ~68,000 Activity : ≥ 10U/mg of protein	2862.00 22500.00	10 mg 100 mg
O-(7-Azabenzotriazol-1-yl)-N,N,N,N-Tetramethyluronium Hexafluoro - phosphate See HATU			
TC1466 ATC C ₈ H ₁₂ N ₄ O ₅ (320-67-2)	5-Azacytidine 4-Amino-1-(β-D-ribofuranosyl)-1,3,5 Triazin-2(1H)-one, Ladakamycin Cell Culture Tested M. W.: 244.2 Assay : ≥98% Store at -20°C	5355.00 11133.00 33183.00	100 mg 250 mg 1 gm
013200 C ₇ H ₆ N ₂ (271-63-6)	7-Azaindole for Synthesis (1H-Pyrrolo(2,3-b)pyridine) M. W.: 118.14 Assay 98.0%	923.00 2502.00 9801.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
013225 C ₉ H ₁₆ O ₄ (123-99-9)	Azelaic Acid for Synthesis M. W.: 188.20 Assay 98.0%	2700.00 7650.00	100 gm 500 gm
915435 MB C ₁₈ H ₂₄ N ₆ O ₆ S ₄ (30931-67-0)	▲2,2'-Azimo-Bis (3-Ethylbenzothiazoline-6- Sulfonic Acid) Diammonium Salt For Molecular Biology M. W.: 548.68 Assay : ≥ 98%	8721.00	1 gm
013355 C ₆ H ₅ N=NC ₆ H ₅ (103-33-3)	Azobenzene M. W.: 182.22 Assay 98.0%	3996.00	25 gm
▲2,2'-Azobis (2-Methylpropionitrile) See a, a-Azo Iso Butyronitrile			
283315 C ₂₈ H ₁₈ N ₃ NaO ₆ S ₂ (25641-18-3)	Azocarmine G for Histology (Acid Red 101) C.I. No. 50085 M. W.: 579.59	2601.00	25 gm
013505 C ₂ H ₄ N ₄ O ₂ (123-77-3)	Azodicarbonamide for Synthesis M. W.: 116.07 Assay 97.0%	4203.00	500 gm
013595 C ₈ H ₁₂ N ₄ (78-67-1)	▲a, a-Azo Iso Butyronitrile (AIBN, 2,2-Azo Bis [2-2,Methyl Propionitrile] for synthesis M. W.: 164.21 Assay 98.0%	900.00 3663.00	100 gm 500 gm POR 5 kg
013695 C ₁₇ H ₁₂ NO ₈ S ₂ N _a .XH ₂ O (206752-32-1)	▲Azomethine-H-monosodium Salt Hydrate M. W.: 445.40 (Anhy.) Assay 97.0%	702.00 3105.00 14500.00	1 gm 5 gm 25 gm
283455 C ₁₈ H ₁₃ N ₃ Na ₂ O ₈ S ₂ (3734-67-6)	Azophloxine (Acid Red I) (C.I. 18050) M. W.: 509.42	504.00 1503.00	25 gm 100 gm
Azorubin C See Carmosine A Azorubin S See Amaranth Azoviolet See Magneson I			
283595 C ₁₄ H ₁₄ N ₃ SCI (531-53-3)	Azur A (M.S.) (C.I. 52005) M. W.: 291.80	297.00 550.00 846.00	5 gm 10 gm 25 gm POR 1 kg
283645 C ₁₅ H ₁₆ ClN ₃ S (531-55-5)	Azur B (M.S.) (Azur I) C.I. 52010 M. W.: 305.83	432.00 950.00	5 gm 25 gm POR 1 kg
283695 C ₁₃ H ₁₂ ClN ₃ S (531-57-7)	Azur C M. W.: 277.77	351.00 1053.00	5 gm 25 gm
Azur I for Microscopy See Azur B			
283745 C ₁₆ H ₁₈ N ₃ S.C ₁₅ H ₁₆ N ₃ S.2Cl (37247-10-2)	Azur II for Microscopy M. W.: 625.68	432.00 950.00	10 gm 25 gm
283795 (53092-85-6)	Azur II Eosine for Microscopy	603.00	25 gm

Product Code	Product Name	Price	Packing
	B-9 See ALAR		
019895	▲Bacitracin 50,000 Units in vial M. W.: 1422.72 Potency 50000 Unit/g	1431.00	50000 unit
$C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)		4150.00	250000 Unit
PCT2109	▲Bacitracin Plant Culture Tested MW : 1422.69 Potency 60 U/mg	1431.00 11170.00 27900.00	1 vl 10X1 vl 25X1 vl
$C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)			
TC1201	▲Bacitracin 50,000 units per vial Cell Culture Tested MW : 1422.69	1692.00 6120.00	1 vl 5 vl
$C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)	Potency : >60 units/mg		
019985 (8007-47-4)	Balsam Canada Natural	6003.00	500 gm
019995 (8007-47-4)	Balsam Canada Synthetic	801.00 3501.00	100 gm 500 gm
020005 (8007-00-9)	Balsam Peru	7605.00	500 gm
020010 (9000-64-0)	Balsam Tolu	6903.00	500 gm
PCT1402	Banana Powder Plant Culture Tested Store below 30°C	2106.00	100 gm
PCT2403	6-BAP Solution (6-Benzyladenine solution) w/ 1 mg/ml 6-BAP in sterile distilled water Sterile filtered Plant Culture Tested	891.00 2673.00	20 ml 5X20 ml
TC1723	BAPTA AM 1,2-Bis (2-aminophenoxy) ethane- N,N,N',N'-tetraacetic acid tetrakis (acetoxy methyl ester) Cell Culture Tested MW : 764.68	19190.00	25 mg
$C_{34}H_{40}N_2O_{18}$ (126150-97-8)	Store below -20°C		
027284 $C_4H_4N_2O_3$ (67-52-7)	Barbituric Acid M. W.:128.09 Assay (acidimetric) 99.0%	855.00 3600.00 6804.00	100 gm 500 gm 1 kg
461405 $C_4H_4N_2O_3$ (67-52-7)	Barbituric Acid AR M. W.:128.09 Assay (acidimetric) 99.5%	432.00 1206.00	25 gm 100 gm
915740	Barbituric Acid For Molecular Biology M. W.: 128.09 Assay : > 99% Store Below 30°C	1540.00 6930.00	100 gm 500 gm
$C_4H_4N_2O_3$ (67-52-7)			
807400	Barfoed's Reagent	144.00	125 ml
	Barium Dioxide See Barium Peroxide		
807450	Barium (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Product Code	Product Name	Price	Packing
807452	Barium (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
807500	Barium (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	5301.00 8505.00	100 ml 500 ml
807550	Barium (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	16020.00 48240.00	100 ml 500 ml
807502	Barium (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in Diluted Hcl in accordance with NIST	5301.00 8505.00	100 ml 500 ml
807552	Barium (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in Diluted Hcl In accordance with NIST	16020.00 48240.00	100 ml 500 ml
020255 $C_4H_6O_4Ba$ (543-80-6)	Barium Acetate M. W.: 255.43 Assay (complexometric) 98.0%	1143.00	500 gm POR 25 kg POR 25 kg
461585 $C_4H_6O_4Ba$ (543-80-6)	Barium Acetate AR/ACS M. W.: 255.43 Assay (Complexometric) 98.0%	1980.00	500 gm POR 25 kg
020275 B_2O_4Ba (13701-59-2)	Barium Borate M.W. : 181.15 Assay 96.0%	603.00	250 gm
027287 $BaBr_2 \cdot 2H_2O$ (7791-28-8)	Barium Bromide Dihydrate M. W.: 333.17 Assay 98.0%	1850.00	500 gm POR 25 kg POR 50 kg
027288 $BaCO_3$ (513-77-9)	Barium Carbonate M. W.:197.34 Assay (acidimetric) 99.0-101.0%	558.00 4001.00	500 gm 5 kg 25 kg POR 50 kg
461740 $BaCO_3$ (513-77-9)	Barium Carbonate AR/ACS M. W.: 197.34 Assay 99.0%	950.00	500 gm POR 25 kg POR 50 kg
020315 $BaCO_3$ (513-77-9)	Barium Carbonate Practical Grade M. W.: 197.34	387.00	500 gm POR 25 kg POR 50 kg
H05607	Barium Carbonate AR M. W.: 197.34 Assay (Base on Trace metal analysis) 99.99%	8730.00 23040.00	25 gm 100 gm
$BaCO_3$ (513-77-9)			
461790 $BaC_6Cl_2O_4$ (13435-46-6)	Barium Chloranilate AR/ACS M. W.: 344.31 Assay (ex Ba) 99.0%	2007.00	25 gm
808072	Barium Chloride CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
808070	Barium Chloride 0.05 mol/L (0.1N) for 500 ml Solution	153.00 342.00 612.00	1 amp 3 amp 6 amp

Product Code	Product Name	Price	Packing
027290 BaCl ₂ ·2H ₂ O (10326-27-9)	Barium Chloride Dihydrate Cryst.Pure M. W.:244.27 Assay (Argentometric) 99.0-102.0%	370.00 657.00 2800.00	500 gm 1 kg 5 kg POR 25 kg POR 50 kg
461815 BaCl ₂ ·2H ₂ O (10326-27-9)	Barium Chloride Dihydrate AR/ACS M. W.:244.27 Assay 99.0-100.5%	414.00 756.00 3105.00	500 gm 1 kg 5 kg POR 25 kg POR 50 kg
020395 BaCrO ₄ (10294-40-3)	Barium Chromate M. W.: 253.32 Assay (Iodometric) 98.0%	1400.00	500 gm
461840 BaCrO ₄ (10294-40-3)	Barium Chromate AR M. W.: 253.32 Assay (iodometric) 99.0%	500.00 1701.00 15003.00	100 gm 500 gm 5 kg
284705 C ₂₄ H ₂₀ Ba _N 2O ₆ S ₂ (6211-24-1)	Barium Diphenylamine Sulphonate AR Redox Indicator M. W.: 633.9	405.00 1107.00	5 gm 25 gm
808130	Barium Diphenylamine Sulphonate Solution (Oxidation-reduction indicator for the titration of iron with potassium dichromate and zinc with potassium Ferrocyanate)	320.00	100 ml
020415 BaF ₂ (7787-32-8)	Barium Fluoride Pure M. W.: 175.32	1800.00	500 gm
808050	Barium Chloride CPECTROSOL [®] 0.1M (0.2N) Standard Solution In accordance with NIST	1400.00	1 lit
808082	Barium Chloride TS acc. to USP	275.00	500 ml
808100	Barium Chloride 10% Solution Assay (BaCl ₂ ·2H ₂ O) Abt 10.0% W/W	144.00	500 ml
461890 BaF ₂ (7787-32-8)	Barium Fluoride AR M. W.: 175.32 Assay (Trace metal basis) 99.99%	4932.00	25 gm
027295 Ba(OH) ₂ ·8H ₂ O (12230-71-6)	Barium Hydroxide Octahydrate Purified M. W.:315.47 Assay (acidimetric) 97.0%	441.00 3870.00	500 gm 5 kg POR 25 kg POR 50 kg
461915 Ba(OH) ₂ ·8H ₂ O (12230-71-6)	Barium Hydroxide Octahydrate AR/ACS M. W.:315.47 Assay 98.0%	1602.00	500 gm POR 25 kg POR 50 kg
808173	Barium Hydroxide 0.3 mol/L Solution	383.00	500 ml
808170	Barium Hydroxide 0.05 mol/L (0.1N) Solution	414.00	500 ml
027297 Ba(IO ₃) ₂ ·H ₂ O (7787-34-0)	Barium Iodate M. W.: 505.15 Assay 98.0%	9801.00	100 gm
020565 BaI ₂ Aq. (13718-50-8)	Barium Iodide Pure M. W.: 391.15 Aq. Assay 99.0%	5900.00	100 gm

Product Code	Product Name	Price	Packing
027299 Ba(NO ₃) ₂ (10022-31-8)	Barium Nitrate Purified M. W.: 261.34 Assay 99.0%	518.00 4392.00	500 gm 5 kg POR 25 kg POR 50 kg
461940 Ba(NO ₃) ₂ (10022-31-8)	Barium Nitrate AR/ACS M. W.:261.34 Assay 99.5%	621.00	500 gm POR 25 kg POR 50 kg
706440 Ba (NO ₃) ₂ (10022-31-8)	Barium Nitrate EL Grade M. W.: 261.34 Assay (ex Ba) 99.5%	6930.00	5 kg
808200	Barium Nitrate TS acc. to USP	261.00	500 ml
020685 BaC ₂ O ₄ (516-02-9)	Barium Oxalate M. W.: 225.35	558.00	250 gm
020695 BaO (1304-28-5)	Barium Oxide M.W.: 153.34 Assay 90%	9351.00	25 gm
020715 *	Barium Perchlorate (Anhydrous) Ba (ClO ₄) ₂ (13465-95-7) M. W.: 336.23 Assay 98.0%	POR POR	1 kg 25 kg
461965 *	Barium Perchlorate (Anhydrous) AR Ba (ClO ₄) ₂ (13465-95-7) M. W.: 336.23 Assay 98.0%	27009.00 60030.00	250 gm 1 kg
020720 *	Barium Perchlorate (Trihydrate) Ba(ClO ₄) ₂ ·3H ₂ O (10294-39-0) M. W.: 390.29 Assay 99.0 - 101.0%	6300.00 23940.00	250 gm 1 kg POR 25 kg
808500	Barium Perchlorate 0.005 M/lit Volumetric Solution Water	1431.00	1 lit
808503	Barium Perchlorate 0.005 M/lit (0.005M) Alcoholic Solution	1980.00	1 lit
020740 BaO ₂ (1304-29-6)	Barium Peroxide M. W.: 169.34 Assay (iodometric on dried basis) 90.0%	963.00	500 gm POR 25 kg POR 50 kg
020810 Ba ₃ (PO ₄) ₂ (13517-08-3)	Barium Phosphate M. W.: 601.92 Assay (ex Ba) 55.0%	432.00	250 gm
020895 C ₃₆ H ₇₀ O ₄ Ba (6865-35-6)	Barium Stearate Pure M.W.: 704.28	873.00	1 kg POR 25 kg
027303 BaSO ₄ (7727-43-7)	Barium Sulphate M. W.: 233.39 Assay (Gravimetric) 95.0%	306.00 1197.00	500 gm 2 kg POR 25 kg
461990 BaSO ₄ (7727-43-7)	Barium Sulphate AR/ACS M. W.: 233.39 Assay (Gravimetric; as BaSO ₄) 97.5-100.5%	581.00	500 gm POR 25 kg
020995 BaS (21109-95-5)	Barium Sulphide M. W.: 169.39 Assay 98.0%	4392.00	500 gm
021050 BaO ₃ S (7787-39-5)	Barium Sulphite Pure M. W.: 217.39	6903.00	500 gm
021075 C ₄ H ₄ BaO ₆ (5908-81-6)	Barium Tartrate Pure M. W.: 285.39 Assay 98.0%	2709.00	500 gm

Product Code	Product Name	Price	Packing
021115 BaTiO ₃ (12047-27-7)	Barium Titanate for Synthesis M.W.: 233.19 Assay 98.0%	4509.00	100 gm
N05760 BaTiO ₃ (12047-27-7)	Barium Titanate Nanoparticles/ Nanopowder (100nm) M.W.: 233.19 Assay 99.9%	3150.00 10800.00	25 gm 100 gm
808700	Barritt Reagent A	145.00 495.00	100 ml 500 ml
808710	Barritt Reagent B	90.00 320.00	100 ml 500 ml
	Basic Brown 1 See Bismark Brown R		
	Basic Brown 4 See Bismark Brown Y (G)		
	Basic Fuchsin See Fuchsin Basic		
462015 C ₂₆ H ₂₀ N ₂ (4733-39-5)	Bathocuproin AR/ACS M. W.: 360.46 Assay (non-aqueous) 99.0%	1630.00 7110.00	100 mgm 500 mgm
462040 C ₂₆ H ₁₈ N ₂ O ₆ S ₂ Na ₂ (52698-84-7)	Bathocuproin Disulphonic Acid Disodium Salt AR M. W.: 564.55 Assay (non-aqueous titration on anhydrous substance) 98.5%	2196.00 10000.00	100 mgm 500 mgm
462065 C ₂₄ H ₁₆ N ₂ (1662-01-7)	Bathophenanthroline AR (Reagent for Colorimetric determination of Iron) M. W.: 332.41 Assay (non aqueous; dried) 99.5%	1800.00 3700.00 10000.00	100 mgm 250 mgm 1 gm
462090 C ₂₄ H ₁₆ N ₂ Na ₂ O ₆ S ₂ (52746-49-3)	Bathophenanthroline Disulphonic Acid Disodium Salt AR M.W. : 536.50	4500.00 17100.00	250 mgm 1 gm
	BCIG See 5-Bromo-4-Chloro-3-Indolyl-β-D- Galactopyranoside		
PCT2201 PTC	BCIP (5-Bromo-4 chloro-3-indolyl phosphate disodium salt) Plant Culture Tested M. W.: 370.43 Assay 98%	24930.00 44910.00	500 mg 1 gm
	Beef Extract See Meat Extract		
021285 (8012-89-3)	Bees wax (white)	1116.00	500 gm
021295 (8012-89-3)	Bees Wax (yellow) for Histology	954.00	500 gm
808810	Benedict's Reagent Qualitative for detection of Sugar in Urine	230.00 1206.00	500 ml 5 lit
		POR	25 lit
808820	Benedict's Reagent Quantitative	405.00	500 ml
PCT2543 PTC	Benlate Plant Culture Tested M. W.: 290.323 Store below 30°C	5940.00	250 mg

Product Code	Product Name	Price	Packing
021215 C ₁₄ H ₁₈ N ₄ O ₃ (17804-35-2)	Benomyl	9000.00 24030.00	5 gm 25 gm
808960 (17804-35-2)	Benomyl 100ug/ml in Acetonitrile	500.00	100 ml
021375 H ₂ Al ₂ O ₆ Si (1302-78-9)	Bentonite Powder (Beige) M. W.: 180.1	207.00 POR POR	500 gm 25 kg 50 kg
H05905 H ₂ Al ₂ O ₆ Si (1302-78-9)	Bentonite Powder White M. W.: 180.1	702.00	500 gm
021415 C ₁₀ H ₁₀ O (122-57-6)	Benzal Acetone for Synthesis (Benzylideneacetone, Methyl Styryl Ketone, 4-Phenyl-3-Butene-2-One) M. W.: 146.19	1107.00	500 gm
021445 C ₁₅ H ₁₂ O (614-47-1)	Benzalacetophenone for Synthesis (Chalcone) M. W.: 208.26 Assay 97.0%	4410.00 16700.00	100 gm 500 gm
027310 C ₆ H ₅ CHO (100-52-7)	Benzaldehyde for Synthesis M. W.:106.12 Assay (GC) 98.5%	792.00 3393.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
462115 C ₆ H ₅ CHO (100-52-7)	Benzaldehyde AR/ACS M. W.:106.12 Assay 99.0%	855.00 3591.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
021495 (63449-41-2)/ (8001-54-5)	Benzalkonium Chloride 50% Solution w/v Aqueous Soln. Assay 49-51 w/v	567.00 1044.00 4293.00 POR POR	500 ml 1 lit 5 lit 25 lit 200 lit
PCT2322 PTC	Benzalkonium Chloride 50 wt % aqueous solution Plant Culture Tested Assay 48-55% Store below 30°C	590.00	500 ml
	(8001-54-5)		
027311 C ₆ H ₅ CO.NH ₂ (55-21-0)	Benzamide for synthesis M. W.: 121.14 Assay (ex N) 98.5%	351.00 1494.00 POR POR	100 gm 500 gm 25 kg 50 kg
027312 C ₆ H ₅ .CO.NH.C ₆ H ₅ (93-98-1)	Benzanilide for Synthesis M. W.: 197.24 Assay (GC) 99.0%	864.00 3204.00	100 gm 500 gm
027315 C ₆ H ₆ (71-43-2)	Benzene for Synthesis M. W.:78.11 Assay (GC) 99.0%	432.00 1602.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
462140 C ₆ H ₆ (71-43-2)	Benzene AR/ACS M. W.:78.11 Assay (GC) 99.7%	513.00 1908.00 POR	500 ml 2.5 lit 25 lit
706945 C ₆ H ₆ (71-43-2)	Benzene EL Grade M. W.: 78.11 Assay (GC) 99.7%	1116.00	1 lit
462005 C ₆ H ₆ (71-43-2)	Benzene Scintillation Grade M. W.: 78.11 Assay (GC) 99.7%	360.00 1360.00	500 ml 2.5 lit

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

B

Laboratory Chemicals

Product Code	Product Name	Price	Packing
706950 C ₆ H ₆ (71-43-2)	Benzene for HPLC & Spectroscopy M. W.: 78.11 Assay (GC) 99.8%	1067.00	1 lit
D14175 C ₆ D ₆ (1076-43-3)	Benzene-d₆ (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 99.5 atom%D	9500.00	10 ml
D14517 C ₆ D ₆ (1076-43-3)	Benzene-d₆ (for NMR Spectroscopy) M. W.: 188.29 Assay Min. 99.8 atom%D	10800.00	10x0.75 ml
	Benzeneboronic acid See Phenylboronic Acid		
	Benzenecarbaldehyde See Benzaldehyde		
	Benzenemethanamine See Benzylamine		
021625 C ₆ H ₅ SO ₃ H (98-11-3)	Benzene Sulphonic Acid for Synthesis M. W.: 158.18	2106.00	500 gm
021695 C ₆ H ₅ ClO ₂ S (98-09-9)	Benzene Sulphonyl Chloride M. W.: 176.62 Assay (GC) 98.0%	1098.00	500 ml
021755 C ₉ H ₄ O ₅ (552-30-7)	1,2,4-Benzene Tricarboxylic Anhydride M. W.: 192.13 Assay 97.0%	990.00 3303.00	250 gm 1 kg
	1,4-Benzenediol Acid See Hydroquinone		
	1,2,3-Benzenetriol See Pyrogallol		
	Benzethonium Chloride See Hyamine 1622		
021855 C ₁₃ H ₁₂ O (91-01-0)	Benzhydrol for Synthesis (diphenylmethanol, Diphenyl carbinol) M. W.: 184.24 Assay 98.0%	2205.00 POR	500 gm 2.5 kg
809200	Benzidine Hydrochloride Solution (Reagent for Sulphate)	504.00	100 ml
027329 C ₆ H ₅ .CO.CO.C ₆ H ₅ (134-81-6)	Benzil for Synthesis M. W.: 210.23 Assay (GC) 99.0%	981.00 3402.00	250 gm 1 kg
	a-Benzildioxime See Diphenylglyoxime		
027331 C ₆ H ₄ .N.CH.NH (51-17-2)	Benzimidazole for Synthesis M. W.: 118.13 Assay (non-aqueous) 98.0%	801.00 3600.00	100 gm 500 gm
	Benzimidazolethiol See 2-Mercapto benzimidazole		
284845 C ₃₅ H ₂₅ N ₇ Na ₂ O ₁₀ S ₂ (3441-14-3)	Benzo Fast Scarlet 4BS (C.I. 29160) M. W.: 813.74 Dye Content (Titanometry on dried substance) Min 30%	261.00	25 gm
	Benzo-15-Crown-5(Crown Ether) See Crown Ether / Benzo-15-Crown-5		
	7,8-Benzoflavone See a-Naphthoflavone		

Product Code	Product Name	Price	Packing
027333 C ₇ H ₆ O ₂ (65-85-0)	Benzoic Acid for Synthesis M. W.:122.12 Assay (acidimetric) 99.0%	603.00 4590.00 POR POR	500 gm 5 kg 25 kg 50 kg
462165 C ₇ H ₆ O ₂ (65-85-0)	Benzoic Acid (Iron Free) AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:122.12 Assay (Acidimetric) 99.9%	846.00 5490.00 POR POR	500 gm 5 kg 25 kg 50 kg
	Benzoic Acid Ammonium Salt See Ammonium Benzoate		
	Benzoic Acid Ethyl Ester See Ethylbenzoate		
	Benzoic Acid Hydrazide See Benzoic Hydrazide		
H06005 (65-85-0)	Benzoic Acid for Synthesis	1494.00 9702.00	500 gm 5 kg
022005 C ₁₄ H ₁₀ O ₃ (93-97-0)	Benzoic Anhydride for Synthesis M. W.: 226.23	1701.00 6003.00	100 gm 500 gm
027336 C ₆ H ₅ CH(OH)COC ₆ H ₅ (119-53-9)	Benzoil for Synthesis M. W.: 212.25 Assay (GC) 98.0%	432.00 752.00 POR	100 gm 250 gm 25 kg
462190 C ₆ H ₅ CH(OH). C.(NOH)C ₆ H ₅ (441-38-3)	a-Benzoil Oxime AR (Cupron) M. W.: 227.26 Assay 98.5%	522.00 1800.00	25 gm 100 gm
809250	a-Benzoil Oxime Solution (Reagent for Cu, Mo, W)	423.00	100 ml
027337 C ₆ H ₅ CN (100-47-0)	Benzonitrile for Synthesis M. W.:103.12 Assay 99.0%	2300.00	500 ml
027338 (C ₆ H ₅) ₂ .CO (119-61-9)	Benzophenone Purified M. W.:182.22 Assay (GC) 99.0%	1000.00 1944.00 POR	250 gm 500 gm 5 kg
022225 C ₁₃ H ₁₂ N ₂ (5350-57-2)	▲Benzophenone Hydrazone M. W.:196.25	3033.00 12006.00	100 gm 500 gm
022245 C ₁₇ H ₆ O ₇ (2421-28-5)	3,3,4,4-Benzophenone Tetra Carboxylic Dianhydride Pure for synthesis M. W.: 322.23	3852.00	100 gm
022275 C ₆ H ₄ O ₂ (106-51-4)	p-Benzoquinone (P-Quinone,1,4-Benzoquinone) M. W.:108.09	1602.00 6400.00 POR	100 gm 500 gm 5 kg
022335 C ₇ H ₅ Cl ₃ (98-07-7)	Benzotrichloride M. W.: 195.48 Assay (GC) 99.0%	873.00 4500.00	500 ml 2.5 lit
027344 C ₆ H ₅ N ₃ (95-14-7)	1,2,3, Benzotriazole for Synthesis (IH-Benzotriazole) M. W.:119.13 Assay 99.0%	603.00 5004.00 POR	100 gm 1 kg 10 kg
	1H-Benzothiazolethiol See 2-Mercaptobenzothiazole		
	O-(Benzotriazol-1-yl)-N,N,N',N'-Tetramethyluronium Tetrafluoroborate See TBTU		

Product Code	Product Name	Price	Packing
	O-(Benzotriazol-1-yl)-N,N,N',N'- Tetramethyluronium Hexafluoride Phosphate See HBTU		
	1H-Benzotriazol See 1,2,3-Benzotriazole		
027347	Benzoyl Acetone	2304.00	10 gm
C ₁₀ H ₁₀ O ₂ (93-91-4)	M. W.: 162.19 Assay (GC) 98.0%	8820.00	50 gm
PCT1808	▲ N⁶-Benzoyladenine	7182.00	1 gm
C ₁₂ H ₉ N ₅ O (4005-49-6)	Plant Culture Tested M. W.: 239.23 Assay 99%		
022425	- N-α-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE)	941.00 4320.00	1 gm 5 gm
C ₁₅ H ₂₃ ClN ₄ O ₃ (2645-08-1)	M. W.: 342.83 Assay (Argentometric) 99.0%		
027349	Benzoyl Chloride for Synthesis (Benzoic acid chloride)	900.00 3807.00	500 ml 2.5 lit
C ₆ H ₅ COCl (98-88-4)	M. W.: 140.57 Assay (ex Cl) 99.0%	POR POR	25 lit 200 lit
462215	Benzoyl Chloride AR	1107.00	500 ml
C ₆ H ₅ COCl (98-88-4)	M. W.: 140.57 Assay 99.5%	4100.00	2.5 lit
		POR	25 lit
		POR	200 lit
462240	n-Benzoyl-n-Phenyl Hydroxylamine AR	4500.00	5 gm
C ₆ H ₅ CON(OH)C ₆ H ₅ (304-88-1)	M.W.: 213.23		
027350	Benzoyl Peroxide	999.00	500 gm
(C ₆ H ₅ .CO) ₂ O ₂ (94-36-0)	(25% with Water) M. W.: 242.23 Assay (anhydrous basis) 98.0%	POR POR	25 kg 50 kg
022535	* 3-Benzoyl Propionic Acid	8010.00	100 gm
C ₆ H ₅ COCH ₂ CH ₂ COOH (2051-95-8)	M. W.: 178.18	15480.00	250 gm
022585	Benzyl Acetate for Synthesis	500.00	500 ml
C ₉ H ₁₀ O ₂ (140-11-4)	M. W.: 150.17 Assay (GC) 99.0%	2232.00	2.5 lit
022625	- 6-Benzyl Adenine	153.00	1 gm
C ₁₂ H ₁₁ N ₅ (1214-39-7)	(6-Benzyl Aminopurine) M. W.: 225.26 Assay (Non-aqueous) 99.0%	648.00 1400.00 4194.00	5 gm 25 gm 100 gm
		POR	500 gm
PCT1802	▲ 6-Benzyladenine (6-BAP)	203.00	1 gm
C ₁₂ H ₁₁ N ₅ (1214-39-7)	(6-Benzylaminopurine) Plant Culture Tested M. W.: 225.25 Assay 98%	900.00 4883.00	5 gm 25 gm
027354	Benzyl Alcohol for Synthesis	837.00	500 ml
C ₆ H ₅ CH ₂ OH (100-51-6)	M. W.: 108.14 Assay (GC) 99.0%	3200.00	2.5 lit
		POR	25 lit
		POR	200 lit
462265	Benzyl Alcohol AR/ACS	590.00	250 ml
C ₆ H ₅ CH ₂ OH (100-51-6)	M. W.: 108.14 Assay (GC) 99.0%	918.00 1647.00 3492.00	500 ml 1 lit 2.5 lit
		POR	25 lit
		POR	200 lit

Product Code	Product Name	Price	Packing
707052	Benzyl Alcohol GC-HS for GC- Headspace Analysis	3402.00	1 lit
C ₆ H ₅ CH ₂ OH (100-51-6)	M.W.: 108.14 Assay 99.0%	5500.00	2.5 lit
027355	Benzylamine	1260.00	500 ml
C ₇ H ₇ NH ₂ (100-46-9)	M.W.: 107.16 Assay (Acidimetric) 99.0%	5301.00	2.5 lit
		POR	25 lit
		POR	200 lit
463385	Benzylamine AR	1998.00	500 ml
C ₇ H ₇ NH ₂ (100-46-9)	M.W.: 107.16 Assay 99.0%	7965.00	2.5 lit
	6-Benzylamine Purine See 6-Benzyl Adenine		
	Benzyl Benzene See Diphenyl Methane		
027357	Benzyl Benzoate	846.00	500 ml
C ₆ H ₅ COOCH ₂ C ₆ H ₅ (120-51-4)	M. W.: 212.25 Assay (GC) 98.0%	3780.00	2.5 lit
		POR	25 lit
		POR	200 lit
022755	Benzyl Bromide	4194.00	500 ml
C ₇ H ₇ Br (100-39-0)	M. W.: 171.04 Assay (GC) 98.0%		
022805	Benzyl Butyl Phthalate for Synthesis (Butylbenzyl Phthalate)	1000.00	500 ml
C ₁₉ H ₂₀ O ₄ (85-68-7)	M. W.: 312.36 Assay 98.0%	4500.00	2.5 lit
027361	Benzyl Chloride for Synthesis	558.00	500 ml
C ₆ H ₅ .CH ₂ Cl (100-44-7)	M. W.: 126.59 Assay (GC) 99.0%	2196.00	2.5 lit
		POR	25 lit
		POR	200 lit
	Benzyl Chlorocarbonate See Benzyl Chloroformate 50% In Toluene		
027362	Benzyl Cyanide	1107.00	500 ml
C ₈ H ₇ N (140-29-4)	M. W.: 117.15 Assay (ex N) 98.0%	4707.00	2.5 lit
	α-Benzyl Dioxime AR See Diphenylglyoxime		
	Benzylideneacetone See Banzalacetone		
	Benzyl dimethyhexadecyl ammonium chloride See Cetyl Dimethyl Benzyl Ammonium Chloride		
023075	Benzyl Isobutyrate for Synthesis	2601.00	500 gm
C ₁₁ H ₁₄ O ₂ (103-28-6)	M. W.: 178.23		
023085	Benzyl Isovalerate for Synthesis	4410.00	500 gm
C ₁₂ H ₁₆ O ₂ (103-38-8)	M. W.: 192.25		
023185	N-Benzyl Methylamine (N-methyl benzylamine)	1242.00	250 ml
C ₆ H ₆ CH ₂ NHCH ₃ (103-67-3)	M. W.: 121.18	2205.00	500 ml
023335	4-Benzyl Oxybenzaldehyde	2754.00	100 gm
C ₆ H ₅ CH ₂ OC ₆ H ₄ CHO (4397-53-9)	M. W.: 212.24 Assay 97.0%	12600.00	500 gm
023405	Benzyl Phenyl Acetate for Synthesis	2169.00	500 gm
C ₁₅ H ₁₄ O ₂ (102-16-9)	M. W.: 226.27		

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
023455 C ₁₀ H ₁₂ O ₂ (122-63-4)	Benzyl Propionate for Synthesis M. W.: 164.2 Assay 98.0%	2304.00	500 gm
023505 C ₁₂ H ₁₁ N (101-82-6)	2-Benzyl Pyridine M. W.: 169.23 Assay (GC) 98.0%	2403.00	100 gm
023555 C ₁₄ H ₁₂ O ₃ (118-58-1)	Benzyl Salicylate for Synthesis M. W.: 228.24 Assay 98.0%	2304.00	500 gm
463965 [C ₆ H ₅ .CH ₂ .S. C.(;NH).NH ₃]Cl (538-28-3)	S-Benzyl Thiuronium Chloride AR M. W.: 202.70 Assay (Argentometric) 98.0%	500.00 2106.00 POR	100 gm 500 gm 25 kg
023705 C ₁₉ H ₃₄ NBr (25316-59-0)	Benzyl Tributyl Ammonium Bromide for Synthesis M. W.: 356.38	4203.00	100 gm
023735 C ₁₉ H ₃₄ ClN (23616-79-7)	Benzyl Tributyl Ammonium Chloride for Synthesis (Tributylbenzylammonium Chloride) M. W.: 311.93	2754.00	500 gm
023755 C ₁₃ H ₂₂ ClN (56-37-1)	Benzyl Triethyl Ammonium Chloride M. W.: 227.78 Assay (Argentometric) 98.0%	1053.00 POR	500 gm 25 kg
023805 C ₆ H ₅ .CH ₂ .N(CH ₃) ₃ .Cl (56-93-9)	Benzyl Trimethyl Ammonium Chloride M. W.: 185.70 Assay (argentometric) 98.0%	1620.00 POR POR	500 gm 25 kg 50 kg
809300 C ₁₀ H ₁₇ NO (100-85-6)	Benzyl Trimethyl ammonium Hydroxide 40% Soln. in Methanol M. W.: 167.25	900.00 3807.00	100 ml 500 ml
809350	Beryllium (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO ₃ in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809352	Beryllium (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809400	Beryllium (Be) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	4815.00 7713.00	50 ml 100 ml
464085 BeSO ₄ .4H ₂ O (7787-56-6)	Beryllium Sulphate AR (Beryllium Sulphate Tetrahydrate) M. W.: 177.14	14175.00 48600.00	25 gm 100 gm
023905 C ₆ H ₁₅ NO ₅ S (10191-18-1)	BES Buffer M.W.: 213.25 Assay (T) 99.0%	1413.00 4680.00 POR	25 gm 100 gm 500 gm
915990 MB C ₆ H ₁₅ NO ₅ S (10191-18-1)	BES Buffer For Molecular Biology M. W.: 213.25 Assay : ≥ 99.5% Store Below 30°C	1404.00 4950.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1042 ATC	▲BES Buffer, Free Acid (NN-bis[2-Hydroxyethyl]-2-aminoethanesulphonic acid; 2-[bis(2-Hydroxyethyl)amino]-ethanesulfonic Acid) Cell Culture Tested MW : 213.25 Assay : ≥99%	2223.00 6687.00 27720.00 46000.00	25 gm 100 gm 500 gm 1 kg
C ₆ H ₁₅ NO ₅ S (10191-18-1)	B. H. A. See Butylated Hydroxy Anisole		
	B. H. T. See Butylated Hydroxy Toluene		
	Biacetyl See Diacetyl		
809500	Bial's Reagent for Detection Of Pentoses And Gluconic Acid	293.00 378.00	125 ml 250 ml
809600	Bicarbonate Indicator Solution	450.00	125 ml
023955 C ₆ H ₁₃ NO ₄ (150-25-4)	Bicine Buffer M. W.: 163.17 Assay (non-aqueous) 99.0%	702.00 2007.00 POR	25 gm 100 gm 500 gm
916200 MB C ₆ H ₁₃ NO ₄ (150-25-4)	Bicine Buffer For Molecular Biology M. W.: 163.17 Assay : ≥ 99% Store Below 30°C	945.00 3070.00 13590.00	25 gm 100 gm 500 gm
284985 C ₂₂ H ₁₄ N ₄ O ₇ S ₂ Na ₂ (4196-99-0)	Biebrich Scarlet (W.S) (C.I. 26905) M. W.: 556.48	783.00 2907.00	25 gm 100 gm
809640	Biebrich Scarlet Acetic Solution (For connective tissue plasma stain)	603.00	100 ml
333565	Bile Salt for Bacteriology Bile acid : Min. 70%	1720.00 7700.00	100 gm 500 gm
	Bile Salt Mixture See in Culture Media Basis		
	Bilirubin Determination Reagent A See Diazo reagent A		
	Bilirubin Determination Reagent B See Diazo reagent B		
464175 C ₃₃ H ₃₆ N ₄ O ₆ (635-65-4)	▲Bilirubin AR M. W.: 584.68 Assay (spectrophotometric) 99.0%	1400.00 11700.00	100 mgm 1 gm
024000 C ₂₀ H ₁₄ O ₂ (18531-99-2)	S-Binol for Synthesis (S(-)-1,1' Bi(2-Naphthol)) (-)-2,2-Dihydroxy-1,12-(dinaphthyl) M.W : 286.33 Assay 99.0%	1000.00 4203.00 13005.00	5 gm 25 gm 100 gm
024060 C ₁₀ H ₁₆ N ₂ O ₃ S (58-85-5)	▲D-Biotin for Biochemistry (Vitamin-H) M. W.:244.31 Assay (Acidimetric) 99-102%	117.00 640.00 4833.00	100 mgm 1 gm 10 gm
PCT1201 PTC C ₁₀ H ₁₆ N ₂ O ₃ S (58-85-5)	▲D-Biotin (Vitamin H) Plant Culture Tested MW : 244.31 Assay 98.5%	765.00 6930.00 13833.00	1 gm 10 gm 25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1096	▲D-Biotin (Vitamin B7, Vitamin H) Cell Culture Tested MW : 244.31 Assay : ≥99%	2899.00 11620.00 43700.00	1 gm 5 gm 25 gm
C ₁₀ H ₁₆ N ₂ O ₃ S (58-85-5)	Biphenyl-4-OL See p-Hydroxydiphenyl		
028240	Biphenyl for Synthesis M. W.: 154.21 Assay (GC) 98.0%	441.00 2403.00	100 gm 1 kg
(C ₆ H ₅) ₂ (92-52-4)			
D16227	Biphenyl-d₁₀ (for NMR Spectroscopy) M.W.: 164.27 Assay Min. 99.0 atom%D	18270.00	1 gm
C ₁₂ D ₁₀ (1486-01-7)			
024175	4-Biphenyl Carboxylic Acid for Synthesis (4-Phenylbenzoic Acid) M. W.: 198.22	6570.00	100 gm
C ₁₃ H ₁₀ O ₂ (92-92-2)			
024185	Biphenyl-4:4-Diol for Synthesis M. W.: 186.21	7470.00	100 gm
HOC ₆ H ₄ C ₆ H ₄ OH (92-88-6)			
285135	2,2-Bipyridyl AR (A,a-Bipyridyl) M. W.:156.19 Assay (non-aqueous) 99.5%	860.00 3501.00	5 gm 25 gm
(C ₅ H ₄ N) ₂ (366-18-7)			
809700	Bipyridyl Reagent Solution (Reagent for molybdenum)	675.00	100 ml
285235	2,2-Biquinoline AR (2,2-Diquinoly) M. W.: 256.31 Assay (Non-aqueous) 99.0%	1301.00 6003.00	1 gm 5 gm
C ₁₈ H ₁₂ N ₂ (119-91-5)			
	Bisacrylamide See N,N' Methylene Bis acrylamide		
024425	Bis-2-Chloro Ethylamine Hydrochloride for Synthesis M. W.: 178.49 Assay 98.0%	2205.00	500 gm
(ClCH ₂ CH ₂) ₂ NH.HCl (821-48-7)			
024525	Bis 1,2-(Chloro Methyl Benzene) for Synthesis M. W.: 175.06 Assay 98.0%	2800.00 POR	25 gm 500 gm
C ₆ H ₄ (CH ₂ Cl) ₂ (612-12-4)			
464445	Bis-Cyclohexanone Oxalyl Dihydrazone AR M. W.: 278.36 Assay (Non-aqueous) 99.0%	1701.00 4005.00	10 gm 25 gm
C ₁₄ H ₂₂ N ₄ O ₂ (370-81-0)			
	N,N-Bis(2-Hydroxyethyl) Methylamine See N-(Methyl-diethanol)Amine		
	Bis (2-Chloroethyl) Ammonium Chloride See Bis (2-Chloroethyl)Amine Hydrochloride		
	2-Bis(2-Hydroxyethyl)Amine See Diethanolamine		
	Bis(Acetato)Dioxouranium See Uranyl Acetate Dihydrate		
	N,N-Bis(2(bis(Carboxymethyl)Amino)Ethyl) Glycine See Diethylenetriaminepentaacetic acid		
	4,4'-Bis-(Dimethylamino) Benzophenonimide		

Product Code	Product Name	Price	Packing
	Hydrochloride See BES Buffer		
	1,2-Bis(Dimethylamino) Ethane See N,N,N',N'-Tetramethylethylenediamine		
024665	4,4-Bis(Dimethylamino-Phenyl) Methane (N,N,N',N'-Tetramethyl-4,4- Diaminodiphenylmethane, Michler's base, 4,4-Methylenebis (N,N-Dimethyl Aniline)) M. W.: 254.37 Assay 98.0%	4100.00 POR	100 gm 500 gm
C ₁₇ H ₂₂ N ₂ (101-61-1)			
024705	(S)-(-)-2,2'-Bis-(Diphenylphosphino) -1,1'-Binaphthyl 97% (S)-(-)-2,2'(S)-(-)-Binap M. W.: 622.67	5500.00 16002.00	1 gm 5 gm
[(C ₆ H ₅) ₂ PC ₁₀ H ₆] ₂ (76189-56-5)			
707600	1,3-Bis-(Diphenylphosphino) Propane for HPLC M. W.: 412.45	675.00 2034.00	1 gm 5 gm
C ₂₇ H ₂₆ P ₂ (6737-42-4)			
024805	Bis-(2-Ethylhexyl) Adipate for Synthesis (Dioctyl Adipate; DOA) M. W.: 370.57	972.00 3870.00	500 ml 2.5 lit
C ₂₂ H ₄₂ O ₄ (103-23-1)			
024825	Bis-(2-Ethyl Hexyl) Phthalate for Synthesis M. W.: 390.56	603.00 2808.00	500 ml 2.5 lit
C ₂₄ H ₃₈ O ₄ (117-81-7)			
024845	Bis-2-Ethyl Hexyl Sebacate for Synthesis M. W.: 426.68	1220.00 5500.00	500 ml 2.5 lit
C ₂₆ H ₅₀ O ₄ (122-62-3)			
	Bis-(2-Hydroxy Ethyl) Amino Tris (Hydroxymethyl) Methane See Bis-Tris		
	N,N'-Bis-(2-Hydroxy Ethyl) Glycine See Bicine		
	N,N-Bis-(2-Hydroxyethyl) Taurine See BES Buffer		
285375	Bismark Brown (G) Y for Microscopy C.I. 21000 M. W.: 419.32 Dye content (titrimetry) Abt 50.0%	207.00 540.00 4001.00	25 gm 100 gm 1 kg
C ₁₈ H ₂₀ Cl ₂ N ₈ (10114-58-6)			
285435	Bismark Brown R C.I.21010 M. W.:461.40 Dye content (Spectrophotometric) Abt 40%	225.00 585.00 4860.00	25 gm 100 gm 1 kg
C ₂₁ H ₂₄ N ₈ ·2HCl (5421-66-9)			
809900	Bismuth (Bi) CPECTROSOL[®] Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
809950	Bismuth (Bi) CRISTAR[®] 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5301.00 8514.00	100 ml 500 ml
809952	Bismuth (Bi) CRISTAR[®] 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	16020.00 48222.00	100 ml 500 ml

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
027384 Bi (7440-69-9)	Bismuth (Metal) Granulated	1242.00	100 gm
	At. W. 208.98 Assay (complexometric) 99.0%	5805.00	500 gm
025005 Bi (7440-69-9)	Bismuth Metal Lump	963.00	100 gm
	M.W. : 208.98 Assay (Complexometric) 99.5%		
025010 Bi (7440-69-9)	Bismuth Metal Powder	1917.00	100 gm
	M.W. : 208.98		
464885 Bi (7440-69-9)	Bismuth Ingots AR	2610.00	10 gm
	M.W. : 208.98 Assay 99.99%		
025055 CH ₃ (CO ₂) ₃ Bi (22306-37-2)	Bismuth (III) Acetate	3600.00	100 gm
	M.W. : 386.11	9000.00	500 gm
464930 (31886-41-6)	Bismuth Ammonium Citrate AR	1602.00	100 gm
	Assay (Complexometric ex Bi) ~ 45%	5643.00	500 gm
025125	Bismuth Borate	1683.00	100 gm
		5040.00	500 gm
025145 BiBr ₃ (7787-58-8)	Bismuth (III) Bromide	2151.00	100 gm
	M. W. : 448.69	9603.00	500 gm
	Bismuth Carbonate (Basic) See Bismuth oxycarbonate		
	Bismuth Chloride See Bismuth Trichloride		
	Bismuth Chloride Oxide See Bismuth Oxychloride		
025165	Bismuth Chromate	3960.00	500 gm
025185 BiC ₆ H ₅ O ₇ (813-93-4)	Bismuth (III) Citrate	1287.00	100 gm
	M. W. : 398.08 Assay (Complexometric) 98.0%	4203.00	500 gm
		POR	25 kg
025205 BiF ₃ (7787-61-3)	Bismuth (III) Fluoride	3906.00	500 gm
	M. W. : 265.98		
025225 BiI ₃ (7787-64-6)	Bismuth (III) Iodide	6400.00	25 gm
	(Bismuth Triiodide) M. W. : 589.69		
027388 Bi(NO ₃) ₃ ·5H ₂ O (10035-06-0)	Bismuth Nitrate Pentahydrate	972.00	100 gm
	Purified (Bismuth III Nitrate) M. W. : 485.07 Assay (Complexometric) 98.0%	4203.00	500 gm
		POR	25 kg
465020 Bi(NO ₃) ₃ ·5H ₂ O (10035-06-0)	Bismuth Nitrate Pentahydrate AR/ACS	1062.00	100 gm
	M. W. : 485.07 Assay (Complexometric) 98.5%	4491.00	500 gm
	Bismuth Nitrate Basic See Bismuth Subnitrate		
025265 Bi ₂ (C ₂ O ₄) ₃ (6591-55-5)	Bismuth Oxalate	4352.00	500 gm
	M. W. : 682.02		
027389 Bi ₂ O ₃ (1304-76-3)	Bismuth Oxide	1197.00	100 gm
	M. W. : 465.96 Assay (Complexometric) (ex Bi) 99.0%	5193.00	500 gm

Product Code	Product Name	Price	Packing
H06507 Bi ₂ O ₃ (1304-76-3)	Bismuth Oxide	10000.00	100 gm
	M. W. : 465.96 Assay (Trace metal basis) 99.999%		
027390 Bi ₂ CO ₅ (5892-10-4)	Bismuth Oxycarbonate	1107.00	100 gm
	(Bismuth Carbonate Basic, Bismuth Sub Carbonate) M. W. : 509.97 Assay (as Bi on dried basis) 80-82%	5103.00	500 gm
027391 BiOCl (7787-59-9)	Bismuth Oxychloride	1305.00	100 gm
	M. W. : 260.43 Assay (Complexometric; Bi) 79.0-82.0%	5500.00	500 gm
	Bismuth Oxynitrate See Bismuth Subnitrate		
025345 BiPO ₄ (10049-01-1)	Bismuth Phosphate	1980.00	100 gm
	M. W. : 303.95 Assay 98.0%	5508.00	500 gm
025365 C ₇ H ₅ BiO ₄ (14882-18-9)	Bismuth (III) Salicylate	1485.00	100 gm
	M. W. : 362.09	4509.00	500 gm
	Bismuth Sub Carbonate See Bismuth oxycarbonate Basic		
025385 C ₇ H ₅ BiO ₆ (99-26-3)	Bismuth Subgallate	1521.00	100 gm
	(Basic Bismuth Gallate) M. W. : 394.40	6507.00	500 gm
025405 Bi(O)NO ₃ (10361-46-3)	Bismuth Subnitrate	1206.00	100 gm
	M.W. : 286.99 Assay (Bi) 71.0-74.0%	4806.00	500 gm
465110 Bi(O)NO ₃ (10361-46-3)	Bismuth Subnitrate AR	1400.00	100 gm
	M.W. : 286.99 Assay (Complexometric) (as Bi) 71.0-74.0%	5202.00	500 gm
027404 Bi ₂ (SO ₄) ₃ (7787-68-0)	Bismuth Sulphate	1251.00	100 gm
	M. W. : 706.18	6003.00	500 gm
025445	Bismuth Sulphite	3609.00	100 gm
025465 BiCl ₃ (7787-60-2)	Bismuth Trichloride	2790.00	100 gm
	M. W. : 315.34 Assay (ex Bi) 92.0%	12492.00	500 gm
465495 C ₂ H ₂ N ₂ S ₃ (1072-71-5)	Bismuthiol-I AR (Reagent)	1990.00	25 gm
	For The Determination of Bi, Cu, Pb, Sb M. W. : 150.25 Assay 98.0%	POR	500 gm
025605 C ₁₅ H ₁₆ O ₂ (80-05-7)	Bisphenol A	770.00	500 gm
	M. W. : 228.29 Assay (GC) 97.0%	POR	25 kg
		POR	50 kg
	1,4-Bis (5-Phenyl Oxazol -2-yl) Benzene See POPOP		
465625 C ₂₀ H ₁₈ N ₄ O ₂ (7477-67-0)	Bispyrazolone AR	2025.00	5 gm
	[3,3-Dimethyl-1,1-Diphenyl- (4,4-bi-2-Pyrazoline)-5,5-Dione] (for Determination of Cyanide) M. W. : 346.38	5706.00	25 gm

Product Code	Product Name	Price	Packing
025705 C ₂₄ H ₅₄ O ₅ Sn ₂ (56-35-9)	Bis-Tributyl Tin Oxide for Synthesis M. W.: 596.10 Assay 96.0%	1620.00 7506.00	100 ml 500 ml
025725 C ₈ H ₁₈ F ₃ NOSi ₂ (25561-30-2)	- N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide M. W.: 257.40 Assay 99.0%	1990.00 7070.00 28620.00	25 ml 100 ml 500 ml
025755 C ₈ H ₁₉ NO ₅ (6976-37-0)	Bis-Tris for Biochemistry M.W.: 209.24 Assay (Non-aqueous) 98.0%	1305.00 4770.00	25 gm 100 gm
916370 MB C ₈ H ₁₉ NO ₅ (6976-37-0)	Bis-Tris (Bis[2-hydroxyethyl]-amino-tris [hydroxymethyl] methane) For Molecular Biology M. W.: 209.24 Assay : ≥ 98% Store Below 30°C	1701.00 5900.00	25 gm 100 gm
TC1043 ATC C ₈ H ₁₉ NO ₅ (6976-37-0)	BIS TRIS (Bis[2-Hydroxy Methyl]amino-tris (hydroxyethyl) methane; 2-bis[2-Hydroxyethyl] amino-2-[2-Hydroxy Methyl]-1,3 propanediol Cell Culture Tested MW : 209.24 Assay : ≥99% Store below 30°C	2970.00 8910.00 34700.00 50500.00	25 gm 100 gm 500 gm 1 kg
TC1267 ATC C ₁₁ H ₂₆ N ₂ O ₆ (64431-96-5)	BIS-TRIS propane 1,3-Bis[tris(hydroxy methyl) methylamino] propane Cell Culture Tested MW: 282.33 Assay : ≥99% Store below 30°C	5913.00 17100.00 62330.00	25 gm 100 gm 500 gm
465715 NH ₂ .CO.NH.CO.NH ₂ (108-19-0)	Biuret AR M. W.: 103.08 Assay (Kjeldhal method) 96.0%	1206.00 4203.00	25 gm 100 gm
916850 MB C ₂ H ₅ N ₃ O ₂ (108-19-0)	Biuret For Molecular Biology M. W.: 103.08 Assay : ≥ 97% Store Below 30°C	1260.00 4320.00	25 gm 100 gm
810300 C ₁₇ H ₂₆ N ₈ O ₅ .HCl (3513-03-9)	Biuret Reagent	104.00	125 ml
TC1421 ATC C ₁₇ H ₂₆ N ₈ O ₅ .HCl (3513-03-9)	▲Blasticidin S Hydrochloride Blasticidin S` Cell Culture Tested MW : 458.9 Assay : ≥99.5	15003.00 52443.00 POR	25 mg 100 mg 1 gm
025925 Ca(OCl) ₂ (7778-54-3)	Bleaching Powder About 33% Available Chlorine M. W.: 142.98	225.00 POR POR	500 gm 25 kg 50 kg
PCT2509 PTC Ca(OCl) ₂ (7778-54-3)	Bleaching Powder Plant Culture Tested M. W.: 142.98 Assay 98% Store below 30°C	360.00 7300.00	500 gm 50 kg

Product Code	Product Name	Price	Packing
PCT2314 PTC	Blue Colour Plant Culture Tested Store below 30°C	5630.00	250 gm
917250 MB (87915-38-6)	Blue Dextran Form Leuconostoc Mesenteroides For Molecular Biology Av. M. W.: 2,000,000 Store Below 30°C	16812.00	1 gm
285595 C ₄₀ H ₃₂ N ₈ O ₂ Cl ₂ (1871-22-3)	- Blue Tetrazolium for Microscopy AR (Blue tetrazolium chloride) M.W 727.66 Assay (Argentometric; ex Cl on dried basis) 95.0%	1800.00 8505.00	1 gm 5 gm
PCT2209 PTC C ₄₀ H ₃₂ Cl ₂ N ₈ O ₂ (1871-22-3)	- Blue Tetrazolium Chloride Plant Culture Tested MW : 727.64 Assay 95% Store below 30°C	1900.00 8573.00	1 gm 5 gm
PCT2207 PTC C ₁₄ H ₁₆ BrNO ₆ (97753-82-7)	▲Bluo-Gal (5-Bromo-3-indolyl-b-Dgalacto Pyranoside) Plant Culture Tested MW : 374.18 Assay 99%	7570.00 27180.00	100 mg 500 mg
BOC026 * C ₈ H ₁₅ NO ₄ (3303-84-2)	- BOC-B-Alanine for Biochemistry M.W 189.21	2187.00 6264.00	5 gm 25 gm
BOC010 * C ₈ H ₁₅ NO ₄ (7764-95-6)	- BOC-D-Alanine M.W 189.21	3564.00 8020.00	10 gm 25 gm
BOC014 * C ₁₁ H ₂₀ N ₂ O ₅ S (19746-37-3)	- BOC-L-Acetamidomethyl-L-Cysteine for Biochemistry M.W 292.35	17370.00 30420.00	10 gm 25 gm
BOC020 C ₈ H ₁₅ NO ₄ (15761-38-3)	- BOC-L-Alanine M. W.: 189.21 Assay (on dried subs) 99.0%	747.00 1400.00 5094.00	10 gm 25 gm 100 gm
BOC023 * C ₉ H ₁₇ NO ₄ (28875-17-4)	- BOC-L-Alanine Methyl Ester for Biochemistry M. W.: 203.24	8334.00 14590.00	10 gm 25 gm
BOC028 [(CH ₃) ₃ COC(O)] ₂ O (24424-99-5)	- BOC-Anhydride M. W.: 218.25	1170.00 4600.00 28990.00	100 gm 500 gm 5 kg
BOC030 * C ₉ H ₁₆ N ₂ O ₅ (75647-01-7)	- BOC-D-Asparagine M. W.: 232.23	4707.00 10980.00	10 gm 25 gm
BOC040 C ₉ H ₁₆ N ₂ O ₅ (7536-55-2)	- BOC-L-Asparagine M. W.: 232.23	1071.00 2385.00 9027.00	10 gm 25 gm 100 gm
BOC045 * C ₁₆ H ₂₁ NO ₆ (7536-58-5)	- BOC-L-Aspartic Acid-4- Benzylester M. W.: 323.34	6507.00	25 gm
BOC050 * (62396-48-9)	- BOC-D-Aspartic Acid	3915.00 8802.00	10 gm 25 gm

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
BOC060 C ₉ H ₁₅ NO ₆ (13726-67-5)	* - BOC-L-Aspartic Acid	1062.00	10 gm
	M. W.: 233.22	2350.00	25 gm
		8820.00	100 gm
BOC-Ala-OH See BOC-L-Alanine			
BOC063 C ₁₅ H ₂₁ NO ₅ S (5068-28-0)	* - BOC-L-Benzyl-L-Cysteine for Biochemistry	5985.00	5 gm
	M.W.: 311.40	20934.00	25 gm
BOC065 C ₆ H ₅ CH ₂ OCH ₂ CH(COOH)NHCOOC(CH ₃) ₃ (23680-31-1)	* - N-BOC-O-Benzyl-L- Serine for Biochemistry	27360.00	10 gm
	M. W.: 295.33	47800.00	25 gm
BOC070 C ₁₆ H ₂₈ N ₂ O ₈ S ₂ (10389-65-8)	- BOC-L-Cystine	1062.00	10 gm
	M. W.: 440.53	2350.00	25 gm
		POR	100 gm
BOC080 (34404-28-9)	- BOC-D-Glutamic Acid	5418.00	10 gm
		12186.00	25 gm
BOC090 C ₁₀ H ₁₇ NO ₆ (2419-94-5)	* - BOC-L-Glutamic Acid	1071.00	10 gm
	M. W.: 247.25	2385.00	25 gm
		9027.00	100 gm
BOC093 C ₁₇ H ₂₃ NO ₆ (13574-13-5)	* - BOC-L-Glutamic Acid-5- Benzyl Ester for Biochemistry	5220.00	10 gm
	M. W.: 337.37	10450.00	25 gm
BOC100 C ₁₀ H ₁₈ N ₂ O ₅ (61348-28-5)	* - BOC-D-Glutamine	6507.00	10 gm
	M. W.: 246.26	14621.00	25 gm
BOC110 C ₁₀ H ₁₈ N ₂ O ₅ (13726-85-7)	* - BOC-L-Glutamine	1062.00	10 gm
	M. W.: 246.26	2350.00	25 gm
		8820.00	100 gm
BOC120 C ₇ H ₁₃ NO ₄ (4530-20-5)	- BOC-Glycine	1980.00	25 gm
	M. W.: 175.18 Assay Cal. on dried subs) 99.0%	5445.00	100 gm
BOC122 C ₈ H ₁₅ NO ₄ (31954-27-5)	* - BOC-Glycine Methyl Ester for Biochemistry	8280.00	25 ml
	M. W.: 189.21		
BOC-GLY-OH See BOC-Glycine			
BOC124 C ₁₇ H ₁₉ N ₅ O ₈ (17791-52-5)	* - BOC-Histidine for Biochemistry	2223.00	5 gm
	M. W.: 421.36	8613.00	25 gm
BOC128 C ₁₁ H ₂₂ N ₂ O ₃ (77279-24-4)	1-BOC-4-(2-Hydroxyethyl) Piperazine	10053.00	5 gm
	M. W.: 230.30		
BOC130 C ₁₁ H ₁₉ NO ₄ (84358-13-4)	- BOC-Isonipicotic Acid for Biochemistry	6390.00	10 gm
	M. W.: 229.27	11170.00	25 gm
BOC135	* - BOC-Isonipicotic Acid Methyl Ester for Biochemistry	10233.00	10 gm
		17892.00	25 gm
BOC140 C ₁₁ H ₂₁ NO ₄ (55721-65-8)	* - BOC-D-Isoleucine	31600.00	1 gm
	M. W.: 231.29		

Product Code	Product Name	Price	Packing
BOC150 C ₁₁ H ₂₁ NO ₄ (13139-16-7)	- BOC-L-Isoleucine	1197.00	10 gm
	M. W.: 231.29	2673.00	25 gm
		9000.00	100 gm
BOC160 C ₁₁ H ₂₁ NO ₄ (16937-99-8)	* - BOC-D-Leucine	5590.00	10 gm
	M. W.: 231.29	12186.00	25 gm
BOC162 C ₁₁ H ₂₁ NO ₄ (13139-15-6)	* - BOC-L-Leucine for Biochemistry	990.00	5 gm
	M. W.: 231.29	3240.00	25 gm
		11732.00	100 gm
BOC180 C ₁₁ H ₂₂ N ₂ O ₄ (2418-95-3)	* - BOC-L-Lysine	3245.00	5 gm
	M. W.: 246.30	14580.00	25 gm
		POR	100 gm
BOC182 (15098-69-8)	* - N-α-ε-L-BOC-L-Lysine Dicyclohexyl ammonium Salt for Biochemistry	5814.00	10 gm
		10180.00	25 gm
BOC184 C ₁₀ H ₁₉ NO ₄ S (2488-15-5)	* - BOC-L-Methionine for Biochemistry	3942.00	25 gm
	M. W.: 249.33	12132.00	100 gm
BOC186 C ₁₁ H ₁₉ NO ₄ (1487631-41-1)	* - BOC-Nipicotic Acid Methyl Ester for Biochemistry	11241.00	10 gm
	M. W.: 229.27	19661.00	25 gm
BOC188 (7535-56-0)	* - BOC-4-Nitro-L- Phenylalanine Ethyl Ester for Biochemistry	11642.00	10 gm
		20367.00	25 gm
BOC189 C ₁₄ H ₁₈ N ₂ O ₆ (33305-77-0)	* - BOC-4-Nitro-L- Phenylalanine for Biochemistry	6561.00	10 gm
	M. W.: 310.30	11480.00	25 gm
BOC190 C ₁₄ H ₁₉ NO ₄ (18942-49-9)	- BOC-D-Phenylalanine	5270.00	10 gm
	M. W.: 265.30	11831.00	25 gm
BOC192 (35909-92-3)	* - BOC-D-Phenylalanine Methyl Ester for Biochemistry	13050.00	10 gm
		22833.00	25 gm
BOC194 (33125-05-2)	* - BOC-D-Phenylglycine for Biochemistry	1503.00	10 gm
		3015.00	25 gm
BOC200 C ₁₄ H ₁₉ NO ₄ (13734-34-4)	- BOC-L-Phenylalanine	882.00	10 gm
	M. W.: 265.31	1656.00	25 gm
	Assay (Cal. on dried subs) 99.0%	4622.00	100 gm
BOC204 C ₁₅ H ₂₁ NO ₄ (51987-73-6)	* - BOC-L-Phenylalanine Methyl Ester for Biochemistry	10152.00	10 gm
	M. W.: 279.33	17753.00	25 gm
BOC206 C ₁₃ H ₁₇ NO ₄ (2900-27-8)	- BOC-L-Phenylglycine for Biochemistry	1485.00	10 gm
	M. W.: 251.28	2970.00	25 gm
BOC208 C ₁₁ H ₁₉ NO ₄ (26250-84-0)	* - BOC-L-Pipecolic Acid for Biochemistry	5860.00	10 gm
	M. W.: 229.27	10278.00	25 gm

Product Code	Product Name	Price	Packing
BOC210 C ₁₀ H ₁₇ NO ₄ (37784-17-1)	• BOC-D-Proline M. W.: 215.25	3564.00 8028.00	10 gm 25 gm
BOC212 (733323-65-6)	* • BOC-D-Proline Methyl Ester for Biochemistry	16740.00 29300.00	10 gm 25 gm
BOC220 C ₁₀ H ₁₇ NO ₄ (15761-39-4)	* • BOC-L-Proline M. W.: 215.25 Assay (Cal. on dried subs) 99.0%	1134.00 2097.00 5994.00	10 gm 25 gm 100 gm
BOC223 (59936-29-7)	• BOC-L-Proline Methyl Ester for Biochemistry	11070.00 22005.00	10 gm 25 gm
	BOC-PHE-OH See BOC-L-Phenylalanine		
	2,3-Boranedione See DL-Camphorquinone		
BOC230 C ₈ H ₁₅ NO ₅ (6368-20-3)	• BOC-D-Serine M. W.: 205.21	13550.00 25300.00	10 gm 25 gm
BOC240 C ₈ H ₁₅ NO ₅ (3262-72-4)	* • BOC-L-Serine M. W.: 205.21	2300.00 5157.00 15948.00	10 gm 25 gm 100 gm
BOC250 (55674-67-4)	* • BOC-D-Threonine	4716.00 10981.00	10 gm 25 gm
BOC260 C ₉ H ₁₇ NO ₅ (2592-18-9)	* • BOC-L-Threonine M. W.: 219.23	1193.00 2673.00 9000.00	10 gm 25 gm 100 gm
BOC270 C ₁₆ H ₂₀ N ₂ O ₄ (5241-64-5)	• BOC-D-Tryptophane M. W.: 304.34	13811.00	25 gm
BOC280 C ₁₆ H ₂₀ N ₂ O ₄ (13139-14-5)	• BOC-L-Tryptophane M. W.: 304.34	1170.00 2097.00 6381.00	10 gm 25 gm 100 gm
BOC290 4-(OH)C ₆ H ₄ CH ₂ CH(COOH)NHC(O)OC(CH ₃) ₃ (3978-80-1)	• BOC-L-Tyrosine M. W.: 281.30	2547.00 5346.00 16984.00	10 gm 25 gm 100 gm
BOC294 4-(OH)C ₆ H ₄ CH ₂ CH[NHCO ₂ C(CH ₃) ₃]CO ₂ HCH ₃ (4326-36-7)	* • BOC-L-Tyrosine Methyl Ester for Biochemistry M. W.: 295.33	10152.00 17753.00	10 gm 25 gm
BOC300 C ₁₀ H ₁₉ NO ₄ (22838-58-0)	* • BOC-D-Valine M. W.: 217.26	5418.00 12186.00	10 gm 25 gm
BOC310 C ₁₀ H ₁₉ NO ₄ (13734-41-3)	• BOC-L-Valine M. W.: 217.26 Assay (Cal on dried subs) 99.0%	693.00 1386.00 4995.00	10 gm 25 gm 100 gm
BOC313 C ₁₁ H ₂₁ NO ₄ (58561-04-9)	* • BOC-L-Valine Methyl Ester for Biochemistry M. W.: 231.29	7335.00 12821.00	10 gm 25 gm
465895 Na ₂ B ₄ O ₇ (1330-43-4)	Borax Anhydrous AR M. W.: 201.22 Assay 99.0%	1350.00 3033.00	100 gm 500 gm
030230 Na ₂ B ₄ O ₇ ·10H ₂ O (1303-96-4)	Borax Decahydrate (Di-Sodium Tetraborate) M. W.: 381.36 Assay (acidimetric) 99.0-103.0%	370.00 2691.00 POR POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
465985 Na ₂ B ₄ O ₇ ·10H ₂ O (1303-96-4)	Borax Decahydrate AR/ACS M. W.: 381.36 Assay (Acidimetric) 99.5-102.5%	576.00 4600.00 POR POR	500 gm 5 kg 25 kg 50 kg
917600 MB	Borax Decahydrate For Molecular Biology M. W.: 381.37 Assay : ≥ 99.5% Store Below 30°C	720.00	500 gm
810600	Borax Carmine Alcoholic Solution	315.00	125 ml
810620	Borax Carmine Aqueous Solution	190.00	125 ml
285735	Borax Carmine (Grenacher) (powder) (M.S.)Bromo Cresol Green-Methyl Red.Indicator	1206.00	25 gm
027205 H ₃ BO ₃ (10043-35-3)	Boric Acid Powder M. W.: 61.83 Assay (acidimetric) 99.5%	621.00 1098.00 4392.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
466080	Boric Acid Powder AR/ACS (Ortho Boric Acid) M.W : 61.83 Assay 99.5%	693.00 4680.00 POR POR	500 gm 5 kg 25 kg 50 kg
027410 H ₃ BO ₃ (10043-35-3)	Boric Acid Crystal/Granular M. W.: 61.83 Assay (acidimetric) 99.5%	513.00 3906.00 POR POR	500 gm 5 kg 25 kg 50 kg
466075 H ₃ BO ₃ (10043-35-3)	Boric Acid Crystal/Granular AR Meets of IP, BP, USP, PH. Eur. M. W.: 61.83 Assay (Acidimetric) 99.5%	860.00 6030.00 POR	500 gm 5 kg 50 kg
918000 MB	Boric Acid for Molecular Biology M. W.: 61.83 Assay (Acidimetric) 99.5%	594.00 981.00 1827.00	250 gm 500 gm 1 kg
H06903 REBUR	Boric Acid AR M. W.: 61.83 Assay 99.99%	15350.00 67500.00	50 gm 500 gm
PCT1102 PTC	Boric Acid Plant Culture Tested MW : 61.83 Assay 99.5% Store below 30°C	945.00 1692.00	500 gm 1 kg
TC1580M ATC	Boric Acid Hydrogen borate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 61.83 Store below 30°C	3033.00 5153.00	500 gm 1 kg
810740	Boric Acid 4% (w/v) Aqueous Solution	185.00	100 ml
	Boric Acid Tributyl Ester See Tri-Butyl Borate		
	Boric Anhydride See di-Boron Trioxide		
810840	Boron (B) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H ₂ O In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
810860	Boron (B) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O in accordance with NIST	5220.00	100 ml
		8505.00	500 ml
810862	Boron (B) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O in accordance with NIST	16020.00	100 ml
		48200.00	500 ml
027255 B (7440-42-8)	Boron (Metal) Powder M. W.: 10.81 Assay 95.0%	8200.00	5 gm
		11700.00	50 gm
027285 CB ₄ (12069-32-8)	Boron Carbide 90 Mesh M. W.: 55.26	2880.00	100 gm
027300 CB ₄ (12069-32-8)	Boron Carbide 150 Mesh M. W.: 55.25 Assay 98.0%	2745.00	100 gm
027305 CB ₄ (12069-32-8)	Boron Carbide 220 Mesh M. W.: 55.25 Assay 98.0%	1503.00	25 gm
		4104.00	100 gm
N06984 CB ₄ (12069-32-8)	Boron Carbide Nanopowder/ Nanoparticles (Hexagonal, 50nm) M. W.: 55.25 Assay 99%	15120.00	10 gm
		28350.00	25 gm
027365 BN (10043-11-5)	Boron Nitride M. W.: 24.82 Assay(Alkalimetric) 98.0%	4500.00	50 gm
		39420.00	500 gm
N06993 BN (10043-11-5)	Boron Nitride Nanoparticles/ Nanopowder (Hexagonal, 50nm) M. W.: 24.82 Assay 99%	3150.00	25 gm
		8406.00	100 gm
810950	Boron Tribromide 1M in Dichloromethane	4905.00	100 ml
027415 BBr ₃ (10294-33-4)	Boron Tribromide for Synthesis M.W.: 250.52	8200.00	100 gm
		36900.00	500 gm
027455 BF ₃ C ₄ H ₁₀ O (109-63-7)	Boron Trifluoride Etherate (Boron Trifluoride Ethyl Ether complex) 48-53% Bf ₃ M. W.: 141.93 Assay (BF ₃) ~50%	1305.00	250 ml
		2304.00	500 ml
		10530.00	2.5 lit
			POR 25 lit
			POR 200 lit
027505 B ₂ O ₃ (1303-86-2)	di-Boron Trioxide Anhydrous M. W.: 69.62 Assay 97.0%	3402.00	250 gm
		6507.00	500 gm
466605 B ₂ O ₃ (1303-86-2)	di-Boron Trioxide Anhydrous AR For Analysis of Silicates M. W.: 69.62 Assay 98.0%	4001.00	250 gm
		15003.00	1 kg
H07003 B ₂ O ₃ (1303-86-2)	di-Boron Trioxide Anhydrous AR For Analysis of Silicates M. W.: 69.62 Assay 98.0%	18000.00	250 gm
		45000.00	1 kg
811000	Borsche's Reagent For detection of Ketones	153.00	125 ml
	Bouin's Picro Formal Fixing Solution See Bouin's Fluid		

Product Code	Product Name	Price	Packing
811040	Bouin's Fluid (Bouin's Picro Formal fixing Soln.)	144.00	100 ml
		495.00	500 ml
027580 (9048-46-8)	Bovine Albumin FRACTION V Assay (Calculated to anhy.material) 97.0% PH 6.8-7.2	1098.00	5 gm
		1800.00	10 gm
		15030.00	100 gm
918730 (9048-46-8)	Bovine Albumin for Molecular Biology Assay (ex N) 98.0% PH 6-7	882.00	5 gm
		1620.00	10 gm
		12006.00	100 gm
918750 (9048-46-8)	Bovine Serum Albumin (Nuclease and Protein Free) For Molecular Biology Assay : ≥ 98% Protein	657.00	5 gm
		2907.00	25 gm
		9423.00	100 gm
		45720.00	500 gm
TC1545	Bovine Serum Albumin Cell Culture Tested Ultra-low IgG	1360.00	5 gm
		5427.00	25 gm
		20350.00	100 gm
		86400.00	500 gm
TC1546	Bovine Serum Albumin Cell Culture Tested Protease free, Diagnostic grade	1279.00	5 gm
		4671.00	25 gm
		17415.00	100 gm
		76311.00	500 gm
TC1548	Bovine Serum Albumin Cell Culture Tested Manufacturing grade New Zealand/ Australia origin	12843.00	5 gm
		41310.00	25 gm
		125330.00	100 gm
TC1194	Bovine Serum Albumin Fraction-V Cell Culture Tested PH 7.0	1090.00	5 gm
		4257.00	25 gm
		14760.00	100 gm
		62721.00	500 gm
TC1348	Bovine Serum Albumin, pH 7.0 Low Fatty acid Cell Culture Tested	2493.00	10 gm
		5990.00	25 gm
		10990.00	50 gm
811020	Brady's Reagent	234.00	125 ml
PCT2521 C ₂₈ H ₄₆ O (474-67-9)	▲Brassicasterol Plant Culture Tested MW : 398.66 Assay 98%	40410.00	5 mg
		70700.00	10 mg
PCT2522 C ₂₈ H ₄₈ O ₆ (72962-43-7)	Brassinolide Plant Culture Tested MW : 480.68 Assay 90% Store below 30°C	33930.00	10 mg
		122400.00	50 mg
811060	Breed's Stain (For bacteria in milk smear)	441.00	100 ml
811090 (9002-92-0)	Brij 30® (Polyethylene Glycol Dodecyl Ether)	1301.00	500 ml
027755 (9002-92-0)	Brij 35 Solid	1305.00	500 gm
		2476.00	1 kg
811100	Brij 35 30% Solution	1107.00	500 ml
285875	Brilliant Black BN C.I.-28440 M.W.: 867.68	765.00	10 gm
	Brilliant Blue G 250 See Coomassie Brilliant Blue G 250		

● ATC : Animal Cell Culture
● MB : Molecular Biology
● PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Brilliant Blue R 250 See Coomassie Brilliant Blue R 250		
	Brilliant Blue FCF See Erioglaucine		
285965	Brilliant Cresyl Blue Indicator C.I. 51010 C ₁₇ H ₂₀ ClN ₃ O 1/2 ZnCl ₂ M.W.:386.0 (81029-05-2) Dye content (titanometry) Abt 45.0%	702.00 2700.00 8001.00	5 gm 25 gm 100 gm
811200	Brilliant Cresyl Blue Solution Alcoholic	153.00	125 ml
811220	Brilliant Cresyl Blue Solution Aqueous	140.00	125 ml
286065	Brilliant Crocein (M.S.) C.I. 27290 C ₂₂ H ₁₄ N ₄ Na ₂ O ₇ S ₂ (5413-75-2) M. W.: 556.49	900.00	100 gm
286155	Brilliant Green Indicator C.I. 42040 For Bacteriology & Microscopy C ₂₇ H ₃₄ N ₂ O ₄ S (633-03-4) M. W.:482.65 Dye content (titanometry) 95.0%	261.00 702.00 6507.00	25 gm 100 gm 1 kg
811270	Brilliant Green 1% (w/v) Aqueous Indicator Solution	113.00	100 ml
286255	Brilliant Yellow C.I. 24890 C ₂₆ H ₁₈ N ₄ Na ₂ O ₈ S ₂ (3051-11-4) M. W.: 624.56 Assay (Spectrophotometric) Abt 70.0%	396.00	25 gm
PA0075	Brilliant Yellow Indicator Papers	360.00	200 lvs
811282	Bromate Bromide Solution 0.1N acc. to USP	351.00	500 ml
027845	Bromelain Source : Pineapple stem	1170.00 2700.00	25 gm 100 gm
(9001-00-7)			
TC1680	ATC Bromelain Source : Pineapple stem Cell Culture Tested M.W : ~33 kDa Store at -20°C	6813.00 23850.00	25 gm 100 gm
(9001-00-7)			
811281	Bromide Bromate Volumetric Solution 0.05 M (0.1N)	1323.00	1 lit
811283	Bromide Bromate Volumetric Solution 0.25 M (0.5N)	1323.00	1 lit
027895	Bromine Br ₂ (7726-95-6) M.W. : 159.82	1400.00	100 ml
027890	Bromine for Synthesis Br ₂ (7726-95-6) M. W.: 159.82 Assay (iodometric) 99.0%	2620.00	250 ml
466695	Bromine AR Br ₂ (7726-95-6) M. W.: 159.82 Assay (iodometric) 99.5%	2997.00	250 ml
811323	Bromine Number Titration Solvent (Dichloro Methane formulation)	1548.00 2862.00 4401.00	1 lit 2.5 lit 4 lit
811320	Bromine Water	302.00	500 ml
	Bromine Volumetric Solution See Bromide Bromate Solution		

Product Code	Product Name	Price	Packing
027945	Bromo Acetaldehyde Dimethylacetal (2-Bromo-1,1-Dimethoxyethane) BrCH ₂ CH(OCH ₃) ₂ (7252-83-7) M. W.: 169.02	2493.00 11412.00	100 gm 500 gm
027995	p-Bromo Acetanilide for Synthesis C ₈ H ₈ BrNO (103-88-8) M.W. : 214.07 Assay (GC) 98.0%	1413.00 6210.00	100 gm 500 gm
028045	Bromoacetic Acid for Synthesis C ₂ H ₃ BrO ₂ (79-08-3) M.W. :138.95 Assay (Alkalimetric) 98.0%	801.00 3402.00	100 gm 500 gm
028095	4-Bromo Acetophenone for Synthesis (1-acetyl-4-bromobenzene) C ₈ H ₇ BrO (99-90-1) M.W.: 199.04 Assay 98.0%	1305.00 5590.00	100 gm 500 gm
028145	Bromo Acetyl Bromide for Synthesis BrCH ₂ COBr (598-21-0) M.W. : 201.84 Assay 98.0%	2187.00 6750.00	100 gm 500 gm
027431	p-Bromo Aniline for Synthesis C ₆ H ₆ BrN (106-40-1) M. W.: 172.02 Assay (GC) 98.0%	1602.00 5805.00	100 gm 500 gm
028245	2-Bromo Aniline for Synthesis C ₆ H ₆ BrN (615-36-1) M. W.: 172.02 Assay 98.0%	2403.00 8010.00	25 gm 100 gm
028250	3-Bromo Aniline for Synthesis BrC ₆ H ₄ NH ₂ (591-19-5) M. W.: 172.02 Assay 98.0%	1863.00 6705.00	25 ml 100 ml
028350	3-Bromo Anisole for Synthesis (1-Bromo-3-Methoxybenzene) C ₇ H ₇ BrO (2398-37-0) M. W.: 187.04 Assay 98.0%	1400.00 6003.00	100 ml 500 ml
028355	4-Bromo Anisole for Synthesis (1-bromo-4-methoxybenzene) BrC ₆ H ₄ OCH ₃ (104-92-7) M. W.: 187.04 Assay 98.0%	1206.00 4401.00	100 gm 500 gm
028455	3-Bromo Benzaldehyde for Synthesis BrC ₆ H ₄ CHO (3132-99-8) M. W.: 185.02 Assay 97.0%	2106.00 8505.00	100 ml 500 ml
028465	4-Bromo Benzaldehyde for Synthesis BrC ₆ H ₄ CHO (1122-91-4) M. W.: 185.02 Assay 99.0%	1656.00 6300.00	25 gm 100 gm
027434	Bromo Benzene for Synthesis C ₆ H ₅ Br (108-86-1) M. W.:157.01 Assay (GC) 98.0%	1301.00 2403.00 11007.00	250 ml 500 ml 2.5 lit
467305	Bromo Benzene AR (Phenyl Bromide) C ₆ H ₅ Br (108-86-1) M. W.:157.01 Assay 99.0%	1503.00	250 ml
028865	2-Bromo Benzoic Acid for Synthesis C ₇ H ₅ BrO ₂ (88-65-3) M. W.: 201.02 Assay 98.0%	1152.00 4500.00	100 gm 500 gm
028875	3-Bromo Benzoic Acid for Synthesis BrC ₆ H ₄ CO ₂ H (585-76-2) M. W.: 201.02 Assay 98.0%	1602.00 5243.00	25 gm 100 gm

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

B

Laboratory Chemicals

Product Code	Product Name	Price	Packing
028885 BrC ₆ H ₄ CO ₂ H (586-76-5)	4-Bromo Benzoic Acid for Synthesis	1206.00	50 gm
	M. W.: 201.02 Assay 98.0%	3807.00	250 gm
029005 BrC ₆ H ₄ CN (6952-59-6)	3-Bromo Benzonitrile for Synthesis	2187.00	25 gm
	(M-Bromobenzonitrile) M. W.: 182.02	6750.00	100 gm
029015 BrC ₆ H ₄ CN (623-00-7)	4-Bromo Benzonitrile	1557.00	25 gm
	(p-Bromobenzonitrile) M. W.: 182.02	5301.00	100 gm
467485 C ₁₃ H ₉ OBr (90-90-4)	p-Bromo Benzophenone AR	3330.00	25 gm
	M. W.: 261.12 Assay (GC) 98.0%	10566.00	100 gm
029115 C ₇ H ₈ BrN (3959-07-7)	4-Bromo Benzylamine	2250.00	1 gm
	M. W.: 186.05	6570.00	5 gm
	Assay 96.0%	19990.00	25 gm
	1-Bromo Butane See n-Butyl Bromide		
029215 C ₄ H ₉ Br (78-76-2)	2-Bromo Butane (sec-Butyl Bromide)	855.00	100 ml
	M. W.: 137.03	3200.00	500 ml
029315 C ₈ H ₆ BrClO (536-38-9)	* 2-Bromo-4'-Chloro Acetophenone	4140.00	100 gm
	M. W.: 233.49 Assay 98.0%	16700.00	500 gm
467575 BrC ₆ H ₄ Cl (106-39-8)	1-Bromo-4- Chlorobenzene AR	770.00	100 gm
	M. W.: 191.45	2907.00	500 gm
029625 C ₁₄ H ₁₅ BrClNO ₆ (7240-90-6)	▲ 5-Bromo-4-Chloro-3-Indolyl β D- Galactopyranoside	1377.00	100 mgm
	(X-Gal, Bcig, 5-Bromo-4- Chloro-3-Indolyl β-D-Galactoside)	11007.00	1 gm
	M. W.: 408.60 Assay 98.0%	36000.00	5 gm
286395 C ₁₉ H ₁₀ Br ₂ Cl ₂ O ₅ S (2553-71-1)	Bromo Chlorophenol Blue AR	4500.00	25 gm
	M. W.: 581.06		
286425 C ₁₉ H ₉ Br ₂ Cl ₂ NaO ₅ S (102185-52-4)	Bromo Chlorophenol Blue Sodium Salt AR	4950.00	25 gm
	M. W.: 603.04		
029725 C ₃ H ₆ BrCl (109-70-6)	1-Bromo-3-Chloropropane	2403.00	500 ml
	for Synthesis M. W.: 157.44 Assay 98.0%		
	Bromo Cresol Blue See Bromo Cresol Green		
286575 C ₂₁ H ₁₄ Br ₄ O ₅ S (76-60-8)	Bromo Cresol Green Indicator AR	243.00	1 gm
	M. W.: 698.04	963.00	5 gm
		4100.00	25 gm
H07272 C ₂₁ H ₁₄ Br ₄ O ₅ S (76-60-8)	Bromo Cresol Green Certified Grade AR	1656.00	5 gm
	(pH 3.8-5.4) M. W.: 698.01	6597.00	25 gm
811743	Bromocresol Green Solution For TLC spray for Detection of Acidic (pK _a <5) groups	162.00	125 ml

Product Code	Product Name	Price	Packing
811744	Bromocresol Green TS acc. to USP	167.00	125 ml
811740	Bromo Cresol Green 01.% Aqueous	127.00	125 ml
286615 C ₂₁ H ₁₃ Br ₄ NaO ₅ S (62625-32-5)	Bromo Cresol Green Sodium AR	1197.00	5 gm
	M. W.: 720.00	4590.00	25 gm
811745	Bromo Cresol Green Sodium Salt Solution 0.04%	198.00	125 ml
811750	Bromo Cresol Green/Methyl Red Mixed Indicator Solution In Alcohol	990.00	500 ml
286765 C ₂₁ H ₁₆ O ₅ Br ₂ S (115-40-2)	Bromo Cresol Purple Indicator AR	360.00	5 gm
	M. W.: 540.24	1251.00	25 gm
PCT2515	Bromocresol purple Plant Culture Tested	441.00	5 gm
	MW : 540.22 Assay 99.0% Store below 30°C	2007.00	25 gm
811780	Bromo Cresol Purple Indicator Solution	117.00	125 ml
286855 C ₂₁ H ₁₅ Br ₂ NaO ₅ S (62625-30-3)	Bromo Cresol Purple Sodium Salt	351.00	5 gm
	M. W.: 562.22	1000.00	25 gm
029925	Bromo Cyclohexane for Synthesis (Cyclohexyl Bromide)	4194.00	500 gm
C ₆ H ₁₁ Br (108-85-0)	M. W.: 163.06		
030015	1-Bromo Decane for Synthesis (n-Decyl Bromide)	1206.00	100 ml
C ₁₀ H ₂₁ Br (112-29-8)	M. W.: 221.18	5607.00	500 ml
TC1372	5-Bromo-2'-Deoxyuridine	2660.00	100 mg
	5-BrdU Cell Culture Tested	4131.00	250 mg
	MW : 307.10 Assay : ≥96.5%	6750.00	500 mg
C ₉ H ₁₁ BrN ₂ O ₅ (59-14-3)			
030085	Bromo Ethane for Synthesis	1197.00	250 ml
C ₂ H ₅ Br (74-96-4)	M. W.: 108.97 Assay (GC) 99.0%	2205.00	500 ml
		POR	25 lit
030100	2-Bromo Ethane Sulphonic Acid	550.00	10 gm
	Sodium Salt for Synthesis	2502.00	50 gm
BrCH ₂ CH ₂ SO ₃ Na (4263-52-9)	M. W.: 211.01		
030175	2-Bromo Ethylamine Hydrobromide	1305.00	100 gm
C ₂ H ₆ BrN.HBr (2576-47-8)	(2-Aminoethyl Bromide Hydrobromide) M. W.: 204.89	4806.00	500 gm
TC1516	Bromoethyl Amine Hydrobromide	1503.00	100 gm
	2-Aminoethyl bromide hydrobromide	9990.00	1 kg
	MW : 204.89 Assay ≥96% Store below 30°C	POR	5 kg
BrCH ₂ CH ₂ NH ₂ · HBr (2576-47-8)			
030350	Bromoform Pure	6422.00	250 ml
CHBr ₃ (75-25-2)	M. W.: 252.73 Assay (GC) 98.0%		
030355	Bromoform Special Grade ACS	6800.00	250 ml
CHBr ₃ (75-25-2)	M. W.: 252.73 Assay (GC) 99.0%		

: Animal Cell Culture
 : Molecular Biology
 : Plant Tissue Culture

Product Code	Product Name	Price	Packing
H07475 CHBr ₃ (75-25-2)	Bromoform M. W.: 252.73 Assay (GC) 99.0%	11120.00	250 ml
030270	1-Bromo-4-Fluorobenzene for Synthesis (P-Bromofluorobenzene) (Stabilised with Ethanol) M. W.: 175.00	1206.00 4410.00	100 gm 500 gm
C ₆ H ₄ BrF (460-00-4)			
030325	✳ 4-Bromo-2-Fluoropyridine M. W.: 175.99	4770.00 6903.00	1 gm 5 gm
C ₅ H ₃ BrFN (128071-98-7)			
030375	✳ 5-Bromo-2-Furoic Acid M. W.: 190.98	3582.00	25 gm
C ₅ H ₃ BrO ₃ (585-70-6)			
030425	1-Bromo Heptane for Synthesis (n-Heptyl Bromide) M. W.: 179.10	1206.00 4203.00	100 ml 500 ml
C ₇ H ₁₅ Br (629-04-9)			
030475	1-Bromo Hexadecane for Synthesis (N-Hexadecyl Bromide, Cetyl Bromide) M. W.: 305.34	2754.00 8010.00	100 ml 500 ml
C ₁₆ H ₃₃ Br (112-82-3)			
030525	1-Bromo Hexane for Synthesis (N-Hexyl Bromide) M. W.: 165.07	873.00 2844.00	100 ml 500 ml
CH ₃ (CH ₂) ₅ Br (111-25-1)			
030572	5-Bromo Indole for Synthesis M.W.: 196.04	1530.00 4896.00	25 gm 100 gm
C ₈ H ₆ BrN (10075-50-0)			
030625	2-Bromo-5-Iodobenzoic Acid M. W.: 326.91	2889.00 19998.00	1 gm 10 gm
C ₇ H ₄ BrI ₂ (25252-00-0)			
468085	5-Bromo Indoxyl Acetate AR M. W.: 254.09 Assay (HPLC) 99.0%	2440.00 11260.00	100 mgm 500 mgm
C ₁₀ H ₈ BrNO ₂ (17357-14-1)			
030675	2-Bromo-4'-Methoxy Acetophenone M. W.: 229.07	1080.00 3600.00	25 gm 100 gm
CH ₃ OC ₆ H ₄ COCH ₂ Br (2632-13-5)			
	1-Bromo-3-Methoxybenzene See 3-Bromo anisole		
	1-Bromo-4-Methoxybenzene See 4-Bromo anisole		
	1-Bromo-4-Methylbenzene See 4-Bromo toluene		
	2-Bromo-2-Methylpropane for Synthesis Methylpropane See tert-Butyl Bromide		
	Bromo-2-Methylpropane See Iso-Butyl Bromide		
030825	1-Bromo Naphthalene for Synthesis M. W.: 207.07	1800.00 7506.00	100 ml 500 ml
C ₁₀ H ₇ Br (90-11-9)			
030875	6-Bromo-2-Naphthyl B-D-Galactopyranoside M. W.: 385.20	6660.00	1 gm
C ₁₆ H ₁₇ BrO ₆ (15572-30-2)			

Product Code	Product Name	Price	Packing
030925	2-Bromo-2-Nitropropane-1,3-Propanediol (Bronopol) M.W.: 199.99	765.00 2745.00	100 gm 500 gm
C ₃ H ₆ BrNO ₄ (52-51-7)			
030975	✳ 1-Bromo Nonane for Synthesis (Nonyl Bromide) M. W.: 207.15	8073.00	100 ml
C ₉ H ₁₉ Br (693-58-3)			
030985	1-Bromo Octane (n-Octyl Bromide) M. W.: 193.12	981.00 3807.00	100 ml 500 ml
C ₈ H ₁₇ Br (111-83-1)			
031025	1-Bromo Pentane for Synthesis (N-Amyl Bromide, N-Pentyl Bromide) M. W.: 151.04	1151.00 3501.00	100 ml 500 ml
C ₅ H ₁₁ Br (110-53-2)			
031075	4-Bromo Phenacyl Bromide M. W.: 277.94	1980.00 5850.00	25 gm 100 gm
BrC ₆ H ₄ COCH ₂ Br (99-73-0)			
031225	2-Bromo Phenol for Synthesis M. W.: 173.01	3200.00 10800.00	25 gm 100 gm
C ₆ H ₅ BrO (95-56-7)			
031245	4-Bromo Phenol for Synthesis M. W.: 173.01	1575.00 6606.00	100 gm 500 gm
C ₆ H ₅ BrO (106-41-2)			
287015	Bromo Phenol Blue Indicator AR M. W.: 669.98	306.00 1152.00	5 gm 25 gm
C ₁₉ H ₁₀ O ₅ SBr ₄ (115-39-9)			
919300	Bromo Phenol Blue For Molecular Biology M. W.: 669.96	423.00 1962.00	5 gm 25 gm
C ₁₉ H ₁₀ Br ₄ O ₅ S (115-39-9)			
	Store Below 30°C		
920000	Bromo Phenol Blue Sodium Salt for Molecular Biology for Electrophoresis M. W.: 691.95	3195.00	5 gm
C ₁₉ H ₁₀ Br ₄ O ₅ S.Na			
812000	Bromo Phenol Blue Solution	117.00	125 ml
812010	Bromo Phenol Blue ABT. 1% Solution in DMF	657.00	50 ml
812005	Bromo Phenol Blue TS acc. to USP	252.00	125 ml
812050	Bromo Phenol Blue-Xylene Cyanol Dye Solution	5400.00	5 ml
031545	2-Bromo Propionic Acid for Synthesis M. W.: 152.97	1206.00 3245.00	100 gm 500 gm
CH ₃ CHBrCOOH (598-72-1)			
	1-Bromo Propane See n-Propyl Bromide		
	2-Bromo Propane See ISO-Propyl Bromide		
	3-Bromo Propene See Allyl Bromide		
287225	Bromo Pyrogallol Red AR M. W.: 558.15	693.00 3006.00	1 gm 5 gm
C ₁₉ H ₁₀ Br ₂ O ₈ S (16574-43-9)			

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

B

Laboratory Chemicals

Product Code	Product Name	Price	Packing
	2-Bromo Propanoic Acid See 2-Bromopropionic Acid		
031595 (CH ₂ CO) ₂ NBr (128-08-5)	n-Bromo Succinimide M. W.: 177.98 Assay (iodometric) 99.0%	531.00 2205.00 4302.00	100 gm 500 gm 1 kg POR 2.5 kg
469035 C ₄ H ₄ BrNO ₂ (128-08-5)	n-Bromo Succinimide AR M. W.: 177.98	1000.00 3006.00	100 gm 500 gm
287375 C ₂₀ H ₈ Br ₄ Na ₂ O ₁₀ S ₂ (71-67-0)	Bromo Sulphalein AR M. W.: 838.00	1800.00	1 gm
287525 C ₂₇ H ₂₈ Br ₂ O ₅ S (76-59-5)	Bromo Thymol Blue AR (pH Indicator) M. W.: 624.40	405.00 1503.00	5 gm 25 gm
920030 MB C ₂₇ H ₂₈ Br ₂ O ₅ S (76-59-5)	Bromo Thymol Blue For Molecular Biology M. W.: 624.38 Store Below 30°C	450.00 3330.00	5 gm 50 gm
PCT2516 PTC C ₂₇ H ₂₈ Br ₂ O ₅ S (76-59-5)	Bromo Thymol Blue Plant Culture Tested MW : 624.38 Store below 30°C	405.00 3006.00	5 gm 50 gm
812170	Bromo Thymol Blue Solution	126.00 370.00	125 ml 500 ml
812175	Bromo Thymol Blue TS acc. to USP	288.00	125 ml
PA0100	Bromo Thymol Blue Paper	333.00	200 lvs
287575 C ₂₇ H ₂₇ Br ₂ NaO ₅ S (34722-90-2)	Bromo Thymol Blue Sodium Salt M. W.: 646.37	405.00	10 gm
031845 CH ₃ C ₆ H ₄ Br (95-46-5)	2-Bromo Toluene for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03	855.00 1898.00	25 gm 100 gm
031865 CH ₃ C ₆ H ₄ Br (591-17-3)	3-Bromo Toluene for Synthesis M. W.: 171.03 Assay (GC) 98.0%	1269.00 4401.00	25 gm 100 gm
031885 CH ₃ C ₆ H ₄ Br (106-38-7)	4-Bromo Toluene for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03 Assay 98.0%	1251.00 5000.00	100 gm 500 gm
469575 C ₄ H ₃ BrN ₂ O ₂ (51-20-7)	5-Bromo Uracil AR M. W.: 190.99 Assay (Alkalimetric) 97.0%	207.00 810.00 POR	1 gm 5 gm 25 gm
	Bronopol See 2-Bromo-2-Nitropropane-1,3-propanediol		
469865 C ₂₃ H ₂₆ N ₂ O ₄ (357-57-3)	Brucine AR M. W.: 394.47 Assay (non aq.) 99.0%	963.00 2205.00	10 gm 25 gm
812250	Brucine Solution (Reagent for nitrate & Bismuth)	662.00	100 ml

Product Code	Product Name	Price	Packing
470045 (C ₂₃ H ₂₆ N ₂ O ₄) ₂ H ₂ SO ₄ ·7H ₂ O (60583-39-3)	Brucine Sulphate Heptahydrate AR M.W.: 1013.12 Assay (Non-aqueous) 99.0%	1854.00 16506.00	25 gm 250 gm
812270	Brucke's Reagent (For proteins)	1845.00	100 ml
K005005	Buffer kit pH 4.0-7.0-9.0-10.0 +/-0.02 at (25°C)	1062.00	1 Box
812300	Buffer Powder pH Approx. 4.0	297.00	10 cP
812320	Buffer Powder pH Approx. 6.4	297.00	10 cP
812340	Buffer Powder pH Approx. 6.8	297.00	10 cP
812360	Buffer Powder pH Approx. 7.0	297.00	10 cP
812380	Buffer Powder pH Approx. 7.2	297.00	10 cP
812400	Buffer Powder pH Approx. 9.0	297.00	10 cP
812420	Buffer Powder pH Approx. 9.2	297.00	10 cP
812440	Buffer Powder pH Approx. 10.0	297.00	10 cP
812590	Buffer Solution pH 1.0	333.00 576.00 2556.00	500 ml 1 lit 5 lit
812600	Buffer Solution pH 2.0 (Citrate)	540.00 702.00 3200.00	500 ml 1 lit 5 lit
812610	Buffer Solution pH 3.0 (Citrate)	540.00 702.00 3200.00	500 ml 1 lit 5 lit
812620	Buffer Solution pH 4.0 (Phthalate)	333.00 576.00 2556.00	500 ml 1 lit 5 lit
812630	Buffer Solution pH 4.0 Citrisol Concentrated	360.00 666.00	3 Amp 6 Amp
812635	Buffer Standard Solution pH 4.0 at 20°C Nist Traceable	1400.00	1 lit
812640	Buffer Solution pH 5.0 (Citrate)	540.00 743.00 3200.00	500 ml 1 lit 5 lit
812650	Buffer Solution pH 6.0 (Acetate)	333.00 576.00 2556.00	500 ml 1 lit 5 lit
812660	Buffer Solution pH 6.0 (Citrate)	540.00 702.00 3200.00	500 ml 1 lit 5 lit
812670	Buffer Solution pH 6.4 (Saline Phosphate)	333.00 999.00 1737.00	500 ml 2.5 lit 5 lit
812680	Buffer Solution pH 6.8 (Phosphate)	320.00 550.00 1737.00	500 ml 1 lit 5 lit
812675	Buffer Standard Solution pH 6.86 at 25°C Nist Traceable	1400.00	1 lit
812690	Buffer Solution pH 7.0 (Phosphate)	320.00 550.00 2440.00	500 ml 1 lit 5 lit

Product Code	Product Name	Price	Packing
812700	- Buffer Solution pH 7.0 Citrisol Concentrated	360.00 666.00	3 Amp 6 Amp
812705	- Buffer Standard Solution pH 7.0 at 20°C Nist Traceable	1400.00	1 lit
812707	- Buffer Standard Solution pH 7.1 at 20°C	450.00	3 amp
812710	- Buffer Solution pH 7.2 (Albumine Phosphate)	320.00 550.00 2440.00	500 ml 1 lit 5 lit
812720	- Buffer Solution pH 7.6 (CitroPhosphate)	320.00 999.00 1737.00	500 ml 2.5 lit 5 lit
812730	- Buffer Solution pH 8.0 (Borate)	333.00 576.00 2440.00	500 ml 1 lit 5 lit
812740	- Buffer Solution pH 9.0 (Borate)	333.00 576.00 2440.00	500 ml 1 lit 5 lit
812745	- Buffer Standard Solution pH 9.18 at 20°C Nist Traceable	1400.00	1 lit
812750	- Buffer Solution pH 9.2 (Borate)	333.00 1206.00 1926.00	500 ml 2.5 lit 5 lit
812752	- Buffer Solution pH 9.3	450.00	3 amp
812765	- Buffer Standard Solution pH 10.0 at 20°C Nist Traceable	1400.00	1 lit
812760	- Buffer Solution pH 10.0	333.00 576.00 2304.00	500 ml 1 lit 5 lit
812768	- Buffer Solution pH 11.0	333.00 576.00 2304.00	500 ml 1 lit 5 lit
812770	- Buffer Solution pH 12.0	333.00 576.00 2304.00	500 ml 1 lit 5 lit
812825	- Buffer Tablets pH 4.0	522.00	20 Tab
812830	- Buffer Tablets pH 7.0	522.00	20 Tab
812835	- Buffer Tablets pH 9.2	522.00	20 Tab
	Butan-2-OL See Butanol		
	Butan-2-One See Butanone		
	Butan-1-OL See N-Butyl Alcohol		
	N-(tert-Butoxycarbonyl-L-Phenylalanine See BOC-L-Phenylalanine		
	N-(tert-Butoxycarbonyl-L-Alanine See BOC-L-Alanine		
	N-(tert-Butoxycarbonyl-L-Proline See BOC-L-Proline		
	N-(tert-Butoxycarbonyl-L-Valine See BOC-L-Valine		

Product Code	Product Name	Price	Packing
032250	1,3- Butanediol for Synthesis C ₄ H ₁₀ O ₂ (107-88-0)	1503.00 6800.00	500 ml 2.5 lit
032295	1,4- Butanediol for Synthesis (1,4-Butylene Glycol, Tetramethylene Glycol) M. W.: 90.12	1098.00 5292.00	500 ml 2.5 lit
	C ₄ H ₁₀ O ₂ (110-63-4)		
470135	1,4- Butanediol AR M. W.: 90.12	2700.00	1 lit
	C ₄ H ₁₀ O ₂ (110-63-4)		
	2,3- Butanedione See Diacetyl		
	2,3- Butanedione Oxime See Diacetyl Monoxime		
470270	1- Butane Sulphonic Acid Sodium Salt Anhydrous for AR/ HPLC C ₄ H ₉ NaO ₃ S (2386-54-1)	1103.00 4001.00	25 gm 100 gm
709605	1- Butane Sulphonic Acid Sodium Salt Monohydrate for HPLC M. W : 178.16 Assay 99.0%	1103.00 4001.00	25 gm 100 gm
	1- Butanol See n-Butanol		
027500	n- Butanol for Synthesis (n-Butyl Alcohol, 1-Butanol) (CH ₃)(CH ₂) ₃ OH (71-36-3)	504.00 1800.00	500 ml 2.5 lit
	M. W.:74.12 Assay (G.C) 98.0%	POR POR	25 lit 200 lit
470410	n- Butanol AR (n-Butyl Alcohol, 1-Butanol) (CH ₃)(CH ₂) ₃ OH (71-36-3)	640.00 2403.00	500 ml 2.5 lit
	M. W.:74.12 Assay (GC) 99.5%	POR POR	25 lit 200 lit
709705	n- Butanol GC-HS Grade C ₄ H ₁₀ O (71-36-3)	1251.00 1962.00	500 ml 1 lit
	M. W : 74.12 Assay 99.9%		
709700	n- Butanol HPLC & Spectroscopy C ₄ H ₁₀ O (71-36-3)	1368.00	1 lit
	M.W : 74.12 Assay 99.7%		
920800	MB n- Butanol (n-Butyl Alcohol) For Molecular Biology C ₄ H ₁₀ O (71-36-3)	3700.00	500 ml
	M. W.: 74.12 Assay : ≥ 99.5% Store Below 30°C		
027507	2- Butanol for Synthesis (Sec-Butyl Alcohol) CH ₃ .CH ₂ .CHOH.CH ₃ (78-92-2)	513.00 2106.00	500 ml 2.5 lit
	M. W.: 74.12 Assay (GC) 98.0%	POR POR	25 lit 200 lit
470445	2- Butanol AR (Sec-Butyl Alcohol) CH ₃ .CH ₂ .CHOH.CH ₃ (78-92-2)	594.00 2403.00	500 ml 2.5 lit
	M. W.: 74.12 Assay (GC) 98.0%	POR POR	25 lit 200 lit

Product Code	Product Name	Price	Packing
920600 MB	2-Butanol For Molecular Biology C ₄ H ₁₀ O (78-92-2) M. W.: 74.12 Assay : ≥ 99% Store Below 30°C	4104.00	500 ml
	iso- Butanol See Iso Butanol		
027508	tert-Butanol (tert-Butyl Alcohol) (CH ₃) ₃ COH (75-65-0) M. W.: 74.12 Assay (GC) 98.0%	603.00 2502.00	500 ml 2.5 lit POR 25 lit POR 200 lit
470535	tert-Butanol AR (Tert-Butyl Alcohol) (CH ₃) ₃ COH (75-65-0) M. W.: 74.12 Assay (GC) 99.0%	684.00 2700.00	500 ml 2.5 lit POR 25 lit POR 200 lit
710000	tert-Butanol for HPLC & Spectroscopy (CH ₃) ₃ COH (75-65-0) M. W.: 74.12	1854.00 4005.00	1 lit 2.5 lit
032525	Butanone for Synthesis C ₄ H ₈ O (78-93-3) M.W.: 72.11	801.00 3200.00	500 ml 2.5 lit POR 25 lit POR 200 lit
470575	Butanone AR/ACS C ₄ H ₈ O (78-93-3) M.W.: 72.11	900.00 3501.00	500 ml 2.5 lit POR 25 lit POR 200 lit
711100	Butanone for HPLC & Spectroscopy C ₄ H ₈ O (78-93-3) M.W.: 72.11	1602.00	1 lit
	trans-2-Butenoic Acid See Crotonic Acid		
	2-Butoxy Ethanol See Ethylene Glycol Mono Butyl Ether		
027502	n-Butyl Acetate for Synthesis CH ₃ COO(CH ₂) ₃ CH ₃ (123-86-4) M. W.: 116.16 Assay(GC) 98.0%	585.00 2106.00	500 ml 2.5 lit POR 25 lit POR 200 lit
470975	n-Butyl Acetate AR CH ₃ COO(CH ₂) ₃ CH ₃ (123-86-4) M. W.: 116.16 Assay 99.5%	702.00 2601.00	500 ml 2.5 lit POR 25 lit POR 200 lit
712095	n-Butyl Acetate GC- HS Grade CH ₃ COO(CH ₂) ₃ CH ₃ (123-86-4) M. W.: 116.16 Assay(GC) 99.7%	1584.00 2890.00	500 ml 1 lit
712100	n-Butyl Acetate for Pesticide residue Analysis CH ₃ COO(CH ₂) ₃ CH ₃ (123-86-4) M. W.: 116.16	4077.00	1 lit
032605	tert-Butyl Acetate for Synthesis C ₆ H ₁₂ O ₂ (540-88-5) M. W.: 116.16	1251.00 5508.00	500 ml 2.5 lit POR 25 lit POR 200 lit
	iso- Butyl Acetate See ISO-butyl Acetate		

Product Code	Product Name	Price	Packing
032655	n-Butyl Acrylate Monomer C ₇ H ₁₂ O ₂ (141-32-2) M. W.: 128.17 Assay (GC) 99.0%	855.00 3204.00	500 ml 2.5 lit
	n-Butyl Alcohol See n-Butanol		
	iso-Butyl Alcohol See ISO Butanol		
	sec-Butyl Alcohol See 2-Butanol		
	tert-Butyl Alcohol See tert-Butanol		
032865	tert-Butyl Benzene for Synthesis C ₆ H ₅ C(CH ₃) ₃ (98-06-6) M. W.: 134.22 Assay 99.0%	1305.00 5805.00	500 ml 2.5 lit POR 25 lit POR 200 lit
032895	p-tert-Butyl Benzoic Acid C ₁₁ H ₁₄ O ₂ (98-73-7) M. W.: 178.23 Assay 98.0%	1602.00	500 gm
	Butyl Carbitol See Diethylene Glycol Mono Butyl Ether		
027510	n-Butylamine C ₄ H ₁₁ N (109-73-9) M. W.: 73.14 Assay 99.0%	666.00 3006.00	500 ml 2.5 lit POR 200 lit
471185	n-Butylamine AR C ₄ H ₁₁ N (109-73-9) M. W.: 73.14 Assay 99.0%	730.00 3204.00	500 ml 2.5 lit POR 200 lit
032715	tert-Butylamine for Synthesis C ₄ H ₁₁ N (75-64-9) M. W.: 73.14 Assay (GC) 98.0%	882.00 3852.00	500 ml 2.5 lit POR 25 lit POR 200 lit
471190	tert-Butylamine AR C ₄ H ₁₁ N (75-64-9) M. W : 73.14	936.00 POR	500 ml 25 lit
027515	Butylated Hydroxy Anisole (B.H.A.) C ₁₁ H ₁₆ O ₂ (25013-16-5) M. W.: 180.25	950.00 3402.00	100 gm 500 gm POR 10 kg POR 25 kg POR 50 kg
028067	Butylated Hydroxy Toluene (B.H.T) Meets Analytical Specification of IP, BP, Ph. Eur. [(CH ₃) ₃ C] ₂ C ₆ H ₂ (CH ₃)OH (128-37-0) M. W.: 220.35 Assay(GC) 99.00%	1296.00 10440.00	500 gm 5 kg POR 25 kg POR 50 kg
027442	n-Butyl Bromide for Synthesis CH ₃ .CH ₂ .CH ₂ .CH ₂ .Br (109-65-9) M. W.: 137.02 Assay (GC) 98.0%	819.00 1494.00 6750.00	250 ml 500 ml 2.5 lit POR 25 lit POR 200 lit
032965	tert-Butyl Bromide (CH ₃) ₃ Br (507-19-7) M. W.: 137.02	2286.00 7920.00	100 ml 500 ml
033005	Butyl Butyrate C ₁₀ H ₁₆ O ₂ (109-21-7) M. W.: 144.22 Assay 98.0%	1310.00	500 ml
033105	tert-Butyl Carbazate for Synthesis C ₅ H ₁₂ O ₂ N ₂ (870-46-2) M. W.: 132.16 Assay 98.0%	1980.00 6345.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
033130 C ₁₀ H ₁₄ O ₂ (98-29-3)	p-tert-Butyl Catechol (p-tert Butyl Pyrocatechol) M. W.: 166.22 Assay (GC) 97.0%	1800.00	500 gm
	Butyl Cellosolve See Ethylene Glycol Mono Butyl ether		
	Butyl Cellosolve Acetate See Ethylene Glycol Mono butyl Ether Acetate,		
033155 C ₄ H ₉ Cl (109-69-3)	n-Butyl Chloride for Synthesis (1-Chloro Butane) M. W.: 92.57	1098.00 4500.00	500 ml 2.5 lit
		POR	25 lit
		POR	200 lit
714900 C ₄ H ₉ Cl (109-69-3)	n-Butyl Chloride HPLC (1-Chloro Butane) M. W.: 92.57	6102.00	1 lit
033175 (CH ₃) ₃ CCl (507-20-0)	tert-Butyl Chloride for Synthesis M. W.: 92.57 Assay 98.0%	1305.00 6003.00	500 ml 2.5 lit
		POR	25 lit
		POR	200 lit
	Butyl Cyanide See Valeronitrile		
033325 C ₈ H ₁₉ NO ₂ (102-79-4)	n-Butyl Diethanolamine for Synthesis M. W.: 161.24 Assay 98.5%	1400.00 5900.00	500 ml 2.5 lit
	Butyl Digol See Diethylene Glycol Mono Butyl Ether		
033415 C ₆ H ₁₅ ClSi (18162-48-6)	tert-Butyl Dimethylsilyl Chloride (tert-Butyl (Chloro) Dimethyl silane, TBDMCL) (tert-Butyl dimethyl Chlorosilane) M. W.: 150.72	702.00 2304.00 10080.00	25 gm 100 gm 500 gm
	1,3-Butylene Glycol See 1,3 Butanediol		
	1,4-Butylene Glycol See 1,4 Butanediol		
	n-Butyl Ether See Dibutyl Ether		
	Butyl Glycol See Ethylene Glycol Mono Butyl Ether		
033425 (CH ₃) ₃ COOH (75-91-2)	tert-Butyl Hydroperoxide 70% in Water M. W.: 90.12	450.00 1503.00	100 ml 500 ml
033605 C ₁₁ H ₁₄ O ₃ (94-26-8)	Butyl-p-Hydroxy Benzoate M. W.: 194.23 Assay (GC) 99.0%	1850.00	500 gm
033515 C ₁₀ H ₁₄ O ₂ (1948-33-0)	tert-Butyl Hydroquinone (TBHQ) M. W.: 166.22 Assay (By GC) 97.0%	1350.00 13050.00	250 gm 2.5 kg
		POR	10 kg
033625 H ₄ HgI (542-69-8)	n-Butyl Iodide (1-iodobutane) M. W.: 184.02	6400.00 29700.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
033825 C ₇ H ₁₄ O ₃ (138-22-7)	n-Butyl Lactate for Synthesis M. W.: 146.18 Assay 98.0%	3006.00 4500.00	250 ml 500 ml
034009 C ₄ H ₉ Li (109-72-8)	n-Butyl Lithium 1.6M in Hexane M. W.: 64.06	4005.00	100 ml POR 10x100ml
034205 C ₈ H ₁₂ O ₂ (97-88-1)	n-Butyl Methacrylate (Stabilised) M. W.: 142.20	756.00 3006.00	500 ml 2.5 lit
034295 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for Synthesis M. W.: 88.15 Assay (By GC) 99.0%	441.00 1800.00	500 ml 2.5 lit
		POR	25 lit
472355 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether AR M. W.: 88.15	522.00 2403.00	500 ml 2.5 lit
		POR	25 lit
712900 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for HPLC M. W.: 88.15 Assay (By GC) 99.8%	1602.00 3303.00	1 lit 2.5 lit
712897 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for GC-HS Grade M.W : 88.15 Assay 99.9%	2232.00	1 lit
712950 C ₅ H ₁₂ O (1634-04-4)	tert-Butyl Methyl Ether for Pesticide Residue Trace M. W.: 88.15	2511.00	1 lit
034405 C ₈ H ₁₅ ClN ₂ (79917-90-1)	1-Butyl-3-Methyl Imidazolium Chloride M. W.: 174.67 Assay 98.0%	3726.00 25470.00	25 gm 250 gm
	iso-Butyl Methyl Ketone See Iso Butyl Methyl Ketone		
034455 C ₈ H ₁₅ F ₆ N ₂ P (174501-64-5)	1-Butyl-3-Methylimidazolium Hexafluorophosphate (BMIM.PF ₆) extrapure for catalysis and nanotechnology M.W. 284.18 Assay 98.0%	3492.00 10940.00 33530.00	5 gm 25 gm 100 gm
034505 C ₈ H ₁₅ AlCl ₄ N ₂ (80432-09-3)	1-Butyl-3-Methylimidazolium Tetrachloroaluminate (BMIM.AICl ₄) extrapure for catalysis and nanotechnology M.W. 308.01 Assay 95%	5607.00 8082.00 11561.00	10 gm 25 gm 50 gm
034525 C ₈ H ₁₅ BF ₄ N ₂ (174501-65-6)	1-Butyl-3-Methylimidazolium Tetrafluoroborate (BMIM.BF₄) Extrapure for catalysis and nanotechnology M.W. 226.02 Assay 98%	3492.00 10180.00	5 gm 25 gm
034625 C ₉ H ₁₅ F ₃ N ₂ O ₃ S (174899-66-2)	1-Butyl-3-Methylimidazolium Trifluoromethanesulfonate (1-Butyl-3-Methylimidazolium Triflate, BMIM.Otf) extrapure for catalysis, proteomics and nanotechnology M.W. 288.29 Assay 95%	2890.00 6710.00 23481.00	1 gm 5 gm 25 gm

B

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

B

Laboratory Chemicals

Product Code	Product Name	Price	Packing
034645	1-Butyl-1-Methylpyrrolidinium Bis(trifluoromethyl-Sulfonyl)imide (BMP.TFSI) Extra Pure for catalysis, electrochemistry and nanotechnology	5580.00	5 gm
		14283.00 POR	25 gm 100 gm
C ₁₁ H ₂₀ F ₆ N ₂ O ₄ S ₂ (223437-11-4)	M.W. 422.41 Assay.98%		
034665	1-Butyl-1-Methylpyrrolidinium Chloride Extrapure for catalysis and nanotechnology	2440.00	5 gm
		11016.00 POR	25 gm
C ₉ H ₂₀ ClN (479500-35-1)	M.W. 177.71 Assay 98%		
034715	1-Butyl-1-Methylpyrrolidinium Hexafluorophosphate (BMP.FP6) Extrapure for catalysis and nanotechnology	4343.00	5 gm
		11052.00 POR	25 gm 100 gm
C ₉ H ₂₀ F ₆ NP (330671-29-9)	M.W. 287.23 Assay 97.5%		
034745	1-Butyl-1-Methylpyrrolidinium Tetrafluoroborate (BMP.BF4) Extrapure for catalysis and nanotechnology	3150.00	1 gm
		11052.00 POR	5 gm 25 gm
C ₉ H ₂₀ BF ₄ N (345984-11-4)	M.W. 229.07 Assay 97%		
034845	Butyl Oleate for Synthesis	3906.00	500 ml
C ₂₂ H ₄₂ O ₂ (142-77-8)	M. W.: 338.57 Assay Abt. 75.0%		
	Butyl Paraben See Butyl-p-Hydroxybenzoate		
	Butyl-PBD See 2-(4-tert-Butylphenyl)-5-(4-biphenyl)-1,3,4-oxadiazole		
035045	tert-Butyl Perbenzoate	1656.00	500 ml
C ₁₁ H ₁₄ O ₃ (614-45-9)	M.W.: 194.23		
035065	4-tert-Butyl Phenol for Synthesis (P-tert-Butylphenol)	657.00	500 gm
C ₁₀ H ₁₄ O (98-54-4)	M. W.: 150.22		
473265	4- tert-Butyl Phenol AR	2025.00	1 kg
C ₁₀ H ₁₄ O (98-54-4)	M. W.: 150.22		
035085	* 2-(4-tert-Butyl phenyl)-5-(4-Biphenyl)-1,3,4-Oxadiazole (Butyl-PBD)	3303.00	5 gm
C ₂₄ H ₂₂ N ₂ O (15082-28-7)	M. W.: 354.44		100 gm
	n-Butyl Phthalate See Di-n-Butyl Phthalate		
	n-Butyl Phosphate See Tri-n-Butyl Phosphate		
035105	n-Butyl Stearate for Synthesis	387.00	500 ml
		1503.00	2.5 lit
C ₂₂ H ₄₄ O ₂ (123-95-5)	M. W.: 340.59 Assay (GC) 50.0%		
035500	n-Butyraldehyde	657.00	500 ml
		2800.00 POR	2.5 lit 200 lit
C ₄ H ₈ O (123-72-8)	M. W.: 72.11		

Product Code	Product Name	Price	Packing
027535	n-Butyric Acid CH ₃ CH ₂ CH ₂ COOH (107-92-6)	720.00	500 ml
		2907.00	2.5 lit
	M. W.: 88.11 Assay (GC) 99.0%		
473455	n-Butyric Acid AR CH ₃ CH ₂ CH ₂ COOH (107-92-6)	900.00	500 ml
		3600.00	2.5 lit
	M. W.: 88.11 Assay (GC) 99.5%		
035605	n-Butyric Anhydride for Synthesis C ₈ H ₁₄ O ₃ (106-31-0)	2178.00	500 ml
		3960.00	1 lit
	M. W.: 158.19 Assay (GC) 98.0%		
	1,4-Butyrolactone See -gamma-Butyrolactone		
035635	gamma- Butyrolactone C ₄ H ₆ O ₂ (96-48-0)	1647.00	500 ml
		6993.00	2.5 lit
	M. W.: 86.09 Assay (GC) 99.0%		
	Butyrolactum See 2-Pyrrolidone		
473595	Butyrophenone AR C ₁₀ H ₁₂ O (495-40-9)	2300.00	25 ml
	M. W.: 148.20 Assay 99.0%		
035705	Butyryl Chloride for Synthesis C ₄ H ₇ ClO (141-75-3)	783.00	100 ml
		3402.00	500 ml
	M. W.: 106.55 Assay 99.0%		
035735	Butyrylcholine Chloride for biochemistry C ₉ H ₂₀ NO ₂ Cl (2963-78-2)	2844.00	1 gm
		9846.00	5 gm
	M.W. 209.70 Assay 98.0%		

LABROX-ID072

(2.4% Glutaraldehyde Solution with activator for High Level Disinfection)

Activation: Activate the Labrox ID072 solution by adding the entire contents of the activator Pouch /bottle supplied along with the Labrox ID072 solution container.

Cleaning: Blood and other body fluids must be thoroughly cleaned from surfaces and lumens of devices before reprocessing. Thoroughly clean, rinse and rough dry devices before immersing in Labrox ID072 solution.

USE: Medical, Industrial

Activity: Broad spectrum; Virucidal, Bactericidal, Fungicidal and Sporocidal.

Usage: Immerse cleaned medical instruments / equipment completely in Labrox ID072 solution for the required time at the appropriate temperature.

Action : Surfactant free High level Surgical Instrument Sterilizing and Disinfectant solution



P Code-DI810

Product Code	Product Name	Price	Packing
041005	Cacodylic Acid	5805.00	5 gm
	Cacodylic Acid Sodium Salt See Sodium Cacodylate		
288495	Cacotheline AR (Redox Indicator)	702.00	5 gm
C ₂₁ H ₂₁ N ₃ O ₇ (561-20-6)	M. W.: 427.42 Assay (Non-aqueous) 95.0%	3303.00	25 gm
478635	Cadion AR	3924.00	100 mg
C ₁₈ H ₁₄ N ₆ O ₂ (5392-67-6)	M. W.: 346.34 Assay 98.0%	POR	5 gm
813350	Cadmium (Cd) CPECTROSOL®	1746.00	100 ml
	Atomic Absorption Std. Soln.	2286.00	250 ml
	Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	3852.00	500 ml
813352	Cadmium (Cd) CPECTROSOL®	1746.00	100 ml
	Atomic Absorption Std. Soln.	2286.00	250 ml
	Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	3852.00	500 ml
813400	Cadmium (Cd) CRISTAR®	5301.00	100 ml
	1000 ppm Single Element Std.	8505.00	500 ml
	Soln. for ICP in HNO ₃ in accordance with NIST		
813420	Cadmium (Cd) CRISTAR®	16020.00	100 ml
	10,000 ppm Single Element Std.	48204.00	500 ml
	Soln. for ICP in HNO ₃ in accordance with NIST		
478685	Cadmium Metal Powder AR	5994.00	100 gm
Cd (7440-43-9)	90% - 40 MESH A. W.: 112.41	21240.00	500 gm
041075	Cadmium metal Lumps	486.00	100 gm
Cd (7440-43-9)	M. W.: 112.41 Assay 99.0%	2205.00	500 gm
478730	Cadmium (Metal) Granular AR	486.00	100 gm
Cd (7440-43-9)	At.W : 112.41 Assay (ex; cd; Complexometric) 99.0%	2205.00	500 gm
041205	Cadmium (Shots)	9000.00	10 gm
Cd (7440-43-9)	M. W.: 112.41 Assay (trace metals basis) 99.999%	12960.00	50 gm
027545	Cadmium Acetate Dihydrate	531.00	100 gm
(CH ₃ COO) ₂ Cd.2H ₂ O (5743-04-4)	M. W.: 266.53 Assay (complexometric) 98.0%	950.00	250 gm
		1584.00	500 gm
478775	Cadmium Acetate Dihydrate AR	621.00	100 gm
(CH ₃ COO) ₂ Cd.2H ₂ O (5743-04-4)	M. W.: 266.53 Assay (complexometric) 99.0%	1107.00	250 gm
		1980.00	500 gm
041275	Cadmium Borate	2997.00	500 gm
CdB ₄ O ₇	M. W.: 267.60 Assay 98.0%		
027546	Cadmium Bromide	900.00	100 gm
CdBr ₂ (7789-42-6)	M. W.: 272.22 Assay (EDTA Titration) 99%	3600.00	500 gm
027547	Cadmium Carbonate	450.00	100 gm
CdCO ₃ (513-78-0)	M. W.: 172.42 Assay (cd) 62-66%	1701.00	500 gm

Product Code	Product Name	Price	Packing
041355	Cadmium Chloride Anhydrous Dried	1000.00	100 gm
CdCl ₂ (10108-64-2)	M. W.: 183.32 Assay (Argentometric) 95.0%	3267.00	500 gm
027548	Cadmium Chloride Monohydrate	603.00	100 gm
CdCl ₂ H ₂ O (35658-65-2)	M. W.: 201.32 Assay (Argentometric) 98.0%	2700.00	500 gm
478820	Cadmium Chloride Monohydrate AR	657.00	100 gm
CdCl ₂ H ₂ O (35658-65-2)	M. W.: 201.32 Assay (argentometric) 99.0%	2907.00	500 gm
041395	Cadmium Fluoride	3200.00	500 gm
CdF ₂ (7790-79-6)	M. W.: 150.41 Assay 98.0%		
027553	Cadmium Iodide	3060.00	100 gm
CdI ₂ (7790-80-9)	M. W.: 366.21 Assay (complexometric) 99.0%	15003.00	500 gm
027554	Cadmium Nitrate tetrahydrate Purified	585.00	100 gm
Cd(NO ₃) ₂ .4H ₂ O (10022-68-1)	M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	1206.00	250 gm
		2250.00	500 gm
		POR	25 kg
478865	Cadmium Nitrate Tetrahydrate AR	2350.00	500 gm
Cd(NO ₃) ₂ .4H ₂ O (10022-68-1)	M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%		
041425	Cadmium Oxalate Trihydrate	693.00	100 gm
Cd(COO) ₂ .3H ₂ O	M. W.: 254.00 Assay 99.0%	2997.00	500 gm
027556	Cadmium Oxide	649.00	100 gm
CdO (1306-19-0)	M. W.: 128.41 Assay (ex Cd) (Complexometric) 99.5%	2790.00	500 gm
478910	Cadmium Oxide AR	1503.00	250 gm
CdO (1306-19-0)	M. W.: 128.41 Assay (Complexometric) 99.7%		
041460	Cadmium Phosphate	621.00	100 gm
Cd ₃ (PO ₄) ₂	M.W.:527.18 Assay (ex Cd) 98.0%	2430.00	500 gm
041505	Cadmium Selenide	2502.00	5 gm
CdSe (1306-24-7)	M. W.: 191.37 Assay (trace metals basis) 99.99%	8289.00	25 gm
041575	Cadmium Sodium Cyanide	2080.00	500 gm
Na ₂ Cd(CN) ₄	M.W : 262.00 Assay 98.5%		
041615	Cadmium Succinate	1800.00	100 gm
C ₄ H ₄ CdO ₄ (141-00-4)	M. W.: 228.48 Assay 98.0%	7200.00	500 gm
027557	Cadmium Sulphate	630.00	100 gm
3CdSO ₄ .8H ₂ O (7790-84-3)	M. W.: 769.52 Assay (Complexometric) 98.0-103.0%	2300.00	500 gm
479000	Cadmium Sulphate AR/ACS	2502.00	500 gm
3CdSO ₄ .8H ₂ O (7790-84-3)	M. W.: 769.52 Assay (Complexometric) 98-102%		
H07821	Cadmium Sulphide Powder	12006.00	25 gm
CdS (1306-23-6)	M. W.: 144.48 Assay (trace metals basis) 99.995%		
027558	Cadmium Sulphide Orange	846.00	100 gm
CdS (1306-23-6)	M. W.: 144.48 Assay (Complexometric) 99.0%	2790.00	500 gm

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

C

Laboratory Chemicals

Product Code	Product Name	Price	Packing
041765 CdTe (1306-25-8)	Cadmium Telluride M. W.: 240.01 Assay (trace metals basis) 99.9%	3573.00	5 gm
		11080.00	25 gm
	Caesium See Cesium		
041865 C ₉ H ₈ O ₄ (331-39-5)	Caffeic Acid for Synthesis M. W.: 180.16 Assay 95.0%	3069.00	10 gm
		13500.00	50 gm
041885 C ₈ H ₁₀ N ₄ O ₂ (58-08-2)	Caffeine Anhydrous Pure M. W.: 194.19 Assay (non-aqueous) 98.5 - 101%	900.00	100 gm
		2030.00	250 gm
		3250.00	500 gm
		POR	25 kg
479235 C ₈ H ₁₀ N ₄ O ₂ (58-08-2)	Caffeine Anhydrous AR/ACS Suitable for Determination of Serum Bilirubin M. W.: 194.19	981.00	100 gm
		2394.00	250 gm
		3510.00	500 gm
PCT2544	Caffeine Anhydrous Plant Culture Tested M.W.: 194.19 Store below 30°C	1360.00	100 gm
		3006.00	250 gm
041905 (8011-96-9)	Calamine (Residue on ignition) 68-74% (Meets Spec. of BP)	950.00	500 gm
		1755.00	1 kg
	Calcein See Fluorescein Complexone	POR	25 kg
814010	Calcium (Ca) CPECTROSOL [®] Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
814012	Calcium (Ca) CPECTROSOL [®] Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
814030	Calcium (Ca) CRISTAR [®] 1000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	5301.00	100 ml
		8505.00	500 ml
814070	Calcium (Ca) CRISTAR [®] 10000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	16020.00	100 ml
		48204.00	500 ml
814050	Calcium (Ca) CRISTAR [®] 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5301.00	100 ml
		8505.00	500 ml
814090	Calcium (Ca) CRISTAR [®] 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	16020.00	100 ml
		48204.00	500 ml
041955 Ca (7440-70-2)	Calcium metal M. W.: 40.08 Assay (complexometric) 98.5%	550.00	100 gm
		1900.00	500 gm
027576 (CH ₃ COO) ₂ Ca.XH ₂ O (114460-21-8)	Calcium Acetate for Soil Test M. W.: 158.17 (Anhy.) Assay (Complexometric; Calc. on dried subs. As (CH ₃ COO) ₂ .Ca) 99.0-100.5%	851.00	500 gm
		POR	25 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
479415 (CH ₃ COO) ₂ Ca.XH ₂ O (114460-21-8)	Calcium Acetate AR/ACS for Soil Test M. W.: 158.17 (Anhydrous) Assay (on dried material) 99.0%	1350.00	500 gm
041995 Ca(BO ₂) ₂ .2H ₂ O (13701-64-9)	Calcium Borate M.W. : 161.73 Assay (EDTA Titration) 99.0%	450.00	250 gm
042015 CaBr ₂ .XH ₂ O (71626-99-8)	Calcium Bromide Hydrate M.W. : 199.89 (Anhydrous basis) Assay (Complexometric as CaBr ₂) 84.70%	1818.00	500 gm
042035 CaC ₂ (75-20-7)	Calcium Carbide M. W.: 64.1 Assay (Gas Volumetric) 60.0%	207.00	100 gm
		405.00	250 gm
042055 CaCO ₃ (471-34-1)	Calcium Carbonate Precipitated Meets Analytical Specification of FCC. M. W.: 100.09 Assay (Complexometric; after drying) 98.5-100.5%	270.00	500 gm
		1800.00	5 kg
		POR	25 kg
479595 CaCO ₃ (471-34-1)	Calcium Carbonate Precipitated AR M. W.: 100.09 Assay 99.5%	342.00	500 gm
PCT2528	Calcium Carbonate Plant Culture Tested M. W.: 100.09 Assay 98% Store below 30°C	199.00	100 gm
		900.00	500 gm
		1611.00	1 kg
042075 (9005-43-0)	Calcium Caseinate M. W.: 110.99 Assay (ex Cl on dried substance) 98.0%	801.00	100 gm
		2997.00	500 gm
042115 CaCl ₂ (10043-52-4)	Calcium Chloride Fused for elementary analysis M. W.: 110.99 Assay (ex Cl on dried substance) 98.0%	270.00	500 gm
		1602.00	5 kg
		POR	25 kg
PCT1017	Calcium Chloride Anhydrous Plant Culture Tested M. W.: 110.98 Assay 93% Store below 30°C	2061.00	500 gm
TC1097	Calcium Chloride Anhydrous Cell Culture Tested M. W.: 110.98 Assay : ≥93% Store below 30°C	2089.00	100 gm
		8343.00	500 gm
027584 CaCl ₂ .2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate Pure M. W.: 147.02 Assay (CaCl ₂ .2H ₂ O, Argentometric) 98.0%	360.00	500 gm
		2106.00	5 kg
		POR	25 kg
		POR	50 kg
479775 CaCl ₂ .2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 147.02 Assay (Complexometric) 99.0-103.0%	648.00	500 gm
		POR	25 kg
H08025 CaCl ₂ .2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 147.02 Assay (Complexometric) 99.0-103.0%	1917.00	500 gm

Product Code	Product Name	Price	Packing
920900 MB	Calcium Chloride Dihydrate for Molecular Biology CaCl ₂ ·2H ₂ O (10035-04-8) M. W.: 147.02 Assay 99.0%	401.00 1503.00	100 gm 500 gm
PCT1004 PTC	Calcium Chloride Dihydrate Plant Culture Tested CaCl ₂ ·2H ₂ O (10035-04-8) M. W.: 147.01 Assay 99% Store below 30°C	1773.00 3186.00 13717.00 POR	500 gm 1 kg 5 kg 25 kg
TC1001 ATC	Calcium Chloride Dihydrate Cell Culture Tested CaCl ₂ ·2H ₂ O (10035-04-8) M. W.: 147.01 Assay : ≥98% Store below 30°C	5814.00 9140.00	500 gm 1 kg
TC1001M ATC	Calcium Chloride Dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications CaCl ₂ ·2H ₂ O (10035-04-8) M. W.: 147.01 Store below 30°	7272.00 10900.00	500 gm 1 kg
814240	Calcium Chloride CPECTROSOL® 0.005M (0.01N) Standard Solution In accordance with NIST	1400.00	1 lit
814245	Calcium Chloride CPECTROSOL® 0.01M (0.02N) Standard Solution In accordance with NIST	1400.00	1 lit
814250	Calcium Chloride CPECTROSOL® 0.02M (0.04N) Standard Solution In accordance with NIST	1400.00	1 lit
814270	Calcium Chloride CPECTROSOL® 0.05M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
814290	Calcium Chloride CPECTROSOL® 0.1M Standard Solution	1400.00	1 lit
814310 MB	Calcium Chloride 1.0 M Ultra Pure Volumetric Solution For Molecular Biology	3600.00 5400.00	250 ml 500 ml
027590	Calcium Citrate Tetrahydrate Pure (C ₆ H ₅ O ₇) ₂ Ca ₃ ·4H ₂ O (5785-44-4) M. W.: 570.49 Assay (ex Ca on dried subs.) 97.5-100.5%	702.00 POR	500 gm 25 kg
PCT2552 PTC	Calcium Citrate Tetrahydrate Plant Culture Tested C ₁₂ H ₁₀ Ca ₃ O ₁₄ ·4H ₂ O (5785-44-4) M. W.: 570.49 Store below 30°C	1584.00	500 gm
	Tri-Calcium Dicitrate tetrahydrate Extra Pure See Tri-Calcium citrate tetrahydrate extra pure		
	Calcium Dihydrogen Phosphate See Calcium Phosphate Mono		
027594	Calcium Fluoride Purified CaF ₂ (7789-75-5) M. W.: 78.08 Assay (after ignition at 500°C; Complexometric) 97.0%	1008.00 4203.00 POR	500 gm 2.5 kg 25 kg

Product Code	Product Name	Price	Packing
027595	Calcium Formate C ₂ H ₂ CaO ₄ (544-17-2) M. W.: 130.11 Assay (Complexometric) 98.5%	495.00 3969.00	500 gm 5 kg
027596	Calcium Gluconate Monohydrate C ₁₂ H ₂₂ CaO ₁₄ H ₂ O (18016-24-5) M. W.: 448.39 Assay (ex Ca Complexometric) 99.0-104.0%	594.00 4600.00 POR	500 gm 5 kg 25 kg 50 kg
814350	Calcium Hardness Powder	86.00	25 gm
814355	Calcium Hardness Indicator Tablet	495.00	100 Tab
027597	Calcium Hydride CaH ₂ (7789-78-8) M. W.: 42.10 Assay (Complexometric) 95.0%	2970.00 14805.00	100 gm 500 gm
	Calcium Hydrogen Phosphate See di-Calcium Phosphate		
027599	Calcium Hydroxide Ca(OH) ₂ (1305-62-0) M. W.: 74.09 Assay (acidimetric) 90.0%	320.00 POR	500 gm 50 kg
479955	Calcium Hydroxide AR Ca(OH) ₂ (1305-62-0) M. W.: 74.09 Assay (acidimetric) 96.0%	657.00	500 gm
	Calcium Hypochlorite See Bleaching Powder		
042365	Calcium Hypophosphite Ca(H ₂ PO ₂) ₂ (7789-79-9) M. W.: 170.05	4005.00	500 gm
027602	Calcium Iodate Ca(IO ₃) ₂ (7789-80-2) M. W.: 389.88	1890.00 8001.00	100 gm 500 gm
042465	Calcium Iodide Extra Pure CaI ₂ ·4H ₂ O (13640-62-5) M. W.: 365.95 Assay 99.0%	4230.00 15570.00	100 gm 500 gm
027604	Calcium Lactate for Soil Test Meets Analytical Specification of IP, BP, USP, Ph. Eur. C ₆ H ₁₀ CaO ₆ 5H ₂ O (5743-47-5) M.W.:308.30 Assay (Complexometric; on dried material) 98.0-102.0%	432.00 1305.00	250 gm 1 kg
027606	Calcium Nitrate Tetrahydrate Purified Ca(NO ₃) ₂ ·4H ₂ O (13477-34-4) M. W.: 236.15 Assay (ex Ca) 98.0%	306.00 POR	500 gm 50 kg
480135	Calcium Nitrate Tetrahydrate AR/ACS Ca(NO ₃) ₂ ·4H ₂ O (13477-34-4) M. W.: 236.15 Assay (Complexometric) 99.0%	387.00 POR	500 gm 50 kg
PCT1005 PTC	Calcium Nitrate Tetrahydrate Plant Culture Tested Ca(NO ₃) ₂ ·4H ₂ O (13477-34-4) M. W.: 236.15 Assay 99% Store below 30°C	590.00 1080.00 4860.00 21870.00	500 gm 1 kg 5 kg 25 kg
TC1099 ATC	Calcium Nitrate Tetrahydrate Cell Culture Tested Ca(NO ₃) ₂ ·4H ₂ O (13477-34-4) M. W.: 236.15 Assay : ≥99% Store below 30°C	1755.00 2637.00	500 gm 1 Kg

C

Laboratory Chemicals

Product Code	Product Name	Price	Packing
027609 (COO) ₂ Ca.H ₂ O (5794-28-5)	Calcium Oxalate M. W.: 146.12 Assay (ex oxalate) 98.0%	423.00	250 gm
		702.00	500 gm
042510 CaO (1305-78-8)	Calcium Oxide (Selected Lump) for chromatographic analysis M. W.: 56.08 Assay (Complexometric) 95.0%	243.00	500 gm
		1670.00	5 kg
480315 CaO (1305-78-8)	Calcium Oxide Lump AR M. W.: 56.08 Assay (Complexometric) 97.5%	360.00	500 gm
042505 CaO (1305-78-8)	Calcium Oxide Anhydrous Powder M. W.: 56.08 Assay (After ignition); (Complexometric) 96.0%	252.00	500 gm
		2115.00	5 kg
042520 C ₁₈ H ₃₂ CaN ₂ O ₁₀ (137-08-6)	Calcium-D-Pantothenate for Biochemistry M. W.: 476.54 Assay (ex Ca dried) 98.0%	351.00	10 gm
		801.00	25 gm
		2556.00	100 gm
		6480.00	500 gm
TC1159 ATC	▲ Calcium-D-Pantothenic Cell Culture Tested M. W.: 238.27 Assay : ≥98%	1170.00	25 gm
		3619.00	100 gm
		14445.00	500 gm
PCT1202 PTC	▲ Calcium-D-Pantothenate (D-Pantothenic acid hemicalcium salt) Plant Culture Tested M. W.: 238.27 Assay 98%	1314.00	25 gm
		4635.00	100 gm
042530 CaO ₂ (78403-22-2)	Calcium Peroxide M.W : 72.08 Assay 65.0%	3600.00	1 kg
	Calcium Phosphate Dibasic See di-Calcium Phosphate		
042550 CaHPO ₄ (7757-93-9)	di- Calcium Phosphate Anhydrous M. W.: 136.06 Assay (Complexometric) 98-100.5%	621.00	500 gm
			50 kg
042555 CaHPO ₄ .2H ₂ O (7789-77-7)	di- Calcium Phosphate Dihydrate M. W.: 172.10 Assay (Complexometric) 98.0-102.5%	432.00	500 gm
			25 kg
			50 kg
			50 kg
	Calcium Phosphate Tribasic See tri-Calcium Phosphate		
042570 Ca ₃ (PO ₄) ₂ (7758-87-4)	tri- Calcium Phosphate (Calcium Phosphate Tribasic) M. W.: 310.18 Assay (Complexometric) 90.0%	540.00	500 gm
		4806.00	5 kg
			25 kg
PCT1006 PTC	Calcium Phosphate Tribasic Plant Culture Tested M. W.: 310.2 Assay 90% Store below 30°C	473.00	500 gm
		860.00	1 kg
		3870.00	5 kg
042600 H ₄ CaO ₄ P ₂ (7789-79-9)	Calcium Phosphinate Pure M. W.: 170.06 Assay (iodometric) 98-101%	4005.00	500 gm

Product Code	Product Name	Price	Packing
042630 C ₆ H ₁₀ CaO ₄ (4075-81-4)	Calcium Propionate Monohydrate Pure M. W.: 186.22 Assay (dried substances acidimetric) 98.0% POR	684.00	500 gm
		1206.00	1 kg
489205 C ₆ H ₁₀ CaO ₄ (4075-81-4)	Calcium Propionate AR M. W.: 186.22	783.00	500 gm
042765 (52009-14-0)	Calcium Pyruvate (Pyruvic Acid Calcium Salt)	900.00	25 gm
		3600.00	100 gm
042815 C ₆ H ₈ CaO ₈ .4H ₂ O (5793-89-5)	Calcium-D-Saccharate Tetrahydrate M. W.: 320.27 Assay (Complexometric) 98.5-102.0%	1566.00	100 gm
		6255.00	500 gm
042865 CaSO ₃ (1344-95-2)	Calcium Silicate Pure M. W.: 116.16	360.00	500 gm
PCT2326 PTC	Calcium Silicate Plant Culture Tested M. W.: 116.16 Assay 95% Store below 30°C	7407.00	50 gm
		24660.00	250 gm
042965 CaSi ₂ (12013-56-8)	Calcium Silicide for Synthesis M. W.: 96.25	1800.00	500 gm
			25 kg
043005 C ₃₆ H ₇₀ CaO ₄ (1592-23-0)	Calcium Stearate M. W.: 607.04 Assay (as CaO; complexometric) 9.0-10.5%	720.00	500 gm
		5000.00	5 kg
			25 kg
027624 CaSO ₄ (7778-18-9)	Calcium Sulphate Anhydrous M. W.: 136.14 Assay (Complexometric) 97.0%	405.00	500 gm
		3105.00	5 kg
TC1502 ATC	Calcium Sulphate Anhydrous Cell Culture Tested M. W.: 136.14 Store below 30°C	1130.00	500 gm
027622 CaSO ₄ .2H ₂ O (10101-41-4)	Calcium Sulphate Dihydrate M. W.: 172.17 Assay (Complexometric) 98.0%	306.00	500 gm
			25 kg
489505 CaSO ₄ .2H ₂ O (10101-41-4)	Calcium Sulphate Dihydrate AR/ACS M. W.: 172.17 Assay (Complexometric) 99.0%	450.00	500 gm
814470	Calcium Sulphate TS acc. to USP	234.00	500 ml
043165 CaS (20548-54-3)	Calcium Sulphide Pure M. W.: 72.14	2700.00	500 gm
043215 CaO ₄ W (7790-75-2)	Calcium Tungstate M. W.: 287.93	4806.00	100 gm
		19089.00	500 gm
PCT2551 PTC	Calcofluor White M2R Plant Culture Tested M. W.: 960.95 Store below 30°C	649.00	1 gm
		3096.00	5 gm
		14860.00	25 gm
	Calcon See Solochrome Dark Blue		
288645 C ₂₁ H ₁₄ N ₂ O ₇ S (3737-95-9)	Calcon Carboxylic Acid AR M. W.: 438.41 Dye content (titrimetry on dried substance) abt. 60.0 %	289.00	5 gm
		972.00	25 gm

Product Code	Product Name	Price	Packing
288745	Calmagite Indicator AR	230.00	1 gm
C ₁₇ H ₁₄ N ₂ O ₅ S (3147-14-6)	M. W.: 358.37 Dye content (spectrophotometric)-60.0%	900.00 18000.00	5 gm 250 gm
814520	Calmagite 0.1% (w/v) Aqueous Indicator Solution for Water Hardness, APHA	243.00	100 ml
	Calomel See Mercurous Chloride		
	CALVER II See calmagite (M.I.)		
043585	DL-Camphorquinone for Synthesis (2,3-born anedione)	1701.00 6606.00	25 gm 100 gm
C ₁₀ H ₁₄ O ₂ (10373-78-1)	M. W.: 166.22		
027632	Camphor MAR (DL-Camphor) Micro Analytical Reagent	550.00 2727.00	100 gm 500 gm
C ₁₀ H ₁₆ O (76-22-2)	M. W.: 152.24 Assay 95.0%		
348155	Camphor Oil	1503.00	500 ml
043595	L(-)-Camphor Sulphonic Acid	3200.00 27900.00	100 gm 1 kg
C ₁₀ H ₁₆ O ₄ S (35963-20-3)	M. W.: 232.30 Assay 98.0%		
043575	D-Camphor Sulphonic Acid for Synthesis (D-10-Camphor Sulphonic Acid)	1800.00 7506.00	100 gm 500 gm
C ₁₀ H ₁₆ O ₄ S (3144-16-9)	M. W.: 232.30		
	Canada Balsam See Balsam Canada		
043615	n-Capric Acid	2205.00 9810.00	500 ml 2.5 lit
CH ₃ (CH ₂) ₈ COOH (334-48-5)	M.W.:172.27 Assay (acidimetric) 98.50%		
043675	Caproic Acid for Synthesis	1400.00 6003.00	500 ml 2.5 lit
CH ₃ (CH ₂) ₄ COOH (142-62-1)	M. W.: 116.16		
043715	Caprolactam for Synthesis	2277.00	1 kg
C ₆ H ₁₁ NO (105-60-2)	M. W.: 113.16		
	N-Capryl Alcohol See 1-Octanol		
029413	N-Caprylic Acid (N-Octanoic Acid)	1450.00 6597.00	500 ml 2.5 lit
CH ₃ (CH ₂) ₆ COOH (124-07-2)	M. W.: 144.21 Assay (acidimetric) 97.5%	POR	25 lit
489535	n-Caprylic Acid AR	4509.00	1 lit
CH ₃ (CH ₂) ₆ COOH (124-07-2)	M. W.: 144.21		
043755	N-Caprylic Acid Sodium Salt (Octanoic Acid Sodium Salt, Sodium Caprylate)	1602.00 4806.00	250 gm 1 kg
C ₈ H ₁₅ NaO ₂ (1984-06-1)	M. W.: 166.20 Assay (on dried material; non-aqueous) 99.0%		
	Carbitol See Diethylene Glycol mono Ethylether		
043775	CAPS Buffer	1152.00 3600.00	25 gm 100 gm
C ₉ H ₁₉ NO ₃ S (1135-40-6)	M.W.: 221.32 Assay (T) (Alkalimetric) 99.0%	POR	500 gm

Product Code	Product Name	Price	Packing
920920	CAPS Buffer (3-[Cyclohexylamino]-1-Propanesulphonic Acid) For Molecular Biology	1233.00 4599.00	25 gm 100 gm
C ₉ H ₁₉ NO ₃ S (1135-40-6)	M. W.: 221.32 Assay : ≥ 99% Store Below 30°C	POR POR	250 gm 1 kg
043765	Capsaicin Pract	4905.00	1 gm
(404-86-4)			
043795	CAPSO Buffer	1647.00 5310.00	25 gm 100 gm
C ₉ H ₁₉ NO ₄ S (73463-39-5)	M. W.: 237.32 Assay (T) (Acidimetric) 97.0%		
K010005	Capsule stain kit	396.00	KIT
	N-(Carbamoylmethyl)-2-Aminoethane Sulphonic Acid See ACES Buffer		
	N-(Carbamoylmethyl)Iminodiacetic Acid See ADA Buffer		
027640	Carbazole	2601.00 11007.00	100 gm 500 gm
C ₁₂ H ₉ N (86-74-8)	M.W. : 167.21 Assay (GC) 95.0%		
PCT2121	▲Carbendazim	2826.00 11372.00	1 gm 5 gm
C ₉ H ₉ N ₃ O ₂ (10605-21-7)	Plant Culture Tested M. W.: 191.19 Assay 91%	42400.00	25 gm
PCT2102	▲Carbenicillin Disodium Salt	711.00 1683.00	250 mg 1 gm
C ₁₇ H ₁₆ N ₂ O ₆ SN ₂ (4800-94-6)	Plant Culture Tested M. W.: 422.36 Potency 770 µg/mg	7560.00 13600.00	5 gm 10 gm
TC1199	▲Carbenicillin Disodium Salt	1422.00 3114.00	250 mg 1 gm
C ₁₇ H ₁₆ N ₂ O ₆ SN ₂ (4800-94-6)	Cell Culture Tested M. W.: 422.36 Potency : ≥770 µg/mg	9342.00 14022.00	5 gm 10 gm
PCT2501	Carbenicillin solution w/ 100 mg/ml Carbenicillin in sterile distilled water	3700.00 13910.00	20 ml 5X20 ml
	Sterile filtered Plant Culture Tested Store at -20°C		
029192	Carbinol for Synthesis	315.00 621.00	500 ml 2.5 lit
CH ₄ O (67-56-1)	M. W.: 32.04 Assay (GC) 99.0%	POR POR	25 lit 200 lit
582495	Carbinol AR/ACS	351.00 950.00	500 ml 2.5 lit
CH ₄ O (67-56-1)	Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	POR POR	25 lit 200 lit
752140	Carbinol for HPLC & UV Spectroscopy	378.00 630.00	500 ml 1 lit
CH ₄ O (67-56-1)	M. W.: 32.04 Assay (GC) 99.8%	972.00	2.5 lit
043915	Carbohydrazide for Synthesis	1800.00 5500.00	25 gm 100 gm
CH ₆ N ₄ O (497-18-7)	M. W.: 90.08 Assay 98.0%		

C

Laboratory Chemicals

Product Code	Product Name	Price	Packing
288885	Carbol Fuchsin Powder for Microscopy M. W.: 431.96	410.00 1206.00 POR	25 gm 100 gm 1 kg
C ₂₆ H ₂₆ ClN ₃ O (4197-24-4)			
814900	Carbol Fuchsin Staining Solution Strong (Ziehl Neelsen Staining Soln.)	162.00 518.00	125 ml 500 ml
814920	Carbol Fuchsin (Dilute) Solution (Ziehl Neelsen Staining Soln.)	131.00 369.00	125 ml 500 ml
814930	Carbol Gentian Violet Stain Grams's Stain an alternative to Gentian Violet	252.00	125 ml
814940	Carbol Methylene Blue Stain Bacterial Stain	297.00	125 ml
814950	Carbol Thionine Solution (Stain for bacteria and fungi)	495.00	100 ml
	Carbolic Acid See Phenol		
815000	Carbol Xylene For Microscopy (Content 25% Phenol)	306.00	500 ml
043965	Carbon Disulphide for Synthesis M. W.: 76.14 Assay (GC) 99.0% Order must be placed for 4x500 ml	752.00	500 ml
CS ₂ (75-15-0)			
489965	Carbon Disulphide AR M. W.: 76.14 Assay (By GC) 99.5% Order must be placed for 4x500 ml	1188.00	500 ml
CS ₂ (75-15-0)			
713880	Carbon Disulphide PRA for Pesticide Residue Trace Analysis M. W.: 76.14 Assay 99.9%	2520.00	1 lit
CS ₂ (75-15-0)			
044015	Carbon Tetrabromide for Synthesis (Tetrabromethane) M. W.: 331.63	4203.00 17100.00	100 gm 500 gm
CBr ₄ (558-13-4)			
	Carbon Tetra Chloride See Carbo Tech		
044165	▲N,N'-Carbonyldiimidazole for Synthesis (CDI, 1,1-Carbonyldiimidazole) M. W.: 162.15	2457.00 9000.00	100 gm 500 gm
C ₇ H ₆ N ₄ O (530-62-1)			
044215	Carbopol 934	3200.00 6003.00 POR	500 gm 1 kg 5 kg
(9003-01-4)			
044275	Carbopol 940® (Carboxypoly methylene-940; CarboxyvinylPolymer-940)	3006.00 5805.00	500 gm 1 kg
(9003-01-4)			
044295	Carbo Tech for Synthesis M. W.: 153.82 Assay (By GC) 99.0%	2340.00 10800.00 POR	500 ml 2.5 lit 25 lit
490010	Carbo Tech AR/ACS M. W.: 153.82 Assay (GC) 99.5%	2529.00 11430.00	500 ml 2.5 lit
713910	Carbo Tech for HPLC & Spectroscopy M. W.: 153.82	5000.00	1 lit

Product Code	Product Name	Price	Packing
	Carbowax See Polyethylene Glycol		
PCT2144	Carboxin (PTC) Plant Culture Tested M. W.: 235.31 Assay 95% Store below 30°C	10112.00	250 gm
C ₁₂ H ₁₃ NO ₂ S (5234-68-4)			
044425	Carboxy Methyl Cellulose Sodium Salt 1107.00 ACS High Viscosity (1100 - 1900 Cps) POR	1107.00	500 gm 25 kg
(9004-32-4)			
027649	Carboxy Methyl Cellulose Sodium Salt 1053.00 ACS Low Viscosity (250-300) POR	1053.00	500 gm 25 kg
(9004-32-4)			
044375	Carboxy Methyl Cellulose Sodium Salt 1206.00 (High Viscosity) (1100 - 1900 Cps) POR Confirming to IP	1206.00	500 gm 25 kg
(9004-32-4)			
920960	Carboxy Methyl Cellulose Sodium Salt 9090.00 Medium Viscosity (CMC) For Molecular Biology Viscosity : 400-800cP (1% In Water) Store Below 30°C	9090.00	100 gm
(9004-32-4)			
	4-Carboxy Pyridine See Isonicotinic acid		
	Carmellose Sodium See Carboxymethyl Cellulose Sodium Salt		
289025	Carmine Stains for Microscopy C.I. No. 75470	810.00 3470.00	5 gm 25 gm
(1390-65-4)			
815100	Carmine Best's Solution	891.00	100 ml
815105	Carmine Solution (Zorkin) (Reagent for Boric acid)	1107.00	100 ml
815110	Carmine Aceto for Microscopical Staining	900.00 1800.00	100 ml 250 ml
289055	Carminic Acid AR (M.S.) (Natural Red 4) (C.I. 75470) M. W.: 492.4 Assay 95.0%	2502.00 8001.00	1 gm 5 gm
C ₂₂ H ₂₀ O ₁₃ (1260-17-9)			
289195	Carmoisine A (Chromotrope FB) (C.I. 14720) M. W.: 502.44 Dye Content 85.0%	203.00 6507.00	25 gm 1 kg
C ₂₀ H ₁₂ N ₂ Na ₂ O ₇ S ₂ (3567-69-9)			
044625	L-Carnitine for Biochemistry M. W.: 161.20	1053.00 4608.00 10000.00	5 gm 25 gm 100 gm
C ₇ H ₁₅ NO ₃ (541-15-1)			
815160	Carnoy Fluid (Fixative)	378.00	100 ml
044745	B-Carotene M. W.: 536.87	2295.00 10400.00	1 gm 5 gm
C ₄₀ H ₅₆ (7235-40-7)			
044855	Carrageenan (Gelling or Non-Gelling Type Gelatin, Vegetable, Irish Moss) (Irish Moss)	927.00 4140.00	100 gm 500 gm
(9000-07-1)			
	Casamino Acid See Casein Acid Hydrolysate		

Product Code	Product Name	Price	Packing
044885	Casein According to Hammarsten for Biochemistry	2610.00	100 gm
(9000-71-9)	Assay (ex N) 95% Protein	11520.00	500 gm
		20520.00	1 kg
044915	Casein Fat free Purified	1953.00	500 gm
(9000-71-9)		POR	25 kg
044925	Casein Protein Rich Purified	1422.00	500 gm
(9000-71-9)	For feed experiment	2700.00	1 kg
		12600.00	5 kg
044935	Casein Soluble in Alkali	2106.00	500 gm
(9000-71-9)		POR	25 kg
	Casein (soluble, light, white) See Casein Protein Rich		
333665	Casein Acid Hydrolysate	4370.00	500 gm
(65072-00-6)			
PCT1403	Casein Enzymic Hydrolysate	4460.00	500 gm
	Plant Culture Tested Store below 30°C		
044945	Casein Vitamin Free	1953.00	500 gm
(9000-71-9)		POR	25 kg
348385	Castor Oil	680.00	500 ml
(8001-79-4)	Saponification value :- 176-187	2700.00	2.5 lit
		POR	25 lit
044995	Catalase for Biochemistry	2800.00	1 gm
(9001-05-2)	100000 U/g	7560.00	5 gm
TC1037	Catalase	3285.00	1 gm
	Source : Bovine Liver	14940.00	5 gm
	Cell Culture Tested	27900.00	10 gm
	Activity : 100000 U/g protein		
(9001-05-2)			
045045	Catechin Hydrate for Biochemistry	2106.00	1 gm
C ₁₅ H ₁₄ O ₆ ·xH ₂ O	M. W.: 290.27 (anhydrous basis)	5040.00	5 gm
(225937-10-0)			
	Catechol See Pyrocatechol		
	Catechol Violet See pyrocatechol Violet		
	CATION EXCHANGE RESIN See Cerlite resin see indion resins (18 items)		
	Caustic Potash See Potassium Hydroxide		
	Caustic Soda See Sodium Hydroxide		
	CDI See 1,1'-Carbonyldimidazole		
	CDTA See trans-1, 2-Diaminocyclohexane-N,N,N',N'-tetra Acetic Acid		
348615	Cedar Wood Oil (Natural)	603.00	25 ml
(8000-27-9)		2003.00	100 ml
348635	Cedar Wood Oil For Microscopy	810.00	25 ml
(8000-27-9)		972.00	30 ml
		2610.00	100 ml
DI055	Cedepol™ also known as Teepol	288.00	500 ml
		1940.00	5 lit
	Cedepol™ also known as Teepol see DI055		

Product Code	Product Name	Price	Packing
289285	Celestine Blue B for Microscopy	3105.00	5 gm
	C. I. 51050)	14004.00	25 gm
	M. W.: 363.80		
C ₁₇ H ₁₈ ClN ₃ O ₄			
(1562-90-9)			
045195	Celite 545 Filter Aid	657.00	500 gm
(61790-53-2)		1206.00	1 kg
		4203.00	5 kg
		POR	25 kg
490205	Celite 545 Filter Aid AR	1000.00	500 gm
(61790-53-2)			
045225	D-Cellobiose extra Pure for Biochemistry	1400.00	5 gm
	M. W.: 342.30	6606.00	25 gm
C ₁₂ H ₂₂ O ₁₁			
(528-50-7)			
PCT2529	D-(+)-Cellobiose	7470.00	25 gm
	Plant Culture Tested	26200.00	100 gm
	M. W.: 342.3		
	Assay 98%		
	Store below 30°C		
C ₁₂ H ₂₂ O ₁₁			
(528-50-7)			
815210	Celloidine 8%	1000.00	500 ml
	Cellosolve See Ethylene Glycol Monoethyl Ether		
045315	Cellosolve Acetate	630.00	500 ml
	(2-Ethoxy ethyl acetate)	2502.00	2.5 lit
CH ₃ .COO.CH ₂ .CH ₂ .OC ₂ H ₅	M. W.:132.12		
(111-15-9)	Assay (GC) 99.0%		
045365	Cellulase from Aspergillus Niger	7974.00	1 gm
	For Biochemistry	27900.00	5 gm
(9012-54-8)	10000 U/g		
PCT2518	▲Cellulase	2880.00	5 ku
	Plant Culture Tested	11511.00	25 ku
	M. W.: 373.9	24980.00	50 ku
C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O		43700.00	100 ku
(9012-54-8)			
	Potency : =10mg		
045445	Cellulose Microcrystalline for TLC	640.00	500 gm
(9004-34-6)			
045435	Cellulose Powder for Column Chromatography	550.00	500 gm
(9004-34-6)		POR	25 kg
045425	Cellulose Powder Pract.	401.00	500 gm
(9004-34-6)			
920990	Cellulose Powder	910.00	500 gm
	For Molecular Biology		
	Assay : ≥ 97%		
	Store Below 30°C		
(9004-34-6)			
027654	Cellulose Acetate	2300.00	500 gm
(9004-35-7)			
045395	Cellulose Acetate Butyrate Extra Pure	3024.00	250 gm
(9004-36-8)			
045405	Cellulose Acetate Phthalate	820.00	100 gm
(9004-38-0)		7200.00	1 kg
	Cellulose Nitrate See Nitro Cellulose		
045535	Cephadroxil Monohydrate for Lab Use	1737.00	1 gm
	M.W. : 381.40		
C ₁₆ H ₁₇ N ₃ O ₅ S.H ₂ O			
(66592-87-8)	Assay (HPLC) 95.0%		

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
045545	▲Cephalexin Hydrate for Lab use (Anhydrous basis) C ₁₆ H ₁₇ N ₃ O ₄ S.xH ₂ O (15686-71-2) M. W.: 347.39 Assay 95-103%	1872.00 8200.00 19305.00	1 gm 5 gm 25 gm
PCT2129 PTC	▲Cephalexin Plant Culture Tested C ₁₆ H ₁₇ N ₃ O ₄ S M. W.: 347.39 (15686-71-2) Assay 97%	1692.00 6777.00 10850.00	1 gm 5 gm 10 gm
045555	Cephaloridine for Lab use C ₁₉ H ₁₇ N ₃ O ₄ S ₂ (50-59-9) M. W.: 415.49	2295.00	1 gm
TC1022 ATC	▲Cephalothin Sodium Salt Cell Culture Tested Recommended for use in cell culture Applications at 100 mg/L C ₁₆ H ₁₅ N ₂ NaO ₆ S ₂ (58-71-9) M. W.: 418.42 Assay : ≥95%	3520.00 10630.00 34034.00	250 mg 1 gm 5 gm
920970 MB	▲Cephotaxime Sodium Salt For Molecular Biology C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ (64485-93-4) M. W.: 477.45 Assay : ≥ 98%	1170.00 4833.00 POR POR	1 gm 5 gm 10 gm 25 gm
PCT2103 PTC	▲Cephotaxime sodium salt Plant Culture Tested C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ (64485-93-4) M. W.: 477.45 Assay 98% Potency : 916 - 964 µg/mg	1476.00 5913.00 10665.00 24890.00	1 gm 5 gm 10 gm 25 gm
TC1352 ATC	▲*Cephotaxime Sodium Salt Cell Culture Tested C ₁₆ H ₁₆ N ₅ O ₇ S ₂ Na (64485-93-4) M. W.: 477.45 Assay : ≥98% Potency : 916-964 µg/mg	16830.00 34700.00 100630.00	1 gm 5 gm 25 gm
PCT2502 PTC	Cephotaxime Solution w/ 100 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	3816.00 11421.00	20 ml 5X20 ml
PCT2505 PTC	Cephotaxime Solution w/ 250 mg/ml Cephotaxime in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	5346.00 16070.00 14445.00	20 ml 5X20 ml 100 ml
045585	Ceralite IR 120 Standard grade Particle size 20-50 mesh Na ⁺ Form (Strongly Cationic Resin)	666.00	500 gm
045595	Ceralite IRA 400 Standard grade Particle size 20-50 mesh Cl ⁻ Form (Strongly Basic Anion Exchangers)	1080.00	500 gm
045605	Ceralite IRA 410 Standard grade Particle size 20-50 mesh Cl ⁻ Form (Strongly Basic Anion Exchangers)	1107.00	500 gm
045615	Ceralite IRC 50 Standard grade Particle size 20-50 mesh (Weakly cationic resin)	1224.00	500 gm

Product Code	Product Name	Price	Packing
045645 (8001-75-0)	Ceresin Wax White	927.00	500 gm
	Ceric Ammonium Nitrate See Ammonium Ceric Nitrate		
	Ceric Ammonium Sulphate See Ammonium Ceric Sulphate		
RE0150 Ce(OH) ₄ (12014-56-1)	Ceric Hydroxide AR M. W.: 208.15 Assay (trace Metals Basis) 99.9%	3969.00 4995.00	50 gm 100 gm
RE0165 CeO ₂ (1306-38-3)	Ceric Oxide AR (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.9%	1400.00 6003.00	100 gm 500 gm
RE0170 CeO ₂ (1306-38-3)	Ceric Oxide AR (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.99%	5220.00 15840.00	100 gm 500 gm
RE0175 CeO ₂ (1306-38-3)	Ceric Oxide AR (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.999%	14000.00 47970.00	10 gm 50 gm
RE0190 Ce(SO ₄) ₂ .4H ₂ O (10294-42-5)	Ceric Sulphate Tetrahydrate AR M. W.: 404.30 Assay (ex Ce) 99.0%	2295.00 21006.00	100 gm 1 kg
815300	Ceric Sulphate N/10 Solution (0.1N) Volumetric Solution	617.00	500 ml
815350	Cerium (Ce) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
815400	Cerium (Ce) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5301.00 8505.00	100 ml 500 ml
815420	Cerium (Ce) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	16020.00 48222.00	100 ml 500 ml
RE0205 Ce (7440-45-1)	Cerium Metal Ingot M. W.: 140.12 Assay (Trace metal basis) 99.99%	44100.00 118900.00	25 gm 100 gm
RE0210 Ce (7440-45-1)	Cerium Metal Lump (1cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	44100.00 118900.00	25 gm 100 gm
RE0215 Ce (7440-45-1)	Cerium Metal Powder 325 mesh At. W. 140.12 Assay (Trace metals basis) 99.9%	14670.00 55000.00	5 gm 25 gm
RE0260 Ce(CH ₃ CO ₂) ₃ .xH ₂ O (206996-60-3)	Cerium (III) Acetate M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.9%	5000.00 17460.00	100 gm 500 gm
RE0265 Ce(CH ₃ CO ₂) ₃ .xH ₂ O (206996-60-3)	Cerium (III) Acetate M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.99%	16506.00 61551.00	50 gm 250 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE0270 Ce(CH ₃ CO ₂) ₃ .xH ₂ O (206996-60-3)	Cerium (III) Acetate M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.999%	POR	10 gm
		POR	50 gm
RE0285 Ce ₂ (CO ₃) ₃ .xH ₂ O (54451-25-1)	Cerium (III) Carbonate M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.9%	5868.00	100 gm
		28538.00	500 gm
RE0295 Ce ₂ (CO ₃) ₃ .xH ₂ O (54451-25-1)	Cerium (III) Carbonate M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.99%	POR	25 gm
		POR	100 gm
RE0310 CeCl ₃ (7790-86-5)	Cerium (III) Chloride M. W.: 246.48 Assay (Trace metal basis) 99.9%	2700.00	5 gm
		6840.00	25 gm
		18000.00	100 gm
		POR	500 gm
RE0315 CeCl ₃ (7790-86-5)	Cerium (III) Chloride M. W.: 246.48 Assay (Trace metal basis) 99.99%	38030.00	25 gm
		POR	100 gm
RE0320 CeCl ₃ (7790-86-5)	Cerium (III) Chloride M. W.: 246.48 Assay (Trace metal basis) 99.999%	POR	10 gm
		POR	100 gm
RE0325 CeCl ₃ .7H ₂ O (18618-55-8)	Cerium (III) Chloride Heptahydrate AR M. W.: 372.58 Assay (Trace metal basis) 98.5%	2403.00	100 gm
		7200.00	500 gm
RE0340 CeF ₃ (7758-88-5)	Cerium (III) Fluoride M. W.: 197.12 Assay (trace metals basis) 99.9%	3636.00	25 gm
		10980.00	100 gm
RE0345 CeF ₃ (7758-88-5)	Cerium (III) Fluoride M. W.: 197.12 Assay (trace metals basis) 99.99%	5500.00	10 gm
		18000.00	50 gm
RE0355 CeI ₃ (7790-87-6)	Cerium (III) Iodide M. W.: 520.83 Assay (Trace metal basis) 99.95%	5000.00	1 gm
		18000.00	5 gm
		POR	25 gm
RE0370 Ce(NO ₃) ₃ .6H ₂ O (10294-41-4)	Cerium (III) Nitrate M. W.: 434.23 Assay (trace metals basis) 99.9%	1098.00	100 gm
		8505.00	1 kg
RE0375 Ce(NO ₃) ₃ .6H ₂ O (10294-41-4)	Cerium (III) Nitrate M. W.: 434.23 Assay (trace metals basis) 99.99%	9100.00	50 gm
		42840.00	250 gm
RE0380 Ce(NO ₃) ₃ .6H ₂ O (10294-41-4)	Cerium (III) Nitrate M. W.: 434.23 Assay (trace metals basis) 99.999%	POR	25 gm
		POR	100 gm
RE0395 Ce ₂ (C ₂ O ₄) ₃ .xH ₂ O (15750-47-7)	Cerium (III) Oxalate M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.9%	12600.00	100 gm
RE0405 Ce ₂ (C ₂ O ₄) ₃ .xH ₂ O (15750-47-7)	Cerium (III) Oxalate M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.999%	POR	50 gm
Cerium (IV) oxide See Ceric oxide			
RE0415 Ce(SO ₄) ₃ .xH ₂ O (13550-47-5)	Cerium (III) Sulphate M. W.: 568.42 Assay (ex Ce)(trace metals basis) 99.0%	6903.00	50 gm
RE0425 Ce(SO ₄) ₃ .xH ₂ O (13550-47-5)	Cerium (III) Sulphate M. W.: 568.42 Assay (trace metals basis) 99.99%	13150.00	25 gm
		39600.00	100 gm

Product Code	Product Name	Price	Packing
815520	Cerium (IV) Sulphate CPECTROSOL® 0.05M (0.05N) Standard Solution In accordance with NIST	1400.00	1 lit
815540	Cerium (IV) Sulphate CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
815545	Cerium (IV) Sulphate CPECTROSOL® 0.25M (0.25N) Standard Solution In accordance with NIST	1400.00	1 lit
Cerous See Cerium			
Cesein Enzyme Hydrolysate See Tryptone			
815590	Cesium CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2160.00	100 ml
		2700.00	250 ml
		3600.00	500 ml
815610	Cesium (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	4968.00	100 ml
		7938.00	500 ml
815650	Cesium (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	15021.00	100 ml
		45144.00	500 ml
815612	Cesium (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O in accordance with NIST	4968.00	100 ml
		7938.00	500 ml
815652	Cesium (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O in accordance with NIST	15021.00	100 ml
		45144.00	500 ml
491085	Cesium Bromide AR M. W.: 212.81	5400.00	50 gm
045695	Cesium Carbonate Extra Pure M. W.: 325.82	1530.00 6003.00	25 gm 100 gm
491095	Cesium Chloride AR M. W.: 168.36 Assay(ex Cl) 99.5%	1152.00 4343.00	25 gm 100 gm
921000	Cesium Chloride for Molecular Biology M. W.: 168.36 Assay (Argentometric) 99.9-100.1%	1944.00 7245.00 33930.00	25 gm 100 gm 500 gm
491105	Cesium Fluoride AR M. W.: 151.90	2421.00 8910.00	25 gm 100 gm
491125	Cesium Iodide Ultra Pure For Scintillation Counting M. W.: 259.81	1530.00 7120.00	10 gm 50 gm

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
491135 CsNO ₃ (7789-18-6)	Cesium Nitrate AR M. W.: 194.91 Assay (Acid-base titrimetry) 99.0%	3006.00	10 gm
		9000.00	50 gm
491145 Cs ₂ SO ₄ (10294-54-9)	Cesium Sulphate AR M. W.: 361.87 Assay (Trace metal basis) 99.9%	1170.00	10 gm
		5000.00	50 gm
	Cetane See n-Hexadecane		
045825 C ₁₇ H ₃₈ BrN (1119-97-7)	Cetrimide M.W.: 336.41 Assay (Iodometric; on anhy. basis) 96.0-101.0%	585.00	100 gm
		2480.00	500 gm
		POR	25 kg
921110 MB C ₁₇ H ₃₈ BrN (8044-71-1)	Cetrimide For Molecular Biology M. W.: 336.4 Assay : ≥ 96% Store Below 30°C	630.00	100 gm
		2997.00	500 gm
045795 C ₁₈ H ₃₈ OC ₁₆ H ₃₄ O (8005-44-5)	Cetostearyl Alcohol Meets Analytical Specification of IP, BP, USP, MF, Ph. Eur. M. W.: 512.95 Assay (as stearyl alcohol) (GC) 40.0%	747.00	500 gm
		POR	25 kg
	CETYL BROMIDE See 1-Bromohexadecane		
045855 CH ₃ (CH ₂) ₁₄ .CH ₂ OH (36653-82-4)	Cetyl Alcohol Pure M. W.: 242.45 Assay (GC) 95.0%	882.00	500 gm
		7902.00	5 kg
		POR	25 kg
045885 C ₂₅ H ₄₆ NCl (122-18-9)	Cetyl Dimethyl Benzyl Ammonium Chloride for Synthesis M.W. : 396.09	756.00	100 gm
		3762.00	500 gm
045915 C ₂₀ H ₄₄ BrN (124-03-8)	Cetyl Dimethyl Ethyl Ammonium Bromide M. W.: 378.47 Assay : ≥ 98%	4203.00	100 gm
921140 MB C ₂₀ H ₄₄ BrN (124-03-8)	▲ Cetyl dimethyl ethyl ammonium Bromide For Molecular Biology M. W.: 378.47 Assay : ≥ 98%	5049.00	100 gm
027664 C ₂₁ H ₃₇ N.HBr.H ₂ O (140-72-7)	Cetyl Pyridinium Bromide Monohydrate M. W.: 402.46 Assay (ex br) (Argentometric) 95.0%	3447.00	250 gm
045975 C ₂₁ H ₃₈ NCl.H ₂ O (6004-24-6)	Cetyl Pyridinium Chloride Monohydrate M. W.: 358.01 Assay (Redox titration; Calc. with reference to the anhy. Sub.) 99.0-102.0%	702.00	100 gm
		3105.00	500 gm
	CETYLKONIUM CHLORIDE See Cetyl Dimethyl Benzyl ammonium chloride		
027665 C ₁₉ H ₄₂ BrN (57-09-0)	N-Cetyl-N, N, N-Trimethyl Ammonium Bromide M. W.: 364.45 Assay (by iodometric on dried substance) 98.0%	500.00	100 gm
		2106.00	500 gm
		POR	25 kg

Product Code	Product Name	Price	Packing
491325 C ₁₉ H ₄₂ BrN (57-09-0)	N-Cetyl-N, N, N-Trimethyl Ammonium Bromide AR M. W.: 364.45 Assay (iodometric, on dried substance) 99.0%	585.00	100 gm
		2403.00	500 gm
921160 MB C ₁₉ H ₄₂ BrN (57-09-0)	N-Cetyl-N,N,N-Trimethyl Ammonium Bromide (CTAB) For Molecular Biology M. W.: 364.45 Assay : ≥ 99% Store Below 30°C	558.00	100 gm
		2637.00	500 gm
TC1555U ATC (57-09-0)	Cetyl Trimethyl Ammonium Bromide Cetrimonium bromide; Hexadecyltrimethylammonium Bromide Meets USP 41-NF 36 testing specifications M. W.: 364.45 Store below 30°C	5184.00	25 gm
		12591.00	100 gm
		25560.00	500 gm
815880 C ₃₂ H ₅₈ N ₂ O ₇ S (75621-03-3)	N-Cetyl-N,N,N-Trimethyl Ammonium Chloride 30% w/v M.W. : 100.39	360.00	100 ml
		1080.00	500 ml
046035 MgO ₃ Si (1343-88-0)	Cflorisil™ 60-100 mesh CHR analysis M.W. : 100.39	2970.00	100 gm
		13230.00	500 gm
		26100.00	1 kg
046090 C ₃₂ H ₅₈ N ₂ O ₇ S (75621-03-3)	CHAPS Buffer M.W.: 614.90 Assay (ex N) 99.0%	770.00	1 gm
		3600.00	5 gm
		6993.00	10 gm
		17010.00	25 gm
921190 MB C ₃₂ H ₅₈ N ₂ O ₇ S (75621-03-3)	CHAPS Buffer For Molecular Biology M. W.: 614.88 Assay : ≥ 98% Store Below 30°C	1935.00	1 gm
		8712.00	5 gm
		15705.00	10 gm
		24210.00	25 gm
046095 C ₃₂ H ₅₈ N ₂ O ₈ S (82473-24-3)	CHAPSO Buffer M. W.: 630.88 Assay (By HPLC) 99.0%	5500.00	1 gm
		21906.00	5 gm
046155 C (7440-44-0)	Charcoal Activated Decolorizing Powder Acid Wash MB Value Min. 180 At. W.: 12.01	522.00	500 gm
		3700.00	5 kg
		POR	25 kg
491520 C (7440-44-0)	Charcoal Activated Acid Washed AR/ACS Activated Carbon Meets Analytical Spec. of USP, BP, Ph. Eur., MB Value Min. 280 At. W.: 12.01	441.00	100 gm
		1152.00	500 gm
		POR	5 kg
		POR	25 kg
491515 C (7440-44-0)	Charcoal Activated AR Phosphorous Free for soil test MB Value Min. 300 At. W. : 12.01	401.00	100 gm
		801.00	250 gm
		1301.00	500 gm
		12600.00	5 kg
H09019 REBURC C (7440-44-0)	Charcoal Activated AR Certified grade (Acid Washed) At. W.: 12.01 Min. 300	990.00	100 gm
		2475.00	500 gm
		4356.00	1 kg

Product Code	Product Name	Price	Packing
046175	Charcoal Activated E.P. Granular about 2.0-5.0mm At. W.: 12.01	486.00 3807.00 POR	500 gm 5 kg 25 kg
C (7440-44-0)			
TC1100	Charcoal, Activated HCl-washed Cell Culture Tested At. W : 12.01 Store below 30°C	2241.00 16740.00	500 gm 5 kg
C (7440-44-0)			
PCT2001	Charcoal Activated Powder Plant Culture Tested At. W.: 12.01 Store below 30°C	576.00 1251.00 2260.00 20440.00	100 gm 250 gm 500 gm 5 kg
C (7440-44-0)			
921200	Chelex® -100 Sodium Form (50-100 Mesh) For Molecular Biology Cation Exchange Resin Av. M. W.: 3500 Mesh Size : 50-100 (Dry) Store Below 30°C	26672.00	25 gm
(11139-85-8)			
046385	CHES 2-(Cyclohexylamino) Ethanesulfonic Acid	2493.00 8982.00	25 gm 100 gm
(103-47-9)			
046395	CHES Sodium M.W. 229.27	24840.00 99000.00	25 gm 100 gm
C ₈ H ₁₆ NNaO ₃ S (3076-05-9)			
	China Blue See Aniline Blue		
	China Clay See Kaolin		
046505	Chitin Purified Flakes	396.00 1494.00	100 gm 500 gm
(C ₈ H ₁₃ NO ₅) _n (1398-61-4)			
046515	Chitin Purified Powder	1000.00 3002.00 6003.00	25 gm 100 gm 500 gm
(C ₈ H ₁₃ NO ₅) _n (1398-61-4)			
H09225	Chitin Purified Powder	3420.00 10130.00 POR	25 gm 100 gm 500 gm
(C ₈ H ₁₃ NO ₅) _n (1398-61-4)			
	Chitosamine Hydrochloride See Glucosamine Hydrochloride		
046555	Chitosan	567.00 1701.00 4680.00	25 gm 100 gm 500 gm
(9012-76-4)			
PCT1817	Chitosan Plant Culture Tested From Shrimp shells Degree of deacetylation =75% Store below 30°C	900.00 2700.00 8100.00	25 gm 100 gm 500 gm
(C ₆ H ₁₁ NO ₄) _n (9012-76-4)			
TC1242	Chitosan Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥75% Store below 30°C	3627.00 6040.00 18756.00	50 gm 100 gm 500 gm
(9012-76-4)			

Product Code	Product Name	Price	Packing
TC1633	Chitosan Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥90% Store below 30°C	4473.00 6714.00 20170.00	50 gm 100 gm 500 gm
(9012-76-4)			
046665	α-Chloralose [(2,2,2-Trichloroethylidene) A-D-Glucofuranose] M. W.: 309.53	2961.00 11700.00	25 gm 100 gm
C ₈ H ₁₁ Cl ₃ O ₆ (15879-93-3)			
027670	Chloramine T C ₇ H ₇ ClNNaO ₂ S.3H ₂ O M. W.: 281.69 (7080-50-4) Assay (by iodometric) 95%	2106.00 3501.00 POR	500 gm 1 kg 25 kg
491825	Chloramine T AR/ACS C ₇ H ₇ ClNNaO ₂ S.3H ₂ O M. W.: 281.69 (7080-50-4)	1503.00 5000.00	250 gm 1 kg
044204	Chloramphenicol for Lab use C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ (56-75-7) Assay 98.0%	828.00 2241.00 5711.00 28440.00	5 gm 25 gm 100 gm 500 gm
PCT2117	Chloramphenicol Plant Culture Tested for more details refer PTC section M. W.: 323.13 Assay : 97%	1170.00 2664.00 6660.00	5 gm 25 gm 100 gm
C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ (56-75-7)			
TC1204	Chloramphenicol Cell Culture Tested M. W.: 323.13 Assay : ≥98%	1953.00 5364.00	5 gm 25 gm
C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ (56-75-7)			
027671	Chloranil for Synthesis C ₆ Cl ₄ O ₂ (118-75-2) Assay (Argentometric) 95.0%	1251.00	250 gm
492005	p-Chloranil AR C ₆ Cl ₄ O ₂ (118-75-2) Assay 99.0%	2250.00	25 gm
492035	Chloranillic Acid AR C ₆ H ₂ Cl ₂ O ₄ (87-88-7) Assay (acidimetric) 99.0%	2502.00	25 gm
	Chloranillic Acid Barium Salt See Barium Chloranilate		
PA0167	Chlorine test Papers (Estimates free Chlorine 5 to 100 ppm)	387.00	200 lvs
816005	Chlorine Water	360.00	500 ml
PCT1824	Chlormequat Chloride Plant Culture Tested M. W.: 158.07 Assay 98% Store below 30°C	1000.00 3600.00	1 gm 5 gm
C ₅ H ₁₃ Cl ₂ N (999-81-5)			
046865	2-Chloro Acetamide for Synthesis (α-Chloro acetamide) M. W.: 93.51 Assay 97.0%	2376.00	500 gm
C ₂ H ₄ ClNO (79-07-2)			
492155	p-Chloro Acetanilide AR C ₈ H ₈ ClNO (539-03-7) Assay 99.0%	630.00 1926.00	25 gm 100 gm

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
	Chloroacetic acid sodium salt see sodium chloroacetate						
	4-Chloroaniline see p-chloroaniline						
	Chlorobenzene see chlorobenzene mono						
	(O-(6-Chlorobenzotriazol-1-yl)-N,N,N-tetramethyluronium hexafluorophosphate) see HCTU						
	4-Chlorobromo benzene see 1-Bromo-4-Chloro Benzene						
	2-Chloro-3-Amino see 2-Amino-5-chloro pyridine						
027677 CH ₂ Cl.COOH (79-11-8)	Chloro Acetic Acid Mono Pure M. W.: 94.50 Assay (acidimetric) 99.0%	477.00	500 gm	047535	4-Chloro Benzaldehyde (p-Chloro Benzaldehyde) C ₇ H ₅ ClO (104-88-1) M. W.: 140.57 Assay (GC) 98.0%	603.00 2070.00 9500.00	100 gm 500 gm 5 kg
492335 CH ₂ Cl.COOH (79-11-8)	Chloro Acetic Acid Mono AR M. W.: 94.50 Assay 99.5%	603.00	500 gm	027690 C ₆ H ₅ Cl (108-90-7)	Chloro Benzene Mono for Synthesis M. W.: 112.56 Assay 99.0%	540.00 2007.00 POR	500 ml 2.5 lit 25 lit
047015 ClCH ₂ CN (107-14-2)	Chloro Acetonitrile for Synthesis M. W.: 75.50 Assay 99.0%	2700.00 11007.00	100 gm 500 gm	492645 C ₆ H ₅ Cl (108-90-7)	Chloro Benzene Mono AR M. W.: 112.56 Assay 99.5%	657.00 2300.00 POR	500 ml 2.5 lit 25 lit
047115 C ₈ H ₇ ClO (99-91-2)	p-Chloro Acetophenone for Synthesis (4-chloroacetophenone) M. W.: 154.59 Assay 98.0%	1413.00 5760.00	100 ml 500 ml	714850 C ₆ H ₅ Cl (108-90-7)	Chloro Benzene Mono for HPLC M.W. 112.56	1368.00	1 lit
047105 C ₆ H ₅ COCH ₂ Cl (532-27-4)	o-Chloro Acetophenone for Synthesis M. W.: 154.59 Assay 98.0%	7290.00 POR	100 gm 500 gm	D28827 C ₆ ClD ₅ (3114-55-4)	Chloro Benzene-d₅ (for NMR Spectroscopy) M.W.: 117.60 Assay Min. 99.0 atom%D	22460.00	5 ml
047165 C ₂ H ₂ Cl ₂ O (79-04-9)	Chloro Acetyl Chloride for Synthesis M. W.: 112.94 Assay (GC) 98.0%	1152.00 4806.00	500 ml 2.5 lit	047595 *	p-Chloro Benzene Sulphonic Acid (4-Chlorobenzene Sulphonic Acid) C ₆ H ₅ ClSO ₃ (98-66-8) M. W.: 192.62 Assay 90.0%	963.00 4104.00	25 gm 500 gm
027682 Cl.C ₆ H ₄ .NH ₂ (108-42-9)	m-Chloro Aniline M. W.: 127.57 Assay (GC) 98.0%	1593.00 7290.00	500 ml 2.5 lit	047795 ClC ₆ M ₄ CO ₂ H (535-80-8)	m-Chloro Benzoic Acid M. W.: 156.57 Assay 99.0%	2800.00 12960.00	100 gm 500 gm
027681 Cl.C ₆ H ₄ NH ₂ (95-51-2)	o-Chloro Aniline M. W.: 127.6 Assay (GC) 98.0%	792.00 3790.00	500 ml 2.5 lit	027693 Cl.C ₆ H ₄ .COOH (118-91-2)	o-Chloro Benzoic Acid M. W.: 156.57 Assay (Acidimetric) 98.0%	1503.00	500 gm
027683 Cl.C ₆ H ₄ .NH ₂ (106-47-8)	p-Chloro Aniline M. W.: 127.6 Assay (GC) 99.0%	1161.00	500 gm	027695 C ₇ H ₅ .ClO ₂ (74-11-3)	p-Chloro Benzoic Acid M. W.: 156.57 Assay (acidimetric) 99.0%	432.00 1602.00	100 gm 500 gm
027686 HAuCl ₄ .3H ₂ O (16961-25-4)	Chloroauric Acid M. W.: 393.83 Assay (Au) 49%	12060.00	1 gm	047945 C ₇ H ₄ CIN (873-32-5)	2-Chloro Benzonitrile for Synthesis (o-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	1206.00 5000.00	100 gm 500 gm
816150	tetra-Chloro Auric Acid Solution 2% w/v H ₂ AuCl ₄ 3H ₂ O	10566.00	25 ml	047955 C ₇ H ₄ CIN (766-84-7)	3-Chloro Benzonitrile for Synthesis (m-Chlorobenzonitrile) M. W.: 137.57 Assay 98.0%	1602.00 4500.00	25 gm 100 gm
047495 C ₇ H ₅ ClO (89-98-5)	2-Chloro Benzaldehyde (o-Chloro benzaldehyde) M. W.: 140.58 Assay 98.0%	702.00 2300.00 5000.00	100 ml 500 ml 2.5 lit	047965 C ₇ H ₄ CIN (623-03-0)	4-Chloro Benzonitrile for Synthesis (p-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	1008.00 2205.00 7200.00	25 gm 100 gm 500 gm
047505 C ₇ H ₅ ClO (587-04-2)	3-Chloro Benzaldehyde for Synthesis (m-Chlorobenzaldehyde) M. W.: 140.57 Assay 97.0%	1800.00 5994.00	100 gm 500 gm	048055 C ₁₃ H ₉ ClO (134-85-0)	p-Chloro Benzophenone for Synthesis M. W.: 216.67 Assay 99.0%	801.00 3402.00	100 gm 500 gm
				048215 C ₇ H ₄ Cl ₂ O (609-65-4)	2-Chloro Benzoyl Chloride for Synthesis M. W.: 175.02 Assay 98.0%	5000.00	500 ml
				048225 C ₇ H ₄ Cl ₂ O (122-01-0)	4-Chloro Benzoyl Chloride for Synthesis M. W.: 175.02 Assay 98.0%	5175.00	500 ml
				048275 *	2-Chloro Benzyl Alcohol M. W.: 142.58	1494.00 5400.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
048285 C ₇ H ₇ ClO (873-63-2)	* 3-Chloro Benzyl Alcohol M. W.: 142.58	1044.00 3250.00	25 gm 100 gm
048295 C ₇ H ₇ ClO (873-76-7)	* 4-Chloro Benzyl Alcohol M. W.: 142.58	2097.00 10400.00	100 gm 500 gm
048375 C ₇ H ₆ Cl ₂ (611-19-8)	2-Chloro Benzyl Chloride for Synthesis (o-Chloro benzyl Chloride) M. W.: 161.03	2493.00 21150.00	250 ml 2.5 lit
048385 C ₇ H ₆ Cl ₂ (620-20-2)	3-Chloro Benzyl Chloride (m-Chlorobenzyl Chloride) M. W.: 161.03	1143.00 5076.00	100 ml 500 ml
048395 C ₇ H ₆ Cl ₂ (104-83-6)	4-Chloro Benzyl Chloride (p-Chlorobenzyl Chloride) M. W.: 161.03	1134.00 3807.00	100 ml 500 ml
048485 ClC ₆ H ₄ CH ₂ CN (2856-63-5)	2-Chloro Benzyl Cyanide (o-Chlorobenzyl Cyanide) M. W.: 151.59	2763.00 12600.00	100 gm 500 gm
048495 (1529-41-5)	3-Chloro Benzyl Cyanide for Synthesis (m-Chlorobenzyl Cyanide)	1557.00	100 gm
048505 ClC ₆ H ₄ CH ₂ CN (140-53-4)	4-Chloro Benzyl Cyanide for Synthesis (p-Chloro benzyl Cyanide) M. W.: 151.59	846.00 4159.00	100 gm 500 gm
048585 C ₇ H ₈ CIN (89-97-4)	2-Chloro Benzylamine for Synthesis M. W.: 141.6	1620.00 5310.00	25 gm 100 gm
	1-Chloro Butane for Synthesis See N-Butyl Chloride		
048895 Cl(CH ₂) ₂ COCl (4635-59-0)	4-Chloro Butyryl Chloride for Synthesis M. W.: 141.00	2601.00	500 ml
817000	Chloro Choline Chloride 50% Aqueous Solution	351.00 1602.00	100 ml 500 ml
048975 (999-81-5)	Chloro Choline Chloride 98%	1900.00 5310.00 32040.00	5 gm 25 gm 500 gm
027702 C ₇ H ₇ ClO (59-50-7)	4-Chloro-3-Cresol M. W.: 142.59 Assay (GC) 98-101%	1377.00 2601.00 23940.00	250 gm 500 gm 5 kg 25 kg
049135 C ₆ H ₁₁ Cl (542-18-7)	Chloro Cyclohexane for Synthesis (Cyclohexyl Chloride) M. W.: 118.06	2232.00	250 ml
	2-Chloro-N-Dimethyl Ethylamine Hydrochloride See 2-Dimethyl Amino Ethyl Chloride Hydrochloride		
	4-Chloro-3,5-XYLENOL See 4-Chloro-m-Xylenol (PCMX)		

Product Code	Product Name	Price	Packing
	4-Chloro-3,5-Dimethyl-Phenol (4-Chloro-3,5-Xylenol) See 4-Chloro-m-Xylenol		
049205 C ₆ H ₃ CIN ₂ O ₄ (97-00-7)	1-Chloro-2, 4-Dinitro Benzene for Synthesis M. W.: 202.55 Assay(GC) 98.0%	820.00 1206.00	500 gm 1 kg
492735 C ₆ H ₃ CIN ₂ O ₄ (97-00-7)	1-Chloro-2, 4-Dinitro Benzene AR for the detection of Nicotinic Acid, Nicotinamide M. W.: 202.55 Assay (GC) 99.0%	207.00 603.00	25 gm 100 gm
921300 C ₆ H ₃ CIN ₂ O ₄ (97-00-7)	MB 1-Chloro-2,4-Dinitro Benzene For Molecular Biology M. W.: 202.55 Assay : ≥ 99% Store Below 30°C	2700.00	500 gm
817100	1-Chloro-2,4-Dinitrobenzene Reagent Solution (test for mercaptans)	266.00	100 ml
493505 C ₅ H ₂ CIN ₃ O ₄ (2578-45-2)	2,-Chloro-3,5-Dinitropyridine AR Terminal N-Blocking Reagent for Proteins M. W.: 203.55	5103.00 15714.00	1 gm 5 gm
	2-Chloroethyl Trimethylammonium Chloride See Chloro Choline Chloride		
	1-Chloro-2,3-Epoxy Propane See Epichlorohydrin		
	N-(2-Chloroethyl)-morpholinium chloride See 4-(2-chloroethyl) morpholine hydrochloride		
	Chloroformic acid isobutylester See Iso butyl chloroformate		
	Chloroformic acid phenyl ester See Phenyl chloroformate		
049345 C ₂ H ₅ ClO (107-07-3)	2-Chloro Ethanol M. W.: 80.51 Assay (GC) 98.0%	1270.00 6003.00	500 ml 2.5 lit POR 25 lit
493685 C ₂ H ₅ ClO (107-07-3)	2-Chloro Ethanol AR M. W.: 80.51 Assay (GC) 99.0%	1360.00 6507.00	500 ml 2.5 lit POR 25 lit
049485 C ₂ H ₆ CIN.HCl (870-24-6)	2-Chloro Ethyl Ammonium Hydro Chloride for Synthesis M. W.: 115.99	4905.00	500 gm
049585 C ₂ H ₆ ClO ₃ P (16672-87-0)	2-Chloro Ethyl Phosphonic Acid (Ethrel) An effective germinating agent M. W.: 144.49 Assay About 39.0%	1287.00 2440.00	100 ml 250 ml
049695 C ₆ H ₁₂ CIN.HCl (7250-67-1)	* 1-(2-Chloro Ethyl)Pyrrolidine Hydro Chloride for Synthesis M. W.: 170.08	1845.00 7803.00	100 gm 500 gm

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
049885 ClC ₆ H ₃ (F)NH ₂ (367-21-5)	3-Chloro-4-Fluoro Aniline for Synthesis M. W.: 145.56	2205.00 8001.00	100 gm 500 gm
027710 CHCl ₃ (67-66-3)	Chloroform for Synthesis M. W.: 119.38 Assay(GC) 99.5%	396.00 1503.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
493905 CHCl ₃ (67-66-3)	Chloroform AR M. W.: 119.38 Assay (By GC) (excluding stabilizer) 99.0-99.4%	486.00 1908.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
493915 CHCl ₃ (67-66-3)	Chloroform Specially Dried AR M. W.: 119.38 Assay (GC) 99.0-99.4%	702.00 2187.00	500 ml 2.5 lit
715916 CHCl ₃ (67-66-3)	Chloroform GC HS Grade M.W. 119.38 Assay 99.5%	1953.00	1 lit
715910 CHCl ₃ (67-66-3)	Chloroform for HPLC & Spectroscopy M. W.: 119.38 Assay(GC) 99.0%	1044.00 2300.00	1 lit 2.5 lit
921400 MB CHCl ₃ (67-66-3)	Chloroform For Molecular Biology M. W.: 119.38 Assay : ≥ 99.8% Store Below 30°C	482.00 2052.00	100 ml 500 ml
715940 CHCl ₃ (67-66-3)	Chloroform for Pesticide Residue Trace Analysis (tri-Chloromethane) M. W.: 119.38	3700.00	1 lit
D29718 CCl ₃ D (865-49-6)	▲ Chloroform-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	3924.00	10x0.75 ml
D29727 CCl ₃ D (865-49-6)	▲ Chloroform-d (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	5364.00 8811.00	25 ml 100 ml
D29754 CCl ₃ D (865-49-6)	▲ Chloroform-d, Cont. 0.03 v/v% TMS (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	4464.00	10x0.75 ml
D29772 CCl ₃ D (865-49-6)	▲ Chloroform-d, Cont. 0.03 v/v% TMS (for NMR Spectroscopy) M.W.: 120.39 Assay Min. 99.8 atom%D	9100.00	100 ml
921500 MB	Chloroform : Iso Amyl Alcohol 24:1 for Molecular Biology	2367.00	500 ml
049995 C ₁₆ H ₁₈ O ₉ (327-97-9)	Chlorogenic Acid M. W.: 354.31 Assay (on dry basis) 95.0%	459.00 3951.00 17505.00	100 mgm 1 gm 5 gm
817200	Chlorohexidine Gluconate 20% Solution in water for Lab Use only	963.00 8883.00	500 ml 5 lit
PCT2146 PTC C ₃₄ H ₅₄ C ₁₂ N ₁₀ O ₁₄ (18472-51-0)	Chlorhexidine digluconate Plant Culture Tested M. W.: 897.8 Store below 30°C	3123.00 11871.00	250 ml 1 lit

Product Code	Product Name	Price	Packing
	2-Chloro-5-Hydroxy Toluene See 4-Chloro-3-Cresol		
050165 C ₂ H ₅ ClO (107-30-2)	Chloro Methyl Methyl Ether M. W.: 80.51	2403.00 8100.00 27500.00	25 gm 100 gm 500 gm
050365 C ₁₀ H ₇ CH ₂ Cl (86-52-2)	1-Chloro Methyl Naphthalene M. W.: 176.64	3951.00 9450.00	100 gm 500 gm
	2-Chloro-2-Methylpropane See Tert-Butyl Chloride		
050655 C ₆ H ₅ ClN ₂ O ₂ (121-87-9)	2-Chloro-4-Nitroaniline for Synthesis M. W.: 172.57	1305.00	250 gm
050665 C ₆ H ₅ ClN ₂ O ₂ (89-63-4)	4-Chloro-2-Nitroaniline M. W.: 172.57	1206.00	250 gm
027723 Cl.C ₆ H ₄ .NO ₂ (88-73-3)	1-Chloro-2-Nitro Benzene M. W.:157.66 Assay (GC) 99.0%	594.00	500 gm
050745 C ₆ H ₄ ClNO ₂ (121-73-3)	1-Chloro-3-Nitro Benzene M. W.: 157.66 Assay (GC) 98.0%	531.00 1031.00	250 gm 500 gm
027725 Cl.C ₆ H ₄ .NO ₂ (100-00-5)	1-Chloro-4-Nitro Benzene M. W.: 157.66 Assay (GC) 99.0%	486.00	500 gm
050795 C ₇ H ₄ ClNO ₄ (99-60-5)	2-Chloro-4-Nitro Benzoic Acid for Synthesis M. W.: 201.56	5050.00	100 gm
050805 C ₇ H ₄ ClNO ₄ (2516-96-3)	2-Chloro-5-Nitro Benzoic Acid for Synthesis M. W.: 201.56	954.00 3636.00	100 gm 500 gm
050895 C ₈ H ₁₇ Cl (111-85-3)	1-Chloro Octane for Synthesis (Octyl Chloride) M.W.: 148.67	828.00 2421.00	100 ml 500 ml
050995 C ₇ H ₅ ClO ₃ (937-14-4)	m-Chloro Perbenzoic Acid for Synthesis (3-Chloro Peroxy Benzoic Acid) M. W.: 172.57	1900.00 7596.00	100 gm 500 gm
051095 ClC ₆ H ₄ OH (108-43-0)	m-Chlorophenol M. W.: 128.56 Assay 98.0%	846.00 2800.00 13500.00	25 gm 100 gm 500 gm
051045 Cl.C ₆ H ₄ .OH (95-57-8)	o-Chlorophenol M. W.: 128.56 Assay (GC) 99.0%	1090.00 4690.00	500 ml 2.5 lit
027730 Cl.C ₆ H ₄ .OH (106-48-9)	p-Chlorophenol M. W.: 128.56 Assay (By GC) 99.5%	1251.00	500 gm
289435 C ₁₉ H ₁₂ Cl ₂ O ₅ S (4430-20-0)	Chloro Phenol Red Indicator AR M. W.: 423.28	567.00 2304.00	5 gm 25 gm
817340	Chloro Phenol Red Indicator Solution	144.00	125 ml

Product Code	Product Name	Price	Packing
051275	p-Chloro Phenoxy Acetic Acid for Synthesis M. W.: 186.59	1557.00 7030.00	100 gm 500 gm
C ₈ H ₇ ClO ₃ (122-88-3)			
PCT1841 PTC	p-Chloro Phenoxy Acetic Acid Plant Culture Tested M. W.: 186.59 Assay 98% Store below 30°C	450.00 1557.00 7030.00	25 gm 100 gm 500 gm
C ₈ H ₇ ClO ₃ (122-88-3)			
051375	2-Chloro Phenylacetic Acid (o-chlorophenylacetic acid) M. W.: 170.6	387.00 1000.00 3303.00	25 gm 100 gm 500 gm
C ₈ H ₇ ClO ₂ (2444-36-2)			
051385	4-Chloro Phenylacetic Acid (p-chlorophenylacetic acid) M. W.: 170.6	1278.00 4402.00 POR	100 gm 500 gm 5 kg
C ₈ H ₇ ClO ₂ (1878-66-6)			
051445	3-Chloro Phenyl Boronic Acid M.W. : 156.37 Assay 98.0%	2205.00 6381.00 POR	5 gm 25 gm 500 gm
C ₆ H ₆ BClO ₂ (63503-60-6)			
051505	4-Chloro Phenyl Ethyl Alcohol (4-Chloro Phenethyl Alcohol) M. W.: 156.61	3510.00 8820.00	5 gm 25 gm
C ₈ H ₉ ClO (1875-88-3)			
051605	2-(3-Chloro Phenyl) Ethylamine M. W.: 155.62 Assay 97.0%	4370.00 12384.00	5 gm 25 gm
C ₈ H ₁₀ ClN (13078-79-0)			
051675	2-(4-Chloro Phenyl) Ethylamine M. W.: 155.62 Assay 98.0%	3160.00 6120.00	5 gm 25 gm
C ₈ H ₁₀ ClN (156-41-2)			
051725	Chloro Platonic Acid Pt 40% M. W.: 409.81 (Anhy.) Assay (Gravimetric) (as Pt) about 40%	9801.00	1 gm
H ₂ PtCl ₆ .XH ₂ O (26023-84-7)			
817410	Chloro Platonic Acid 5% Soln. W/v AR 3-Chloro-1-Propene See Allyl Chloride	8595.00	25 ml
051785	1-Chloro-2-Propanone for Synthesis M. W.: 92.53	8001.00	250 gm
C ₃ H ₅ ClO (78-95-5)			
051755	3-Chloro-1,2-Propanediol for Synthesis M. W.: 110.54	5500.00	250 gm
C ₃ H ₇ ClO ₂ (96-24-2)			
051855	2-Chloro Propionic Acid M. W.: 108.52 Assay (GC) 98.0%	1341.00 5850.00	100 ml 500 ml
C ₃ H ₅ ClO ₂ (598-78-7)			
051925	2-Chloro Propionyl Chloride M. W.: 126.97	1260.00 4500.00	100 gm 500 gm
CH ₃ CHClCOCl (7623-09-8)			
051935	3-Chloro Propionyl Chloride M. W.: 126.97	3600.00	500 ml
ClCH ₂ CH ₂ COCl (625-36-5)			
052035	2-Chloro Pyridine for Synthesis M. W.: 113.54	3006.00	500 ml
C ₅ HClN (109-09-1)			

Product Code	Product Name	Price	Packing
052045	3-Chloro Pyridine for Synthesis M. W.: 113.54	5220.00	100 ml
C ₅ HClN (626-60-8)			
052125	4-Chloro Resorcinol for Synthesis M. W.: 144.56	1242.00 5500.00	100 gm 500 gm
C ₆ H ₅ ClO ₂ (95-88-5)			
052215	5-Chloro Salicylaldehyde M. W.: 156.57 Assay 98.0%	2003.00 7803.00	5 gm 25 gm
C ₇ H ₅ ClO ₂ (635-93-8)			
052245	n-Chloro Succinimide M. W.: 133.53 Assay (iodometric) 98.0%	550.00 2255.00	100 gm 500 gm
C ₄ H ₄ ClNO ₂ (128-09-6)			
052285	Chloro Sulphonic Acid Pract M. W.: 116.52 Assay 97.0%	1017.00	500 ml
ClSO ₃ H (7790-94-5)			
494825	Chloro Sulphonic Acid AR M. W.: 116.52	3960.00	500 ml
ClSO ₃ H (7790-94-5)			
052365	o-Chloro Toluene for Synthesis (2-Chlorotoluene) M. W.: 126.58	1251.00 5202.00	500 ml 2.5 lit
C ₇ H ₇ Cl (95-49-8)			
052375	m-Chloro Toluene for Synthesis (3-chlorotoluene) M. W.: 126.58	1602.00 6003.00	250 ml 1 lit
C ₇ H ₇ Cl (108-41-8)			
052385	p-Chloro Toluene for Synthesis (4-chlorotoluene) M. W.: 126.58	1310.00 5391.00	500 ml 2.5 lit
C ₇ H ₇ Cl (106-43-4)			
	1-Chloro-p-Toluenesulphonamide Sodium Salt See Chloramine T		
052425	Chloro Trimethylsilane for Synthesis (Trimethylsilyl Chloride) M. W.: 108.64	567.00 2304.00 9603.00	100 ml 500 ml 2.5 lit
C ₃ H ₉ ClSi (75-77-4)			
	Chloro Triphenylmethane See Trityl Chloride		
495135 *	4-Chloro O-Xylene AR (CH ₃) ₂ C ₆ H ₃ Cl M. W.: 140.61 Assay 90.0%	945.00 3681.00	5 gm 25 gm
(615-60-1)			
052435	4-Chloro-m-Xylenol (PCMX) M. W.: 156.61 Assay (GC) 98.0%	4500.00	500 gm
C ₈ H ₉ ClO (88-04-0)			
PCT2145 PTC	Chlorsulfuron Plant Culture Tested M. W.: 357.8 Assay : > 95 % Store below 30°C	14860.00	100 mgm
C ₁₂ H ₁₂ ClN ₅ O ₄ S (64902-72-3)			
	3-[(3-Cholamidopropyl) Dimethylammonio]-1-Propanesulphonate See Chaps Buffer		
	3-[(3-Cholamidopropyl) Dimethylammonio]-2-Hydroxy-1-Propanesulphonate See Chapso Buffer		

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
	3-[(Cholamidopropyl) Dimethylammonio]-1-propanesulphonate See Caps Buffer		
PCT1216	PTC ▲Cholecalciferol (Vitamin D3) Plant Culture Tested M. W. : 384.64 Assay 97%	2277.00 20421.00	1 gm 10 gm
C ₂₇ H ₄₄ O (67-97-0)			
TC1029	ATC ▲Cholecalciferol (Vitamin D3) Cell Culture Tested M. W. : 384.64 Assay : ≥97%	2120.00 15930.00 35820.00	1 gm 10 gm 25 gm
C ₂₇ H ₄₄ O (67-97-0)			
052475	· Cholesterol M. W.: 386.66 Assay (GC) 95.0%	2403.00 9000.00 41000.00	25 gm 100 gm 500 gm
C ₂₇ H ₄₆ O (57-88-5)			
495315	· Cholesterol AR M. W.: 386.66 Assay (GC) 99.0%	702.00 2700.00 10710.00	5 gm 25 gm 100 gm
C ₂₇ H ₄₆ O (57-88-5)			
TC1101	ATC · Cholesterol (5-Cholesten-3β-ol) Cell Culture Tested M. W. : 386.65 Assay : ≥98%	3240.00 12942.00 37440.00	5 gm 25 gm 100 gm
C ₂₇ H ₄₆ O (57-88-5)			
052515	Cholesterol Esterase from Porcine pancreas Lyophilized powder, activity ~ 35 U/mg (sterol-ester acylhydrolase) (9026-00-0)	10422.00	10 mgm
052525	Cholesterol Oxidase Ex. Streptomyces Micro organism Lyophilized Powder, Activity ~ 15 U/mg (9028-76-6)	7452.00	500 units
817500	Cholesterol Stock Standard Soln. 0.1% Assay 0.099-0.101%	144.00	125 ml
052625	Cholic Acid for Biochemistry M. W.: 408.57 (81-25-4)	2907.00 11007.00	25 gm 100 gm
C ₂₄ H ₄₀ O ₅ (81-25-4)			
	Cholic Acid Sodium Salt See Sodium Cholate		
052695	Choline Bitartrate M.W. 253.25 Assay 99.0% (87-67-2)	2205.00	500 gm
C ₉ H ₁₉ NO ₇ (87-67-2)			
042014	Choline Chloride Pure [CH ₂ .(OH).CH ₂ .N(CH ₃) ₃]Cl M. W.:139.63 (67-48-1)	360.00 1305.00 POR	100 gm 500 gm 25 kg
PCT1203	PTC Choline Chloride Plant Culture Tested M. W.: 139.62 Assay 99% Store below 30°C (67-48-1)	351.00 1575.00	100 gm 500 gm
C ₅ H ₁₄ CINO (67-48-1)			
TC1102	ATC Choline Chloride Cell Culture Tested M. W.: 139.62 Assay : ≥97% Store below 30°C (67-48-1)	1377.00 5270.00 8343.00	100 gm 500 gm 1 kg
C ₅ H ₁₄ CINO (67-48-1)			

Product Code	Product Name	Price	Packing
052755	Choline Chloride for Feed experiments	1202.00	2.5 kg
TC1040	ATC ▲Chondroitin Sulfate A Sodium Salt Cell Culture Tested Assay : ≥90% (39455-18-0)	3690.00 13860.00	5 gm 25 gm
289525	Chromazural S (Chrome azural S, pM Indicator) (C.I. 43825) M. W.: 605.29	1305.00 2300.00	10 gm 25 gm
C ₂₃ H ₁₃ Cl ₂ Na ₃ O ₉ S (1667-99-8)			
	Chrome Alum See Chromium Potassium Sulphate		
	Chromic See Chromium		
	Chromic Acid See Chromium Trioxide		
817540	Chromium (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
817542	Chromium (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
817580	Chromium (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	5301.00 8505.00	100 ml 500 ml
817600	Chromium (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl in accordance with NIST	16020.00 48222.00	100 ml 500 ml
817620	Chromium (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5301.00 8505.00	100 ml 500 ml
817640	Chromium (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	16020.00 48222.00	100 ml 500 ml
H09738	MSURE Chromium Pieces Metal basis Cr (7440-47-3) M. W.: 51.10 Assay (Trace metals basis) 99.99%	10000.00	10 gm
495790	Chromium (Metal) Powder AR Cr At W. 52.00 Assay 99.0% (7440-47-3)	1090.00 4905.00	100 gm 500 gm
052955	Chromium (III) Acetate Tech. Cr(CH ₃ COO) ₃ (1066-30-4) M. W.: 229.13 Assay 98.0%	603.00	250 gm
052965	Chromium(III) Carbonate Tech. Cr ₂ (CO ₃) ₃ (51142-19-9) M. W.: 284.01 Assay (Cr content) 50.0-55.0%	1242.00	500 gm
052975	Chromium(III) Chloride HexahydrateTech. CrCl ₃ .6H ₂ O (10060-12-5) M. W.: 266.45	797.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
052985 CrCl ₃ ·6H ₂ O (10060-12-5)	Chromium (III) Chloride Hexahydrate M. W.: 266.45 Assay (iodometric) 96.0%	1125.00	500 gm
495820 CrCl ₃ ·6H ₂ O (10060-12-5)	Chromium (III) Chloride Hexahydrate AR (Chromic Chloride) M. W.: 266.45	1400.00	500 gm
052995 CrF ₃ (7788-97-8)	Chromium Fluoride M. W.: 108.99	1908.00	500 gm
053025 Cr(OH) ₃ ·3H ₂ O (41646-40-6)	Chromium (III) Hydroxide Tech. M. W.: 157.02 Assay 98.0%	1494.00	250 gm
053035 Cr(NO ₃) ₃ ·9H ₂ O (7789-02-8)	Chromium (III) Nitrate Tech. M. W.: 400.15	441.00	250 gm
053045 Cr(NO ₃) ₃ ·9H ₂ O (7789-02-8)	Chromium (III) Nitrate Nonahydrate M. W.: 400.15 Assay (exCr) 98.0%	1107.00	500 gm
495845 Cr(NO ₃) ₃ ·9H ₂ O (7789-02-8)	Chromium Nitrate Nonahydrate AR M. W.: 400.15	1305.00	500 gm
053055 ☆ CrC ₂ H ₂ O ₄ (814-90-4)	Chromium (II) Oxalate M. W.: 140.00	5391.00	500 gm
027757 Cr ₂ O ₃ (1308-38-9)	Chromium (III) Oxide Green M. W.: 151.99 Assay 99.0%	1566.00 14994.00	500 gm 5 kg
N09765 Cr ₂ O ₃ (1308-38-9)	Chromium Oxide Nanopowder (60nm) M. W.: 151.99 Assay 99+%	20386.00 42570.00	10 gm 100 gm
	Chromium (VI) Oxide See Chromium Trioxide		
053195 C ₁₈ H ₁₂ CrN ₃ O ₆ (14639-25-9)	Chromium Piconilate for Synthesis Confirms to USP M.W. 418.3 Assay 98%	2403.00	100 gm
027758 CrK(SO ₄) ₂ ·12H ₂ O (7788-99-0)	Chromium (III) Potassium Sulphate Dodecahydrate M. W.: 499.39 Assay (iodometric) 98.0-102.0%	963.00	500 gm
053205 CrK(SO ₄) ₂ ·12H ₂ O (7788-99-0)	Chromium Potassium Sulphate Pract M. W.: 499.39	693.00	500 gm
495900 CrK(SO ₄) ₂ ·12H ₂ O (7788-99-0)	Chromium (III) Potassium Sulphate Dodecahydrate AR/ACS M. W.: 499.39 Assay (iodometric) 99.0%	1400.00	500 gm
053225 (39380-78-4)	Chromium (III) Sulphate Tech.	401.00	500 gm
027759 Cr ₄ (SO ₄) ₅ ·(OH) ₂ (39380-78-4)	Chromium (III) Sulphate Basic M. W.: 722.30	450.00 2160.00	500 gm 2.5 kg

Product Code	Product Name	Price	Packing
027762 CrO ₃ (1333-82-0)	Chromium Trioxide Purified M. W.: 99.99 Assay (iodometric) 99.0%	1098.00 1998.00 4608.00 9198.00	500 gm 1 kg 2.5 kg 5 kg POR 50 kg
495935 CrO ₃ (1333-82-0)	Chromium Trioxide AR M. W.: 99.99 Assay 99.0%	1260.00	500 gm
	Chromoxane Cyanine R See Eriochrome Cyanine R		
289615 C ₁₆ H ₁₀ N ₂ Na ₂ O ₈ S ₂ (4197-07-3)	Chromotrope 2R for Microscopy M. W.: 468.37 Dye content (titanometry, dried) about 75.0%	450.00 900.00	10 gm 25 gm
289715 C ₁₀ H ₆ Na ₂ O ₈ S ₂ ·2H ₂ O (5808-22-0)	Chromotropic Acid Disodium Salt Dihydrate M. W.: 400.28	891.00	25 gm
289725 C ₁₀ H ₆ Na ₂ O ₈ S ₂ ·2H ₂ O (5808-22-0)	Chromotropic Acid Disodium Salt Dihydrate AR M. W.: 400.28 Assay (by acidimetry on anhydrous substances) 98.5%	950.00 1899.00	10 gm 25 gm
289865 C ₁₃ H ₁₅ N ₄ Cl (4438-16-8)	Chrysoidine R for Microscopy C.I. No. 11320 M. W.: 262.74 Dye content (titanometry, dried) abt. 65.0%	207.00 603.00	25 gm 100 gm
289915 C ₁₂ H ₁₂ N ₄ HCl (532-82-1)	Chrysoidine Y for Microscopy C.I.No. 11270 M. W.: 248.72 Dye content (titanometry, dired) abt. 90.0%	207.00 603.00	25 gm 100 gm
053335 (9004-07-3)	α-Chymotrypsin Crystalline	1220.00 3735.00 16155.00	250 mgm 1 gm 5 gm
	Cinnamic Aldehyde See Cinnamaldehyde		
	D-cinchonine see cinechonine Anhydrous		
053435 C ₁₉ H ₂₂ N ₂ O (118-10-5)	Cinchonine for Synthesis M. W.: 294.39	3303.00 12600.00	25 gm 100 gm
027772 C ₉ H ₈ O (104-55-2)	Cinnamaldehyde M. W.: 132.16 Assay (GC) 98.0%	1350.00 6400.00	500 ml 2.5 lit POR 25 lit
027773 C ₉ H ₈ O ₂ (140-10-3)	Cinnamic Acid for Synthesis M. W.: 148.16 Assay (acidimetric) 99.0%	1062.00 2007.00	250 gm 500 gm
496370 C ₉ H ₈ O ₂ (140-10-3)	Cinnamic Acid AR M. W.: 148.16 Assay (HPLC) 99.0%	1400.00	250 gm
PCT1846 PTC C ₉ H ₈ O ₂ (140-10-3)	trans-Cinnamic Acid Plant Culture Tested M. W.: 148.16 Store below 30°C	500.00 1040.00	10 gm 25 gm
053545 C ₁₁ H ₁₂ O ₂ (103-54-8)	Cinnamyl Acetate for Synthesis M. W.: 176.21	7002.00	500 gm

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
☆ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
053635 C ₉ H ₁₀ O (104-54-1)	Cinnamyl Alcohol for Synthesis (3-Phenylallyl Alcohol, 3-Phenyl-2-Propene-1-ol) M. W.: 134.17	2106.00	500 ml
053655 C ₁₇ H ₁₈ FN ₃ O ₃ .HCl.H ₂ O (86393-32-0)	- Ciprofloxacin Hydrochloride for Lab Use M.W. : 385.82 Assay (on anhydrous basis) 98.0%	441.00 1656.00 6580.00	1 gm 5 gm 25 gm
TC1447 ATC C ₁₇ H ₁₈ FN ₃ O ₃ HCl.H ₂ O (86393-32-0)	- Ciprofloxacin Hydrochloride Monoydrate Cell Culture Tested M. W.: 385.82 Assay : ≥98%	900.00 3627.00 14500.00	1 gm 5 gm 25 gm
053675 C ₁₀ H ₁₆ O (5392-40-5)	Citral (Cis+trans) M. W.: 152.23 Assay (GC) 96.0%	576.00 2800.00	100 ml 500 ml
053725 C ₆ H ₅ NO ₄ (99-11-6)	Citrazinic Acid for Synthesis M. W.: 155.11	2205.00	25 gm
053755 C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous M. W.: 192.13 Assay(acidimetric) 99.0%	594.00 4860.00 POR POR	500 gm 5 kg 25 kg 50 kg
496415 C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 192.13 Assay (Acidimetric; Cal. on anhsuy. b.) 99.5-101.0%	702.00 5508.00 POR POR	500 gm 5 kg 25 kg 50 kg
922000 MB C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous For Molecular Biology M. W.: 192.12 Assay : ≥ 99.5% Store Below 30°C	2480.00	500 gm
PCT1501 PTC C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous Plant Culture Tested M. W.: 192.12 Assay 99.7% Store below 30°C	910.00	500 gm
TC1105 ATC C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous Cell Culture Tested M. W.: 192.12 Assay : ≥97% Store below 30°C	1143.00 1737.00	100 gm 500 gm
TC1105M ATC C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 192.12 Store below 30°	2300.00 7272.00	100 gm 500 gm
027780 C ₆ H ₈ O ₇ H ₂ O (5949-29-1)	Citric Acid Monohydrate M. W.: 210.14 Assay (acidimetric) 99.5%	450.00 3501.00 POR POR	500 gm 5 kg 25 kg 50 kg
496420 C ₆ H ₈ O ₇ H ₂ O (5949-29-1)	Citric Acid Monohydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur., FCC. M. W.: 210.14 Assay (Acidimetric; Cal. on anhy. sub.) 99.5-100.5%	630.00 4995.00 POR POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
716610 C ₆ H ₈ O ₇ H ₂ O (5949-29-1)	Citric Acid Monohydrate for HPLC & Spectroscopy M. W.: 210.14 Assay (Acidimetric) 99.7%	900.00	500 gm
TC1454M ATC C ₆ H ₈ O ₇ .H ₂ O (5949-29-1)	Citric Acid Monohydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 210.14 Store below 30°C	4671.00 7002.00	500 gm 1 kg
	Citric Acid Trisodium Salt Dihydrate See tri sodium citrate		
053815 C ₁₀ H ₁₈ O (106-23-0)	Citronellal Pract. M. W.: 154.26	4689.00	500 ml
053825 C ₁₀ H ₂₀ O (106-22-9)	Citronellol Pract. M. W.: 156.27	3933.00	500 ml
053905 C ₁₂ H ₂₂ O ₂ (150-84-5)	Citronellyl Acetate for Synthesis (Citronellol Acetate) M. W.: 198.30	3879.00	500 gm
053915 C ₁₄ H ₂₆ O ₂ (141-16-2)	Citronellyl Butyrate for Synthesis (Citronellol Butyrate) M. W.: 226.36	4500.00	500 gm
053925 C ₁₁ H ₂₀ O ₂ (105-85-1)	Citronellyl Formate for Synthesis (Citronellol Formate) M. W.: 184.28	4500.00	500 gm
053975 C ₆ H ₁₃ N ₃ O ₃ (372-75-8)	L-Citrulline CHR (for Biochemistry) M.W. : 175.19 Assay (Non-aqueous) 98.0%	603.00 1305.00	10 gm 25 gm
DI095 C ₆ H ₈ O ₇ (77-92-9)	Clentorm™ MA 01 Alkaline For Industrial & Laboratory Cleaning pH 6.0 - 12.0	320.00 2421.00 POR	500 ml 5 lit 25 lit
DI100 C ₆ H ₈ O ₇ (77-92-9)	Clentorm™ MA 02 Neutral For Cleaning Laboratory Glassware Instruments pH 7.2 - 7.5	460.00 2304.00 POR	500 ml 5 lit 25 lit
DI105 C ₆ H ₈ O ₇ (77-92-9)	Clentorm™ MA 03 Phosphate Free For Specific Cleaning work in Laboratories	522.00 2520.00 POR	500 ml 5 lit 25 lit
PCT2147 PTC C ₁₈ H ₃₃ ClN ₂ O ₅ .HCl (21462-39-5)	▲Clindamycin Hydrochloride Plant Culture Tested M. W.: 461.05	5454.00	5 gm
348865 (8000-34-8)	Clove Oil for Microscopy	1278.00 4806.00	100 ml 500 ml
054055 C ₁₉ H ₁₈ ClN ₃ NaO ₅ .H ₂ O (61-72-3)	Cloxacillin for Lab Use M.W. : 475.90	1998.00	1 gm
922100 MB (9000-11-7)	CM-Cellulose Cm 32 (Dry Macrogranular) For Caution Exchange For Molecular Biology Store Below 30°C	140513.00 252900.00	500 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
817710	Cobalt (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2403.00	100 ml
		2800.00	250 ml
		4023.00	500 ml
817712	Cobalt (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	2403.00	100 ml
		2800.00	250 ml
		4023.00	500 ml
817740	Cobalt (Co) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5544.00	100 ml
		8856.00	500 ml
817770	Cobalt (Co) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	16740.00	100 ml
		50320.00	500 ml
COBALT (II) See cobalt			
054135	Cobalt Metal (Cathode) Co At. W. 58.93 (7440-48-4)	8352.00	250 gm
027786	Cobalt (Metal) Powder Co At. W. 58.93 Assay (complexometric) 99.5% (7440-48-4)	4203.00	100 gm
		19962.00	500 gm
		37000.00	1 kg
027787	Cobalt (Ous) Acetate Purified (Cobalt II Acetate) C ₄ H ₆ CoO ₄ .4H ₂ O M. W.: 249.08 Assay (complexometric) 99.0% (6147-53-1)	1400.00	100 gm
		6480.00	500 gm
		POR	50 kg
496445	Cobalt (Ous) Acetate Tetrahydrate AR/ACS (Cobalt (II) Acetate) C ₄ H ₆ CoO ₄ .4H ₂ O M. W.: 249.08 Assay (ex Co) 99.0% (6147-53-1)	1710.00	100 gm
		7560.00	500 gm
H09900	Cobalt (Ous) Acetate Tetrahydrate C ₄ H ₆ CoO ₄ .4H ₂ O M. W.: 249.08 Assay (ex Co) 99.0% (6147-53-1)	10090.00	500 gm
054185	Cobalt (Ous) Borate B ₄ CoO ₇ 10H ₂ O M. W.: 394.10 Assay (ex Co) 99.0-102.0%	4059.00	100 gm
		18099.00	500 gm
027789	Cobalt (Ous) Carbonate Purified (Cobalt (II) Carbonate) CoCO ₃ M. W.: 118.94 Assay cobalt : 45-50% (12602-23-2)	2592.00	100 gm
		11493.00	500 gm
027790	Cobalt (Ous) Chloride Hexahydrate Purified (Cobalt (II) Chloride) CoCl ₂ .6H ₂ O M. W.: 237.93 Assay (complexometric) (ex Co) 98.0%	1296.00	100 gm
		5994.00	500 gm
		POR	5 kg
		POR	50 kg
496465	Cobalt (Ous) Chloride Hexahydrate AR/ACS Reagent for zinc CoCl ₂ .6H ₂ O M. W.: 237.93 Assay (complexometric) (ex Co) 99.0-102.0% (7791-13-1)	1602.00	100 gm
		7506.00	500 gm
PCT1103	Cobalt Chloride Hexahydrate Plant Culture Tested CoCl ₂ .6H ₂ O M. W.: 237.93 Assay 99% Store below 30°C (7791-13-1)	2250.00	100 gm
		10161.00	500 gm

Product Code	Product Name	Price	Packing
TC1107	Cobalt Chloride Hexahydrate Cell Culture Tested CoCl ₂ .6H ₂ O M. W.: 237.93 Assay : ≥98% Store below 30°C (7791-13-1)	3960.00	25 gm
		10350.00	100 gm
PA0190	Cobalt Chloride Paper	333.00	200 lvs
054215	Cobalt Naphthenate (6% Co) for Synthesis Assay (CO) 5.8-6.2% (61789-51-3)	1251.00	500 gm
		11120.00	5 kg
027795	Cobalt (Ous) Nitrate Hexahydrate Purified (Cobalt (II) Nitrate) Co(NO ₃) ₂ .6H ₂ O M. W.: 291.03 Assay (complexometric) (ex Co) 97.0-101.0% (10026-22-9)	1098.00	100 gm
		4392.00	500 gm
		POR	25 kg
496475	Cobalt (Ous) Nitrate Hexahydrate AR/ACS (Cobalt (II) Nitrate) Co(NO ₃) ₂ .6H ₂ O M. W.: 291.03 Assay (complexometric) 99.0% (10026-22-9)	1350.00	100 gm
		4806.00	500 gm
PCT1120	Cobalt Nitrate Hexahydrate Plant Culture Tested Co(NO ₃) ₂ .6H ₂ O M. W.: 291.03 Assay 99% Store below 30°C (10026-22-9)	2025.00	100 gm
		5076.00	250 gm
		9126.00	500 gm
054325	Cobalt (Ous) Oxalate Dihydrate CoC ₂ O ₄ .2H ₂ O M. W.: 182.95 Assay (ex Co) 99.0-101.0% (5965-38-8)	2700.00	100 gm
		9000.00	500 gm
H10053	Cobalt Oxide Co ₃ O ₄ M. W.: 240.80 Assay (Trace metal basis) 99.995% (1308-06-1)	9324.00	10 gm
054355	Cobalt Oxide Black (II & III) Co ₃ O ₄ M. W.: 240.80 Assay (complexometric) 70.0% (1308-06-1)	3105.00	100 gm
		13500.00	500 gm
496485	Cobalt Oxide Black AR (II & III) Co ₃ O ₄ M. W.: 240.80 Assay (by complexometric Co) 71.0-74.0% (1308-06-1)	3402.00	100 gm
		15003.00	500 gm
054375	Cobalt (Ous) Phosphate Octahydrate Purified Co ₃ (PO ₄) ₂ .8H ₂ O M. W.: 510.87 Assay (ex Co) 98.0% (10294-50-5)	2772.00	100 gm
		11079.00	500 gm
027801	Cobalt (Ous) Sulphate Heptahydrate (Cobalt (II) Sulphate) CoSO ₄ .7H ₂ O M. W.: 281.10 Assay (complexometric) 98.0% (10026-24-1)	918.00	100 gm
		4194.00	500 gm
PCT1414	▲ Coconut Water Sterile filtered Plant Culture Tested	1026.00	100 ml
		3600.00	5X100 ml
Cocktail's For Scintillation			
818205	Cocktail 'O' Scintillation Grade Contents per litre 6gm PPO and 0.2gm POPOP	1000.00	1 lit
		2003.00	2.5 lit
818215	Cocktail 'T' Scintillation Grade Contents per litre 5gm PPO and 0.15gm POPOP in toluene	936.00	1 lit
		1935.00	2.5 lit

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

C

Laboratory Chemicals

Product Code	Product Name	Price	Packing
818225	Cocktail 'W' Scintillation Grade Contents per litre 10 gm PPO, 0.25gm POPOP and 100 gm Naphthalene in 1,4-dioxan	2043.00 4770.00	1 lit 2.5 lit
054425 (68411-97-2)	Cocobetaine	2349.00	500 gm
054455 (68603-42-9)	Cocodiethanolamide	1602.00	500 gm
054485 (68140-00-1)	Cocomonoethanolamide	1305.00	500 gm
054585 (303-98-0)	Coenzyme Q10	730.00 5553.00 10863.00	100 mg 1 gm 5 gm
PCT2553	Colcemid Plant Culture Tested M. W.: 371.43 Store below 30°C	10900.00 21420.00 117900.00	5 mg 10 mg 50 mg
C ₂₁ H ₂₅ NO ₅ (477-30-5)			
TC1566	▲Colcemid® Demecolcine Cell Culture Tested M. W.: 371.43 Assay : ≥95%	12870.00 23680.00 108950.00	5 mg 10 mg 50 mg
C ₂₁ H ₂₅ NO ₅ (477-30-5)			
K012305	Cold Stain TB Kit For Mycobacteria	2570.00	1 kit
027805	Colchicine Used in Research in Plant M. W.: 399.45 Assay (on anhydrous, substance) 98.0%	2601.00 24003.00	1 gm 10 gm
C ₂₂ H ₂₅ NO ₆ (64-86-8)			
PCT2302	Colchicine Plant Culture Tested MW: 399.44 Assay 95% Store below 30°C	2907.00 27000.00	1 gm 10 gm
C ₂₂ H ₂₅ NO ₆ (64-86-8)			
TC1030	Colchicine Cell Culture Tested M. W.: 399.44 Assay : ≥95% Store below 30°C	2520.00 4203.00 38430.00	500 mg 1 gm 10 gm
C ₂₂ H ₂₅ NO ₆ (64-86-8)			
PCT2142	▲Colistin Sulphate Plant Culture Tested Potency : > 19.000 units / mg	4752.00 19009.00	1 gm 5 gm
(1264-72-8)			
TC1211	▲Collagenase Type I Source : Clostridium histolyticum Suggested for epithelial, liver, lung and adrenal primary cell isolations Cell Culture Tested Activity : ≥125 units per mg of dry weight M. W.: 68- 130 kDa	7416.00 29403.00 44100.00 208440.00	100 mg 500 mg 1 gm 5 gm
(9001-12-1)			
TC1212	▲Collagenase Type II Clostridopeptidase A) Source : Clostridium histolyticum Suggested for bone, heart, liver, thyroid and salivary primary cell Isolation Cell Culture Tested Activity : ≥125 units per mg of dry weight	7061.00 28009.00 42012.00 198500.00	100 mg 500 mg 1 gm 5 gm
(9001-12-1)			

Product Code	Product Name	Price	Packing
TC1214 (9001-12-1)	▲Collagenase Type IV Source : Clostridium histolyticum Prepared to contain lower tryptic activity levels to limit damage to membrane proteins and receptors but with normal to above normal collagenase activity, Suggested for pancreatic islet primary isolation Cell Culture Tested Activity : ≥160 units per mg (dry weight basis)	7061.00 28009.00 42012.00 198531.00	100 mg 500 mg 1 gm 5 gm
TC1280 (9001-12-1)	▲Collagenase Animal Origin Free Cell Culture Tested Activity : ≥150 units per mg of dry weight	8352.00 38070.00 60930.00	100 mg 500 mg 1 gm
TC1253 (9001-12-1)	▲Collagenase Purified 50 Caseinase units/mg Chromatographically purified collagenase which is specially purified to reduce caseinase activity and provide high specific activity. It is typically used for pancreatic and parotid acini isolations and collagen structural analysis Cell Culture Tested Activity : ≥500 U/mg dry basis	39420.00	10000 Units
TC1343 (9001-12-1)	Collagen Peptide Hydrolysed form of collagen type I Cell Culture Tested Assay : 90% Store below 30°C	4410.00 6615.00 11570.00	5 gm 10 gm 25 gm
818805	Collodion 7%	900.00	500 ml
054935	2,4,6 -Collidine for Synthesis (2,4,6-Trimethyl Pyridine) M. W.: 121.18	1926.00 9000.00	100 ml 500 ml
C ₈ H ₁₁ N (108-75-8)			
818790	Collodion 2% in Amyl Acetate For Microscopy	693.00	500 ml
818800	Collodion 4%	720.00	500 ml
818810 (9004-70-0)	Collodion Flexible	1400.00	500 ml
	Colophony See Gum Rosin		
818830	Conductivity Standard 5 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818833	Conductivity Standard 10 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818836	Conductivity Standard 15 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818839	Conductivity Standard 20 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
818842	Conductivity Standard 25 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818845	Conductivity Standard 29.4 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818848	Conductivity Standard 50 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818851	Conductivity Standard 70 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818855	Conductivity Standard 75 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818858	Conductivity Standard 84 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818861	Conductivity Standard 100 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818864	Conductivity Standard 147 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818867	Conductivity Standard 185 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818870	Conductivity Standard 200 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818873	Conductivity Standard 250 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818876	Conductivity Standard 300 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818879	Conductivity Standard 390 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818882	Conductivity Standard 400 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818885	Conductivity Standard 500 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818888	Conductivity Standard 600 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818891	Conductivity Standard 718 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818894	Conductivity Standard 1000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818987	Conductivity Standard 1412 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818900	Conductivity Standard 1413 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818903	Conductivity Standard 2000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml

Product Code	Product Name	Price	Packing
818906	Conductivity Standard 2060 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818909	Conductivity Standard 2500 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818912	Conductivity Standard 3000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818915	Conductivity Standard 5000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818918	Conductivity Standard 7000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818921	Conductivity Standard 10000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818924	Conductivity Standard 12880 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818927	Conductivity Standard 13250 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818930	Conductivity Standard 13400 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818933	Conductivity Standard 15000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818936	Conductivity Standard 20000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818939	Conductivity Standard 30000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818942	Conductivity Standard 35000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818945	Conductivity Standard 40000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818948	Conductivity Standard 50000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818951	Conductivity Standard 58700 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818954	Conductivity Standard 60000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818957	Conductivity Standard 80000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818960	Conductivity Standard 84000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818963	Conductivity Standard 100000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818966	Conductivity Standard 111800 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml

C
Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
 ✪ Delivery Period 4-6 Weeks
 ⚙ Supply Only to End User

C

Laboratory Chemicals

Product Code	Product Name	Price	Packing
818969	Conductivity Standard 150000 CRISTAR® 4320.00 500 ml Microsiemense in accordance with NIST		
818976	Conductivity Standard 200000 CRISTAR® 4320.00 500 ml Microsiemense in accordance with NIST		
818979	Conductivity Standard 300000 CRISTAR® 4320.00 500 ml Microsiemense in accordance with NIST		
818982	Conductivity Standard 500000 CRISTAR® 4320.00 500 ml Microsiemense in accordance with NIST		
TC1220	ATC - Concanavalin A Cell Culture Tested Assay : ≥90% Store at - 2-8°C	2331.00 6840.00	25 mg 100 mg
(11028-71-0)			
TC1411	ATC Conglobatin (3Z,5R,7S,8S,11Z,13R,15S,16S)- 3,5,7,11,13,15- hexamethyl-8, 16-bis (1, 3-oxazol-5-ylmethyl)-1,9- Dioxacyclohexadeca-3,11-diene-2,10-dione Cell Culture Tested M. W.: 498.61 Assay : ≥95% Store at - 20°C	29340.00	1 mg
C ₂₈ H ₃₈ N ₂ O ₆ (72263-05-9)			
290065	Congo Red Indicator C.I. No. 22120 M. W.: 696.68	270.00 603.00 4500.00	25 gm 100 gm 1 kg
C ₃₂ H ₂₂ N ₆ Na ₂ O ₆ S ₂ (573-58-0)			
PA0210	Congo Red Paper	360.00	200 lvs
819040	Congo Red Solution	144.00	125 ml
819045	Congo Red TS acc.to USP	261.00	125 ml
290165	Coomassie Brilliant Blue G for Electrophoresis (Brilliant Blue G 250) C.I. No. 42655 M W.: 854.04	680.00 2502.00	5 gm 25 gm
C ₄₇ H ₄₈ N ₃ O ₇ S ₂ Na (6104-58-1)			
922460	MB Coomassie® Brilliant Blue G - 250 For Molecular Biology C. I. No. : 42655 M. W.: 854.02 Store Below 30°C	1485.00 6840.00	5 gm 25 gm
C ₄₇ H ₄₈ N ₃ NaO ₇ S ₂ (6104-58-1)			
290195	Coomassie Brilliant Blue R 250 C.I. 42660 For Electrophoresis M. W.: 825.99	531.00 2007.00	5 gm 25 gm
C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ (6104-59-2)			
922510	MB Coomassie Brilliant Blue R 250 For Molecular Biology C. I. No. : 42660 M. W.: 825.97 Store Below 30°C	1746.00 2763.00 10800.00	5 gm 25 gm 100 gm
C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ (6104-59-2)			
H10245	Coomassie Brilliant Blue R 250 C.I. 42660 For Certified Grade M. W.: 825.97	3006.00	5 gm
C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ (6104-59-2)			
819100	Copper (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Product Code	Product Name	Price	Packing
819102	Copper (Cu) Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
819150	Copper (Cu)1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃	5301.00 8505.00	100 ml 500 ml
819180	Copper (Cu)10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃	16020.00 48200.00	100 ml 500 ml
027810	Copper (Metal) Powder 325 mesh Electrolytic At W. 63.55 Assay (iodometric) 99.5%	3060.00 POR	500 gm 25 kg
Cu (7440-50-8)			
496595	Copper (Metal) Powder Fine AR At. W. 63.55 Assay (iodometric) 99.7%	3510.00	500 gm
Cu (7440-50-8)			
N10368	Copper Nanopowder (40nm) At. W. 63.55 Assay 99.9%	12006.00 36000.00	5 gm 25 gm
Cu (7440-50-8)			
027812	Copper (Metal) Turning At W. 63.55 Assay (iodometric) 99.5%	594.00 2800.00	100 gm 500 gm
Cu (7440-50-8)			
055125	Copper Foil tech. M. W.: 63.55 Assay (Iodometric) 99.5%	576.00	100 gm
Cu (7440-50-8)			
027808	Copper Foil 0.1 mm Approx. At W. 63.55 Assay (iodometric) 99.7%	4806.00	500 gm
Cu (7440-50-8)			
496605	Copper Foil Approx. 0.1 mm AR At W. 63.55	5103.00	500 gm
Cu (7440-50-8)			
819280	Copper Acetate TS acc. to USP	306.00	500 ml
027829	Copper (II) Acetate Monohydrate C ₄ H ₆ CuO ₄ .H ₂ O M. W.: 199.65 Assay (iodometric) 98.0%	1053.00 1800.00 POR	250 gm 500 gm 25 kg
C ₄ H ₆ CuO ₄ .H ₂ O (6046-93-1)			
496630	Copper (II) Acetate Monohydrate AR C ₄ H ₆ CuO ₄ .H ₂ O M. W.: 199.65 Assay (iodometric) 99.0%	1602.00	250 gm
C ₄ H ₆ CuO ₄ .H ₂ O (6046-93-1)			
923560	MB Copper Acetate Monohydrate For Molecular Biology M. W.: 199.65 Assay : ≥ 98.0% Store Below 30°C	360.00 550.00 2223.00	50 gm 100 gm 500 gm
(CH ₃ COO) ₂ Cu.H ₂ O (6046-93-1)			
027830	Copper (II) Borate (39290-85-2) Assay 95.0%	2700.00	250 gm
055225	Copper (II) Bromide for Synthesis CuBr ₂ (7789-45-9) M. W.: 223.35	4600.00	500 gm
CuBr ₂ (7789-45-9)			
027833	Copper (II) Carbonate Purified CuCO ₃ .Cu(OH) ₂ M.W.:221.12 Assay (as Copper) (Iodometric): 54.0-57.0% POR	1800.00 POR	500 gm 25 kg 50 kg
CuCO ₃ .Cu(OH) ₂ (12069-69-1)			
055255	Copper (II) Chloride Anhydrous CuCl ₂ (7447-39-4) M. W.: 134.45 Assay (iodometric) 98.0%	1503.00	500 gm
CuCl ₂ (7447-39-4)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
496655 CuCl ₂ (7447-39-4)	Copper (II) Chloride Anhydrous AR M. W.: 134.45 Assay (iodometric) 98.0%	2340.00	500 gm
027834 CuCl ₂ .2H ₂ O (10125-13-0)	Copper (II) Chloride Dihydrate Cryst. M. W.: 170.48 Assay (iodometric) (ex Cu) 99.0%	1413.00 POR POR	500 gm 25 kg 50 kg
496660 CuCl ₂ .2H ₂ O (10125-13-0)	Copper (II) Chloride Dihydrate AR M. W.: 170.48 Assay (Iodometric) (ex Cu) 99.0-100.5%	1890.00 POR	500 gm 25 kg
TC1108 ATC CuCl ₂ .2H ₂ O (10125-13-0)	Copper (II) Chloride Dihydrate (Cupric chloride dihydrate) Cell Culture Tested M. W.: 170.48 Assay : ≥99% Store below 30°C	1206.00 4266.00	100 gm 500 gm
TC1108M ATC CuCl ₂ .H ₂ O (10125-13-0)	Copper (II) Chloride Dihydrate Cupric chloride; Copper(II) chloride Meets USP 41-NF 36 testing specifications M. W.: 170.48 Store below 30°C	3024.00 9081.00	100 gm 500 gm
819300	Copper (II) Chloride 0.3M Solution (Cupric Chloride 0.3M Solution)	720.00 1323.00 1989.00	500 ml 1 lit 2.5 lit
055285 2CuO.Cr ₂ O ₃ (12053-18-8)	Copper Chromite for Synthesis M. W.: 311.08	4167.00 18720.00	500 gm 2.5 kg
055305 C ₆ H ₄ Cu ₂ O ₇ ·2½H ₂ O (10402-15-0)	Copper (II) Citrate Hemipentahydrate M. W.: 360.19 Assay 99.0-101.0%	2106.00	500 gm
819320 C ₄ H ₁₈ CuN ₄ O ₂ (14552-35-3)	Copper (II) Ethylenediamine Complex, 1M Solution In Water M.W : 217.76	4510.00	1 lit
	Copper (II) Hydroxide Carbonate See Copper(II) Carbonate		
055355 (1338-02-9)	Copper Napthenate	2997.00	500 gm
027839 Cu(NO ₃) ₂ .3H ₂ O (10031-43-3)	Copper (II) Nitrate Trihydrate M. W.: 241.60 Assay (Iodometric) (ex Cu) 99.0%	801.00 1450.00 POR	250 gm 500 gm 50 kg
496685 Cu(NO ₃) ₂ .3H ₂ O (10031-43-3)	Copper (II) Nitrate Trihydrate AR/ACS M. W.: 241.60 Assay (by (Iodometry) 99.5%	1602.00	500 gm
027842 CuC ₂ O ₄ (814-91-5)	Copper (II) Oxalate M. W.: 151.56 Assay 98.0%	1845.00	500 gm
496700 CuO (1317-38-0)	Copper Oxide WIRE AR for Elementary Analysis M.W.: 79.54	5103.00	100 gm
027843 CuO (1317-38-0)	Copper (II) Oxide Powder M. W.: 79.55 Assay (Iodometric) 97.0%	770.00 3402.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
496710 CuO (1317-38-0)	Copper (II) Oxide Powder AR/ACS Suitable for Elementary Analysis M. W.: 79.55 Assay (Iodometric) 99.0%	882.00 3906.00	100 gm 500 gm
H10542 REBUR Cu ₂ O (1317-39-1)	Copper Oxide AR M. W.: 143.08 Assay (Based on trace metal analysis) 99.9%	6210.00	25 gm
H10539 REBUR CuO (1317-38-0)	Copper (II) Oxide AR M. W.: 79.55 Assay (Based on trace metal analysis) 99.995%	9109.00	25 gm
N10450 CuO (1317-38-0)	Copper Oxide Nanopowder/ Nanoparticles (40nm) M. W.: 79.55 Assay 99%	1900.00 5436.00 9963.00	5 gm 25 gm 100 gm
027841 (7798-23-4)	Copper (II) Phosphate	747.00	250 gm
027850 CuSO ₄ (7758-98-7)	Copper (II) Sulphate Anhydrous M. W.: 159.61 Assay 99.0%	1620.00	500 gm
496780 CuSO ₄ (7758-98-7)	Copper (II) Sulphate Anhydrous AR (Cupric Sulphate Anhydrous) M.W. 159.60 Assay 99%	1980.00	500 gm
TC1609M ATC CuSO ₄ (7758-98-7)	Copper (II) Sulphate Anhydrous Cupric (II)sulphate Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 159.61 Store below 30°C	1809.00 6048.00	100 gm 1 kg
027849 CuSO ₄ .5H ₂ O (7758-99-8)	Copper (II) Sulphate Pentahydrate M. W.: 249.68 Assay (iodometric) 99.0%	837.00 1503.00 7002.00 POR	500 gm 1 kg 5 kg 50 kg
496775 CuSO ₄ .5H ₂ O (7758-99-8)	Copper (II) sulphate Pentahydrate AR /ACS M. W.: 249.68 Assay (Iodometric) 99.5%	900.00 7992.00 POR	500 gm 5 kg 50 kg
922780 MB CuSO ₄ .5H ₂ O (7758-99-8)	Copper (II) Sulphate Pentahydrate For Molecular Biology M. W.: 249.69 Assay : ≥ 99.5% Store Below 30°C	252.00 1000.00	100 gm 500 gm
PCT1104 PTC CuSO ₄ .5H ₂ O (7758-99-8)	Copper (II) Sulphate Pentahydrate Plant Culture Tested M. W.: 249.69 Assay 99.5% Store below 30°C	612.00 1112.00	250 gm 500 gm
TC1003 ATC CuSO ₄ .5H ₂ O (7758-99-8)	Copper (II) Sulphate Pentahydrate (Cupric sulphate pentahydrate) Cell Culture Tested M. W.: 249.69 Assay : ≥98.5% Store below 30°C	1422.00 2570.00	500 gm 1 kg

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

C

Laboratory Chemicals

Product Code	Product Name	Price	Packing
TC1003M	ATC Copper (II) Sulphate Pentahydrate Cupric sulphate pentahydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 249.69 Store below 30°C	3024.00	500 gm
		5571.00	1 kg
	CuSO ₄ ·5H ₂ O (7758-99-8)		
819380	Copper (II) Sulphate CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
819390	Copper Sulphate TS acc. to USP	351.00	500 ml
055535	Copper (II) Sulphide (Cupric Sulphide) M. W.: 95.61 Corn Oil See Oil Corn Cortisol See Hydrocortisone	3006.00	500 gm
	CuS (1317-40-4)		
055580	Cotton Blue for Microscopy M. W.: 799.80	882.00	25 gm
	C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ (28983-56-4)	2800.00	100 gm
859260	Cotton Blue Lactophenol Solution	414.00	500 ml
027816	Coumarin for Synthesis M. W.: 146.15	1800.00	250 gm
		3105.00	500 gm
	C ₉ H ₆ O ₂ (91-64-5)		
	Cream of Tartar See Potassium Hydrogen (+) Tartrate Creatine phosphate disodium salt See Creatine phosphoric acid disodium salt		
037047	Creatine (Monohydrate) M. W.: 149.15	315.00	25 gm
		950.00	100 gm
		9000.00	1 kg
	C ₄ H ₉ N ₃ O ₂ H ₂ O (6020-87-7)		
498365	Creatine Phosphoric Acid Disodium Salt AR (Creatine Phosphate Disodium Salt, Phosphocreatine) M. W.: 327.15 Assay 98.0%	1400.00	1 gm
		5000.00	5 gm
	C ₄ H ₈ N ₃ Na ₂ O ₅ P ₄ H ₂ O (922-32-7)		
037049	Creatinine Pure M. W.: 113.12 Assay (Non aqueous) 99.0%	792.00	25 gm
		2790.00	100 gm
		21960.00	1 kg
	C ₄ H ₇ N ₃ O (60-27-5)		
498400	Creatinine AR for determination of Creatine in Blood M. W.: 113.12 Assay (Non-aqueous; dried basis) 99.5%	950.00	25 gm
		2880.00	100 gm
		25002.00	1 kg
	C ₄ H ₇ N ₃ O (60-27-5)		
819600	Creatinine Standard Solution Concentration 0.0099-0.011mg/lit	140.00	125 ml
055715	Creatinine Hydrochloride for Biochemistry M. W.: 149.58 Assay (argentometric) 99.5%	855.00	25 gm
		2943.00	100 gm
	C ₄ H ₇ N ₃ O.HCl (19230-81-0)		
037051	Creatinine Zinc Chloride M. W.: 226.00	1098.00	10 gm
		22600.00	250 gm
	(62708-52-5)		
055785	Creosote Beechwood	4500.00	500 gm
	(8021-39-4)		

Product Code	Product Name	Price	Packing
055875	Cresol Mixed (Cresylic Acid) M. W.: 108.14	1251.00	500 ml
		5500.00	2.5 lit
	C ₇ H ₈ O (1319-77-3)		
027820	m-Cresol M. W.: 108.14 Assay (GC) 98.0%	2205.00	500 ml
		9891.00	2.5 lit
			POR 25 lit
	C ₇ H ₈ O (108-39-4)		
498445	m-Cresol 99% AR/ACS M. W.: 108.14 Assay (GC) 99.0%	2403.00	500 ml
	C ₇ H ₈ O (108-39-4)		
027818	o-Cresol M. W.: 108.14 Assay (GC) 99.0%	882.00	500 ml
		3807.00	2.5 lit
			POR 25 lit
	C ₇ H ₈ O (95-48-7)		
027821	p-Cresol M. W.: 108.14 Assay (GC) 98.0%	1197.00	500 gm
		4905.00	2.5 kg
			POR 25 kg
	C ₇ H ₈ O (106-44-5)		
290295	o-Cresolphthaleine pH Indicator M. W.: 346.39	261.00	5 gm
		792.00	25 gm
		2403.00	100 gm
	C ₂₂ H ₁₈ O ₄ (596-27-0)		
290305	o-Cresolphthaleine Complexone (Phthalein Purple) M.W.: 636.62	500.00	1 gm
		2403.00	5 gm
	C ₃₂ H ₃₂ N ₂ O ₁₂ (2411-89-4)		
819650	o-Cresolphthalein pH Indicator Solution (pH transition 8.2 (colorless) to 10.4 (red))	261.00	100 ml
	C ₂₁ H ₁₈ O ₅ S (2303-01-7)		
290355	m-Cresol Purple pH Indicator AR M. W.: 382.43	360.00	1 gm
	C ₂₁ H ₁₈ O ₅ S (2303-01-7)	1400.00	5 gm
819700	m-Cresol Purple Solution	117.00	125 ml
290415	Cresol Red Indicator AR M.W.: 382.44	280.00	5 gm
		900.00	25 gm
	C ₂₁ H ₁₈ O ₅ S (1733-12-6)		
819740	Cresol Red Indicator Solution Cresol and Soap Solution See Lysol Cresyl Blue See Brilliant Cresyl Blue p-Cresyl methyl ether See 4-methylanisole Cresylic Acid See Cresol (mixed isomers)	113.00	125 ml
	C ₁₈ H ₁₅ N ₃ O ₃ (10510-54-0)		
055745	Cresyl Violet (Acetate) for Microscopy M. W.: 321.33	702.00	1 gm
		2601.00	5 gm
	C ₁₈ H ₁₅ N ₃ O ₃ (10510-54-0)		
DI065	Criton™ X100 M. W.: 646.87 Assay (iodometric) 98-021%	819.00	500 ml
		3501.00	2.5 lit
			POR 25 lit
	C ₃₄ H ₆₂ O ₁₁ (9002-93-1)		
716990	Criton™ X100 Scintillation Grade M. W.: 646.87 Assay (iodometric) 98-102%	927.00	500 ml
		3906.00	2.5 lit
	C ₃₄ H ₆₂ O ₁₁ (9002-93-1)		
923500	Criton™ X100 for Molecular Biology M. W.: 646.87	558.00	50 ml
		891.00	100 ml
		4356.00	500 ml
	C ₃₄ H ₆₂ O ₁₁ (9002-93-1)		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1286	ATC Criton® X-100 Cell Culture Tested M. W.: 646.87	3349.00 5004.00	100 ml 500 ml
C ₃₄ H ₆₂ O ₁₁ (9002-93-1)	Store below 30°C		
055925	Crotonaldehyde for Synthesis M. W.: 70.1 Assay 99.0%	1400.00 5904.00	500 ml 2.5 lit
C ₄ H ₆ O (123-73-9)	POR 25 lit		
055955	Crotonic Acid M. W.: 86.09 Assay (GC) 98.0%	630.00 2745.00	100 gm 500 gm
C ₄ H ₆ O ₂ (107-93-7)			
055965	Crown Ether /Benzo-15-Crown-5 for Synthesis M. W.: 268.31	2043.00 9054.00	5 gm 25 gm
C ₁₄ H ₂₀ O ₅ (14098-44-3)			
055985	Crown Ether /15-Crown-5 for Synthesis M. W.: 220.26	1503.00 5643.00	5 gm 25 gm
C ₁₀ H ₂₀ O ₅ (33100-27-5)			
056005	18-Crown-6-Ether for Synthesis M. W.:264.32 Assay (GC) 99.0%	900.00 3006.00 14400.00	25 gm 100 gm 500 gm
C ₁₂ H ₂₄ O ₆ (17455-13-9)			
055995	Crown Ether / Dibenzo-18-Crown-6 for Synthesis(Dibenzo 18-Crown-6) M. W.: 360.40	891.00 3843.00	5 gm 25 gm
C ₂₀ H ₂₀ O ₆ (14187-32-7)			
027825	Cryolite Powder (Sodium Hexafluoro Aluminate) M. W.: 209.94 Assay (Gravimetric) (ex F) 97.0%	550.00 2205.00	500 gm 2.5 kg
Na ₃ AlF ₆ (15096-52-3)	POR 25 kg		
290555	Crystal Violet for Microscopy C.I. No. 42555 M.W.:407.99 Dye content (Titanometry, on dried subs.) 88.0%	657.00 2205.00 10000.00 18000.00	25 gm 100 gm 500 gm 1 kg
C ₂₅ H ₃₀ ClN ₃ (548-62-9)			
290575	Crystal Violet AR/ACS for Microscopy C.I. No. 42555 Dye content (Titanometry, on dried subs.) 96.0%	756.00 2502.00	25 gm 100 gm
(548-62-9)			
819900	Crystal Violet for Microscopy Staining Solution Oxalated	144.00	125 ml
819905	Crystal Violet 1% w/v in Glacial Acetic Acid (For Non-Aqueous Titration)	297.00	100 ml
819960	C.S.F. Diluting Fluid	108.00	125 ml
056080	Cumene Hydroperoxide for Synthesis Assay 70.0%	1044.00 3393.00	100 ml 500 ml
(80-15-9)			
499660	Cupferron AR M.W.: 155.16 Assay (Acidimetric) (NH ₄) 97.0%	684.00 2520.00	25 gm 100 gm
C ₆ H ₉ N ₃ O ₂ (135-20-6)			
	Cupric Bromide See Copper (II) Bromide		
	Cupric (I) Compound See Cuprous Compound		
	Cupric (II) Compounds See Copper Compounds		
	Cupric Sulphide See Copper (II) Sulphide		

Product Code	Product Name	Price	Packing
	Cuprizon See BIS-cyclohexanone oxalyl dihydrazone		
	Cuproin AR See 2,2'-Biquinoyl AR		
	Cupron See a-Benzoin-Oxime		
056165	Cuprous Bromide Anhydrous CuBr (7787-70-4)	828.00 3357.00	100 gm 500 gm
	M. W.: 143.45 Assay (redox titration) 97.0%		
027854	Cuprous Chloride (Copper I Chloride) CuCl (7758-89-6)	1701.00 3105.00	500 gm 1 kg
	M. W.: 99.00 Assay (by Iodometric titration of reductive Capacity of cul) 96.0%	POR 25 kg	
499705	Cuprous Chloride AR/ACS CuCl (7758-89-6)	2502.00	250 gm
	M. W.: 99.00 Assay (by cerimetry) 97.0%		
056185	Cuprous Cyanide for Synthesis [Copper (I) Cyanide] CuCN (544-92-3)	2601.00	500 gm
	M. W.: 89.56		
056195	Cuprous Iodide for Synthesis (Copper (I) Iodide) CuI (7681-65-4)	2440.00 11520.00	100 gm 500 gm
	M. W.: 190.45		
027858	Cuprous Oxide Red (Copper I Oxide) Cu ₂ O (1317-39-1)	2601.00	500 gm
	M. W.: 143.08 Assay (as Cu ₂ O) 94.0%		
056220	Cuprous Potassium Cyanide C ₂ CuKN ₂ (13682-73-0)	3200.00	500 gm
	M.W :154.67		
290625	Curcumin Crystalline C.I. 75300 M. W.: 368.39 Assay (HPLC mix of curcumin) 95.0%	603.00 1103.00	5 gm 10 gm
C ₂₁ H ₂₀ O ₆ (458-37-7)			
820000	Curcumin Reagent Solution (Reagent for Boron & For TLC Derivatization)	230.00	100 ml
056270	Cween 20 (9005-64-5)	1089.00	500 ml
		POR POR	25 lit 200 lit
H10836	Cween 20 (Confirms to Pharma Grade) M.W.1227.72	1296.00	500 ml
C ₅₈ H ₁₁₄ O ₂₆ (9005-64-5)			
923600	Cween 20 for Molecular Biology (Polyoxyethylene (20) Sorbitan Monolaurate) M.W. 1227.72	4311.00	100 ml
C ₅₈ H ₁₁₄ O ₂₆ (9005-64-5)		POR	5x100 ml
PCT2310	Cween® 20 Plant Culture Tested (9005-64-5)	1431.00	500 ml
	Store below 30°C		
TC1287	ATC Cween 20 (See: Polysorbate 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C	2160.00 4545.00	100 ml 5x100 ml
(9005-64-5)			

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
C TC1287M	ATC Cween 20 (See: Polysorbate 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications Store below 30°C	2790.00	100 ml
		8352.00	5x100 ml
(9005-64-5)			
056280	Cween 40	1197.00	500 gm
(9005-64-8)		9504.00	5 kg
056290	Cween 60	963.00	500 ml
(9005-67-8)			
056300	Cween 80	954.00	500 ml
(9005-65-6)	Meets Analytical Specification of IP, BP, USP, Ph. Eur.	4100.00	2.5 lit
		POR	25 lit
		POR	200 lit
H10863	HISURE Cween 80 (Polyoxyethylene (20) Sorbitan Monooleate) Confirming to BP, USP	1170.00	500 ml
(9005-65-6)		5040.00	2.5 lit
PCT2513	PTC Cween® 80 Plant Culture Tested	460.00	100 ml
(9005-65-6)	Store below 30°C	1494.00	500 ml
TC1543M	ATC Cween 80 (See: Polysorbate 80) Polyoxyethylene 20 sorbitan monooleate Meets USP and EP testing specifications Store below 30°C	1656.00	100 ml
(9005-65-6)		3726.00	500 ml
056345	Cyanoacetamide for Synthesis (2-Cyanoacetamide)	702.00	100 gm
NCCH ₂ CONH ₂ (107-91-5)	M. W.: 84.08	2502.00	500 gm
056445	Cyanoacetic Acid for Synthesis	5202.00	500 gm
C ₃ H ₃ NO ₂ (372-09-8)	M.W.: 85.06	9504.00	1 kg
499945	4-Cyanobenzaldehyde AR	747.00	5 gm
NCC ₆ H ₄ CHO (105-07-7)	M. W.: 131.13	2601.00	25 gm
		9504.00	100 gm
056525	- Cyanocobalamin for Biochemistry (Vitamin B12)	851.00	250 mgm
C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P (68-19-9)	M. W.: 1355.38 Assay (by Spectrophotometry) (on dried material) 96.0%	3006.00	1 gm
PCT1204	PTC ▲Cyanocobalamin (Vitamin B12) Plant Culture Tested	1260.00	250 mg
C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P (68-19-9)	M. W.: 1355.37 Assay 97%	4343.00	1 gm
TC1183	ATC ▲Cyanocobalamin (See: Vitamin B12) Cell Culture Tested	1369.00	100 mg
C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P (68-19-9)	M. W.: 1355.37 Assay : ≥96%	2052.00	250 mg
		5157.00	1 gm
		15490.00	5 gm
TC1183M	ATC ▲Cyanocobalamin (See: Vitamin B12) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	3033.00	100 mg
C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P (68-19-9)	M. W.: 1355.37	3870.00	250 mg
		6490.00	1 gm
		24260.00	5 gm

Product Code	Product Name	Price	Packing
056565	- Cyanogen Bromide for Synthesis	1800.00	100 gm
CNBr (506-68-3)	M. W.: 105.93 Assay (Iodometric) 98.0%	8010.00	500 gm
	1-Cyanoguanidine See Dicyanadiazide		
	5-Cyanoindole See Indole-5-Carbonitrile		
056585	3-Cyanopyridine (Pyridine-3-Carbonitrile)	1296.00	100 gm
C ₆ H ₄ N ₂ (100-54-9)	M. W.: 104.12		
056587	4-Cyanopyridine (Isonicotinic Acid Nitrile)	1404.00	100 gm
C ₆ H ₄ N ₂ (100-48-1)	M. W.: 104.12	5850.00	500 gm
056765	Cyanuric Chloride (2,4,6-Trichloro- 1,3,5-Triazine) (for Synthesis)	1400.00	500 gm
C ₃ Cl ₃ N ₂ (108-77-0)	M. W.: 184.41		
500195	Cyclam AR	3906.00	1 gm
C ₁₀ H ₂₄ N ₄ (295-37-4)	M. W.: 200.32	13005.00	5 gm
500335	α-Cyclodextrin AR	1062.00	1 gm
C ₃₆ H ₆₀ O ₃₀ (10016-20-3)	M. W.: 972.84	3303.00	5 gm
		10800.00	25 gm
PCT1608	PTC α-Cyclodextrin Plant Culture Tested	4185.00	1 gm
C ₃₆ H ₆₀ O ₃₀ (10016-20-3)	M. W.: 972.84 Assay 98% Store below 30°C	37800.00	10 gm
TC1103	ATC α - Cyclodextrin Cell Culture Tested	2934.00	1 gm
C ₃₆ H ₆₀ O ₃₀ (10016-20-3)	M. W.: 972.84 Assay : ≥98% Store below 30°C	11682.00	5 gm
056845	▲β-Cyclodextrin	801.00	100 gm
C ₄₂ H ₇₀ O ₃₅ (7585-39-9)	M. W.: 1134.98	2331.00	500 gm
PCT1609	PTC ▲β-Cyclodextrin Plant Culture Tested	860.00	100 gm
C ₄₂ H ₇₀ O ₃₅ (7585-39-9)	M. W.: 1134.98 Assay 98%	3870.00	500 gm
TC1104	ATC ▲β - Cyclodextrin Cell Culture Tested	1683.00	5 gm
C ₄₂ H ₇₀ O ₃₅ (7585-39-9)	M. W.: 1134.98 Assay : ≥98.5%	6732.00	25 gm
		20187.00	100 gm
027867	Cyclohexane for Synthesis	450.00	500 ml
C ₆ H ₁₂ (110-82-7)	M. W.: 84.16 Assay (GC) 99.0%	2007.00	2.5 lit
		POR	25 lit
		POR	200 lit
500380	Cyclohexane AR	594.00	500 ml
C ₆ H ₁₂ (110-82-7)	M. W.: 84.16 Assay (GC) 99.5%	2502.00	2.5 lit
		POR	25 lit
		POR	200 lit
500390	Cyclohexane Specially Dried AR	801.00	500 ml
C ₆ H ₁₂ (110-82-7)	M. W.: 84.16 Assays (By GC) 99.5%	2385.00	2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
717595 C ₆ H ₁₂ (110-82-7)	Cyclohexane GC-HS Grade M.W. 84.16 Assay (GC) 99.9%	2673.00	1 lit
717600 C ₆ H ₁₂ (110-82-7)	Cyclohexane For HPLC & Spectroscopy M. W.: 84.16 Assay (GC) 99.7%	1503.00 3006.00	1 lit 2.5 lit
717700 C ₆ H ₁₂ (110-82-7)	Cyclohexane for Pesticide Residue Trace Analysis M. W.: 84.16	4455.00 6993.00	1 lit 2.5 lit
056995 C ₆ H ₁₀ (CO ₂ H) ₂ (2305-32-0)	trans-1-2-Cyclohexane Dicarboxylic Acid M. W.: 172.18 Assay 95.0%	6930.00 51300.00	25 gm 500 gm
057025 C ₆ H ₈ O ₂ (504-02-9)	1,2-Cyclohexanediamine Tetra Acetic Acid (CDTA) See Trans-1,2-Diaminocyclohexane N,N,N',N'-Tetra Acetic Acid	1647.00 2196.00 3200.00	25 gm 100 gm 500 gm
027870 C ₆ H ₁₂ O (108-93-0)	Cyclohexanol for Synthesis M. W.: 100.16 Assay (GC) 98.0%	846.00 3790.00	500 ml 2.5 lit POR 25 lit POR 200 lit
500845 C ₆ H ₁₂ O (108-93-0)	Cyclohexanol AR M. W.: 100.16	918.00 4100.00	500 ml 2.5 lit POR 25 lit POR 200 lit
027871 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone for Synthesis M.W.: 98.15 Assay (GC) 99.0%	698.00 3105.00	500 ml 2.5 lit POR 25 lit POR 200 lit
500865 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone AR M. W.: 98.15 Assay (GC) 99.5%	819.00 3249.00	500 ml 2.5 lit POR 25 lit POR 200 lit
717850 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone for GC-HS M.W.: 98.15	2016.00 4257.00	1 lit 2.5 lit
717800 C ₆ H ₁₀ O (108-94-1)	Cyclohexanone for Pesticide Residue Trace Analysis M.W.: 98.15	1485.00	1 lit
057235 C ₆ H ₁₃ N (108-91-8)	Cyclohexylamine for Synthesis M. W.: 99.18 Assay (Acidimetric) 99.0%	639.00 2907.00	500 ml 2.5 lit POR 25 lit POR 200 lit
	3-(Cyclohexylamino-1-propane sulphonic acid See CAPS		
	3-(Cyclohexylamino-2-hydroxy-1-propane sulphonic acid See CAPSO		
	Cyclohexylbromide See Bromocyclohexane		
	Cyclohexylchloride See Chlorocyclohexane		

Product Code	Product Name	Price	Packing
057465 C ₁₀ H ₂₀ N ₂ (17766-28-8)	1-Cyclohexylpiperazin M. W.: 168.28 Assay 97.0%	4590.00	5 gm
057525 C ₈ H ₁₄ O (502-49-8)	Cyclooctanone for Synthesis M. W.: 126.20 Assay 98.0%	3303.00	25 gm
	Cyclopentadiene(Dimer) See Dicyclopentadiene		
057685 C ₅ H ₁₀ (287-92-3)	Cyclopentane for Synthesis M. W.: 70.13	2610.00 39150.00	250 ml 5 lit POR 25 lit
057745 C ₅ H ₉ OH (96-41-3)	Cyclopentanol for Synthesis M. W.: 86.13	2422.00	500 ml
057815 C ₅ H ₈ O (120-92-3)	Cyclopentanone for Synthesis M. W.: 84.12	1400.00 6507.00	500 ml 2.5 lit POR 25 lit POR 200 lit
057855 C ₁₃ H ₁₆ O ₃ (427-49-6)	a-Cyclopentylmandelic Acid M.W. 220.27 Assay 98%	5202.00	5 gm
501475 C ₆ H ₁₂ O (5614-37-9)	Cyclopentyl Methyl Ether AR M. W.: 100.16 Assay 99.0%	2601.00 4806.00	500 ml 1 lit
057905 C ₃ H ₅ CN (5500-21-0)	Cyclopropanecarbonitrile M. W.: 67.09 Assay 98.0%	990.00 3303.00	5 gm 25 gm
501535 C ₃ H ₅ CO ₂ H (1759-53-1)	✳ ▲ Cyclopropane Carboxylic Acid AR M. W.: 86.09 Assay 95.0%	2907.00 13005.00	100 gm 500 gm
057995 C ₃ H ₅ CH ₂ NH ₂ .HCl (7252-53-1)	✳ Cyclopropanemethylamine Hydro Chloride M. W.: 107.58 Assay 99.0%	19233.00	1 gm POR 10 gm
058115 C ₃ H ₅ NH ₂ (765-30-0)	Cyclopropylamine for Synthesis M. W.: 57.09 Assay 98.0%	1701.00 6507.00	100 ml 500 ml
058285 C ₃ H ₅ COCH ₃ (765-43-5)	Cyclopropylmethylketone (Acetylcy clopropane) M. W.: 84.12 Assay 99.0%	1440.00 6120.00	100 ml 500 ml
PCT2130	▲D-Cycloserine (D-4-Amino-3-isoxazolidone) Plant Culture Tested M. W.: 102.09 Assay 98%	2520.00 10130.00	1 gm 5 gm
058385 C ₁₀ H ₁₄ (99-87-6)	p-Cymene for Synthesis M. W.: 134.22 Assay 99.0%	1400.00	250 ml
058485 C ₂ H ₇ NS.HCl (156-57-0)	Cysteamine Hydrochloride for Synthesis (2-Mercapto Ethylamine HCl, 2-Amino Ethanethiol Hcl) M. W.: 113.61 Assay 98.0%	2106.00 9504.00	100 gm 500 gm

C

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
058585	L-Cysteine for Biochemistry	720.00	25 gm
$C_3H_7SNO_2$ (52-90-4)	M. W.: 121.16 Assay (Iodometric ex SH) 98.0%	2520.00 8505.00	100 gm 500 gm
PCT1305 PTC	L-Cysteine	662.00	25 gm
$C_3H_7NO_2S$ (52-90-4)	Plant Culture Tested M. W.: 121.16 Assay 99% Store below 30°C	2300.00 10360.00	100 gm 500 gm
TC1060 ATC	L-Cysteine	2800.00	25 gm
$C_3H_7NO_2S$ (52-90-4)	(From non-animal source) Cell Culture Tested M. W.: 121.16 Assay : $\geq 98\%$ Store below 30°C	8389.00 25200.00 38052.00	100 gm 500 gm 1 kg
501715	L-Cysteine Hydrochloride AR	360.00	25 gm
$C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	(Monohydrate) for Biochemistry M. W.: 175.63 Assay (Iodometric; calc. to the dried sub.) 99.5-101.0%	1107.00 3501.00 6201.00	100 gm 500 gm 1 kg
PCT1325 PTC	L-Cysteine HCl Monohydrate	370.00	25 gm
$C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	Plant Culture Tested MW : 175.63 Assay 98% Store below 30°C	1143.00 5130.00	100 gm 500 gm
TC1058 ATC	L-Cysteine Hydrochloride	1459.00	25 gm
$C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	(From non-animal source) Cell Culture Tested MW : 175.63 Assay : $\geq 98.5\%$ Store below 30°C	4401.00 18441.00 27450.00	100 gm 500 gm 1 kg
TC1058M ATC	L-Cysteine Hydrochloride	1611.00	25 gm
$HSCH_2CH(NH_2)COOH.HCl.H_2O$ (7048-04-6)	Monohydrate (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 175.63 Store below 30°C	4600.00 20620.00 30933.00	100 gm 500 gm 1 kg
037057	L-Cystine for Biochemistry	460.00	25 gm
$C_6H_{12}N_2O_4S_2$ (56-89-3)	M. W.: 240.30 Assay (Non-aqueous) 99.0%	1400.00 10170.00	100 gm 1 kg
PCT1306 PTC	L-Cystine	612.00	25 gm
$C_6H_{12}N_2O_4S_2$ (56-89-3)	Plant Culture Tested M. W.: 240.3 Assay 99% Store below 30°C	2300.00 9837.00 18612.00	100 gm 500 gm 1 kg
TC1070 ATC	L-Cystine	1575.00	25 gm
$C_6H_{12}N_2O_4S_2$ (56-89-3)	(From non-animal source) Cell Culture Tested M. W.: 240.3 Assay : $\geq 98.5\%$ Store below 30°C	4707.00 17496.00 25070.00	100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1070M ATC	L-Cystine	3259.00	25 gm
$HSCH_2CH(NH_2)CO_2H$ (56-89-3)	(From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 240.3 Store below 30°C	10171.00 33710.00 60030.00	100 gm 500 gm 1 kg
058985	L-Cystine Dihydrochloride	8406.00	25 gm
$C_6H_{12}N_2O_4S_2.2HCl$ (30925-07-6)	M. W.: 313.22 Assay (Iodometric; calc. to the dried subs.) 98.0%		
TC1062 ATC	L-Cysteine Dihydrochloride	8397.00	25 gm
$C_6H_{12}N_2O_4S_2.2HCl$ (30925-07-6)	(From non-animal source) Cell Culture Tested M. W.: 313.22 Assay : $\geq 98.5\%$ Store below 30°C	31950.00 101610.00 180189.00	100 gm 500 gm 1 kg
042017	▲Cytidine for Biochemistry	171.00	1 gm
$C_9H_{13}N_3O_5$ (65-46-3)	M.W.: 243.22 Assay (Non-aq) 98.0%	594.00 1900.00	5 gm 25 gm
TC1110 ATC	▲Cytidine	1287.00	1 gm
$C_9H_{13}N_3O_5$ (65-46-3)	Cell Culture Tested M. W.: 243.22 Assay : $\geq 99\%$	3852.00 27900.00	5 gm 50 gm
059085	·Cytidine-5-Monophosphate (5-CMP)	603.00	1 gm
$C_9H_{14}N_3O_8P$ (63-37-6)	M. W.: 323.20	2430.00	5 gm
TC1224 ATC	Cytochalasin B	64000.00	10 mg
$C_{29}H_{37}NO_5$ (14930-96-2)	Cell Culture Tested M. W.: 479.61 Assay : $\geq 98\%$ Store at -20°C		POR 5x10 mg
059285	·Cytochrome- 'C' (Oxidised)	4455.00	100 mg
$(9007-43-6)$	Ex Horse Heart Extra Pure for Biochemistry (Approx. 10% Reduced from) Assay (UV) 90.0%	36711.00	1 gm
	Cytokine for Biochemistry See Kinetin		
059375	Cytosine for Biochemistry	756.00	5 gm
$C_4H_5N_3O$ (71-30-7)	M. W.: 111.10 Assay (HPLC) 98.0%	3330.00	25 gm

FOR SYNTHESIS (LR & EP)

General purpose reagents used in many potential applications in chemical laboratories, careful control ensures that a consistently high defined quality is maintained throughout.



Product Code	Product Name	Price	Packing
820050 H ₂ O (7732-18-5)	D.M. Water M. W.: 18.02	113.00 504.00	500 ml 5 lit
	Daminozide See ALAR (B9)		
PCT1838 C ₆ H ₁₂ N ₂ O ₃ (1596-84-5)	Daminozide (Alar) Plant Culture Tested M. W.: 160.17 Assay 99% Store below 30°C	820.00 3690.00	1 gm 5 gm
923800 C ₁₆ H ₁₅ N ₅ .2HCl (28718-90-3)	DAPI Dihydrochloride (4',6-Diamidino-2-Phenylindole Dihydrochloride) For Molecular Biology M. W.: 350.25 Assay : ≥ 95%	3906.00 7776.00	10 mg 25 mg
PCT2539 C ₁₆ H ₁₅ N ₅ .2HCl (28718-90-3)	DAPI Dihydrochloride (4',6-Diamidino-2-phenylindole Dihydrochloride) Plant Culture Tested M. W.: 350.25 Assay 98%	1720.00 7209.00	5 mg 25 mg
062525 (7440-44-0)	Darco G 60	973.00	500 gm
505495 (7440-44-0)	Darco G 60 AR	2250.00	500 gm
TC1417 C ₂₇ H ₂₉ NO ₁₀ .HCl (23541-50-6)	Daunorubicin Hydrochloride Cell Culture Tested M. W.: 563.98 Assay : ≥90%	7551.00 28310.00	5 mg 25 mg
	DDQ See 2,3-Dichloro-5,6-dicyano-p- Benzoquinone		
	Deacetylated Chitin See Chitosan		
062805 (9013-34-7)	Deae Cellulose 11 for Column Chromatography	2440.00 10035.00 35001.00	5 gm 25 gm 100 gm
923850 (9013-34-7)	Deae Cellulose - 52 (Diethylaminoethyl-Cellulose) Fine Mesh For Column Chromatography For Molecular Biology Store Below 30°C	2170.00 10053.00 35001.00	5 gm 25 gm 100 gm
923900 (9015-73-0)	Deae Dextran - 52 For Molecular Biology Av. M. W. 500000 Store Below 30°C	11800.00 29997.00	25 gm 100 gm
062955 C ₁₀ H ₂₂ (124-18-5)	n-Decane for Synthesis M. W.: 142.29 Assay 97.0%	3753.00 18162.00	500 ml 2.5 lit
505785 C ₁₀ H ₂₂ (124-18-5)	n-Decane AR M. W.: 142.29	8919.00	500 ml

Product Code	Product Name	Price	Packing
720200	1-Decanesulphonic Acid Sodium Salt AR for HPLC Anhydrous M. W.: 244.33	1098.00 3996.00	25 gm 100 gm
063005	1-Decanesulphonic Acid Sodium Salt Monohydrate M. W.: 262.33	1098.00 3996.00	25 gm 100 gm
063035	1-Decanol for Synthesis (Decan-1-OL, n-Decanol) M.W.: 158.28	1107.00 4806.00	500 ml 2.5 lit
	n-Decanoic Acid See n-Capric Acid		
063065	Decanoyl Chloride for Synthesis M.W. 190.71 Assay 98.0%	981.00 4600.00	100 ml 500 ml
	n-Decyl Sulphate Sodium Salt See Sodium Decyl Sulphate		
063115	Dehydroepiandrosterone for Synthesis (Trans-Dehydroandrosterone) M. W.: 288.42	3006.00 13743.00	5 gm 25 gm
063155	Dekalin for Synthesis M. W.: 138.25 Assay (GC) 99.0% (Cis+trans isomer)	3006.00 14000.00	500 ml 2.5 lit
824650	Denige's Reagent (Reagent for Citrates in Milk)	882.00	100 ml
063205	2-Deoxy Adenosine Extra Pure for Biochemistry M. W.: 269.26 Assay 99.0%	1260.00 5652.00	1 gm 5 gm
TC1111	2'-Deoxyadenosine Monohydrate Cell Culture Tested M. W.: 269.26 Assay : ≥99%	1990.00 8001.00	1 gm 5 gm
063285	Deoxybenzoin for Synthesis (α-Phenylacetophenone) M. W.: 196.24	730.00 1800.00	25 gm 100 gm
063315	Deoxy Cholic Acid for Biochemistry M. W.: 392.57 Assay (TLC) 99.0%	1917.00 7650.00	25 gm 100 gm
	Deoxycholic Acid Sodium Salt See Sodium Deoxycholate		
TC1112	2'-Deoxycytidine Hydrochloride Cell Culture Tested M. W.: 263.68 Assay : ≥99% Store below 30°C	1845.00 5535.00 39960.00	250 mg 1 gm 10 gm
063405	2-Deoxy-D-Glucose for Biochemistry M. W.: 164.16	4491.00 16200.00	1 gm 5 gm

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
D 063455 (9003-98-9)	Deoxyribonuclease Type I for Biochemistry (DNase-I) Ex. Bovine Pancreas 1800 K Unit U/mg	1013.00	5 mg
		9500.00	50 mg
		17200.00	100 mg
924550 MB (9003-98-9)	Deoxy ribonuclease I From Bovien Pancreas For Molecular Biology E. C. No. : 3.1.21.1 M. W.: ~31 kDa Activity : ≥ 400 Units/mg (Kunitz) Store at 20°C	752.00	3750 unit
		7236.00	37500 unit
		12402.00	75000 unit
			unit
TC1696 ATC (9003-98-9)	Deoxyribonuclease I Dnase I Source : Pineapple stem Cell Culture Tested Av M. W.: ~84.5 kDa Activity : NLT 30 U/mg Store at -20°C	6156.00	10 ku
		9243.00	20 ku
		13860.00	40 ku
063615 (100403-24-5)	Deoxy Ribonucleic Acid for Biochemistry Degraded free acid ex fish sperm	2736.00 10400.00 POR	5 gm 25 gm 100 gm
063625 (73049-39-5)	Deoxy Ribonucleic Acid Sodium Salt Extra Pure for Biochemistry Ex. Calf Thymus (DNA Sodium Salt) (Highly Polymerised From Calf Thymus)	6867.00 28620.00	100 mg 500 mg
063655 (9007-49-2)	Deoxyribonucleic Acid Sodium Salt ex. salmon mist (Not Highly Polymerised) (DNA sodium salt, SS-DNA, SM-DNA)	2925.00 11052.00 POR	5 gm 25 gm 100 gm
042029 C ₅ H ₁₀ O ₄ (533-67-5)	- 2'-Deoxy-D-Ribose for Biochemistry M. W.: 134.13 Assay (HPLC) 97.0%	495.00 1980.00 7340.00	1 gm 5 gm 25 gm
TC1114 C ₅ H ₁₀ O ₄ (533-67-5)	- 2'-Deoxy-D-Ribose Cell Culture Tested M. W.: 134.13 Assay : ≥99%	1440.00 5059.00	1 gm 5 gm
063745	Dermitit	2997.00	500 gm
506135 C ₁₃ H ₁₃ I ₀₈ (87413-09-0)	▲ Dess Martin Periodinane Puriss AR (Triacetoxo Periodine, 1,1,1-Tris (Acetyloxy)(1,1-Dihydro-1,2- Benziodoxol-3(1H) M. W.: 424.14	576.00 2268.00	5 gm 25 gm

Disinfectant & Detergent for Medical, Industrial, Domestic
HAND WASH GEL/ SOAP

DI032	HWS09 (Hand Wash Soap)	185.00	100 ml
		423.00	500 ml
Description	Liquid Microbicidal Handwash Soap	2772.00	5 lit
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.		
Action Use	Fights germs leaving hands soft and totally clean Domestic Medical Industrial		

Product Code	Product Name	Price	Packing
DI050	HWG09 Dispenser Pump (Instant hand Sanitizer) Description Liquid Handrub Antiseptic with Triple Action	126.00	50 ml
		621.00	500 ml
Contents	Denatured Alcohol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate copolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume		
Action Use	Kills 99.9% of germs in seconds without water Domestic, Medical, Industrial		
ENVIRONMENT DISINFECTANT			
DI280	ED005	387.00	250ml
Description	Air and surface spray disinfectant solution for preventing cross infection	716.00	500ml
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours		
Action Use	An air and surface sprayable disinfectant for preventing cross infections Medical Industrial		
DI325	ED009	1036.00	1 lit
Description	Aerial Fumigant and Surface and Water Disinfectant Solution	3672.00	5 lit
Contents	0.01% w/v Silver Nitrate, 10.0% w/v Hydrogen peroxide		
Action Use	Disinfectant solution for Surface and Water Disinfection as well as for Aerial Fumigation Medical Industrial		
SURFACE DISINFECTANT			
DI500	SD005	225.00	500 ml
Description	Disinfectant Cleaner for Floors & Hard Surfaces	1071.00	5 lit
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.		
Use	Domestic Medical Industrial		
DI522	SD009	225.00	500ml
Description	Disinfectant Solution for Floors & Hard Surfaces	1224.00	5 lit
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.		
Use	Domestic Medical Industrial		
DI541	SD014	1998.00	1 lit
Description	Disinfectant for hospital, hotels, food and pharmaceutical industry	7075.00	5 lit
Contents	3% w/v poly(hexamethyleneguanide) hydrochloride (PHMB) 10% w/v Didecyl ammonium chloride		
Action Use	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface. Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments Medical, Industrial.		
DI055	Cedepol™ also known as Teepol	288.00	500 ml
		1940.00	5 lit

Product Code	Product Name	Price	Packing
LABORATORY DISINFECTANT			
DI675	LD009	4518.00	10x500ml
Description	Disinfectant Solution for heat sensitive Lab ware	6876.00	2x5 lit
Contents	5 % w/v Phenol, Permitted colours.		
Action	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material		
Use	Medical Industrial		
INSTRUMENT DISINFECTANT			
DI770	ID018	1053.00	500ml
Description	Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments	1998.00	1 lit
Contents	12% Enzymes	4343.00	2.5 lit
Action	(Combination of Proteases,Lipases and Amylases), Non Ionic surfactants, Preservatives Medical:- To rapidly clean surgical instruments before sterilization Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms	7497.00	5 lit
Use	Medical, Industrial		
DI774	ID045	3456.00	1 lit
Description	High Efficiency Rust Remover	10782.00	5 lit
Contents	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).		
Action	Removal of Rust from Surgical/Medical Instruments and Surfaces.		
Use	Medical, Industrial		
DI792	ID063	666.00	500ml
Description	High level Surgical Instrument Sterilizing and Disinfectant Solution	3825.00	5 lit
Contents	5% w/v Benzal konium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitor.		
Action	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection		
Use	Medical		
DI810	ID072	423.00	1 lit
Description	2.4% Glutaraldehyde Solution for High Level Disinfection	1400.00	5 lit
Contents	2.45% w/v Glutaraldehyde		
Action	Surfactant free High level Surgical Instrument Sterilizing and Disinfectant solution		
Use	Medical		
DI819	ID090	5040.00	1 lit
Description	Aldehyde Free High level Disinfectant for medical devices.	25020.00	5 lit
Contents	3% w/v poly(hexamethylene biguanide) hydrochloride (PHMB) 10% w/v Didecyl dimethyl ammonium chloride		
Action	Medical-Sterilization of endoscopes & surgical instruments surface disinfection. Industry- As a surface disinfectant for general Purposes		
Use	Medical, Industrial		
DI837	ID099	595.00	500ml
Description	For high level disinfection.	4851.00	5 lit
Contents	0.55% w/v ortho-Phthalaldehyde, Permitted colours.		

Product Code	Product Name	Price	Packing
Action Use	Glutaraldehyde free, High level Surgical Medical		
DI065	Criton X100	819.00	500 ml
C₃₄H₆₂O₁₁ (9002-93-1)	M. W.: 648.87 Assay iodometric 98-021%	3501.00	2.5 lit
		POR	25 lit
	MB Criton X100 for Molecular Biology See 923500		
	Criton X100 Scintillation Grade See 716990		
DI095	Clentron MA 01 Alkaline	320.00	500 ml
	For Industrial & Laboratory Cleaning pH 6.0-12.0	2421.00	5 lit
		POR	25 lit
DI100	Clentron MA 02 Neutral	460.00	500 ml
	For Cleaning Laboratory glassware instruments pH 7.2-7.5	2304.00	5 lit
		POR	25 lit
DI105	Clentron MA 03 Phosphate Free	522.00	500 ml
	For Specific Cleaning work in Laboratories	2520.00	5 lit
		POR	25 lit
DISINFECTANT FOR LABORATORY HOSPITAL, HOTELS AND DAIRY/FOOD,INDUSTRY			
DI910	DW009	270.00	500ml
	(Dish Wash)		
DI1800	Iodophor Disinfectant	1098.00	1 lit
		4707.00	5 lit
DI1900	Iodophor-FD	1098.00	1 lit
		4707.00	5 lit
		POR	10x5 lit
DI2007	Lysol (Cresol and Soap Solution)	604.00	500 ml
(12772-68-8)	Assay (cresol) 47-53.0% v/v	4617.00	5 lit
DI2160	Sodium Hypochlorite Solution	162.00	500 ml
	(Approximately 4% w/v available chlorine)	280.00	1 lit
		999.00	5 lit
		POR	25 lit
DI918	FCL09	572.00	1 lit
	(Fabric Cleaner Liquid)		
DI927	FCP09	270.00	1 kg
	(Fabric Cleaner Powder)		
FW009	FW009	603.00	5 lit
	(Floor Wash)		
DI963	GC009	180.00	500ml
	(Glass Cleaner)		
DI3060	TC009	180.00	500ml
	(Toilet Cleaner)	347.00	1 lit
DI3150	TW009	180.00	500ml
	(Tiles Wash)	347.00	1 lit
063765	Deuterium Oxide (heavy water)	6003.00	25 gm
	for NMR Spectroscopy M.W.: 20.03		
D₂O (7789-20-0)			
063785	Devardas Alloy Powder	621.00	100 gm
(8049-11-4)		2502.00	500 gm
506225	Devardas Alloy Powder AR	801.00	100 gm
	Reducing Agent	1701.00	250 gm
(8049-11-4)			
TC1277	ATC ▲ Dexamethasone	1845.00	25 mg
	Cell Culture Tested	5355.00	100 mg
C₂₂H₂₉FO₅ (50-02-2)	M. W.: 392.46 Assay : ≥97%	15300.00	500 mg
		23252.00	1 gm

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
D 924685 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 5 For Molecular Biology Av.M. W.: 4000-6000	4302.00	25 gm
924690 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 6 For Molecular Biology Av.M. W.: 5500-7500	7110.00	25 gm
924695 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 10 For Molecular Biology Av.M. W.: 9000-11000	5841.00	25 gm
924700 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 20 For Molecular Biology Av.M. W.: 17000-23000	9144.00	25 gm
924705 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 40 For Molecular Biology Av.M. W.: 35000-45000	16830.00	25 gm
924710 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 60 For Molecular Biology Av.M. W.: 54000-66000	6372.00	25 gm
924715 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 70 For Molecular Biology Av.M. W.: 64000-76000	6444.00	25 gm
924720 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 110 For Molecular Biology Av.M. W.: 1,00,000 - 1,20,000	5841.00	25 gm
924730 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 250 For Molecular Biology Av.M. W.: 2,25,000 - 2,75,000	12960.00	25 gm
924735 $(C_6H_{10}O_5)_n$ (9004-54-0)	▲Dextran 500 For Molecular Biology Av.M. W.: 4,50,000 - 5,50,000	7992.00	25 gm
924780 (9011-18-1)	▲Dextran Sulphate Sodium Salt For Molecular Biology M. W.: ~8,000	2421.00 10170.00 37350.00	5 gm 25 gm 100 gm
TC1589 (9011-18-1)	▲Dextran Sulphate, Sodium Salt Cell Culture Tested M. W.: 5,00,000 Assay : ≥98%	5000.00 23400.00	10 gm 50 gm
063815 (9004-53-9)	Dextrin White for Bacteriology	1206.00	500 gm
063805 $(C_6H_{10}O_5)_n \cdot XH_2O$ (9004-53-9)	Dextrin White Pract	225.00 POR	500 gm 25 kg
028450 $C_6H_{12}O_6$ (50-99-7)	Dextrose Anhydrous Purified M. W.: 180.16	405.00 2502.00 POR	500 gm 5 kg 25 kg 50 kg
506250 $C_6H_{12}O_6$ (50-99-7)	Dextrose Anhydrous AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 180.16	477.00 2808.00 POR	500 gm 5 kg 25 kg 50 kg

Product Code	Product Name	Price	Packing
924900 $C_6H_{12}O_6$ (50-99-7)	Dextrose Anhydrous For Molecular Biology M. W.: 180.16 Assay : ≥ 99.5% Store Below 30°C	1440.00 7020.00	100 gm 500 gm
PCT1603 $C_6H_{12}O_6$ (50-99-7)	D-(+)-Dextrose Anhydrous Plant Culture Tested M. W.: 180.16 Assay 99.5% Store below 30°C	464.00 828.00	500 gm 1 kg
TC1130 $C_6H_{12}O_6$ (50-99-7)	D-(+)-Dextrose Anhydrous (Dextrose anhydrous) Cell Culture Tested M. W.: 180.16 Assay : ≥99% Store below 30°C	333.00 1940.00 4743.00 7020.00	100 gm 1 kg 5 kg 10 kg
TC1130M $C_6H_{12}O_6$ (50-99-7)	D-(+)-Dextrose Anhydrous Dextrose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 180.16 Store below 30°C	684.00 3960.00	100 gm 1 kg
063940 $C_6H_{12}O_6 \cdot H_2O$ (14431-43-7)	Dextrose Monohydrate M. W.: 198.17	288.00 POR	500 gm 25 kg 50 kg
506260 $C_6H_{12}O_6 \cdot H_2O$ (14431-43-7)	Dextrose Monohydrate AR for Microbiology M. W.: 198.17	351.00 POR	500 gm 25 kg 50 kg
PCT1612 $C_6H_{12}O_6 \cdot H_2O$ (14431-43-7)	Dextrose Monohydrate Plant Culture Tested M. W.: 198.17 Assay 99.5% Store below 30°C	325.00	500 gm
TC1208 $C_6H_{12}O_6 \cdot H_2O$ (14431-43-7)	D-(+)-Dextrose Monohydrate (Dextrose monohydrate) Cell Culture Tested M. W.: 198.17 Assay : ≥99% Store below 30°C	873.00 1287.00 3825.00 5733.00	500 gm 1 kg 5 kg 10 kg
028010 $C_6H_{12}O_2$ (123-42-2)	Diacetone Alcohol Purified M. W.: 116.16 Assay (GC) 99.0%	657.00 3006.00	500 ml 2.5 lit
028011 $C_4H_6O_2$ (431-03-8)	Diacetyl for Synthesis M. W.: 86.09 Assay (GC) 97.0%	1350.00	100 ml
063995 $C_4H_7NO_2$ (57-71-6)	Diacetyl Monoxime M. W.: 101.11 Assay (N) 98.0%	495.00	25 gm
506600 $C_4H_7NO_2$ (57-71-6)	Diacetyl Monoxime AR M. W.: 101.11 Assay (Gravimetric) 99.0%	657.00 2106.00 9000.00	25 gm 100 gm 500 gm
824705	Diacetyl Monoxime Solution 2%	127.00	125 ml
064005 $C_{14}H_{14}O_4$ (131-17-9)	Diallyl Phthalate for Synthesis M. W.: 246.26 Assay 97.0%	900.00 3150.00	100 ml 500 ml
064115 $C_{14}H_{10}N_2O_2$ (128-95-0)	1,4-Diamino Anthraquinone for Synthesis M. W.: 238.24 Assay 95.0%	1350.00 4860.00	25 gm 100 gm

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
506685	▲3,3-Diamino Benzidine Base AR	1647.00	5 gm
C ₁₂ H ₁₄ N ₄ (91-95-2)	M. W.: 214.27 Assay (HPLC) 99.0%	6561.00 22815.00	25 gm 100 gm
506688	▲3-3'-Diaminobenzidine Tetra Hydrochloride AR	1800.00	1 gm
C ₁₂ H ₁₄ N ₄ .4HCl.2H ₂ O (7411-49-6)	M.W.: 396.14	8001.00	5 gm
064185	* 3,5-Diamino Benzoic Acid for Synthesis	918.00	100 gm
C ₇ H ₈ N ₂ O ₂ (535-87-5)	M. W.: 152.15 Assay 98.0%	4167.00	500 gm
064225	* 3,4-Diamino Benzophenone	2700.00	25 gm
C ₆ H ₅ COC ₆ H ₃ (NH ₂) ₂ (39070-63-8)	M. W.: 212.25 Assay 97.0%	8501.00	100 gm
064245	4,4-Diamino Biphenyl	1098.00	10 gm
C ₁₂ H ₁₂ N ₂ (92-87-5)	M. W.: 184.25	1656.00 4941.00	25 gm 100 gm
064265	4,4- Diamino Biphenyl Hydrochloride	1008.00	10 gm
(531-85-1)		1998.00 7506.00	25 gm 100 gm
064275	trans-1,2 Diamino Cyclohexane N,N,N',N' Tetra Acetic Acid (CDTA) Monohydrate	3501.00	25 gm
C ₁₄ H ₂₂ N ₂ O ₈ .H ₂ O (125572-95-4)	M. W.: 364.35 Assay (Complexometric) 99.0%	13005.00	100 gm
506905	trans-1,2 Diamino Cyclohexane N,N,N',N' Tetra Acetic Acid (CDTA) AR/ACS	3906.00	25 gm
C ₁₄ H ₂₂ N ₂ O ₈ .H ₂ O (125572-95-4)	M. W.: 364.35 Assay (Complexometric) 99.0%	14500.00	100 gm
H11005	trans-1,2 Diamino Cyclohexane N,N,N',N' Tetra Acetic Acid (CDTA) AR/ACS	7641.00	25 gm
C ₁₄ H ₂₂ N ₂ O ₈ .H ₂ O (125572-95-4)	M. W.: 364.35 Assay (Complexometric) 99.0%	26100.00	100 gm
064305	4,4-Diamino Diphenyl Ether for Synthesis	5500.00	100 gm
C ₁₂ H ₁₂ N ₂ O (101-80-4)	M. W.: 200.24 Assay 97.0%	10683.00	500 gm
064365	4,4-Diamino Diphenyl Methane for Synthesis	3492.00	500 gm
C ₁₃ H ₁₄ N ₂ (101-77-9)	M. W.: 198.26 Assay (GC) 97.0%		
064415	* 4,4-Diamino Diphenyl Sulphone for Synthesis	2880.00	100 gm
C ₁₂ H ₁₂ N ₂ O ₂ S (80-08-0)	M. W.: 248.30 Assay 97.0%		
	1,2-Diamino Ethane See Ethylenediamine		
064505	1:8-Diamino Octane for Synthesis	3591.00	25 gm
C ₈ H ₂₀ N ₂ (373-44-4)	M. W.: 144.26 Assay 98.0%		
064545	1:5-Diamino Pentane for Synthesis	5292.00	5 ml
NH ₂ (CH ₂) ₅ NH ₂ (462-94-2)	M. W.: 102.18 Assay 95.0%		

Product Code	Product Name	Price	Packing
064575	1,3-Diamino Propane	3096.00	500 ml
NH ₂ (CH ₂) ₃ NH ₂ (109-76-2)	M. W.: 74.12 Assay 99.0%	15300.00	2.5 lit
507175	1,3-Diamino Propane AR	3006.00	250 ml
NH ₂ (CH ₂) ₃ NH ₂ (109-76-2)	M. W.: 74.12 Assay 99.0%		
064615	2,6-Diamino Pyridine for Synthesis	1000.00	25 gm
C ₅ H ₇ N ₃ (141-86-6)	M. W.: 109.13	2205.00 9900.00	100 gm 500 gm
064685	Diamond Powder 1 Micron	2340.00	1 gm
C (7782-40-3)	At. W.: 12.01	11430.00	5 gm
064695	Diamond Powder 50 Micron	1134.00	1 gm
C (7782-40-3)	At. W.: 12.01	5500.00	5 gm
N11930	Diamond Nanoparticles/ Nanopowder (3-10nm)	9000.00	1 gm
C (7782-40-3)	At. W.: 12.01 Assay 98%	18720.00 74880.00	5 gm 25 gm
064705	▲o-Dianisidine	522.00	25 gm
C ₁₄ H ₁₆ N ₂ O ₂ (119-90-4)	M.W.: 244.30 Assay (Non-aq) 96.0%	1800.00 8100.00	100 gm 500 gm
TC1462	▲Diaphorase	16700.00	1 ku
(9001-18-7)	Source : Cl. Kluyveri Cell Culture Tested Activity: NLT 30 U/mg		
064725	Diastase	666.00	100 gm
(9000-92-4)	Amylase Activity 1300 IU/g	2448.00	500 gm
064755	1,4-Diazabicyclo (2.2.2) Octane (Dabco, Ted, Triethylenediamine)	1044.00	100 gm
C ₆ H ₁₂ N ₂ (280-57-9)	M. W.: 112.17 Assay 99.0%	3150.00	500 gm
064825	1:8-Diaza Bicyclo Undecene for Synthesis (DBU)	441.00	25 ml
C ₉ H ₁₆ N ₂ (6674-22-2)	M. W.: 152.24 Assay 98.0%	1305.00 4401.00	100 ml 500 ml
	2,6-Di-Tert-4-Methyl Phenol See Butylated Hydroxy Toluene		
824800	Diazo Reagent A	117.00	125 ml
824810	Diazo Reagent B	117.00	125 ml
	Dibenzo-18-Crown-6 See 18-Crown-6-Ether		
507385	Dibenzoyl Methane AR	1944.00	25 gm
(C ₆ H ₅ CO) ₂ CH ₂ (120-46-7)	M. W.: 224.25 Assay 98.0%	6102.00	100 gm
065055	(-)-2,3-Dibenzoyl-L-Tartaric Acid Anhy.	500.00	25 gm
C ₁₈ H ₁₄ O ₈ (2743-38-6)	M. W.: 358.30	1350.00	100 gm
507525	(-)-o,o-Dibenzoyl L-Tartric Acid Mono Hydrate AR	1341.00	100 gm
C ₁₈ H ₁₄ O ₈ .H ₂ O (62708-56-9)	M. W.: 376.31	4455.00	500 gm

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
064965	(+)-2,3-Dibenzoyl-D-Tartaric Acid Anhy. [(+)-Di-Benzoyl-D-Tartaric Acid, (+)-2,3-Di-Benzoyl-D-Tartaric Acid] M. W.: 358.30 Assay (T) Acidimetric 98.0%	504.00	25 gm
		1450.00	100 gm
C ₁₈ H ₁₄ O ₈ (17026-42-5)			
064995	(+)-2,3-Dibenzoyl-D-Tartaric Acid Monohydrate M.W. : 358.30 (anhy.)	550.00	25 gm
		1900.00	100 gm
C ₁₈ H ₁₄ O ₈ .H ₂ O (80822-15-7)			
065185	Dibenzylamine for Synthesis [N,N-Bis (Methylphenyl) Amine] M. W.: 197.28 Assay 97.0%	864.00	100 ml
		4010.00	500 ml
C ₁₄ H ₁₅ N (103-49-1)			
065265	Dibenzyl Disulphide for Synthesis M. W.: 246.39 Assay 98.0%	1900.00	25 gm
		5400.00	100 gm
C ₁₄ H ₁₄ S ₂ (150-60-7)			
065335	Dibenzyl Phosphate for Synthesis M. W.: 298.25	621.00	5 gm
		2772.00	25 gm
C ₁₄ H ₁₅ O ₄ (1623-08-1)			
065415	3,5-Dibromo Anisole M. W.: 265.93 Assay 97.0%	3582.00	5 gm
C ₇ H ₆ Br ₂ O (74137-36-3)			
065615	1,4-Dibromo Benzene for Synthesis M. W.: 235.90	2007.00	500 gm
C ₆ H ₄ Br ₂ (106-37-6)			
065715	1,4-Dibromo Butane for Synthesis (Tetramethylene Dibromide) M. W.: 215.91	2097.00	250 ml
C ₄ H ₈ Br ₂ (110-52-1)			
1,8-Dibromo Butane See 1,8-Dibromo octane			
065805	1,3-Dibromo 5,5-Dimethyl Hydantion for Synthesis M. W.: 285.92 Assay 98.0%	1350.00	500 gm
		11250.00	5 kg
C ₅ H ₆ Br ₂ N ₂ O ₂ (77-48-5)			
065855	1,2-Dibromo Ethane for Synthesis M. W.: 187.89 Assay (GC) 98.0%	1593.00	250 ml
		2800.00	500 ml
		12510.00	2.5 lit
			POR 25 lit
C ₂ H ₄ Br ₂ (106-93-4)			
507835	1-2-Dibromo Ethane AR M. W.: 187.86 Assay (GC) 98.0%	4397.00	500 ml
		20655.00	2.5 lit
C ₂ H ₄ Br ₂ (106-93-4)			
291475	4:5-Dibromo Fluorescein M. W.: 490.10 Assay Dye Content 95.0%	2880.00	50 gm
C ₂₀ H ₁₀ Br ₂ O ₅ (596-03-2)			
508005	1,6-Dibromo Hexane AR M. W.: 243.97 Assay 96.0%	1125.00	100 gm
		4806.00	500 gm
Br(CH ₂) ₆ Br (629-03-8)			
066005	Dibromo Methane for Synthesis (Methylene Bromide) M. W.: 173.83 Assay 99.0%	4095.00	500 gm
CH ₂ Br ₂ (74-95-3)			
066105	1,5-Dibromo Pentane for Synthesis (Pentamethylenedibromide) M. W.: 229.94 Assay 97.0%	5535.00	500 gm
C ₅ H ₁₀ Br ₂ (111-24-0)			

Product Code	Product Name	Price	Packing
066215	2,6-Dibromo Phenol M. W.: 251.90 Assay 99.0%	1503.00	5 gm
		6507.00	25 gm
		22005.00	100 gm
Br ₂ C ₆ H ₃ OH (608-33-3)			
066265	1,3-Dibromo Propane (trimethylene dibromide) M. W. : 201.89	1305.00	100 ml
		4905.00	500 ml
Br(CH ₂) ₃ Br (109-64-8)			
508140	2,6-Dibromo Quinone-4-Chlorimide AR (537-45-1)	3105.00	5 gm
028064	Di-n-Butylamine for Synthesis (Dibutylamine) M. W.: 129.25 Assay (GC) 99.0%	774.00	500 ml
		3204.00	2.5 lit
C ₈ H ₁₉ N (111-92-2)			
2,6-Di-Tert-Butyl-p-Cresol See Butylated Hydroxy Toluene			
Di-tert-Butyl Dicarbonate See Boc-Anhydride			
066405	Dibutyl Ether for Synthesis M. W.: 130.23	801.00	500 ml
		3303.00	2.5 lit
			POR 25 lit
C ₈ H ₁₈ O (142-96-1)			
508275	Dibutyl Ether AR (n-Butyl ether) M. W.: 130.23	882.00	500 ml
		3600.00	2.5 lit
			POR 25 lit
C ₈ H ₁₈ O (142-96-1)			
066435	Di-n-Butyl Maleate (DBM) M. W.: 228.29 Assay (GC) 97.0%	585.00	500 ml
		2403.00	2.5 lit
			POR 25 lit
C ₁₂ H ₂₀ O ₄ (105-76-0)			
2,6-Di-tert-Butyl-4-Methyl Phenol See Butylated Hydroxy Toluene			
028073	Di-n-Butyl Phthalate M. W.: 278.35 Assay (GC) 98.0%	648.00	500 ml
		2610.00	2.5 lit
		4968.00	5 lit
C ₁₆ H ₂₂ O ₄ (84-74-2)			
508365	Di-n-Butyl Phthalate AR/ACS M. W.: 278.35 Assay (GC) 98.5%	792.00	500 ml
		3501.00	2.5 lit
C ₁₆ H ₂₂ O ₄ (84-74-2)			
Di-tert-Butyl Pyrocarbonate See BOC Anhydride			
066515	Dibutyl Tin Diacetate (CH ₃ CH ₂ CH ₂ CH ₂) ₂ Sn(OCOCH ₃) ₂ M. W.: 351.03 (1067-33-0)	3780.00	100 gm
		8505.00	500 gm
066555	Dibutyl Tin Dilaurate for Synthesis (CH ₃ CH ₂ CH ₂ CH ₂) ₂ Sn(OCO(CH ₂) ₁₀ CH ₃) ₂ M. W.: 631.56 (77-58-7)	6710.00	500 ml
C ₁₂ H ₂₀ O ₄ Sn (78-04-6)			
066595	Dibutyl Tin Dimaleate for Synthesis M. W.: 346.99 Assay 95.0%	8200.00	500 gm
C ₁₂ H ₂₀ O ₄ Sn (78-04-6)			
066635	Di-Butyl Tin Oxide for synthesis M. W.: 248.92 Assay (ex Sn) 98.0%	3852.00	250 gm
		14000.00	1 kg
C ₈ H ₁₈ OSn (818-08-6)			

Product Code	Product Name	Price	Packing
TC1467	ATC ▲N6-2'-O-Dibutyryl adenosine-3',5' Cyclic Monophosphate Sodium Salt Bucladesine sodium salt, Dibutyryl cAMP sodium salt, Dibutyryl cyclic-AMP sodium salt Cell Culture Tested M. W.: 491.37 Assay : ≥95%	4519.00	25 mg
		13563.00	100 mg
		27109.00	250 mg
		76005.00	1 gm
$C_{18}H_{23}N_5O_8PNa$ (16980-89-5)			
Dicalcium Phosphate See di-Calcium Phosphate			
066715	▲Dicamba (3,6 dichloro-o-anisic acid) M. W.: 221.04 Assay 98%	2520.00	100 mg
		18630.00	1 gm
$C_8H_6Cl_2O_3$ (1918-00-9)			
PCT1834	PTC ▲Dicamba (3,6 dichloro-o-anisic acid) Plant Culture Tested M. W.: 221.04 Assay 98%	7857.00	100 mg
		71321.00	1 gm
$C_8H_6Cl_2O_3$ (1918-00-9)			
066795	2,4-Dichloroacetophenone for Synthesis M. W.: 189.04	909.00	100 gm
		3150.00	500 gm
$C_8H_6Cl_2O$ (2234-16-4)			
066835	3,4-Dichloroacetophenone for Synthesis M. W.: 189.04	1548.00	25 gm
		6102.00	100 gm
$C_8H_6Cl_2O$ (2642-63-9)			
066925	2,3-Dichloroaniline for Synthesis M. W.: 162.02	1683.00	500 ml
		7943.00	2.5 lit
$C_6H_5Cl_2N$ (608-27-5)			
066945	☆ 2,4-Dichloroaniline for Synthesis M. W.: 162.02	2300.00	100 gm
		9000.00	500 gm
$C_6H_5Cl_2N$ (554-00-7)			
066965	2:5-Dichloroaniline for Synthesis M. W.: 162.02 Assay 99.0%	2250.00	500 gm
$Cl_2C_6H_3NH_2$ (95-82-9)			
067005	2,6-Dichloroaniline M. W.: 162.02 Assay 98.0%	3690.00	250 gm
$Cl_2C_6H_3NH_2$ (608-31-1)			
067025	3,4-Dichloroaniline for Synthesis M. W.: 162.02	1953.00	500 gm
$Cl_2C_6H_3NH_2$ (95-76-1)			
067115	2:4-Dichlorobenzaldehyde for Synthesis M. W.: 175.01 Assay 99.0%	1000.00	100 gm
		3402.00	500 gm
$Cl_2C_6H_3CHO$ (874-42-0)			
067145	3,4-Dichlorobenzaldehyde for Synthesis M. W.: 175.01 Assay 95.0%	1503.00	5 gm
		4203.00	25 gm
$Cl_2C_6H_3CHO$ (6287-38-3)			
m-Dichloro Benzene See 1,3-Dichlorobenzene			
028082	o-Dichloro Benzene for Synthesis (1,2-Dichlorobenzene) M. W.: 147.00 Assay (GC) 98.0%	612.00	500 ml
		2475.00	2.5 lit
		POR	25 lit
		POR	200 lit
$C_6H_4Cl_2$ (95-50-1)			

Product Code	Product Name	Price	Packing
508585	o-Dichloro Benzene AR (1,2-Dichlorobenzene) M. W.: 147.00	702.00	500 ml
		2601.00	2.5 lit
		POR	25 lit
$C_6H_4Cl_2$ (95-50-1)			
720650	o-Dichloro Benzene for HPLC (1,2-Dichloro benzene) M.W : 147.00 Assay (GC) 99.0%	3303.00	1 lit
$C_6H_4Cl_2$ (95-50-1)			
1,2-Dichloro Benzene See o-Dichloro Benzene			
1,4-Dichloro Benzene See p-Dichloro Benzene			
067225	1,3-Dichloro Benzene for Synthesis (m-Dichlorobenzene) M. W.: 147.00	2106.00	500 ml
		9000.00	2.5 lit
		POR	25 lit
$C_6H_4Cl_2$ (541-73-1)			
028084	p-Dichloro Benzene for Synthesis (1,4-Dichloro Benzene) M. W.: 147.00 Assay (GC) 97.0%	567.00	500 gm
		POR	25 kg
$C_6H_4Cl_2$ (106-46-7)			
067355	2,4-Dichloro Benzoic Acid M. W.: 191.02 Assay (acidimetric) 98.0%	1953.00	500 gm
$C_7H_4Cl_2O_2$ (50-84-0)			
067405	☆ 4,4'-Dichlorobenzophenone for Synthesis M. W.: 251.11 Assay 99.0%	2502.00	100 gm
$C_{13}H_8Cl_2O$ (90-98-2)			
067555	☆ 2,4-Dichlorobenzyl Alcohol for Synthesis M. W.: 177.03 Assay 99.0%	2502.00	50 gm
$Cl_2C_6H_3CH_2OH$ (1777-82-8)			
067715	☆ 3,4-Dichlorobenzylamine M. W.: 176.04 Assay 95.0%	2250.00	5 gm
		9000.00	25 gm
$Cl_2C_6H_3CH_2NH_2$ (102-49-8)			
067855	2,4-Dichlorobenzyl Chloride (A-2,4-Trichlorotoluene) M. W.: 195.47	3250.00	500 ml
$C_7H_5Cl_3$ (94-99-5)			
067895	1,4-Dichlorobutane for Synthesis (Tetramethylene dichloride) M.W: 127.01	3006.00	500 ml
$C_4H_8Cl_2$ (110-56-5)			
068025	▲2,3-Dichloro-5,6-Dicyano-P -Benzoquinone for Synthesis (DDQ) M. W.: 227.00 Assay 98.0%	1404.00	25 gm
		5022.00	100 gm
		24525.00	500 gm
$C_8Cl_2N_2O_2$ (84-58-2)			
068335	Dichlorodimethylsilane for Synthesis (Repelsilane, Dimethyldichlorosilane) M. W.: 129.06 Assay 98.0%	1584.00	500 ml
		6471.00	2.5 lit
$C_2H_6Cl_2Si$ (75-78-5)			

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
 ☆ Delivery Period 4-6 Weeks
 ☼ Supply Only to End User

Product Code	Product Name	Price	Packing
068435 C ₁₂ H ₁₀ Cl ₂ Si (80-10-4)	Dichlorodiphenylsilane for Synthesis (Diphenyl dichlorosilane) M. W.: 253.21 Assay 98.0%	2790.00	100 gm
		6291.00	500 gm
028093 C ₂ H ₄ Cl ₂ (107-06-2)	1,2-Dichloroethane M. W.: 98.96 Assay (GC) 99.0%	441.00	500 ml
		1701.00	2.5 lit
508635 C ₂ H ₄ Cl ₂ (107-06-2)	1,2-Dichloroethane AR M. W.: 98.96 Assay (GC) 99.5%	522.00	500 ml
		1900.00	2.5 lit
720750 C ₂ H ₄ Cl ₂ (107-06-2)	1,2-Dichloroethane for HPLC & Spectroscopy M. W.: 98.96 Assay (GC) 99.5%	522.00	500 ml
		1900.00	2.5 lit
068545 Cl ₂ C ₆ H ₃ F (1435-48-9)	2,4-Dichlorofluoro Benzene M. W.: 164.99 Assay 99.0%	2610.00	25 gm
		9360.00	100 gm
291625 C ₂₀ H ₁₀ Cl ₂ O ₅ (76-54-0)	2,7-Dichloro fluorescein AR/ACS Adsorption Indicator M. W.: 401.20 Assay Abt. 90.0%	666.00	5 gm
		2790.00	25 gm
824755	Dichlorofluorescein indicator 0.1% w/v in 70% Alcohol	297.00	100 ml
068575 Cl ₂ C ₆ H ₂ (OH)CO ₂ H (3336-41-2)	3,5-Dichloro-4-Hydroxy Benzoic Acid M. W.: 207.01 Assay 97.0%	4500.00	25 gm
068605 C ₃ Cl ₂ N ₃ NaO ₃ .2H ₂ O (51580-86-0)	Dichloroiso-Cyanuric Acid Sodium Salt for Synthesis M. W.: 255.98 Assay 98.0%	1350.00	500 gm
028096 CH ₂ Cl ₂ (75-09-2)	Dichloromethane Pure M. W.: 84.93 Assay (GC) 99.0%	550.00	500 ml
		2007.00	2.5 lit
508705 CH ₂ Cl ₂ (75-09-2)	Dichloromethane AR/ACS M. W.: 84.93 Assay (GC) 99.5%	550.00	500 ml
		2502.00	2.5 lit
508710 CH ₂ Cl ₂ (75-09-2)	Dichloromethane Specially Dried AR M. W.: 84.93 Assay (GC) 99.5%	702.00	500 ml
		3006.00	2.5 lit
925600 CH ₂ Cl ₂ (75-09-2)	Dichloromethane for Molecular Biology M. W.: 84.93 Assay (GC) 99.5%	1152.00	500 ml
720946 CH ₂ Cl ₂ (75-09-2)	Dichloromethane GC HS Grade M.W : 84.93 Assay (GC) 99.9%	1760.00	1 lit
720950 CH ₂ Cl ₂ (75-09-2)	Dichloromethane for HPLC & Spectroscopy M. W.: 84.93 Assay (GC) 99.7%	1206.00	1 lit
		2808.00	2.5 lit

Product Code	Product Name	Price	Packing
721050 CH ₂ Cl ₂ (75-09-2)	Dichloromethane for Pesticide Residue Trace Analysis (Methylene Chloride) M. W.: 84.93	3024.00	1 lit
D39663 CD ₂ Cl ₂ (1665-00-5)	Dichloromethane-d₂ (for NMR Spectroscopy) M.W.: 86.95 Assay Min. 99.5 atom%D	19782.00	10x0.75ml
D39672 CD ₂ Cl ₂ (1665-00-5)	Dichloromethane-d₂ (for NMR Spectroscopy) M.W.: 86.95 Assay Min. 99.5 atom%D	17910.00	10 ml
068815 C ₃ H ₆ Cl ₂ Si (124-70-9)	Dichloromethyl Vinyl Silane for Synthesis M. W.: 141.07 Assay 97.0%	2691.00	100 gm
		10980.00	500 gm
068845 C ₁₀ H ₄ Cl ₂ O ₂ (117-80-6)	2,3-Dichloro-1,4-Naphthoquinone for Synthesis M. W.: 227.04 Assay 98.0%	1593.00	25 gm
		4806.00	500 gm
068935 Cl ₂ C ₆ H ₃ NO ₂ (99-54-7)	3:4-Dichloronitro Benzene for Synthesis M. W.: 192.00 Assay 99.0%	702.00	100 gm
		3150.00	500 gm
068925 Cl ₂ C ₆ H ₃ NO ₂ (611-06-3)	2:4-Dichloronitro Benzene for Synthesis M.W. : 192.0 Assay 97.0%	6003.00	1 kg
		1602.00	100 gm
069065 C ₁₃ H ₁₀ O ₂ Cl ₂ (97-23-4)	Dichlorophene Pract for Synthesis [5,5-Dichloro-2,2-Dihydroxy Diphenyl Methane, bis (5-Chloro-2-Hydroxyphenyl) Methane] M. W.: 269.14 Assay 95.0%	1863.00	500 gm
069225 Cl ₂ C ₆ H ₃ OH (576-24-9)	2,3-Dichlorophenol M. W.: 163.00 Assay 98.0%	1206.00	25 gm
		3969.00	100 gm
069235 Cl ₂ C ₆ H ₃ OH (120-83-2)	2,4-Dichlorophenol for Synthesis M. W.: 163.00	12609.00	500 gm
		550.00	100 gm
069230 C ₆ H ₄ OCl ₂ (120-83-2)	2,4-Dichloro Phenol Pract M.W.: 163.0 Assay (GC) 98.0%	1602.00	500 gm
		1035.00	250 gm
069275 C ₆ H ₄ Cl ₂ O (87-65-0)	2,6-Dichloro Phenol M. W.: 163.0 Assay (GC) 98.0%	1107.00	100 gm
		4203.00	500 gm
291775 C ₁₂ H ₆ Cl ₂ NNaO ₂ .XH ₂ O (620-45-1)	2,6-Dichloro Phenol Indophenol Sodium Salt AR for the determination of Ascorbic Acid M. W.: 290.08 (Anhy.) Assay (By Titanometry on anhydrous material) 98.0%	302.00	1 gm
		1206.00	5 gm
069315 C ₈ H ₆ Cl ₂ O ₃ (94-75-7)	2,4-Dichlorophenoxy Acetic Acid M. W.: 221.04 Assay 97.0%	4806.00	25 gm
		3762.00	250 gm
PCT1825	2,4-Dichlorophenoxy Acetic Acid (2,4-D) Plant Culture Tested M. W.: 221.04 Assay : ≥ 98% Store below 30°C	1908.00	100 gm
		3807.00	250 gm

Product Code	Product Name	Price	Packing
PCT2401	PTC ▲2,4-Dichlorophenoxy Acetic Acid (2,4-D) solution w/ 1 mg/ml 2,4-D in sterile distilled water Sterile filtered Plant Culture Tested	765.00 2300.00	20 ml 5X20 ml
069365	2,4-Dichlorophenyl Acetic Acid for Synthesis C ₈ H ₆ Cl ₂ O ₂ (19719-28-9) M. W.: 205.04 Assay 99.0%	1107.00 4104.00	25 gm 100 gm
069385	3,4-Dichlorophenyl Acetic Acid Cl ₂ C ₆ H ₃ CH ₂ CO ₂ H (5807-30-7) M. W.: 205.04 Assay 98.0%	1251.00 3906.00	5 gm 25 gm
069415	3,5-Dichloro Phenyl Boronic Acid Cl ₂ C ₆ H ₃ B(OH) ₂ (67492-50-6) M. W.: 190.82 Assay 98.0%	1850.00 6606.00 25002.00	1 gm 5 gm 25 gm
069445	1-(3,4-Dichlorophenyl) Piperazine C ₁₀ H ₁₂ Cl ₂ N ₂ (57260-67-0) M. W.: 231.12 Assay (GC) 98.0%	6237.00 POR POR	1 gm 5 gm 25 gm
069645	4,5-Dichlorophthalic Anhydride C ₈ H ₂ Cl ₂ O ₃ (942-06-3) M. W.: 217.01 Assay 98.0%	11493.00 POR	5 gm 100 gm
069725	4:7-Dichloroquinoline for Synthesis C ₉ H ₅ Cl ₂ N (86-98-6) M. W.: 198.05 Assay 99.0%	3096.00	25 gm
069795	▲2,6-Dichloroquinone-4-Chloroimide (N,2,6-Trichloro-p-Benzoquinonemide Gibbs Reagent, Reagent for Vitamin B ₆) C ₆ H ₂ Cl ₃ NO (101-38-2) M.W.: 210.45 Assay 98.0%	1557.00 2808.00	5 gm 10 gm
069865	3:5-Dichlorosalicylaldehyde for Synthesis Cl ₂ C ₆ H ₂ (OH)CHO (90-60-8) M.W.: 191.01 Assay 99.0%	1656.00 6003.00	5 gm 25 gm
069935	2,4-Dichlorotoluene for Synthesis C ₇ H ₆ Cl ₂ (95-73-8) M. W.: 161.03 Assay 98.0%	2106.00 6300.00	100 ml 500 ml POR10x500 ml
069955	3,4-Dichlorotoluene for Synthesis C ₇ H ₆ Cl ₂ (95-75-0) M. W.: 161.03 Assay 98.0%	3960.00	500 gm
509565	Diclofenac Sodium AR for Lab use only C ₁₄ H ₁₀ Cl ₂ NNaO ₂ (15307-79-6) M. W.: 318.13 Assay (HPLC) 98.5%	999.00 2403.00 6039.00	5 gm 25 gm 100 gm
070155	Dicumyl Peroxide C ₁₈ H ₂₂ O ₂ (80-43-3) M. W.: 270.37 Assay 98.0%	2089.00	250 gm
028108	Dicyandiamide Pure C ₂ H ₄ N ₄ (461-58-5) M. W.: 84.08 Assay (HPLC) 98.0%	828.00 POR POR	500 gm 5 kg 25 kg
	Dicyanomethane See Malononitrile		
028111	Dicyclohexylamine for Synthesis C ₁₂ H ₂₃ N (101-83-7) M. W.: 181.32 Assay (GC) 99.0%	950.00 4001.00 POR	500 ml 2.5 lit 25 lit

Product Code	Product Name	Price	Packing
509755	Dicyclohexylamine AR C ₁₂ H ₂₃ N (101-83-7) M. W.: 181.32 Assay (GC) 99.0%	1755.00	500 ml
070235	▲n,n'-Dicyclohexyl Carbodiimide for Synthesis C ₁₃ H ₂₂ N ₂ (538-75-0) M. W.: 206.33	1107.00 4203.00	100 gm 500 gm
824855	* n,n'-Dicyclohexylcarbodiimide 1M Solution in Dichloromethane	900.00	100 ml
070355	Dicyclo Hexyl Phthalate for Synthesis C ₂₀ H ₂₆ O ₄ (84-61-7) M. W.: 330.42 Assay 99.0%	3960.00	500 gm
070465	Dicylopentadiene for Synthesis (Stabilized) C ₁₀ H ₁₂ (77-73-6) M. W.: 132.20	370.00 1701.00	100 ml 500 ml
RE0430	Didymium Oxide Nd ₂ O ₃ .Pr ₂ O ₃ (11141-21-2) M. W.: 666.29	3600.00 9000.00	25 gm 100 gm
070545	Diethanolamine for Synthesis C ₄ H ₁₁ NO ₂ (111-42-2) M. W.: 105.14 Assay (acidimetric) 98.0%	513.00 2304.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
509965	Diethanolamine AR/ACS for Biochemistry C ₄ H ₁₁ NO ₂ (111-42-2) M. W.: 105.15 Assay 98.0%	594.00 2403.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
070655	Diethoxymethane for Synthesis (Formaldehyde Diethyl Acetal, Ethylal) (Stabilized with BHT) C ₅ H ₁₂ O ₂ (462-95-3) M. W.: 104.15 Assay 99.0%	1800.00 8200.00	500 ml 2.5 lit
510155	Diethoxymethane AR (Stabilized with BHT) C ₅ H ₁₂ O ₂ (462-95-3) M.W.: 104.15 Assay 99.0%	2250.00	500 ml
028120	Diethylamine for Synthesis (C ₂ H ₅) ₂ NH (109-89-7) M. W.: 73.14 Assay (GC) 99.0%	621.00 2394.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
510405	Diethylamine AR (C ₂ H ₅) ₂ NH (109-89-7) M. W.: 73.14 Assay (GC) 99.5%	702.00 2592.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
721800	Diethylamine for HPLC & Spectroscopy (C ₂ H ₅) ₂ NH (109-89-7) M. W.: 73.14	2178.00	1 lit
070805	Diethylamine Hydrochloride for Synthesis (Diethyl ammonium Chloride) C ₄ H ₁₁ N.HCl (660-68-4) M. W. :109.6 Assay 98.0%	1107.00	500 gm
028122	2-Diethyl Amino Ethanol (N,N-Diethyl Amino Ethanolamine) C ₆ H ₁₅ NO (100-37-8) M.W.: 117.19 Assay (GC) 99.0%	820.00 3690.00 POR POR	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Price	Packing
510455 C ₆ H ₁₅ NO (100-37-8)	2-Diethyl Amino Ethanol AR M. W.: 117.19	1350.00	500 ml
070865 (C ₂ H ₅) ₂ NCH ₂ Cl.HCl (869-24-9)	▲2-Diethyl Amino Ethyl Chloride Hydrochloride for Synthesis M. W.: 172.10 Assay 99.0%	342.00 1188.00 10000.00	25 gm 100 gm 1 kg
070895 C ₁₀ H ₁₅ N (91-66-7)	n,n'-Diethyl Aniline M. W.: 149.25 Assay (GC) 98.5%	1107.00 4905.00 POR	500 ml 2.5 lit 25 lit
510495 C ₁₀ H ₁₅ N (91-66-7)	n,n-Diethyl Aniline AR M. W.: 149.25 Assay (GC) 99.0%	1305.00	500 ml
510615 C ₆ H ₁₀ N ₂ O ₄ (1972-28-7)	Diethyl Azodicarboxylate AR (Dad, Daed, Azocarboxylic acid Diethylester) M. W.: 174.16	1107.00 4001.00 15003.00	5 gm 25 gm 100 gm
	Diethyl Carbamoyl Chloride See Diethyl Carbamyl Chloride,		
070975 C ₅ H ₁₀ ClNO (88-10-8)	Diethyl Carbamyl Chloride (Diethyl Carbamoyl Chloride) M.W : 135.59 Assay 99.0%	2250.00	100 gm
071125 C ₅ H ₁₀ O ₃ (105-58-8)	Diethyl Carbonate for Synthesis M. W.: 118.13 Assay 99.0%	1000.00 4707.00 POR	500 ml 2.5 lit 25 lit
	Diethylene Diamine See Piperazine		
028150 C ₄ H ₁₀ O ₃ (111-46-6)	Diethylene Glycol for Synthesis M. W.: 106.12 Assay (GC) 98.5%	495.00 2007.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
510705 C ₄ H ₁₀ O ₃ (111-46-6)	Diethylene Glycol AR M. W.: 106.12 Assay (GC) 99.0%	576.00 2304.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
071275 (C ₂ H ₅ OCH ₂ CH ₂) ₂ O (112-36-7)	Diethylene Glycol Diethylether (Diethyldiglycol) M. W.: 162.23	1710.00 6850.00	500 ml 2.5 lit
510795 (C ₂ H ₅ OCH ₂ CH ₂) ₂ O (112-36-7)	Diethylene Glycol Diethylether AR (Diethyldiglycol) M. W.: 162.23	4266.00 23000.00	500 ml 2.5 lit
071365 C ₆ H ₁₄ O ₃ (111-96-6)	Diethylene Glycol Dimethyl Ether (Dimethyl Digol, Diglyme) M. W.: 134.18 Assay (GC) min. 99%	1701.00 8001.00 POR	500 ml 2.5 lit 25 lit
027522 C ₈ H ₁₈ O ₃ (112-34-5)	Diethylene Glycol Mono Butyl Ether (Butyl Carbitol, Butyl Digol) M. W.: 162.23 Assay (GC) 97.0%	820.00 3807.00 POR	500 ml 2.5 lit 25 lit
071405 C ₆ H ₁₄ O ₃ (111-90-0)	Diethylene Glycol Mono Ethyl Ether for Synthesis (Ethyl Digol) M. W.: 134.18 Assay (GC) 98.0%	680.00 2970.00 POR	500 ml 2.5 lit 25 lit

Product Code	Product Name	Price	Packing
510940 C ₆ H ₁₄ O ₃ (111-90-0)	Diethylene Glycol Mono Ethyl Ether AR M. W.: 134.18	1998.00	1 lit
071425 C ₅ H ₁₂ O ₃ (111-77-3)	Diethylene Glycol Mono Methyl Ether for Synthesis (Methyl Digol) M.W.: 120.15 Assay (GC) 98.0%	720.00 3303.00 POR	500 ml 2.5 lit 25 lit
071445 C ₄ H ₁₃ N ₃ (111-40-0)	Diethylene Triamine for Synthesis M. W.: 103.17 Assay (GC) 97.0%	1143.00 4860.00 POR	500 ml 2.5 lit 25 lit
071485 C ₁₄ H ₂₃ N ₃ O ₁₀ (67-43-6)	▲Diethylene Triamine Penta Acetic Acid (D.T.P.A.) M. W.: 393.35 Assay 98.0%	522.00 1900.00 POR POR	100 gm 500 gm 5 kg 25 kg
511545 C ₁₄ H ₂₃ N ₃ O ₁₀ (67-43-6)	▲Diethylene Triamine Penta Acetic Acid (D.T.P.A.) AR M. W.: 393.35 Assay (anhydrous substance) 99.0%	585.00 2205.00 POR	100 gm 500 gm 5 kg
824895	Diethylene Triaminepenta Acetic Acid Pentasodium Salt 40% Aq. Soln. (DTPA Na5)	720.00	500 ml
028132 (C ₂ H ₅) ₂ O (60-29-7)	Diethyl Ether M. W.: 74.12 Assay (GC) 99.5%	567.00 2205.00 POR POR	500 ml 20x500ml 2.5 lit 25 lit 200 lit
511080 (C ₂ H ₅) ₂ O (60-29-7)	Diethyl Ether AR M. W.: 74.12 Assay (GC) 99.5%	630.00 2403.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
511085 (C ₂ H ₅) ₂ O (60-29-7)	Diethyl Ether Dry AR (Solvent Ether, Ethyl Ether) Meets Analytical Specification of ACS M. W.: 74.12 Assay 99.5%	820.00 3258.00	500 ml 2.5 lit
721900 (C ₂ H ₅) ₂ O (60-29-7)	Diethyl Ether for HPLC (Solvent Ether, Ethyl Ether) M. W.: 74.12	4113.00	1 lit
722000 (C ₂ H ₅) ₂ O (60-29-7)	Diethyl Ether for Pesticide Residue Trace Analysis M. W.: 74.12	4410.00	1 lit
071575 C ₁₀ H ₁₆ O ₅ (87-13-8)	Diethyl Ethoxy Methylene Malonate for Synthesis M. W.: 216.23 Assay 98.0%	3303.00	500 ml
071605 C ₁₆ H ₃₅ O ₄ P (298-07-7)	Di-2-Ethyl Hexyl Phosphate M. W.: 322.43	2745.00	500 gm
071625 CH ₃ CH ₂ COCH ₂ CH ₃ (96-22-0)	Diethyl Ketone for Synthesis (3-Pentanone) M. W.: 86.13	1485.00	500 ml

Product Code	Product Name	Price	Packing
028138 C ₇ H ₁₂ O ₄ (105-53-3)	Diethyl Malonate for Synthesis M. W.: 160.17 Assay (GC) 98.0%	1170.00 5481.00 POR	500 ml 2.5 lit 25 lit
511275 C ₇ H ₁₂ O ₄ (105-53-3)	Diethyl Malonate AR M. W.: 160.17 Assay 99.0%	1350.00 5760.00	500 ml 2.5 lit
511365 C ₈ H ₁₁ O ₅ Na (40876-98-0)	Diethyl Oxalacetate Sodium Salt AR M.W.: 210.16 Assay 95.0%	6003.00 19900.00	100 gm 500 gm
071685 C ₆ H ₁₀ O ₄ (95-92-1)	Diethyl Oxalate M.W.: 146.14 Assay (GC) 99.0%	738.00 3303.00 POR	500 ml 2.5 lit 25 lit
511455 C ₆ H ₁₀ O ₄ (95-92-1)	Diethyl Oxalate AR M. W.: 146.14	1494.00	500 ml
511480 (C ₂ H ₅) ₂ NC ₆ H ₄ NH ₄ .H ₂ SO ₄ (6283-63-2)	N,N-Diethyl-P-Phenylenediamine Sulphate AR M.W.: 262.33 Assay 98.0%	8640.00 31500.00	100 gm 500 gm
028142 C ₁₂ H ₁₄ O ₄ (84-66-2)	Diethyl Phthalate for Synthesis M. W.: 222.24 Assay (GC) 99.0%	603.00 2502.00 POR	500 ml 2.5 lit 25 lit
511605 C ₁₂ H ₁₄ O ₄ (84-66-2)	Diethyl Phthalate AR M. W.: 222.24 Assay 97.0%	900.00	500 ml
926010 MB C ₆ H ₁₀ O ₅ (1609-47-8)	▲Diethyl Pyrocarbonate (DEPC) For Molecular Biology M. W.: 162.14 Assay : ≥ 99%	2502.00 8856.00	25 ml 100 ml
PCT2510 PTC O(COOC ₂ H ₅) ₂ (1609-47-8)	▲Diethyl Pyrocarbonate Plant Culture Tested M. W.: 162.14 Assay 97.0%	3402.00 5590.00 9423.00	25 ml 50 ml 100 ml
071925 C ₈ H ₁₄ O ₄ (123-25-1)	Diethyl Succinate for Synthesis M.W.: 174.19 Assay 99.0%	1818.00	500 ml
028144 C ₄ H ₁₀ SO ₄ (64-67-5)	Diethyl Sulphate M. W.: 154.19 Assay (GC) 98.0%	666.00 2808.00 POR	500 ml 2.5 lit 25 lit
	(2R,3R)-(+)-Diethyl Tartrate See (+)-Diethyl L-Tartrate		
071975 C ₈ H ₁₄ O ₆ (13811-71-7)	Diethyl-D(-)-Tartarate M. W.: 206.20	1301.00 3501.00 15003.00	25 gm 100 gm 500 gm
071995 C ₈ H ₁₄ O ₆ (87-91-2)	(+)-Diethyl L-Tartrate M.W. 206.20	1152.00 2106.00 10000.00	25 gm 100 gm 500 gm
072015 C ₁₁ H ₁₇ N (91-67-8)	N,N-Diethyl-M-Toluidine for Synthesis M. W.: 163.27	1314.00 4095.00	100 ml 500 ml
072165 F ₂ C ₆ H ₃ NH ₂ (367-25-9)	2,4-Difluoro Aniline M. W.: 129.11 Assay 99.0%	1332.00 4230.00	25 gm 100 gm
072175 * F ₂ C ₆ H ₃ NH ₂ (372-39-4)	3:5-Difluoro Aniline M. W.: 129.11 Assay 98.0%	2295.00	5 gm

Product Code	Product Name	Price	Packing
072225 F ₂ C ₆ H ₃ CHO (437-81-0)	2,6-Difluoro Benzaldehyde M. W.: 142.10 Assay 98.0%	4500.00 18500.00	5 gm 25 gm
072305 F ₂ C ₆ H ₃ C(O)NH ₂ (18063-03-1)	2,6-Difluoro Benzamide M. W.: 157.12 Assay 97.0%	3186.00	25 gm
	m-Difluorobenzene See 1,3-Difluorobenzene		
072385 C ₆ H ₄ F ₂ (372-18-9)	1,3-Difluoro Benzene (m-Difluorobenzene) M. W.: 114.10 Assay 99.0%	2205.00 10206.00	100 ml 500 ml
072425 * (FC ₆ H ₄) ₂ CO (345-92-6)	4,4-Difluoro Benzophenone for Synthesis M. W.: 218.20 Assay 99.0%	5500.00	250 gm
072525 C ₅ H ₂ ClF ₂ N (89402-43-7)	2,3-Difluoro 5-Chloro Pyridine M. W.: 149.53 Assay 95%	6210.00	5 gm
072795 C ₆ H ₃ F ₂ NO ₂ (446-35-5)	2:4-Difluoro Nitro Benzene M. W.: 159.09 Assay 99.0%	1557.00 3897.00 19180.00	25 gm 100 gm 500 gm
072825 * F ₂ C ₆ H ₃ NO ₂ (2265-94-3)	3:5-Difluoro Nitro Benzene M. W.: 159.09 Assay 99.0%	6381.00 22140.00	5 gm 25 gm
291915 C ₅₆ H ₉₂ O ₂₉ (11024-24-1)	Digitonin AR M. W.: 1229.34 Assay (Gravimetric) 98.0%	30960.00	1 gm
	Diglyme See Diethylene Glycol Dimethyl Ether		
	Digol See Diethylene Glycol		
072845 C ₅ H ₈ O (110-87-2)	3,4-Dihydro-2H-Pyran M.W : 84.12	1647.00 6903.00	100 ml 500 ml
072885 C ₆ H ₁₂ O ₆ (26776-70-5)	1,3-Dihydroxy Acetone for Synthesis (Dimer) M. W.: 180.16	1791.00 3150.00	25 gm 100 gm
072945 (HO) ₂ C ₆ H ₃ COCH ₃ (89-84-9)	2,4-Dihydroxy Acetophenone for Synthesis (4-Acetylnesorcinol, Resacetophenone) M. W.: 152.15	2601.00 12510.00	100 gm 500 gm
072965 C ₈ H ₈ O ₃ (490-78-8)	2,5-Dihydroxy Acetophenone (2-Acetyl Hydroquinone, Quinacetophenone) M. W.: 152.15 Assay (GC) 98.0%	1450.00 6480.00 22005.00	5 gm 25 gm 100 gm
072975 C ₈ H ₈ O ₃ (699-83-2)	2,6-Dihydroxy Acetophenone M.W 152.15 Assay (GC) 99.0%	1305.00 4203.00 14000.00	5 gm 25 gm 100 gm
	1,4-Dihydroxy Anthraquinone See Quinizarine		
512515 C ₇ H ₆ O ₃ (139-85-5)	3,4-Dihydroxy Benzaldehyde AR (Protocatechualdehyede) M. W.: 138.12	1450.00 4100.00 15003.00	25 gm 100 gm 500 gm
	1,4-Dihydroxy Benzene See Hydroquinone		
	o-Dihydroxy Benzene See Pyrocatechol		

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
	1,2-Dihydroxybenzene-3,5-Disulfonic Acid Sodium Salt See Tiron		
073085	2,4-Dihydroxy Benzoic Acid for Synthesis (β-resor-cylic acid)	1900.00	100 gm
C ₇ H ₆ O ₄ (89-86-1)	M. W.: 154.12 Assay 98.0%	6507.00	500 gm
073105	3,5-Dihydroxy Benzoic Acid for Synthesis (α-resor-cylic acid)	6930.00	100 gm
C ₇ H ₆ O ₄ (99-10-5)	M. W.: 154.12 Assay 98.0%	POR	500 gm
073125	2,4-Dihydroxy Benzophenone for Synthesis	1206.00	100 gm
C ₁₃ H ₁₀ O ₃ (131-56-6)	M. W.: 214.22 Assay 99.0%	4851.00	500 gm
073165 *	4,4-Dihydroxy Benzophenone for Synthesis	3807.00	25 gm
(HOC ₆ H ₄) ₂ CO (611-99-4)	M. W.: 214.22	12690.00	100 gm
	1,3-Dihydroxynaphthalene See Naphthoresorcinol		
073255	1,5-Dihydroxynaphthalene	12200.00	500 gm
C ₁₀ H ₈ O ₂ (83-56-7)	M. W.: 160.17		
	3,(3-4-Dihydroxy Phenyl) Di- Alanine See DL-DOPA		
	3-(3-4-Dihydroxy Phenyl)-I-Alanine See L-DOPA		
	2,2-Di (4-Hydroxy Phenyl) Propane See Bisphenol A		
073315	2,5-Dihydroxy Propiophenone	5850.00	25 gm
C ₉ H ₁₀ O ₃ (938-46-5)	M. W.: 166.17 Assay 98.0%		
	1,8-Dihydroxy-2-(4-Sulfophenylazo) Naphthalene-3, 6-Disulfonic Trisodium Salt See SPADNS		
	3,5-Dihydroxytoluene See Orcinol		
PCT1852 PTC	▲ Dihydrozeatin (DHZ) Plant Culture Tested	1981.00	25 mg
C ₁₀ H ₁₅ N ₅ O (14894-18-9)	M. W.: 221.3	3753.00	50 mg
		7146.00	100 mg
		17127.00	250 mg
073365	Diiodomethane for Synthesis Separation of Minerals	6390.00	100 gm
CH ₂ I ₂ (75-11-6)	M.W : 267.84 Assay 98.0%	19908.00	500 gm
078865	Di-ISO-Propylamine for Synthesis	1107.00	500 ml
C ₆ H ₁₅ N (108-18-9)	M. W.: 101.19 Assay (GC) 99.0%	4806.00	2.5 lit
		POR	25 lit
	Diisopropyl Azodiformate See Diisopropylazodicarboxylate		
078885	DI-ISO-Propyl Azo Dicarboxylate for Synthesis	1008.00	25 gm
C ₈ H ₁₄ N ₂ O ₄ (2446-83-5)	M. W.: 202.21	3753.00	100 gm
078925	Di-ISO-Propyl Ether	680.00	500 ml
C ₆ H ₁₄ O (108-20-3)	M. W.: 102.18 Assay (G.C) 98.0%	3105.00	2.5 lit
		POR	25 lit
		POR	200 lit

Product Code	Product Name	Price	Packing
512605	Di-ISO-Propyl Ether AR/ACS	730.00	500 ml
C ₆ H ₁₄ O (108-20-3)	M. W.: 102.18 Assay (GC) 98.5%	3303.00	2.5 lit
		POR	25 lit
		POR	200 lit
078965	n, n'-Di-ISO-Propyl Ethylamine for Synthesis	1044.00	250 ml
C ₈ H ₁₉ N (7087-68-5)	M. W.: 129.25	3591.00	500 ml
		POR	25 lit
PCT1832 PTC	- Dikegulac Plant Culture Tested	38079.00	500 mg
C ₁₂ H ₁₈ O ₇ ·H ₂ O (68539-16-2)	M. W.: 292.28 Assay 97.5%	68500.00	1 gm
926490 MB	Diluent For DNA Extraction (For Molecular Biology)	882.00	100 ml
	Assay : ≥ 99.8% Store Below 30°C	2170.00	500 ml
		19404.00	10x500 ml
	Diluting Fluids WBC See W.B.C.Diluting Fluid (Turk's)		
512695	Dimedone AR	1107.00	25 gm
C ₈ H ₁₂ O ₂ (126-81-8)	M. W.: 140.18 Assay (acidimetric) 99.5%	3006.00	100 gm
825950	Dimedone Reagent (Reagent for aldehydes)	1557.00	100 ml
073665	2,4-Dimethoxy Acetophenone for Synthesis (Resacetophenonedimethyl Ether)	1850.00	25 gm
C ₁₀ H ₁₂ O ₃ (829-20-9)	M. W.: 180.21 Assay 98.0%	6800.00	100 gm
073675	2,5-Dimethoxy Acetophenone for Synthesis (Resacetophenonedimethyl Ether)	2907.00	25 gm
C ₁₀ H ₁₂ O ₃ (1201-38-3)	M. W.: 180.21 Assay 99.0%	7920.00	100 gm
		31100.00	500 gm
073685	3,4-Dimethoxy Acetophenone	829.00	25 gm
C ₁₀ H ₁₂ O ₃ (1131-62-0)	M. W.: 180.21 Assay 98.0%	2403.00	100 gm
073715	▲ 3,4-Dimethoxy Benzaldehyde for Synthesis (veratraldehyde)	1098.00	100 gm
C ₉ H ₁₀ O ₃ (120-14-9)	M. W.: 166.17 Assay ≥ 98.0%	4140.00	500 gm
	1,4-Dimethoxybenzene See Hydroquinone Dimethyl Ether		
	3,3'-Dimethoxybenzidine See O-Dianisidine		
073745	4,4'-Dimethoxy Benzophenone	2610.00	25 gm
(CH ₃ OC ₆ H ₄) ₂ CO (90-96-0)	M. W.: 242.27 Assay 97.0%	8406.00	100 gm
073805	1,2-Dimethoxy Ethane (Ethylene Glycol Dimethyl Ether, Monoglyme) (Stabilised with BHT ~ 100 ppm)	1908.00	500 ml
C ₄ H ₁₀ O ₂ (110-71-4)	M. W.: 90.12 Assay 99.0%	8802.00	2.5 lit
		POR	25 lit
		POR	200 lit
073845	1,2-Dimethoxy Methane (FormaldehydeDimethyl Acetal, Methylal)	1107.00	500 ml
C ₃ H ₈ O ₂ (109-87-5)	M. W.: 76.10 Assay 98.0%	4600.00	2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
512895 C ₃ H ₈ O ₂ (109-87-5)	1,2-Dimethoxy Methane Anhydrous AR M. W.: 76.10 Assay 99.5%	1400.00 6660.00	500 ml 2.5 lit
073905 C ₅ H ₁₂ O ₂ (77-76-9)	2,2-Dimethoxy Propane for Synthesis (Acetone Dimethyl Acetal) M. W.: 104.15 Assay 98.0%	1206.00 5202.00	500 ml 2.5 lit
073985 C ₆ H ₁₂ O ₃ (696-59-3)	2:5-Dimethoxy Tetrahydrofuran For Synthesis M. W.: 132.16	4005.00 12600.00	100 gm 500 gm
074115 C ₂₁ H ₁₉ ClO ₂ (40615-36-9)	4,4'-Dimethoxy Trityl Chloride for Biochemistry M. W.: 338.83 Assay 95.0%	1350.00 4806.00 17460.00	5 gm 25 gm 100 gm
074165 C ₄ H ₉ NO (127-19-5)	n,n'-Dimethyl Acetamide M. W.: 87.12 Assay (GC) 99.0%	603.00 2502.00 POR	500 ml 2.5 lit 25 lit
513210 C ₄ H ₉ NO (127-19-5)	n,n'-Dimethyl Acetamide AR M. W.: 87.12 Assay (GC) 99.5%	684.00 2700.00 POR	500 ml 2.5 lit 25 lit
513215 C ₄ H ₉ NO (127-19-5)	n,n'-Dimethyl Acetamide "Dry" AR M. W.: 87.12 Assay 99.5%	1125.00 3420.00	500 ml 2.5 lit
723100 C ₄ H ₉ NO (127-19-5)	N,N-Dimethyl Acetamide For GC-HS M. W.: 87.12	1701.00 3200.00	1 lit 2.5 lit
723000 C ₄ H ₉ NO (127-19-5)	n,n;-Dimethyl Acetamide For HPLC & Spectroscopy M. W.: 87.12 Assay (GC) 99.7%	1602.00	1 lit
074225 C ₅ H ₈ O ₂ (541-47-9)	3,3-Dimethyl Acrylic Acid for Synthesis (3-Methyl-2-Butenoic Acid) M. W.: 100.12 Assay 97.0%	2493.00 10296.00	100 gm 500 gm
074335 C ₈ H ₁₄ O ₄ (627-93-0)	Dimethyl Adipate M. W.: 174.2 Assay 98.0%	1800.00	500 ml
074395 C ₂ H ₇ N (124-40-3)	Dimethylamine Solution 40% for Synthesis M. W.: 45.08 Assay (CH ₃) ₂ NH abt. 40% w/w	360.00 1494.00 POR	500 ml 2.5 lit 25 lit
	Dimethylamine Hydrochloride See Dimethyl Ammonium Chloride		
074465 C ₁₃ H ₁₇ N ₃ O (58-15-1)	4-Dimethyl Amino Antipyrine (Aminopyrine,4-Dimethylamino-1, 5-Dimethyl-2-Phenylpyrazol-3-one) M. W.: 231.30	1670.00 6210.00	25 gm 100 gm
292055 C ₉ H ₁₁ NO (100-10-7)	▲p-Dimethyl Amino Benzaldehyde for Synthesis (EHRlich Reagent) M. W.: 149.19 Assay (non aqueous) 98.0%	1575.00 14500.00 POR	100 gm 1 kg 25 kg
292065 C ₉ H ₁₁ NO (100-10-7)	▲p-Dimethyl Amino Benzaldehyde AR/ACS M. W.: 149.19 Assay (Non-aqueous) 99.0%	1746.00 15930.00 POR	100 gm 1 kg 25 kg

Product Code	Product Name	Price	Packing
292165 C ₁₂ H ₁₂ N ₂ OS ₂ (536-17-4)	p-Dimethylaminobenzylidene Rhodanine AR M. W.: 264.36	1935.00 9000.00	5 gm 25 gm
825990	▲p-Dimethylamine Benzylidene Rhodamine Solution (Reagent for Au, Hg & Ag)	522.00	100 ml
292265 C ₁₁ H ₁₃ NO (6203-18-5)	▲p-Dimethyl Amino Cinnamaldehyde AR M. W.: 175.23 Assay (HPLC) 98.0%	3006.00 14000.00	5 gm 25 gm
028190 C ₄ H ₁₁ NO (108-01-0)	n,n'-Dimethyl Amino Ethanol M. W.: 89.14 Assay (GC) 99.0%	950.00 4401.00	500 ml 2.5 lit
074615 C ₄ H ₁₀ CIN.HCl (4584-46-7)	2-Dimethyl Amino Ethyl Chloride Hydrochloride M. W.: 144.04 Assay (non aqueous) 99.0%	414.00 2907.00	100 gm 1 kg
074675 C ₅ H ₁₄ N ₂ (109-55-7)	3-Dimethyl Amino-1-Propylamine M. W.: 102.18 Assay 98.0%	1647.00 6993.00	500 ml 2.5 lit
074715 C ₅ H ₁₂ CIN.HCl (5407-04-5)	3-Dimethyl Aminopropyl Chloride Hydrochloride for Synthesis M. W.: 158.07	1305.00 5000.00	100 gm 500 gm
074785 (25952-53-8)	1-(3-Dimethyl Aminopropyl)-3- Ethylcarbodiimide Hydrochloride Assay 98.0%	270.00 1008.00 3501.00 17010.00	5 gm 25 gm 100 gm 500 gm
074895 C ₇ H ₁₀ N ₂ (1122-58-3)	p-Dimethyl Amino Pyridine for Synthesis (4-Dimethylaminopyridine) M. W.: 122.17	1647.00 4950.00 POR	100 gm 500 gm 1 KG
074915	p-Dimethyl Amino Styryl- B-Naphthiazole Methiodide AR	18000.00	100 mgm
028194 C ₂ H ₇ N.HCl (506-59-2)	Dimethyl Ammonium Chloride for Synthesis M. W.: 81.55 Assay (argentometric) 97.0%	320.00 648.00 5805.00 POR	100 gm 500 gm 5 kg 25 kg
513405 (CH ₃) ₂ NH.HCl (506-59-2)	Dimethyl Ammonium Chloride AR (Dimethylamine Hydrochloride) M. W.: 81.54	1926.00	250 gm
	2,4-Dimethylaniline See 2,4 Xylidine		
	2,6-Dimethylaniline See 2,6 Xylidine		
028196 C ₈ H ₁₁ N (121-69-7)	N,N-Dimethyl Aniline M. W.: 121.18 Assay (GC) 99.0%	851.00 3906.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
513450 C ₈ H ₁₁ N (121-69-7)	N,N-Dimethyl Aniline AR M. W.: 121.18 Assay (GC) 99.5%	954.00 4203.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
074995 C ₉ H ₁₁ NO ₂ (85-91-6)	Dimethyl Anthranilate M. W.: 165.19	10000.00	500 gm

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
	Dimethyl Arsenic Acid Sodium Salt See Sodium Cacodylate		
075085 C ₉ H ₁₀ N ₂ (582-60-5)	5,6-Dimethyl Benzimidazole M. W.: 146.19 Assay 99.0%	3150.00 11970.00	25 gm 100 gm
	N,N'-Dimethyl Benzylamine See N,N-Dimethyl Aniline		
514115 C ₆ H ₁₂ O ₂ (595-37-9)	2,2-Dimethyl Butyric Acid AR M. W.: 116.16	1206.00 3402.00 11394.00	25 ml 100 ml 500 ml
075285 C ₃ H ₆ O ₃ (616-38-6)	Dimethyl Carbonate for Synthesis M. W.: 90.08 Assay 99.0%	612.00 2502.00	500 ml 2.5 lit POR 25 lit
	5,5-Dimethyl-1,3-Cyclohexanedione See Dimedone		
075395 C ₈ H ₁₇ N (98-94-2)	N,N-Dimethyl Cyclohexylamine for Synthesis M. W.: 127.23 Assay 99.0%	3060.00	500 ml
	Dimethyl Dichlorosilane See Dichloro dimethyl silane		
	Dimethyldigol See Diethylene Glycol Dimethyl Ether		
	2,9-Dimethyl-4, 7-Diphenyl-1,10 Phenanthroline See Bathocuproin		
075505 C ₂ H ₆ S ₂ (624-92-0)	Dimethyl Disulphide M. W.: 94.2	1998.00	250 ml
	N,n'-Dimethyl Ethanolamine See N,N-Dimethyl Amino Ethanol		
075595 C ₃ H ₇ NO (68-12-2)	n,n'-Dimethyl Formamide M. W.: 73.09 Assay (GC) 99.0%	576.00 2502.00	500 ml 2.5 lit POR 25 lit POR 200 lit
514360 C ₃ H ₇ NO (68-12-2)	n,n'-Dimethyl Formamide AR M. W.: 73.09 Assay (GC) 99.5%	630.00 2700.00	500 ml 2.5 lit POR 25 lit POR 200 lit
514365 C ₃ H ₇ NO (68-12-2)	n,n'-Dimethyl Formamide Specially Dried AR/ACS M. W.: 73.09 Assay (GC) 99.5%	702.00 3141.00	500 ml 2.5 lit
PCT2533 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide Plant Culture Tested M. W.: 73.09 Store below 30°C	594.00	500 ml
TC1736 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide DMF Cell Culture Tested M. W.: 73.09 Store below 30°C	POR	500 ml
926500 C ₃ H ₇ NO (68-12-2)	n,n'-Dimethyl Formamide for Molecular Biology M. W.: 73.09	1152.00	500 ml

Product Code	Product Name	Price	Packing
727800 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide For GC-HS M. W.: 73.09	2412.00 5000.00	1 lit 2.5 lit
723600 C ₃ H ₇ NO (68-12-2)	n,n'-Dimethyl Formamide for HPLC & Spectroscopy M. W.: 73.09 Assay (GC) 99.5%	657.00 1197.00	500 ml 1 lit
723700 C ₃ H ₇ NO (68-12-2)	N,N-Dimethyl Formamide for Pesticide Residue Trace Analysis M. W.: 73.09	3600.00	1 lit
D44172 C ₃ HD ₆ NO (185990-36-7)	N,N-Dimethyl-d₆-Formamide (DMF-d ₆) (for NMR Spectroscopy) M.W.: 79.14 Assay Min. 99 atom%D	81810.00	5 ml
514375 C ₅ H ₁₃ NO ₂ (4637-24-5)	N,N-Dimethyl Formamide Dimethylacetal AR M. W.: 119.16	981.00 3807.00	100 ml 500 ml
075765 C ₈ H ₁₀ (2175-91-9)	6,6-Dimethyl Fulvene M. W.: 106.17	2800.00 11160.00	1 gm 5 gm
075855 C ₄ H ₈ N ₂ O ₂ (95-45-4)	Dimethyl Glyoxime for Industrial Use M. W.: 116.12	20970.00	5 kg
075905 C ₄ H ₈ N ₂ O ₂ (95-45-4)	Dimethyl Glyoxime (2,3-Butanedione Dioxime) M. W.: 116.12 Assay (Gravimetric via Nickel complex, on dried subs.) 98.0%	783.00 3303.00	100 gm 500 gm
514465 C ₄ H ₈ N ₂ O ₂ (95-45-4)	Dimethyl Glyoxime AR/ACS reagent for Nickel M. W.: 116.12 Assay Gravimetric via Nickel complex, on dried subs.) 99.0%	882.00 3600.00	100 gm 500 gm
826040	Dimethyl Glyoxime Solution (Reagent for Bi, CO, Ni, Ag)	801.00	100 ml
514530 C ₄ H ₆ N ₂ Na ₂ O ₂ .8H ₂ O (75006-64-3)	Dimethyl Glyoxime Di Sodium Salt Octahydrate AR M. W.: 304.21 Assay (anhydrous non aqueous) 99.0%	1062.00	250 gm
075965 C ₅ H ₁₀ N ₂ O (80-73-9)	N,N-Dimethyl Imidazolidinone for pesticide residue analysis for Residual Solvent Impurity Profile & Headspace Analysis (1,3-Dimethyl-2-Imidazolidinone) M. W.: 114.15	1170.00 5031.00 24660.00	100 ml 500 ml 2.5 lit
076005 C ₅ H ₈ O ₄ (108-59-8)	Dimethyl Malonate for Synthesis M. W.: 132.11	927.00 4050.00	500 ml 2.5 lit
076065 C ₈ H ₁₀ N ₂ O (138-89-6)	n,n-Dimethyl-4-Nitrosoaniline for Synthesis M. W.: 150.18	3591.00	25 gm
076105 (7378-99-6)	n,n-Dimethyl Octylamine	2007.00	25 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	2,9-Dimethyl 1,10-Phenanthroline Hydrochloride See Neocuproine Hydrochloride		
076155 C ₈ H ₁₀ O (526-75-0)	2,3-Dimethyl Phenol M. W.: 122.16	5940.00	100 gm
076165 C ₈ H ₁₀ O (105-67-9)	2,4-Dimethyl Phenol for Synthesis M. W.: 122.16	1000.00 2205.00 9000.00	25 ml 100 ml 500 ml
076175 C ₈ H ₁₀ O (95-87-4)	* 2,5-Dimethyl Phenol for Synthesis M. W.: 122.16	1800.00	100 gm
076185 C ₈ H ₁₀ O (576-26-1)	* 2,6-Dimethyl Phenol for Synthesis M. W.: 122.16	1503.00 4600.00	25 gm 500 gm
076195 C ₈ H ₁₀ O (95-65-8)	* 3,4-Dimethyl Phenol for Synthesis M. W.: 122.16	1791.00 14220.00	25 gm 500 gm
076205 C ₈ H ₁₀ O (108-68-9)	* 3,5-Dimethyl Phenol for Synthesis M. W.: 122.16	2358.00 5607.00	100 gm 500 gm
514925 C ₈ H ₁₂ N ₂ ·2HCl (536-46-9)	n,n-Dimethyl P-Phenylenediamine Dihydrochloride AR M. W.: 209.12	3501.00	25 gm
514895 C ₁₈ H ₂₆ N ₄ O ₄ (62778-12-5)	n,n-Dimethyl P-Phenylene Diamine Oxalate for Synthesis M. W.: 181.21	2250.00 9225.00	5 gm 25 gm
514935 C ₈ H ₁₂ N ₂ H ₂ .SO ₄ (536-47-0)	n,n-Dimethyl P-Phenylene Diamine Sulphate Salt AR M. W.: 234.27	1800.00 3996.00 38300.00	5 gm 25 gm 500 gm
076405 C ₁₀ H ₁₀ O ₄ (131-11-3)	Dimethyl Phthalate M. W.: 194.19 Assay 99.0%	540.00 2205.00	500 ml 2.5 lit POR
515025 C ₁₀ H ₁₀ O ₄ (131-11-3)	Dimethyl Phthalate AR M. W.: 194.19	999.00	1 lit
	Dimethyl Polysiloxane See Silicon oil		
076505 C ₂₆ H ₂₀ N ₂ O ₂ (3073-87-8)	Dimethyl Popop Scintillation Grade [1,4-Bis(4-Methyl-5-Phenyl-2- Oxazolyl)Benzene] M. W.: 392.45	10170.00 36405.00	5 gm 25 gm
	2,2-Dimethyl-1,3-Propanediol See Neopentyl Glycol		
515225 C ₆ H ₁₂ N ₂ O (7226-23-5)	Dimethyl Propylene Urea AR (DMPU) M. W.: 128.17	2250.00 7002.00	100 gm 500 gm
	2,3 Dimethyl Pyridine See 2,3 Lutidine		
	2,6 Dimethyl Pyridine See 2,6 Lutidine		
	3,4 Dimethyl Pyridine See 3,4 Lutidine		
	3,5 Dimethyl Pyridine See 3,5 Lutidine		

Product Code	Product Name	Price	Packing
PCT2554	PTC Dimethylsiloxane Ethylene Oxide Block Copolymer Plant Culture Tested (C ₂ H ₄ O) _n .C ₁₁ H ₃₀ O ₃ Si ₃ M. W.: 338.66 (27306-78-1)	370.00 900.00 3420.00	10 ml 25 ml 100 ml
	Store below 30°C * Equivalent to Silwet L-77		
028214 C ₂ H ₆ O ₄ S (77-78-1)	Dimethyl Sulphate for Synthesis M. W.: 126.13 Assay (GC) 99.0%	486.00	500 ml
515415 C ₂ H ₆ S (75-18-3)	Dimethyl Sulphide AR M.W.: 62.12	1251.00 4500.00	500 ml 2.5 lit
	Dimethyl Sulphone See Methyl sulphonyl methane		
028216 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide for Synthesis M. W.: 78.13 Assay (GC) 99.0%	1494.00 7300.00	500 ml 2.5 lit POR
515505 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide AR M. W.: 78.13 Assay (GC) 99.5%	1630.00 8091.00	500 ml 2.5 lit POR
515510 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide Specially Dried M. W.: 78.13 Assay (GC) 99.5%	AR1854.00 8973.00	500 ml 2.5 lit
926590 C ₂ H ₆ SO (67-68-5)	MB Dimethyl Sulphoxide for Molecular Biology M. W.: 78.13 Assay 99.0%	1107.00 3906.00	100 ml 500 ml
PCT2303 C ₂ H ₆ OS (67-68-5)	PTC Dimethyl Sulphoxide (DMSO) Plant Culture Tested M. W.: 78.13 Assay 99.5% Store below 30°C	1040.00 4185.00	100 ml 500 ml
TC1349 C ₂ H ₆ OS (67-68-5)	ATC Dimethyl Sulphoxide (DMSO), Sterile Sterile Filtered Cell Culture Tested M. W.: 78.13 Assay : ≥99.5% Store below 30°C	13311.00	100 ml
TC1185 C ₂ H ₆ OS (67-68-5)	ATC Dimethyl Sulphoxide (DMSO) Cell Culture Tested M. W.: 78.13 Assay : ≥99.5% Store below 30°C	6210.00 14310.00	100 ml 250 ml
TC1450M C ₂ H ₆ OS (67-68-5)	ATC ▲Dimethyl Sulphoxide (See: CryoXL™ DMSO) Sterile Filtered Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 78.13 Assay : ≥99.5%	18190.00	100 ml
728700 C ₂ H ₆ SO (67-68-5)	Dimethyl Sulphoxide for GC-HS M. W.: 78.13 Assay 99.0%	3700.00 7470.00	1 lit 2.5 lit

D

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

D

Laboratory Chemicals

Product Code	Product Name	Price	Packing
728300	Dimethyl Sulphoxide for HPLC & Spectroscopy	1900.00	500 ml
C ₂ H ₆ SO (67-68-5)	M. W.: 78.13 Assay (GC) 99.8%	3600.00	1 lit
		7200.00	2.5 lit
728400	Dimethyl Sulphoxide for Pesticide residue analysis	7200.00	1 lit
C ₂ H ₆ SO (67-68-5)	M. W.: 78.13		
D54072	Dimethyl-d₆ Sulphoxide (DMSO-d₆)	6444.00	10x0.75 ml
C ₂ D ₆ OS (2206-27-1)	M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D		
D54126	Dimethyl-d₆ Sulphoxide (DMSO-d₆)	6408.00	10 ml
C ₂ D ₆ OS (2206-27-1)	M.W.: 84.18 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	11430.00	25 ml
926640	▲3-(4,5-Dimethyl-2-Thiazolyl)-2,5-Diphenyl-2H-Tetrazolium Bromide (See : MTT: Thiazolyl Blue) For Molecular Biology	640.00	100 mg
MB		3168.00	500 mg
		4905.00	1 gm
C ₁₈ H ₁₆ BrN ₅ S (298-93-1)	M. W.: 414.32 Assay : ≥ 98%		
076900	n,n-Dimethyl Thiourea for Synthesis	3501.00	100 gm
C ₃ H ₈ N ₂ S (534-13-4)	M. W.: 104.17 Assay 98.5%		
028218	n,n-Dimethyl-p-Toluidine	2295.00	500 ml
C ₉ H ₁₃ N (99-97-8)	M. W.: 135.21 Assay (GC) 98.0%		
	1,3-Dimethylurea See N,N'-Dimethylurea		
076915	n,n'-Dimethyl Urea for Synthesis (1,3-Dimethylurea)	640.00	500 gm
C ₃ H ₈ N ₂ O (96-31-1)	M. W.: 88.11		
292405	Dimethyl Yellow Indicator pH 2.9-4.0	153.00	10 gm
	Red to Orange Yellow Carcinogenic	270.00	25 gm
	M. W.: 225.3	756.00	100 gm
C ₁₄ H ₁₅ N ₃ (60-11-7)			
076955	Dimidium Bromide	801.00	100 mg
C ₂₀ H ₁₈ BrN ₃ (518-67-2)	M. W.: 380.29 Assay (Spectrophotometric br) about 95.0%	5801.00	1 gm
826080	Dimidium Bromide Disulphine Blue Indicator Stock Solution (for use in the two phase method for anionic surfactant)	3002.00	100 ml
028220	2,4-Dinitro Aniline	918.00	100 gm
C ₆ H ₅ N ₃ O ₄ (97-02-9)	M. W.: 183.12 Assay (HPLC) 98.0%	2196.00	500 gm
	1,3 Dinitrobenzene See m-Dinitrobenzene		
077115	m-Dinitro Benzene tech	720.00	250 gm
C ₆ H ₄ (NO ₂) ₂ (99-65-0)	M. W.: 168.11 Assay (GC) 97.0%	1422.00	500 gm
028224	m-Dinitro Benzene for Synthesis	1017.00	250 gm
C ₆ H ₄ (NO ₂) ₂ (99-65-0)	M. W.: 168.11 Assay (GC) 98.0%	1701.00	500 gm
		POR	25 kg

Product Code	Product Name	Price	Packing
515605	m-Dinitro Benzene AR	198.00	25 gm
	for determination of 17 Ketosteroids	693.00	100 gm
C ₆ H ₄ (NO ₂) ₂ (99-65-0)	M. W.: 168.11 Assay (GC) 99.0%	2394.00	500 gm
826110	m-Dinitro Benzene Reagent Solution (test reagent for glucose & other reducing sugars)	324.00	100 ml
077055	1,2-Dinitrobenzene	7740.00	5 gm
C ₆ H ₄ N ₂ O ₄ (528-29-0)	M. W.: 168.11		
077135	1-4,Dinitro Benzene for Synthesis	3996.00	5 gm
C ₆ H ₄ N ₂ O ₄ (100-25-4)	M. W.: 168.11		
077225	3,5-Dinitro Benzoic Acid	756.00	100 gm
C ₇ H ₄ N ₂ O ₆ (99-34-3)	M. W.: 212.12 Assay (acidimetric) 99.0%	3006.00	500 gm
515785	3,5-Dinitro Benzoic Acid AR	900.00	100 gm
C ₇ H ₄ N ₂ O ₆ (99-34-3)	M. W.: 212.12 Assay 99.7%	3204.00	500 gm
	2,4 Dinitro Chloro Benzene See 1-Chloro-2,4-Dinitro Benzene		
077365	2,4-Dinitro Phenol (1-Hydroxy-2,4-Dinitrobenzene, A-Dinitrophenol)	203.00	25 gm
C ₆ H ₄ N ₂ O ₅ (51-28-5)	M. W.: 184.11 Assay 97.0%	603.00	100 gm
028234	2,4-Dinitro Phenyl Hydrazine	203.00	25 gm
C ₆ H ₆ N ₄ O ₄ (119-26-6)	M. W.: 198.14 Assay (HPLC) 98.0%	657.00	100 gm
		3006.00	500 gm
515875	2,4-Dinitro Phenyl Hydrazine AR Reagent for aldehydes and ketones	297.00	25 gm
C ₆ H ₆ N ₄ O ₄ (119-26-6)	M. W.: 198.14 Assay (HPLC) 99.0%	860.00	100 gm
		3636.00	500 gm
826135	2,4-Dinitrophenyl Hydrazine Solution For TLC spray (For Detection Of Aldehyde & Ketones)	351.00	125 ml
028235	3,5-Dinitro Salicylic Acid for Synthesis	680.00	25 gm
C ₇ H ₄ N ₂ O ₇ (609-99-4)	M. W.: 228.12 Assay (HPLC) 98.0%	2601.00	100 gm
		POR	1 kg
515920	3,5-Dinitro Salicylic Acid AR	860.00	25 gm
C ₇ H ₄ N ₂ O ₇ (609-99-4)	M. W.: 228.12 Assay (HPLC) 99.0%	3303.00	100 gm
926780	3,5-Dinitro Salicylic Acid For Molecular Biology	1638.00	25 gm
MB		5715.00	100 gm
C ₇ H ₄ N ₂ O ₇ (609-99-4)	M. W.: 228.12 Assay : ≥ 98% Store Below 30°C		
	Diocetyl Sebacate See Bis-2-Ethylhexyl Sebacate		
	Diocetyl Phthalate See Bis-(2-ethyl hexyl) phthalate		

Product Code	Product Name	Price	Packing
077505 C ₂₀ H ₃₇ NaO ₇ S (577-11-7)	Diocetyl Sodium Sulphosuccinate M. W.: 444.56 Assay (Redox titration, calculated on anhydrous basis) 99-100.5%	1800.00 16497.00 POR	500 gm 5 kg 25 kg
028238 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane Pure M. W.: 88.11 Assay (GC) 99.0%	837.00 3294.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
515965 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane AR M. W.: 88.11 Assay (GC) 99.5%	891.00 3492.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
515970 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane Specially Dried AR M. W.: 88.11 Assay (GC) 99.5%	900.00 3096.00	500 ml 2.5 lit
729496 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane GC HS Grade M.W : 88.11 Assay (GC) 99.9%	2430.00	1 lit
729500 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	1098.00 1683.00	500 ml 1 lit
729700 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane for Pesticide residue Analysis M. W.: 88.11	7200.00	1 lit
729720 C ₄ H ₈ O ₂ (123-91-1)	1,4-Dioxane Scintillation Grade M. W.: 88.11 Assay (GC) 99.5%	1000.00 3600.00	500 ml 2.5 lit
077675 C ₃ H ₆ O ₂ (646-06-0)	1,3-Dioxolane for Synthesis (Ethylene Glycol Methylene Ether) M. W.: 74.08 Assay 99.0%	1107.00 4320.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
516055 C ₃ H ₆ O ₂ (646-06-0)	1,3-Dioxolane AR M. W.: 74.08	1251.00 4500.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
077885 C ₁₀ H ₁₆ (138-86-3)	Dipentene for Synthesis M. W.: 136.23	2565.00	2.5 lit
077985 C ₁₇ H ₂₁ NO.HCl (147-24-0)	Diphenhydramine Hydrochloride M. W.: 291.82 Assay 99.0%	1260.00	100 gm
	Diphenyl See Biphenyl		
	Diphenylamine-4-Sulphonic Acid Barium Salt See Barium Diphenylamine Sulphonate		
	Diphenylamine-4-Sulphonic Acid Sodium Salt See Sodium Diphenylamine Sulphonate		
078255 C ₁₄ H ₁₂ O ₂ (117-34-0)	Diphenyl Acetic Acid for Synthesis M. W.: 212.25 Assay 98.0%	1602.00 7700.00	100 gm 500 gm
516475 C ₁₅ H ₁₄ O (102-04-5)	1,3-Diphenyl Acetone AR M. W.: 210.27	5000.00 18500.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
078295 C ₁₄ H ₁₁ N (86-29-3)	Diphenyl Acetonitrile M. W.: 193.25 Assay (GC) 99.0%	792.00 3380.00	100 gm 500 gm
028243 (C ₆ H ₅) ₂ NH (122-39-4)	Diphenylamine for Synthesis Reagent for Nitrate M. W.: 169.23 Assay (GC) 98.0%	770.00 1206.00	250 gm 500 gm
516295 (C ₆ H ₅) ₂ NH (122-39-4)	Diphenylamine AR/ACS M. W.: 169.23 Assay (GC) 99.0%	450.00 1503.00	100 gm 500 gm
826165	Diphenylamine Solution (Kopp's Reagent) (Reagent for nitrates & nitrites)	666.00	100 ml
516505 (C ₆ H ₄ .NH.C ₆ H ₅) ₂ (531-91-9)	N,N-Diphenyl Benzidine AR M. W.: 336.44 Assay (ex-N) 96.5%	2601.00	5 gm
826195	Diphenyl Benzidine Indicator Solution (Oxidation - Reduction Indicator)	495.00	100 ml
078375 C ₁₃ H ₁₄ N ₄ O (140-22-7)	1,5-Diphenyl Carbazide M. W.: 242.28 Assay(HPLC) 97.0%	1710.00 4707.00	25 gm 100 gm
516525 C ₁₃ H ₁₄ N ₄ O (140-22-7)	1,5-Diphenyl Carbazide AR/ACS M. W.: 242.28 Assay (HPLC) 98.0%	1296.00 2502.00	10 gm 25 gm
826215	Diphenyl Carbazide Solution (Reagent for arsenate, Cd, Cr, Hg)	855.00	100 ml
078400 C ₁₃ H ₁₂ N ₄ O (538-62-5)	1,5-Diphenyl Carbazone M. W.: 240.27	1900.00	25 gm
516535 C ₁₃ H ₁₂ N ₄ O (538-62-5)	1,5-Diphenyl Carbazone AR M. W.: 240.27	693.00 2790.00 8775.00	5 gm 25 gm 100 gm
826245	Diphenyl Carbazone Solution (Reagent for Ge & Hg)	990.00	100 ml
826265	Diphenyl Carbazone Bromophenol Blue (0.5 : 0.05) w/v in 95% Alcohol (For Chloride)	693.00	100 ml
	Diphenylcarbinol See Benzhydrol		
078445 (C ₆ H ₅ O) ₂ CO (102-09-0)	Diphenyl Carbonate for Synthesis M. W.: 214.22	1000.00 3700.00	250 gm 1 kg
078505 C ₁₂ H ₁₀ Se ₂ (1666-13-3)	Diphenyl Diselenide for Synthesis (Phenyl Diselenide) M. W.: 312.1 Assay 97.0%	910.00 3600.00	5 gm 25 gm
078545 C ₁₂ H ₁₀ O (101-84-8)	Diphenyl Ether for Synthesis (Diphenyloxide, Phenylether) M. W.: 170.21	855.00 4005.00 POR	500 ml 2.5 lit 25 lit
516665 C ₁₂ H ₁₀ O (101-84-8)	Diphenyl Ether AR M. W.: 170.21	1350.00	500 ml

D

Laboratory Chemicals

Product Code	Product Name	Price	Packing
516855	Diphenyl Glyoxime AR (Anti-Diphenylglyoxime) (α -Benzyl Dioxime) M. W.: 240.26	1530.00	5 gm
		4491.00	25 gm
		POR	100 gm
C ₁₄ H ₁₂ N ₂ O ₂ (23873-81-6)			
078615	1,3-Diphenyl Guanidine for Synthesis M. W.: 211.26	2205.00	500 gm
C ₁₃ H ₁₃ N ₃ (102-06-7)			
078695	5,5-Diphenyl Hydantoin for Synthesis M. W.: 252.27	540.00	100 gm
		2520.00	500 gm
C ₁₅ H ₁₂ N ₂ O ₂ (57-41-0)			
078715	Δ Diphenyl Methane M. W.: 168.24 Assay (GC) 99.0%	1206.00	500 ml
		5000.00	2.5 lit
(C ₆ H ₅) ₂ CH ₂ (101-81-5)			
	2,5-Diphenyl Oxazole See PPO		
	Diphenyl Oxide See Diphenyl Ether		
	4, 7-Diphenyl-1, 10-Phenanthroline See Bathophenanthroline		
	1,4-Di-(2-(5-Phenyl Oxazolyl)) Benzene See POPOP		
078745	Δ 2,2-Diphenyl-1-Picrylhydrazyl M. W.: 394.32	8200.00	1 gm
		32616.00	5 gm
C ₁₈ H ₁₂ N ₅ O ₆ (1898-66-4)			
926800	Δ 2,2-Diphenyl-1-Picryl Hydrazyl For Molecular Biology M. W.: 394.32 Assay : 95.0%	11250.00	1 gm
C ₁₈ H ₁₂ N ₅ O ₆ (1898-66-4)			
	Diphenyl Thiocarbazon See Dithizone		
078805	n,n'-Diphenyl Thiourea for Synthesis M. W.: 228.31 Assay 98.0%	801.00	100 gm
		2493.00	500 gm
C ₁₃ H ₁₂ N ₂ S (102-08-9)			
	Diphospho Pyridine Nucleotide See Nicotinamide Adenine Dinucleotide		
517045	2,6-Dipicolinic Acid AR M. W.: 167.12 Assay 99.0%	972.00	25 gm
		3276.00	100 gm
		8505.00	500 gm
C ₇ H ₅ NO ₄ (499-83-2)			
079100	Dipropylene Glycol Monomethyl Ether M. W.: 148.20	1044.00	500 ml
		4690.00	2.5 lit
C ₇ H ₁₆ O ₃ (34590-94-8)			
	2,2-Dipyridyl See 2,2-Bipyridyl		
	2,2'-Diquinolyl See 2,2'-Biquinoline		
	Dish Wash See Dw009		
	Disodium Phenyl Phosphate See Phenyl Phosphate Disodium Salt		
TC1303	Δ Dispase® Cell Culture Tested Activity : ≥ 0.5 Units/mg dry weight	4140.00	100 mg
(42613-33-2)			
	Disulphine Blue See Patent Blue VF		
	Disulphuric Acid Disodium Salt See Sodium Pyrosulphate		
	Distilled Water See Water Distilled		

Product Code	Product Name	Price	Packing
517135	2,2-Dithio Bisbenzothiazole AR (C ₆ H ₄ SCN) ₂ S ₂ (120-78-5)	2520.00	25 gm
	M. W.: 332.49 Assay 99.0%		
079195	- 5,5-Dithio Bis Extra Pure (2-Nitro Benzoic Acid) M. W.: 396.35 Assay 98.0%	990.00	1 gm
		3600.00	5 gm
C ₁₄ H ₈ N ₂ O ₈ S ₂ (69-78-3)		6840.00	10 gm
		15530.00	25 gm
079285	* Dithiodiglycollic Acid for Synthesis M. W.: 182.22	4005.00	5 gm
C ₄ H ₆ O ₄ S ₂ (505-73-7)			
079335	- Dithioerythreit (D.T.E.) M. W.: 154.24 Assay (Iodometric; ex SH) 97.0%	1220.00	1 gm
		5500.00	5 gm
C ₄ H ₁₀ O ₂ S ₂ (6892-68-8)		POR	25 gm
928500	- Dithioerythreit (D.T.E.) For Molecular Biology M. W.: 154.24	1584.00	1 gm
		7110.00	5 gm
C ₄ H ₁₀ O ₂ S ₂ (6892-68-8)			
	Dithiol See Toluene 3,4 Dithiol		
079395	- Dithiooxamide (Rubeanic Acid) M. W.: 120.20	2106.00	1 gm
		7506.00	10 gm
C ₂ H ₄ N ₂ S ₂ (79-40-3)			
826310	Dithiooxamide Solution (Rubeanic Acid Solution) (Reagent for Co, Cu, Fe, Ni)	2601.00	50 ml
079435	- DL-Dithiothreit (D.T.T.) (Cleland's reagent) M. W.: 154.24 Assay (Iodometric; ex SH) 98.0%	576.00	1 gm
		2052.00	5 gm
C ₄ H ₁₀ O ₂ S ₂ (3483-12-3)		9666.00	25 gm
928550	- DL-Dithiothreit (D.T.T.) for Molecular Biology M. W.: 154.24	693.00	1 gm
		2421.00	5 gm
C ₄ H ₁₀ O ₂ S ₂ (3483-12-3)			
TC1540	- DL-Dithiothreit Threo-1,4-Dimercapto-2,3- butanediol, Cleland's reagent, DTT Cell Culture Tested HSCH ₂ CH(OH)CH(OH)CH ₂ SH M. W.: 154.25 Assay : $\geq 99\%$	2925.00	1 gm
		8613.00	5 gm
		28710.00	25 gm
(3483-12-3)			
292695	Dithizone M. W.: 256.33	963.00	5 gm
		4203.00	25 gm
C ₁₃ H ₁₂ N ₄ S (60-10-6)			
292705	Dithizone AR Reagent for Lead, Mercury and Zinc M. W.: 256.33 Assay (Spectrophotometry) 85.0%	1098.00	5 gm
		4590.00	25 gm
C ₁₃ H ₁₂ N ₄ S (60-10-6)			
826330	Dithizone Reagent (For detection of Pb)	927.00	100 ml
079515	(\pm)-Di-o,o'-p-Toluy-D-Tartaric Acid (Anhydrous) M. W.: 386.35 Assay 98.0%	630.00	25 gm
		2007.00	100 gm
C ₂₀ H ₁₈ O ₈ (32634-68-7)			
079555	(-)-Di-o,o'-P-Toluy-L-Tartaric Acid for Synthesis M. W.: 386.35 Assay (T) 97.0%	603.00	25 gm
		1900.00	100 gm
C ₂₀ H ₁₈ O ₈ (32634-66-5)			

Product Code	Product Name	Price	Packing
	DMSO See Dimethyl Sulphoxide		
079635 C ₂₂ H ₄₆ (629-97-0)	n- Docosane for Synthesis M. W.: 310.60 Assay 99.0%	2970.00 7596.00	25 gm 100 gm
	Docosate Sodium Salt See Dioctyl Sodium Sulphosuccinate		
	Dodecan-1-ol See Lauryl Alcohol		
079705 C ₁₂ H ₂₆ (112-40-3)	n- Dodecane for Synthesis M. W.: 170.34	4401.00 12060.00	500 ml 2.5 lit POR 10 lit
730300 CH ₃ (CH ₂) ₁₁ SO ₃ Na (2386-53-0)	1- Dodecane Sulphonic Acid Sodium Salt AR for HPLC M. W.: 272.38	2070.00 7920.00	25 gm 100 gm
	1-Dodecanethiol See n-Dodecyl Mercaptan		
	n- Dodecanoic Acid See Lauric Acid		
079815 C ₁₆ H ₂₆ O ₃ (26544-38-7)	Dodecenyl Succinic Anhydride for Synthesis M.W. : 266.38	1791.00	25 gm
	Dodecyl Alcohol (1-Dodecan-1-ol) See Lauryl Alcohol		
079905 C ₁₂ H ₂₇ N (124-22-1)	Dodecylamine for Synthesis (Laurylamine) M. W.: 185.35 Assay 99.0%	680.00 3006.00	100 ml 500 ml POR 10 lit
	Dodecyl Benzene See 1-Phenyl dodecane		
080035 C ₁₈ H ₂₉ NaO ₃ S (25155-30-0)	Dodecyl Benzene Sulphonic Acid Sodium Salt M. W. : 348.48	1301.00 9000.00	500 gm 5 kg POR 25 kg
080105 C ₁₈ H ₃₆ O ₆ (59122-55-3)	n- Dodecyl β-D-GlucoPyranoside for Biochemistry (Dodecyl Glucoside) M. W.: 348.47	2502.00 5000.00 11160.00	100 mgm 250 mgm 1 gm
080225 C ₁₂ H ₂₅ SH (25103-58-6)	tert- Dodecyl Mercaptan M. W.: 202.40	2790.00 9243.00	500 ml 2.5 lit
080205 C ₁₂ H ₂₆ S (112-55-0)	n- Dodecyl Mercaptan (1-Dodecanethiol) M. W.: 204.4	2403.00 9990.00	500 ml 2.5 lit
080265 C ₁₇ H ₃₀ ClN.XH ₂ O (207234-02-4)	1- Dodecyl Pyridinium Chloride hydrate for Synthesis M. W.: 283.88 (anhy.)	4500.00 9000.00	25 gm 100 gm POR 1 kg
	Dodecyl Sulphate Sodium Salt See Sodium Lauryl Sulphate		


Product Code	Product Name	Price	Packing
080325	Dodecyl Trimethyl Ammonium Bromide for Synthesis (Lauryltrimethyl AmmoniumBromide)	810.00 1476.00 4500.00	25 gm 100 gm 500 gm
CH ₃ (CH ₂) ₁₁ N(CH ₃) ₃ Br (1119-94-4)	M. W.: 308.34 Assay 98.0%		
517615	Dodecyl Trimethyl Ammonium Bromide AR	1260.00 4806.00	25 gm 100 gm
CH ₃ (CH ₂) ₁₁ N(CH ₃) ₃ Br (1119-94-4)	M. W.: 308.34		
037038 C ₉ H ₁₁ NO ₄ (63-84-3)	DL- Dopa M. W.: 197.2 Assay (non aqueous) 97.0%	1107.00 4401.00	5 gm 25 gm
037079 C ₉ H ₁₁ NO ₄ (59-92-7)	L- Dopa For Biochemistry M. W.: 197.19 Assay (non aqueous) 98.5%	900.00 4203.00	5 gm 25 gm
TC1281 ATC	▲ Dopamine Hydrochloride Cell Culture Tested M. W.: 189.64 Assay : ≥98%	473.00 2160.00 8010.00	1 gm 5 gm 25 gm
C ₈ H ₁₁ NO ₂ .HCl (62-31-7)			
	DOSS See Dioctyl Sodium Sulphosuccinate		
	Dowex See Towex		
TC1420 ATC	▲ Doxorubicin Hydrochloride DOX, Hydroxydaunorubicin hydrochloride M. W.: 579.98 Assay : ≥98%	25785.00	10 mg
C ₂₇ H ₂₉ NO ₁₁ .HCl (25316-40-9)			
080400	▲ Doxycycline Hydrochloride for Lab Use M. W.: 480.90	801.00 2394.00	1 gm 5 gm
C ₂₂ H ₂₄ N ₂ O ₈ .HCl (10592-13-9)			
PTC2138 PTC	▲ Doxycycline Hydrochloride Plant Culture Tested M. W.: 480.9	5310.00 13320.00	10 gm 25 gm
C ₂₂ H ₂₄ N ₂ O ₈ .HCl (10592-13-9)			
	DPN See a-Nicotinamide Adenine Dinucleotide		
	DPNH See a-Nicotinamide Adenine Dinucleotide Reduced		
080415	DPX Mountant for Microscopy & Histology	621.00 963.00	250 ml 500 ml
827000	Drabkin's Solution	325.00 927.00	1 lit 5 lit
827020	Dragendorff's Reagent	1620.00	125 ml
	DTPA Penta Sodium Salt See Diethylene Triamine Penta acetic acid Penta Sodium Salt		
	Dulcitol See Dulcitol iso- Dulcitol See L(+)-Rhamnose		
028281 C ₆ H ₁₄ O ₆ (608-66-2)	▲ Dulcitol for Microbiology M. W.: 182.17	855.00 3105.00	25 gm 100 gm
RE0435 Dy (7429-91-6)	Dysprosium Metal Ingot M. W.: 162.50 Assay (Trace metals basis) 99.99%	5247.00 21600.00	5 gm 25 gm

D

Laboratory Chemicals

Product Code	Product Name	Price	Packing
RE0440	Dysprosium Metal Lump Dy (7429-91-6)	5247.00 21600.00	5 gm 25 gm
RE0445	Dysprosium Metal Powder 325 mesh Dy (7429-91-6)	POR POR POR	5 gm 10 gm 25 gm
RE0485	Dysprosium (III) Acetate (CH ₃ CO ₂) ₃ Dy.XH ₂ O (304675-49-8)	4950.00	25 gm
RE0490	Dysprosium (III) Acetate (CH ₃ CO ₂) ₃ Dy.XH ₂ O (304675-49-8)	5202.00 15030.00	10 gm 50 gm
RE0495	Dysprosium (III) Acetate (CH ₃ CO ₂) ₃ Dy.XH ₂ O (304675-49-8)	POR POR	1 gm 10 gm
RE0505	Dysprosium (III) Bromide DyBr ₃ (14456-48-5)	10000.00 45000.00	10 gm 50 gm
RE0515	Dysprosium (III) Carbonate Dy ₂ (CO ₃) ₃ .XH ₂ O (38245-35-1)	9000.00 27000.00	25 gm 100 gm
RE0520	Dysprosium (III) Carbonate Dy ₂ (CO ₃) ₃ .XH ₂ O (38245-35-1)	2601.00 10260.00	5 gm 25 gm
RE0525	Dysprosium (III) Carbonate Dy ₂ (CO ₃) ₃ .XH ₂ O (38245-35-1)	POR POR	5 gm 25 gm
RE0540	Dysprosium (III) Chloride DyCl ₃ .6H ₂ O (15059-52-6)	5202.00 17010.00	10 gm 50 gm
RE0545	Dysprosium (III) Chloride DyCl ₃ .6H ₂ O (15059-52-6)	POR POR	5 gm 25 gm
RE0565	Dysprosium (III) Fluoride DyF ₃ (13569-80-7)	19000.00	25 gm
RE0570	Dysprosium (III) Fluoride DyF ₃ (13569-80-7)	POR POR	5 gm 25 gm

Product Code	Product Name	Price	Packing
RE0580	Dysprosium (III) Iodide DyI ₃ (15474-63-2)	7335.00 26100.00	1 gm 5 gm
RE0585	Dysprosium (III) Iodide DyI ₃ (15474-63-2)	8290.00 29079.00 POR	1 gm 5 gm 25 gm
RE0600	Dysprosium (III) Nitrate Dy(NO ₃) ₃ .XH ₂ O (100641-13-2)	7340.00 19305.00	25 gm 100 gm
RE0605	Dysprosium (III) Nitrate Dy(NO ₃) ₃ .XH ₂ O (100641-13-2)	3690.00 10656.00	5 gm 25 gm
RE0610	Dysprosium (III) Nitrate Dy(NO ₃) ₃ .XH ₂ O (100641-13-2)	POR POR	5 gm 25 gm
RE0625	Dysprosium (III) Oxalate Dy ₂ (C ₂ O ₄) ₃ .10H ₂ O (24670-07-3)	3470.00 13446.00	25 gm 100 gm
RE0630	Dysprosium (III) Oxalate Dy ₂ (C ₂ O ₄) ₃ .10H ₂ O (24670-07-3)	POR POR	5 gm 25 gm
RE0635	Dysprosium (III) Oxalate Dy ₂ (C ₂ O ₄) ₃ .10H ₂ O (24670-07-3)	POR POR	5 gm 25 gm
RE0650	Dysprosium (III) Oxide Dy ₂ O ₃ (1308-87-8)	1098.00 5301.00 12600.00	5 gm 25 gm 100 gm
RE0655	Dysprosium (III) Oxide Dy ₂ O ₃ (1308-87-8)	11530.00	25 gm
RE0660	Dysprosium (III) Oxide Dy ₂ O ₃ (1308-87-8)	10900.00 36720.00	5 gm 25 gm
RE0675	Dysprosium (III) Sulphate Dy(SO ₄) ₃ .XH ₂ O (14373-91-2)	5500.00 19998.00	25 gm 100 gm
RE0680	Dysprosium (III) Sulphate Dy(SO ₄) ₃ .XH ₂ O (14373-91-2)	4100.00 12600.00	5 gm 25 gm



DYSPROSIUM

Dysprosium, atomic no.: 66, symbol as Dy, weight at 162.50, is most commonly used as in Neodymium-iron-boron high strength permanent magnets. While it has one of the highest magnetic moments of any of the rare earths (10.6uB), this has not resulted in an ability to perform on its own as a practical alternative to Neodymium compositions.

It is however now an essential additive in NdFeB production. It is also used in special ceramic compositions based on BaTiO formulations.



Product Code	Product Name	Price	Packing
PCT1121	Fe-EDDHA Ethylenediamine-N,N'-bis (2hydroxyphenylacetic acid) ferric-sodium complex Plant Culture Tested	3060.00	25 gm
		5517.00	50 gm
		9936.00	100 gm
C ₁₈ H ₁₆ O ₆ N ₂ NaFe (16455-61-1)	M. W.: 435.17 Assay : 5 - 7% Fe Store below 30°C		
	E.D.T.A Acid and it's Salt See Ethylene Diamine Tetra Acetic Acid and it's Salt		
829210	E.D.T.A 0.01 M (0.02N) CITRISOL	270.00	1 Amp
		450.00	3 Amp
		828.00	6 Amp
829280	E.D.T.A CPECTROSOL® 0.01 M (0.02N) CITRINORM Standard Soln. In accordance with NIST	1400.00	1 lit
829360	EDTA CPECTROSOL® 0.1M (0.2N) for 500 ml Standard Solution in accordance with NIST	252.00	1 Amp
		450.00	3 Amp
		801.00	6 Amp
829320	E.D.T.A CPECTROSOL® 0.1 M (0.2N) Standard Soln. In accordance with NIST	1400.00	1 lit
829400	EDTA CPECTROSOL® 0.1M (0.2N) Standard Solution In accordance with NIST	1000.00	500 ml
		1400.00	1 lit
		POR	2.5 lit
829420	EDTA CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
829100	E.D.T.A 5% w/v Solution	126.00	125 ml
829120	E.D.T.A 10% w/v Solution	149.00	125 ml
829150	E.D.T.A N/10 Solution	171.00	500 ml
829180	E.D.T.A N/50 Solution	280.00	500 ml
		900.00	2.5 lit
829050	Edetate Disodium TS acc. to USP	495.00	500 ml
829450	E.D.T.A Caustic Soda Powder (for estimation of milk fat by electronic milko tester)	145.00	52.6 gm
	E.G.T.A. See (Ethylene Glycol-O-,O'-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid		
082180 (9006-59-1)	· Egg Albumin Flakes (Protein - 95 %)	1242.00	25 gm
		11160.00	500 gm
082190 (9006-59-1)	· Egg Albumin Powder	2655.00	500 gm
829520	Ehrlich's Reagent	144.00	125 ml
		522.00	500 ml
082225 CH ₃ (CH ₂) ₁₈ CH ₃ (112-95-8)	n- Eicosane for Synthesis M. W.: 282.55 Assay 97%	2394.00	25 gm
		8793.00	100 gm
TC1283	1-Eicosanol Cell Culture Tested	2323.00	5 gm
		10540.00	25 gm
C ₂₀ H ₄₂ O (629-96-9)	M. W.: 298.55 Assay : ≥98% Store below 30°C		

Product Code	Product Name	Price	Packing
TC1311	▲Elastase Source Porcine Pancreas Cell Culture Tested Activity : ≥ 25 Units/mg Protein M. W.: 282.46 (39445-21-1)	5958.00	10 mg
		11889.00	25 mg
		45450.00	100 mg
082295	Emulsifying Wax	666.00	500 gm
082315 C ₁₂ H ₈ Cl ₆ O (72-20-8)	Endrin M. W.: 380.91	3600.00	100 mgm
		8901.00	1 gm
293605 C ₂₀ H ₆ Br ₂ N ₂ Na ₂ O ₉ (548-24-3)	Eosine Blue for Microscopy C.I. No. 45400 M. W.: 624.09 Dye content (Gravimetry; on dried substance) >85.0%	855.00	25 gm
		2800.00	100 gm
293665 C ₂₂ H ₁₁ Br ₄ KO ₅ (6359-05-3)	Eosine Spirit Soluble C.I. No. 45386 M.W.: 714.07 Dye content (spectro, dried) 90.0%	801.00	25 gm
		2300.00	100 gm
293725 C ₂₀ H ₆ Br ₄ Na ₂ O ₅ (17372-87-1)	Eosine Yellow Indicator for Microscopy Water Soluble C.I. No. 45380 M. W.: 691.88 Dye content (Gravimetric, dried) 88.0%	432.00	25 gm
		1400.00	100 gm
829620	Eosine Yellow Stain Solution 2% w/v	144.00	125 ml
		500.00	500 ml
829660	Eosinophil Diluting Fluid	144.00	125 ml
TC1284	▲Epiandrosterone Cell Culture Tested M. W.: 290.44 Assay : ≥97% Store below 30°C	2493.00	1 gm
		7506.00	5 gm
C ₁₉ H ₃₀ O ₂ (481-29-8)			
PCT2550	▲Epi brassinolide Plant Culture Tested M. W.: 480.68 Assay: ≥85% Store below 30°C	7704.00	5 mg
		14310.00	10 mg
C ₂₈ H ₄₈ O ₆ (78821-43-9)			
082405 C ₃ H ₅ ClO (106-89-8)	Epichlorohydrin M. W.: 92.53 Assay (GC) 98.0%	1000.00	500 ml
		4500.00	2.5 lit
522265 C ₃ H ₅ ClO (106-89-8)	Epichlorohydrin AR (1-Chloro-2,3-Epoxypropane) M. W.: 92.53 Assay 99.0%	1098.00	500 ml
		4806.00	2.5 lit
	POR	25 lit	
	Epinephrine See L-Adrenaline		
TC1063	▲EPPS (HEPPS) [N-(2-Hydroxyethyl) piperazine-N'-3- propanesulfonic acid] Cell Culture Tested M. W.: 252.33 Assay : ≥99% Store below 30°C	2457.00	25 gm
		10450.00	100 gm
		20141.00	500 gm
C ₉ H ₂₀ N ₂ O ₄ S (16052-06-5)			
	Epsom Salt See Magnesium Sulphate Dried		

Product Code	Product Name	Price	Packing
829695	Erbium (Er) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3978.00	100 ml
		13392.00	500 ml
829700	Erbium (Er) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12051.00	100 ml
		40176.00	500 ml
RE0700	Erbium Metal Ingot Er (7440-52-0) M. W.: 167.26 Assay (Trace metal basis) 99.99%	10602.00	10 gm
RE0705	Erbium Metal Lump (1 cm) Er (7440-52-0) M. W.: 167.26 Assay (Trace metal basis) 99.99%	5500.00	5 gm
		POR	25 gm
RE0710	Erbium Metal Powder 325 Mesh Er (7440-52-0) M. W.: 167.26 Assay (Trace metal basis) 99.9%	29700.00	5 gm
		204107.00	25 gm
RE0755	Erbium (III) Acetate C ₆ H ₉ ErO ₆ .XH ₂ O (207234-04-6) M. W.: 344.39 Assay (Trace metal basis) 99.9%	3699.00	5 gm
		6840.00	10 gm
		16200.00	25 gm
		POR	100 gm
RE0760	Erbium (III) Acetate C ₆ H ₉ ErO ₆ .XH ₂ O (207234-04-6) M. W.: 344.39 Assay (Trace metal basis) 99.99%	5400.00	5 gm
		20250.00	25 gm
RE0765	Erbium (III) Acetate C ₆ H ₉ ErO ₆ .XH ₂ O (207234-04-6) M. W.: 344.39 Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
RE0780	Erbium (III) Carbonate Er ₂ (CO ₃) ₃ .XH ₂ O (22992-83-2) M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.9%	4330.00	5 gm
		16200.00	25 gm
RE0785	Erbium (III) Carbonate Er ₂ (CO ₃) ₃ .XH ₂ O (22992-83-2) M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.99%	8190.00	5 gm
		20250.00	25 gm
RE0790	Erbium (III) Carbonate Er ₂ (CO ₃) ₃ .XH ₂ O (22992-83-2) M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
RE0805	Erbium (III) Chloride ErCl ₃ .6H ₂ O (10025-75-9) M. W.: 381.71 Assay (Trace metal basis) 99.9%	6399.00	25 gm
		20709.00	100 gm
RE0810	Erbium (III) Chloride ErCl ₃ .6H ₂ O (10025-75-9) M. W.: 381.71 Assay (Trace metal basis) 99.99%	3006.00	5 gm
		12069.00	25 gm
RE0815	Erbium (III) Chloride ErCl ₃ .6H ₂ O (10025-75-9) M. W.: 381.71 Assay (Trace metal basis) 99.999%	POR	20 gm
RE0825	Erbium (III) Iodide ErI ₃ (13813-42-8) M. W.: 547.97 Assay (Trace metal basis) 99.99%	9909.00	1 gm
		40509.00	5 gm
RE0840	Erbium (III) Nitrate Er(NO ₃) ₃ .5H ₂ O (10031-51-3) M. W.: 443.35 Assay (Trace metal basis) 99.9%	9000.00	25 gm
		24300.00	100 gm
RE0845	Erbium (III) Nitrate Er(NO ₃) ₃ .5H ₂ O (10031-51-3) M. W.: 443.35 Assay (Trace metal basis) 99.99%	12969.00	25 gm
		43029.00	100 gm

Product Code	Product Name	Price	Packing
RE0850	Erbium (III) Nitrate Er(NO ₃) ₃ .5H ₂ O (10031-51-3) M. W.: 443.35 Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
RE0865	Erbium (III) Oxide Er ₂ O ₃ (12061-16-4) M. W.: 382.56 Assay (Trace metal basis) 99.9%	7902.00	25 gm
		19089.00	100 gm
RE0870	Erbium (III) Oxide Er ₂ O ₃ (12061-16-4) M. W.: 382.56 Assay (Trace metal basis) 99.99%	POR	1 kg
		3006.00	5 gm
RE0875	Erbium (III) Oxide Er ₂ O ₃ (12061-16-4) M. W.: 382.56 Assay (Trace metal basis) 99.999%	10809.00	25 gm
		31500.00	100 gm
RE0880	Erbium (III) Sulphate Er ₂ (SO ₄) ₃ .8H ₂ O (10031-52-4) M. W.: 766.82 Assay (Trace metal basis) 99.9%	POR	500 gm
		3204.00	5 gm
RE0890	Erbium (III) Sulphate Er ₂ (SO ₄) ₃ .8H ₂ O (10031-52-4) M. W.: 766.82 Assay (Trace metal basis) 99.9%	15400.00	50 gm
		POR	100 gm
RE0895	Erbium (III) Sulphate Er ₂ (SO ₄) ₃ .8H ₂ O (10031-52-4) M. W.: 766.82 Assay (Trace metal basis) 99.99%	POR	5 gm
		POR	25 gm
RE0900	Erbium (III) Sulphate Er ₂ (SO ₄) ₃ .8H ₂ O (10031-52-4) M. W.: 766.82 Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
Eriochrome Blue Black B See Solochrome Dark blue			
Eriochrome Blue Black R See Solochrome Dark blue			
293875	Eriochrome Black T C.I. 14645 C ₂₀ H ₁₂ N ₃ NaO ₇ S (1787-61-7) M. W.: 461.38	387.00	25 gm
		1008.00	100 gm
293885	Eriochrome Black T AR/ACS C.I. 14645 Metal (pH) Indicator M. W.: 461.38	7506.00	1 kg
		450.00	25 gm
829710	Eriochrome Black T Indicator Solution C.I. 14645 Metal (pH) Indicator M. W.: 461.38	1206.00	100 gm
		315.00	125 ml
294035	Eriochrome Cyanine R AR C ₂₃ H ₁₅ Na ₃ O ₉ S (3564-18-9) M. W.: 536.40	900.00	10 gm
		1900.00	25 gm
H15660	Erioglaucine A Certified grade (C.I.No. 42090) C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃ (3844-45-9) M. W.: 792.86	855.00	5 gm
		3402.00	25 gm
294185	Erioglaucine AR (C.I. No. : 42090) C ₃₇ H ₃₄ N ₂ Na ₂ O ₉ S ₃ (3844-45-9) M. W.: 792.86 Dye content Abt. 70.0%	603.00	10 gm
		1296.00	25 gm
TC1412	▲ Erlotinib Cell Culture Tested C ₂₂ H ₂₃ N ₃ O ₄ (183321-74-6) M. W.: 393.44 Assay : ≥98%	29196.00	1 gm
		121221.00	5 gm
082635	Erythritol (Erythrite) for Biochemistry C ₄ H ₁₀ O ₄ (149-32-6) M.W.: 122.12	203.00	5 gm
		504.00	25 gm
		1522.00	100 gm
		5076.00	500 gm

Product Code	Product Name	Price	Packing
082705 C ₃₇ H ₆₇ NO ₁₃ (114-07-8)	▲Erythromycin M.W.: 733.93	770.00 3717.00	5 gm 25 gm
PCT2123 PTC	▲Erythromycin Plant Culture Tested M. W.: 733.93 Potency 850µg/mg	513.00 2304.00 10360.00	1 gm 5 gm 25 gm
TC1024 ATC	▲Erythromycin Cell Culture Tested Recommended for use in Cell culture applications at 100 mg/L M. W.: 733.93 Assay : ≥98% Potency : ≥920 µg/mg	1476.00 5616.00	1 gm 5 gm
C ₃₇ H ₆₇ NO ₁₃ (114-07-8)			
082720	Erythromycin Estolate for Lab Use C ₄₀ H ₇₁ NO ₁₄ .C ₁₂ H ₂₆ SO ₄ M.W.: 1056.39 (3521-62-8)	1458.00	5 gm
082730	Erythromycin Stearate for Lab Use C ₃₇ H ₆₇ NO ₁₃ .C ₁₈ H ₃₆ O ₂ M.W.: 1018.40 (643-22-1)	1089.00	5 gm
294325	Erythrosin B for Microscopy C.I. 45430 M. W.: 879.87 Dye content (Gravimetric; on dried substance) >80.0%	1197.00 4392.00	25 gm 100 gm
C ₂₀ H ₆ I ₄ Na ₂ O ₅ (16423-68-0)			
829820	Esbach's Reagent	131.00 423.00	125 ml 500 ml
522640 (8007-09-8)	Eschka's Mixture AR For determination of Sulphur in coal Assay (complexometric, Mg) 38-42%	5940.00 23004.00	250 gm 1 kg
H15990 (8007-09-8)	Eschka's Mixture	22600.00 66600.00	250 gm 1 kg
	Esculin See Aesculin		
082780 C ₁₈ H ₂₄ O ₂ (50-28-2)	β-Estradiol M. W.: 272.38	2898.00 8694.00 26082.00	1 gm 5 gm 25 gm POR 100 gm
TC1346 ATC	β-Estradiol Cell Culture Tested M. W.: 272.38 Assay : ≥97% Store below 30°C	6012.00	1 gm
C ₁₈ H ₂₄ O ₂ (50-28-2)			
082815 C ₁₈ H ₂₂ O ₂ (53-16-7)	Estrone for Biochemistry M. W.: 270.37	2025.00 9324.00	1 gm 5 gm
	Ethanediol See Ethylene glycol		
730850	Ethane-1,2-Disulfonic Acid Disodium Salt (Anhydrous) HPLC for Ion Pair Chromatography NaO ₃ SCH ₂ CH ₂ SO ₃ Na M.W.: 234.16 (5325-43-9)	756.00 3402.00	5 gm 25 gm
082975 C ₂ H ₆ S ₂ (540-63-6)	Ethane Dithiol for Synthesis M. W.: 94.20 Assay (GC) 98.0%	2340.00 6120.00	25 ml 100 ml POR 500 ml

Product Code	Product Name	Price	Packing
082985 CH ₃ CH ₂ SO ₃ H (594-45-6)	Ethane Sulphonic Acid M. W.: 110.13 Assay 95.0%	4734.00	25 gm
028306 C ₂ H ₇ NO (141-43-5)	Ethanolamine Mono for Synthesis M. W.: 61.08 Assay (acidimetric) 99.0%	567.00 2592.00	500 ml 2.5 lit POR 25 lit
522830 C ₂ H ₇ NO (141-43-5)	Ethanolamine Mono AR/ACS M. W.: 61.08 Assay (Acidimetric) 99.0%	648.00 2907.00	500 ml 2.5 lit POR 25 lit
083105 C ₂ H ₈ ClNO (2002-24-6)	Ethanolamine Hydrochloride (2-Hydroxymethyl Ammonium Chloride) M. W.: 97.55 Assay 98.0%	1800.00	500 gm
TC1044 ATC	Ethanolamine Hydrochloride (2-Aminoethanol; 2-Amino ethyl alcohol; Monoethanolamine) Cell Culture Tested MW: 97.54 Assay : ≥99% Store below 30°C	612.00 2466.00	5 gm 25 gm
C ₂ H ₇ NO.HCl (2002-24-6)			
PCT1853 PTC	▲Ethepon Plant Culture Tested MW : 144.49 Assay > 97.5%	2179.00 9666.00 18180.00	100 mg 500 mg 1 gm
ClCH ₂ CH ₂ P(O)(OH) ₂ (16672-87-0)			
	Ether Solvent See Diethyl Ether		
	Ethrel See 2-Chloroethyl Phosphonic acid		
083205 C ₂₁ H ₂₀ BrN ₃ (1239-45-8)	Ethidium Bromide M. W.: 394.32 Assay (Non-aqueous, on dried Subs.) 98.0%	828.00 3294.00	1 gm 5 gm
932400 MB	Ethidium Bromide For Molecular Biology M. W.: 394.31 Assay : ≥ 95% Store Below 30°C	860.00 3330.00	1 gm 5 gm
C ₂₁ H ₂₀ BrN ₃ (1239-45-8)			
829930	▲Ethidium Bromide Solution ~1% in Water for Fluorescence	1980.00	50 ml
932450 MB	▲Ethidium Bromide Solution (10mg/ml) For Molecular Biology	2925.00	10 ml
C ₂₁ H ₂₀ BrN ₃ (1239-45-8)			
083275 C ₁₀ H ₁₂ O ₂ (2142-67-8)	o-Ethoxy Acetophenone for Synthesis M. W.: 164.20 Assay 98.0%	4770.00	25 gm
083295 C ₁₀ H ₁₂ O ₂ (1676-63-7)	p-Ethoxy Acetophenone for Synthesis M. W.: 164.20 Assay 98.0%	4770.00	25 gm
083355 C ₉ H ₁₀ O ₂ (10031-82-0)	p-Ethoxy Benzaldehyde for Synthesis M. W.: 150.17 Assay 99.0%	2880.00 POR 500 gm	25 gm 500 gm
083390 C ₉ H ₁₁ NO ₂ (938-73-8)	2-Ethoxy Benzamide M.W. 165.19 Assay 97.0%	1710.00 3600.00	25 gm 100 gm POR 500 gm

E

Laboratory Chemicals

Product Code	Product Name	Price	Packing
083415 C ₉ H ₁₀ O ₃ (619-86-3)	p-Ethoxy Benzoic Acid for Synthesis	1800.00	25 gm
	M. W.: 166.17	6120.00	100 gm
	Assay 99.0%		
	Ethoxy Carbonil Chloride See Ethyl Chloroformate		
	2-Ethoxy Ethanol See Ethylene Glycol Monoethyl Ether		
	2-Ethoxy Ethyl Acetate See Cellosolve acetate		
083435 (61790-81-6)	Ethoxylated Lanolin	2106.00	500 gm
083465 C ₈ H ₁₀ O ₂ (94-71-3)	2-Ethoxyphenol	1800.00	100 ml
	M.W : 138.17 Assay 97.5%	8460.00	500 ml
028311 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for Synthesis	450.00	500 ml
	M. W.: 88.11	1404.00	2.5 lit
	Assay (GC) 99.0%	POR 25 lit POR 200 lit	
522920 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate AR/ACS	513.00	500 ml
	M. W.: 88.11	1701.00	2.5 lit
	Assay (GC) 99.5%	POR 25 lit POR 200 lit	
522925 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate "Dry" AR	630.00	500 ml
	M. W.: 88.11	2003.00	2.5 lit
730897 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate GC-HS Grade	1143.00	1 lit
M.W : 88.11			
730900 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for HPLC & Spectroscopy	477.00	500 ml
	M. W.: 88.11	900.00	1 lit
	Assay (GC) 99.7%	2016.00	2.5 lit
731000 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for Pesticide Residue Trace Analysis	1431.00	1 lit
	M. W.: 88.11	3573.00	2.5 lit
731100 CH ₃ .COOC ₂ H ₅ (141-78-6)	Ethyl Acetate for Protein Sequence Analysis for Biochemistry	1467.00	500 ml
	M. W.: 88.11		
028312 C ₆ H ₁₀ O ₃ (141-97-9)	Ethyl Acetoacetate for Synthesis	990.00	500 ml
	M. W.: 130.14	4293.00	2.5 lit
	Assay (GC) 97.0%	POR 25 lit POR 200 lit	
523105 C ₆ H ₁₀ O ₃ (141-97-9)	Ethyl Acetoacetate AR	3096.00	1 lit
M. W.: 130.14			
028313 C ₅ H ₈ O ₂ (140-88-5)	Ethyl Acrylate for Synthesis	855.00	500 ml
	M. W.: 100.1	3402.00	2.5 lit
	Assay (GC) 99.0%		
	Ethylal See Diethoxy Methane		
083635 C ₂ H ₇ N (75-04-7)	Ethylamine Solution for Synthesis (Mono Ethylamine)	558.00	500 ml
	M. W.: 45.08	2403.00	2.5 lit
	Assay (Acidimetric) 70% w/w	POR 25 lit POR 200 lit	

Product Code	Product Name	Price	Packing
083715 C ₄ H ₁₁ NO (110-73-6)	2-(Ethylamino) Ethanol for Synthesis	1665.00	500 ml
	M.W.: 89.14	7250.00	2.5 lit
083855 C ₈ H ₁₁ N (103-69-5)	n-Ethyl Aniline for Synthesis (Monoethyl Aniline)	783.00	500 ml
	M. W.: 121.18	3303.00	2.5 lit
		POR 25 lit POR 200 lit	
083945 C ₉ H ₁₁ NO ₂ (87-25-2)	Ethyl Anthranilate for Synthesis	1206.00	25 ml
	M.W.: 165.19 Assay 99.0%	5000.00	500 ml
028320 C ₆ H ₅ .C ₂ H ₅ (100-41-4)	Ethyl Benzene	900.00	500 ml
	M. W.: 106.17	4203.00	2.5 lit
	Assay (GC) 98.0%	POR 25 lit POR 200 lit	
028321 C ₉ H ₁₀ O ₂ (93-89-0)	Ethyl Benzoate	1206.00	500 ml
	M. W.: 150.18 Assay(GC) 99.0%	5202.00	2.5 lit
084215 C ₁₁ H ₁₂ O ₃ (94-02-0)	Ethyl Benzoyl Acetate for Synthesis	2907.00	100 ml
	M.W.: 192.21 Assay 97.0%	11300.00	500 ml
	Ethyl Bromide See Bromo Ethane		
084305 C ₄ H ₇ BrO ₂ (105-36-2)	Ethyl Bromo Acetate for Synthesis	4401.00	250 ml
	M. W.: 167.01 Assay (GC) 97.0%	8208.00	500 ml
084395	✱ Ethyl-3-Bromo Benzoate for Synthesis	2160.00	25 gm
BrC ₉ H ₉ O ₂ (24398-88-7)	M. W.: 229.07 Assay 98.0%	8190.00	100 gm
084415	✱ Ethyl-4-Bromo Benzoate for Synthesis	1503.00	25 gm
BrC ₉ H ₉ O ₂ (5798-75-4)	M. W.: 229.07 Assay 98.0%	4887.00	100 gm
084475	✱ Ethyl-2-Bromo Propionate for Synthesis	1656.00	100 gm
BrC ₅ H ₉ O ₂ (535-11-5)	M. W.: 181.03 Assay 99.0%	6120.00	500 gm
084495 BrC ₅ H ₉ O ₂ (539-74-2)	Ethyl-3-Bromo Propionate for Synthesis	7200.00	100 gm
M. W.: 181.03 Assay 98.0%			
084525 C ₆ H ₁₂ O ₂ (105-54-4)	Ethyl Butyrate	1450.00	500 ml
	M. W.: 116.16 Assay (GC) 98.0%	5067.00	2.5 lit
084585 C ₈ H ₁₆ O ₂ (123-66-0)	Ethyl Caproate for Synthesis	3780.00	500 ml
	M. W.: 144.21		
084605 C ₁₀ H ₂₀ O ₂ (106-32-1)	Ethyl Caprylate for Synthesis	2997.00	500 gm
	M. W.: 172.26		
084625 C ₃ H ₈ N ₂ O ₂ (4114-31-2)	Ethyl Carbazate	990.00	25 gm
	M. W.: 104.11 Assay 97.0%	2700.00	100 gm
	Ethyl Carbitol See Diethylene Glycol Monoethyl Ether		
	Ethyl Cellosolve See Ethylene Glycol Monoethyl Ether		
	Ethyl Cellosolve Acetate See Cellosolve Acetate		

Product Code	Product Name	Price	Packing
028330 (9004-57-3)	Ethyl Cellulose 18-22 CPS	1800.00 6804.00	100 gm 500 gm
084655	Ethyl Cellulose Low Viscosity (7 CPS)	7101.00	500 gm
084685 C ₄ H ₇ ClO ₂ (105-39-5)	Ethyl Chloro Acetate for Synthesis M. W.: 122.55 Assay (GC) 98.0%	1400.00 6390.00	500 ml 2.5 lit
084715 C ₆ H ₉ O ₃ Cl (638-07-3)	Ethyl-4-Chloro Aceto Acetate for Synthesis M. W.: 164.59 Assay 95.0%	1143.00 4590.00	100 gm 500 gm
	Ethyl Chlorocarbonate See Ethyl Chloroformate		
084805 C ₃ H ₅ O ₂ Cl (541-41-3)	Ethyl Chloroformate (Ethyl Chlorocarbonate) M. W.: 108.52	1791.00 7992.00	500 ml 2.5 lit POR 25 lit
084915 C ₅ H ₉ O ₂ Cl (535-13-7)	Ethyl-2-Chloro Propionate for Synthesis M. W.: 136.58 Assay 97.0%	1638.00	100 ml
084975 C ₁₁ H ₁₂ O ₂ (103-36-6)	Ethyl Cinnamate M. W.: 176.22 Assay (GC) 98.0%	3402.00	500 ml
	Ethyl Cyanide See Propionitrile		
028337 C ₅ H ₇ NO ₂ (105-56-6)	Ethyl Cyanoacetate for Synthesis M. W.: 113.12 Assay (GC) 98.0%	1215.00 5490.00	500 ml 2.5 lit POR 25 lit
085105 C ₈ H ₁₆ (1678-91-7)	Ethyl Cyclohexane for Synthesis M. W.: 112.21 Assay 97.0%	1251.00 4960.00	500 ml 2.5 lit
	Ethyl Digol See Diethylene Glycol Mono Ethyl Ether		
	1-Ethyl-3-3-Dimethyl Amino Propylcarbodiimide Hydrochloride See 1-(3-Dimethyl amino Propyl)-3-ethyl Carbodiimide Hydrochloride		
	Ethylene Bromide See 1,2-Dibromoethane		
	Ethylene Chloride See 1,2-Dichloroethane		
	Ethylene Chlorohydrine See 2-Chloroethanol		
085135 C ₂ H ₈ N ₂ (107-15-3)	Ethylene Diamine for Synthesis (1,2-Diamino Ethane) M. W.: 60.10 Assay 99.0%	1197.00 5094.00	500 ml 2.5 lit POR 25 lit POR 200 lit
523455 C ₂ H ₈ N ₂ (107-15-3)	Ethylene Diamine AR M. W.: 60.10	1494.00	500 ml
085155 C ₂ H ₈ N ₂ .2HCl (333-18-6)	Ethylenediamine Dihydrochloride M. W.: 133.03 Assay (Argentometric) 99.0%	810.00 3303.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
085175 C ₂ H ₈ N ₂ H ₂ SO ₄ (22029-36-3)	Ethylene Diamine Sulphate for Synthesis M. W.: 158.177	2350.00	25 gm
085235 C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4)	Ethylene Diamine Tetra Acetic Acid M. W.: 292.25 Assay (Complexometric) 98.0%	360.00 1152.00 11610.00	100 gm 500 gm 5 kg POR 25 kg POR 50 kg
523495 C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4)	Ethylene Diamine Tetra Acetic Acid AR/ACS For Complexometry M. W.: 292.25 Assay (Complexometric) 99.0%	432.00 1404.00 12250.00	100 gm 500 gm 5 kg POR 25 kg POR 50 kg
TC1115 ATC C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4)	Ethylene Diamine Tetra Acetic Free Acid Anhydrous Cell Culture Tested M. W.: 292.24 Assay : ≥99% Store below 30°C	1062.00 4077.00	100 gm 500 gm
TC1115M ATC C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4)	Ethylene Diamine Tetra Acetic Free Acid (See: Edetic Acid, EDTA free acid, anhydrous) Diaminoethane-tetraacetic acid, Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications M. W.: 292.24 Store below 30°C	1062.00 4077.00	100 gm 500 gm
085255 C ₁₀ H ₁₂ CaN ₂ Na ₂ O ₈ .XH ₂ O (304695-78-1)	Ethylene Diamine Tetra Acetic Acid Calcium Disodium Salt M. W.: 374.27. XH ₂ O Assay (Complexometric; on anhydrous basis) 97-102%	1503.00 POR POR	500 gm 25 kg 50 kg
085275 C ₁₀ H ₁₄ K ₂ O ₈ N ₂ .2H ₂ O (25102-12-9)	Ethylene Diamine Tetra Acetic Acid Dipotassium Salt M.W.: 404.46 Assay (Complexometric) 98.0%	396.00 1593.00	100 gm 500 gm 25 kg POR 50 kg
523515 C ₁₀ H ₁₄ K ₂ O ₈ N ₂ .2H ₂ O (25102-12-9)	Ethylene Diamine Tetra Acetic Acid Dipotassium Salt AR M. W.: 404.46 Assay (complexometric) 99.0%	513.00 1845.00 14310.00	100 gm 500 gm 5 kg POR 25 kg POR 50 kg
085295 C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ .2H ₂ O (6381-92-6)	Ethylene Diamine Tetra Acetic Acid Disodium Salt M. W.: 372.24 Assay (complexometric) 98.0%	468.00 1908.00 11250.00	100 gm 500 gm 5 kg POR 25 kg
523525 C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ .2H ₂ O (6381-92-6)	Ethylene Diamine Tetra Acetic Acid Disodium Salt AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 372.24 Assay (Complexometric) 99.5%	558.00 2106.00 13005.00	100 gm 500 gm 5 kg POR 25 kg
932500 MB C ₁₀ H ₁₄ N ₂ Na ₂ O ₈ .2H ₂ O (6381-92-6)	Ethylene Diamine Tetra Acetic Acid Disodium Salt for Molecular Biology M. W.: 372.24 Assay (Complexometric) 99.5%	1305.00 2997.00 28800.00	100 gm 500 gm 5 kg

E

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

E

Laboratory Chemicals

Product Code	Product Name	Price	Packing
PCT1105	PTC Ethylene Diamine Tetra Acetic Acid Disodium Salt Dihydrate Plant Culture Tested $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ M. W.: 372.24 Assay 99.5% Store below 30°C	378.00	100 gm
		1683.00	500 gm
		3042.00	1 kg
		13500.00	5 kg
TC1038	ATC Ethylene Diamine Tetra Acetic Acid Disodium Salt Dihydrate Cell Culture Tested $C_{10}H_{14}N_2O_8 \cdot Na_2 \cdot 2H_2O$ M. W.: 372.24 Assay : $\geq 99\%$ Store below 30°C	1350.00	500 gm
		2070.00	1 kg
		POR	5 kg
		POR	5 kg
TC1038M	ATC Ethylene Diamine Tetra Acetic Acid Disodium Salt Dihydrate EDTA disodium salt Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications $C_{10}H_{14}N_2O_8Na_2 \cdot 2H_2O$ M. W.: 372.24 (6381-92-6) Store below 30°C	3690.00	100 gm
		13100.00	500 gm
		POR	5 kg
		POR	5 kg
085315	Ethylene Diamine Tetra Acetic Acid Ferric Monosodium Salt $C_{10}H_{12}FeN_2NaO_8 \cdot 3H_2O$ M. W.: 421.10 Fe content (on anhydrous basis) 12-14%	342.00	100 gm
		1404.00	500 gm
		POR	25 kg
		POR	50 kg
PCT1106	PTC Ethylene Diamine Tetra Acetic Acid Ferric Monosodium Salt Plant Culture Tested $C_{10}H_{12}FeN_2NaO_8 \cdot 3H_2O$ M. W.: 421.10 Assay : 12 -14% Fe Store below 30°C	351.00	100 gm
		1494.00	500 gm
		2871.00	1 kg
		POR	5 kg
085375	Ethylene Diamine Tetra Acetic Acid Magnesium Disodium Salt $C_{10}H_{12}MgN_2O_8 \cdot 2Na \cdot XH_2O$ M. W.: 358.50 (Anhy.) (14402-88-1)	1107.00	500 gm
		POR	50 kg
		POR	50 kg
		POR	50 kg
085405	Ethylene Diamine Tetra Acetic Acid Tetra Sodium Salt $C_{10}H_{12}N_2Na_4O_8 \cdot 2H_2O$ M. W.: 416.20 Assay (complexometric) 98.0%	1800.00	500 gm
		13500.00	5 kg
		POR	25 kg
		POR	25 kg
TC1116	ATC Ethylene Diamine Tetra Acetic Acid Tetra Sodium Salt EDTA Dihydrate Cell Culture Tested $C_{10}H_{12}N_2Na_4O_8 \cdot 2H_2O$ M. W.: 416.2 Assay : $\geq 99\%$ Store below 30°C	1944.00	100 gm
		5860.00	500 gm
		POR	500 gm
		POR	500 gm
085515	Ethylene Diamine Tetra Acetic Acid Tripotassium Salt (Dihydrate) Reagent for Complexometry $(KOOCCCH_2)_2NCH_2CH_2N(CH_2COOK)CH_2COOH \cdot 2H_2O$ M. W.: 442.54 Assay 98.0%	1800.00	500 gm
		15300.00	5 kg
		POR	5 kg
		POR	5 kg
085525	Ethylenediamine Tetra Acetic Acid Tri Sodium Salt $C_{10}H_{13}N_2Na_3O_8 \cdot 2H_2O$ M. W.: 394.22 Assay 98.0% Ethylenedibromide See 1,2-Dibromoethane	477.00	100 gm
		1557.00	500 gm
		POR	50 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
	Ethylene Dinitrilotetra Acetic Acid See Ethylenediamine Tetra Acetic Acid		
	Ethylenedichloride See 1,2-Dichloro Ethane		
085545	Ethylene Glycol for Synthesis $CH_2(OH)CH_2OH$ M. W.: 62.07 Assay (GC) 99.0%	522.00	500 ml
		1800.00	2.5 lit
		POR	25 lit
523575	Ethylene Glycol AR $CH_2(OH)CH_2OH$ M. W.: 62.07 (107-21-1)	603.00	500 ml
		2007.00	2.5 lit
		POR	25 lit
	Ethylene Glycol Dimethyl Ether See 1,2-Dimethoxyethane, (Monoglyme)		
	Ethylene Glycol Methylene Ether See 1,3-Dioxolane		
085555	Ethylene Glycol Mono Butyl Ether (2-Butoxy Ethanol) for Synthesis $C_6H_{14}O_2$ M. W.: 118.18 Assay (GC) 98.0%	675.00	500 ml
		2961.00	2.5 lit
		POR	25 lit
085560	Ethylene Glycol Mono Butyl Ether Acetate for Synthesis (Butyl Cellosolve acetate) M.W : 160.21	810.00	500 ml
		3807.00	2.5 lit
		POR	25 lit
028309	Ethylene Glycol Mono Ethyl Ether (2-Ethoxy Ethanol) for Synthesis $C_4H_{10}O_2$ M. W.: 90.12 Assay (GC) 98.0%	576.00	500 ml
		2196.00	2.5 lit
		POR	25 lit
029198	Ethylene Glycol Mono Methyl Ether for Synthesis (2-Methoxy Ethanol) $C_3H_8O_2$ M. W.: 76.10 Assay (GC) 99.0%	657.00	500 ml
		2907.00	2.5 lit
		POR	25 lit
523610	Ethylene Glycol Mono Methyl Ether AR/ACS (2-Methoxy Ethanol) $C_3H_8O_2$ M. W.: 76.10	720.00	500 ml
		3105.00	2.5 lit
		POR	25 lit
731250	Ethylene Glycol Mono Methyl Ether for HPLC (2-Methoxy Ethanol) $C_3H_8O_2$ M. W.: 76.10 Assay (GC) 99.9%	1647.00	1 lit
		POR	200 lit
		POR	200 lit
085595	Ethylene Glycol Mono Phenyl Ether (Phenyl cellosolve) $C_8H_{10}O_2$ M. W.: 138.17 Assay 99.0-100.5%	945.00	500 ml
		3690.00	2.5 lit
		POR	25 lit
TC1549M	ATC Ethylene Glycol Mono Phenyl Ether Phenoxyethanol, 2-Phenoxyethyl alcohol Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications $C_8H_{10}O_2$ M. W.: 138.16 Store below 30°C	6030.00	500 ml
		POR	200 lit
		POR	200 lit
085610	Ethylene Glycol Mono Stearate $C_{20}H_{40}O_3$ M. W.: 328.54 (111-60-4)	1089.00	500 gm
		POR	500 gm
		POR	500 gm

Product Code	Product Name	Price	Packing
085645	▲ Ethylene Glycol-O,O-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid (E.G.T.A.) M. W.: 380.35 Assay (complexometric) 98.0%	2844.00	10 gm
C ₁₄ H ₂₄ N ₂ O ₁₀ (67-42-5)			
932600 MB	▲ Ethylene Glycol-O,O-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid (E.G.T.A.) For Molecular Biology M. W.: 380.35 Assay : ≥ 99%	3330.00	10 gm
C ₁₄ H ₂₄ N ₂ O ₁₀ (67-42-5)			
TC1721 ATC	▲ Ethylene glycol-bis(2-aminoethyl Ether)-N,N,N',N'-tetraacetic Acid Cell Culture Tested (EGTA) M. W.: 380.35 Assay : ≥97%	4176.00 9460.00 36144.00	10 gm 25 gm 100 gm
C ₁₄ H ₂₄ O ₁₀ N ₂ (67-42-5)			
TC1722 ATC	Ethylene glycol-bis(β-aminoethyl Ether)-N,N,N',N'-tetraacetoxymethyl ester Cell Culture Tested (EGTA AM) Store at -20°C	22266.00	10 mg
C ₂₆ H ₄₀ N ₂ O ₈ (99590-86-0)			
085660	Ethylene Thiourea for Synthesis M. W.: 102.16	4059.00	500 gm
C ₃ H ₆ N ₂ S (96-45-7)			
085675	Ethylene Urea for Synthesis M. W.: 86.09	4001.00	500 gm
C ₃ H ₆ N ₂ O (120-93-4)			
	Ethyl Eosin for Microscopy See Eosin (Spirit Soluble)		
	n-Ethyl Ethanolamine See 2-(Ethylamino) Ethanol		
085725	Ethyl Formate for Synthesis (Formic Acid Ethyl Ester) M. W.: 74.08 Assay (GC) 98.0%	765.00 3591.00 POR	500 ml 2.5 lit 25 lit
C ₃ H ₆ O ₂ (109-94-4)			
	Ethylglycinate Hydrochloride See Glycine Ethylester Hydrochloride		
085815	Ethyl Heptanoate for Synthesis M. W.: 158.24 Assay (GC) 99.0%	4500.00	500 gm
C ₉ H ₁₈ O ₂ (106-30-9)			
085885	2-Ethyl Hexanoic Acid for Synthesis (Ethyl Caproic Acid, Octoic Acid) M. W.: 144.21	720.00 2997.00 POR	500 ml 2.5 lit 25 lit
C ₈ H ₁₆ O ₂ (149-57-5)			
523775	2-Ethyl Hexanoic Acid AR M.W.: 144.21	1800.00	1 lit
C ₈ H ₁₆ O ₂ (149-57-5)			
028345	2-Ethyl-1-Hexanol (2-Ethyl Hexane-1-ol) M. W.: 130.23 Assay (GC) 99.0%	576.00 2196.00 POR	500 ml 2.5 lit 25 lit
C ₈ H ₁₈ O (104-76-7)			
085915	2-Ethyl Hexyl Acrylate M.W.: 184.28 Assay (GC) 99.0%	585.00 2565.00	500 ml 2.5 lit
C ₁₁ H ₂₀ O ₂ (103-11-7)			
523965	2-Ethyl Hexyl Acrylate AR M.W.: 184.28	1980.00	1 lit
C ₁₁ H ₂₀ O ₂ (103-11-7)			

Product Code	Product Name	Price	Packing
085930	2-Ethyl Hexyl Methacrylate for Synthesis (Stabilized) M. W.: 198.30 Assay 98.0%	801.00 6750.00	250 ml 2.5 lit
C ₁₂ H ₂₂ O ₂ (688-84-6)			
085945	Ethyl-p-Hydroxy Benzoate (Ethyl Paraben) M.W.: 166.17 Assay (GC) 99.0%	2350.00 POR POR POR	500 gm 5 kg 25 kg 50 kg
C ₉ H ₁₀ O ₃ (120-47-8)			
085960	Ethyl-p-Hydroxy Benzoate Sodium Salt (Ethyl Paraben Sodium) M.W.: 188.16	2444.00	500 gm
C ₉ H ₉ NaO ₃ (35285-68-8)			
028581	Ethyl Iodide for Synthesis M. W.: 155.97 Assay (GC) 99.0%	5904.00 27000.00	100 ml 500 ml
C ₂ H ₅ I (75-03-6)			
085995	Ethyl-Iso-Butyrate for Synthesis M. W.: 116.16	2799.00	500 gm
C ₆ H ₁₂ O ₂ (97-62-1)			
086025	Ethyl-Iso-Valerate for Synthesis M. W.: 130.18	2619.00	500 gm
C ₇ H ₁₄ O ₂ (108-64-5)			
086075	Ethyl Lactate (Biodegradeble) Solvent Replacement for Optical and Microelectrical Purpose M. W.: 118.13 Assay 98.0%	1503.00 12250.00	250 ml 2.5 lit
C ₅ H ₁₀ O ₃ (97-64-3)			
086100	n-Ethyl Maleimide M. W.: 125.13	1980.00 8775.00	5 gm 25 gm
C ₆ H ₇ NO ₂ (128-53-0)			
086125	Ethyl Methane Sulfonate (Plant Mutagen) M. W.: 124.16	923.00 7812.00 POR	10 gm 100 gm 5 kg
C ₃ H ₈ O ₃ S (62-50-0)			
PCT2324 PTC	Ethyl Methane Sulfonate (Methanesulphonic acid ethyl ester) (1ml = 1.21g) Plant Culture Tested MW : 124.16 Assay 99% Store below 30°C	3834.00 34542.00	10 gm 100 gm
C ₃ H ₈ O ₃ S (62-50-0)			
086275	n-Ethyl Methylamine M. W.: 59.11 Assay 97.0%	3250.00 12600.00	5 gm 25 gm
C ₃ H ₉ N (624-78-2)			
087395	1-Ethyl-2-Methyl Indole M. W.: 159.23	3285.00	5 gm
C ₁₁ H ₁₃ N (40876-94-6)			
	Ethyl Methyl Ketone See Butanone		
087515	n-Ethyl Morpholine for Synthesis (4-Ethylmorpholine) M. W.: 115.17	1098.00 9747.00	250 ml 2.5 lit
C ₆ H ₁₃ NO (100-74-3)			
028356	▲ Ethyl Oleate for Synthesis M. W.: 310.52 Assay (Saponification) 98.0%	1197.00 5193.00 POR	500 ml 2.5 lit 25 lit
C ₂₀ H ₃₈ O ₂ (111-62-6)			
294625	Ethyl Orange Sodium Salt M. W.: 355.39 Dye content 90.0%	900.00	25 gm
C ₁₆ H ₁₈ N ₃ .Na.SO ₃ (62758-12-7)			

E

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

E

Laboratory Chemicals


Product Code	Product Name	Price	Packing
	Ethyl Orthoformate See Triethyl Orthoformate		
	Ethyl Paraben See Ethyl-p-Hydroxybenzoate		
	Ethyl Paraben Sodium See Ethyl-p-Hydroxybenzoate sodium		
087585 C ₁₀ H ₁₂ O ₂ (101-97-3)	Ethyl Phenyl Acetate M. W.: 164.20	2196.00	500 ml
087615 C ₆ H ₁₄ N ₂ (5308-25-8)	n-Ethyl Piperazine for Synthesis M. W.: 114.19	1701.00 5904.00	250 ml 1 lit
087725 C ₇ H ₁₄ N ₂ O ₂ (120-43-4)	Ethyl Piperazine-1-Carboxylate M. W.: 158.20 Assay 99.0%	2170.00	25 gm
	Ethyl Potassium Xanthate See Potassium Ethyl Xanthate		
087765 C ₅ H ₁₀ O ₂ (105-37-3)	Ethyl Propionate M. W.: 102.13 Assay (GC) 99.0%	1701.00	500 ml
087805 C ₅ H ₈ O ₃ (617-35-6)	Ethyl Pyruvate for Synthesis M. W.: 116.12 Assay 98.0%	2106.00 9000.00	100 gm 500 gm
	o-Ethyl Salicylamide See 2-Ethoxybenzamide		
087855 2-(OH)C ₆ H ₄ CO ₂ C ₂ H ₅ (118-61-6)	Ethyl Salicylate M. W.: 166.17	1197.00	500 ml
087900 C ₆ H ₉ ClO ₃ (14794-31-1)	Ethyl Succinyl Chloride M.W. 164.59 Assay 98.0%	1350.00	100 ml
087945 C ₄ F ₃ H ₅ O ₂ (383-63-1)	Ethyl Trifluoroacetate for Synthesis M. W.: 142.08 Assay 99.0%	1296.00 6192.00	100 gm 500 gm
	Ethyl Triphenyl Phosphonium Bromide See Triphenylethyl Phosphonium Bromide		
088185 C ₉ H ₁₀ O ₃ (121-32-4)	Ethyl Vanilin for Synthesis M. W.: 166.17	1593.00 7191.00	100 gm 500 gm
294765 C ₃₁ H ₄₂ N ₃ Cl (2390-59-2)	Ethyl Violet for Microscopy C.I.No.42600 M. W.: 492.14	873.00	25 gm
	Ethynyl Carbinol See Propargyl Alcohol		
349325 (8000-48-4)	Eucalyptus Oil Assay (as cineole content) >60.0%	2304.00	250 ml
088995 (25086-15-1)	Eudragit L-100 for Synthesis	2007.00 4005.00	100 gm 250 gm
089015 (3343-24-1)	Eudragit RL-100 for Synthesis	3006.00 5994.00	100 gm 250 gm
089035 (3343-24-1)	Eudragit RS -100 for Synthesis	3006.00 5994.00	100 gm 250 gm
089055 (25086-15-1)	Eudragit S -100 for Synthesis	3600.00 6030.00	100 gm 250 gm

Product Code	Product Name	Price	Packing
028374 C ₁₀ H ₁₂ O ₂ (97-53-0)	Eugenol Pure M. W.: 164.21 Assay (GC) 99.0%	1400.00 6507.00	100 ml 500 ml
089150 C ₁₂ H ₁₄ O ₃ (93-28-7)	Eugenol Acetate for Synthesis M. W.: 206.24	6003.00	500 gm
	Eugenol Methyl Ether See Methyl Eugenol		
089195	Euparal for Microscopy	2502.00	100 ml
830070	Europium (Eu)CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	4014.00 10845.00	100 ml 500 ml
830080	Europium (Eu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12051.00 40176.00	100 ml 500 ml
RE0910 Eu (7440-53-1)	Europium Metal Ingot M. W.: 151.96 Assay (Trace metal basis) 99.99%	10341.00 42120.00 POR	1 gm 5 gm 25 gm
RE0915 Eu (7440-53-1)	Europium Metal Lump M. W.: 151.96 Assay (Trace metal basis) 99.99%	10341.00 42120.00 POR	1 gm 5 gm 25 gm
RE0925 Eu(O ₂ C ₂ H ₃) ₃ .XH ₂ O (62667-64-5)	Europium (III) Acetate M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.9%	7272.00 28136.00	5 gm 25 gm
RE0930 Eu(O ₂ C ₂ H ₃) ₃ .XH ₂ O (62667-64-5)	Europium (III) Acetate M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.99%	1953.00 7560.00 32400.00	1 gm 5 gm 25 gm
RE0935 Eu(O ₂ C ₂ H ₃) ₃ .XH ₂ O (62667-64-5)	Europium (III) Acetate M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.999%	7650.00 39600.00 POR	1 gm 10 gm 50 gm
RE0945 EuBr ₃ .XH ₂ O (560069-78-5)	Europium (III) Bromide M. W.: 391.68 (anhy.) Assay (Trace metal basis) 99.99%	14310.00	5 gm
RE0955 Eu ₂ (CO ₃) ₃ .XH ₂ O (86546-99-8)	Europium (III) Carbonate M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.9%	7200.00 29700.00	5 gm 25 gm
RE0960 Eu ₂ (CO ₃) ₃ .XH ₂ O (86546-99-8)	Europium (III) Carbonate M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.99%	2970.00 12069.00 39200.00	1 gm 5 gm 25 gm
RE0965 Eu ₂ (CO ₃) ₃ .XH ₂ O (86546-99-8)	Europium (III) Carbonate M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.999%	POR POR POR	1 gm 5 gm 25 gm
RE0975 EuCl ₃ .6H ₂ O (13759-92-7)	Europium (III) Chloride M. W.: 366.41 Assay (Trace metal basis) 99.9%	11890.00 47030.00	5 gm 25 gm
RE0980 EuCl ₃ .6H ₂ O (13759-92-7)	Europium (III) Chloride M. W.: 366.41 Assay (Trace metal basis) 99.99%	4230.00 14310.00 38232.00	1 gm 5 gm 25 gm
RE0985 EuCl ₃ .6H ₂ O (13759-92-7)	Europium (III) Chloride M. W.: 366.41 Assay (Trace metal basis) 99.999%	POR POR POR	1 gm 5 gm 25 gm
RE0995 Eu(NO ₃) ₃ .6H ₂ O (10031-53-5)	Europium (III) Nitrate M. W.: 446.06 Assay (Trace metal basis) 99.9%	2997.00 5445.00 13887.00 48060.00	1 gm 2 gm 10 gm 50 gm

Product Code	Product Name	Price	Packing
RE1000 Eu(NO ₃) ₃ .6H ₂ O (10031-53-5)	Europium (III) Nitrate	5000.00	1 gm
	M. W.: 446.06	15300.00	5 gm
	Assay (Trace metal basis) 99.99%	45000.00	25 gm
RE1005 Eu(NO ₃) ₃ .6H ₂ O (10031-53-5)	Europium (III) Nitrate	POR	1 gm
	M. W.: 446.06	POR	5 gm
	Assay (Trace metal basis) 99.999%	POR	25 gm
RE1015 Eu ₂ (C ₂ O ₄) ₃ .XH ₂ O (304675-55-6)	Europium (III) Oxalate	14310.00	10 gm
	M. W.: 567.99 (anhy.)	POR	25 gm
	Assay (Trace metal basis) 99.9%		
RE1020 Eu ₂ (C ₂ O ₄) ₃ .XH ₂ O (304675-55-6)	Europium (III) Oxalate	9000.00	5 gm
	M. W.: 567.99 (anhy.)	27000.00	25 gm
	Assay (Trace metal basis) 99.99%		
RE1025 Eu ₂ (C ₂ O ₄) ₃ .XH ₂ O (304675-55-6)	Europium (III) Oxalate	POR	1 gm
	M. W.: 567.99 (anhy.)	POR	5 gm
	Assay (Trace metal basis) 99.999%	POR	25 gm
RE1035 Eu ₂ O ₃ (1308-96-9)	Europium (III) Oxide	1503.00	1 gm
	M. W.: 351.92	5000.00	5 gm
	Assay (trace metals basis) 99.9%	22059.00	25 gm
RE1040 Eu ₂ O ₃ (1308-96-9)	Europium (III) Oxide	2907.00	1 gm
	M. W.: 351.92	11170.00	5 gm
	Assay (trace metals basis) 99.99%	34020.00	25 gm
		81090.00	100 gm
RE1045 Eu ₂ O ₃ (1308-96-9)	Europium (III) Oxide	10900.00	1 gm
	M. W.: 351.92	36360.00	5 gm
	Assay (trace metals basis) 99.999%		

Product Code	Product Name	Price	Packing
RE1055 Eu ₂ (SO ₄) ₃ .XH ₂ O (20814-06-6)	Europium (III) Sulphate	2700.00	1 gm
	M. W.: 592.10 (anhy.)	10800.00	5 gm
	Assay (trace metals basis) 99.9%	POR	25 gm
RE1060 Eu ₂ (SO ₄) ₃ .XH ₂ O (20814-06-6)	Europium (III) Sulphate	3006.00	1 gm
	M. W.: 592.10 (anhy.)	11709.00	5 gm
	Assay (trace metals basis) 99.99%	47160.00	25 gm
RE1065 Eu ₂ (SO ₄) ₃ .XH ₂ O (20814-06-6)	Europium (III) Sulphate	POR	1 gm
	M. W.: 592.10 (anhy.)	POR	5 gm
	Assay (trace metals basis) 99.999%	POR	25 gm
294905	Evans Blue for Microscopy	293.00	5 gm
	For estimation of blood volume	1112.00	25 gm
	M. W.: 960.82		
C₃₄H₂₄N₆Na₄O₁₄S₄ (314-13-6)	Extract of Meat See Meat Extract		
	Extract of Yeast See Yeast Extract		
830180	Exton's Reagent	230.00	100 ml
	(Test reagent for albumin in urine)		
	Extra Special Neutral Detergent		
	For Cleaning Laboratory Glass Wares & Instruments See CEDEPOL		

Laboratory Chemicals



EUROPIUM

Europium, atomic no.: 63, symbol as Eu, weight at 151.96, is utilized primarily for its unique luminescent behavior. Excitation of the Europium atom by absorption of ultra violet radiation can result in specific energy level transitions within the atom creating an emission of visible radiation. It is a dopant in some types of glass in lasers and other optoelectronic devices. Europium Oxide (Eu₂O₃) is widely used as a red phosphor in television sets and fluorescent lamps, and as an activator for Yttrium-based phosphors.

Storage : ● 0-4°C ▲ 2-8°C
 ✪ Delivery Period 4-6 Weeks
 ⚙ Supply Only to End User

F

Laboratory Chemicals

Product Code	Product Name	Price	Packing
	Fe-EDDHA See Ethylenediamine-N,N'-bis (2hydroxyphenylacetic acid) ferric-sodium complex		
	Fabric Cleaner Liquid See FCL009		
	Fabric Cleaner Powder See FCP009		
834000	FA Rhodamine Counterstain	396.00 1818.00	100 ml 500 ml
295815	▲Fast Blue B Salt (C.I. 37235)	828.00 3051.00	25 gm 100 gm
C ₁₄ H ₁₂ N ₄ O ₂ Cl ₂ .ZnCl ₂ (14263-94-6)	M. W.: 475.47	POR	1 kg
295875	▲Fast Blue BB Salt for Microbiology (C.I. 37175)	2412.00 6012.00	5 gm 25 gm
C ₁₇ H ₁₈ ClN ₃ O ₃ .1/2 ZnCl ₂ (5486-84-0)	M. W.: 415.94 Dye content 80.0%		
295935	▲Fast Blue RR Salt (C.I. 37155)	21600.00	5 gm
C ₁₅ H ₁₄ ClN ₃ O ₃ .1/2 ZnCl ₂ (14726-29-5)	M. W.: 387.89		
296085	Fast Garnet GBC Salt Purified (C. I. No. 37210)	576.00	25 gm
C ₁₄ H ₁₄ N ₄ O ₄ S (101-89-3)	M. W.: 334.35		
296175	Fast Green for Microscopy C.I. 42000	284.00 936.00	25 gm 100 gm
C ₅₂ H ₅₄ N ₄ O ₁₂	M.W.: 927.02 Dye content (titanometric on dried substance) Abt. 90.0%		
296205	Fast Green FCF for Microscopy C.I. No. 42053	550.00 2007.00	5 gm 25 gm
C ₃₇ H ₃₄ N ₂ Na ₂ O ₁₀ S ₃ (2353-45-9)	M.W.: 808.85 Dye content (titanometry, on dried subs.) >85.0%		
933200 MB	Fast Green FCF For Molecular Biology C. I. No. : 42053	4510.00 9927.00	10 gm 25 gm
C ₃₇ H ₃₄ N ₂ O ₁₀ S ₃ Na ₂ (2353-45-9)	M. W.: 808.85 Store Below 30°C		
834100	Fast Green FCF Solution (Useful for non-lignified tissues)	882.00	100 ml
296255	Fast Red E (C.I. 16045) C ₂₀ H ₁₄ N ₂ O ₇ S ₂ .2Na (2302-96-2)	630.00	25 gm
296395	Fast Sulphon Black F C.I. No. 26990	567.00	25 gm
C ₃₀ H ₁₇ N ₄ Na ₃ O ₁₁ S ₃ (3682-47-1)	M. W.: 774.6 Dye content (titanometry) Approx 30.0%		
	Fehling's Solution A and B See Fehling's Solution 1 and 2		
834200	Fehling's Solution NO. 1 Assay iodometric (CuSO ₄) min. 7.0%w/v	410.00	500 ml
834220	Fehling's Solution NO. 2	603.00	500 ml
092675	Ferric Acetate Basic C ₄ H ₇ .FeO ₅ (10450-55-2)	2808.00	500 gm
	M.W.: 190.93		

Product Code	Product Name	Price	Packing
092725	Ferric Acetyl Acetonate for Synthesis (Iron. III Acetyl Acetronate)	4095.00 10000.00	100 gm 500 gm
C ₁₅ H ₂₁ O ₆ .Fe (14024-18-1)	M. W.: 353.17		
	Ferric Alum See Ammonium Ferric Sulphate		
	Ferric Ammonium Citrate See Ammonium Ferric Citrate		
	Ferric Ammonium Sulphate See Ammonium Ferric Sulphate		
092855	Ferric Borate BFeO ₃ (20542-97-6)	3006.00	500 gm
	M.W.: 114.65		
092900	Ferric Chloride Anhydrous FeCl ₃ (7705-08-0)	306.00 522.00 2196.00	500 gm 1 kg 5 kg
	M. W.: 162.21 Assay (iodometric) 97.0%	POR	50 kg
528615	Ferric Chloride Anhydrous AR FeCl ₃ (7705-08-0)	432.00	500 gm
	M. W.: 162.21 Assay (Iodometric) 98.0%		
934400 MB	Ferric Chloride Anhydrous For Molecular Biology FeCl ₃ (7705-08-0)	243.00 585.00 1103.00	50 mg 1 gm 5 gm
	M. W.: 162.2 Assay : ≥ 98% Store Below 30°C		
TC1583 ATC	Ferric Chloride Anhydrous Ferric chloride Cell Culture Tested FeCl ₂ (7705-08-0)	1422.00 2719.00 5841.00	5 gm 25 gm 100 gm
	M. W.: 162.2 Assay : 14-16% Fe Store below 30°C		
092940	Ferric Chloride Hexahydrate FeCl ₃ .6H ₂ O (10025-77-1)	387.00 POR	500 gm 50 kg
	M. W.: 270.30 Assay (Iodometric) 98.0%		
528620	Ferric Chloride Hexahydrate AR/ACS FeCl ₃ .6H ₂ O (10025-77-1)	468.00	500 gm
	M. W.: 270.30 Assay (Iodometric) 98.0%		
PCT1108 PTC	Ferric Chloride Hexahydrate Plant Culture Tested FeCl ₃ .6H ₂ O (10025-77-1)	225.00 500.00 900.00 1611.00	100 gm 250 gm 500 gm 1 kg
	M. W.: 270.3 Assay 99% Store below 30°C		
TC1587M ATC	Ferric Chloride Hexahydrate Iron(III) chloride hexahydrate Meets EP 9.0, and BP 2016 testing specifications FeCl ₃ .6H ₂ O (10025-77-1)	1872.00 2817.00 9612.00	5 gm 25 gm 100 gm
	M. W.: 270.28 Store below 30°C		
834320	Ferric Chloride Solution 10% (Gerhardt's Reagent) Assay 9.9-10.1%	126.00 396.00	125 ml 1 lit
834325	Ferric Chloride TS acc. to USP	167.00	500 ml
028381	Ferric Citrate C ₆ H ₅ FeO ₇ .3H ₂ O (2338-05-8)	1602.00	500 gm
	M. W.: 298.99 Iron (Fe) Iodometric 18-20%		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1109 PTC	Ferric Citrate Monohydrate Plant Culture Tested M. W.: 262.96 Assay : 18 - 20% Fe Store below 30°C	783.00	250 gm
		1413.00	500 gm
C ₆ H ₅ FeO ₇ .H ₂ O (2338-05-8)			
TC1117 ATC	Ferric Citrate Monohydrate Cell Culture Tested M. W.: 262.96 Assay : ≥98% Store below 30°C	1179.00	250 gm
		1760.00	500 gm
C ₆ H ₅ FeO ₇ .H ₂ O (2338-05-8)		2646.00	1 kg
	Ferric Diphosphate Hydrate See Ferric Pyrophosphate		
028384	Ferric Nitrate (Iron (III) Nitrate) M. W.: 404.00 Assay (oxidimetric) 98.0%	405.00	500 gm
		POR	25 kg
Fe(NO ₃) ₃ .9H ₂ O (7782-61-8)		POR	50 kg
528650	Ferric Nitrate Nonahydrate AR/ACS M. W.: 404.00 Assay (Oxidimetric) 99-101%	702.00	500 gm
Fe(NO ₃) ₃ .9H ₂ O (7782-61-8)			
TC1118 ATC	Ferric Nitrate Nonahydrate Cell Culture Tested M. W.: 404 Assay : ≥98% Store below 30°C	1395.00	100 gm
		5553.00	500 gm
FeN ₃ O ₉ .9H ₂ O (7782-61-8)			
093155	Ferric Oxide Black M. W.: 159.69	469.00	500 gm
Fe ₂ O ₃ (1309-37-1)			
028386	Ferric Oxide Red (Iron Oxide Red) M. W.: 159.69 Assay (Iodometric) 98.5%	158.00	100 gm
		405.00	500 gm
Fe ₂ O ₃ (1309-37-1)		3087.00	5 kg
		POR	50 kg
093180 *	Ferric Perchlorate Against Licence	POR	1 kg
		POR	5 kg
(15201-61-3)		POR	25 kg
528675 *	Ferric Perchlorate AR M. W.: 354.20 (Anhy.) Assay 97.0%	6080.00	100 gm
		18900.00	500 gm
Fe(ClO ₄) ₃ .XH ₂ O (15201-61-3)		36000.00	1 kg
028385	Ferric ortho Phosphate M. W.: 222.88 Assay (by cerimetry, Fe) 24%	972.00	500 gm
FePO ₄ .4H ₂ O (31096-47-6)			
528705	Ferric ortho Phosphate AR M. W.: 222.88	1530.00	500 gm
FePO ₄ .4H ₂ O (31096-47-6)			
093195	Ferric Pyrophosphate Pure Iron. III Pyro Phosphate M. W.: 745.21	1908.00	500 gm
Fe ₄ (P ₂ O ₇) ₃ (10058-44-3)			
093235	Ferric Sulphate M. W.: 399.88 Assay (as Fe) (Iodometric) 20.5%	441.00	500 gm
		POR	25 kg
Fe ₂ (SO ₄) ₃ .XH ₂ O (15244-10-7)		POR	50 kg
528795	Ferric Sulphate Hydrate AR [Iron (III) Sulphate Hydrate] M. W.: 399.88 (anhydrous)	603.00	500 gm
Fe ₂ (SO ₄) ₃ .XH ₂ O (15244-10-7)			

Product Code	Product Name	Price	Packing
PCT1124 PTC	Ferric Sulphate Hydrate Plant Culture Tested M. W.: 399.88 (anhydrous basis) Store below 30°C	1310.00	500 gm
Fe ₂ (SO ₄) ₃ .XH ₂ O (10028-22-5)			
093285	Ferric Tartrate M. W.: 555.90	7830.00	500 gm
Fe ₂ (C ₄ H ₄ O ₆) ₃ (2944-68-5)			
093445	Ferrocene for Synthesis (Dicyclopentadienyliron) M.W. : 186.03	1701.00	100 gm
		15003.00	1 kg
Fe(C ₅ H ₅) ₂ (102-54-5)			
834360	Ferriin Indicator Solution 0.1 Wt% in H ₂ O	3132.00	500 ml
834365	Ferriin Solution 0.025M AR (Redox Indicator)	900.00	100 ml
		3330.00	500 ml
834369	Ferriin Indicator Solution in Sulphuric Acid	1143.00	100 ml
529000	Ferriin AR M. W.: 351.12	15030.00	25 gm
C ₉ H ₆ INO ₄ S (547-91-1)			
	Ferrous Ammonium Sulphate See Ammonium Ferrous Sulphate		
093495	Ferrous Carbonate M. W.: 115.86 Assay 97.0%	990.00	500 gm
FeCO ₃ (563-71-3)			
028394	Ferrous Chloride Hydrate Tech. M. W.: 126.75	860.00	500 gm
FeCl ₂ .XH ₂ O (13478-10-9)			
093525	Ferrous Fumarate Pure M. W.: 169.90 Assay (Fe) 31-33%	585.00	500 gm
C ₄ H ₂ FeO ₄ (141-01-5)			
093595	Ferrous Gluconate for Synthesis M. W.: 446.14 (anhy.)	1404.00	500 gm
C ₁₂ H ₂₂ FeO ₁₄ .XH ₂ O (699014-53-4)			
093615	Ferrous Oxalate Dihydrate M. W.: 179.89 Assay 98.0%	590.00	100 gm
		2610.00	500 gm
C ₂ FeO ₄ .2H ₂ O (6047-25-2)			
093635	Ferrous Phosphate M. W.: 501.60	891.00	500 gm
Fe ₃ (PO ₄) ₂ .8H ₂ O (10028-23-6)			
093645	Ferrous Succinate Tetrahydrate M.W.: 243.92	4680.00	500 gm
C ₄ H ₄ FeO ₄ .4H ₂ O			
028400	Ferrous Sulphate Heptahydrate Purified M. W.: 278.01 Assay (Redox titration) 99.0%	280.00	500 gm
		1305.00	5 kg
FeSO ₄ .7H ₂ O (7782-63-0)		POR	25 kg
		POR	50 kg
529075	Ferrous Sulphate Heptahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 278.01 Assay (Redox titration) 99.5%	351.00	500 gm
FeSO ₄ .7H ₂ O (7782-63-0)			
PCT1111 PTC	Ferrous Sulphate Heptahydrate Plant Culture Tested M. W.: 278.01 Assay 99% Store below 30°C	460.00	500 gm
		833.00	1 kg
Fe ₂ SO ₄ .7H ₂ O (7782-63-0)		3753.00	5 kg

F

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
 ☆ Delivery Period 4-6 Weeks
 * Supply Against Licence
 ⊗ Supply Only to End User

F

Laboratory Chemicals

Product Code	Product Name	Price	Packing
TC1119 ATC	Ferrous Sulphate Heptahydrate Cell Culture Tested M. W.: 278.01 Assay : ≥99.5% Store below 30°C	1647.00 2601.00	500 gm 1 kg
FeSO ₄ .7H ₂ O (7782-63-0)			
TC1119M ATC	Ferrous Sulphate Heptahydrate Iron(II) sulphate hexahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 278.01 Store below 30°C	1971.00 3123.00	500 gm 1 kg
FeSO ₄ .7H ₂ O (7782-63-0)			
028401	Ferrous Sulphate Hydrate (Ferrous Sulphate Exsiccated (Dried)) M. W.: 151.91(anhy.) Assay (FeSO ₄) 86-90%	306.00	500 gm
FeSO ₄ .XH ₂ O (13463-43-9)			
093695	Ferrous Sulphide Fused Sticks for Producing H ₂ S M. W.: 87.92 Assay (Oxidimetry) 95.0%	720.00 POR	1 kg 50 kg
FeS (1317-37-9)			
737530	Ferrozine for Biochemistry [3-(2-Pyridyl)-5,6-Diphenyl- 1,2,4-Triazine-4, 4"-Disulphonic Acid Sodium Salt, PDT Disulphonate] (for Spectrophotometric det. of Fe) M. W.: 492.46	2664.00 12537.00	1 gm 5 gm
C ₂₀ H ₁₃ N ₄ NaO ₆ S ₂ (69898-45-9)			
093775	▲ trans-Ferulic Acid for Synthesis M. W.: 194.2	1593.00 4257.00	10 gm 50 gm
C ₁₀ H ₁₀ O ₄ (537-98-4)			
TC1278 ATC	- Fetuin Cell Culture Tested	POR POR POR	100 mg 1 gm 5 gm
(9014-81-7)			
	Feulgen Solution See Schiff's Reagent		
934650 MB	- Ficoll 400 For Molecular Biology Av. M. W.: 400000	2493.00 11385.00	5 gm 25 gm
(26873-85-8)			
296685	Field's Stain A	230.00 5805.00	25 gm 1 kg
834430	Field's Stain Solution A	162.00 477.00	125 ml 500 ml
296715	Field's Stain B	230.00 5805.00	25 gm 1 kg
834440	Field's Stain Solution B	162.00 477.00	125 ml 500 ml
	Floor Wash See Fw009		
093850	Florisil 30-60™ Mesh (Adsorbent for Chromatography) TM of US Silicate	4410.00 18000.00	100 gm 500 gm
(1343-88-0)			
093875	Florisil 60-100™ Mesh for Column-Chromatography M.W. : 100.39 TM of US Silicate	2700.00 12006.00 23000.00	100 gm 500 gm 1 kg
MgO ₃ Si (1343-88-0)			

Product Code	Product Name	Price	Packing
093900	Fluconazole	5000.00 19800.00	1 gm 5 gm
C ₁₃ H ₁₂ F ₂ N ₆ O (86386-73-4)			
093960	Fluo Boric Acid Abt. 40% HBF ₄ M.W.:87.81 Assay 38.5-42.5%	675.00 5805.00	500 ml 5 lit
(16872-11-0)			
094025	Fluorene for Synthesis C ₁₃ H ₁₀ M. W.: 166.22	2970.00 8910.00	100 gm 500 gm
(86-73-7)			
094105	▲ 9-Fluorene Methanol C ₁₄ H ₁₂ O M. W.: 196.24 Assay 99.0%	3087.00 12150.00	25 gm 100 gm
(24324-17-2)			
094195	9-Fluorenone for Synthesis C ₁₃ H ₈ O M.W. : 180.20 Assay 98.0%	1305.00 4401.00	100 gm 500 gm
(486-25-9)			
296875	Fluorescein C.I. No. 45350 M. W.: 332.31 Dye Content : Abt. 95.0%	320.00 900.00 7200.00	25 gm 100 gm 1 kg
C ₂₀ H ₁₂ O ₅ (2321-07-5)			
834700	Fluorescein Indicator Solution (Adsorption indicator for precipitation analysis)	486.00	100 ml
834705	Fluorescein Solution (Reagent for Bromate)	468.00	100 ml
296935	Fluorescein Complexone AR (Calcein Indicator) C ₃₀ H ₂₆ N ₂ O ₁₃ M. W.: 622.55 Abs. Max. (1N NaOH) 499 nm	225.00 801.00	1 gm 5 gm
(1461-15-0)			
094295	- Fluorescein-iso-Thiocyanate C ₂₁ H ₁₁ NO ₅ S M.W.: 389.38 Assay (HPLC) 98.0%	3492.00 21510.00	100 mgm 1 gm
(3326-32-7)			
296985	Fluorescein Sodium C.I. No. 45350 M. W.: 376.3 Assay (by spectro. In buffer pH 8.0 Calc. on dried basis 98.0%	297.00 950.00 8505.00	25 gm 100 gm 1 kg
C ₂₀ H ₁₀ Na ₂ O ₅ (518-47-8)			
297085	Fluorescent F 254 Indicator for TLC (68611-47-2)	6030.00	50 gm
K027015	Fluorescent stains kit for mycobacteria	1584.00	KIT
094495	4-Fluoro Acetophenone for Synthesis C ₈ H ₇ FO M. W.: 138.14 Assay 99.0%	2205.00 8505.00	100 gm 500 gm
(403-42-9)			
094675	2-Fluoro Aniline for Synthesis C ₆ H ₆ FN M. W.: 111.12 Assay 99.0%	1720.00 7902.00 69003.00	100 ml 500 ml 5 lit
(348-54-9)			
094985 *	3-Fluoro Aniline C ₆ H ₆ FN M. W.: 111.12	2727.00 8901.00	25 gm 100 gm
(372-19-0)			
094995	4-Fluoro Aniline for Synthesis (p-fluoroaniline) (1-Amino-4-Fluorobenzene) M. W.: 111.12	1130.00 5130.00	100 gm 500 gm
C ₆ H ₆ FN (371-40-4)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
095055 FC ₆ H ₄ CHO (459-57-4)	4-Fluoro Benzaldehyde M. W.: 124.11 Assay 98.0%	1845.00 6453.00	100 gm 500 gm
095060 C ₆ H ₅ F (462-06-6)	Fluoro Benzene for Synthesis M.W : 96.11 Assay 99.0%	3105.00 15003.00	500 ml 2.5 lit
095085 C ₄ H ₄ FN ₃ O (2022-85-7)	▲5-Fluoro Cytosin for Biochemistry M. W.: 129.09	2097.00 6390.00	1 gm 5 gm
529900 C ₆ H ₃ FN ₂ O ₄ (70-34-8)	1-Fluoro-2, 4-Dinitro Benzene AR M. W.: 186.10 Assay (GC) 99.0%	1800.00 6003.00	25 gm 100 gm
095195 FC ₆ H ₃ (NO ₂)NH ₂ (369-36-8)	* 2-Fluoro-5-Nitro Aniline for Synthesis M. W.: 156.11 Assay 98.0%	5994.00 13590.00	25 gm 100 gm
095255 FC ₆ H ₄ NO ₂ (350-46-9)	1-Fluoro-4-Nitro Benzene for Synthesis M. W.: 141.10 Assay 98.0%	1728.00 6102.00	100 gm 500 gm
095345 FC ₆ H ₄ OH (367-12-4)	* 2-Fluoro Phenol M. W.: 112.10 Assay 97.5%	2205.00 7002.00	25 gm 100 gm POR 2.5 kg
529925 FC ₆ H ₄ OH (371-41-5)	* 4-Fluoro Phenol AR M. W.: 112.10 Assay 98.5%	3411.00	100 gm
095495 C ₈ H ₇ FO ₂ (405-50-5)	* 4-Fluoro Phenyl Acetic Acid for Synthesis M. W.: 154.14	2800.00 8640.00	25 gm 100 gm
095515 C ₁₀ H ₁₃ FN ₂ (2252-63-3)	1-(4-Fluoro Phenyl) Piperazine M. W.: 180.22 Assay 98.0%	3501.00 12600.00	25 gm 100 gm POR 1 kg
095625 C ₅ H ₄ FN (372-48-5)	2-Fluoro Pyridine M. W.: 97.02 Assay 98.0%	4491.00 15120.00	25 gm 100 gm
530035 C ₂₄ H ₁₆ O ₇ (596-09-8)	Fluoro Science Diacetate AR M. W.: 416.38	6120.00	5 gm
095735 H ₂ SiF ₆ (16961-83-4)	Fluoro Silicic Acid for Synthesis M.W. : 144.90	725.00	500 ml
530145 C ₇ H ₇ F (352-32-9)	4-Fluoro Toluene AR M. W.: 110.13 Assay 97.0%	1440.00 5500.00	100 gm 500 gm 26100.00 2.5 kg
095810 C ₄ H ₃ FN ₂ O ₂ (51-21-8)	▲5-Fluoro Uracil M. W.: 130.08 Assay (Acidimetric, dried basis) 99.0-102.0%	405.00 1602.00	1 gm 5 gm
PCT2139 C ₄ H ₃ FN ₂ O ₂ (51-21-8)	▲5-Fluoro Uracil (5-FU) Plant Culture Tested M. W.: 130.1 Assay 98 %	891.00 4014.00	1 gm 5 gm
PCT1843 C ₁₉ H ₁₄ F ₃ NO (59756-60-4)	Fluridon Plant Culture Tested M. W.: 329.3 Assay > 99 % Store below 30°C	5720.00 10620.00	100 mg 250 mg

Product Code	Product Name	Price	Packing
PCT1844 C ₁₅ H ₁₅ F ₃ N ₂ O ₂ (56425-91-3)	Flurprimidol Plant Culture Tested M. W.: 312.29 Store below 30°C	2440.00 20115.00	10 mg 100 mg
FM0055 C ₁₈ H ₁₇ NO ₄ (79990-15-1)	* FMOC-D-Alanine M. W.: 311.33	639.00 2466.00 10242.00	1 gm 5 gm 25 gm
FM0065 C ₁₈ H ₁₇ NO ₄ (35661-39-3)	FMOC-L-Alanine M. W.: 311.33	495.00 2196.00 8046.00	5 gm 25 gm 100 gm
FM0075 C ₁₅ H ₁₃ NO ₂ (84418-43-9)	* FMOC-Amide for Biochemistry M. W.: 239.27	5900.00 28000.00	1 gm 5 gm
FM0085 C ₁₉ H ₁₉ NO ₄ (135112-27-5)	FMOC-2-Aminobutric Acid M. W.: 325.36	2547.00 12470.00	1 gm 5 gm
TC1653 C ₁₉ H ₁₉ NO ₄ (94744-50-0)	ATC FMOC-Aib-OH N-ε-Fmoc-α-aminoisobutyric acid M. W.: 325.36 Store below 30°C	POR POR	1 gm 5 gm
TC1654 C ₁₈ H ₁₇ NO ₄ (35661-39-3)	ATC FMOC-Ala-OH Fmoc-L-alanine; N-(9-Fluorenylmethoxycarbonyl)-L-alanine M. W.: 311.33	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0095 C ₂₁ H ₂₄ N ₄ O ₄ (91000-69-0)	* FMOC-D-Arginine (130752-32-8)	2179.00 43470.00	1 gm 25 gm
FM0105 C ₂₁ H ₂₄ N ₄ O ₄ (91000-69-0)	* FMOC-L-Arginine M. W.: 396.44	428.00 1467.00 6174.00 22194.00	1 gm 5 gm 25 gm 100 gm
TC1655 C ₃₄ H ₄₀ N ₄ O ₇ S (154445-77-9)	ATC FMOC-L-Arg(Pbf)-OH N _ε -Fmoc-N ⁺ -Pbf-L-arginine M. W.: 648.77 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0115 C ₁₉ H ₁₈ N ₂ O ₅ (108321-39-7)	* FMOC-D-Asparagine M. W.: 354.36	720.00 2997.00 12492.00	1 gm 5 gm 25 gm
TC1657 C ₂₃ H ₂₅ NO ₆ (71989-14-5)	ATC FMOC-L-Asp(OtBu)-OH Fmoc-L-aspartic acid 4-tert-butyl ester M.W.: 411.45 Store below 30°C	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0125 C ₁₉ H ₁₈ N ₂ O ₅ (71989-16-7)	* FMOC-L-Asparagine M. W.: 354.36	495.00 2196.00 8046.00	5 gm 25 gm 100 gm
TC1656 C ₃₈ H ₃₂ N ₂ O ₅ (132388-59-1)	ATC FMOC-Asn(trt)-OH N _ε -Fmoc-N ^γ -trityl-L-asparagine M.W.: 596.67	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
FM0135 C ₂₆ H ₂₃ NO ₆ (86060-84-6)	* FMOC-L-Aspartic Acid-4- Benzy Ester for Biochemistry M. W.: 445.46	11403.00 19944.00	10 gm 25 gm
FM0145 (53298-33-2)	* FMOC-S-Benzyl-L-Cysteine (FMOC-L-Cys(BZL)-OH)	11565.00 20246.00	10 gm 25 gm

F

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

F

Laboratory Chemicals

Product Code	Product Name	Price	Packing
FM0155	* · FMOC-O-Benzyl-L-Serine for Biochemistry M. W.: 417.45	27836.00 48690.00	10 gm 25 gm
C ₂₅ H ₂₃ NO ₅ (83792-48-7)			
FM0165	· FMOC-Chloride for Biochemistry M. W.: 258.70	720.00 2457.00	5 gm 25 gm
C ₁₅ H ₁₁ ClO ₂ (28920-43-6)			
FM0175	* · FMOC-D-Citrulline (200344-33-8)	2907.00 12011.00	100 mgm 500 mgm
FM0185	* · FMOC-L-Citrulline M. W.: 397.42	1782.00 6300.00	1 gm 5 gm
C ₂₁ H ₂₃ N ₃ O ₅ (133174-15-9)			
TC1658	ATC · FMOC-Cys(Acm)-OH N _ε -Fmoc-S-acetaminomethyl- L-cysteine M. W.: 414.47	POR POR	5 gm 25 gm
C ₂₁ H ₂₂ N ₂ O ₅ S (86060-81-3)			
TC1659	ATC · FMOC-L-Cys(StBu)-OH N _ε -Fmoc-S-tert-butylthio-L- cysteine M. W.: 431.57 Store below 30°C	POR	1 gm
C ₂₂ H ₂₅ NO ₄ S ₂ (73724-43-3)			
TC1660	ATC · FMOC-Cys(Trt)-OH N _ε -Fmoc-S-trityl-L-cysteine M. W.: 585.71 Store below 30°C	POR POR POR	5 gm 25 gm 1 kg
C ₃₇ H ₃₁ NO ₄ S (103213-32-7)			
TC1661	ATC · FMOC-L-Gln(Trt)-OH N _ε -Fmoc-N-trityl-L-glutamine M. W.: 610.7	POR POR POR	5 gm 25 gm 1 kg
C ₃₉ H ₃₄ N ₂ O ₅ (132327-80-1)			
TC1662	ATC · FMOC-L-Glu(otBu)-OH Fmoc-L-glutamic acid 5-tert-butyl ester M. W.: 425.47	POR POR POR	5 gm 25 gm 1 kg
C ₂₄ H ₂₇ NO ₆ (71989-18-9)			
FM0195	* · FMOC-L-Glutamic Acid-Benzyl Ester for Biochemistry M. W.: 459.49	11530.00 20187.00	10 gm 25 gm
C ₂₇ H ₂₅ NO ₆ (123639-61-2)			
FM0205	* · FMOC-D-Glutamine M. W.: 368.38	630.00 22352.00	500 mg 25 gm
C ₂₀ H ₂₀ N ₂ O ₅ (112898-00-7)			
FM0215	* · FMOC-L-Glutamine M. W.: 368.38	495.00 2196.00 8046.00	5 gm 25 gm 100 gm
C ₂₀ H ₂₀ N ₂ O ₅ (71989-20-3)			
FM0225	· FMOC-L-Glycine (29022-11-5)	482.00 2124.00 7812.00	5 gm 25 gm 100 gm
TC1663	ATC · FMOC-Gly-OH Fmoc-glycine M. W.: 297.31	POR POR POR	5 gm 25 gm 100 gm
C ₁₇ H ₁₅ NO ₄ (29022-11-5)			

Product Code	Product Name	Price	Packing
TC1664	ATC · FMOC-L-His(trt)-OH N _ε -Fmoc-N ^{trt} -trityl-L-histidine M. W.: 619.71		POR 5 gm POR 25 gm POR 100 gm POR 1 kg
C ₄₀ H ₃₃ N ₃ O ₄ (109425-51-6)			
FM0235	* · FMOC-D-Isoleucine M. W.: 353.41	17100.00	500 mgm
C ₂₁ H ₂₃ NO ₄ (143688-83-9)			
FM0245	FMOC-L-Isoleucine M. W.: 353.41	594.00 2484.00 8766.00	5 gm 25 gm 100 gm
C ₂₁ H ₂₃ NO ₄ (71898-23-6)			
TC1665	ATC · FMOC-Ile-OH Fmoc-l-isoleucine M. W.: 353.41	POR POR POR	5 gm 25 gm 100 gm
C ₂₁ H ₂₃ NO ₄ (71989-23-6)			
FM0255	* · FMOC-D-Leucine M. W.: 353.41	630.00 2520.00 10490.00	1 gm 5 gm 25 gm
C ₂₁ H ₂₃ NO ₄ (114360-54-2)			
FM0265	* · FMOC-L-Leucine M. W.: 353.41	504.00 2196.00 7200.00	5 gm 25 gm 100 gm
C ₂₁ H ₂₃ NO ₄ (35661-60-0)			
TC1666	ATC · FMOC-L-Leu-OH Fmoc-L-leucine M. W.: 353.41	POR POR POR	5 gm 25 gm 100 gm
C ₂₁ H ₂₃ NO ₄ (35661-60-0)			
FM0285	* · FMOC-N-e-Z-L-Lysine for Biochemistry M. W.: 502.56	14256.00 24237.00	10 gm 25 gm
C ₂₉ H ₃₀ N ₂ O ₆ (86060-82-4)			
TC1667	ATC *# FMOC-L-Lys(Boc)-OH N _ε -Fmoc-N ^{Boc} (Boc)-L-lysine M. W.: 468.54	POR POR POR	5 gm 25 gm 100 gm
C ₂₆ H ₃₂ N ₂ O ₆ (71989-26-9)			
FM0275	* · FMOC-Lys(Alloc)-OH for Biochemistry M. W.: 452.50	4001.00 15030.00	1 gm 5 gm
C ₂₅ H ₂₈ N ₂ O ₆ (146982-27-6)			
TC1668	ATC · FMOC-Lys(Dde)-OH N _ε -Fmoc-N ¹ -(4,4-dimethyl- 2,6-dioxycyclohex-1-ylidene) ethyl-L-lysine M. W.: 532.63 Store below 30°C	POR	1 gm
C ₃₁ H ₃₆ N ₂ O ₆ (150629-67-7)			
FM0295	* · FMOC-D-Methionine M. W.: 371.45	1035.00 4330.00 18027.00	1 gm 5 gm 25 gm
C ₂₀ H ₂₁ NO ₄ S (112883-40-6)			
FM0315	· FMOC-L-Methionine M. W.: 371.45	495.00 2196.00 8046.00	5 gm 25 gm 100 gm
C ₂₀ H ₂₁ NO ₄ S (71989-28-1)			
TC1669	ATC · FMOC-L-Met-OH Fmoc-L-methionine M. W.: 371.45 Store below 30°C	POR POR POR	5 gm 25 gm 100 gm
C ₂₀ H ₂₁ NO ₄ S (71989-28-1)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
FM0325	* · FMOC-4-Nitro-L-Phenylalanine for Biochemistry M. W.: 432.43	4257.00 14950.00	5 gm 25 gm
C ₂₄ H ₂₀ N ₂ O ₆ (95753-55-2)			
FM0335	* · FMOC-D-Norleucine M. W.: 353.41	3807.00 17325.00	1 gm 5 gm
C ₂₁ H ₂₃ NO ₄ (112883-41-7)			
FM0355	* · FMOC-D-Norvaline M. W.: 339.4	3807.00 17325.00	1 gm 5 gm
C ₂₀ H ₂₁ NO ₄ (144701-24-6)			
FM0345	* · FMOC-L-Norleucine M. W.: 353.41	2700.00 12258.00	1 gm 5 gm
C ₂₁ H ₂₃ NO ₄ (77284-32-3)			
FM0365	* · FMOC-L-Norvaline M. W.: 339.4	3020.00 13073.00	1 gm 5 gm
C ₂₀ H ₂₁ NO ₄ (135112-28-6)			
TC1670	ATC · FMOC-Orn(Boc)-OH N _ε -Fmoc-N ^ω -Boc-L-Ornithin M. W.: 454.52	POR POR	5 gm 25 gm
C ₂₅ H ₃₀ N ₂ O ₆ (109425-55-0)			
	Store below 30°C		
FM0375	· FMOC-Osu for Biochemistry M. W.: 337.33	747.00 2709.00	5 gm 25 gm
C ₁₉ H ₁₅ NO ₅ (82911-69-1)			
FM0385	* · FMOC-D-Phenylalanine M. W.: 387.43	630.00 2556.00 8946.00 32193.00	1 gm 5 gm 25 gm 100 gm
C ₂₄ H ₂₁ NO ₄ (86123-10-6)			
TC1671	ATC · FMOC-L-Phe-OH Fmoc-L-phenylalanine M. W.: 387.43	POR POR POR	5 gm 25 gm 100 gm
C ₂₄ H ₂₁ NO ₄ (35661-40-6)			
FM0395	· FMOC-L-Phenylalanine M. W.: 387.43	482.00 2124.00 7812.00	5 gm 25 gm 100 gm
C ₂₄ H ₂₁ NO ₄ (35661-40-6)			
FM0405	* · FMOC-D-Phenylglycine for Biochemistry M. W.: 373.40	7470.00 13068.00	10 gm 25 gm
C ₂₃ H ₁₉ NO ₄ (111524-95-9)			
FM0415	* · FMOC-L-Phenylglycine for Biochemistry M. W.: 373.40	6462.00 11286.00	10 gm 25 gm
C ₂₃ H ₁₉ NO ₄ (102410-65-1)			
FM0425	* · FMOC-D-Proline M. W.: 337.37	999.00 4330.00 16920.00	1 gm 5 gm 25 gm
C ₂₀ H ₁₉ NO ₄ (101555-62-8)			
FM0435	· FMOC-L-Proline M. W.: 337.37	594.00 2484.00 8766.00	5 gm 25 gm 100 gm
C ₂₀ H ₁₉ NO ₄ (71989-31-6)			
TC1672	ATC · FMOC-Pro-OH Fmoc-L-proline M. W.: 337.37	POR POR	25 gm 100 gm
C ₂₀ H ₁₉ NO ₄ (71989-31-6)			

Product Code	Product Name	Price	Packing
TC1673	ATC · FMOC-L-Ser(tBu)-OH Fmoc-O-tert-Butyl-L-serine M. W.: 383.44	POR POR POR	5 gm 25 gm 100 gm 1 kg
C ₂₂ H ₂₅ NO ₅ (71989-33-8)			
FM0445	* · FMOC-D-Serine M. W.: 327.33	2322.00 40230.00	500 mgm 25 gm
C ₁₈ H ₁₇ NO ₅ (116861-26-8)			
FM0455	· FMOC-L-Serine M. W.: 327.33	3231.00 8775.00 POR	5 gm 25 gm 100 gm
C ₁₈ H ₁₇ NO ₅ (73724-45-5)			
FM0465	* · FMOC-D-Threonine M. W.: 359.37	13005.00 POR POR	5 gm 25 gm 100 gm
C ₁₉ H ₁₉ NO ₅ ·H ₂ O (157355-81-2)			
FM0475	* · FMOC-L-Threonine M. W.: 359.37	909.00 4032.00 13698.00	5 gm 25 gm 100 gm
C ₁₉ H ₁₉ NO ₅ ·H ₂ O (73731-37-0)			
TC1674	ATC · FMOC-Thr(tBu)-OH Fmoc-O-tert-Butyl-L-threonine M. W.: 397.46	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
C ₂₃ H ₂₇ NO ₅ (71989-35-0)			
	Store below 30°C		
FM0485	* · FMOC-D-Tryptophan M. W.: 426.46	5770.00 14697.00	5 gm 25 gm
C ₂₆ H ₂₂ N ₂ O ₄ (86123-11-7)			
TC1675	ATC · FMOC-L-Trp(Boc)-OH N _ε -Fmoc-N(in)-Boc-L-tryptophan M. W.: 526.58	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
C ₃₁ H ₃₀ N ₂ O ₆ (143824-78-6)			
	Store below 30°C		
FM0495	· FMOC-L-Tryptophan M. W.: 426.46	945.00 2898.00 7533.00	5 gm 25 gm 100 gm
C ₂₆ H ₂₂ N ₂ O ₄ (35737-15-6)			
FM0505	* · FMOC-D-Tyrosine M. W.: 403.43	1040.00 4330.00 18036.00	1 gm 5 gm 25 gm
C ₂₄ H ₂₁ NO ₅ (112883-29-1)			
FM0515	* · FMOC-L-Tyrosine M. W.: 403.43	1431.00 6003.00 21160.00	5 gm 25 gm 100 gm
C ₂₄ H ₂₁ NO ₅ (92954-90-0)			
TC1676	ATC · FMOC-L-Tyr(tBu)-OH Fmoc-O-tert-Butyl-L-tyrosine M. W.: 459.53	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
C ₂₈ H ₂₉ NO ₅ (71989-38-3)			
FM0525	* · FMOC-D-Valine M. W.: 339.39	1360.00 5616.00 23409.00	1 gm 5 gm 25 gm
C ₂₀ H ₂₁ NO ₄ (84624-17-9)			
FM0635	· FMOC-L-Valine M. W.: 339.39	414.00 1872.00 7011.00	5 gm 25 gm 100 gm
C ₂₀ H ₂₁ NO ₄ (68858-20-8)			
TC1677	ATC · FMOC-L-Val-OH Fmoc-L-valine M. W.: 339.39	POR POR	25 gm 100 gm
C ₂₀ H ₂₁ NO ₄ (68858-20-8)			
095885	Folic Acid for Biochemistry M. W.: 441.40	302.00 504.00 1008.00 4302.00	5 gm 10 gm 25 gm 100 gm
C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)			
	Assay (ex N on dry material) 94.0-101.0%		

F

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

F

Laboratory Chemicals

Product Code	Product Name	Price	Packing
PCT1205	▲ Folic Acid (Vitamin M; Vitamin B9) Plant Culture Tested M. W.: 441.4 Assay 98%	783.00	5 gm
		1440.00	10 gm
		12960.00	100 gm
C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)			
TC1123	▲ Folic Acid (Vitamin M; Vitamin B9) Cell Culture Tested M. W.: 441.4 Assay : ≥95%	954.00	5 gm
		4330.00	25 gm
C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)			
TC1123M	▲ Folic Acid Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 441.4	1360.00	5 gm
		5850.00	25 gm
C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)			
835020	Folin & Ciocalteu's Phenol Reagent	486.00	125 ml
		1107.00	250 ml
		1900.00	500 ml
835030	Folin & Ciocalteu's Phenol Reagent AR Suitable for use in protein determination (2.0 normal)	558.00	125 ml
		2170.00	500 ml
802860	Folin & Wu's Alkaline Copper Solution	432.00	500 ml
835100	Folin & Wu's Phosphate Molybdate Solution Percentage of H ₃ PO ₄ 30-35% w/v	212.00 783.00	100 ml 500 ml
K027725	Food adulteration test kit (For the detection of common adulterants in food products)	2592.00	20x25 te
835250	Formaldehyde 4% Buffered (pH 6.9) For Histology	860.00	5 lit
835270	Formaldehyde 20% Solution AR Stabilized with 10% methanol	140.00 261.00 495.00	500 ml 1 lit 2.5 lit
TC1557M	Formaldehyde Sol, ≥35% Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 30.03 Store below 30°C	1819.00	500 ml
CH ₂ O (50-00-0)			
028421	Formaldehyde Solution 37-41% w/v for Synthesis (Formalin) M. W.: 30.03 Assay (acidimetric after oxidation) 37-41% w/v	252.00	500 ml
		900.00	2.5 lit
		1602.00	5 lit
		POR	30 lit
		POR	100 lit
CH ₂ O (50-00-0)			
531140	Formaldehyde Solution 37-41% w/v AR/ACS M. W.: 30.03 Assay (acidimetric after oxidation) 37.0-41.0%v	320.00	500 ml
		1053.00	2.5 lit
		1935.00	5 lit
		POR	30 lit
		POR	100 lit
CH ₂ O (50-00-0)			
935800	Formaldehyde Soln. 37-41% (Formalin; Methanal) For Molecular Biology M. W.: 30.03 Assay : 37-41% Store Below 30°C	1107.00	500 ml
CH ₂ O (50-00-0)			

Product Code	Product Name	Price	Packing
	Formaldehyde Diethyl Acetal See Diethoxy Methane (DEM)		
	Formaldehyde Dimethyl Acetal See 1,2 Dimethoxy methane		
	Formaldehyde Sodium Bisulphite See Sodium Formaldehyde Bisulphite		
	Formalin See Formaldehyde		
028422	Formamide M. W.: 45.04 Assay(GC) 98.5%	756.00	500 ml
		3501.00	2.5 lit
		POR	25 lit
531160	Formamide AR/ACS M. W.: 45.04 Assay (GC) 99.5%	873.00	500 ml
		3708.00	2.5 lit
		POR	25 lit
937530	Formamide for Molecular Biology M. W.: 45.04 Assay (GC) 99.5%	1305.00	500 ml
		2502.00	1 lit
737800	Formamide for UV Spectroscopy M. W.: 45.04	1962.00 3700.00	500 ml 1 lit
096005	Formamidine Acetate for Synthesis NH=CHNH ₂ .CH ₃ COOH M. W.: 104.11 Assay 99.0%	1548.00 6710.00	100 gm 500 gm
	Formdiethylamide See N,N Dimethylformamide		
028428	Formic Acid for Synthesis H.COOH M. W.: 46.03 Assay(acidimetric) about 85.0%	657.00	500 ml
		2620.00	2.5 lit
		POR	25 lit
028430	Formic Acid for Synthesis H.COOH M. W.: 46.03 Assay (acidimetric) 98.0%	873.00 3483.00	500 ml 2.5 lit
531190	Formic Acid AR H.COOH M. W.: 46.03 Assay(acidimetric) 98.0%	927.00 3681.00	500 ml 2.5 lit
	Formic Acid Ethyl Ester See Ethyl Formate		
737845	2-Formyl Benzene-Sulphonic Acid Sodium Salt (Benzaldehyde-2-Sulphonic Acid Sodium Salt) M. W.: 208.17 Assay 95.0%	1044.00	100 gm
		4176.00	500 gm
C ₇ H ₅ NaO ₄ S (1008-72-6)			
531235	4-Formyl Benzoic Acid AR M. W.: 150.13 Assay 96.5-103.5%	2493.00	25 gm
		6903.00	100 gm
		19800.00	500 gm
	Formyldimethyl Aniline See p-Dimethylamino Benzaldehyde		
531305	n-Formyl Piperidine AR (Piperidine -1-Carboxaldehyde) M. W.: 113.16 Assay 99.0%	3393.00	100 gm
		9792.00	500 gm
C ₆ H ₁₁ NO (2591-86-8)			

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1472	ATC Forskolin 7β-Acetoxy-8,13-epoxy-1α,6β,9α-trihydroxylabd-14-en-11-one, Coleonol, Colforsin Cell Culture Tested M. W.: 410.5 Assay : ≥99.5% Store below 30°C	24422.00	10 mg
		49050.00	25 mg
	$C_{22}H_{34}O_7$ (66575-29-9)		
835500	Fouchet's Reagent for Bile Pigment	185.00	125 ml
028433	D- Fructose Pure M. W.: 180.16	243.00	100 gm
		405.00	250 gm
		702.00	500 gm
		5157.00	5 kg
	POR	50 kg	
531345	D- Fructose AR M. W.: 180.16	320.00	100 gm
		1000.00	500 gm
	$C_6H_{12}O_6$ (57-48-7)		
937600	MB D- Fructose For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	370.00	100 gm
		1220.00	500 gm
		2205.00	1 kg
	$C_8H_{12}O_6$ (57-48-7)		
PCT1601	PTC D-(-)- Fructose Plant Culture Tested M. W.: 180.16 Assay 99% Store below 30°C	280.00	100 gm
		1233.00	500 gm
		2223.00	1 kg
	$C_6H_{12}O_6$ (57-48-7)		
TC1124	ATC D-(-)- Fructose (Fruit sugar) Cell Culture Tested M. W.: 180.16 Assay : ≥99.5% Store below 30°C	910.00	100 gm
		2727.00	500 gm
		17730.00	5 kg
	$C_6H_{12}O_6$ (57-48-7)		
096325	D- Fructose-1,6-Diphosphate Trisodium Salt for Biochemistry	500.00	1 gm
		1530.00	5 gm
	(81028-91-3)		
297225	Fuchsin Acid for Microscopy C.I. No. 42685 M. W.: 585.55 Dye content (titanometry, dried) >60.0%	630.00	25 gm
		2300.00	100 gm
	$C_{20}H_{17}N_3O_9S_3Na_2$ (3244-88-0)		
297325	Fuchsin Basic for Microscopy C.I. No. 42510 M. W.: 337.86 Dye content (titanometry, dried substance) >88.0%	252.00	25 gm
		702.00	100 gm
		5805.00	1 kg
	$C_{20}H_{20}N_3Cl$ (632-99-5)		
	Fuchsin (NB) See New Fuchsin		
835600	Fuchsin Basic 0.1% Aqueous Solution	126.00	125 ml
		387.00	500 ml
096415	▲L- Fucose for Biochemistry M. W.: 164.16	2340.00	1 gm
		9459.00	5 gm
	$C_6H_{12}O_5$ (2438-80-4)		
TC1611	ATC ▲L-(-)- Fucose (Fucose) Cell Culture Tested M. W.: 164.16 Assay : ≥95%	38840.00	25 gm
		133772.00	100 gm
	$C_6H_{12}O_5$ (2438-80-4)		
096515	Fuller's Earth for adsorption purpose pH (10% Suspension)-3.0-5.0	221.00	500 gm
	(8031-18-3)		

Product Code	Product Name	Price	Packing
N20250	Fullerene C60 (Carbon 60)	11547.00	250 mgm
		32661.00	1 gm
	(99685-96-8)		
N20260	Fullerene C70 (Carbon 70)	16632.00	100 mgm
		63000.00	500 mgm
		110880.00	1 gm
	(115383-22-7)		
028435	Fumaric Acid for Synthesis M. W.: 116.07 Assay (acidimetric) 99.0%	792.00	500 gm
		6300.00	5 kg
	$C_4H_4O_4$ (110-17-8)		POR 50 kg
531365	Fumaric Acid AR M.W.: 116.07 Assay 99.5%	1350.00	500 gm
	$C_4H_4O_4$ (110-17-8)		
TC1125	ATC Fumaric Acid Cell Culture Tested M. W.: 116.07 Assay : ≥99% Store below 30°C	1071.00	100 gm
		4240.00	500 gm
	$C_4H_4O_4$ (110-17-8)		
	Fumaric Acid Disodium Salt See Sodium Fumarate		
	Fungal Diastase See Diastase		
096725	Furan for Synthesis M. W.: 68.07 Assay 99.0%	2052.00	100 ml
		6210.00	500 ml
	C_4H_4O (110-00-9)		POR 2.5 lit
096755	3- Furanboronic Acid M. W.: 111.89	4806.00	1 gm
		13050.00	5 gm
	$C_4H_5BO_3$ (55552-70-0)		
096785	Furazolidone for Lab Use M. W.: 225.16	1000.00	5 gm
		4100.00	25 gm
	$C_8H_7N_3O$ (67-45-8)		
	Furfural See Furfuraldehyde		
028438	Furfuraldehyde (FURFURAL) M. W.: 96.09 assay (ex CHO) 98-101%	1197.00	500 ml
		5490.00	2.5 lit
			POR 25 lit
	$C_5H_4O_2$ (98-01-1)		
531410	Furfuraldehyde AR/ACS (FURFURAL) M. W.: 96.09 Assay (GC) 99.0%	1494.00	500 ml
	$C_5H_4O_2$ (98-01-1)		
096865	Furfuryl Alcohol for Synthesis M. W.: 98.10 Assay (GC) 98.0%	1107.00	500 ml
		4707.00	2.5 lit
			POR 25 lit
	$C_5H_6O_2$ (98-00-0)		
	6- Furfuryl Amino Purine See Kinetine		
096915	Furfurylamine for Synthesis M. W.: 97.12	1710.00	500 ml
		7974.00	2.5 lit
			POR 25 lit POR 200 lit
	C_5H_7NO (617-89-0)		
097225	2- Furoic Acid for Synthesis M. W.: 112.08	954.00	100 gm
		4293.00	500 gm
	$C_5H_4O_3$ (88-14-2)		
097335	2- Furoyl Chloride for Synthesis (Furan-2-Carbonyl Chloride) M. W.: 130.53	2205.00	100 ml
	$C_5H_3ClO_2$ (527-69-5)		
097425	Fusion Mixture	432.00	500 gm
531455	Fusion Mixture AR	504.00	500 gm

F

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

G

Laboratory Chemicals

Product Code	Product Name	Price	Packing
PCT2116	PTC ▲ G-418 Disulfate Salt (Geneticin disulphate) Plant Culture Tested $C_{20}H_{40}N_{4}O_{10} \cdot 2H_2SO_4$ M. W.: 692.71 (108321-42-2) Potency 500 µg/mg Gaba See p-Amino Butyric Acid	9810.00	1 gm
		44190.00	5 gm
839060	Gadolinium (Gd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3 In accordance with NIST	3735.00	100 ml
		9405.00	500 ml
839070	Gadolinium (Gd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	12240.00	100 ml
		48213.00	500 ml
RE1075	Gadolinium Metal Ingot M. W.: 157.25 Assay (Trace metal basis) 99.99%	9774.00	10 gm
RE1080	Gadolinium Metal Lump (1 cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	5000.00	5 gm
		15300.00	25 gm
RE1085	Gadolinium Metal Powder 325 mesh M. W.: 157.25 Assay (Trace metal basis) 99.99%	9000.00	5 gm
		32900.00	25 gm
		POR	100 gm
RE1125	Gadolinium (III) Acetate $Gd(CH_3CO_2)_3 \cdot XH_2O$ M. W.: 334.39 (100587-93-7) Assay (Trace metal basis) 99.9%	1602.00	5 gm
		5112.00	25 gm
		13680.00	100 gm
RE1130	Gadolinium (III) Acetate $Gd(CH_3CO_2)_3 \cdot XH_2O$ M. W.: 334.39 (100587-93-7) Assay (Trace metal basis) 99.99%	2601.00	5 gm
		7803.00	25 gm
RE1135	Gadolinium (III) Acetate $Gd(CH_3CO_2)_3 \cdot XH_2O$ M. W.: 334.39 (100587-93-7) Assay (Trace metal basis) 99.999%	12483.00	5 gm
		24800.00	10 gm
		41400.00	25 gm
RE1145	Gadolinium (III) Carbonate $Gd_2(CO_3)_3 \cdot XH_2O$ M. W.: 494.53 (38245-36-2) Assay (Trace metal basis) 99%	7245.00	25 gm
		24400.00	100 gm
		POR	500 gm
RE1150	Gadolinium (III) Carbonate $Gd_2(CO_3)_3 \cdot XH_2O$ M. W.: 494.53 (38245-36-2) Assay (Trace metal basis) 99.9%	9000.00	25 gm
		28000.00	100 gm
RE1155	Gadolinium (III) Carbonate $Gd_2(CO_3)_3 \cdot XH_2O$ M. W.: 494.53 (38245-36-2) Assay (Trace metal basis) 99.99%	10800.00	25 gm
RE1160	Gadolinium (III) Carbonate $Gd_2(CO_3)_3 \cdot XH_2O$ M. W.: 494.53 (38245-36-2) Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
RE1175	Gadolinium (III) Chloride $GdCl_3 \cdot 6H_2O$ M. W.: 371.70 (13450-84-5) Assay (Trace metal basis) 99.9%	4455.00	10 gm
		8532.00	25 gm
		23000.00	100 gm
		142200.00	1 kg
RE1180	Gadolinium (III) Chloride $GdCl_3 \cdot 6H_2O$ M. W.: 371.70 (13450-84-5) Assay (Trace metal basis) 99.99%	3204.00	5 gm
		9990.00	25 gm
RE1185	Gadolinium (III) Chloride $GdCl_3 \cdot 6H_2O$ M. W.: 371.70 (13450-84-5) Assay (Trace metal basis) 99.999%	12600.00	5 gm
		46400.00	25 gm

Product Code	Product Name	Price	Packing
RE1195	Gadolinium (III) Iodide GdI_3 M.W.: 537.96 (13572-98-0) Assay (Trace metal basis) 99.99%	8600.00	1 gm
		36000.00	5 gm
RE1210	Gadolinium (III) Nitrate $Gd(NO_3)_3 \cdot XH_2O (X=6)$ M. W.: 343.26 (anhy.) (94219-55-3) Assay (Trace metal basis) 99.9%	5400.00	25 gm
		21069.00	100 gm
RE1215	Gadolinium (III) Nitrate $Gd(NO_3)_3 \cdot XH_2O (X=6)$ M. W.: 343.26 (anhy.) (94219-55-3) Assay (Trace metal basis) 99.99%	3591.00	5 gm
		9981.00	25 gm
RE1220	Gadolinium (III) Nitrate $Gd(NO_3)_3 \cdot XH_2O (X=6)$ M. W.: 343.26 (anhy.) (94219-55-3) Assay (Trace metal basis) 99.999%	POR	10 gm
RE1230	Gadolinium (III) Oxalate $Gd_2(C_2O_4)_3 \cdot 10H_2O$ M. W.: 578.55 (22992-15-0) Assay (Trace metal basis) 99%	4059.00	25 gm
		12240.00	100 gm
		POR	500 gm
RE1240	Gadolinium (III) Oxalate $Gd_2(C_2O_4)_3 \cdot 10H_2O$ M. W.: 578.55 (22992-15-0) Assay (Trace metal basis) 99.99%	2520.00	5 gm
		5670.00	25 gm
RE1245	Gadolinium (III) Oxalate $Gd_2(C_2O_4)_3 \cdot 10H_2O$ M. W.: 578.55 (22992-15-0) Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
RE1255	Gadolinium (III) Oxide Gd_2O_3 M. W.: 362.50 (12064-62-9) Assay (Trace metal basis) 99.9%	1314.00	5 gm
		3501.00	25 gm
		12060.00	100 gm
		POR	500 gm
RE1260	Gadolinium (III) Oxide Gd_2O_3 M. W.: 362.50 (12064-62-9) Assay (Trace metal basis) 99.99%	7983.00	25 gm
		10386.00	50 gm
		25200.00	250 gm
		60309.00	1 kg
RE1265	Gadolinium (III) Oxide Gd_2O_3 M. W.: 362.50 (12064-62-9) Assay (Trace metal basis) 99.999%	8946.00	25 gm
		23940.00	100 gm
RE1270	Gadolinium (III) Oxide Gd_2O_3 M. W.: 362.50 (12064-62-9) Assay (Trace metal basis) 99.9999%	POR	5 gm
		POR	25 gm
RE1285	Gadolinium (III) Sulphate $Gd_2(SO_4)_3 \cdot 8H_2O$ M. W.: 746.81 (13450-87-8) Assay (Trace metal basis) 99.9%	6480.00	10 gm
		20390.00	50 gm
		POR	100 gm
RE1295	Gadolinium (III) Sulphate $Gd_2(SO_4)_3 \cdot 8H_2O$ M. W.: 746.81 (13450-87-8) Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
	▲ X-Gal See 5-Bromo-4-Chloro-3-Indolyl-B-D-Galactopyranoside		
	Galactitol See Dulcitol		
104305	D-Galactosamine Hydrochloride $C_6H_{14}ClNO_5$ M. W.: 215.63 (1772-03-8) Assay (Non-aqueous) 98.0%	1890.00	1 gm
TC1126	ATC D-(+)-Galactosamine Hydrochloride Cell Culture Tested $C_6H_{13}NO_5 \cdot HCl$ M. W.: 215.63 (1772-03-8) Assay : ≥99% Store below 30°C	3591.00	500 mg
		5410.00	1 gm
		20853.00	5 gm

Product Code	Product Name	Price	Packing
038026 C ₆ H ₁₂ O ₆ (59-23-4)	D-Galactose M.W 180.16	702.00 2196.00	25 gm 100 gm
937750 MB C ₆ H ₁₂ O ₆ (59-23-4)	D-Galactose For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	1999.00 9559.00 18801.00	100 gm 500 gm 1 kg
PCT1602 PTC C ₆ H ₁₂ O ₆ (59-23-4)	D-(+)-Galactose Plant Culture Tested M. W.: 180.16 Assay 99% Store below 30°C	729.00 2539.00 24400.00	25 gm 100 gm 1 kg
TC1127 ATC C ₆ H ₁₂ O ₆ (59-23-4)	D-(+)-Galactose Anhydrous Cell Culture Tested M. W.: 180.16 Assay : ≥98% Store below 30°C	2980.00 13500.00 24850.00	100 gm 500 gm 1 kg
TC1127M ATC C ₆ H ₁₂ O ₆ (59-23-4)	D-(+)-Galactose Anhydrous Meets EP 9.0 and BP 2016 testing specifications M. W.: 180.16 Store below 30°C	4824.00 21740.00 32580.00	100 gm 500 gm 1 kg
TC1127U ATC C ₆ H ₁₂ O ₆ (3646-73-9)	α-(D)-Galactose Anhydrous Meets USP 41-NF 36 testing specifications M. W.: 180.16 Store below 30°C	9216.00 36270.00 53550.00	100 gm 500 gm 1 kg
030512 C ₇ H ₆ O ₅ .H ₂ O (5995-86-8)	Gallic Acid M. W.: 188.14 Assay (acidimetric) 98.0%	1206.00 4001.00 POR	100 gm 500 gm 25 kg
PCT2546 PTC C ₇ H ₆ O ₅ .H ₂ O (5995-86-8)	Gallic Acid Monohydrate Plant Culture Tested M. W.: 188.13 Store below 30°C	6570.00	500 gm
839085	Gallic Acid Solution (Reagent for Cerium)	486.00	100 ml
839100	Gallium (Ga) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO ₃ In accordance with NIST	2655.00 6696.00	100 ml 500 ml
839110	Gallium (Ga) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃	3375.00 4977.00	50 ml 100 ml
103505 (7440-55-3)	Gallium Metal Assay 99.99%	2700.00 4600.00 40050.00 POR	5 gm 10 gm 100 gm 500 gm
103555 (7440-55-3)	Gallium Metal Assay 99.999%	5000.00 9000.00 50580.00 POR	5 gm 10 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing
103635 (69365-72-6)	Gallium Nitrate Assay 99.9%	3402.00 12960.00 POR POR	5 gm 25 gm 100 gm 500 gm
534915 (12024-21-4)	Gallium Oxide AR Assay 99.99%	6507.00 23283.00 POR POR	5 gm 25 gm 100 gm 500 gm
TC1414 ATC C ₂₂ H ₂₄ ClFN ₄ O ₃ (184475-35-2)	▲Gefitinib Cell Culture Tested M. W.: 446.9 Assay : ≥98%	26640.00 87300.00	1 gm 5 gm
103795 (9000-70-8)	Gelatin for Bacteriology	1800.00 POR	500 gm 50 kg
937800 MB (9000-70-8)	Gelatin , Type A For Molecular Biology Assay : 70-90% Protein (Biuret) Store Below 30°C	1998.00	500 gm
TC1041 ATC (9000-70-8)	Gelatin Cell Culture Tested Store below 30°C	810.00 3141.00	100 gm 500 gm
TC1415 ATC C ₂₉ H ₄₀ N ₂ O ₉ (30562-34-6)	▲Geldanamycin 2-azabicyclo[16.3.1]docosa-4,6,10, 18,21-pentaene-3, 20, 22-trione, 9, 13-dihydroxy-8, 14,19-trimethoxy-4, 10,12,16-tetramethyl-9-carbamate Cell Culture Tested M. W.: 560.64 Assay : ≥98%	43560.00 58203.00 73530.00	25 mg 50 mg 100 mg
TC1025 ATC C ₂₀ H ₄₀ N ₄ O ₁₀ .2H ₂ SO ₄ (108321-42-2)	▲Geneticin Disulphate G418 Disulfate salt Cell Culture Tested Recommended for use in cell culture applications at 100-800 mg/L M. W.: 692.71 Potency : ≥650 µg/mg	12051.00 42120.00	1 gm 5 gm
103935 (1405-41-0)	▲Gentamicin Sulphate for Lab Use	405.00 1638.00 6080.00	1 gm 5 gm 25 gm
PCT2118 PTC (1405-41-0)	▲Gentamicin Sulphate Plant Culture Tested Potency 590 µg/mg	972.00 4410.00 7939.00 19620.00	1 gm 5 gm 10 gm 25 gm
TC1026 ATC (1405-41-0)	▲Gentamicin Sulphate Cell Culture Tested Recommended for use in Cell Culture application 50 mg/L Potency : ≥590 IU/mg	2070.00 6237.00 24966.00	1 gm 5 gm 25 gm
298245 C ₂₅ H ₃₀ ClN ₃ (548-62-9)	Gentian Violet Powder M. W.: 407.99 Dye content (spectrophotometry; on dried substance) Abt. 75.0%	297.00 999.00 8460.00	25 gm 100 gm 1 kg
298265 (548-62-9)	Gentian Violet AR (C.I. No. 42555+42535)	540.00 1485.00	25 gm 100 gm

G

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

G

Laboratory Chemicals

Product Code	Product Name	Price	Packing
839200	Gentian Violet Alcoholic Solution	144.00	125 ml
839210	Gentian Violet Aqueous Solution	135.00	125 ml
104195	Geraniol for Synthesis $(\text{CH}_3)_2\text{C}=\text{CHCH}_2\text{CH}_2\text{C}(\text{CH}_3)=\text{CHCH}_2\text{OH}$ M. W.: 154.25 (106-24-1) Assay 98.0%	1602.00 4995.00	100 gm 500 gm
104205	Geraniol Acetate for Synthesis $\text{CH}_3\text{CO}_2\text{CH}_2\text{CH}=\text{C}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$ M. W.: 196.29 (105-87-3) Assay 97.5%	4626.00	500 gm
104315	Geranyl Butyrate for Synthesis $\text{C}_{14}\text{H}_{24}\text{O}_2$ (106-29-6) M. W.: 224.34	4059.00	500 gm
104325	Geranyl Formate for Synthesis $\text{C}_{11}\text{H}_{18}\text{O}_2$ (105-86-2) M. W.: 182.26	3996.00	500 gm
104335	Geranyl Phenyl Acetate for Synthesis $\text{C}_{18}\text{H}_{24}\text{O}_2$ (102-22-7) M. W.: 272.38	7002.00	500 gm
104345	Geranyl Propionate for Synthesis $\text{C}_{13}\text{H}_{22}\text{O}_2$ (105-90-8) M. W.: 210.31	3501.00	500 gm
839265	Germanium (Ge) CPECTROSOL[®] Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO_3 In accordance with NIST	3132.00 6021.00	100 ml 500 ml
839270	Germanium (Ge) CRISTAR[®] 1000 ppm Single Element Std. Soln. for ICP in 5% HNO_3 1% HF	8487.00	100 ml
104505	Germanium (Metal) Lump Ge (7440-56-4) M. W.: 72.64 Assay 99.9%	9909.00	5 gm
104515	Germanium (Metal) Powder Ge (7440-56-4) M.W.: 72.64 Assay 99.9%	17100.00	10 gm
028446	Germanium Dioxide GeO_2 (1310-53-8) M. W.: 104.64 Assay (trace metals basis) 99.999%	873.00 7002.00 16740.00	1 gm 10 gm 25 gm
104565	Gibberellic Acid $\text{C}_{19}\text{H}_{22}\text{O}_6$ (77-06-5) M.W.: 346.38 Assay - min. 90%	280.00 2205.00 17010.00	1 gm 10 gm 100 gm
PCT1830	Gibberellic Acid (GA3) Plant Culture Tested $\text{C}_{19}\text{H}_{22}\text{O}_6$ (77-06-5) M. W.: 346.37 Assay 90%	280.00 2205.00 17010.00	1 gm 10 gm 100 gm
	Gibbs Reagent See 2,6, Dichloroquinone-4-Chlorimide		
	Giemsa's Azur Eosin Methylene Blue Solution See Giemsa's Staining Solution		
298405	Giemsa's Stain for Microscopy for staining blood smears and protozoa $\text{C}_{14}\text{H}_{14}\text{ClN}_3\text{S}$ (51811-82-6) M. W.: 291.8	266.00 837.00 2790.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
839300	Giemsa's Stain Solution (AZUR-eosin-methylene blue soln.)	334.00 1350.00	100 ml 500 ml
535915	Girard's Reagent T AR (Acetylhydrazide Trimethyl Ammonium Chloride) (123-46-6)	2800.00	100 gm
	Glass Cleaner, Kolin See G.C009		
104665	Glass Wool	351.00	250 gm
104615	Glass Beads 3.5 - 4.5 mm	405.00	500 gm
104725	D-Gluconic Acid (45-50%) $\text{C}_6\text{H}_{12}\text{O}_7$ (526-95-4) M. W.: 196.16	693.00 3501.00	500 ml 2.5 lit
104805	D (+) Glucosamine Hydrochloride for Biochemistry (2-Amino-2-Deoxy-D-Glucose) $\text{C}_6\text{H}_{13}\text{NO}_5\cdot\text{HCl}$ (66-84-2) M. W.: 215.63	1431.00 5500.00	100 gm 500 gm
TC1129	D-(+)-Glucosamine Hydrochloride Cell Culture Tested $\text{C}_6\text{H}_{13}\text{NO}_5\cdot\text{HCl}$ (66-84-2) M. W.: 215.63 Assay : $\geq 98\%$ Store below 30°C	3042.00 12231.00	100 gm 500 gm
	D-Glucose Anhydrous/Monohydrate See Dextrose Anhydrous / Monohydrate		
	Glucose Reagent (o-Toluidine) See o-Toluidine		
104835	Glucose Oxidase (GOD) Aspergillus Niger Lyophilised Powder Containing 75% Protein Activity 100,000 - 150,000 Units/g Protein (9001-37-0)	2160.00 18000.00	10000 Units 100000 Units
TC1486	Glucose Oxidase Cell Culture Tested Activity : NLT 100 U/mg (9001-37-0)	2034.00 3771.00 6597.00	25 mg 50 mg 100 mg
	Store at -20°C		
104945	Glucose-1-Phosphate Dipotassium Salt for Biochemistry $\text{C}_6\text{H}_{11}\text{O}_9\text{PK}_2\cdot 2\text{H}_2\text{O}$ (5996-14-5) M. W.: 372.35	1400.00	1 gm
536335	Glucose-1-Phosphate Disodium Salt AR for Biochemistry $\text{C}_6\text{H}_{11}\text{O}_9\text{PN}_2\cdot\text{XH}_2\text{O}$ (56401-20-8) M. W.: 304.10 (Anhy.)	1540.00	1 gm
104995	D-Glucose 1-Phosphate Disodium Salt Tetrahydrate for Biochemistry (150399-99-8)	585.00 2106.00	1 gm 5 gm POR 25 gm
105155	Glucose-6-Phosphate Dehydrogenase from Microorganism Lyophilized Powder, Activity ~ 400-450U/mg (9001-40-5)	7560.00 20520.00	1000 units 5000 units
TC1682	Glucose-6-Phosphate Dehydrogenase Cell Culture Tested Activity : ≥ 400 U/mg (9001-40-5)	27270.00	500 units

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
105095	D-Glucose 6-Phosphate Disodium Salt Dihydrate for Biochemistry	1323.00 5877.00 29052.00	1 gm 5 gm 25 gm
(3671-99-6)			
839440	Glucose Stock Standard solution 1% Assay (Benedice's test) 0.95-1.05% w/v	126.00	125 ml
105265	α-Glucosidase from Microorganism Lyophilized Powder, Acivity ~ 100-150 U/mg (α-D-Glucoside Glucohydrolase)	3051.00 27666.00	10 mgm 100 mgm
(9001-42-7)			
TC1681	β-Glucosidase Source : Sweet almond Cell Culture Tested	24773.00 43713.00	2500units 5000units
(9001-22-3)			
TC1128	D-Glucuronic Acid Sodium Salt Monohydrate (Sodium glucuronate) Cell Culture Tested	1459.00 5860.00	5 gm 25 gm
C ₆ H ₉ NaO ₇ .H ₂ O (207300-70-7)	M. W.: 234.14 Assay : ≥98% Store below 30°C		
105305	L-Glutamate Dehydrogenase (L-GLDH) ex. Bovine Liver 10 U/mg	7920.00	100 mgm
(9029-11-2)			
TC1490	▲ Glutamate Dehydrogenase From E.coli Cell Culture Tested Activity : NLT 80 U/mg	6615.00 11120.00 19400.00	25 mg 50 mg 100 mg
(9029-12-3)			
105325	D-Glutamic Acid for Biochemistry	621.00 1674.00 4001.00	1 gm 5 gm 25 gm
C ₅ H ₉ NO ₄ (6893-26-1)	M. W.: 147.13 Assay 99.0%		
037102	L-Glutamic Acid for Biochemistry	325.00 693.00 9990.00	100 gm 250 gm 5 Kg
C ₅ H ₉ NO ₄ (56-86-0)	M. W.: 147.13 Assay (Non. aq.) 99.0%		
PCT1307	L-Glutamic Acid Plant Culture Tested	801.00 3619.00	100 gm 500 gm
C ₅ H ₉ NO ₄ (56-86-0)	M. W.: 147.13 Assay 98.5% Store below 30°C		
TC1074	L-Glutamic Acid (From non-animal source) Cell Culture Tested	910.00 1845.00 6440.00 9576.00	25 gm 100 gm 500 gm 1 kg
C ₅ H ₉ NO ₄ (56-86-0)	M. W.: 147.13 Assay : ≥98.5% Store below 30°C		
TC1074M	L-Glutamic Acid (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	1215.00 3636.00 14553.00 24242.00	25 gm 100 gm 500 gm 1 kg
C ₅ H ₉ NO ₄ (56-86-0)	M. W.: 147.13 Store below 30°C		
	L-Glutamic Acid Mono Sodium Salt See Sodium-L-Glutamate		
TC1489	▲ Glutaminase L-Glutamine amidohydrolase Cell Culture Tested Activity : NLT 100 U/mg Store at 2-8°C	7020.00 11790.00 20520.00	25 mg 50 mg 100 mg
(9001-47-2)			

Product Code	Product Name	Price	Packing
PCT1324	D-Glutamine Plant Culture Tested	3663.00 16421.00	1 gm 5 gm
C ₅ H ₁₀ N ₂ O ₃ (5959-95-5)	M. W.: 146.14 Assay 98.5% Store below 30°C		
105395	L-Glutamine for Biochemistry	280.00 950.00 8505.00	25 gm 100 gm 1 kg
C ₅ H ₁₀ N ₂ O ₃ (56-85-9)	M. W.: 146.15 Assay (Non-aq. dried) 99.0%		
PCT1308	L-Glutamine Plant Culture Tested	432.00 1306.00 5850.00	25 gm 100 gm 500 gm
C ₅ H ₁₀ N ₂ O ₃ (56-85-9)	M. W.: 146.14 Assay 99% Store below 30°C		
TC1243	L-Glutamine (From non-animal source) Cell Culture Tested	1161.00 2331.00 7002.00 39006.00	10 gm 25 gm 100 gm 1 kg
C ₅ H ₁₀ N ₂ O ₃ (56-85-9)	M. W.: 146.14 Assay : ≥99% Store below 30°C		
TC1243M	L-Glutamine (From non-animal source) Meets USP 41-NF 36 and JP 17 testing specifications	1809.00 2907.00 9702.00 53380.00	10 gm 25 gm 100 gm 1 kg
C ₅ H ₁₀ N ₂ O ₃ (56-85-9)	M. W.: 146.14 Store below 30°C		
105415	L-γ-Glutamyl-p-Nitroanilide Monohydrate [GPNA, L-Glutamic Acid 1-(4-Nitroanilide)] for Biochemistry	3933.00 17820.00 POR	1 gm 5 gm 25 gm
(7300-59-6)			
DI815	Glutaraldehyde Soln. 25% M. W.: 100.12 Assay (Glutaraldehyde) 25.0%	747.00 3105.00 POR	500 ml 2.5 lit 25 lit
C ₅ H ₈ O ₂ (111-30-8)			
937880	▲ Glutaraldehyde Soln. 25% w/w For Molecular Biology	14770.00	100 ml
C ₆ H ₈ O ₂ (111-30-8)	M. W. : 100.12 Concentration : 24.5-30%		
TC1558M	▲ Glutaraldehyde, 50% Glutural Meets USP 41-NF 36 and BP 2016 testing specifications M. W.: 100.12	17550.00	100 ml
(111-30-8)			
DI811	Glutaraldehyde 2% Solution in water	270.00 1125.00	1 lit 5 lit
DI813	Glutaraldehyde 8% Solution in Water Fixing Agent	198.00	100 ml
105595	Glutaric Acid for Synthesis M. W.: 132.11	1044.00 4293.00	100 gm 500 gm
(110-94-1)			
037109	Glutathione Reduced for Biochemistry	288.00 873.00 3942.00	1 gm 5 gm 25 gm
C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)	M. W.: 307.33 Assay (Iodometric) 98.0%		
939200	L-Glutathione Reduced For Molecular Biology	730.00 2142.00 8055.00 18702.00	1 gm 5 gm 25 gm 100 gm
C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)	M. W.: 307.32 Assay : ≥ 98%		

G

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
PCT1309 C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)	- Glutathione Plant Culture Tested M. W.: 307.32 Assay 98%	469.00	1 gm
		2070.00	5 gm
		9333.00	25 gm
TC1282 C ₂₀ H ₃₂ N ₆ O ₁₂ S ₂ (27025-41-8)	- Glutathione Oxidized Aminomethanamide hydrochloride, Guanidinium chloride Cell Culture Tested M. W.: 612.63 Assay : ≥98%	2120.00	100 mg
		4266.00	250 mg
		8910.00	1 gm
		30663.00	5 gm
TC1695 (9013-66-5)	Glutathione Peroxidase Cell Culture Tested M. W.: 84.5kDa Store at -20°C	POR	100 units
		POR	200 units
		POR	500 units
TC1134 C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)	- Glutathione Reduced (GSH) Cell Culture Tested M. W.: 307.32 Assay : ≥98%	5175.00	10 gm
		10360.00	25 gm
		31005.00	100 gm
TC1492 (50812-37-8)	▲ Glutathione-S-Transferase Cell Culture Tested Activity : NLT 25 U/mg	7506.00	1 mg
028454 C ₃ H ₈ O ₃ (56-81-5)	Glycerine Purified (Glycerol) M. W.: 92.09 Assay (GC) 98.0%	621.00	500 ml
		1152.00	1 lit
		2601.00	2.5 lit
		5000.00	5 lit
537055 C ₃ H ₈ O ₃ (56-81-5)	Glycerine AR M. W.: 92.09 Assay (GC) 99.5%	POR	25 lit
		702.00	500 ml
		1305.00	1 lit
		2907.00	2.5 lit
		5522.00	5 lit
H23567 C ₃ H ₈ O ₃ (56-81-5)	Glycerine M. W.: 92.09 Assay (GC) 99.5%	POR	25 lit
		1000.00	500 ml
		4410.00	2.5 lit
		8514.00	5 lit
839650	Glycerin TS acc. to USP	333.00	500 ml
105755 (9030-66-4)	Glycerokenase (GK) ex. Microorganism 30U/mg	9432.00	1 k units
	Glycerol See Glycerine		
	Glycerol A-Chloro Hydrin See 3-Chloro-1,2-Propanediol		
940500 C ₃ H ₈ O ₃ (56-81-5)	Glycerin (Glycerol) for Molecular Biology M. W.: 92.09 Assay (GC) 99.0%	1890.00	500 ml
		3645.00	1 lit
PCT2541 C ₃ H ₈ O ₃ (56-81-5)	Glycerin (Glycerol) Plant Culture Tested M. W.: 92.09 Assay 98% Store below 30°C	1386.00	500 ml
TC1503 C ₃ H ₈ O ₃ (56-81-5)	Glycerin (Glycerol) 1,2,3-Propanetriol Cell Culture Tested M. W.: 92.09 Assay : ≥98.5% Store below 30°C	1755.00	500 ml
		3150.00	1 lit

Product Code	Product Name	Price	Packing
TC1503M	Glycerin (Glycerol) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications HOCH ₂ CH(OH)CH ₂ OH M. W.: 92.09 (56-81-5) Store below 30°C	4050.00	500 ml
		7830.00	1 lit
105885	Glycerol Formal (Mixture of Alpha & Beta Isomers) M. W.: 104.10	1800.00	100 ml
C ₄ H ₈ O ₃ (99569-11-6)	Glycerol Jelly Kaiser's See Kaiser's glycerol gelatin	6003.00	500 ml
105915	Glycerol Monoesterate Self Emulsifying C ₁₇ H ₃₅ .COO.CH ₂ .CHOH.CH ₂ OH M. W.: 358.56 (31566-31-1)	594.00	500 gm
		1107.00	1 kg
028456	Glycerol Triacetate for Biochemistry C ₉ H ₁₄ O ₆ (102-76-1) M. W.: 218.21 Assay (GC) 99.0%	1080.00	500 ml
		4104.00	2.5 lit
		POR	25 lit
105975	Glycerol Tributryrate for Biochemistry C ₁₅ H ₂₆ O ₆ (60-01-5) M. W.: 302.36	1540.00	100 ml
		6291.00	500 ml
		POR	25 lit
106035	L-a-Glycerophosphate Oxidase (GPO) (9046-28-0) ex. microorganism 15U/mg	5256.00	1000 units
537235	R (+)Glycidol AR C ₃ H ₆ O ₂ (57044-25-4) M. W.: 74.08 Assay (GC) 97.0%	2673.00	5 gm
		5652.00	25 gm
537255	S (-)Glycidol AR C ₃ H ₆ O ₂ (60456-23-7) M. W.: 74.08 Assay (GC) 97.0%	1000.00	1 gm
		3123.00	5 gm
		10935.00	25 gm
028458	Glycine Pure C ₂ H ₅ NO ₂ (56-40-6) M. W.: 75.07 Assay (Non-aq.) 99.0%	747.00	250 gm
		1296.00	500 gm
		11880.00	5 kg
		POR	25 kg
		POR	50 kg
537345	Glycine AR for Biochemistry, Bacteriology Tissue Culture Buffering Substance Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 75.07 Assay (Non-aqueous, on dried subs.) 99.5%	360.00	100 gm
		1503.00	500 gm
		12960.00	5 kg
		POR	25 kg
		POR	50 kg
C ₂ H ₅ NO ₂ (56-40-6)			
940600	Glycine for Molecular Biology C ₂ H ₅ NO ₂ (56-40-6) M. W.: 75.07 Assay (Non-aqueous) 99.0%	432.00	100 gm
		1413.00	500 gm
		2610.00	1 kg
		12510.00	5 kg
PCT1310	Glycine Plant Culture Tested M. W.: 75.07 Assay 99% Store below 30°C	1422.00	500 gm
		11741.00	5 kg
C ₂ H ₅ NO ₂ (56-40-6)			
TC1075	Glycine (From non-animal source) Cell Culture Tested M. W.: 75.07 Assay : ≥98% Store below 30°C	2142.00	100 gm
		14301.00	1 kg
C ₂ H ₅ NO ₂ (56-40-6)			

● ATC : Animal Cell Culture
● MB : Molecular Biology
● PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1075M ATC	Glycine 2-Aminoacetic acid Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 75.07 Store below 30°C	5823.00 20385.00	100 gm 1 kg
NH ₂ CH ₂ COOH (56-40-6)			
106185 *	Glycine Anhydride M. W.: 114.10	3960.00 13203.00	25 gm 100 gm
C ₄ H ₆ N ₂ O ₂ (106-57-0)			
106285	▲ Glycine Benzyl Ester HCl for Biochemistry M.W. : 201.65	2620.00 11160.00	5 gm 25 gm
C ₉ H ₁₁ NO ₂ .HCl (2462-31-9)			
106385	▲ Glycine Benzyl Ester P-Toluene Sulfonate for Biochemistry M. W.: 337.39 Assay (T) 99.0%	5760.00	25 gm
C ₉ H ₁₁ NO ₂ C ₇ H ₈ O ₃ S (1738-76-7)			
106405	▲ Glycine Ethyl Ester Hydrochloride for Synthesis M. W.: 139.58 Assay 99.0%	522.00 2205.00	100 gm 500 gm
NH ₂ CH ₂ COOC ₂ H ₅ .HCl (623-33-6)			
106455	Glycine Hydrochloride M. W.: 111.53	2565.00	100 gm
C ₂ H ₅ NO ₂ .HCl (6000-43-7)			
106525	Glycine Methyl Ester HCl for Synthesis M. W.: 125.55 Assay 99.0%	1341.00 4500.00	100 gm 500 gm
NH ₂ CH ₂ COOCH ₃ .HCl (5680-79-5)			
038042	▲ Glycogen for Biochemistry from Oyster Assay 85.0%	900.00 3006.00 13230.00	1 gm 5 gm 25 gm
(C ₆ H ₁₀ O ₅) _x (9005-79-2)			
940900 MB	▲ Glycogen (From Oysters) Type II For Molecular Biology Total Sugar : ≥ 90%	1125.00 3893.00 15561.00	1 gm 5 gm 25 gm
(C ₆ H ₁₀ O ₅) _n (9005-79-2)			
106585	Glycolic Acid (65 % in water) M. W.: 76.05 Assay (acidimetric) Abt. 65.0%	1395.00 6192.00	500 ml 2.5 lit
C ₂ H ₄ O ₃ (79-14-1)			POR 25 lit
TC1065 ATC	Glycyl-L-Glutamine Monohydrate Cell Culture Tested M. W.: 221.21 Assay : ≥98% Store below 30°C	3501.00 12830.00	1 gm 5 gm
C ₇ H ₁₃ N ₃ O ₄ .H ₂ O (172669-64-6)			
037113	▲ N-Glycyl Glycine for Biochemistry M. W.: 132.12 Assay (non-aqueous) 99.0%	864.00 6507.00	10 gm 100 gm
C ₄ H ₈ N ₂ O ₃ (556-50-3)			
TC1061 ATC	▲ Glycyl Glycine (Gly-Gly) Cell Culture Tested M. W.: 132.12 Assay : ≥99%	2890.00 11070.00 37350.00 63630.00	25 gm 100 gm 500 gm 1 kg
C ₄ H ₈ N ₂ O ₃ (556-50-3)			
106705	Glyoxal (Solution 40% In Water) for Synthesis	765.00 1935.00	500 ml 2.5 lit
(107-22-2)			

Product Code	Product Name	Price	Packing
537625 (107-22-2)	Glyoxal (Solution 40% In Water) AR	900.00	1 lit
537695 (1149-16-2)	Glyoxal Bis-(2-Hydroxyanil) AR Reagent for Calcium & Uranium	4203.00	25 gm
	Glyoxaline See Imidazole		
839850 (298-12-4)	Glyoxylic Acid Solution 50% for Synthesis	1584.00 4977.00	500 ml 2.5 lit
PCT1835 PTC	▲ Glyphosate [N-(Phosphonomethyl)glycine] Plant Culture Tested M. W.: 169.07 Assay 95%	30483.00	1 gm
C ₃ H ₈ NO ₅ P (1071-83-6)			
839910	Gold (Au) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl In accordance with NIST	5400.00	250 ml
839960	Gold (Au) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Diluted Hcl In accordance with NIST	12330.00 26910.00	100 ml 500 ml
839980	Gold (Au) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Diluted Hcl In accordance with NIST	50670.00 151300.00	100 ml 500 ml
106855 Au (7440-57-5)	Gold Metal Powder M. W.: 196.97	POR	1 gm
537865 Au (7440-57-5)	Gold Metal AR M. W.: 196.97 Assay (trace tetal basis) 99.999%	POR POR	1 gm 5 gm
	Gold Chloride See Chloroauric Acid		
	Gower's Reagent See R.B.C. Diluting Fluid (Gower's)		
K032015	Gram's Colour Staining kit	1296.00	Kit
840090	Gram's Crystal Violet	194.00	125 ml
840120	Gram's Decolourizer	297.00 2880.00	125 ml 2x500 ml
840150	Gram's Fuchsin Basic 0.1%	167.00	125 ml
298875	Gram's Iodine for Microscopical Staining	855.00 3303.00	25 gm 100 gm
840200	Gram's Iodine Solution Iodine content 0.33%	153.00	125 ml
840250	Gram's Safranin 0.5% w/v	288.00	125 ml
N23882 (7782-42-5)	Graphene Nanopowder (C, 1-5 nm) Assay 99.5+%	2315.00 9023.00 33545.00 108729.00	1 gm 5 gm 25 gm 100 gm

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
N23886 (7782-42-5)	Graphene Nanopowder (C, 6-8 nm) Assay 99.5+%	2315.00	1 gm
		9023.00	5 gm
		33545.00	25 gm
N23891 (7782-42-5)	Graphene Nanopowder (C, 11-15 nm) Assay 99.5+%	2315.00	1 gm
		8098.00	5 gm
		28917.00	25 gm
106905 C (7782-42-5)	Graphite Fine Powder Pract A.W.: 12.01	342.00	500 gm
106955 C ₁₇ H ₁₇ ClO ₆ (126-07-8)	Griseofulvin M. W.: 352.8	9000.00	100 gm
		27000.00	500 gm
		45000.00	1 kg
PCT2148 PTC C ₁₇ H ₁₇ ClO ₆ (126-07-8)	Griseofulvin Plant Culture Tested M. W.: 352.8 Store below 30°C	1665.00	5 gm
		8001.00	25 gm
107105 C ₇ H ₈ O ₂ (90-05-1)	Guaiacol (o-Methoxyphenol) M. W. : 124.14	1647.00	500 ml
		6606.00	2.5 lit
PCT2555 PTC C ₇ H ₈ O ₂ (90-05-1)	Guaiacol, Plant Culture Tested M. W.: 124.1 Store below 30°C	306.00	25 gm
		1161.00	100 gm
		2800.00	250 gm
107285 (593-85-1)	Guanidine Carbonate for Synthesis	540.00	100 gm
		5000.00	1 kg
107310 CH ₅ N ₃ .HCl (50-01-1)	Guanidine Hydrochloride (Guanidinium Chloride) M. W.: 95.53 Assay (Argentometric) 98.0%	500.00	100 gm
		1990.00	500 gm
540865 CH ₅ N ₃ .HCl (50-01-1)	Guanidine Hydrochloride AR for Biochemistry M. W.: 95.53 Assay (Argentometric) 98.0%	657.00	100 gm
		3051.00	500 gm
941100 MB (50-01-1)	Guanidine Hydrochloride for Molecular Biology	765.00	100 gm
		3483.00	500 gm
	Guanidine Hydrothiocyanate See Guanidine Thiocyanate		
107335 CH ₆ N ₄ O ₃ (506-93-4)	Guanidine Nitrate M.W.: 122.08 Assay (Non-aqueous) 98.0%	540.00	250 gm
107360 C ₂ H ₆ N ₄ S (593-84-0)	Guanidine Thiocyanate M. W.: 118.16 Assay 99.0%	820.00	100 gm
		3996.00	500 gm
941180 MB CH ₅ N ₃ .CHNS (593-84-0)	Guanidine Thiocyanate (Guanidine Isothiocyanate) For Molecular Biology M. W.: 118.16 Assay : ≥ 99% Store Below 30°C	532.00	25 gm
		873.00	100 gm
		4140.00	500 gm
		8172.00	1 kg
		38350.00	5 kg
	Guanidinium Rhodanide See Guanidine Thiocyanate		
107385 C ₅ H ₅ N ₅ O (73-40-5)	▲ Guanine for Biochemistry M. W.: 151.13 Assay (dried, Non-aqueous) 97.0%	275.00	5 gm
		900.00	25 gm
		3006.00	100 gm

Product Code	Product Name	Price	Packing
042036 C ₅ H ₅ N ₅ O.HCl (635-39-2)	▲ Guanine Hydrochloride for Biochemistry M. W.: 187.59 Assay (Acidimetric) 98.0%	306.00	5 gm
		1026.00	25 gm
107435 C ₅ H ₅ N ₅ O½H ₂ SO ₄ (10333-92-3)	▲ Guanine Sulphate for Biochemistry M. W.: 200.20 Assay 99.0%	270.00	1 gm
		1305.00	5 gm
107485 (118-00-3)	Guanosine for Biochemistry (D-Guanosine)	360.00	5 gm
		1503.00	25 gm
		10000.00	500 gm
107520 C ₁₀ H ₁₂ N ₅ NaO ₈ P.XH ₂ O (5550-12-9)	Guanosine-5-Monophosphate Disodium Salt for Biochemistry M.W. : 407.19 (anhy.) Assay (On dried metrial spectrophotometric 260nm)96.0%	320.00	1 gm
		1215.00	5 gm
		5040.00	25 gm
	Guanylhrazine Bicarbonate Salt See Aminoguanidine Bicarbonate		
107590 (9000-30-0)	Guar Gum Powder of Endosperm	477.00	500 gm
H23967 HSURE (9000-30-0)	Guar Gum AR	3276.00	500 gm
	Gum Acacia See Acacia		
107555 (9000-28-6)	Gum Ghatti Suitable for Urea Nitrogen estimation	410.00	100 gm
		1494.00	500 gm
840390	Gum Ghatti Solution	162.00	125 ml
	Gum Guar See Guar Gum		
107675 (9000-36-6)	Gum Karaya for Synthesis	1206.00	500 gm
		POR	25 kg
107725 (8050-09-7)	Gum Rosin	486.00	250 gm
		1809.00	1 kg
107775 (9000-65-1)	Gum Tragacanth Powder	774.00	500 gm
	Gum Xanthan See Xanthan Gum		
840590	Gunzburg Reagent (Test reagent for free HCl in gastric juice)	558.00	100 ml
	Gurber Reagent See Osmic Acid Solution		
107875	Gypsum Powder Pract (Natural Hydrated Calcium Sulphate)	522.00	500 gm

FOR MICROSCOPY

Microscopy stains are standardised by UV spectrum and controlled by TLC. They correspond normally to the specifications given in H.J. Conn's Biological Stain (1977).



Product Code	Product Name	Price	Packing
	HABA See 2-(4-Hydroxy benzeneazo) Benzoic Acid		
299775	Haematoxylin Stain C.I. No. 75290 For Microscopy M.W.: 302.29 Dye content (Spectrophotometry) 80.0%	2808.00 11520.00	5 gm 25 gm
C ₁₆ H ₁₄ O ₆ .H ₂ O (517-28-2)			
H26982	Haematoxylin Stain Certified C.I. No. 75290 For Microscopy M.W.: 302.29 Dye content (Spectrophotometry) >95.0%	6507.00 22500.00	5 gm 25 gm
C ₁₆ H ₁₄ O ₆ .H ₂ O (517-28-2)			
844050	Haematoxylin Delafield Staining Soln.	558.00	125 ml
844070	Haematoxylin (Ehrlich) Staining Soln.	603.00	125 ml
	Haematoxylin Harri's Staining Solution See Papanicolaous Solution 1a Harris		
844100	Haematoxylin Solution Modified Acc. to Gill II for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	1926.00	500 ml
844120	Haematoxylin Solution Modified Acc. to Gill III for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	2403.00	500 ml
844140	Haematoxylin Mayer's Solution (Hemalum Mayer's)	306.00 657.00	100 ml 500 ml
109885 (9008-02-0)	Haemoglobin Powder	1557.00 7506.00	100 gm 500 gm
844000	Hafnium (Hf) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3204.00 9405.00	100 ml 500 ml
844020	Hafnium (Hf) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	11970.00	100 ml
109935 HFO ₂ (12055-23-1)	Hafnium Oxide M. W.: 210.49 Assay 99%	4302.00 19359.00	5 gm 25 gm
540955 HFO ₂ (12055-23-1)	Hafnium Oxide AR M. W.: 210.49 Assay 99.9%	6300.00 14940.00 36000.00	1 gm 5 gm 25 gm POR 100 gm
	Hand Wash See HW009		
844035	Hanus' Solution (for determining Iodine number)	608.00	100 ml
110035 C ₁₃ H ₁₄ N ₂ O (304-21-2)	Harmaline M. W.: 214.26	4842.00	1 gm
110085 C ₁₃ H ₁₂ N ₂ O (442-51-3)	▲Harmine M. W.: 212.25 Assay 98.0%	5760.00	1 gm
110135	▲HATU for Peptide Synthesis [O-(7-Azabenzotriazol-1-yl)- N,N,N,N-Tetramethyl-Uronium Hexafluorophosphate] M. W.: 380.23	370.00 1593.00 6993.00	1 gm 5 gm 25 gm
C ₁₀ H ₁₅ F ₆ N ₆ OP (148893-10-1)			

Product Code	Product Name	Price	Packing
	Hayem's Reagent See R.B.C. Diluting Fluid		
110175	▲HBTU Solid Phase Peptide Synthesis Reagent (O-(1H-Benzotriazol-1-yl)- N,N,N,N-Tetramethyluroniumhexa Fluorophosphate) M. W.: 379.24 Assay (HPLC) 99.0%	392.00 1701.00 6102.00	5 gm 25 gm 100 gm
C ₁₁ H ₁₆ F ₆ N ₅ OP (94790-37-1)			
110205	▲HCTU for Synthesis (O-(6-Chlorobenzotriazol-1-yl)- N,N,N,N-Tetramethyluronium Hexafluorophosphate) M. W.: 413.69 Assay (HPLC) 98.0%	950.00 2610.00 9000.00	5 gm 25 gm 100 gm
C ₁₁ H ₁₅ ClF ₆ N ₅ OP (330645-87-9)			
	Hemalum (Mayer's) See Hematoxylin Mayer's Solution		
541545 (9025-56-3)	Hemicellulase AR for Biochemistry Activity 100000 IU/gm	1872.00 6327.00	5 gm 25 gm
110565	▲Hemin for Biochemistry M.W. : 651.94 Assay (HPLC) 90.0%	1476.00 5400.00	1 gm 5 gm
C ₃₄ H ₃₂ ClFeN ₄ O ₄ (16009-13-5)			
TC1559	▲Hemin M.W. : 651.94	4240.00 18190.00	1 gm 5 gm
C ₃₄ H ₃₂ ClFeN ₄ O ₄ (16009-13-5)			
110635	Heparin Sodium Pure Does not contain Preservative Assay 150 U/mg	20,000 Unit 1,00,000 Unit 1701.00 4005.00	vial vial
(9041-08-1)			
TC1138	▲Heparin Sodium Salt Cell Culture Tested Potency : ≥140 USP U/mg	100000 Unit 5220.00	vial POR 10x vial
(9041-08-1)			
110685	HEPES (Buffer) Suitable for Tissue Culture Work pKa - 7.5 M. W.: 238.30 Assay (potentiometric) 99.0%	585.00 1845.00 8082.00	25 gm 100 gm 500 gm
C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)			
941220	HEPES Buffer [N-(2-Hydroxyethyl)Piperazine-N'-(2- Ethanesulphonic Acid)] For Molecular Biology M. W.: 238.3 Assay : ≥ 99.5% Store Below 30°C	837.00 2530.00 9243.00	25 gm 100 gm 500 gm
C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)			
941390	HEPES, Low Sodium For Molecular Biology M. W. : 238.31 Assay : ≥ 99.5% Store Below 30°C	5022.00 13212.00	25 gm 100 gm
C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)			
PCT2532	HEPES Plant Culture Tested M. W.: 238.3 Assay 99% Store below 30°C	783.00 2151.00 9450.00	25 gm 100 gm 500 gm
C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)			
TC1050	HEPES Free Acid [N-(2Hydroxyethyl)-piperazine-N'- (2-ethane sulphonic acid)] M. W.: 238.30 Assay : ≥99% Store below 30°C	2790.00 8370.00 24210.00 35361.00	25 gm 100 gm 500 gm 1 kg
C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)			

H

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
844200	HEPES Buffer Solution 1 M Solution in Water	1008.00 4500.00	100 ml 500 ml
110720	HEPES Sodium Salt (Buffer)	950.00 2727.00 9234.00	25 gm 100 gm 500 gm
(75277-39-3)			
941440 MB	HEPES, Sodium Salt For Molecular Biology	1566.00 3700.00 12520.00	25 gm 100 gm 500 gm
C ₈ H ₁₇ N ₂ NaO ₄ S (75277-39-3)	M. W.: 260.29 Assay : ≥ 99% Store Below 30°C		
TC1066 ATC	HEPES Sodium Salt [N-(2-Hydroxyethyl)-piperazine-N'-(2-ethanesulfonic acid) sodium salt] Cell Culture Tested	2907.00 8730.00 25200.00 39340.00	25 gm 100 gm 500 gm 1 kg
C ₈ H ₁₇ N ₂ NaO ₄ S (75277-39-3)	M. W.: 260.29 Assay : ≥99% Store below 30°C		
TC1063 ATC	HEPPS (EPPS) [N-(2-Hydroxyethyl)-piperazine-N'-(3-propanesulfonic acid)] Cell Culture Tested	2466.00 10450.00 20151.00 POR	25 gm 100 gm 500 gm 1 kg
C ₉ H ₂₀ N ₂ O ₄ S (16052-06-5)	M. W.: 252.33 Assay : ≥99% Store below 30°C		
110755	1-Heptaldehyde for Synthesis	900.00 3780.00	500 ml 2.5 lit
(111-71-7)			
028471	Heptane Fraction from petroleum	500.00 2007.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
(142-82-5)			
028473	n-Heptane for Synthesis	702.00 2907.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
CH ₃ (CH ₂) ₅ CH ₃ (142-82-5)	M. W.: 100.21 Assay (GC) 99.0%		
542005	n-Heptane AR	774.00 3204.00	500 ml 2.5 lit
CH ₃ (CH ₂) ₅ CH ₃ (142-82-5)	M. W.: 100.21 Assay (GC) 99.0%		
743100	n-Heptane for HPLC & Spectroscopy	1071.00 2070.00	500 ml 1 lit
CH ₃ (CH ₂) ₅ CH ₃ (142-82-5)	M. W.: 100.21 Assay (GC) 99.0%		
743140	n-Heptane for Pesticide Residue Trace Analysis	3330.00 7543.00	1 lit 2.5 lit
CH ₃ (CH ₂) ₅ CH ₃ (142-82-5)	M. W.: 100.21		
743160	1-Heptanesulphonic Acid Sodium Salt Anhydrous AR for HPLC	1107.00 4001.00	25 gm 100 gm
(22767-50-6)			
743180	1-Heptane Sulphonic Acid Sodium Salt AR Monohydrate for HPLC	1107.00 4001.00	25 gm 100 gm
C ₇ H ₅ NaO ₃ S.H ₂ O (207300-90-1)	M. W.: 220.27 Assay (Acidimetric) 99.0%		
110945	Heptanoic Acid for Synthesis (Enanthic acid, Oenanthic Acid)	1251.00	500 ml
CH ₃ (CH ₂) ₅ COOH (111-14-8)	M. W.: 130.18 Assay (GC) 98.0%		

Product Code	Product Name	Price	Packing
111155	n-Heptanol, for Synthesis (Heptan-1-OL, n-Heptyl Alcohol)	1440.00 6570.00 POR	500 ml 2.5 lit 25 lit
C ₇ H ₁₆ O (111-70-6)	M. W.: 116.21		
542075	n-Heptanol AR (Ethanthic acid,Oenanthic Acid)	1602.00 6606.00 POR	500 ml 2.5 lit 25 lit
C ₇ H ₁₆ O (111-70-6)	M. W.: 116.21		
	n-Heptyl Alcohol See n-Heptanol		
111305	Hesperidin	1270.00 2997.00 10809.00	25 gm 100 gm 500 gm
C ₂₈ H ₃₄ O ₁₅ (520-26-3)	M. W.: 610.56 Assay 80.0%		
H27171 HISURE	Hexachloro Benzene AR	9000.00 21600.00	5 gm 25 gm
C ₆ Cl ₆ (118-74-1)	M. W.: 284.78		
111445	Hexachloro Ethane	837.00 7290.00	500 gm 5 kg
C ₂ Cl ₆ (67-72-1)	M. W.: 236.74 Assay (GC) 98.0%		
	Hexachloro Platinic (IV) Acid Hydrate See Chloro Platinic Acid Abt 40% Pt		
	1-Hexa Decanol See Cetyl Alcohol		
111615	n-Hexa Decane for Synthesis	2003.00 8244.00	100 ml 500 ml
C ₁₆ H ₃₄ (544-76-3)	M. W.: 226.45 Assay 95.0%		
542295	n-Hexa Decane AR	5000.00 19800.00	100 ml 500 ml
C ₁₆ H ₃₄ (544-76-3)	M. W.: 226.45 Assay (GC) 95.0%		
743320	1-Hexa Decane Sulphonic Acid Sodium Salt (Anhydrous) HPLC	702.00 3006.00	5 gm 25 gm
CH ₃ (CH ₂) ₁₅ SO ₃ Na (15015-81-3)	M. W.: 328.49		
111745	Hexa Decylamine for Synthesis	2350.00 9900.00	5 gm 25 gm
CH ₃ (CH ₂) ₁₅ NH ₂ (143-27-1)	M. W.: 241.46 Assay 98.0%		
	Hexadecyl Trimethyl Ammonium Bromide See N-Cetyl-N,N,N-Trimethyl Ammonium Bromide		
542485	Hexafluoro Phosphoric Acid 55% AR	3002.00	500 gm
HPF ₆ (16940-81-1)	M. W.: 145.97		
111805	1,1,1,3,3,3-Hexafluoro 2-Propanol for Synthesis	1656.00 4500.00 21250.00	25 gm 100 gm 500 gm
(CF ₃) ₂ CHOH (920-66-1)	M. W.: 168.04 Assay 99.0%		
743405	1,1,1,3,3,3-Hexafluoro 2-Propanol for Spectroscopy	9450.00	100 ml
(920-66-1)			
112195	1,1,1,3,3,3-Hexamethyl Disilazane for Synthesis (Hmds,Bis- (Trimethylsilyl) Amine)	770.00 2570.00 8703.00	100 ml 500 ml 2.5 lit
C ₆ H ₁₉ NSi ₂ (999-97-3)	M. W.: 161.39		
112295	Hexamethyl Disiloxane for Synthesis	558.00 2106.00	100 ml 500 ml
(CH ₃) ₃ SiOSi(CH ₃) ₃ (107-46-0)	M. W.: 162.38		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
	Hexamethylene Glycol See 1,6-Hexanediol		
	Hexamethylene Tetramine See Hexamine		
112345	Hexamethylphosphoric Acid Triamide (HMPA) M.W.: 179.2 Assay 98.5%	2070.00 9720.00	100 ml 500 ml
[(CH ₃) ₂ N] ₃ PO (680-31-9)			
028483	Hexamine (Hexamethylene Tetramine) M. W.: 140.19 Assay (acidimetric on dried subs.) 99.0%	432.00 3303.00 POR POR	500 gm 5 kg 25 kg 50 kg
(CH ₂) ₆ N ₄ (100-97-0)			
542535	Hexamine AR/ACS M. W.: 140.19 Assay (acidimetric on dried subs.) 99.5%	531.00 4185.00 POR	500 gm 5 kg 25 kg
(CH ₂) ₆ N ₄ (100-97-0)			
112455	Hexane 65-70°C (FG) Fraction From Petroleum M.W : 86.18 Assay 85.0%	432.00 1800.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ (110-54-3)			
112475	Hexane 65-70°C Fraction from Petroleum M. W.: 86.18 Assay 95.0%	567.00 1827.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ (110-54-3)			
542815	Hexane AR 65-70°C Fraction from Petroleum M. W.: 86.18 Assay 95.0%	675.00 2421.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ (110-54-3)			
743560	Hexane for HPLC & Spectroscopy M. W.: 86.18	1656.00 3240.00	1 lit 2.5 lit
C ₆ H ₁₄ (110-54-3)			
D63126	Hexane-d₁₄ (for NMR Spectroscopy) M.W.: 100.29 Assay Min. 99 atom%D	88010.00	5 ml
C ₆ D ₁₄ (21666-38-6)			
112485	n-Hexane M.W. 86.18 Assay 95.0%	567.00 2358.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ (110-54-3)			
743605	n-Hexane HPLC & Spectroscopy M.W. 86.18 Assay 95.0%	1305.00 3510.00	500 ml 2.5 lit
C ₆ H ₁₄ (110-54-3)			
028488	n-Hexane for Synthesis M. W.: 86.18 Assay (GC) 99.0%	603.00 2800.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
CH ₃ (CH ₂) ₄ CH ₃ (110-54-3)			
542820	n-Hexane AR M. W.: 86.18 Assay (GLC) 99.0%	702.00 3303.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
CH ₃ (CH ₂) ₄ CH ₃ (110-54-3)			
743600	n-Hexane for HPLC & Spectroscopy M. W.: 86.18 Assay (GLC) 99.0%	1720.00 4140.00	1 lit 2.5 lit
CH ₃ (CH ₂) ₄ CH ₃ (110-54-3)			
743650	n-Hexane for Pesticide Residue Trace Analysis M. W.: 86.18	2440.00 4671.00	1 lit 2.5 lit
CH ₃ (CH ₂) ₄ CH ₃ (110-54-3)			
112515	1,6-Hexanediol (Hexamethylene Glycol) for Synthesis M. W.: 118.17	1800.00	500 gm
HO(CH ₂) ₆ OH (629-11-8)			

Product Code	Product Name	Price	Packing
743700	1-Hexane Sulphonic Acid Sodium Salt Anhydrous For HPLC M. W.: 188.22 Assay 99.0%	1107.00 4001.00	25 gm 100 gm
C ₆ H ₁₃ O ₃ SNa (2832-45-3)			
743705	1-Hexane Sulphonic Acid Sodium Salt Monohydrate For HPLC M. W.: 206.24 Assay (cation exchange) 99.0%	1107.00 4001.00	25 gm 100 gm
C ₆ H ₁₃ NaO ₃ S.H ₂ O (207300-91-2)			
112595	n-Hexanol for Synthesis (n-Hexyl Alcohol, Hexan-1-OL) M. W.: 102.18 Assay 98.0%	1400.00 6507.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ O (111-27-3)			
542795	n-Hexanol AR (n-Hexyl Alcohol, Hexan-1-OL) M. W.: 102.18 Assay 98.5%	1602.00 7506.00 POR	500 ml 2.5 lit 25 lit
C ₆ H ₁₄ O (111-27-3)			
	n-Hexanoic Acid See Caproic Acid		
	N-Hexanol See Hexan-1-OL		
112635	Hexokinase from Ex- Saccharomyces sp. 150 U/mg	6030.00	5000 units
(9001-51-8)			
TC1683	Hexokinase Cell Culture Tested	5454.00 14760.00	1000 units 5000 units
(9001-51-8)			
	n-Hexyl Alcohol See Hexan-1-OL		
543415	1-Hexyl-3-Methyl Imidazolium Chloride AR M. W.: 202.72 Assay (HPLC) 98.5%	2340.00 7920.00	5 gm 25 gm
C ₁₀ H ₁₉ ClN ₂ (171058-17-6)			
029243	Hexylene Glycol M. W.: 118.18 Assay (GC) 99.0%	1296.00 5940.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₁₄ O ₂ (107-41-5)			
112805	4-Hexyl Resorcinol for Synthesis M. W.: 194.27 Assay 98.0%	3645.00	25 gm
C ₁₂ H ₁₈ O ₂ (136-77-6)			
112840	High Vacuum Silicon Grease (Vacuum Grease)	432.00 1206.00 4104.00	50 gm 250 gm 1 kg
028497	Hippuric Acid Cryst. M. W.: 179.18 Assay (acidimetric) 99.0%	531.00 3807.00	100 gm 1 kg
C ₉ H ₉ NO ₃ (495-69-2)			
112955	Hippuric Acid Sodium Salt M. W.: 201.15 Anhy	900.00 3492.00	25 gm 100 gm
C ₉ H ₈ NO ₃ Na.XH ₂ O (532-94-5)			
113135	Histamine Acid Phosphate for Biochemistry (Histamine Biphosphate mono hydrate) M. W.: 325.15	2007.00 4001.00	1 gm 5 gm
C ₅ H ₉ N ₃ 2H ₃ PO ₄ .H ₂ O (51-74-1)			
113170	L-Histidine for Biochemistry M. W.: 155.16 Assay (ex Non-aqueous) 98.0%	900.00 3024.00 14400.00	25 gm 100 gm 500 gm
C ₆ H ₉ N ₃ O ₂ (71-00-1)			

H

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

H

Laboratory Chemicals

Product Code	Product Name	Price	Packing
PCT1311 <chem>C6H9N3O2</chem> (71-00-1)	L-Histidine Plant Culture Tested M. W.: 155.15 Assay 99% Store below 30°C	1413.00	25 gm
		4541.00	100 gm
		22113.00	500 gm
TC1076 <chem>C6H9N3O2</chem> (71-00-1)	L-Histidine (From non-animal source) Cell Culture Tested M. W.: 155.15 Assay : >98.5% Store below 30°C	4410.00	100 gm
		15850.00	500 gm
		27360.00	1 kg
TC1076M <chem>C6H9N3O2</chem> (71-00-1)	L-Histidine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 155.15 Store below 30°C	7272.00	100 gm
		24260.00	500 gm
		43610.00	1 kg
037118 <chem>C6H9N3O2.HCl.H2O</chem> (5934-29-2)	L-Histidine Monohydrochloride Monohydrate M. W.: 209.63 Assay (Argentometric; ex Cl) 99.0%	801.00	25 gm
		2800.00	100 gm
		12510.00	500 gm
941920 <chem>C6H10ClN3O2.H2O</chem> (5934-29-2)	L-Histidine Monohydrochloride for Molecular Biology M. W : 209.63 Assay 99.0%	900.00	25 gm
		3006.00	100 gm
TC1077 <chem>C6H9N3O2.HCl.H2O</chem> (5934-29-2)	L-Histidine Monohydrochloride Monohydrate (From non-animal source) Cell Culture Tested M. W.: 209.63 Assay : >99% Store below 30°C	1571.00	25 gm
		4716.00	100 gm
		35411.00	1 kg
TC1077M <chem>C6H9N3O2.HCl.H2O</chem> (5934-29-2)	L-Histidine Monohydrochloride Monohydrate (From non-animal source) Meets EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 209.63 Store below 30°C	2907.00	25 gm
		8001.00	100 gm
		43677.00	1 kg
844267	Histological Fixative-Formalin Neutral Sodium Salt Bufferd pH 7.0 at 25°C	8801.00	5 lit
	HOBT See 1-Hydroxybenzotriazole		
844395	Holmium (Ho) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3735.00	100 ml
		9405.00	500 ml
844400	Holmium (Ho) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12160.00	100 ml
		36504.00	500 ml
RE1305 Ho (7440-60-0)	Holmium Metal Ingot M. W.: 164.93 Assay (Trace metal basis) 99.99%	12830.00	5 gm
		44451.00	25 gm
RE1310 Ho (7440-60-0)	Holmium Metal Lump M. W.: 164.93 Assay (Trace metal basis) 99.99%	12830.00	5 gm

Product Code	Product Name	Price	Packing
RE1315 Ho (7440-60-0)	Holmium Metal Powder 325 mesh M. W.: 164.93 Assay (Trace metal basis) 99.99%	12240.00	5 gm
		56070.00	25 gm
RE1360 <chem>Ho(O2C2H3)3.XH2O</chem> (312619-49-1)	Holmium (III) Acetate M. W.: 342.07 Assay (Trace metal basis) 99.9%	1503.00	1 gm
		4330.00	5 gm
RE1365 <chem>Ho(O2C2H3)3.XH2O</chem> (312619-49-1)	Holmium (III) Acetate M. W.: 342.07 Assay (Trace metal basis) 99.99%	10800.00	10 gm
		42840.00	50 gm
RE1370 <chem>Ho(O2C2H3)3.XH2O</chem> (312619-49-1)	Holmium (III) Acetate M. W.: 342.07 Assay (Trace metal basis) 99.999%	POR	1 gm
		POR	5 gm
RE1380 <chem>Ho2(CO3)3.XH2O</chem> (38245-34-0)	Holmium (III) Carbonate M. W.: 509.88 Assay (Trace metal basis) 99.90%	3600.00	10 gm
		15750.00	50 gm
RE1390 <chem>HoCl3.6H2O</chem> (14914-84-2)	Holmium (III) Chloride M. W.: 379.38 Assay (Trace metal basis) 99.90%	3609.00	5 gm
		9000.00	25 gm
RE1400 <chem>HoI3</chem> (13813-41-7)	Holmium (III) Iodide M.W. : 545.64 Assay (Trace metal basis) 99.95%	8550.00	1 gm
		30960.00	5 gm
RE1415 <chem>Ho2.O3</chem> (12055-62-8)	Holmium (III) Oxide M. W.: 377.86 Assay (Trace metal basis) 99.9%	2106.00	5 gm
		4100.00	10 gm
RE1420 <chem>Ho2.O3</chem> (12055-62-8)	Holmium (III) Oxide M. W.: 377.86 Assay (Trace metal basis) 99.99%	7200.00	5 gm
		12060.00	10 gm
RE1425 <chem>Ho2.O3</chem> (12055-62-8)	Holmium (III) Oxide M. W.: 377.86 Assay (Trace metal basis) 99.999%	3303.00	1 gm
		10080.00	5 gm
RE1440 <chem>Ho2(SO4)3.8H2O</chem> (13473-57-9)	Holmium (III) Sulphate M.W. : 762.17 Assay (Trace metal basis) 99.9%	4995.00	5 gm
		19998.00	25 gm
RE1445 <chem>Ho2(SO4)3.8H2O</chem> (13473-57-9)	Holmium (III) Sulphate M.W. : 762.17 Assay (Trace metal basis) 99.99%	5832.00	5 gm
		24210.00	25 gm
RE1450 <chem>Ho2(SO4)3.8H2O</chem> (13473-57-9)	Holmium (III) Sulphate M.W. : 762.17 Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
	Homidium Bromide See Ethidium Bromide		
TC1302 ATC	Human Recombinant Prolactin Source : E-coli Cell Culture Tested Store at -20°C	POR	10 mcg
		POR	50 mcg
TC1613 ATC	▲ Human Serum Albumin Low Fatty acid Cell Culture Tested (70024-90-7)	2592.00	1 gm
		11350.00	5 gm
TC1306 ATC	Human Vitronectin Bloom Strength : 120g Cell Culture Tested (83380-82-9)	POR	100 mcg
		POR	1 mg
	Store at -20°C		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
113415 (1415-93-6)	Humic Acid	324.00 2808.00	500 gm 5 kg
942020 MB (68131-04-4)	Humic Acid Sodium Salt For Molecular Biology Store Below 30°C	2214.00	100 gm
TC1331 ATC (37326-33-3)	Hyaluronidase Cell Culture Tested Activity : 400 - 1000 units/mg solid Store below -20°C	5031.00	25 mg
543965 C ₂₇ H ₄₂ ClNO ₂ (121-54-0)	Hyamine 1622 for Tensile Test AR M. W.: 448.10 Assay (Non-aqueous) (on dried subs.) 99.0%	1494.00 4707.00	25 gm 100 gm
TC1554M ATC C ₂₇ H ₄₂ ClNO ₂ (121-54-0)	Hyamine 1622 Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 448.09 Store below 30°C	6750.00 13500.00	100 gm 250 gm
844460	Hyamine 1622 Soln. 0.004m	720.00 3960.00	500 ml 5 lit
844465	- Hyamine 1622 CPECTROSOL® Solution 0.004M (0.004N) Standardized Solution In accordance with NIST	1980.00	1 lit
844455	- Hyamine 1622 CPECTROSOL® Solution 0.04M (0.04N) Standardized Solution In accordance with NIST	2421.00	1 lit
028501 H ₄ N ₂ .2HCl (5341-61-7)	Hydrazine Dihydrochloride (Hydrazine Chloride) M. W.: 104.97 Assay (Oxidimetric) 97.0%	513.00 2106.00	100 gm 500 gm
844500	Hydrazine Hydrate 24-26% Solution in Water	770.00 3105.00	500 ml 2.5 lit
844510 N ₂ H ₄ .H ₂ O (7803-57-8)	Hydrazine Hydrate M.W. 50.06 Assay 60.0%	4005.00	2.5 lit
028500 H ₄ N ₂ .H ₂ O (7803-57-8)	Hydrazine Hydrate 80% M. W.: 50.06 Assay (iodometric) 80.0%	1710.00 7740.00	500 ml 2.5 lit POR 25 lit
543985 H ₄ N ₂ H ₂ O (7803-57-8)	Hydrazine Hydrate 80% AR M.W.:50.06 Assay 80.0%	1800.00 8505.00	500 ml 2.5 lit POR 25 lit
028502 H ₄ N ₂ H ₂ O (7803-57-8)	Hydrazine Hydrate 99% for Synthesis M. W.: 50.06 Assay (Oxidimetric) 99.0%	2205.00 10503.00	500 ml 2.5 lit POR 25 lit
543990 H ₄ N ₂ H ₂ O (7803-57-8)	Hydrazine Hydrate 99% AR M. W.: 50.06 Assay (Oxidimetric) 99.0%	2952.00 9666.00	500 ml 2.5 lit
028503 H ₄ N ₂ .H ₂ SO ₄ (10034-93-2)	Hydrazine Sulphate Purified M. W.: 130.12 Assay (By iodometric) 99.0%	495.00 1692.00	100 gm 500 gm POR 25 kg
544105 H ₄ N ₂ .H ₂ SO ₄ (10034-93-2)	Hydrazine Sulphate AR/ACS M. W.: 130.12 Assay (By iodometric) 99.0%	550.00 1845.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
	Hydrazinium Chloride See Hydrazine Dihydrochloride		
	Hydrazinium Sulphate See Hydrazine Sulphate		
113555 C ₁₂ H ₁₂ .N ₂ (122-66-7)	Hydrazobenzene M. W.: 184.24 Assay (HPLC) 98.0%	550.00	100 gm
	2-Hydrazone-2-3-Dihydromethyl Benzothiazole Hydrochloride (MBTH) See 3 Methyl-2 Benzothiazolinone Hydrazone Hydrochloride (MBTH)		
544215 C ₁₈ H ₁₄ O ₈ (5950-69-6)	Hydrindantine Dihydrate AR M. W.: 358.30	4338.00	25 gm
544305 HI (10034-85-2)	Hydriodic Acid AR/ACS M. W.: 127.91 Assay (Acid-base titration) 54-56%	2570.00 7803.00	50 ml 250 ml
028505 Hbr (10035-10-6)	Hydrobromic Acid M. W.: 80.91 Assay(acidimetric) 48.0-49.0%	1494.00 6570.00	500 ml 2.5 lit
544425 HBr (10035-10-6)	Hydrobromic Acid AR/ACS M.W. : 80.91 Assay (acidimetric) 48.0%-49.0%	1647.00 7092.00	500 ml 2.5 lit
028516 HBr (10035-10-6)	Hydrobromic Acid in Glacial acetic acid M.W. : 80.91 Assay (Argentometric) About 33.0%	1341.00 5760.00	500 ml 2.5 lit
845050	Hydrochloric Acid 10%	387.00 1540.00	500 ml 2.5 lit
845056 HCl (7647-01-0)	Hydrochloric Acid M.W. : 36.46 Assay 30.0%	297.00 711.00	500 ml 2.5 lit
845058 HCl (7647-01-0)	Hydrochloric Acid M.W. : 36.46 Assay 32.0%	280.00 621.00	500 ml 2.5 lit
113655 HCl (7647-01-0)	Hydrochloric Acid (1.18) M.W. : 36.46 Assay 35-38%	370.00 891.00 1090.00	500 ml 2.5 lit 5 lit
(Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)			
544475 HCl (7647-01-0)	Hydrochloric Acid (1.18) AR M.W. : 36.46 Assay 35.4%	423.00 1170.00 1692.00	500 ml 2.5 lit 5 lit
(Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in a boxes)			
744580 HCl (7647-01-0)	Hydrochloric Acid Abt. 36% (1.18) EL M.W. : 36.46 Assay 36.0%	7623.00	2.5 lit
942120 MB (7647-01-0)	Hydrochloric Acid Fuming 37% for Molecular Biology	702.00	500 ml

H

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

H

Laboratory Chemicals

Product Code	Product Name	Price	Packing
845065	Hydrochloric Acid 37% ACIPUR for Trace Metal Analysis M.W. 36.46 Assay 37.0%	950.00 3906.00	500 ml 2.5 lit
844680	Hydrochloric Acid 0.01M (0.01N) Volumetric Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
844685	Hydrochloric Acid 0.01M Solution	180.00 333.00 495.00	500 ml 1 lit 2.5 lit
844700	Hydrochloric Acid 0.02 M (0.02N) Volumetric Solution	126.00	500 ml
844720	Hydrochloric Acid 0.05 M (0.05N) Volumetric Solution	180.00 333.00 495.00	500 ml 1 lit 2.5 lit
844730	Hydrochloric Acid 0.1 M (0.1N) 1.82350g HCl for 500 ml. 0.1N Volumetric Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
844780	Hydrochloric Acid 0.1M (0.1N) Volumetric Solution	144.00 410.00	500 ml 2.5 lit
844640	Hydrochloric Acid N/10 (Hydrochloric Acid 0.1 N Solution)	149.00 396.00	500 ml 2.5 lit
844800	Hydrochloric Acid 0.2 M (0.2N) Volumetric Solution	144.00	500 ml
844803	Hydrochloric Acid CPECTROSOL® 0.2M (0.2N) Standardized Solution In accordance with NIST	1400.00	1 lit
844805	Hydrochloric Acid CPECTROSOL® 0.25M (0.25N) Standardized Solution In accordance with NIST	1400.00	1 lit
844820	Hydrochloric Acid 0.357 Mol/L (1/2.8N) Solution	189.00 333.00 495.00	500 ml 1 lit 2.5 lit
844840	Hydrochloric Acid 0.5 M (0.5N) Volumetric Soln.	167.00 306.00 450.00	500 ml 1 lit 2.5 lit
844845	Hydrochloric Acid CPECTROSOL® 0.5M (0.5N) Standardized Solution In accordance with NIST	1400.00	1 lit
844860	Hydrochloric Acid 1.0M (1.0N) Volumetric Solution	275.00 495.00 747.00	500 ml 1 lit 2.5 lit
844862	Hydrochloric Acid CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
844865	Hydrochloric Acid 1N acc. to USP	333.00	500 ml
844620	Hydrochloric Acid N/1	189.00	500 ml
844870	Hydrochloric Acid 2 M (2N) CTITRINORM Volumetric Solution	306.00 567.00 855.00	500 ml 1 lit 2.5 lit
844875	Hydrochloric Acid CPECTROSOL® 2M (2N) Standardized Solution In accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
844890	Hydrochloric Acid 3.571 mol/L (1/0.28N) Solution	495.00 900.00 1350.00	500 ml 1 lit 2.5 lit
844900	Hydrochloric Acid 3N (3 mol/L) Solution	333.00 608.00 910.00	500 ml 1 lit 2.5 lit
844910	Hydrochloric Acid 4 M (4 N) Volumetric Solution	360.00 675.00 1017.00	500 ml 1 lit 2.5 lit
844915	Hydrochloric Acid 4M in Dioxane	1467.00	1 lit
844990	Hydrochloric Acid 5 M (5N) CTITRINORM Volumetric Solution	387.00 693.00 1058.00	500 ml 1 lit 2.5 lit
844995	Hydrochloric Acid CPECTROSOL® 5M (5N) Standardized Solution In accordance with NIST	1400.00	1 lit
845000	Hydrochloric Acid 6M (6N) Volumetric Solution	405.00 747.00 1116.00	500 ml 1 lit 2.5 lit
845005	Hydrochloric Acid CPECTROSOL® 6M (6N) Standardized Solution In accordance with NIST	1400.00	1 lit
113715	Hydrocortisone For Lab Use M. W.: 362.46	702.00 3006.00	1 gm 5 gm
C ₂₁ H ₃₀ O ₅ (50-23-7)			
TC1344	Hydrocortisone Cell Culture Tested M. W.: 362.46 Assay : ≥98% Store below 30°C	1971.00 7020.00 12281.00	1 gm 5 gm 10 gm
C ₂₁ H ₃₀ O ₅ (50-23-7)			
113735	Hydrocortisone Acetate For Lab Use M. W.: 404.51	792.00 3402.00	1 gm 5 gm
C ₂₃ H ₃₂ O ₆ (50-03-3)			
028514	Hydrofluoric Acid HF (7664-39-3) M. W.: 20.01 Assay (acidimetric) 39.0-43.0%	756.00 2700.00 4806.00	500 ml 2.5 lit 5 lit
544735	Hydrofluoric Acid AR/ACS HF (7664-39-3) M. W.: 20.01 Assay 40.0-42.0%	1206.00	500 ml
744120	Hydrofluoric Acid EL grade HF (7664-39-3) M. W.: 20.01 Assay 48.0-51.0%	1800.00	500 ml
544738	Hydrofluoric Acid AR/ACS HF (7664-39-3) M. W.: 20.01 Assay 48.0-51.0%	1305.00 5040.00	500 ml 2.5 lit
845100	Hydrofluoric Acid Acipur for Trace Metal Analysis HF (7664-39-3) M.W : 20.01 Assay 48.0%	1760.00 3200.00 4806.00	500 ml 1 lit 2.5 lit
	Hydrogen Hexa Chloro Platinatate (IV) See Platinic Chloride		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
845150	Hydrogen Bromide 2M (2N) Volumetric Solution	1098.00	1 lit
845160	Hydrogen Chloride 0.1M (0.1N) in 2-Propanole	3870.00 5670.00	100 ml 500 ml
845200	Hydrogen Peroxide Solution about 6% w/v H ₂ O ₂ 20 Volumes M. W.: 34.01 Assay(H ₂ O ₂) 6.0% w/v	297.00	1 lit
H ₂ O ₂ (7722-84-1)			
845250	Hydrogen Peroxide Solution about 30% w/v H ₂ O ₂ 100 Volumes M. W.: 34.01 Assay(H ₂ O ₂) 30.0% w/v	405.00 2106.00	500 ml 5 lit
H ₂ O ₂ (7722-84-1)			
845300	Hydrogen Peroxide Solution AR 30% 100 Volumes M. W.: 34.01 Assay : Contains not less than 30% w/v	468.00 2300.00	500 ml 5 lit
H ₂ O ₂ (7722-84-1)			
PCT2511	▲Hydrogen Peroxide Plant Culture Tested M. W.: 34.0147 Assay min 30%	4060.00 7120.00 10620.00	100 ml 500 ml 1 lit
H ₂ O ₂ (7722-84-1)			
030011	Hydroquinone for Synthesis M. W.: 110.11 Assay (GC) 99.0%	693.00 3096.00	100 gm 500 gm
C ₆ H ₄ (OH) ₂ (123-31-9)		POR	25 kg
544875	Hydroquinone AR M. W.: 110.11 Assay 99.5%	819.00 3492.00	100 gm 500 gm
C ₆ H ₄ (OH) ₂ (123-31-9)			
PCT2556	Hydroquinone Plant Culture Tested M. W.: 110.11	693.00 3096.00	100 gm 500 gm
C ₆ H ₆ O ₂ (123-31-9)			
	Store below 30°C		
113835	Hydroquinone Dimethyl Ether for Synthesis M. W.: 138.16	1863.00 7002.00	250 gm 1 kg
C ₆ H ₄ (OCH ₃) ₂ (150-78-7)			
113880	Hydroquinone Monomethyl Ether M. W.: 124.14 Assay (GC) 98.0%	819.00 3393.00	100 gm 500 gm
C ₇ H ₈ O ₂ (150-76-5)			
	4-Acetaamido Phenol See p-Hydroxy Acetanilide (Paracetamol)		
028521	2-Hydroxy Acetophenone M.W 136.15 Assay (GC) 95.0%	972.00 4095.00	100 ml 500 ml
C ₈ H ₈ O ₂ (118-93-4)			
114015	3-Hydroxy Acetophenone for Synthesis (m-Hydroxyacetophenone) M. W.: 136.15	702.00 2205.00	25 gm 100 gm
HOC ₆ H ₄ COCH ₃ (121-71-1)			
028522	4-Hydroxy Acetophenone M. W.: 136.15 Assay (GC) 99.0%	603.00 2493.00	100 gm 500 gm
CH ₃ .CO.C ₆ H ₄ .OH (99-93-4)			
114075	1-Hydroxy Adamantane M. W.: 152.23 Assay 99.0%	1170.00 3960.00	5 gm 25 gm
C ₁₀ H ₁₆ O (768-95-6)			

Product Code	Product Name	Price	Packing
028525	p-Hydroxy Azobenzene absorption indicator M. W.: 198.23 Assay 98.0%	820.00	25 gm
C ₁₂ H ₁₀ N ₂ O (1689-82-3)			
545025	▲1-Hydroxy-7-Azabenzotriazole (Hoat) AR Protecting Reagent M. W.: 136.11	675.00 2800.00 11700.00	1 gm 5 gm 25 gm
C ₅ H ₄ N ₄ O (39968-33-7)			
	2-Hydroxy Benzaldehyde See Salicylaldehyde		
028526	m-Hydroxy Benzaldehyde M. W.: 122.12 Assay (Acidimetric) 98.0%	1908.00 9000.00	100 gm 500 gm
C ₇ H ₆ O ₂ (100-83-4)			
028527	p-Hydroxy Benzaldehyde M. W.: 122.12 Assay (GC) 98.0%	630.00 2502.00	100 gm 500 gm
C ₇ H ₆ O ₂ (123-08-0)			
114255	4-Hydroxy Benzamide M. W.: 137.14 Assay 98.0%	1980.00 7470.00	5 gm 25 gm
C ₇ H ₇ NO ₂ (619-57-8)			
545045	2-(4-Hydroxybenzeneazo) Benzoic Acid for Automatic analysis AR M. W.: 242.24 Assay (HPLC) 99.0%	396.00 1206.00	1 gm 5 gm
C ₁₃ H ₁₀ N ₂ O ₃ (1634-82-8)			
114425	m-Hydroxy Benzoic Acid for Synthesis M. W.: 138.12	1602.00 7200.00	100 gm 500 gm
HOC ₆ H ₄ CO ₂ H (99-06-9)			
028529	p-Hydroxy Benzoic Acid M. W.: 138.12 Assay (acidimetric) 99.0%	342.00 1296.00	100 gm 500 gm
C ₆ H ₄ (OH).COOH (99-96-7)			
545235	* p-Hydroxy Benzoic Acid Sodium Salt AR for Biochemistry M. W.: 136.07 Assay 98.0%	2592.00 3591.00	25 gm 100 gm
HOC ₆ H ₄ CO ₂ Na (114-63-6)		POR	1 kg
114515	p-Hydroxy Benzophenone M. W.: 198.22 Assay 98.0%	3645.00 12420.00	100 gm 500 gm
HOC ₆ H ₄ COC ₆ H ₅ (1137-42-4)			
114585	1-Hydroxy Benzotriazole Anhydrous (HOBT) M.W : 135.12 Assay 99.0%	540.00 1710.00 7700.00	25 gm 100 gm 500 gm
C ₆ H ₅ N ₃ O (2592-95-2)			
	[(2-Hydroxy-1,1-Bis (Hydroxymethyl) Ethyl) Amino]-1-Ethanesulphonic Acid See TAPS Buffer		
066214	o-Hydroxy Biphenyl M. W.: 170.21 Assay 99.0%	2610.00 9207.00	500 gm 2.5 kg
C ₁₂ H ₁₀ O (90-43-7)			
114705	6-Hydroxy-3-Coumaranone M. W.: 150.13 Assay 97.0%	2890.00 5590.00	1 gm 5 gm
C ₈ H ₆ O ₃ (6272-26-0)			
066213	p-Hydroxy Diphenyl M. W.: 170.21 Assay (GC) 98.0%	1206.00 4005.00	100 gm 500 gm
C ₁₂ H ₁₀ O (92-69-3)			

H

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
114805 (9004-62-0)	Hydroxy Ethyl Cellulose (Hv 45) mPas	3807.00	500 gm
114815 (9004-62-0)	Hydroxy Ethyl Cellulose HV 145 mPas	3807.00	500 gm
114825 (9004-62-0)	Hydroxy Ethyl Cellulose HV 270 mPas	4050.00	500 gm
	N,N-bis-(2-Hydroxyethyl)-2-Amino Ethane Sulfonic Acid See BES Buffer		
	4-Hydroxy-2,4-Dinitrobenzene See 2,4-Dinitrophenol		
	N-(2-Hydroxyethyl) Ethylenediamine See 2-(2-Aminoethyl) Ethanolamine		
	N,N-BIS-(2-Hydroxy Ethyl) Glycine See Bicine Buffer		
115155 C ₆ H ₁₀ O ₃ (868-77-9)	2-Hydroxy Ethyl Methacrylate M.W: 130.14 Assay 96.5%	1900.00	500 ml
	2-(Hydroxyethyl) Methylamine See - 2-(Methylamino) Ethanol		
115205 C ₆ H ₁₃ NO ₂ (622-40-2)	4-(2-Hydroxy Ethyl) Morpholine (2-Morpholinoethanol) M. W.: 131.17	1944.00 9000.00	500 ml 2.5 lit
115315 C ₁₀ H ₉ NO ₃ (3891-07-4)	n-(2-Hydroxy Ethyl) Phthalimide (2-Phthalimidoethanol) M. W.: 191.18	1098.00 4770.00	100 gm 500 gm
	N-(2-Hydroxy Ethyl) Piperazine-N-2-Ethane Sulphonic Acid Sodium Salt See HEPES Sodium Salt Buffer		
	N-(2-Hydroxy Ethyl) Piperazine-N-2-Ethane Sulphonic Acid See HEPES (Buffer)		
115515 C ₇ H ₁₅ NO (3040-44-6)	1-(2-Hydroxy Ethyl) Piperidine (1-Piperidine Ethanol, 2-Piperidino Ethanol) M. W.: 129.20	2502.00	500 ml
	[(2-Hydroxy-1,1-Bis(Hydroxymethyl) Ethyl) Amino]-Ethanesulphonic Acid See TES Buffer		
	2-Hydroxy -1(2-Hydroxy-4-Sulpho-1-Naphthylazo)-3-Napthoic Acid See Patton And Reeder's Reagent		
115605 C ₈ H ₇ NO (2380-94-1)	4-Hydroxy Indole (4-Indolol) for Synthesis M. W.: 135.15	9900.00	5 gm
115635 C ₈ H ₇ NO (1953-54-4)	✳ 5-Hydroxy Indole for Synthesis M. W.: 133.15 Assay 97.0%	2520.00 7506.00	1 gm 5 gm
115735 HOOC ₆ H ₃ -1,3-(CO ₂ H) ₂ (618-83-7)	5-Hydroxy Isophthalic Acid for Synthesis M. W.: 182.13	900.00 3006.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
115825	Hydroxylamine Hydrochloride for Synthesis (Hydroxyl Ammonium Chloride) M. W.: 69.49 Assay 98.0%	342.00 1503.00	100 gm 500 gm POR 50 kg
NH ₂ OH.HCl (5470-11-1)			
545325 NH ₂ OH.HCl (5470-11-1)	Hydroxylamine Hydrochloride AR/ACS M. W.: 69.49 Assay 99.0%	460.00 1746.00	100 gm 500 gm
845400	Hydroxylamine Hydrochloride Solution TS acc. USP	423.00	500 ml
845405 C ₁₆ H ₃₀ BN (33725-74-5)	Hydroxylamine Hydrochloride Solution (For determining Pb & for benzaldehyde test as per IP) M.W. 257.31	945.00	250 ml
115915 (NH ₂ OH) ₂ .H ₂ SO ₄ (10039-54-0)	Hydroxylamine Sulphate (Hydroxyl Ammonium Sulphate) M. W.: 164.13 Assay (oxidimetric) 97.0%	603.00 POR 50 kg	500 gm 50 kg
545335 (NH ₂ OH) ₂ .H ₂ SO ₄ (10039-54-0)	Hydroxylamine Sulphate AR/ACS M. W.: 164.13 Assay (Oxidimetric) 99.0%	801.00	500 gm
	Hydroxyl Ammonium Chloride See- Hydroxylamine Hydrochloride		
	Hydroxyl Ammonium Sulphate See Hydroxylamine Sulphate		
	3-Hydroxy-4-Methoxy Benzaldehyde See Iso Vaniline		
	4-Hydroxy-3-Methoxy Benzaldehyde See Vanillin		
116105 ✳ HOC ₆ H ₃ (CH ₃)CO ₂ H (499-76-3)	4-Hydroxy-3-Methyl Benzoic Acid M. W.: 152.15 Assay 97.0%	4050.00	5 gm
116195 C ₁₀ H ₈ O ₃ (90-33-5)	7-Hydroxy-4-Methyl-Coumarin (β-Methylumbelliferone) M. W.: 176.17	783.00 2862.00	25 gm 100 gm
	2-Hydroxymethyl Furan See Furfuryl Alcohol		
116365 C ₆ H ₆ O ₃ (67-47-0)	▲5-Hydroxy Methyl Furfural M. W.: 126.11 Assay (HPLC) 99.0%	1620.00 5400.00 24930.00	1 gm 5 gm 25 gm
	4-Hydroxy-4-Methyl Pentan-2-One See Diacetone Alcohol		
	4-Hydroxy-4-Methyl-2-Pentanone See Diacetone Alcohol		
116685 C ₁₁ H ₈ O ₂ (708-06-5)	2-Hydroxy-1-Naphthaldehyde M. W.: 172.18 Assay (GC) 88.0%	2214.00 7470.00	25 gm 100 gm
299935 C ₂₀ H ₁₂ N ₂ Na ₂ O ₁₁ S ₃ (165660-27-5)	Hydroxy Naphthol Blue AR Indicator For Calcium determination M. W.: 598.50	370.00 1458.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
H27981	Hydroxy Naphthol Blue ACS Certified grade C ₂₀ H ₁₂ N ₂ Na ₂ O ₁₁ S ₃ (165660-27-5)	2304.00	25 gm
	2-Hydroxy-1-Nitroso-3,6-Naphthalene Disulfonic Acid Disodium Salt See Nitroso R Salt		
	DL-α-Hydroxyphenyl Acetic Acid See DL-Mandelic Acid		
116825	4-Hydroxy Phenyl Acetic Acid for Synthesis HOOC ₆ H ₄ CH ₂ CO ₂ H (156-38-7)	1305.00 4500.00	25 gm 100 gm
	L-Hydroxy Phenylalanine See L-DOPA		
	2-(4'-Hydroxyphenylazo) Benzoic Acid See 2-(4-Hydroxy benzene azo) Benzoic Acid		
116945	4-Hydroxy Piperidine (4-Piperidinol) C ₅ H ₁₁ NO (5382-16-1)	2745.00 9000.00	25 gm 100 gm
037120	L-Hydroxy Proline for Biochemistry C ₅ H ₉ NO ₃ (51-35-4)	131.00 370.00 1350.00 4707.00	1 gm 5 gm 25 gm 100 gm
117165	4-Hydroxy Propiophenone (p-Hydroxypropiophenone) HOOC ₆ H ₄ COC ₂ H ₅ (70-70-2)	2790.00 7560.00	100 gm 500 gm
117275	2-Hydroxy Propyl Beta Cyclodextrine for Synthesis C ₄₂ H ₇₀ O ₃₅ .C ₂ H ₅ O (128446-35-5)	2601.00 8001.00	25 gm 100 gm
TC1446	Hydroxypropyl-β-Cyclodextrin 2-Hydroxypropylether-B-cyclodextrin Cell Culture Tested C ₅₄ H ₁₀₂ O ₃₉ (94035-02-6)	9153.00 34340.00	5 gm 5x5 gm
117325	Hydroxy Propyl Methyl Cellulose 5 cPs (9004-65-3)	4901.00	1 kg
117330	Hydroxy Propyl Methyl Cellulose 15 cPs C ₃ H ₈ O ₂ .XCH ₄ (9004-65-3)	4901.00	1 kg
117335	Hydroxy Propyl Methyl Cellulose 50 cPs C ₃ H ₈ O ₂ .XCH ₄ (9004-65-3)	5508.00	1 kg
117340	Hydroxy Propyl Methyl Cellulose 3000 cPs + C ₃ H ₈ O ₂ .XCH ₄ (9004-65-3)	3654.00	500 gm
117350	Hydroxy Propyl Methyl Cellulose (9004-65-3)	9900.00	500 gm

Product Code	Product Name	Price	Packing
	6-Hydroxypurine See Hypoxanthine		
117555	2-Hydroxy Pyridine for Synthesis C ₅ H ₅ NO (142-08-5)	3501.00 12600.00	100 gm 500 gm
117585	3-Hydroxy Pyridine for Synthesis C ₅ H ₅ NO (109-00-2)	711.00 2412.00 10900.00	25 gm 100 gm 500 gm
117620	4-Hydroxy Pyridine C ₅ H ₅ NO (626-64-2)	1404.00 5301.00	25 gm 100 gm
117655	8-Hydroxy Quinoline (Oxine) C ₉ H ₇ NO (148-24-3)	1098.00 4797.00	100 gm 500 gm
545475	8-Hydroxy Quinoline AR/ACS (Oxine) Reagent for Vanadium Magnesium C ₉ H ₇ NO (148-24-3)	1305.00 5202.00	100 gm 500 gm
PCT2128	8-Hydroxyquinoline Plant Culture Tested C ₉ H ₇ NO (148-24-3)	1540.00 6219.00 11970.00	100 gm 500 gm 1 kg
845450	8-Hydroxy Quinoline Solution (Oxine Reagent) Reagent for Al, In, Mo, Co, Cd	360.00	100 ml
117725	n-Hydroxy Succinimide for Synthesis C ₄ H ₅ NO ₃ (6066-82-6)	2394.00 7920.00	100 gm 500 gm
117815	5-Hydroxy-L-Trptryphan for Biochemistry C ₁₁ H ₁₂ N ₂ O ₃ (4350-09-8)	2570.00	1 gm
117905	Hyflosupercel (Filter AID) (61790-53-2)	550.00 792.00	500 gm 1 kg
		POR	10 kg
117995	Hygromycin-B C ₂₀ H ₃₇ N ₃ O ₁₃ (31282-04-9)	2430.00 13150.00	100 mg 1 gm
PCT2104	▲ Hygromycin-B From Streptomyces hygroscopicus Plant Culture Tested C ₂₀ H ₃₇ N ₃ O ₁₃ (31282-04-9)	3852.00 8470.00 29664.00	100 mg 250 mg 1 gm
PCT2503	▲ Hygromycin B Solution w/ 50 mg/ml Hygromycin B in sterile distilled water Sterile filtered Plant Culture Tested	19998.00 96300.00	20 ml 5X20 ml
TC1027	▲ Hygromycin-B Cell Culture Tested Recommended for use in cell culture applications at 200-400 mg/L C ₂₀ H ₃₇ N ₃ O ₁₃ (31282-04-9)	2790.00 4824.00 9756.00 28220.00	50 mg 100 mg 250 mg 1 gm
	Hypo See Sodium Thiosulphate		

H

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

H

Laboratory Chemicals

Product Code	Product Name	Price	Packing
118265 H ₃ PO ₂ (6303-21-5)	Hypophosphorous Acid M. W.: 66.00 Assay 30-32%	1800.00	500 ml
545505 H ₃ PO ₂ (6303-21-5)	Hypophosphorous Acid AR M. W.: 66.00 Assay (acidimetric) 50.0%	2394.00	500 ml
118515 C ₅ H ₄ N ₄ O (68-94-0)	Hypoxanthine for Biochemistry M. W.: 136.11 Assay (Non-aqueous) 99.0%	270.00 1000.00 3393.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
PCT1206 PTC	Hypoxanthine (6-Hydroxypurine) Plant Culture Tested M. W.: 136.11 Assay 99% Store below 30°C	900.00 4041.00 8240.00	5 gm 25 gm 100 gm
C ₅ H ₄ N ₄ O (68-94-0)			
TC1139 ATC	Hypoxanthine (6-Hydroxypurine) Cell Culture Tested M. W.: 136.11 Assay : ≥99% Store below 30°C	1485.00 5940.00	5 gm 25 gm
C ₅ H ₄ N ₄ O (68-94-0)			

HPLC SOLVENTS



Product Features

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorption.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 m filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.



Product Code	Product Name	Price	Packing
	ICP Single/Multi Element Standard Solution Manufactured from the High Purity D.I. Water, Metal Free Acids and High Purity Metals & Metal Salts. Manufactured in intensively Controlled clean room for prevention of cross contamination. Each element solutions In accordance with NIST		
	See Complete List Standard Solution Page No. -		
106815	Imidazole (Glyoxaline)	558.00	100 gm
C ₃ H ₄ N ₂ (288-32-4)	M. W.: 68.08 Assay (GC) 99.0%	2205.00 16533.00	500 gm 5 kg
546015	Imidazole AR/ACS	657.00	100 gm
C ₃ H ₄ N ₂ (288-32-4)	M. W.: 68.08 Assay (By acidimetric) 99.5%	2502.00 19000.00	500 gm 5 kg
948100 MB	Imidazole for Molecular Biology	2502.00	100 gm
C ₃ H ₄ N ₂ (288-32-4)	M. W.: 68.08 Assay (GC) 99.5%	7560.00	500 gm
028547	Imino Diacetic Acid for Synthesis	1062.00	250 gm
C ₄ H ₇ NO ₄ (142-73-4)	M. W.: 133.10 Assay (acidimetric) 99.0%		
120875	Imipramine Hydrochloride	302.00	5 gm
	for Biochemistry	864.00	25 gm
C ₁₉ H ₂₄ N ₂ .HCl (113-52-0)	M. W.: 316.87	3222.00	100 gm
351205	Immersion Oil Natural	2120.00	500 ml
351185	Immersion Oil for Microscopy	270.00	25 ml
	Wt. per ml at 20°C Abt. 0.97 gm	320.00	30 ml
		774.00	125 ml
		2628.00	500 ml
	1,2,3-Indanetrione See Ninhydrin		
121005	1-Indanone for Synthesis	1917.00	25 gm
C ₉ H ₉ O (83-33-0)	(A-Hydrindone) M. W.: 132.16		
121195	Indene	3600.00	100 ml
C ₉ H ₈ (95-13-6)	M. W.: 116.16 Assay 99.0%		
848910	Indian Ink Used as Stain	351.00	100 ml
	for Proteins on Nitrocellulose Blotting Membranes		
PA0781	Indicator Paper pH 1-10	396.00	200 lvs
	Wide Range (10bks)		
PA0783	Indicator Paper Universal pH 1-10	396.00	200 lvs
	(Including Colour Scale 100 leaves)		
PA0785	Indicator Paper Universal pH 1-10	311.00	1 refill
	(Without Colour Scale) Accurate to 1pH Unit		
PA0786	Indicator Paper Universal pH 1-10	311.00	1 roll
	(Including Colour Scale) Accurate to 1pH Unit		
PA0791	Indicator Paper pH 1.0-14.0	396.00	200 lvs
	Full Range (10 bks)		
PA0801	Indicator Paper pH 2.0-4.5	396.00	200 lvs
	Narrow Range (10 bks)		

Product Code	Product Name	Price	Packing
PA0811	Indicator Paper pH 2.0-10.5	370.00	200 lvs
	Wide Range (10 bks)		
PA0821	Indicator Paper pH 3.5-6.0	387.00	200 lvs
	Narrow Range (10 bks)		
PA0826	Indicator Paper pH 3.8-5.4	450.00	200 lvs
	(10 bks) Plastic Box		
PA0836	Indicator Paper pH 5.0-7.5	360.00	200 lvs
	Narrow Range (10 bks)		
PA0871	Indicator Paper pH 6.5-9.0	360.00	200 lvs
	Narrow Range (10 bks)		
PA0886	Indicator Paper pH 8.0-10.5	374.00	200 lvs
	Narrow Range (10 bks)		
PA0891	Indicator Paper pH 8.2-10.0	387.00	200 lvs
	(10 bks) Plastic Box		
301045	Indigo Carmine AR for Microscopy	298.00	25 gm
	C.I. No. 73015	1000.00	100 gm
C ₁₆ H ₈ N ₂ O ₈ S ₂ Na ₂ (860-22-0)	M. W.: 466.36 Dye content (titrimetry, on dried subs.) 85.0%	9900.00	1 kg
849000	Indigo Carmine Indicator Solution	198.00	100 ml
121415	Indion® 190 Ion Exchange Resin	1900.00	250 gm
	Catalyst grade) (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	5976.00	1 kg
121420	Indion® 225H Ion Exchange Resin	927.00	1 kg
	(Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	POR	5 kg
121425	Indion® 236 Ion Exchange Resin	1638.00	1 kg
	(Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)		
121430	Indion® 454 Ion Exchange Resin	1450.00	250 gm
	(Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	6291.00	1 kg
121435	Indion® 464 Ion Exchange Resin	2196.00	250 gm
	(Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	7340.00	1 kg
121440	Indion® 730 Ion Exchange Resin	981.00	1 kg
	(Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)		
121445	Indion® 790 Ion Exchange Resin	2354.00	1 kg
	(Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)		
121450	Indion® 810 Ion Exchange Resin	2980.00	1 kg
	(Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)		
121455	Indion® 820 Ion Exchange Resin	4248.00	1 kg
	(Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)		
121460	Indion® 830S Ion Exchange Resin	3231.00	1 kg
	(Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)		
121465	Indion® 860 Ion Exchange Resin	775.00	250 gm
	(Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	2133.00	1 kg

Product Code	Product Name	Price	Packing
121470	Indion® 890 Ion Exchange Resin (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	3276.00	1 kg
121475	Indion® BSR Ion Exchange Resin (Chelating resin) (Product of Ion Exchange India Ltd)	2300.00 8163.00	250 gm 1 kg
121480	Indion® CAM-1 Ion Exchange Resin (Nuclear grade) (mixed bed resin) (Product of Ion Exchange India Ltd)	3006.00	1 kg
121485	Indion® CAM-28 Ion Exchange Resin (mixed bed resin) (Product of Ion Exchange India Ltd)	3551.00 5153.00	250 gm 1 kg
121490	Indion® GS-300 Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	2012.00	1 kg
121495	Indion® GS-400 Ion Exchange Resin (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	1845.00	1 kg
121500	Indion® NPA2 Ion Exchange Resin (Industrial grade) (Product of Ion Exchange India Ltd)	4680.00	500 gm
849300	Indium (In) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	4788.00	250 ml
849350	Indium (In) CRISTAR® 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO ₃	5490.00	100 ml
546065	Indium Metal Ingots AR In (7440-74-6)	4833.00 POR	10 gm 100 gm 500 gm
121580	Indium Nitrate In (NO ₃) ₃ ·5H ₂ O (13770-61-1)	3870.00	10 gm
028554	Indium Oxide In ₂ O ₃ (1312-43-2)	5895.00	10 gm
028555	Indium Sulphate In ₂ (SO ₄) ₃ (13464-82-9)	2943.00	10 gm
028556	Indium Trichloride InCl ₃ (10025-82-8)	4860.00	10 gm
546095	Indole Crystalline AR For estimation of DNA C ₈ H ₇ N (120-72-9)	540.00 1503.00 POR	25 gm 100 gm 1 kg
849415	Indole Solution (Reagent for Nitrites)	423.00	100 ml
028558	Indole-3-Acetic Acid for Biochemistry Plant Growth Hormone C ₁₀ H ₉ NO ₂ (87-51-4)	401.00 1503.00 4901.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
PCT1803	Indole-3-Acetic Acid (IAA) (Heteroauxine) Plant Culture Tested C ₁₀ H ₉ NO ₂ (87-51-4)	675.00 3340.00 10692.00	5 gm 25 gm 100 gm
PCT2404	Indole-3-Acetic Acid Solution (IAA) w/ 1 mg/ml IAA in sterile distilled water Sterile filtered Plant Culture Tested	797.00 2403.00	20 ml 5X20 ml
121835	3-Indole Acetonitrile for Biochemistry C ₁₀ H ₈ N ₂ (771-51-7)	1458.00 5445.00 20970.00	5 gm 25 gm 100 gm
028559	Indole-3-Butyric Acid for Biochemistry Plant Growth Hormone C ₁₂ H ₁₃ NO ₂ (133-32-4)	423.00 1701.00 5517.00	5 gm 25 gm 100 gm
PCT1804	Indole-3-Butyric Acid (IBA) Plant Culture Tested C ₁₂ H ₁₃ NO ₂ (133-32-4)	666.00 2997.00 10512.00	5 gm 25 gm 100 gm
PCT2405	Indole-3-Butyric Acid Solution (IBA) w/ 1 mg/ml IBA in sterile distilled water Sterile filtered Plant Culture Tested	873.00 2610.00	20 ml 5X20 ml
122005	Indole-5-Carbonitrile (5-Cyano Indole) C ₉ H ₆ N ₂ (15861-24-2)	1071.00 4671.00	5 gm 25 gm
122105	Indole-3-Carboxaldehyde for Synthesis C ₉ H ₇ NO (487-89-8)	1755.00 6120.00	25 gm 100 gm
122155	Indole-3-Carboxylic Acid for Biochemistry C ₉ H ₇ NO ₂ (771-50-6)	1260.00 5031.00	5 gm 25 gm
122165	Indole-5-Carboxylic Acid C ₉ H ₇ NO ₂ (1670-81-1)	9000.00	5 gm
122245	Indole-3-Propionic Acid for Biochemistry C ₁₁ H ₁₁ NO ₂ (830-96-6)	1107.00 3290.00	5 gm 25 gm
PCT1831	Indole-3-Propionic Acid (IPA) Plant Culture Tested C ₁₁ H ₁₁ NO ₂ (830-96-6)	1836.00 8964.00	5 gm 25 gm
PCT2407	Indole-3-Propionic Acid Solution (IPA) w/ 1 mg/ml IPA in sterile distilled water Sterile filtered Plant Culture Tested	910.00 2754.00	20 ml 5X20 ml
122315	Indolinone for Synthesis [1-(2,6-dichlorophenyl)-2-indolinone] C ₁₄ H ₉ Cl ₂ NO (15362-40-0)	621.00 1540.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1465 C ₁₉ H ₁₆ ClNO ₄ (53-86-1)	▲ Indomethacin 1-(4-Chlorobenzoyl)-5-methoxy-2-methyl-3-indoleacetic acid Cell Culture Tested M. W.: 357.79 Assay : ≥99%	5040.00	5 gm
		8870.00	10 gm
		21020.00	25 gm
		64332.00	100 gm
TC1711 (56090-82-1)	▲ Inomycin Calcium Salt Cell Culture Tested M. W.: 747.07 Assay : ≥98%	48510.00	10 mg
028561 C ₁₀ H ₁₂ N ₄ O ₅ (58-63-9)	▲ Inosine for Biochemistry M. W.: 268.23 Assay (Spectrophotometric 249nm at pH 6.0) 98.0-102.0%	585.00	10 gm
		1305.00	25 gm
		5004.00	100 gm
		19800.00	500 gm
122395 C ₁₀ H ₁₁ N ₄ Na ₂ O ₈ P.8H ₂ O (4691-65-0)	▲ Inosine-5-Monophosphate Disodium Salt Octahydrate for Biochemistry M.W.: 536.3 Assay (Spectrophotometry; on dried metrial) 98.0%	1040.00	5 gm
		3690.00	25 gm
122405 C ₆ H ₁₂ O ₆ (87-89-8)	meso- Inositol for Biochemistry M. W.: 180.16	351.00	25 gm
		945.00	100 gm
		8460.00	1 kg
PCT1208 C ₆ H ₁₂ O ₆ (87-89-8)	Inositol (meso-Inositol) Plant Culture Tested M. W.: 180.16 Assay 98% Store below 30°C	522.00	25 gm
		1827.00	100 gm
		16470.00	1 kg
TC1140 C ₆ H ₁₂ O ₆ (87-89-8)	myo- Inositol (meso-Inositol; l-Inositol) Cell Culture Tested M. W.: 180.16 Assay : ≥97% Store below 30°C	1341.00	25 gm
		3996.00	100 gm
		15912.00	500 gm
		24003.00	1 kg
300845 C ₁₉ H ₁₃ ClIN ₅ O ₂ (146-68-9)	· I.N.T. AR Reagent for LDH determination M. W.: 505.70 Assay (Argentometric; on dried) 98.0%	2300.00	1 gm
		11007.00	5 gm
943600 C ₁₉ H ₁₃ ClIN ₅ O ₂ (146-68-9)	· I.N.T. Chloride (Int Dye) For Molecular Biology M. W.: 505.7 Assay : ≥ 95%	2718.00	1 gm
038046 (C ₆ H ₁₀ O ₅) _x (9005-80-5)	Inulin for Biochemistry M. W.: (162.14) _x	1000.00	25 gm
		3303.00	100 gm
545215 HIO ₃ (7782-68-5)	Iodic Acid AR M. W.: 175.91 Assay 99.5%	6291.00	100 gm
028564 I ₂ (7553-56-2)	Iodine Resublimed Meets Analytical Specification of IP, BP, Ph. Eur. M. W : 253.81 Assay (Oxidimetric) 99.5%	1130.00	25 gm
		3402.00	100 gm
		16002.00	500 gm
		POR	25 kg
545255 I ₂ (7553-56-2)	Iodine Resublimed AR M. W : 253.81 Assay (Oxidimetric) 99.8%	1202.00	25 gm
		3600.00	100 gm
		17010.00	500 gm

Product Code	Product Name	Price	Packing
849600	Iodine Solution 1% w/v	158.00	125 ml
849418	Iodine Solution For TLC Spray (Universal Reagent for Organic Compounds)	522.00	125 ml
849650	Iodine 10% w/v	2133.00	500 ml
		POR	2.5 lit
849655	Iodine 20% w/v	4266.00	500 ml
		POR	2.5 lit
849780	Iodine 0.005 M (0.01 N) Volumetric Solution	468.00	500 ml
		2205.00	2.5 lit
849725	Iodine CPECTROSOL® 0.02365M (0.0473N) Standardized Solution In accordance with NIST	1400.00	1 lit
849730	Iodine CPECTROSOL® 0.0241M (0.0482N) Standardized Solution In accordance with NIST	1400.00	1 lit
849750	Iodine 0.025 M (0.05 N) Volumetric Solution	1301.00	1 lit
849700	Iodine Solution N/10 (0.1 N)	513.00	500 ml
849810	Iodine 0.05M Standardized solution Nist Traceble	1400.00	1 lit
849815	Iodine 0.05 M (0.1N) Volumetric Solution	990.00	500 ml
		1872.00	1 lit
		3078.00	2.5 lit
849840	Iodine Solution 0.05 M Citrisol 6.3450 g I ₂ For 500 ml. 0.1 N solution	990.00	1 Amp
		1800.00	3 Amp
		3240.00	6 Amp
849845	Iodine 0.1N acc. to USP	1400.00	500 ml
849850	Iodine 0.5M (1N) Standardized Solution Nist Traceable	4554.00	1 lit
849870	Iodine 1N (0.5M) Solution	1540.00	250 ml
		2970.00	500 ml
	Iodine Chloride See Iodine Monochloride		
	Iodine Gram's See Gram's Iodine		
849885	Iodine Iodate 0.01N (0.005M) Concentrate Solution For 1 lit	1359.00	1 lit
849888	Iodine Iodate 1/64N (1/128M) Concentrate Solution For 1 lit	2205.00	1 lit
	Iodine Lugol's See Lugol's Iodine		
122715 (7789-33-5)	Iodine Mono Bromide for Synthesis M. W.: 206.81 Assay 98.0%	8730.00	100 gm
		POR	5x100 gm
849890	Iodine Mono Bromide 1.0 M (in Dichloro methane)	720.00	100 ml
028566 ICI (7790-99-0)	Iodine Mono Chloride for Synthesis M. W.: 162.36 Assay (iodometric) 98.0%	5607.00	250 gm

Product Code	Product Name	Price	Packing
849900	Iodine Mono Chloride Solution 1.0 M (in Dichloro methane)	3906.00 5400.00	100 ml 500 ml
549025	Iodine Pentoxide AR for Flue Gas Analysis I ₂ O ₅ (12029-98-0) M. W.: 333.81 Assay 98.0%	7200.00	100 gm
849930	Iodine Phosphoric Acid Solution (Magnine Reagent) (Reagent for Cellulose)	666.00	25 ml
028569	Iodine Trichloride ICl ₃ (865-44-1) M. W.: 233.26 Assay (Iodometric) 97.0%	3105.00	25 gm
122855	Iodo Acetamide for Synthesis ICH ₂ CONH ₂ (144-48-9) M. W.: 184.96	6003.00	25 gm
549165	Iodo Acetic Acid AR ICH ₂ CO ₂ H (64-69-7) M. W.: 185.95 Assay 99.5%	1971.00 5904.00	5 gm 25 gm
123015	Iodo Benzene for Synthesis C ₆ H ₅ I (591-50-4) M. W.: 204.01 Assay 98.0%	3006.00 13500.00	100 gm 500 gm
549305	Iodo Benzene Diacetate AR (Diacetoxyiodobenzene) C ₆ H ₅ I(O ₂ CH ₃) ₂ (3240-34-4) M. W.: 322.10 Assay 98.0%	1701.00 6300.00	25 gm 100 gm
123225	Δ2-Iodo Benzoic Acid IC ₆ H ₄ CO ₂ H (88-67-5) M. W.: 248.02 Assay 98.0%	981.00 3096.00	25 gm 100 gm
113245	1-Iododecane for Synthesis C ₁₀ H ₂₁ I (2050-77-3) M.W : 268.18 Assay 98.0%	1350.00 4500.00	25 gm 100 gm
	1-Iodobutane See n-Butyl Iodide		
	Iodo eosin See Erythrosin B		
	Iodo Ethane See Ethyl Iodide		
028583	Iodoform Pure CHI ₃ (75-47-8) M. W.: 393.73 Assay (Iodometric ex I) 98.0%	1503.00 9702.00	25 gm 250 gm
123365	5- Iodo Indole C ₈ H ₆ IN (16066-91-4) M. W.: 243.04 Assay 98.0%	9900.00 27360.00	5 gm 25 gm
	Iodo Methane See Methyl Iodide		
549455	4- Iodo Phenol AR C ₆ H ₅ IO (540-38-5) M. W.: 220.01 Asay 99.0%	3600.00 14000.00	25 gm 100 gm
	2-(4-Iodo Phenyl)-3(p-Nitro Phenyl) 5-Phenyl Tetra Zolium Chloride See I.N.T.		
	1-Iodo-2,5-Pyrrolidinedion See n-Iodosuccinimide		
DI1800	Iodophor Disinfectant	1098.00 4707.00	1 lit 5 lit
DI1900	Iodophor-FD	1098.00 4707.00 POR	1 lit 5 lit 10x5 lit

Product Code	Product Name	Price	Packing
549565	n-Iodo Succinimide AR (Nis, 1-Lodo-2,5-Pyrrolidinedione) Ion Exchange Resins M. W.: 224.98 Assay 95.0%	1647.00 6192.00	25 gm 100 gm
C ₄ H ₄ INO ₂ (516-12-1)	Ion Exchange Resins See Ceralite		
123965	a-Ionone for Synthesis C ₁₃ H ₂₀ O (127-41-3) M. W.: 192.30 Assay 90.0%	1800.00 5400.00 8514.00	100 ml 500 ml 1 lit
124005	b-Ionone for Synthesis C ₁₃ H ₂₀ O (79-77-6) M. W.: 192.30 Assay 96.0%	1800.00 7794.00	100 ml 500 ml
	IPTG See Isopropyl β-D-1-Thiogalactopyranoside		
028596	Iridium Metal Powder Ir (7439-88-5) M. W.: 192.22 Assay (Trace metal basis) 99.9%	7083.00 56700.00	100 mgm 1 gm
124190	Iridium Trichloride Iridium Content 46% Approx IrCl ₃ (10025-83-9) M.W 298.58 Assay 99.0%	35010.00	1 gm
	Iris Blue B See Lacmoid,		
850040	Iron (Fe) CPECTROSOL® Atomic Absorption Std. Soln Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
850042	Iron (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
850070	Iron (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5301.00 8514.00	100 ml 500 ml
850100	Iron (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	16020.00 48204.00	100 ml 500 ml
850130	Iron (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00 8514.00	100 ml 500 ml
850160	Iron (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00 48204.00	100 ml 500 ml
850200	Iron (II) Sulphate CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	1818.00	1 lit
	Iron (III) See Ferric		
028597	Iron Filings about 100 Mesh Fe (7439-89-6) At.W. : 55.85 Assay (Redox titration) 99.5%	828.00 3870.00	1 kg 5 kg
028601	Iron (Metal) Powder 300 Mesh Electrolytic Fe (7439-89-6) At. W. 55.85 Assay (Redox titration) 95.0%	1053.00 4806.00 POR	1 kg 5 kg 50 kg
549975	Iron Wire 0.57 mm Diameter AR Fe (7439-89-6) M. W.: 55.85	801.00	100 gm

Product Code	Product Name	Price	Packing
	Iron Alum See Ammonium Ferric Sulphate		
124315 Fe (7439-89-6)	Iron Reduced Extra Pure A. W.: 55.85 Assay 99.0%	1400.00	1 kg
550065 C ₂ FeO ₄ .2H ₂ O (6047-25-2)	Iron Oxalate AR M.W. : 179.90 Assay (trace metal basis) 99.9%	9000.00	25 gm
	Iron Oxide See Ferric Oxide Red		
N31257 Fe ₂ O ₃ (1309-37-1)	Iron(III) Oxide Nanopowder/ Nanoparticles (Alpha, 20-50nm) Assay Fe ₂ O ₃ 99.8%	1908.00 5139.00 16511.00 23810.00	5 gm 25 gm 100 gm 250 gm
N31262 Fe ₂ O ₃ (1309-37-1)	Iron(III) Oxide Nanopowder/ Nanoparticles (gamma, 30nm) Assay Fe ₂ O ₃ 99.9%	1578.00 6300.00 13500.00 32310.00	5 gm 25 gm 100 gm 250 gm
	Iron (II) Sulphate See Ferrous Sulphate		
	Iron (III) Sulphate See Ferric Sulphate		
	Iron Sulphide See Ferrous Sulphide		
301245 C ₈ H ₅ NO ₂ (91-56-5)	Isatin AR for Synthesis (Indole-2,3-dione) (Spectrophotometric det.of Proline and Thiophene) M. W.: 147.13	1026.00 3492.00 POR	25 gm 100 gm 500 gm
124555 C ₈ H ₅ NO ₃ (118-48-9)	Isatoic Anhydride for Synthesis (Anthranilic Acid N-Carboxylic Acid Anhydride) M. W.: 163.13	396.00 1494.00	100 gm 500 gm
124575 C ₇ H ₁₄ O ₂ (123-92-2)	Iso Amyl Acetate for Synthesis M. W.: 130.19 Assay (GC) 95.0%	657.00 2691.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
550325 C ₇ H ₁₄ O ₂ (123-92-2)	Iso Amyl Acetate AR M. W.: 130.19 Assay (GC) 95.0%	801.00 3501.00	500 ml 2.5 lit
124595 C ₅ H ₁₁ OH (123-51-3)	Iso Amyl Alcohol for Synthesis also for Milk testing M. W.: 88.15 Assay Isomer (GC) 98.0%	648.00 2394.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
550345 C ₅ H ₁₁ OH (123-51-3)	Iso Amyl Alcohol AR/ACS M. W.: 88.15 Assay (GC) isomers 99.0%	756.00 2700.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
949000 MB C ₅ H ₁₁ OH (123-51-3)	Iso Amyl Alcohol for Molecular Biology M. W.: 88.15 Assay (GC) 99.5%	1800.00	500 ml
124615 C ₅ H ₁₁ I (541-28-6)	Iso Amyl Iodide M. W.: 198.05 Assay (GC) 97.0%	6300.00	100 ml

Product Code	Product Name	Price	Packing
	1-Iso Benzofuranone See Phthalide		
124665 (124-76-5)	Iso Borneol Flakes	3240.00	500 gm
124715 C ₄ H ₁₀ O (78-83-1)	Iso Butanol for Synthesis (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	513.00 2043.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
550365 C ₄ H ₁₀ O (78-83-1)	Iso Butanol AR/ACS (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	603.00 2304.00 POR	500 ml 2.5 lit 25 lit
124765 CH ₃ COOCH ₂ CH(CH ₃) ₂ (110-19-0)	Iso Butyl Acetate for Synthesis (acetic acid isobutyl ester) M. W.: 116.16	639.00 2907.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
	Iso Butyl Alcohol See Iso-Butanol		
124905 C ₆ H ₅ CH ₂ CH(CH ₃) ₂ (538-93-2)	Iso Butyl Benzene for Synthesis [(2-methylpropyl) benzene] M. W.: 134.22	550.00 2300.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
550415 C ₆ H ₅ CH ₂ CH(CH ₃) ₂ (538-93-2)	Iso Butyl Benzene AR M. W.: 134.22 Assay 99.0%	810.00	500 ml
125015 C ₆ H ₅ CO ₂ CH ₂ CH(CH ₃) ₂ (120-50-3)	Iso Butyl Benzoate for Synthesis M. W.: 178.23 Assay 98.0%	2800.00	500 gm
125095 C ₄ H ₉ Br (78-77-3)	Iso Butyl Bromide (1-Bromo-2 Methyl Propane) M. W.: 137.03 Assay (GC) 98.0%	2601.00	500 ml
125205 CH ₃ CH ₂ CH ₂ CO ₂ CH ₂ CH(CH ₃) ₂ (539-90-2)	Iso Butyl Butyrate for Synthesis M. W.: 144.21 Assay 98.0%	1890.00	500 gm
125215 C ₅ H ₉ ClO ₂ (543-27-1)	Iso Butyl Chloro Formate for Synthesis M.W : 136.58 Assay 98.0%	6003.00	500 ml
125225 C ₁₃ H ₁₆ O ₂ (122-67-8)	Iso Butyl Cinnamate for Synthesis M. W.: 204.26 Assay 98.0%	3996.00	500 gm
125235 C ₅ H ₁₀ O ₂ (542-55-2)	Iso Butyl Formate for Synthesis M. W.: 102.13 Assay 97.0%	3250.00	500 gm
125255 C ₄ H ₉ I (513-38-2)	Iso Butyl Iodide for Synthesis (1-Iodo-2-Methyl Propane) M. W.: 184.02 Assay 97.0%	3753.00 13870.00	100 ml 500 ml
125335 (CH ₃) ₂ CH.CH ₂ .CO.CH ₃ (108-10-1)	Iso Butyl Methyl Ketone for Synthesis (Methyl Iso Butyl Ketone) M. W.: 100.16 Assay (GC) 99.0%	540.00 2502.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
550385 (CH ₃) ₂ CH.CH ₂ .CO.CH ₃ (108-10-1)	Iso Butyl Methyl Ketone AR/ACS M. W.: 100.16 Assay (GC) 99.0%	702.00 3006.00 POR POR	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Price	Packing
747000	Iso Butyl Methyl Ketone for HPLC & Spectroscopy (CH ₃) ₂ CH.CH ₂ .CO.CH ₃ M. W.: 100.16 (108-10-1) Assay (GC) 99.5%	1278.00	500 ml
TC1464 ATC	3-Isobutyl-1-Methylxanthine 1-Methyl-3-isobutylxanthine IBMX Cell Culture Tested M. W.: 222.24 Assay : ≥99% Store at -20°C	8442.00 15813.00 46710.00	100 mg 250 mg 1 gm
125535	Iso Butyl Phenyl Acetate for Synthesis C ₁₂ H ₁₆ O ₂ (102-13-6) M. W.: 192.25 Assay 98.0%	3969.00	500 gm
125555	Iso Butyl Propionate for Synthesis C ₇ H ₁₄ O ₂ (540-42-1) M. W.: 130.18 Assay 98.0%	5679.00	500 gm
125575	Iso Butyl Salicylate for Synthesis C ₁₁ H ₁₄ O ₃ (87-19-4) M. W.: 194.23 Assay 98.0%	3105.00	500 gm
125665	Iso Butyraldehyde for Synthesis (2-methylpropionaldehyde) M. W.: 72.11	594.00 2691.00 POR	500 ml 2.5 lit 25 lit 200 lit
125725	Iso Butyric Acid C ₄ H ₈ O ₂ (79-31-2) M. W.: 88.11 Assay (GC) 98.0%	900.00 4302.00	500 ml 2.5 lit
125785	Iso Butyric Anhydride for Synthesis C ₈ H ₁₄ O ₃ (97-72-3) M. W.: 158.19	3501.00	500 ml
125825	Iso Butyryl Chloride for Synthesis (2-methylpropionyl chloride) M. W.: 106.55	1350.00 4806.00	250 ml 1 lit
125915	3-Iso Chromanone C ₉ H ₈ O ₂ (4385-35-7) M. W.: 148.16	2349.00 8100.00 18000.00	1 gm 5 gm 25 gm
550505	DL-Iso Citric Acid Tri-Sodium Salt AR for Biochemistry C ₆ H ₅ Na ₃ O ₇ .XH ₂ O (1637-73-6) M. W.: 258.07 (Anhydrous)	3006.00	1 gm
	Iso Dulcitate See L(+) Rhamnose		
126055	Iso Eugenol for Synthesis (2-methoxy-4-propenylphenol) (4-Propenyl-2-methoxyphenol) CH ₃ OC ₆ H ₃ (CH=CHCH ₃)OH M. W.: 164.20 (97-54-1)	1540.00	100 ml
126215	Iso Eugenyl Acetate for Synthesis C ₁₂ H ₁₄ O ₃ (93-29-8) M. W.: 206.24 Assay 98.0%	7200.00	500 gm
037123	L-Iso-Leucine for Biochemistry C ₆ H ₁₃ NO ₂ (73-32-5) M. W.: 131.17 Assay (Non-aqueous) 99.0%	450.00 1755.00 11007.00	25 gm 100 gm 1 kg
PCT1312 PTC	L-Isoleucine Plant Culture Tested C ₆ H ₁₃ NO ₂ (73-32-5) M. W.: 131.17 Assay 99% Store below 30°C	567.00 1971.00 8865.00	25 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing
TC1049 ATC	L-Isoleucine (From non-animal source) Cell Culture Tested C ₆ H ₁₃ NO ₂ (73-32-5) M. W.: 131.17 Assay : ≥99% Store below 30°C	1602.00 1917.00 5742.00 43070.00	10 gm 25 gm 100 gm 1 kg
TC1049M ATC	L-Isoleucine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications C ₆ H ₁₃ NO ₂ (73-32-5) M. W.: 131.18 Store below 30°C	2142.00 4176.00 14400.00 86625.00	10 gm 25 gm 100 gm 1 kg
	Isoniazide See Isonicotinic Acid Hydrazide		
029332	Iso Nicotinic Acid C ₆ H ₅ NO ₂ (55-22-1) M. W.: 123.11 Assay(acidimetric) 98.0%	851.00 3200.00	100 gm 500 gm
028606	Iso Nicotinic Acid Hydrazide (Iso Niavid) C ₆ H ₇ N ₃ O (54-85-3) M. W.: 137.14 Assay (Oxidimetric) 99.0%	801.00 3501.00	100 gm 500 gm
126475	Iso Nipecotinic Acid for Synthesis C ₆ H ₁₁ NO ₂ (498-94-2) M. W.: 129.16 Assay 97.0%	828.00 3105.00 13500.00	25 gm 100 gm 500 gm
030518	Iso Octane C ₈ H ₁₈ (540-84-1) M. W.: 114.23 Assay (GC) 99.5%	1143.00 4608.00 POR	500 ml 2.5 lit 25 lit
550555	Iso Octane AR/ACS C ₈ H ₁₈ (540-84-1) M. W.: 114.23 Assay (GC) 99.5%	1305.00 5400.00	500 ml 2.5 lit
550558	Iso Octane for Dry (2,2,4-Trimethylpentane) C ₈ H ₁₈ (540-84-1) M.W. 114.23 Assay (GC) 99.5%	1503.00 4770.00	500 ml 2.5 lit
747500	Iso Octane for HPLC & Spectroscopy C ₈ H ₁₈ (540-84-1) M. W.: 114.23 Assay (GC) 99.7%	2502.00 5706.00	1 lit 2.5 lit
747510	Iso Octane PRA For Pesticide Residue Trace Analysis (2,2,4-Trimethylpentane) C ₈ H ₁₈ (540-84-1) M.W. 114.23 Assay (GC) 99.8%	2700.00	1 lit
126575	Iso Pentane C ₅ H ₁₂ (78-78-4) M. W.: 72.15 Assay (GC) 99.0%	1206.00 4707.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
550595	Iso Pentane AR C ₅ H ₁₂ (78-78-4) M. W.: 72.15 Assay (GC) 99.5%	1170.00 5004.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
	Iso Pentanoic Acid See Iso Valeric Acid		
PCT1807 PTC	▲N⁶-(2-Isopentenyl) adenine;(2iP) [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested C ₁₀ H ₁₃ N ₅ (2365-40-4) M. W.: 203.24 Assay 98%	22905.00 81810.00	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
PCT1850	PTC Δ N ⁶ -(2-Isopentenyl) adenine; (2-iP) riboside [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested M. W.: 335.4 Assay 97% C ₁₅ H ₂₁ N ₅ O ₄ (7724-76-7)	12078.00	1 gm
		57996.00	5 gm
029524	Iso-Phorone for Synthesis M. W.: 138.21 Assay (GC) 95.0% C ₉ H ₁₄ O (78-59-1)	666.00	500 ml
		2790.00	2.5 lit
551375	Iso Phorone AR M. W.: 138.21 C ₉ H ₁₄ O (78-59-1)	1670.00	1 lit
126715	Iso Phorone-Di-Iso-Cyanate Car No.4098-71-9 1800.00 25 ml 3460.00 500 ml 11250.00 2.5 lit POR 25 lit		
126745	Iso Phthalaldehyde M. W.: 134.13 Assay 97.0% C ₈ H ₆ O ₂ (626-19-7)	4905.00	100 gm
		23400.00	500 gm
126785	Iso Phthalic Acid M. W.: 166.13 Assay (acidimetric) 98.5% C ₈ H ₆ O ₄ (121-91-5)	468.00	500 gm
	Iso Propanol See 2-Propanol		
126825	Iso Propyl Acetate M. W.: 102.13 Assay (GC) 99.0% C ₅ H ₁₀ O ₂ (108-21-4)	712.00 500 ml 2570.00 2.5 lit POR 25 lit POR 200 lit	
	Iso Propyl Alcohol See 2-Propanol Di-Isopropylamine See Diisopropylamine		
126865	Iso Propylamine for Synthesis M. W.: 59.11 Assay (GC) 99.0% C ₃ H ₉ N (75-31-0)	756.00 500 ml 3204.00 2.5 lit	
551585	Iso Propylamine AR M. W.: 59.11 C ₃ H ₉ N (75-31-0)	1755.00	1 lit
126945	4-Iso Propyl Aniline for Synthesis M. W.: 135.21 (CH ₃) ₂ CHC ₆ H ₄ NH ₂ (99-88-7)	5310.00 100 ml 9900.00 500 ml	
TC1539	ATC 4-Isopropylbenzoic Acid Cuminic acid, Cuminic acid Cell Culture Tested M. W.: 164.2 Assay : ≥98% Store below 30°C (CH ₃) ₂ CHC ₆ H ₄ CO ₂ H (536-66-3)	5050.00 5 gm 22770.00 25 gm	
027485	Iso Propyl Bromide M. W.: 123.00 Assay 98.0% C ₃ H ₇ Br (75-26-3)	1026.00 250 ml 1863.00 500 ml 7920.00 2.5 lit	
127020	Iso Propyl Chloro Acetate M. W.: 136.58 Assay 99.0% ClCH ₂ CO ₂ CH(CH ₃) ₂ (105-48-6)	770.00	500 ml
	Iso Propyl Ether See Di-iso-Propyl Ether		

Product Code	Product Name	Price	Packing
127065	Iso Propyl Iodide for Synthesis (2-Iodopropane) M. W.: 169.99 C ₃ H ₇ I (75-30-9)	7002.00 100 ml 31005.00 500 ml	
127125	Iso Propyl Myristate M. W.: 270.45 Assay 95.0% C ₁₇ H ₃₄ O ₂ (110-27-0)	1090.00 500 ml 4797.00 2.5 lit POR 25 lit POR 200 lit	
127175	Isopropyl Palmitate M.W. 852 C ₁₉ H ₃₈ O ₂ (142-91-6)	675.00 500 ml 3006.00 2.5 lit	
127205	1-Iso Propyl Piperazine 1-(1-Methyl Ethyl) Piperazine M. W.: 128.22 C ₇ H ₁₆ N ₂ (4318-42-7)	5500.00 5 gm 9720.00 25 gm	
127315	Δ Iso Propyl β-D-1-Thiogalactopyranoside for Biochemistry (Non-Mammalian) (Dioxane free) (IPTG) (TSE-BSE Certificate not Applicable) M. W.: 238.30 C ₉ H ₁₈ O ₅ S (367-93-1)	378.00 1 gm 1692.00 5 gm 7677.00 25 gm	
949110	MB Δ Isopropyl-β-D-Thiogalactopyranoside (Isopropyl- β -D-Thiogalactoside; IPTG) For Molecular Biology M. W.: 238.3 Assay : ≥ 99% C ₉ H ₁₈ O ₅ S (367-93-1)	396.00 1 gm 1800.00 5 gm 3321.00 10 gm 7713.00 25 gm	
127405	(-) Iso Pulegol for Synthesis M. W.: 154.25 Assay 98.0% C ₁₀ H ₁₈ O (89-79-2)	6255.00	500 gm
127505	Iso Quinoline Tech M. W.: 129.16 Assay 97.0% C ₉ H ₇ N (119-65-3)	1845.00 100 gm 8010.00 500 gm	
850800	Isotonic Sodium Sulphate Copper Sulphate Solution 144.00 500 ml		
127635	Iso Valeraldehyde for Synthesis M. W.: 86.13 C ₅ H ₁₀ O (590-86-3)	630.00 100 ml 2300.00 500 ml 10710.00 2.5 lit	
551695	Iso Valeric Acid AR (3-Methyl Butyric Acid) M. W.: 102.13 C ₅ H ₁₀ O ₂ (503-74-2)	1000.00 100 ml 3700.00 500 ml	
127845	Iso Vaniline Pure M. W.: 152.15 Assay 95.0% C ₈ H ₈ O ₃ (621-59-0)	1692.00 25 gm 5598.00 100 gm	
028608	Itaconic Acid for Synthesis M. W.: 130.10 Assay (Acidimetric) 99.0% C ₅ H ₆ O ₄ (97-65-4)	819.00 500 gm 7750.00 5 kg	

HISURE

HISURE These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.



JK

Laboratory Chemicals

Product Code	Product Name	Price	Packing
130915 (9002-13-5)	Jack Bean Meal	522.00	100 gm
		1800.00	500 gm
302145	Janus Green (B.M.S. & Redox Indicator) (C.I. 11050)	504.00	5 gm
		2304.00	25 gm
C ₃₀ H ₃₁ ClN ₆ (2869-83-2)	M. W.: 511.06		
PCT1805	▲(±)-Jasmonic Acid Plant Culture Tested	11142.00	100 mg
		24525.00	250 mg
C ₁₂ H ₁₈ O ₃ (77026-92-7)	M. W.: 210.27 Assay 85%		
302335 (62851-42-7)	Jenner's Stain for Microscopy	522.00	25 gm
		1900.00	100 gm
852050	JSB Stain Solution No. 1	162.00	125 ml
852070	JSB Stain Solution No. 2	162.00	125 ml
854100	Kaiser'S Glycerol Gelatin Solution	203.00	100 ml
	Kalignost See Sodium Tetra Phenyl Borate		
559145	▲ Kanamycin Sulphate AR (Kanamycin Mono Sulphate)	576.00	1 gm
		2286.00	5 gm
C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	M. W.: 582.58 Assay 95-105%	8550.00	25 gm
950800	▲ Kanamycin Sulphate For Molecular Biology	693.00	1 gm
		2934.00	5 gm
	Potency : ≥ 750µg/mg	10279.00	25 gm
C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	M. W.: 582.58		
TC1136	▲ Kanamycin Sulphate Cell Culture Tested	1377.00	1 gm
		4510.00	5 gm
	Recommended for use in Cell Culture application 100 mg/L	15111.00	25 gm
C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	M. W.: 582.58 Potency : ≥750 µg/mg		
TC1136G	▲ * Kanamycin Sulphate Gamma irradiated	1485.00	1 gm
		4842.00	5 gm
	Cell Culture Tested	16245.00	25 gm
	Recommended for use in cell culture applications at 100 mg/L		
C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	M. W.: 582.58		
	Potency : ≥750 µg/mg		
TC1136M	▲ Kanamycin Sulphate Meets USP 41-NF 36 and JP 17 testing specifications	1656.00	1 gm
		5436.00	5 gm
		18163.00	25 gm
C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	M. W.: 582.58 Potency : ≥750 µg/mg		
PCT2105	▲ Kanamycin Acid Sulphate Plant Culture Tested	1017.00	1 gm
		4536.00	5 gm
	Potency 670 units/mg	20260.00	25 gm
		36450.00	50 gm
(64013-70-3)			
TC1636	▲ * Kanamycin Acid Sulphate Meets IP and BP testing specifications	POR	5 gm
		POR	25 gm
C ₁₈ H ₄₀ N ₄ O ₁₉ S ₂ (64013-70-3)	M. W.: 680.64 Potency : ≥750 µg/mg		

Product Code	Product Name	Price	Packing
TC1636M	▲ Kanamycin Acid Sulphate Meets IP 2018 and BP 2016 testing specifications	POR	1 gm
		POR	5 gm
		POR	25 gm
C ₁₈ H ₄₀ N ₄ O ₁₉ S ₂ (64013-70-3)	MW : 680.64 Potency : ≥750 µg/mg		
PCT2504	▲ Kanamycin Solution w/ 50 mg/ml Kanamycin in sterile distilled water Sterile filtered Plant Culture Tested	1571.00	20 ml
		5000.00	100 ml
131015 H ₂ Al ₂ Si ₂ O ₈ .H ₂ O (1332-58-7)	Kaolin Pure M. W.: 258.20	243.00	500 gm
		POR	25 kg
131105	Karl Fischer Reagent Pyridine Free Single Solution	2610.00	500 ml
		2727.00	2x250 ml
131215 (8008-20-6)	Kerosene (Low Odour)	504.00	500 ml
		1791.00	2.5 lit
131305 C ₅ H ₆ O ₅ (328-50-7)	▲ a-Keto Glutaric Acid M. W.: 146.10 Assay (acidimetric) 99.0%	585.00	25 gm
		2003.00	100 gm
950870	▲ a- Keto Glutaric Acid For Molecular Biology	3627.00	100 gm
C ₅ H ₆ N ₅ (328-50-7)	M. W.: 146.1 Assay : ≥ 99%		
PCT1505	▲ a-Keto Glutaric Acid Plant Culture Tested	1090.00	25 gm
C ₅ H ₆ O ₅ (328-50-7)	M. W.: 146.1 Assay 99%		
TC1141	▲ α-Ketoglutaric Acid Cell Culture Tested	1602.00	25 gm
		4833.00	100 gm
		16390.00	500 gm
C ₅ H ₆ O ₅ (328-50-7)	M. W.: 146.1 Assay : ≥99%		
131395 (61790-53-2)	Kieselguhr White Purified and Ignited	477.00	500 gm
		792.00	1 kg
		6327.00	10 kg
		POR	25 kg
559255	Kinetin AR Plant growth Stimulator, Causes rapid cell division	99.00	100 mgm
		149.00	250 mgm
		279.00	1 gm
		2088.00	10 gm
C ₁₀ H ₉ N ₅ O (525-79-1)	M. W.: 215.21 Assay (Non-aqueous) 99.0%		
PCT1806	▲ Kinetin Plant Culture Tested	675.00	1 gm
		3132.00	5 gm
		15580.00	25 gm
C ₁₀ H ₉ N ₅ O (525-79-1)	M. W.: 215.21 Assay 99%		
PCT2406	▲ Kinetin Solution w/ 1 mg/ml Kinetin in sterile distilled water Sterile filtered Plant Culture Tested	1189.00	20 ml
		3564.00	5X20 ml
131575 C ₆ H ₆ O ₄ (501-30-4)	Kojic Acid (5-Hydroxy-2-Hydroxymethyl-4-Pyranone) M. W.: 142.11	194.00	5 gm
		522.00	25 gm
		1944.00	100 gm
		POR	1 kg
854500	Kovac's Indole Reagent	221.00	100 ml
854600	Kraut's Reagent (Test Reagent for Choline)	680.00	100 ml

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic			
HAND WASH GEL/ SOAP			
DI032	HWS09 (Hand Wash Soap)	185.00 423.00	100 ml 500 ml
Description	Liquid Microbicidal Handwash Soap		
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.		
Action	Fights germs leaving hands soft and totally clean		
Use	Domestic Medical Industrial		
DI050	HWG09 Dispenser Pump (Instant hand Sanitizer)	126.00 621.00	50ml 500ml
Description	Liquid Handrub Antiseptic with Triple Action		
Contents	Denatured Alcohol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate copolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume		
Action	Kills 99.9% of germs in seconds without water		
Use	Domestic, Medical, Industrial		
ENVIRONMENT DISINFECTANT			
DI280	ED005 Air and surface spray disinfectant solution for preventing cross infection	387.00 716.00 6894.00	250ml 500ml 5 lit
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours		
Action	An air and surface sprayable disinfectant for preventing cross infections		
Use	Medical Industrial		
DI325	ED009 Aerial Fumigant and	1036.00 3672.00	1 lit 5 lit
Description	0.01% w/v Silver Nitrate,		
Contents	10.0% w/v Hydrogen peroxide		
Action	Disinfectant solution for Surface and Water		
Use	Disinfection as well as for Aerial Fumigation Medical Industrial		
SURFACE DISINFECTANT			
DI500	SD005 Disinfectant Cleaner for Floors & Hard Surfaces	225.00 1071.00	500 ml 5 lit
Contents	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.		
Use	Domestic Medical Industrial		
DI522	SD009 Disinfectant Solution for Floors & Hard Surfaces	225.00 1224.00	500ml 5 lit
Contents	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.		
Use	Domestic Medical Industrial		
DI541	SD014 Disinfectant for hospital, hotels, food and pharmaceutical industry	1998.00 7075.00	500ml 5 lit
Contents	3% w/v poly(hexamethyleneguanide) hydrochloride PHMB 10% w/v Didecyl ammonium chloride		
Action	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface.		
Use	Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments Medical, Industrial		

Product Code	Product Name	Price	Packing
DI055	Cedepol™ also known as Teepol	288.00 1940.00	500 ml 5 lit
LABORATORY DISINFECTANT			
DI675	LD009 Disinfectant Solution for heat sensitive Lab ware	4518.00 6876.00	10x500ml 2x5lit
Description	5 % w/v Phenol, Permitted colours.		
Contents	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material		
Action	Medical Industrial		
Use	Medical Industrial		
INSTRUMENT DISINFECTANT			
DI770	ID018 Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments	1053.00 1998.00 4343.00	500ml 1 lit 2.5 lit
Description	12% Enzymes (Combination of		
Contents	Proteases, Lipases and Amylases), Non Ionic surfactants, Preservatives		
Action	Medical:- To rapidly clean surgical instruments before sterilization		
Use	Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms Medical, Industrial		
DI774	ID045 High Efficiency Rust Remover	3456.00 10782.00	1 lit 5 lit
Description	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).		
Contents	Removal of Rust from Surgical/Medical Instruments and Surfaces.		
Action	Medical, Industrial		
Use	Medical, Industrial		
DI792	ID063 High level Surgical Instrument Sterilizing and Disinfectant Solution	666.00 3825.00	500ml 5 lit
Description	5% w/v Benzalkonium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitor.		
Contents	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection		
Action	Medical		
Use	Medical		
DI810	ID072 2.4% Glutaraldehyde Solution for High Level Disinfection	423.00 1400.00	1 lit 5 lit
Description	2.45% w/v Glutaraldehyde		
Contents	Surfactant free High level Surgical Instrument Sterilizing and Disinfectant solution		
Action	Medical		
Use	Medical		
DI819	ID090 Aldehyde Free High level Disinfectant for medical devices.	5040.00 25020.00	1 lit 5 lit
Description	3% w/v poly(hexamethyleneguanide) hydrochloride PHMB 10% w/v Didecyl dimethyl ammonium chloride		
Contents	Medical-Sterilization of endoscopes & surgical instruments surface disinfection.		
Action	Industry- As a surface disinfectant for general Purposes		
Use	Medical, Industrial		

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

L

Laboratory Chemicals

Product Code	Product Name	Price	Packing
DI837	ID099 For high level disinfection.	595.00	500ml
Description	0.55% w/v ortho-Phthalaldehyde, Permitted colours.	4851.00	5 lit
Contents	Glutaraldehyde free, High level Surgical Medical		
Action Use			
DI065	Criton X100	819.00	500 ml
$C_{34}H_{62}O_{11}$ (9002-93-1)	M. W.: 648.87	3501.00	2.5 lit
	Assay iodometric 98-021%	POR	25 lit
MB	Criton X100 for Molecular Biology See 923500		
	Criton X100 Scintillation Grade See 716990		
DI095	Clentron MA 01 Alkaline For Industrial & Laboratory Cleaning pH 6.0-12.0	320.00	500 ml
		2421.00	5 lit
		POR	25 lit
DI100	Clentorn MA 02 Neutral For Cleaning Laboratory glassware instruments pH 7.2-7.5	460.00	500 ml
		2304.00	5 lit
		POR	25 lit
DI105	Clentorn MA 03 Phosphate Free For Specific Cleaning work in Laboratories	522.00	500 ml
		2520.00	5 lit
		POR	25 lit
DISINFECTANT FOR LABORATORY HOSPITAL, HOTES AND AIRY/FOOD, INDUSTRY			
DI910	DW009 (Dish Wash)	270.00	500ml
DI1800	Iodophor Disinfectant	1098.00	1 lit
		4707.00	5 lit
DI1900	Iodophor-FD	1098.00	1 lit
		4707.00	5 lit
		POR	10x5 lit
DI2007 (12772-68-8)	Lysol (Cresol and Soap Solution) Assay (cresol) 47-53.0% v/v	604.00	500 ml
		4617.00	5 lit
DI2160	Sodium Hypochlorite Solution (Approximately 4% w/v available chlorine)	162.00	500 ml
		280.00	1 lit
		999.00	5 lit
		POR	25 lit
DI918	FCL09 (Fabric Cleaner Liquid)	572.00	1 lit
DI927	FCP09 (Fabric Cleaner Powder)	270.00	1 kg
FW009	FW009 (Floor Wash)	603.00	5 lit
DI963	GC009 (Glass Cleaner)	180.00	500ml
DI3060	TC009 (Toilet Cleaner)	180.00	500ml
		347.00	1 lit
DI3150	TW009 (Tiles Wash)	180.00	500ml
		347.00	1 lit
	Lab Lemco Paste & Powder See Meat extract Paste & Powder		
303235	Lacmoid pH Indicator	666.00	5 gm
$C_{18}H_{15}O_8N$ (42249-61-6)	M. W.: 373.07	3087.00	25 gm
PCT2540 PTC	Lactalbumin Hydrolysate Plant Culture Tested Store below 30°C	5697.00	500 gm
		45540.00	5 kg
134005	D-Lactate Dehydrogenase from Microorganism Lyophilized Powder Activity ~400-450u/mg (D-LDH, D-Lactic Dehydrogenase)	5000.00	2500 units
(9028-36-8)		9500.00	5000 units

Product Code	Product Name	Price	Packing
TC1491 ATC	▲D-Lactate Dehydrogenase Cell Culture Tested	20520.00	5 Ku
(9028-36-8)		37350.00	10 Ku
029001	L-(+)-Lactic Acid (DL-Lactic Acid) $C_3H_6O_3$ M. W.: 90.08	945.00	500 ml
(50-21-5)	Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	3591.00	2.5 lit
		POR	25 lit
		POR	200 lit
560735	L-(+)-Lactic Acid AR $C_3H_6O_3$ M. W.: 90.08	1035.00	500 ml
(50-21-5)	Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	3870.00	2.5 lit
		POR	25 lit
		POR	200 lit
859230	Lactic Acid 0.1 N Solution	275.00	500 ml
		1035.00	2.5 lit
859250	Lactic Acid 1N Solution	414.00	500 ml
		774.00	1 lit
		1548.00	2.5 lit
	Lactic Acid Lithium Salt See Lithium Lactate		
859260	Lactophenol (Cotton Blue) Solution for Microscopy	540.00	500 ml
859280	Lactophenol (Mountant) Special for Fungi	369.00	500 ml
859300	Lactophenol Picric Acid Solution	162.00	100 ml
		657.00	500 ml
029002	Lactose (α-Lactose Monohydrate) $C_{12}H_{22}O_{11}.H_2O$ M. W.: 360.31	550.00	500 gm
(10039-26-6)		POR	25 kg
		POR	50 kg
560915	Lactose Monohydrate AR $C_{12}H_{22}O_{11}.H_2O$ M. W.: 360.31	657.00	500 gm
(10039-26-6)		POR	25 kg
951290 MB	Lactose Monohydrate For Molecular Biology $C_{12}H_{22}O_{11}.H_2O$ M. W.: 360.31	720.00	500 gm
(64044-51-5)	Assay : ≥ 99.5%	5571.00	5 kg
	Store Below 30°C		
TC1144 ATC	Lactose Monohydrate (Milk Sugar) Cell Culture Tested	864.00	500 gm
$C_{12}H_{22}O_{11}.H_2O$ (64044-51-5)	M. W.: 360.31	6400.00	5 kg
	Assay : ≥99%		
	Store below 30°C		
134155	Lanolin Anhydrous (8006-54-0) Saponification value 90-105	1602.00	500 gm
859400	Lanthanum (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
859402	Lanthanum (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
859430	Lanthanum (La) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5742.00	100 ml
		18081.00	500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE1460 La (7439-91-0)	Lanthanum Metal Ingot M. W.: 138.91 Assay (Trace metal basis) 99.99%	12420.00	25 gm
RE1465 La (7439-91-0)	Lanthanum Metal Lump (1cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	3600.00 12420.00	5 gm 25 gm
RE1510 La(CH ₃ CO ₂) ₃ .XH ₂ O (100587-90-4)	Lanthanum Acetate M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.9%	3888.00 19000.00	100 gm 500 gm
RE1515 La(CH ₃ CO ₂) ₃ .XH ₂ O (100587-90-4)	Lanthanum Acetate M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.99%	3434.00 25200.00	25 gm 250 gm
RE1520 La(CH ₃ CO ₂) ₃ .XH ₂ O (100587-90-4)	Lanthanum Acetate M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE1522 La(CH ₃ CO ₂) ₃ .XH ₂ O (917-70-4)	Lanthanum Acetate Hydrate M.W. 316.04 (Anhydrous) Assay 97.0%	603.00 2003.00	25 gm 100 gm
RE1530 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.5%	2800.00 9990.00	100 gm 500 gm
RE1535 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.9%	5472.00 15300.00	100 gm 500 gm
RE1540 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.99%	11430.00 41022.00	100 gm 500 gm
RE1545 La ₂ (CO ₃) ₃ .XH ₂ O (54451-24-0)	Lanthanum Carbonate M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE1555 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.0%	4311.00 16002.00	100 gm 500 gm
RE1560 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.9%	4365.00 16623.00	100 gm 500 gm
RE1565 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.99%	11340.00 45000.00	100 gm 500 gm
RE1570 LaCl ₃ .XH ₂ O (20211-76-1)	Lanthanum Chloride M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.999%	8235.00 24516.00	25 gm 100 gm
RE1575 LaCl ₃ .7H ₂ O (10025-84-0)	Lanthanum Chloride Heptahydrate AR/ACS M.W : 371.37	2300.00	100 gm
RE1585 LaF ₃ (13709-38-1)	Lanthanum Fluoride M. W.: 195.91 Assay (Trace metal basis) 99.9%	9000.00 41000.00	100 gm 500 gm
RE1590 LaF ₃ (13709-38-1)	Lanthanum Fluoride M. W.: 195.91 Assay (Trace metal basis) 99.99%	23400.00 72000.00	100 gm 500 gm
RE1595 LaF ₃ (13709-38-1)	Lanthanum Fluoride M. W.: 195.91 Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm

Product Code	Product Name	Price	Packing
RE1610 La(OH) ₃ (14507-19-8)	Lanthanum Hydroxide M. W.: 189.93 Assay (Trace metal basis) 99.9%	9387.00	100 gm POR 500 gm
RE1615 La(OH) ₃ (14507-19-8)	Lanthanum Hydroxide M. W.: 189.93 Assay (Trace metal basis) 99.99%	11700.00	100 gm
RE1620 La(OH) ₃ (14507-19-8)	Lanthanum Hydroxide M. W.: 189.93 Assay (Trace metal basis) 99.999%	6440.00 16120.00	25 gm 100 gm
RE1630 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.0%	3627.00 12807.00	100 gm 500 gm
RE1635 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.9%	4230.00 19980.00	100 gm 500 gm
RE1640 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.99%	9000.00 39600.00	100 gm 500 gm
RE1645 La(NO ₃) ₃ .XH ₂ O (100587-94-8)	Lanthanum Nitrate M. W.: 324.92 Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
859500	Lanthanum Nitrate 0.1M	1656.00 3087.00	500 ml 1 lit
RE1665 La ₂ (C ₂ O ₄).xH ₂ O (312696-10-9)	Lanthanum Oxalate AR M.W : 541.87 Assay 99.5%	707.00 5000.00	10 gm 100 gm
RE1685 La ₂ O ₃ (1312-81-8)	Lanthanum Oxide M. W.: 325.82 Assay (Trace metal basis) 99.9%	1000.00 4401.00	100 gm 500 gm
RE1690 La ₂ O ₃ (1312-81-8)	Lanthanum Oxide M. W.: 325.82 Assay (Trace metal basis) 99.99%	15210.00 90000.00	100 gm 1 kg
RE1700 La ₂ O ₃ (1312-81-8)	Lanthanum Oxide M. W.: 325.82 Assay (Trace metal basis) 99.999%	33400.00	100 gm
RE1715 La ₂ (SO ₄) ₃ .XH ₂ O (57804-25-8)	Lanthanum Sulphate M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.9%	9000.00 36000.00	100 gm 500 gm
RE1720 La ₂ (SO ₄) ₃ .XH ₂ O (57804-25-8)	Lanthanum Sulphate M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.99%	15300.00 72000.00	100 gm 500 gm
RE1725 La ₂ (SO ₄) ₃ .XH ₂ O (57804-25-8)	Lanthanum Sulphate M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.999%	POR POR POR	25 gm 100 gm 500 gm
029011 C ₁₂ H ₂₄ O ₂ (143-07-7)	Lauric Acid M. W.: 200.32 Assay (acidimetric) 99.0%	675.00	500 gm
134315 C ₁₅ H ₂₈ NNaO ₃ (137-16-6)	▲ n-Lauroylsarcosine Sodium Salt (Sarkosyl NI, N-Dodecanoyl-N-Methylglycine Sodium Salt, Sodium N-Dodecanoyl-N-Methylglycine) M. W.: 293.38	1395.00 5427.00	25 gm 100 gm

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
TC1541	▲N-Lauroylsarcosine Sodium Salt N-Dodecanoyl-N-methylglycine sodium salt Cell Culture Tested $\text{CH}_3(\text{CH}_2)_{10}\text{CON}(\text{CH}_3)\text{CH}_2\text{COONa}$ M. W.: 293.38 (137-16-6) Assay : $\geq 99\%$	770.00	5 gm
		3501.00	25 gm
TC1541E	▲N-Lauroylsarcosine Sodium Salt N-Dodecanoyl-N-methylglycine sodium salt Meets EP 9.0 testing Specifications $\text{CH}_3(\text{CH}_2)_{10}\text{CON}(\text{CH}_3)\text{CH}_2\text{COONa}$ M. W.: 293.38 (137-16-6)	932.00	5 gm
		4190.00	25 gm
028276	Lauryl Alcohol $\text{C}_{12}\text{H}_{26}\text{O}$ (112-53-8) Assay (GC) 98.0%	720.00	500 ml
		3470.00	2.5 lit
		POR	25 lit
		POR	200 lit
	Lauryl Amine See Dodecylamine		
	Lauryl Mercaptan See 1-Dodecanethiol		
	Lauryl Sulphate Sodium Salt See Sodium Lauryl Sulphate		
134485	Lawesson's Reagent [2,4-Bis (4-Methoxyphenyl) 2,4-Dithioxo-1,3,2,4-Dithiadiphosphetane] $\text{C}_{14}\text{H}_{14}\text{O}_2\text{P}_2\text{S}_4$ (19172-47-5) M. W.: 404.47	720.00	25 gm
		2502.00	100 gm
859630	Lead (Pb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	1746.00	100 ml
		2115.00	250 ml
		3852.00	500 ml
859660	Lead (Pb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00	100 ml
		8514.00	500 ml
859690	Lead (Pb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16020.00	100 ml
		48213.00	500 ml
134525	Lead Metal Foil Pb (7439-92-1) M. W.: 207.2 Assay 97.0%	1503.00	500 gm
561191	Lead (Metal) Foil AR About 0.2mm thickness Pb (7439-92-1) At W. 207.2 Assay (Complexometric) 99.0%	2205.00	500 gm
561188	Lead (Metal) Granular AR Pb (7439-92-1) At.W. 207.2 Assay (Complexometric) 99.0%	1400.00	500 gm
029018	Lead Metal Lumps Pb (7439-92-1) M. W.: 207.2 Assay 99.0%	680.00	500 gm
561185	Lead (Metal) Powder AR 325 Mesh (90%) Pb (7439-92-1) At.W. 207.2 Assay (Complexometric) 99.5%	1251.00	500 gm

Product Code	Product Name	Price	Packing
	Lead Acetate Basic Anhydrous See Lead (II) hydroxide Acetate Anhydrous		
PA1125	Lead Acetate Paper	333.00	200 lvs
029021	Lead Acetate Trihydrate (Lead (II) Acetate) $\text{C}_4\text{H}_6\text{O}_4\text{Pb}.3\text{H}_2\text{O}$ (6080-56-4) M. W.: 379.33 Assay (Complexometric) 99.0-103.0%	819.00	500 gm
		POR	25 kg
		POR	50 kg
561285	Lead Acetate Trihydrate AR/ACS (Lead (II) Acetate) $\text{C}_4\text{H}_6\text{O}_4\text{Pb}.3\text{H}_2\text{O}$ (6080-56-4) M. W.: 379.33 Assay 99.5%	950.00	500 gm
		POR	25 kg
		POR	50 kg
951590	Lead Acetate Trihydrate For Molecular Biology $\text{C}_4\text{H}_6\text{O}_4\text{Pb}.3\text{H}_2\text{O}$ (6080-56-4) M. W.: 379.33 Assay : $\geq 99\%$ Store Below 30°C	405.00	100 gm
		1827.00	500 gm
859825	Lead Acetate TS acc. to USP	261.00	500 ml
	Lead Acetate Basic See Lead (II) Hydroxide Acetate		
134745	Lead Borate $\text{BH}_3\text{O}_3\text{XPb}$ (35498-15-8) M. W.: 328.85	630.00	250 gm
029023	Lead (II) Bromide PbBr_2 (10031-22-8) M. W.: 367.01 Assay (Pb) 99.0%	2097.00	500 gm
134825	Lead (II) Carbonate Basic $(\text{PbCO}_3)_2\text{Pb}(\text{OH})_2$ (1319-46-6) M.W.: 775.63 Assay 77.0% (Pb)	851.00	500 gm
134865	Lead Carbonate 98.0%	1161.00	500 gm
561555	Lead (II) Carbonate AR/ACS PbCO_3 (598-63-0) M.W.: 267.21 Assay (Complexometric) 99.0%	3006.00	250 gm
029025	Lead (II) Chloride Anhydrous for Synthesis PbCl_2 (7758-95-4) M. W.: 278.10 Assay (Argentometric) 98.0%	882.00	500 gm
134995	Lead (II) Chromate PbCrO_4 (7758-97-6) M. W.: 323.18	1008.00	500 gm
561615	Lead (II) Chromate AR PbCrO_4 (7758-97-6) M. W.: 323.18 Assay (PbCrO_4) 99.0%	504.00	100 gm
		900.00	250 gm
029029	Lead Dioxide PbO_2 (1309-60-0) M. W.: 239.20 Assay (oxidimetric) 94.0%	1845.00	500 gm
		POR	50 kg
561675	Lead Dioxide AR PbO_2 (1309-60-0) M. W.: 239.20 Assay (Oxidimetric) 97.0%	2300.00	250 gm
135105	Lead (II) Fluoride PbF_2 (7783-46-2) M. W.: 245.20 Assay 98.0%	1521.00	500 gm
859900	Lead (II) Fluoroborate 50% Solution for Electroplating $\text{Pb}(\text{BF}_4)_2$ (13814-96-5) M. W.: 380.81	1125.00	1 kg

Product Code	Product Name	Price	Packing
029022	Lead (II) Hydroxide Acetate Anhydrous (Lead Acetate basic Lead Sub Acetate)	1701.00	1 Kg
		3807.00	2.5 kg
		7002.00	5 kg
(CH ₃ COO) ₂ Pb.Pb(OH) ₂ (51404-69-4)	Assay (Pb) 72.75%, Assay (CH ₃ COOH) 21.5-24.0%		
859830	Lead (II) Hydroxide Acetate (Lead Acetate basic) 18-20% Solution	432.00 1998.00	1 lit 5 lit
135295	Lead (II) Iodide PbI ₂ (10101-63-0)	3906.00	100 gm
029040	Lead Monoxide (Lead II Oxide yellow)	810.00	500 gm
		1400.00	1 kg
		POR	50 kg
PbO (1317-36-8)	M. W.: 223.20 Assay (ex Pb Complexometric) 98.0%		
561725	Lead Monoxide AR/ACS (Lead II Oxide)	1998.00	250 gm
PbO (1317-36-8)	M. W.: 223.20 Assay (by complexometry) 99.0%		
029038	Lead Nitrate (Lead II Nitrate)	648.00	500 gm
		6102.00	5 kg
		POR	25 kg
Pb(NO ₃) ₂ (10099-74-8)	M. W.: 331.21 Assay (Complexometric) 99.0%		
561815	Lead Nitrate AR/ACS (Lead II Nitrate)	829.00	500 gm
		POR	25 kg
		POR	50 kg
Pb(NO ₃) ₂ (10099-74-8)	M. W.: 331.21 Assay (Complexometric) 99.5%		
860110	Lead (II) Nitrate CPECTROSOL® 0.01M (0.02N) Standard Solution In accordance with NIST	1400.00	1 lit
860140	Lead (II) Nitrate CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
135475	Lead (II) Oxalate Pure PbC ₂ O ₄ (814-93-7)	901.00	500 gm
029041	Lead (II, IV) Oxide Red (Lead red)Pb ₃ O ₄	981.00	500 gm
		POR	50 kg
Pb ₃ O ₄ (1314-41-6)	M. W.: 685.60 Assay (Redox titration) 85.0%		
	Lead Oxide Yellow See Lead Monoxide		
	Lead Peroxide See Lead Dioxide		
029039	Lead (II) Phosphate Pb ₃ (PO ₄) ₂ (7446-27-7)	594.00	250 gm
135645	Lead (II) Stearate Pure Pb(C ₁₈ H ₃₅ O ₂) ₂ (1072-35-1)	640.00	500 gm
	Lead Sub-Acetate See Lead (II) Hydroxide Acetate		
029046	Lead (II) Sulphate PbSO ₄ (7446-14-2)	936.00	500 gm
135715	Lead (II) Sulphide Pure PbS (1314-87-0)	1188.00	500 gm

Product Code	Product Name	Price	Packing
564665	Lead Tetra Acetate AR Pb(CH ₃ CO ₂) ₄ (546-67-8)	1440.00	100 gm
		10980.00	1 kg
M. W.: 443.38			
135865	Lead Thiocyanate Pure Pb(SCN) ₂ (592-87-0)	1503.00	100 gm
		6003.00	500 gm
M. W.: 323.36 Assay 99.0%			
135935	Lead (II) Thiosulphate O ₃ PbS ₂ (13478-50-7)	2925.00	25 gm
M. W.: 319.32			
303375	Leishman's Stain for Microscopy (Eosine Methylene Blue Compound)	792.00	25 gm
		3006.00	100 gm
		13005.00	500 gm
(12627-53-1)	POR	1 kg	
860370	Leishman's Stain Solution Stain and solvent separate	244.00 437.00	250 ml 500 ml
860400	Leishman's Stain Solution with Buffer	234.00 419.00	250 ml 500 ml
	Lemon Grass Oil See oil of lemon grass		
136035	DL-Iso leucine for Biochemistry (2-amino-3-methylpentanoic acid) C ₆ H ₁₃ NO ₂ (443-79-8)	1107.00	5 gm
		5004.00	25 gm
M. W.: 131.17			
564875	D-Leucine AR C ₆ H ₁₃ NO ₂ (328-38-1)	1890.00	5 gm
		5202.00	25 gm
M. W.: 131.17			
136085	DL-Norleucine for Biochemistry (DL-2-Amino-Hexanoic Acid, DL-α-Amino-n-Caproic Acid) C ₆ H ₁₃ NO ₂ (616-06-8)	1053.00	5 gm
		4806.00	25 gm
M. W.: 131.2			
037121	L-Leucine for Biochemistry C ₆ H ₁₃ NO ₂ (61-90-5)	333.00	25 gm
		954.00	100 gm
M. W.: 131.17 Assay (Non-aqueous) 99.0%			
PCT1313	L-Leucine Plant Culture Tested C ₆ H ₁₃ NO ₂ (61-90-5)	432.00	25 gm
		7790.00	500 gm
M. W.: 131.17 Assay 99% Store below 30°C			
TC1078	L-Leucine (From non-animal source) Cell Culture Tested C ₆ H ₁₃ NO ₂ (61-90-5)	1287.00	10 gm
		2030.00	25 gm
		6102.00	100 gm
M. W.: 131.17 Assay : ≥99% Store below 30°C			
TC1078M	L-Leucine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications C ₆ H ₁₃ NO ₂ (61-90-5)	1818.00	10 gm
		3393.00	25 gm
		11277.00	100 gm
M. W.: 131.17 Store below 30°C			
	L-iso-Leucine for Biochemistry See L-isoleucine for Biochemistry		
136255	L-Leucine Methyl Ester HCL for Biochemistry C ₇ H ₁₅ NO ₂ .HCl (7517-19-3)	4500.00	25 gm
		12600.00	100 gm
M. W.: 181.66 Assay 98.0%			

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

L

Laboratory Chemicals

Product Code	Product Name	Price	Packing
136405	L-Leucinol for Biochemistry (CH ₃) ₂ CHCH ₂ CH(NH ₂)CH ₂ OH M. W.: 117.19 (7533-40-6) Assay 96.0%	3290.00	5 gm
136515	Levulinic Acid for Synthesis C ₅ H ₈ O ₃ M. W.: 116.12 (123-76-2) Assay 98.0%	2700.00 10000.00	250 gm 1 kg
	Levulose See D-Fructose		
303555	Light Green for Microscopy Light Green SF Yellowish C.I. No. 42095 C ₃₇ H ₃₄ N ₂ O ₉ S ₃ M. W.: 792.86 (5141-20-8) Dye content (by titanometry) 90.0%	2097.00 7290.00	25 gm 100 gm
951930	MB Light Green SF Yellowish For Molecular Biology C. I. No. : 42095 C ₃₇ H ₃₄ N ₂ O ₉ S ₃ Na ₂ M. W.: 792.85 (5141-20-8) Store Below 30°C	2997.00 9000.00	25 gm 100 gm
860500	Light Green Solution 0.1% for Microscopy Animal Tissue Staining	275.00	250 ml
860530	Light Green Stain Solution (0.5 % w/v)	144.00	125 ml
136545	Lignocaine Base C ₁₄ H ₂₂ N ₂ O M. W.: 234.34 (137-58-6) Assay 99.0%	900.00 3600.00	100 gm 500 gm
136575	Lignocaine Hydrochloride Monohydrate C ₁₄ H ₂₂ N ₂ O.HCl.H ₂ O M. W.: 288.81 (6108-05-0) Assay (non-aqueous) 99.0%	1206.00 5004.00	100 gm 500 gm
	Ligroin' Reagent See Petroleum Ether		
860640	Lime Water	185.00	500 ml
136615	D(+) Limonene for Synthesis C ₁₀ H ₁₆ M.W : 136.24 (5989-27-5)	2030.00	500 ml
136845	Linallyl Acetate for Synthesis C ₁₂ H ₂₀ O ₂ M. W.: 196.29 (115-95-7)	2925.00	500 gm
136855	Linallyl Anthranilate for Synthesis C ₁₇ H ₂₃ NO ₂ M. W.: 273.37 (7149-26-0)	9792.00	500 gm
136865	Linallyl Benzoate for Synthesis C ₁₇ H ₂₂ O ₂ M. W.: 258.36 (126-64-7)	11709.00	500 gm
136875	Linallyl Butyrate for Synthesis C ₁₄ H ₂₄ O ₂ M. W.: 224.34 (78-36-4)	14049.00	500 gm
136885	Linallyl Cinnamate for Synthesis C ₁₉ H ₂₄ O ₂ M. W.: 284.39 (78-37-5)	13401.00	500 gm
136895	Linallyl Formate for Synthesis C ₁₁ H ₁₈ O ₂ M. W.: 182.26 (115-99-1)	13302.00	500 gm
136905	Linallyl Propionate for Synthesis C ₁₃ H ₂₂ O ₂ M. W.: 210.31 (144-39-8)	14805.00	500 gm
136955	Linalool for Synthesis C ₁₀ H ₁₈ O M. W.: 154.25 (78-70-6) Assay 97.0%	3303.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
136985	Lincomycin Hydrochloride C ₁₈ H ₃₄ N ₂ O ₆ S.HCl.H ₂ O M. W.: 461.01 (7179-49-9)	1584.00	1Mill. Unit
TC1203	ATC ▲Lincomycin Hydrochloride (Lincocin hydrochloride) Cell Culture Tested C ₁₈ H ₃₄ N ₂ O ₆ S.HCl M. W.: 443.0 (859-18-7) Assay : ≥95%	2952.00 10026.00	1x1mu 5x1mu
TC1381	ATC · Linoleic Acid, Free Acid Cell Culture Tested C ₁₈ H ₃₂ O ₂ M. W.: 280.45 (60-33-3) Assay : ≥99%	1485.00 3123.00 9019.00	100 mg 1 gm 5 gm
TC1383	ATC · Linoleic Acid Methyl Ester Cell Culture Tested C ₁₉ H ₃₄ O ₂ M. W.: 294.47 (112-63-0) Assay : ≥99%	4545.00 8663.00 13190.00	1 gm 5 gm 10 gm
137045	· Lipase ex microorganism (9001-62-1) activity 16 units/mg protein	522.00 1503.00 6003.00	25 gm 100 gm 500 gm
PCT2321	PTC · DL-a-Lipoic Acid Plant Culture Tested C ₈ H ₁₄ O ₂ S ₂ M. W.: 206.33 (1077-28-7) Assay 98%	1090.00 4923.00	1 gm 5 gm
TC1449	ATC · α-Lipoic Acid (±)-Alipoic acid, (±)-1,2-Dithiolane- 3-pentanoic acid, 6,8-Dithiooctanoic acid, DL-αLipoic acid, DL-6,8- Thioctic acid, Lip(S2) Cell Culture Tested C ₈ H ₁₄ O ₂ S ₂ M. W.: 206.33 (1077-28-7) Assay : ≥98%	2597.00 9100.00 27306.00	1 gm 5 gm 25 gm
137115	Lipoprotein Lipase (LPL) Ex Pseudomonas SP. (9004-02-8) 20U/mg-solid	2457.00 7002.00	10 mgm 50 mgm
	Liquid Paraffin See Paraffin Liquid,		
	Liquid See Sodium Polyanehtole Sulphonate		
	Liquor Ammonia See Ammonia Solution all grade		
303745	Lissamine Fast Yellow (C.I. 18965) C ₁₆ H ₁₀ Cl ₂ N ₄ Na ₂ O ₇ S ₂ M. W.: 551.29 (6359-98-4)	392.00	25 gm
303885	Lissamine Green B (C.I. 44090) C ₂₇ H ₂₅ N ₂ NaO ₇ S ₂ M. W.: 576.62 (3087-16-9)	486.00	25 gm
303975	Lissamine Red (C.I. 18055) C ₂₀ H ₁₈ N ₄ O ₉ S ₂ Na ₂ M. W.: 566.48 (4321-69-1)	347.00	25 gm
	Litharge See Lead Monoxide		
860920	Lithium (Li) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Product Code	Product Name	Price	Packing
860950	Lithium (Li) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5301.00	100 ml
		8514.00	500 ml
860980	Lithium (Li) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	16030.00	100 ml
		48204.00	500 ml
137385	Lithium Metal Li (7439-93-2) A.W. : 6.94 Assay - min. 99.5%	19980.00	100 gm
029060	Lithium Acetate C ₂ H ₃ LiO ₂ ·2H ₂ O (6108-17-4) M. W.: 102.02 Assay (Non-aqueous) 99.0%	3807.00	250 gm
565280	Lithium Acetate AR C ₂ H ₃ LiO ₂ ·2H ₂ O (6108-17-4) M. W.: 102.02	3951.00	250 gm
137465	Lithium Aluminium Hydride for Synthesis LiAlH ₄ (16853-85-3) M. W.: 37.95 Assay (Iodometric) 97.0%	15606.00	100 gm
861080	* Lithium Azide 20% w/w Solution in water	9207.00	100 gm
029064	Lithium Bromide Anhydrous LiBr (7550-35-8) M. W.: 86.85 Assay (Argentometric; on dried basis) 99.0%	8901.00	500 gm
029065	Lithium Carbonate Li ₂ CO ₃ (554-13-2) M. W.: 73.89 Assay 98.5%	2300.00	100 gm
		4600.00	250 gm
		8811.00	500 gm
			POR 25 kg
565395	Lithium Carbonate AR/ACS Li ₂ CO ₃ (554-13-2) M. W.: 73.89 Assay (acidimetric) 99.0%	2502.00	100 gm
		6003.00	250 gm
H42912	Lithium Carbonate AR Li ₂ CO ₃ (554-13-2) M. W.: 73.89	7331.00	250 gm
		27540.00	1 kg
029067	Lithium Chloride Anhydrous LiCl (7447-41-8) M. W.: 42.39 Assay(Argentometric on dried material)99%	2394.00	100 gm
		5904.00	250 gm
		10980.00	500 gm
565435	Lithium Chloride Anhydrous AR LiCl (7447-41-8) M. W.: 42.39 Assay (argentometric) 99.0%	2601.00	100 gm
		6201.00	250 gm
952900	Lithium Chloride For Molecular Biology LiCl (7447-41-8) M. W.: 42.39 Assay : ≥ 99% Store Below 30°C	2700.00	100 gm
		12600.00	500 gm
861020	Lithium Chloride 1M Solution In Acetic Acid	1305.00	250 ml
861024	Lithium Chloride 1M Solution In Ethanol	1503.00	250 ml
565475	tri-Lithium Citrate Tetrahydrate AR Li ₃ C ₆ H ₅ O ₇ ·4H ₂ O (6080-58-6) M. W.: 281.99 Assay (Non-aqueous) (ex citrate) 98.5%	3303.00	250 gm
029069	Lithium Fluoride LiF (7789-24-4) M. W.: 25.94 Assay (acidimetric) 97.0%	3006.00	100 gm
		14500.00	500 gm

Product Code	Product Name	Price	Packing
565585	Lithium Fluoride AR LiF (7789-24-4) M. W.: 25.94	8091.00	250 gm
029073	Lithium Hydroxide Monohydrate LiOH.H ₂ O (1310-66-3) M. W.: 41.96 Assay (acidimetric) 98.0%	2700.00	100 gm
		12006.00	500 gm
		POR 5 kg	
		POR 50 kg	
565625	Lithium Hydroxide Monohydrate AR/ACS LiOH.H ₂ O (1310-66-3) M. W.: 41.96 Assay (Acidimetric) 99.0%	2907.00	100 gm
		14000.00	500 gm
137725	Lithium Iodide for Synthesis LiI.3H ₂ O (7790-22-9) M. W.: 187.90	5500.00	25 gm
		16830.00	100 gm
029075	Lithium Lactate for Synthesis CH ₃ .CHOH.COOLi (867-55-0) M. W.: 96.01 Assay 98.0%	2800.00	100 gm
		13500.00	500 gm
TC1713	Lithium Lactate Cell Culture Tested C ₃ H ₅ LiO ₃ (867-55-0) M. W.: 96.01 Assay : ≥95% Store below 30°C	3636.00	100 gm
137835	Lithium Meta Borate Anhydrous LiBO ₂ (13453-69-5) M. W.: 49.75 Assay 95.0%	8901.00	250 gm
565955	Lithium Meta Borate Anhydrous AR LiBO ₂ (13453-69-5) M. W.: 49.75 Assay (acidimetric) 99.5%	9900.00	250 gm
137965	Lithium Molybdate for Synthesis Li ₂ MoO ₄ (13568-40-6) M.W. : 173.82	10000.00	250 gm
029076	Lithium Nitrate Anhydrous LiNO ₃ (7790-69-4) M. W.: 68.95 Assay 98.0%	11300.00	500 gm
565995	Lithium Nitrate AR Anhydrous LiNO ₃ (7790-69-4) M. W.: 68.95	3006.00	100 gm
		11610.00	500 gm
138165	Lithium Oxalate Extra Pure Li ₂ C ₂ O ₄ (553-91-3) M. W.: 101.90	990.00	100 gm
138185	* Lithium Perchlorate Trihydrate ClLiO ₄ ·3H ₂ O (13453-78-6) M. W.: 160.44 Assay (argentometric) 99.0%	10000.00	250 gm
		29997.00	1 kg
		POR 25 kg	
		POR 50 kg	
138215	Lithium Phosphate Extra Pure Li ₃ PO ₄ (10377-52-3) M. W.: 115.79	3708.00	100 gm
		10000.00	500 gm
029080	Lithium Sulphate Monohydrate Li ₂ SO ₄ ·H ₂ O (10102-25-7) M. W.: 127.95 Assay (ion exchange) 98.0%	6102.00	250 gm
		11610.00	500 gm
		POR 25 kg	
566035	Lithium Sulphate Monohydrate AR/ACS Li ₂ SO ₄ ·H ₂ O (10102-25-7) M. W.: 127.95 Assay (Ion exchange) 99.0%	6804.00	250 gm
		12420.00	500 gm
		POR 25 kg	
566065	di - Lithium Tetra Borate AR/ACS Li ₂ B ₄ O ₇ (12007-60-2) M. W.: 169.12 Assay (Acidimetry) 99.0%	4500.00	100 gm
		16020.00	500 gm

Storage : ● 0-4°C ▲ 2-8°C
 ☆ Delivery Period 4-6 Weeks
 * Supply Against Licence
 ☉ Supply Only to End User

Product Code	Product Name	Price	Packing
138365 Li ₂ WO ₄ (13568-45-1)	Lithium Tungstate M. W.: 261.72 Assay 98.0%	7830.00 13500.00	50 gm 100 gm
304205 (1393-92-6)	Litmus Granular (pH Indicator) pH 5.0-8.0 red to blue	378.00 801.00 2700.00 9504.00	10 gm 25 gm 100 gm 500 gm
861220	Litmus Blue Solution	153.00 432.00	125 ml 500 ml
PA1154	Litmus Blue Indicator Paper 10bks : 200lvs	194.00 360.00	100 lvs 200 lvs
861250	Litmus Red Solution	153.00 432.00	125 ml 500 ml
PA1151	Litmus Red Indicator Paper 10bks : 200lvs	194.00 360.00	100 lvs 200 lvs
338165	▲Liver Extract Powder For Bacteriological Purpose	2430.00	500 gm
	Löffler's Methylene Blue Solution Alkaline See Methylene blue alkaline (Löffler's) Staining Solution		
TC1493 ATC	Luciferase Source : Vibrio fischeri Cell Culture Tested Store at -20°C	POR	25 mg
(9014-00-0)			
TC1597 ATC	Luciferase from firefly Source : Photinus pyralis (firefly) Cell Culture Tested Store at -20°C	POR	1 mg
(61970-00-1)			
PCT2557 PTC	Luciferin Plant Culture Tested C ₁₁ H ₈ N ₂ O ₃ S ₂ (2591-17-5) Store below 20°C	24930.00 59895.00 113400.00 216090.00	100 mg 250 mg 500 mg 1 gm
TC1728 ATC	D-Luciferin, Free Acid Cell Culture Tested C ₁₁ H ₈ N ₂ O ₃ S ₂ (2951-17-5) Store at -20°C	4320.00 23760.00	1 mg 10 mg
861390	Lugol's 1% Solution (Iodine-Potassium Iodide solution) for Microscopy	198.00 702.00	125 ml 500 ml
138485 C ₈ H ₇ N ₃ O ₂ (521-31-3)	Luminol for Chemiluminescence M. W.: 177.16 Assay 97.0%	702.00 3303.00	5 gm 25 gm
861450	Lutetium (Lu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	9280.00 15669.00	100 ml 500 ml
861470	Lutetium (Lu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12272.00 48204.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
RE1735 Lu (7439-94-3)	Lutetium Metal Ingot M. W.: 174.96 Assay (Trace metal basis) 99.99%	POR POR POR	1 gm 5 gm 25 gm
RE1740 Lu (7439-94-3)	Lutetium Metal Lump (1cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	POR POR	5 gm 25 gm
RE1780 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9%	6291.00 24400.00	1 gm 5 gm
RE1785 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.99%	10530.00 45000.00	1 gm 5 gm
RE1790 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1795 Lu(O ₂ C ₂ H ₃) ₃ .xH ₂ O (207500-05-8)	Lutetium (III) Acetate M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE1805 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9%	5000.00 19800.00	1 gm 5 gm
RE1810 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.99%	7700.00 26200.00	1 gm 5 gm
RE1815 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1820 Lu ₂ (CO ₃) ₃ .xH ₂ O (64360-99-2)	Lutetium (III) Carbonate M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE1830 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.9%	4770.00 16830.00	1 gm 5 gm
RE1835 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.99%	5400.00 19980.00	1 gm 5 gm
RE1840 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1845 LuCl ₃ .6H ₂ O (15230-79-2)	Lutetium (III) Chloride M. W.: 389.42 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE1855 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9%	4041.00 14850.00 51300.00	1 gm 5 gm 25 gm
RE1860 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.99%	10400.00 34020.00	2 gm 10 gm
RE1865 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.999%	POR	5 gm
RE1870 Lu(NO ₃) ₃ .xH ₂ O (100641-16-5)	Lutetium (III) Nitrate M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE1880 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.9%	6130.00 21222.00 47520.00	1 gm 5 gm 25 gm
RE1885 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.99%	6660.00 20610.00 46530.00	1 gm 5 gm 25 gm
RE1890 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.999%	8991.00 34020.00	1 gm 5 gm
RE1895 Lu ₂ O ₃ (12032-20-1)	Lutetium (III) Oxide M. W.: 397.94 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE1905 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.9%	7520.00 27450.00	1 gm 5 gm
RE1910 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.99%	POR POR	1 gm 5 gm
RE1915 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE1920 Lu ₂ (SO ₄) ₃ .8H ₂ O (13473-77-3)	Lutetium (III) Sulphate M. W.: 782.24 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
138675 C ₇ H ₉ N (583-61-9)	2,3-Lutidine for Synthesis M. W.: 107.15 Assay 99.0%	1503.00 5121.00	100 ml 500 ml
138745 C ₇ H ₉ N (108-47-4)	2, 4-Lutidine for Synthesis M. W.: 107.15 Assay 99.0%	2592.00	25 ml
138845 C ₇ H ₉ N (108-48-5)	2, 6-Lutidine for Synthesis M. W.: 107.15 Assay 98.0%	3312.00	500 ml
138865 C ₇ H ₉ N (583-58-4)	3, 4-Lutidine for Synthesis M. W.: 107.15	1647.00 7002.00	100 ml 500 ml
138905 C ₇ H ₉ N (591-22-0)	3, 5-Lutidine for Synthesis (3,5-Dimethyl Pyridine) M. W.: 107.15 Assay 98.0%	909.00 4005.00	100 ml 500 ml
139105 (8023-70-9)	Lycopodium for Synthesis	3303.00	500 gm
139285 C ₆ H ₁₄ N ₂ O ₂ .H ₂ O (39665-12-8)	▲L-Lysine (Base) Monohydrate M. W.: 164.20	720.00 1710.00 6107.00 32000.00	10 gm 25 gm 100 gm 500 gm
TC1207 ATC C ₆ H ₁₄ N ₂ O ₂ (56-87-1)	▲L-Lysine (From non-animal source) Cell Culture Tested M. W.: 146.19 Assay : ≥98.5%	5590.00 16110.00 48600.00 72810.00	25 gm 100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
037129 C ₆ H ₁₄ N ₂ O ₂ .HCl (657-27-2)	L-Lysine Monohydrochloride For Biochemistry M. W.: 182.65 Assay (Non-aqueous) 99.0%	360.00 1305.00	100 gm 500 gm
139315 C ₆ H ₁₄ N ₂ O ₂ .HCl (657-27-2)	L-Lysine Monohydrochloride For Feed experiments M. W.: 182.65 Assay (NT/HPLC, on dry basis) 99.0-101.0%	2394.00	2.5 kg
TC1079 ATC C ₆ H ₁₄ N ₂ O ₂ .HCl (657-27-2)	L-Lysine Monohydrochloride (From non-animal source) Cell Culture Tested M. W.: 182.65 Assay : ≥98.5% Store below 30°C	1233.00 3722.00 15840.00	25 gm 100 gm 1 kg
TC1079M ATC C ₆ H ₁₄ N ₂ O ₂ .HCl (657-27-2)	L-Lysine Monohydrochloride L-Lysine hydrochloride (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 182.65 Store below 30°C	2179.00 4240.00 18190.00	25 gm 100 gm 1 kg
DI2007 (12772-68-8)	Lysol (Cresol and Soap Solution) Assay (cresol) 47-53.0% v/v	604.00 4617.00	500 ml 5 lit
	Lysol (Cresol and Soap Solution) See 033218		
139355 (12650-88-3)	Lysozyme for Biochemistry	792.00 2943.00	1 gm 5 gm
953200 MB (12650-88-3)	*Lysozyme (Muramidase) From Chicken Egg White Lyophilized For Molecular Biology E. C. No. : 3.2.1.17 Av. MW. : 14600 Daltons Activity : ~30,000 U/mg Upon Receipt Store at - 20°C	1090.00 5162.00 22707.00	1 gm 5 gm 25 gm
TC1684 ATC (12650-88-3)	▲Lysozyme Source : Chicken egg white Cell Culture Tested M. W.: 14.4 kDa	4240.00 16920.00 50940.00	1 gm 5 gm 25 gm
953700 MB (37340-57-1)	*Lyticase From Anthrobacter Luteus For Molecular Biology Activity : ~2000 U/mg of Protein Upon Receipt Store at - 20°C	7227.00 11120.00	10000 units 20000 units
139415 C ₅ H ₁₀ O ₅ (1114-34-7)	D-Lyxose for Biochemistry M. W.: 150.13	1890.00 5670.00	1 gm 5 gm

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
144005	Macerozyme R-10 for Biochemistry	4500.00	500 mgm
		6822.00	1 gm
		30240.00	5 gm
PCT2531	▲ Macerozyme R-10 Source from Rhizopus species Plant Culture Tested (9032-75-1) Activity : 3000 U/g solid	11601.00	1 gm
		47610.00	5 gm
	Magenta Acid See Fuchsin Acid		
	Magenta Basic See Fuchsin Basic		
PCT2203	· MagentaTM-Glucuro CHA salt (5-Bromo-6-chloro-3indolyl-b-D-glucuronide Cyclohexyl ammonium salt) Plant Culture Tested C ₂₀ H ₂₆ BrClN ₂ O ₇ (144110-43-0) M. W.: 521.79 Assay 98%	11430.00	10 mg
863100	Magnesium (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2264.00	250 ml
		3852.00	500 ml
863102	Magnesium (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml
863030	Magnesium (Mg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5301.00	100 ml
		8514.00	500 ml
863060	Magnesium (Mg) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	16020.00	100 ml
		48204.00	500 ml
029085	Magnesium (Metal) Powder Mg (7439-95-4) At. Wt.: 24.31 Assay (Complexometric) 98.0%	720.00	100 gm
		3303.00	500 gm
		POR	25 kg
144115	Magnesium (Metal) Ribbon Mg (7439-95-4) At. Wt.: 24.31 Assay (Complexometric) 99.5%	486.00	25 gm
144120	Magnesium (Metal) Turning acc. Grignard reaction Mg (7439-95-4) At. Wt.: 24.31 Assay (Complexometric) 99.5%	1044.00	250 gm
		1900.00	500 gm
		POR	25 kg
029090	Magnesium Acetate Tetrahydrate (CH ₃ COO) ₂ Mg.4H ₂ O (16674-78-5) M. W.: 214.46 Assay (Complexometric) 98-102%	1053.00	500 gm
		9090.00	5 kg
		POR	25 kg
		POR	50 kg
568065	Magnesium Acetate Tetrahydrate AR/ACS (CH ₃ COO) ₂ Mg.4H ₂ O (16674-78-5) M. W.: 214.46 Assay (Complexometric) 99.5-102.0%	1503.00	500 gm
959200	Magnesium Acetate Tetrahydrate for Molecular Biology (CH ₃ COO) ₂ Mg.4H ₂ O (16674-78-5) M. W.: 214.46	603.00	100 gm
		2800.00	500 gm
H46005	Magnesium Acetate Tetrahydrate (CH ₃ COO) ₂ Mg.4H ₂ O (16674-78-5) M. W.: 214.46	4950.00	250 gm

Product Code	Product Name	Price	Packing
144180	Magnesium Aluminium Silicate MgAl ₂ (SiO ₄) ₂ (12511-31-8) M. W.: 262.43	360.00	500 gm
144215	Magnesium Borate B ₂ MgO ₄ (13703-82-7) M. W.: 109.92	603.00	250 gm
144305	Magnesium Bromide (Hexahydrate) MgBr ₂ .6H ₂ O (13446-53-2) M. W.: 292.20 Assay 98.0%	2403.00	500 gm
		POR	25 kg
		POR	50 kg
029093	Magnesium Carbonate Basic Light ~MgCO ₃ .Mg(OH) ₂ .5H ₂ O (39409-82-0) M.W.:485.0 Assay (As Mg; Complexometric) 24.0%	675.00	250 gm
		1206.00	500 gm
		8001.00	5 kg
		POR	25 kg
568105	Magnesium Carbonate Basic Light AR ~MgCO ₃ .Mg(OH) ₂ .5H ₂ O (39409-82-0) M.W.:485.0 Assay (complexometric, as Mg) 24.0%	2250.00	500 gm
H46095	Magnesium Carbonate Basic Light ~MgCO ₃ .Mg(OH) ₂ .5H ₂ O (39409-82-0) M.W.:485.0 Assay (complexometric, as Mg) 24.0%	3600.00	500 gm
959300	Magnesium Chloride Anhydrous For Molecular Biology MgCl ₂ (7786-30-3) M. W.: 95.21 Assay : ≥ 98% Store Below 30°C	460.00	100 gm
		2043.00	500 gm
TC1186	Magnesium Chloride Anhydrous Cell Culture Tested MgCl ₂ (7786-30-3) M. W.: 95.21 Assay : ≥97% Store below 30°C	2539.00	100 gm
		15264.00	1 kg
029096	Magnesium Chloride Hexahydrate Purified Cryst. MgCl ₂ .6H ₂ O (7791-18-6) M. W.: 203.30 Assay (Complexometric) 98.0%	297.00	500 gm
		2106.00	5 kg
		POR	25 kg
		POR	50 kg
568135	Magnesium Chloride Hexahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. MgCl ₂ .6H ₂ O (7791-18-6) M. W.: 203.30 Assay (Complexometric) 99.0%	396.00	500 gm
		2601.00	5 kg
		POR	25 kg
		POR	50 kg
959340	Magnesium Chloride for Molecular Biology MgCl ₂ .6H ₂ O (7791-18-6) M. W.: 203.30 Assay (Complexometric) 99.0%	1206.00	500 gm
		9801.00	5 kg
TC1006	Magnesium Chloride Hexahydrate Cell Culture Tested MgCl ₂ .6H ₂ O (7791-18-6) M. W.: 203.30 Assay : ≥99% Store below 30°C	1530.00	100 gm
		4617.00	500 gm
863185	Magnesium Chloride CPECTROSOL® 0.01M (0.02N) Standardized Solution	1400.00	1 lit
863190	Magnesium Chloride 0.5M Volumetric Solution	252.00	500 ml
		432.00	1 lit
		657.00	2.5 lit
863200	Magnesium Chloride 1M Volumetric Solution	270.00	500 ml
		550.00	1 lit
		837.00	2.5 lit
144515	Magnesium Chromate CrH ₂ O ₄ Mg (13423-61-5) M. W.: 140.30	4320.00	500 gm

● ATC : Animal Cell Culture
● MB : Molecular Biology
● PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
029098 Mg ₃ (C ₆ H ₅ O ₇) ₂ ·9H ₂ O (153531-96-5)	Magnesium Citrate Nonahydrate M. W.: 613.25 Assay (Complexometric; on dried subs.) 97.0%	950.00 POR	500 gm 25 kg 50 kg
	tri-Magnesium Dicitrate See Magnesium Citrate		
029100 MgF ₂ (7783-40-6)	Magnesium Fluoride M. W.: 62.30 Assay (Complexometric, after loss on ignition at 700°C) 97.0%	1107.00 POR	500 gm 2.5 kg
H46283 MgF ₂ (7783-40-6)	Magnesium Fluoride M. W.: 62.30	6075.00	25 gm
144725 C ₁₂ H ₂₂ MgO ₁₄ ·XH ₂ O (3632-91-5)	Magnesium Gluconate for Synthesis M. W.: 414.60 (Anhy.) Assay 98.0%	1000.00	500 gm
029102 Mg(OH) ₂ (1309-42-8)	Magnesium Hydroxide M. W.: 58.33 Assay (complexometric) 95.0%	306.00 1107.00	250 gm 1 kg
029106 Mg(NO ₃) ₂ ·6H ₂ O (13446-18-9)	Magnesium Nitrate Hexahydrate Purified M. W.: 256.41 Assay (Complexometric) 98.0%	396.00 POR	500 gm 50 kg
568215 Mg(NO ₃) ₂ ·6H ₂ O (13446-18-9)	Magnesium Nitrate Hexahydrate AR/ACS M. W.: 256.41 Assay (Complexometric) 99.0%	460.00 3411.00 POR	500 gm 5 kg 50 kg
PCT1007 Mg(NO ₃) ₂ ·6H ₂ O (13446-18-9)	Magnesium Nitrate Hexahydrate Plant Culture Tested M. W.: 256.41 Assay 99% Store below 30°C	910.00 1647.00	500 gm 1 kg
144830 C ₂ O ₄ Mg (547-66-0)	Magnesium Oxalate M. W.: 112.32	459.00	250 gm
029108 MgO (1309-48-4)	Magnesium Oxide Heavy M. W.: 40.30 Assay (Complexometric; on ignited sub.) 98.0-100.5%	1494.00 POR	500 gm 25 kg 50 kg
029109 MgO (1309-48-4)	Magnesium Oxide Light Meets BP, Ph, Eur, USP M. W.: 40.30 Assay (Complexometric; on ignited subs.) 98.0-100.5%	1540.00 13716.00 POR	500 gm 5 kg 25 kg
568255 MgO (1309-48-4)	Magnesium Oxide Light AR/ACS M. W.: 40.30 Assay 98.0%	2547.00 POR	500 gm 25 kg 50 kg
H46314 MgO (1309-48-4)	Magnesium Oxide Light M. W.: 40.30	22500.00 POR	250 gm 1 kg
145005 * Mg(ClO ₄) ₂ ·XH ₂ O (64010-42-0)	Magnesium Perchlorate Hydrate M. W.: 223.21 (Anhy.) Assay (Complexometric) 82.0-83.0%	9000.00 36000.00 POR	100 gm 500 gm 25 kg 50 kg
568285 * Mg(ClO ₄) ₂ ·XH ₂ O (64010-42-0)	Magnesium Perchlorate Hydrate AR M. W.: 223.21 (Anhy.) Assay (complexometric) 83.0%	9900.00 37000.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
029101 MgHPO ₄ ·3H ₂ O (7782-75-4)	Magnesium Phosphate Dibasic Pure M. W.: 174.34 Assay (ex Mg) 98.0%	1503.00 POR	500 gm 25 kg 50 kg
H46341 (53408-95-0)	Magnesium Phosphate Hydrate Assay (ex Mg) (on dried basis) 98.0%	8280.00	1 kg
145125 [CH ₃ (CH ₂) ₁₆ COO] ₂ Mg (557-04-0)	Magnesium Stearate Precipitated M. W.: 591.27 Assay (as Mg; on dried substance) 3.8-5.0%	684.00 POR	500 gm 25 kg 50 kg
TC1560M C ₃₆ H ₇₀ MgO ₄ (557-04-0)	Magnesium Stearate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 591.27 Store below 30°C	2241.00 3357.00	500 gm 1 kg
145250 MgSO ₄ (7487-88-9)	Magnesium Sulphate Anhydrous Meets Analytical Specification of IP, BP, Ph. Eur. (Magnesium Sulphate Dry) M. W.: 120.37 Assay 99.0%	522.00 2430.00	500 gm 2.5 kg 50 kg
145270 MgSO ₄ ·XH ₂ O (22189-08-8)	Magnesium Sulphate Dried M. W.: 120.37 (anhydrous) Assay (complexometric) 62-70.0%	486.00 POR	500 gm 25 kg 50 kg
PCT1125 MgSO ₄ (7487-88-9)	Magnesium Sulphate Anhydrous Plant Culture Tested M. W.: 120.37 Assay 99% Store below 30°C	1134.00 2043.00	500 gm 1 kg
TC1146 MgSO ₄ (7487-88-9)	Magnesium Sulphate Anhydrous Cell Culture Tested M. W.: 120.37 Assay : ≥62% Store below 30°C	2295.00 3465.00	500 gm 1 kg
029117 MgSO ₄ ·7H ₂ O (10034-99-8)	Magnesium Sulphate Heptahydrate Pure M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.0%	243.00 1503.00 POR	500 gm 5 kg 25 kg 50 kg
568325 MgSO ₄ ·7H ₂ O (10034-99-8)	Magnesium Sulphate Heptahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.5-103.0%	333.00 1800.00 POR	500 gm 5 kg 25 kg 50 kg
959580 MgSO ₄ ·7H ₂ O (10034-99-8)	Magnesium Sulphate for Molecular Biology M. W.: 246.47 Assay (Complexometric) 99.5%	4230.00	500 gm
PCT1008 MgSO ₄ ·7H ₂ O (10034-99-8)	Magnesium Sulphate Heptahydrate Plant Culture Tested M. W.: 246.47 Assay 99.5% Store below 30°C	684.00 1233.00 6273.00 POR	500 gm 1 kg 5 kg 25 kg
TC1577M H ₁₄ MgO ₁₁ S (10034-99-8)	Magnesium Sulphate Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 246.466 Store below 30°C	2952.00 4923.00	100 gm 1 kg

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
* Supply Against Licence
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
863240	Magnesium Sulphate 0.1M Volumetric Solution	207.00	500 ml
		396.00	1 lit
		576.00	2.5 lit
863245	Magnesium Sulphate 1M Volumetric Solution	234.00	500 ml
		441.00	1 lit
		693.00	2.5 lit
145305	Magnesium Sulphide MgS (12032-36-9)	7506.00	500 gm
029122	Magnesium Trisilicate M. W.: 260.86 (Anhy.) Assay (MgO) 29.0% (on ignited subs.) Assay (SiO ₂) 65.0%(on ignited subs.)	378.00	500 gm
			POR 25 kg
568505	Magneson I AR Sensitivity: detects 1ppm Mg M. W.: 259.22 Dye Content (titanometry; on dried subs.) 80.0%	603.00	25 gm
		2142.00	100 gm
568510	Magneson II AR Reagent for Mg M. W.: 293.28 Dye content (titanometry, dried) 95.0%	2700.00	5 gm
		10350.00	25 gm
			POR 100 gm
863340	Magneson Reagent	131.00	125 ml
		370.00	500 ml
305115	Malachite Green for Microscopy (Malachite Green Oxalate) C.I. No. 42000 M. W.: 927.02 Dye Content (titanometry, dried subs.) About 90.0%	221.00	25 gm
		550.00	100 gm
		4001.00	1 kg
863430	Malachite Green solution 1% w/v	81.00	100 ml
K062015	Malarial parasite staining kit	419.00	KIT
029124	Maleic Acid for Synthesis CH(COOH) : CH.COOH M. W.: 116.07 Assay (acidimetric; calculated on anhydrous subs.) 98.0-101.0%	819.00	500 gm
		3681.00	2.5 kg
			POR 25 kg
			POR 50 kg
568600	Maleic Acid AR CH(COOH):CH.COOH M. W.: 116.07 Assay 99.5%	1071.00	500 gm
959600	Maleic Acid For Molecular Biology M. W.: 116.07 Assay : ≥ 99% Store Below 30°C	1197.00	500 gm
029125	Maleic Anhydride for Synthesis M. W.: 98.06 Assay (acidimetric) 97.0%	495.00	500 gm
			POR 25 kg
			POR 50 kg
568645	Maleic Anhydride AR M. W.: 98.06 Assay (acidimetric) 97.0%	414.00	100 gm
		1602.00	500 gm
029126	Maleic Hydrazide M.W. : 112.09 Assay (Acidimetric) 97.0%	684.00	100 gm
		5805.00	1 kg
			POR 10 kg

Product Code	Product Name	Price	Packing
PCT1818	▲ Maleic Hydrazide Plant Culture Tested M. W.:112.09 Assay 99%	5040.00	100 gm
		11070.00	250 gm
029127	DL-Malic Acid Purified M. W.: 134.09 Assay (Acidimetric) 99.0%	702.00	500 gm
		6800.00	5 kg
			POR 50 kg
959590	DL-Malic Acid For Molecular Biology M. W.: 134.09 Assay : ≥ 99% Store Below 30°C	792.00	500 gm
H46485	DL-Malic Acid AR for Biochemistry M. W.: 134.08	3200.00	250 gm
		6210.00	1 kg
PCT1502	L-(-)-Malic Acid Plant Culture Tested M. W.: 134.09 Assay 96.5% Store below 30°C	8910.00	250 gm
863500	Mallory Phosphotungstic Haematoxylin Solution (Stain for Connective Tissue)	1000.00	100 ml
146445	Malonamide for Synthesis M. W.: 102.09 Assay 97.0%	1053.00	100 gm
		4518.00	500 gm
029129	Malonic Acid CH ₂ (COOH) ₂ (141-82-2) Assay (acidimetric) 98.0%	612.00	100 gm
		2205.00	500 gm
		18000.00	5 kg
			POR 25 kg
568705	Malonic Acid AR M. W.: 104.06 Assay (acidimetric) 99.0%	756.00	100 gm
		3006.00	500 gm
		4806.00	1 kg
	Malonic Dinitrile See Malononitrile		
146485	Malononitrile M.W.: 66.06 Assay (By GC) 98.0%	783.00	100 gm
		3600.00	500 gm
338625	Malt Extract Powder Bacteriology	603.00	500 gm
PCT1412	Malt Extract Powder Plant Culture Tested Store below 30°C	2322.00	500 gm
PCT1413	Malt Extract Powder, Refined Plant Culture Tested Store below 30°C	3861.00	500 gm
146635	Maltodextrine Powder (9050-36-6)	208.00	500 gm
PCT1611	Maltodextrin Plant Culture Tested Store below 30°C	252.00	500 gm
		459.00	1 kg
029131	Maltose Cryst. M. W.: 360.32	387.00	100 gm
		855.00	250 gm
		1602.00	500 gm
			POR 25 kg

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
959610 MB	D-(+)-Maltose Monohydrate For Molecular Biology M. W.: 360.31 Assay : ≥ 95% Store Below 30°C	405.00 1800.00	100 gm 500 gm
$C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)			
PCT1613 PTC	D-(+)-Maltose Monohydrate Plant Culture Tested M. W.: 360.31 Assay 99% Store below 30°C	338.00 1512.00 2745.00 13073.00	100 gm 500 gm 1 kg 5 kg
$C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)			
TC1148 ATC	Maltose Monohydrate Cell Culture Tested M. W.: 360.31 Assay : ≥95% Store below 30°C	1450.00 5670.00 8550.00	100 gm 500 gm 1 kg
$C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)			
	Maltose Extrapure AR See in Culture Media Bases		
	Maltose Monohydrate See in Culture Media Bases		
146755	D (-) Mandelic Acid (R (-) Mandelic Acid M. W.: 152.15 Assay 98.0%	2205.00	100 gm
$C_8H_8O_3$ (611-71-2)			
146765	DL-Mandelic Acid for Synthesis M. W.: 152.15	1062.00 4905.00	100 gm 500 gm
$C_8H_8O_3$ (90-64-2)			
146805	L (+) Mandelic Acid S (+) Mandelic Acid M. W.: 152.15 Assay 99.0%	2205.00	100 gm
$C_8H_8O_3$ (17199-29-0)			
863640	Manganese (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
863642	Manganese (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
863670	Manganese (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO_3	5301.00 8514.00	100 ml 500 ml
863690	Manganese (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO_3	16030.00 48204.00	100 ml 500 ml
863710	Manganese (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl	5301.00 8514.00	100 ml 500 ml
863730	Manganese (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl	16030.00 48204.00	100 ml 500 ml
568895	Manganese (Metal) AR Powder Electrolytic At. W.:54.94 Assay (Complexometric) 99.0%	1107.00	250 gm
Mn (7439-96-5)			

Product Code	Product Name	Price	Packing
146855	Manganese (Metal) Flakes At. W.: 54.94	1107.00	500 gm
Mn (7439-96-5)			
029134	Manganese (II) Acetate Cryst. Tetrahydrate M. W.: 245.09 Assay (complexometric) 99.0%	981.00 POR POR	500 gm 25 kg 50 kg
$(CH_3COO)_2.Mn.4H_2O$ (6156-78-1)			
568940	Manganese (II) Acetate AR Tetrahydrate M. W.: 245.09 Assay (Complexometric) 99.50%	1152.00 POR POR	500 gm 25 kg 50 kg
$(CH_3COO)_2.Mn.4H_2O$ (6156-78-1)			
146975	Manganese Borate M.W. : 84.77	1305.00	500 gm
MnB_4O_7 (12228-91-0)			
147015	Manganese (II) Bromide M. W.: 214.75 Assay 98.0%	2520.00	500 gm
$MnBr_2$ (13446-03-2)			
029136	Manganese (II) Carbonate M. W.: 114.95 (anhy.) Assay (complexometric Mn) 43-46%	590.00 POR POR	500 gm 25 kg 50 kg
$MnCO_3.XH_2O$ (34156-69-9)			
029137	Manganese (II) Chloride M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	770.00 7102.00 POR POR	500 gm 5 kg 25 kg 50 kg
$MnCl_2.4H_2O$ (13446-34-9)			
568985	Manganese (II) Chloride Tetrahydrate AR M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	837.00 POR POR	500 gm 25 kg 50 kg
$MnCl_2.4H_2O$ (13446-34-9)			
959640 MB	Manganese (II) Chloride Tetrahydrate For Molecular Biology M. W.: 197.91 Assay : ≥ 98% Store Below 30°C	306.00 1125.00	100 gm 500 gm
$MnCl_2.4H_2O$ (13446-34-9)			
PCT1112 PTC	Manganese (II) Chloride Tetrahydrate Plant Culture Tested M. W.: 197.91 Assay 98% Store below 30°C	1400.00	500 gm
$MnCl_2.4H_2O$ (13446-34-9)			
147135	Manganese Citrate	1593.00	500 gm
029139	Manganese Dioxide tech M. W.: 86.94 Assay (Iodometric) 75.0-85.0%	279.00 2421.00 POR POR	500 gm 5 kg 25 kg 50 kg
MnO_2 (1313-13-9)			
569015	Manganese Dioxide AR M. W.: 86.94 Assay (Iodometric) 92.0-94.0%	792.00	500 gm
MnO_2 (1313-13-9)			
147275	Manganese Fluoride M. W.: 111.93 Assay 98.0%	1197.00	500 gm
MnF_3 (7783-53-1)			
863830	Manganese Nitrate 45-50% Solution in Dilute Nitric Acid	558.00	500 ml
029145	Manganese Oxalate M. W.: 178.99 Assay (Oxidimetric) 98.0%	999.00	500 gm
$C_2MnO_4.2H_2O$ (6556-16-7)			

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
147355	Manganese Phosphate Heptahydrate	900.00	500 gm
029147	Manganese (II) Sulphate Monohydrate	531.00 3807.00	500 gm 5 kg
MnSO ₄ .H ₂ O (10034-96-5)	M. W.: 169.01 Assay (Complexometric ex Mn) 98.0%	POR	50 kg
569075	Manganese (II) Sulphate Monohydrate	954.00	500 gm
MnSO ₄ .H ₂ O (10034-96-5)	AR (Manganous Sulphate) M. W.: 169.01 Assay (Complexometric) 99.0%	8820.00 POR	5 kg 50 kg
959700	Manganese (II) Sulphate Monohydrate	1026.00	500 gm
MnSO ₄ .H ₂ O (10034-96-5)	For Molecular Biology M. W.: 169.02 Assay : ≥ 99% Store Below 30°C	1540.00	1 kg
PCT1113	Manganese (II) Sulphate monohydrate	1125.00 2025.00	500 gm 1 kg
MnSO ₄ .H ₂ O (10034-96-5)	Plant Culture Tested M. W.: 169.02 Assay 98% Store below 30°C		
TC1149	Manganese (II) Sulphate Monohydrate	1067.00	100 gm
MnSO ₄ .H ₂ O (10034-96-5)	Cell Culture Tested M. W.: 169.02 Assay : ≥99% Store below 30°C	4212.00	500 gm
TC1149M	Manganese (II) Sulphate Monohydrate	3033.00	100 gm
MnO ₄ S.H ₂ O (10034-96-5)	Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 169 Store below 30°C	9702.00	500 gm
147495	Manganese (II) Sulphide 98%	1692.00	100 gm
MnS (18820-29-6)	M. W.: 87.00 Assay 98.0%		
H46635	Manganese (II) Sulphide	4302.00	5 gm
MnS (18820-29-6)	M. W.: 87.00 Assay 98.0%	14000.00	25 gm
863940	Mann's Stain (Stain for acidophilic inclusion bodies)	784.00	100 ml
147510	D-Mannitol Pure	639.00	250 gm
C ₆ H ₁₄ O ₆ (69-65-8)	M. W.: 182.17	1143.00 2187.00	500 gm 1 kg
		POR	5 kg
		POR	25 kg
		POR	50 kg
569165	D-Mannitol AR Meets Analytical Specification of IP, BP, USP.	950.00 1400.00	250 gm 500 gm
C ₆ H ₁₄ O ₆ (69-65-8)	M. W.: 182.17 Assay 99.0%	POR	5 kg
		POR	25 kg
959800	D-Mannitol For Molecular Biology	1440.00	500 gm
C ₆ H ₁₄ O ₆ (69-65-8)	M. W.: 182.17 Assay : ≥ 99% Store Below 30°C	2592.00	1 kg

Product Code	Product Name	Price	Packing
PCT1604	D-Mannitol Plant Culture Tested	2745.00 4950.00	500 gm 1 kg
C ₆ H ₁₄ O ₆ (69-65-8)	M. W.: 182.17 Assay 99.5% store below 30°C	15120.00	5 kg
TC1513	D-Mannitol Mannite	1620.00 2655.00	25 gm 100 gm
C ₆ H ₁₄ O ₆ (69-65-8)	Cell Culture Tested M. W.: 182.17 Assay : ≥99% Store below 30°C		
TC1513M	D-Mannitol Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	2421.00 7272.00	25 gm 100 gm
C ₆ H ₁₄ O ₆ (69-65-8)	M. W.: 182.172 Store below 30°C		
569205	▲D-Mannose AR	576.00	10 gm
C ₆ H ₁₂ O ₆ (3458-28-4)	M. W.: 180.16	1296.00 4410.00	25 gm 100 gm
960100	▲D-Mannose For Molecular Biology	5130.00	100 gm
C ₆ H ₁₂ O ₆ (3458-28-4)	M. W.: 180.16 Assay : ≥ 99%		
PCT1605	▲D-(+)-Mannose Plant Culture Tested	1512.00 5320.00	25 gm 100 gm
C ₆ H ₁₂ O ₆ (3458-28-4)	MW : 180.16 Assay 98%	23940.00	500 gm
TC1150	▲D-(+)-Mannose Cell Culture Tested	3020.00 9100.00	25 gm 100 gm
C ₆ H ₁₂ O ₆ (3458-28-4)	M. W.: 180.16 Assay : ≥99%	35100.00	500 gm
	Manoxol OT See Diocetyl Sodium Sulphosuccinate		
029150	Marble Chips	153.00	500 gm
CaCO ₃ (471-34-1)	M. W.: 100.09		
863955	Marquis Reagent	1000.00	25 ml
305275	Martius Yellow for Microscopy C. I. No. 10315	2300.00	25 gm
(O ₂ N) ₂ C ₁₀ H ₅ OH (605-69-6)	M. W.: 234.17 Dye content 85.0%		
305415	May And Grunwald's Stain for Microscopy	712.00	25 gm
863970	May Grunwald's Eosin-Methylene Blue Solution	216.00	125 ml
	Mayer's Hemalum Solution For Microscopy See Hematoxyline Mayer's solution		
864070	Mayer's Mucicarmine Staining Solution	261.00 810.00	100 ml 500 ml
864100	Mayer's Solution (Reagent for Detection of Alkaloids)	280.00 900.00	125 ml 500 ml
	MBTH See 3-Methyl-2-Benzothiazolinone Hydrazone Hydrochloride,		

● ATC : Animal Cell Culture
● MB : Molecular Biology
● PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
339195	Meat Extract Paste for Bacteriology	945.00	500 gm
339215	Meat Extract Powder for Bacteriology	2448.00	500 gm
864300	Mecke Reagent	1000.00	25 ml
029152	Melamine Pure	684.00	500 gm
C ₃ H ₆ N ₆ (108-78-1)	M. W.: 126.12 Assay (ex N, Non-aqueous) 97.5%		
147765	Melatonin	567.00	1 gm
C ₁₃ H ₁₆ N ₂ O ₂ (73-31-4)	M. W.: 232.28 Assay (TLC) 98.0%	1990.00 6777.00	5 gm 25 gm
PCT1840	▲ Melatonin	3960.00	1 gm
C ₁₃ H ₁₆ N ₂ O ₂ (73-31-4)	Plant Culture Tested M. W.: 232.28 Assay 99%	17991.00 26991.00	5 gm 10 gm
038051	D+Melibiose for Biochemistry	1404.00	1 gm
C ₁₂ H ₂₂ O ₁₁ (585-99-9)	M. W.: 342.30	5500.00	5 gm
147875	Menadione for Biochemistry	1305.00	25 gm
C ₁₁ H ₈ O ₂ (58-27-5)	M. W.: 172.18		
147895	Menadione Sodium Bisulphite	828.00	25 gm
C ₁₁ H ₉ NaO ₅ S.3H ₂ O (57414-02-5)	For Lab use M. W.: 330.28 Assay (Calculated as C ₁₁ H ₉ O ₅ S. Na with reference to anhydrous subs. dried) (Oxidimetric) 94.0%		
TC1151	▲ Menadione Sodium Bisulphite	1530.00	25 gm
C ₁₁ H ₉ NaO ₅ S (130-37-0)	(Vitamin K3; W.S.) Cell Culture Tested M. W.: 276.24 Assay : ≥95%	5239.00	100 gm
029153	Menthol Crystal Natural	1503.00	100 gm
C ₁₀ H ₂₀ O (2216-51-5)	M. W.: 156.27 Assay (GC) 99.0%		
	Mercapto Acetic Acid See Thioglycolic Acid		
	Mercapto Acetic Acid Sodium Salt See Sodium Thioglycolate		
	Mercapto Benzene See Thiophenol		
147965	2-Mercapto Benzimidazole	1557.00	500 gm
C ₇ H ₆ N ₂ S (583-39-1)	M. W.: 150.20	POR	25 kg
580105	2-Mercapto Benzoic Acid AR	2700.00	100 gm
C ₇ H ₆ O ₂ S (147-93-3)	M. W.: 154.19	11250.00	500 gm
148115	2-Mercapto Benzothiazole	585.00	100 gm
C ₇ H ₅ NS ₂ (149-30-4)	for Synthesis M. W.: 167.25	1800.00	500 gm
580165	2-Mercapto Benzothiazole AR	702.00	100 gm
C ₇ H ₅ NS ₂ (149-30-4)	(2-Benimidazol Ethiol) M. W.: 167.25 Assay (Acidimetric) 99.0%	2201.00	500 gm
864400	Mercapto Benzothiazole Solution (Reagent for Bi, Cd, Pb)	784.00	100 ml

Product Code	Product Name	Price	Packing
148195	2-Mercapto Ethanol for Synthesis	603.00	100 ml
HS.CH ₂ CH ₂ OH (60-24-2)	M. W.: 78.13 Assay (GC) 99.0%	2502.00	500 ml
580225	2-Mercapto Ethanol AR	900.00	100 ml
HS.CH ₂ CH ₂ OH (60-24-2)	Suitable M. W.: 78.13	3330.00	500 ml
TC1152	2-Mercaptoethanol	1737.00	100 ml
C ₂ H ₆ OS (60-24-2)	Cell Culture Tested M. W.: 78.13. Assay : ≥99% Store below 30°C	3402.00 5202.00	250 ml 500 ml
	3-Mercapto-1,2-Propane Diol for Preparing Ligands See 1-Thioglycerol		
148265	2-Mercapto Propionic Acid	3470.00	100 gm
C ₃ H ₆ O ₂ S (79-42-5)	for Synthesis M. W.: 106.14 Assay 95.0%		
148275	3-Mercapto Propionic Acid	1107.00	100 ml
C ₃ H ₆ O ₂ S (107-96-0)	for Synthesis M. W.: 106.14 Assay 99.0%	4311.00	500 ml
148395	▲ 6-Mercapto Purine	640.00	1 gm
C ₅ H ₄ N ₄ S.H ₂ O (6112-76-1)	for Biochemistry M. W.: 170.19	2231.00 8100.00	5 gm 25 gm
PCT2127	▲ 6-Mercapto Purine Monohydrate (6-Purinethiol)	1152.00	1 gm
C ₅ H ₄ N ₄ S.H ₂ O (6112-76-1)	Plant Culture Tested M. W.: 170.19 Assay 98%	5193.00	5 gm
029160	Mercuric Acetate	1647.00	25 gm
(CH ₃ .COO) ₂ Hg (1600-27-7)	Mercury (II) Acetate M. W.: 318.68 Assay (Precipitation titration) 98.0%	6300.00 30006.00	100 gm 500 gm
580535	Mercuric Acetate AR/ACS	1746.00	25 gm
(CH ₃ .COO) ₂ Hg (1600-27-7)	M. W.: 318.68 Assay (Precipitation titration) 99.0%	6606.00 32000.00	100 gm 500 gm
	Mercuric Ammonium Chloride see Mercury Ammoniated		
580545	Mercuric Bromide AR/ACS	2061.00	25 gm
HgBr ₂ (7789-47-1)	(Mercury II Bromide) M. W.: 360.40 Assay (by complexometric) 99.0%	6201.00	100 gm
029163	Mercuric Chloride	1503.00	25 gm
HgCl ₂ (7487-94-7)	M. W.: 271.50 Assay (Complexometric ex Hg) 99.0%	4500.00 10503.00 20007.00 38430.00	100 gm 250 gm 500 gm 1 kg
580575	Mercuric Chloride AR/ACS	1602.00	25 gm
HgCl ₂ (7487-94-7)	Reagent for Zinc M. W.: 271.50 Assay (Complexometric ex Hg) 99.5%	4806.00 11520.00 21375.00	100 gm 250 gm 500 gm
	POR		1 kg

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
960150	Mercuric Chloride For Molecular Biology M. W.: 271.50 Assay : > 99.5% Store Below 30°C	12006.00	250 gm
HgCl ₂ (7487-94-7)			
PCT2512	Mercuric Chloride Plant Culture Tested M. W.: 271.5 Assay 99.5% Store below 30°C	5400.00 11880.00 21375.00	100 gm 250 gm 500 gm
HgCl ₂ (7487-94-7)			
864500	Mercuric Chloride Solution 5%	320.00	125 ml
864520	Mercuric Chloride TS acc. to USP	558.00	100 ml
029165	Mercuric Iodide Red M. W.: 454.40 Assay (Oxidimetric) 99.0%	1737.00 5202.00 24400.00	25 gm 100 gm 500 gm
HgI ₂ (7774-29-0)			
580635	Mercuric Iodide Red AR/ACS M. W.: 454.40 Assay (Oxidimetric) 99.0%	1800.00 5400.00 25200.00	25 gm 100 gm 500 gm
HgI ₂ (7774-29-0)			
029166	Mercuric Nitrate Monohydrate (Mercury II Nitrate) M. W.: 342.62 Assay (by precipitation titration of Hg) 98.0%	1900.00 5706.00 27000.00	25 gm 100 gm 500 gm
Hg(NO ₃) ₂ .H ₂ O (7783-34-8)			
580815	Mercuric Nitrate AR/ACS M. W.: 342.62	2003.00 6003.00 29007.00	25 gm 100 gm 500 gm
Hg(NO ₃) ₂ .H ₂ O (7783-34-8)			
864640	Mercuric (II) Nitrate 0.005M (0.01N) Volumetric Solution	1400.00	1 lit
864660	Mercuric (II) Nitrate 0.01M (0.02N) Volumetric Solution	1400.00	1 lit
864670	Mercuric (II) Nitrate 0.05M (0.1N) Volumetric Solution	1400.00	1 lit
864675	Mercuric (II) Nitrate 0.07M (0.14N) Volumetric Solution	1400.00	1 lit
029168	Mercuric Oxide Red M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	1900.00 5706.00 27500.00	25 gm 100 gm 500 gm
HgO (21908-53-2)			
580935	Mercuric Oxide Red AR/ACS M. W.: 216.59	6003.00 28530.00	100 gm 500 gm
HgO (21908-53-2)			
148705	Mercuric Oxide Yellow M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	5805.00 28000.00	100 gm 500 gm
HgO (21908-53-2)			
581045	Mercuric Oxide Yellow AR M. W.: 216.59	6003.00 29007.00	100 gm 500 gm
HgO (21908-53-2)			
029174	Mercuric Sulphate (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	1602.00 4806.00 11520.00 22500.00	25 gm 100 gm 250 gm 500 gm
HgSO ₄ (7783-35-9)			
581085	Mercuric Sulphate AR/ACS (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	5103.00 12200.00 23607.00	100 gm 250 gm 500 gm
HgSO ₄ (7783-35-9)			

Product Code	Product Name	Price	Packing
864700	Mercuric (II) Sulphate 20gm/lit in Sulphuric Acid	1503.00	1 lit
864705	Mercuric (II) Sulphate 80gm/lit in Sulphuric Acid	3240.00	1 lit
864710	Mercuric (II) Sulphate 200gm/lit in Sulphuric Acid	8640.00	1 lit
581105	Mercuric Thiocyanate AR Hg(SCN) ₂ M. W.: 316.75 Assay (complexometric) 98.0%	6003.00	100 gm
(592-85-8)			
029177	Mercuric Chromo Granular M. W.: 750.67 Assay (Spectrophotometry, dried) 97.0%	1450.00 5733.00	25 gm 100 gm
C ₂₀ H ₈ Br ₂ HgNa ₂ O ₆ (129-16-8)			
029179	Mercurous Chloride (Mercury (I) Chloride) M. W.: 472.09 Assay (iodometric) 99.0%	1800.00 5400.00 25497.00	25 gm 100 gm 500 gm
Hg ₂ Cl ₂ (10112-91-1)			
581315	Mercurous Chloride AR/ACS M. W.: 472.09 Assay (iodometric) 99.5%	5607.00 26550.00	100 gm 500 gm
Hg ₂ Cl ₂ (10112-91-1)			
029182	Mercurous Nitrate Dihydrate (Mercury (I) Nitrate) M. W.: 561.22 Assay (Oxidimetric) 95.0%	1764.00 5301.00 25650.00	25 gm 100 gm 500 gm
Hg ₂ (NO ₃) ₂ .2H ₂ O (14836-60-3)			
581355	Mercurous Nitrate AR/ACS (Mercury (I) Nitrate) M. W.: 561.22	1863.00 5607.00 27000.00	25 gm 100 gm 500 gm
Hg ₂ (NO ₃) ₂ .2H ₂ O (14836-60-3)			
864760	Mercurous (Mercury)(I)Nitrate CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	4968.00	1 lit
148995	Mercurous Sulphate (Mercury (I) Sulphate) Assay 96.0%	1400.00 3250.00	25 gm 100 gm
Hg ₂ SO ₄ (7783-36-0)			
	Mercury (II) See Mercuric		
864860	Mercury (Hg) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2700.00 3591.00 4491.00	100 ml 250 ml 500 ml
864890	Mercury (Hg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	4969.00 7939.00	100 ml 500 ml
864910	Mercury (Hg) CRISTAR® 10,000 ppm Single Element Std. Soln for ICP in HNO ₃ In accordance with NIST	15053.00 45144.00	100 ml 500 ml
029185	Mercury (Metal) Pure M. W.: 200.59 Assay (complexometric) 99.0%	4986.00 13500.00 26010.00	100 gm 250 gm 500 gm
Hg (7439-97-6)			
581645	Mercury (Metal) AR/ACS M. W.: 200.59 Assay (Complexometric) 99.5%	5796.00 14000.00 27000.00	100 gm 250 gm 500 gm
Hg (7439-97-6)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
149095 HgH ₂ NCI (10124-48-8)	Mercury Ammoniated M. W.: 252.07 Assay 97.0%	16497.00	500 gm
149203 * C ₂₅ H ₂₅ Cl (55844-94-5)	Merrifield Resin 1% Crosslinked, 100-200 Mesh M.W. : 360.90	2205.00 9504.00	5 gm 25 gm
149205 * C ₂₅ H ₂₅ Cl (55844-94-5)	Merrifield Resin 2% Crosslinked, 200-400 Mesh M.W. : 360.90	2205.00 9504.00	5 gm 25 gm
149240 C ₆ H ₁₃ NO ₄ S.H ₂ O (145224-94-8)	MES Buffer M.W.: 213.25 Assay (Acidimetric on dry basis) 99.0%	1125.00 3807.00	25 gm 100 gm
960250 MB C ₆ H ₁₃ NO ₄ S.H ₂ O (145224-94-8)	MES Monohydrate (2-(N-Morpholino)Ethanesulphonic Acid Monohydrate) For Molecular Biology M. W. : 213.25 Assay : ≥ 99% Store Below 30°C	1107.00 4194.00	25 gm 100 gm
PCT1701 PTC C ₆ H ₁₃ NO ₄ S (145224-94-8)	MES Buffer [2-(N-Morpholino)ethane sulphonic acid] Plant Culture Tested M. W.: 195.24 Assay 99% Store below 30°C	1215.00 4599.00	25 gm 100 gm
TC1268 ATC C ₆ H ₁₂ NNaO ₄ S (71119-23-8)	MES Sodium Salt Cell Culture Tested M. W.: 217.22 Assay : ≥99% Store below 30°C	4392.00 13190.00 44510.00 60580.00	25 gm 100 gm 500 gm 1 kg
149485 C ₆ H ₁₀ O (141-79-7)	Mesityl Oxide for Synthesis (4-Methyl-3-Penten-2-one,1 sopropylidene Acetone) M. W.: 98.14	1305.00 3780.00	500 ml 2.5 lit
581875 C ₆ H ₁₀ O (141-79-7)	Mesityl Oxide AR M. W.: 98.14	2844.00	500 ml
149395 C ₆ H ₃ (CH ₃) ₃ (108-67-8)	Mesitylene for Synthesis (1,3,5-Trimethylbenzene) M. W.: 120.19	1107.00 4770.00	500 ml 2.5 lit
581985 C ₆ H ₃ (CH ₃) ₃ (108-67-8)	Mesitylene AR M. W.: 120.19	1440.00	500 ml
149635 H ₂ N.C ₆ H ₄ SO ₃ H (121-47-1)	Metanilic Acid M. W.: 173.19 Assay 95.0%	221.00 396.00	250 gm 500 gm
305565 C ₁₈ H ₁₄ N ₃ NaO ₃ S (587-98-4)	Metanil Yellow AR C.I. No. 13065 M. W.: 375.38	221.00 522.00	25 gm 100 gm
	Meta Phosphoric Acid See m-Phosphoric Acid		

Product Code	Product Name	Price	Packing
149765 C ₄ H ₇ NO (79-39-0)	Methacrylamide for Synthesis M. W.: 85.10 Assay 98.0%	756.00 1206.00	250 gm 500 gm
149780 CH ₂ : C(CH ₃)COOH (79-41-4)	Methacrylic Acid M. W.: 86.09 Assay (Titration by NaOH) 98.5-101.5%	1053.00 4500.00	500 ml 2.5 lit POR POR 25 lit 200 lit
	Methanamide See Formamide		
149795 CH ₄ O ₃ S (75-75-2)	Methane Sulphonic Acid for Synthesis M. W.: 96.10 Assay (Alkalimetric) 98.0%	1459.00 6597.00	500 ml 2.5 lit POR POR 25 lit 200 lit
582405 CH ₃ SO ₃ Na (2386-57-4)	Methane Sulphonic Acid Sodium Salt AR M. W.: 118.09	2403.00 8505.00	25 gm 100 gm
752040 CH ₃ SO ₃ Na (2386-57-4)	Methane Sulphonic Acid Sodium Salt for HPLC M. W.: 118.09	2997.00 11340.00	25 gm 100 gm
029191 CH ₃ ClO ₂ S (124-63-0)	Methane Sulphonyl Chloride M. W.: 114.55 Assay (acidimetric) 98.0%	1233.00 5904.00	500 ml 2.5 lit POR 25 lit
029192 CH ₄ O (67-56-1)	Methanol for Synthesis M. W.: 32.04 Assay (GC) 99.0%	315.00 621.00	500 ml 2.5 lit POR POR 25 lit 200 lit
582495 CH ₄ O (67-56-1)	Methanol AR/ACS Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	351.00 950.00	500 ml 2.5 lit POR POR 25 lit 200 lit
582500 CH ₄ O (67-56-1)	Methanol "Dry" AR M. W.: 32.04 Assay (GC) 99.5%	594.00 1935.00	500 ml 2.5 lit
960400 MB CH ₃ OH (67-56-1)	Methanol For Molecular Biology M. W.: 32.04 Assay : ≥ 99.9% Store Below 30°C	1000.00	500 ml
752135 CH ₄ O (67-56-1)	Methanol EL M. W.: 32.04 Assay (GC) 99.9%	1602.00	2.5 lit
752138 CH ₄ O (67-56-1)	Methanol GC-HS Grade Assay 99.9%	945.00 1710.00	500 ml 1 lit
752140 CH ₄ O (67-56-1)	Methanol for HPLC & UV Spectroscopy M. W.: 32.04 Assay (GC) 99.8%	378.00 630.00 972.00	500 ml 1 lit 2.5 lit
752180 CH ₄ O (67-56-1)	Methanol for HPLC Gradient Grade M. W.: 32.04 Assay 99.8%	657.00 1400.00	1 lit 2.5 lit
752220 CH ₄ O (67-56-1)	Methanol for LC-MS M. W.: 32.04	1494.00 2620.00	1 lit 2.5 lit

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
752200	Methanol for Pesticide Residue Trace Analysis (methyl alcohol) M. W.: 32.04	2223.00	1 lit
		3618.00	2.5 lit
CH ₄ O (67-56-1)			
149785	Methanol Semiconductor Grade M.W : 32.04 Assay 99.9%	1305.00	2.5 lit
CH ₃ OH (67-56-1)			
D73206	Methanol-d4 (Methyl-d3 Alcohol-d) M.W.: 36.07 (for NMR Spectroscopy) Assay Min. 99.8 atom%D	10494.00	10x0.75ml
CD ₄ O (811-98-3)		9500.00	10 ml
865090	Methanol With 0.1% Acetic Acid for LCMS	2196.00	2.5 lit
865110	Methanol With 0.1% Formic Acid for LCMS	2673.00	2.5 lit
865130	Methanol With 0.1% Trifluoro Acetic Acid for LCMS	2196.00	2.5 lit
865305	50/50 Methanol / Water for HPLC Grade	1323.00	2.5 lit
865300	Methanol 20% V/V Solution in Water With Sodium Phosphate Monobasic for HPLC	333.00	500 ml
		603.00	1 lit
		900.00	2.5 lit
865310	Methanol 50% Solution in Water for Protein Sequence Analysis	666.00	500 ml
		1206.00	1 lit
		1800.00	2.5 lit
149920	DL-Methionine for Feed experiment M. W.: 149.21	2340.00	2.5 kg
C ₅ H ₁₁ NO ₂ S (59-51-8)			
037132	DL-Methionine for Biochemistry M. W.: 149.21 Assay (Perchloric acid titration dried subs.) 99.0-101.0%	473.00	100 gm
		1800.00	500 gm
		3303.00	1 kg
C ₅ H ₁₁ NO ₂ S (59-51-8)			
037131	L-Methionine for Biochemistry M. W.: 149.21 Assay (Non-aqueous; ex S) 99.0%	302.00	25 gm
		1053.00	100 gm
		4806.00	500 gm
C ₅ H ₁₁ NO ₂ S (63-68-3)			
PCT1315	L-Methionine Plant Culture Tested M. W.: 149.21 Assay 99.5% Store below 30°C	540.00	25 gm
		2016.00	100 gm
		9072.00	500 gm
C ₅ H ₁₁ NO ₂ S (63-68-3)			
TC1080	L-Methionine (From non-animal source) Cell Culture Tested M. W.: 149.21 Assay : ≥99% Store below 30°C	1827.00	25 gm
		5504.00	100 gm
		38493.00	1 kg
C ₅ H ₁₁ NO ₂ S (63-68-3)			
TC1080M	L-Methionine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 149.21 Store below 30°C	3510.00	25 gm
		10071.00	100 gm
		54540.00	1 kg
C ₅ H ₁₁ NO ₂ S (63-68-3)			

Product Code	Product Name	Price	Packing
TC1404	▲Methotrexate Disodium Salt Cell Culture Tested M. W.: 498.4 Assay : ≥98.5%	41004.00	250 mg
C ₂₀ H ₂₀ N ₈ Na ₂ O ₅ (7413-34-5)			
582715	3-Methoxy Acetophenone AR M. W.: 150.17 Assay 97.0%	730.00	25 gm
		1760.00	100 gm
C ₉ H ₁₀ O ₂ (586-37-8)			
150005	4-Methoxy Acetophenone for Synthesis M. W.: 150.18 Assay 99.0%	531.00	100 gm
		2601.00	500 gm
C ₉ H ₁₀ O ₂ (100-06-1)			
	2-Methoxy Aniline See o-Anisidine		
	3-Methoxy Aniline See m-Anisidine		
	4-Methoxy Aniline See p-Anisidine		
150095	p-Methoxy Azobenzene Absorption Indicator M. W.: 212.25	1450.00	1 gm
C ₁₃ H ₁₂ N ₂ O (2396-60-3)			
	P-Methoxy Benzaldehyde See Anisaldehyde		
150165	3-Methoxy Benzaldehyde for Synthesis (m-Anisaldehyde) M. W.: 136.15	1189.00	25 gm
		4104.00	100 gm
		15170.00	500 gm
C ₈ H ₈ O ₂ (591-31-1)			
	Methoxy Benzene See Anisole		
	2-Methoxy Benzoic Acid See o-Anisic Acid		
	3-Methoxy Benzoic Acid See m-Anisic Acid (m-Methoxy Benzoic Acid)		
	4-Methoxy Benzoic Acid See (p-Methoxy Benzoic acid) p-Anisic Acid		
150485	4-Methoxy Benzoyl Chloride for Synthesis (p-Anisoyl Chloride) M. W.: 170.59	3780.00	100 ml
		9540.00	500 ml
C ₈ H ₇ ClO ₂ (100-07-2)			
150625	* 3-Methoxy Benzylamine M. W.: 137.18 Assay 98.0%	2196.00	5 gm
		6040.00	25 gm
C ₈ H ₁₁ NO (5071-96-5)			
150635	4-Methoxy Benzylamine for Synthesis M. W.: 137.18	1450.00	25 gm
		5000.00	100 gm
C ₈ H ₁₁ NO (2393-23-9)			
150665	* 4-Methoxybenzyl Cyanide for Synthesis (4-Methoxyphenyl) Acetonitrile M.W : 147.18	1800.00	100 gm
		8622.00	500 gm
C ₉ H ₉ NO (104-47-2)			
	2-Methoxy Ethanol See Ethylene Glycol Mono Methyl Ether (Methyl Cellosolve)		

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
150705	2-Methoxy Ethyl Acetate for Synthesis (Ethylene glycol Monomethyl Ether Acetate, Methyl Cellosolve Acetate, Methyl Glycol Acetate) M. W.: 118.13	1080.00	500 ml
C ₅ H ₁₀ O ₃ (110-49-6)			
150765	* 4-Methoxy-2-Hydroxy Benzophenone M. W.: 228.24 Assay 98.0%	792.00 3006.00	100 gm 500 gm
C ₁₄ H ₁₂ O ₃ (131-57-7)			
150835	5-Methoxy Indole for Synthesis M. W.: 147.18	702.00 2403.00 9000.00	1 gm 5 gm 25 gm
C ₉ H ₉ NO (1006-94-6)			
	o-Methoxy Phenol See Guaiacol (Liquid)		
	4-Methoxy Phenol See Hydroquinone Monomethyl Ether		
151265	* a-Methoxy Phenyl Acetic Acid M. W.: 166.17	7380.00 21600.00	5 gm 25 gm
C ₉ H ₁₀ O ₃ (7021-09-2)			
151285	* 2-Methoxy Phenyl Acetic Acid for Synthesis M. W.: 166.17	3303.00 4905.00	25 gm 100 gm
C ₉ H ₁₀ O ₃ (93-25-4)			
151295	3-Methoxy Phenyl Acetic Acid M. W.: 166.17	1296.00 4302.00 15400.00	5 gm 25 gm 100 gm
C ₉ H ₁₀ O ₃ (1798-09-0)			
151305	4-Methoxy Phenyl Acetic Acid for Synthesis M. W.: 166.17	4608.00	500 gm
C ₉ H ₁₀ O ₃ (104-01-8)			
	4-Methoxyphenyl Acetonitrile See 4-Methoxybenzyl Cyanide		
151705	1-Methoxy-2-Propanol for Synthesis (Propylene Glycol Monomethyl Ether) M. W.: 90.12	711.00 2727.00	500 ml 2.5 lit POR
C ₄ H ₁₀ O ₂ (107-98-2)			
151895	1-Methoxy-2-Propanol Acetate for Synthesis M. W.: 132.16	581.00 2601.00	500 ml 2.5 lit
C ₆ H ₁₂ O ₃ (108-65-6)			
151975	2-Methoxy Propene (Isopropenyl Methyl Ether) M. W.: 72.11	4140.00 15570.00	500 ml 2.5 lit
C ₄ H ₈ O (116-11-0)			
152275	3-Methoxy Propylamine for Synthesis (1-Amino-3-Methoxy Propane) M. W.: 89.14	1530.00 22950.00	500 ml 4x2.5 lit
C ₄ H ₁₁ NO (5332-73-0)			
152355	7-Methoxy-1-Tetralone M. W.: 176.21 Assay 99.0%	550.00 1530.00 6300.00	1 gm 5 gm 25 gm
C ₁₁ H ₁₂ O ₂ (6836-19-7)			
152495	n-Methyl Acetamide for Synthesis M. W.: 73.09 Assay 99.0%	4257.00	500 gm
C ₃ H ₇ NO (79-16-3)			
152560	Methyl Acetate Pract M. W.: 74.08 Assay (GC) 90.0%	576.00 2556.00	500 ml 2.5 lit POR
C ₃ H ₆ O ₂ (79-20-9)			

Product Code	Product Name	Price	Packing
029202	Methyl Acetate for Synthesis M. W.: 74.08 Assay (GC) 98.0%	702.00 2809.00	500 ml 2.5 lit POR
CH ₃ .COO.CH ₃ (79-20-9)			
583575	Methyl Acetate AR M.W : 74.08	801.00	500 ml
C ₃ H ₆ O ₂ (79-20-9)			
752650	Methyl Acetate for HPLC M. W.: 74.08 Assay (GC) 99.8%	1998.00 8811.00	500 ml 2.5 lit
C ₃ H ₆ O ₂ (79-20-9)			
	Methylal See 1,2-Dimethoxymethane		
152635	Methyl Acetoacetate M. W.: 116.12 Assay (GC) 98.0%	801.00 3600.00	500 ml 2.5 lit POR
C ₅ H ₈ O ₃ (105-45-3)			
152785	4-Methyl Acetophenone for Synthesis M. W.: 134.18	513.00 2232.00	100 gm 500 gm
C ₉ H ₁₀ O (122-00-9)			
029205	Methyl Acrylate M. W.: 86.09 Assay (GC) 99.0%	730.00 3200.00	500 ml 2.5 lit POR
C ₄ H ₆ O ₂ (96-33-3)			
	3-Methyl Acrylic Acid See Crotonic Acid		
	Methyl Alcohol See Methanol		
152855	▲ Methylamine Soln. 40% (Monomethylamine Soln.) M. W.: 31.07 Assay Abt. 40.0% (w/v)	261.00 1107.00	500 ml 2.5 lit POR
CH ₃ NH ₂ (74-89-5)			
865350	▲ Methylamine (2m) in THF Methylamine Hydrochloride See Methylammonium Chloride	2340.00	500 ml
152925	* Methyl-2-Amino-5-Bromobenzoate M. W.: 230.06 Assay 96.0%	8204.00	25 gm
BrC ₈ H ₈ NO ₂ (52727-57-8)			
153105	2-(Methyl Amino) Ethanol for Synthesis [Monomethyl ethanol amine, MMEA, N-Methylethanol amine, (2-Hydroxy Ethyl) Methylamine] M. W.: 75.11	720.00 2800.00	500 ml 2.5 lit POR
C ₃ H ₉ NO (109-83-1)			
	p-(Methyl Amino) Phenol Sulphate See Metol		
029210	Methyl Ammonium Chloride (Methylamine Hydrochloride) M. W.: 67.52 Assay (Non-aqueous) 99.0%	460.00 1503.00	250 gm 1 kg POR
CH ₃ .NH ₂ .HCl (593-51-1)			
153225	n-Methyl Aniline (Monomethyl Aniline) M. W.: 107.16	900.00 3906.00	500 ml 2.5 lit POR
C ₇ H ₉ N (100-61-8)			
583835	n-Methyl Aniline AR M. W.: 107.16 Assay 98.0%	2322.00	1 lit
C ₇ H ₉ N (100-61-8)			
153345	* 2-Methyl Anisole M. W.: 122.16 Assay 99.0%	3600.00 10620.00	100 ml 500 ml
C ₈ H ₁₀ O (578-58-5)			

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
153355 C ₈ H ₁₀ O (100-84-5)	✳ 3-Methyl Anisole M. W.: 122.16 Assay 99.0%	2350.00	25 ml POR 250 ml
153385 C ₈ H ₁₀ O (104-93-8)	4-Methyl Anisole for Synthesis (p-Cresylmethyl Ether, p-Methoxytoluene, Methyl-p-Cresol) M. W.: 122.16	1323.00	500 ml
153415 C ₈ H ₉ NO ₂ (134-20-3)	Methyl Anthranilate for Synthesis M. W.: 151.16	1521.00 7002.00	500 ml 2.5 lit POR 25 lit
153625 CH ₃ C ₆ H ₄ CHO (529-20-4)	2-Methyl Benzaldehyde (o-Tolualdehyde) M. W.: 120.15 Assay 97.0%	1332.00 4100.00	25 gm 100 gm
153645 CH ₃ C ₆ H ₄ CHO (620-23-5)	3-Methyl Benzaldehyde (m-Tolualdehyde) M. W.: 120.15 Assay 97.0%	1540.00 4500.00	5 gm 25 gm
584045 CH ₃ C ₆ H ₄ CHO (104-87-0)	4-Methyl Benzaldehyde AR (p-Tolualdehyde) M. W.: 120.15 Assay 97.0%	1494.00 5400.00	100 gm 500 gm
029214 C ₆ H ₅ COOCH ₃ (93-58-3)	Methyl Benzoate for Synthesis M. W.: 136.15 Assay (GC) 99.0%	1022.00	500 ml
	2-Methyl Benzoic Acid See o-Toluic Acid		
	3-Methyl Benzoic Acid See m-Toluic Acid		
	4-Methyl Benzoic Acid See p-Toluic Acid		
153775 CH ₃ C ₆ H ₄ CN (529-19-1)	2-Methyl Benzointrile for Synthesis (o-Tolunitrile) M. W.: 117.15 Assay (GC) 97.0%	1400.00 5590.00	100 ml 500 ml
153795 CH ₃ C ₆ H ₄ CN (620-22-4)	3-Methyl Benzointrile for Synthesis (m-Tolunitrile) M. W.: 117.15 Assay 99.0%	1000.00 4806.00	100 gm 500 gm
153815 CH ₃ C ₆ H ₄ CN (104-85-8)	4-Methyl Benzointrile for Synthesis (p-Tolunitrile) M. W.: 117.15 Assay 98.0%	1854.00 7101.00	100 gm 500 gm
153905 C ₁₄ H ₁₂ O (134-84-9)	4-Methyl Benzophenone for Synthesis (Phenyl-p-tolyl) M. W.: 196.24	2890.00 12600.00	100 gm 500 gm
584315 C ₈ H ₉ N ₃ S.HCl.H ₂ O (38894-11-0)	3-Methyl 2-Benzothiazolinone Hydrazone Hydrochloride Monohydrate (M.B.T.H.) AR M. W.: 233.72 Assay (Non-aqueous, by autotitrater) 98.0%	7300.00 17010.00	10 gm 25 gm
865450	MBTH 0.05% w/v Aqueous Indicator Solution (for Cyanide)	617.00	100 ml

Product Code	Product Name	Price	Packing
154015 C ₈ H ₁₀ O (89-95-2)	✳ 2-Methyl Benzyl Alcohol M. W.: 122.16 Assay 98.0%	3690.00	25 gm
154025 C ₈ H ₁₀ O (587-03-1)	3-Methyl Benzyl Alcohol M. W.: 122.16 Assay 98.0%	6120.00	25 gm
154035 C ₈ H ₁₀ O (589-18-4)	4-Methyl Benzyl Alcohol M. W.: 122.16 Assay 98.0%	2700.00 4590.00	25 gm 100 gm
	n-Methyl Benzylamine See N-Benzylmethylamine		
154045 C ₈ H ₁₁ N (89-93-0)	2-Methyl Benzyl Amine M. W.: 121.18 Assay 96.0%	4653.00 10620.00	5 gm 25 gm
154055 C ₈ H ₁₁ N (100-81-2)	3-Methyl Benzyl Amine M. W.: 121.18 Assay 98.0%	1000.00 3006.00	1 gm 5 gm
154065 C ₈ H ₁₁ N (104-84-7)	4-Methyl Benzyl Amine M. W.: 121.18 Assay 97.0%	8505.00	100 ml
305655 C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ (28983-56-4)	Methyl Blue for Microscopy C.I. No. 42780 M. W.: 799.80 Dye content (titanometry, on dried substance) >60.0%	882.00 2800.00	25 gm 100 gm
865755	Methyl Blue Aqueous Solution	495.00	100 ml
154195 C ₈ H ₇ BrO ₂ (619-42-1)	✳ Methyl-4-Bromobenzoate M. W.: 215.04 Assay 99.0%	1000.00 3960.00	25 gm 100 gm
154235 C ₅ H ₇ BrO ₂ (1117-71-1)	Methyl-4-Bromo-Crotonate Pract for Synthesis M. W.: 179.01	2170.00	5 gm
	2-Methyl Butane See Iso-Pentane		
	3-Methyl-1-Butanol See ISO-Amyl alcohol		
	2-Methyl-2-Butanol See tert-Amyl Alcohol		
	3-Methyl-2-Butenoic Acid See 3,3-Dimethyl Acrylic Acid		
	Methyl-Tert-Butyl Ether See tert Butyl Methyl Ether		
	Methyl-iso-Butyl Ketone See ISO Butylmethyl Ketone		
	Methyl Carbitol See Diethylene Glycol Mono Methyl Ether		
154415 C ₅ H ₁₀ O ₂ (623-42-7)	Methyl Butyrate for Synthesis M. W.: 102.13 Assay 98.0%	3159.00	500 ml
154505 C ₇ H ₈ O ₂ (452-86-8)	4-Methyl Catechol (3,4-Dihydroxytoluene) M. W.: 124.14	20304.00	500 gm

Product Code	Product Name	Price	Packing
	Methyl Cellosolve See Ethylene Glycol Mono Methyl Ether		
154555 (9004-67-5)	Methyl Cellulose 350-550 cPs	2800.00	500 gm
154605 (9004-67-5)	Methyl Cellulose 4000 cPs	3006.00	500 gm
154655 C ₃ H ₅ ClO ₂ (96-34-4)	Methyl Chloroacetate M. W.: 108.52 Assay (GC) 97.5%	684.00	500 ml
154785 C ₅ H ₉ ClO ₂ (3153-37-5)	Methyl 4-Chlorobutyrate M.W. 136.58 Assay 98.0%	1980.00	25 gm
154805	Methyl Chloro Formate for Synthesis (Chloroformic acid methyl ester) M. W.: 94.50	1062.00 4401.00	500 ml 2.5 lit
C ₂ H ₃ O ₂ Cl (79-22-1)			POR 25 lit POR 200 lit
584665 ClCO ₂ CH ₃ (79-22-1)	Methyl Chloro Formate AR M. W.: 94.50 Assay 99.0%	1989.00 5000.00	500 ml 2.5 lit
			POR 25 lit POR 200 lit
154850	Methyl-2-Chloropropionate for Synthesis (2-chloropropionic acid methyl ester) M. W.: 122.55	1422.00 6620.00	500 ml 2.5 lit
C ₄ H ₇ ClO ₂ (17639-93-9)			
154895 C ₁₀ H ₁₀ O ₂ (103-26-4)	Methyl Cinnamate for Synthesis M. W.: 162.19 Assay (GC) 99.0%	4500.00	500 gm
154975 C ₆₃ H ₉₁ CoN ₁₃ O ₁₄ P (13422-55-4)	Methyl Cobalamin for Biochemistry M. W.: 1344.38	666.00 1710.00	250 mgm 1 gm
	Methyl Cyanide See Acetonitrile		
155085	Methyl Cyanoacetate for Synthesis (Cyanoacetic Acid Methyl Ester) M. W.: 99.08	1566.00 7434.00	500 ml 2.5 lit
C ₄ H ₅ NO ₂ (105-34-0)			
TC1227 ATC	α-β-Methyl Cyclodextrin Cell Culture Tested	3267.00 15507.00 29556.00	1 gm 5 gm 10 gm
(128446-36-6)			
155195 C ₇ H ₁₄ (108-87-2)	Methyl Cyclohexane for Synthesis M. W.: 98.19	576.00 2385.00	500 ml 2.5 lit
			POR 25 lit POR 200 lit
584965 C ₇ H ₁₄ (108-87-2)	Methyl Cyclohexane AR M. W.: 98.19	999.00 3960.00	500 ml 2.5 lit
155285	n-Methyl Cyclohexylamine for Synthesis M. W.: 113.20 Assay 99.0%	2106.00 15930.00 31860.00	25 ml 1 lit 2.5 lit
C ₆ H ₁₁ NHCH ₃ (100-60-7)			
155375 C ₆ H ₁₂ (96-37-7)	Methyl Cyclopentane for Synthesis M. W.: 84.16	3600.00 13050.00	100 ml 500 ml
585075 C ₆ H ₁₂ (96-37-7)	Methyl Cyclopentane AR M. W.: 84.16	5400.00	100 ml

Product Code	Product Name	Price	Packing
155455	Methyl Dichloro Acetate for Synthesis M. W.: 142.97 Assay 99.0%	1053.00	500 ml
C ₃ H ₄ Cl ₂ O ₂ (116-54-1)			
155555	N-(Methyl Diethanol) Amine for Synthesis [MDEA 2,2-Methyliminodiethanol, N,N-Bis (2-Hydroxyethyl) Methylamine] M. W.: 119.16	963.00 2997.00	500 ml 2.5 lit
C ₅ H ₁₃ NO ₂ (105-59-9)			
	Methyl Digol (Methyl Diglycol) See Diethylene Glycol Monomethyl Ether		
	2-Methyl 1:3 Dioxolan See Propylene Carbonate		
585165	▲N,N-Methylene-Bis-Acrylamide AR Specially Purified for Electrophoresis M. W.: 154.17 Assay (acidimetric) 99.0%	441.00 1350.00 5940.00	25 gm 100 gm 500 gm
C ₇ H ₁₀ N ₂ O ₂ (110-26-9)			
960500 MB	▲N'N'-Methylene-Bis-Acrylamide for Molecular Biology (Bis-acrylamide) M. W.: 154.17	630.00 2003.00 9441.00	25 gm 100 gm 500 gm
C ₇ H ₁₀ N ₂ O ₂ (110-26-9)			
305795	Methylene Blue for Microscopy C.I. No. 52015	567.00 1900.00	25 gm 100 gm
C ₁₆ H ₁₈ ClN ₃ S.XH ₂ O (61-73-4)	[X=2-3] M. W.: 319.86 (+)aq. Dye content (titrimetry, on dried substance) >96.0%	17010.00	1 kg
305875	Methylene Blue for Microscopy AR C.I. No. 52015	603.00 2106.00 19000.00	25 gm 100 gm 1 kg
C ₁₆ H ₁₈ ClN ₃ S.XH ₂ O (61-73-4)	[X=2-3] M. W.: 319.86aq. Dye content (titrimetry, on dried substance) >97.0%		
961920 MB	Methylene Blue Trihydrate For Molecular Biology C. I. NO. : 52015	630.00 2160.00	25 gm 100 gm
C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (7220-79-3)	M. W.: 373.9 Assay : ≥ 99% Store Below 30°C		
PCT2517 PTC	Methylene Blue Trihydrate Plant Culture Tested	855.00 2970.00	25 gm 100 gm
C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (7220-79-3)	M. W.: 373.9 Assay 99.5% Store below 30°C		
865630	Methylene Blue Alkaline (Löffler's)	180.00 522.00	125 ml 500 ml
865650	Methylene Blue Aqueous Staining Solution	153.00 504.00	125 ml 500 ml
865670	Methylene Blue Gabbots Solution	225.00	500 ml
865750	Methylene Blue TS acc. to USP	315.00	125 ml
865715	Methylene Blue Solution 0.5% for Microscopy	198.00	500 ml
865710 (61-73-4)	Methylene Blue Tablet for Milk Testing	1450.00	25 tab
305925 (61-73-4)	Methylene Blue Polychrome (M.S.)	603.00	25 gm

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
	Methylene Chloride See Dichloromethane		
	Methylene Dibenzene See Diphenylmethane		
155865 C ₇ H ₇ NO ₂ (14268-66-7)	3,4-Methylene Dioxy Aniline M. W.: 137.14 Assay 97.0%	4095.00	25 gm
	Methylene Iodide See Diiodomethane		
	Methylene Succinic Acid See Itaconic Acid		
	N-Methyl Ethanolamine See 2-(Methylamino)ethanol		
	Methyl Ethyl Ketone See Butanone		
155965 C ₁₁ H ₁₄ O ₂ (93-15-2)	Methyl Eugenol M. W.: 178.23 Assay (GC) 98.0%	1602.00 7300.00	100 ml 500 ml
156075 C ₂ H ₅ NO (123-39-7)	N-Methyl Formamide for Synthesis (N-Formylmethylamine) M. W.: 59.07	1800.00 8100.00	500 ml 2.5 lit
156145 HCO ₂ CH ₃ (107-31-3)	Methyl Formate for Synthesis M. W.: 60.05 Assay 99.0%	730.00 3402.00	500 ml 2.5 lit POR 25 lit
156345 C ₇ H ₁₄ O ₆ (97-30-3)	α-Methyl-D-(+)-Glucoside (Methyl-α-D-Glucopyranoside) M. W.: 194.18	1000.00 2142.00	25 gm 100 gm
	Methyl Glycol See Ethyleneglycol Monomethylether		
156465 C ₃ H ₄ O ₂ (78-98-8)	Methyl Glyoxal 40% IN Water for Synthesis M. W.: 72.06 Assay 40% in water	2106.00 5265.00 16263.00	25 ml 100 ml 500 ml
	2-Methyl Glyoxaline See 2-Methylimidazole		
306065	Methyl Green for Microscopical Staining (C.I. 42590)	860.00 1602.00 3807.00	5 gm 10 gm 25 gm
H47718 C ₂₇ H ₃₅ Cl ₂ N ₃ .ZnCl ₂ (7114-03-6)	Methyl Green Certified Grade (C.I. 42590) M. W.: 608.78	4941.00	25 gm
865775	Methyl Green Staining Solution (Aqueous)	558.00	100 ml
865780	Methyl Green Staining Solution (Alcoholic) (for plant tissues, supravital stain for small organisms)	734.00	100 ml
156580 C ₈ H ₈ O ₃ (19438-10-9)	Methyl-m-Hydroxy Benzoate for Synthesis M.W.: 152.15	2800.00 10530.00	25 gm 100 gm
029231 C ₆ H ₄ (OH).COO.CH ₃ (99-76-3)	Methyl-p-Hydroxy Benzoate for Synthesis M. W.: 152.15 Assay (Saponification) 99-101%	1404.00 12510.00	500 gm 5 kg POR 25 kg
156600 C ₈ H ₇ NaO ₃ (5026-62-0)	Methyl-p-Hydroxy Benzoate Sodium Salt M. W.: 174.13 Assay 99.0%	1602.00 14004.00	500 gm 5 kg POR 25 kg
156695 C ₆ H ₆ N ₂ (693-98-1)	▲2-Methyl Imidazole for Synthesis M. W.: 82.11	567.00 2205.00	100 gm 500 gm
156785 C ₉ H ₉ N (95-20-5)	2-Methyl Indole for Synthesis M. W.: 131.18 Assay 98.0%	3501.00	100 gm
156805 C ₉ H ₉ N (83-34-1)	3-Methyl Indole for Synthesis M. W.: 131.18	725.00 2003.00 3906.00	5 gm 25 gm 100 gm
156905 C ₁₀ H ₉ NO ₂ (1011-65-0)	Methyl Indole-5-Carboxylate M. W.: 175.18 Assay 99.0%	1458.00 7200.00	1 gm 5 gm
156945 CH ₃ I (74-88-4)	Methyl Iodide for Synthesis M. W.: 141.94 Assay (GC) 99.0%	7200.00 33003.00	100 ml 500 ml
156985 C ₁₄ H ₂₂ O (1335-46-2)	Methyl Ionone for Synthesis M. W.: 206.33	6993.00	500 gm
	Methyl iso Butyl Ketone See Iso-Butyl Methyl Ketone		
157075 C ₆ H ₁₄ O (108-11-2)	Methyl Iso Butyl Carbinol for Synthesis (4-Methyl-2-Pentanol) M. W.: 102.18 Assay 98.0%	1053.00 4707.00	500 ml 2.5 lit
157195 C ₁₁ H ₁₄ O ₂ (93-16-3)	Methyl Iso Eugenol for Synthesis M. W.: 178.23 Assay 98.0%	9243.00	500 ml
585585 C ₅ H ₁₀ O (563-80-4)	✱ Methyl Iso Propyl Ketone AR (3-Methy-2-Butanone, Mipk) M. W.: 86.13 Assay 98.5%	4095.00 17505.00	500 ml 2.5 lit
157425 C ₇ H ₁₄ O ₆ (617-04-9)	Methyl-α-D-Mannopyranoside for Biochemistry M. W.: 194.18	3510.00	25 gm
029234 CH ₂ :C(CH ₃)COO.CH ₃ (80-62-6)	Methyl Methacrylate Monomer M. W.: 100.12 Assay (GC) 99.0%	783.00 3402.00	500 ml 2.5 lit POR 25 lit POR 200 lit
029235 C ₅ H ₁₁ NO (109-02-4)	n-Methyl Morpholine M. W.: 101.15 Assay (GC) 98.0%	1566.00 8505.00	500 ml 2.5 lit POR 25 lit POR 200 lit
157655 C ₁₀ H ₇ CH ₃ (91-57-6)	2-Methyl Naphthalene for Synthesis M. W.: 142.20 Assay 97.0%	4950.00	500 gm
157715 C ₁₀ H ₇ OCH ₃ (93-04-9)	Methyl-2-Naphthyl Ether for Synthesis M. W.: 158.20	540.00 1620.00	250 gm 1 kg

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
157775	Methyl Nicotinate for Synthesis (Methyl 3-pyridine carboxylate nicotinic acid methyl ester) meets analytical specification of BP M. W.: 137.14	927.00 3321.00	100 gm 500 gm
C ₇ H ₇ NO ₂ (93-60-7)			
157905	2-Methyl-5-Nitro Imidazole for Synthesis M. W.: 127.10	1845.00 7610.00	50 gm 250 gm
C ₄ H ₅ N ₃ O ₂ (696-23-1)			
306205	Methyl Orange pH Indicator C.I. No. 13025 M. W.: 327.34 Dye content (titrimetry, dried) >85.0%	216.00 576.00 4104.00	25 gm 100 gm 1 kg
C ₁₄ H ₁₄ N ₃ NaO ₃ S (547-58-0)			
865850	Methyl Orange Indicator Solution	131.00	125 ml
865855	Methyl Orange Mixed Indicator Solution Methyl Orange with Bromo Cresol green	1854.00	100 ml
865857	Methyl Orange-Xylene Cyanol Solution in Water	1090.00	100 ml
865863	Methyl Orange TS acc. to USP Methyl Orthoformate See Trimethylorthoformate Methyl Paraben See Methyl-p-Hydroxybenzoate 2-Methyl-2, 4-Pentanediol See Hexylene Glycol 4-Methyl Pentane-2-One See ISO Butyl Methyl Ketone 4-Methyl-2-Pentanol See Methyl-Isobutyl Carbinol 4-Methyl-3-Penten-2-one See Mesityl Oxide n-Methyl Phenazonium Methosulphate See Phenazine methosulphate, (PMS)	176.00	125 ml
158105	Methyl Phenyl Acetate for Synthesis M. W.: 150.17 Assay 98.0%	1503.00	500 ml
C ₉ H ₁₀ O ₂ (101-41-7)			
158195	2-Methyl Phenyl Acetic Acid M. W.: 150.17 Assay (GC) 97.0%	1800.00 7803.00	100 gm 500 gm
CH ₃ C ₆ H ₄ CH ₂ CO ₂ H (644-36-0)			
158235	3-Methyl Phenyl Acetic Acid M. W.: 150.17 Assay 99.0%	2745.00 8811.00	25 gm 100 gm
CH ₃ C ₆ H ₄ CH ₂ CO ₂ H (621-36-3)			
158255	4-Methyl Phenyl Acetic Acid M. W.: 150.17 Assay 97.0%	1953.00 5472.00	25 gm 100 gm
CH ₃ C ₆ H ₄ CH ₂ CO ₂ H (622-47-9)			
	Methyl Phenyl Ketone See Acetophenone		
158395	1-(4-Methyl Phenyl) Piperazine M. W.: 176.26 Assay 98.0%	5000.00	5 gm
C ₁₁ H ₁₆ N ₂ (39593-08-3)			
158485	3-Methyl-1-Phenyl-5-Pyrazolone for Synthesis M. W.: 174.20 Assay 99.0%	910.00 4100.00	100 gm 500 gm
C ₁₀ H ₁₀ N ₂ O (89-25-8)			

Product Code	Product Name	Price	Packing
158565	Methyl Phenyl Sulphone M. W.: 156.20 Assay (GC) 98.0%	6480.00 39330.00	25 gm 500 gm
CH ₃ SO ₂ C ₆ H ₅ (3112-85-4)			
158655	✳ Methyl Phenyl Sulphoxide M. W.: 140.20 Assay 97.0%	3492.00 7893.00	5 gm 25 gm
CH ₃ SOC ₆ H ₅ (1193-82-4)			
158725	1-Methyl Piperazine for Synthesis M. W.: 100.16	855.00 3303.00	100 ml 500 ml
C ₅ H ₁₂ N ₂ (109-01-3)			
158805	✳ 1-Methyl-4-Piperidone M. W.: 113.16	2205.00 8505.00	100 ml 500 ml
C ₆ H ₁₁ NO (1445-73-4)			
	2-Methyl Propan-1-ol See ISO Butanol		
	2-Methyl Propan-2-ol See tert-Butanol		
	2-Methyl Propionaldehyde See Iso Butyraldehyde		
158895	Methyl Propionate for Synthesis M. W.: 88.11 Assay 98.0%	2480.00 6840.00	100 ml 500 ml
CH ₃ CH ₂ CO ₂ CH ₃ (554-12-1)			
	2-Methyl Propionic Acid See Iso Butyric Acid		
	2-Methyl Propionyl Chloride See Iso-Butyryl Chloride		
159005	4-Methyl Propiophenone for Synthesis M. W.: 148.20	3294.00 10854.00	100 ml 500 ml
C ₁₀ H ₁₂ O (5337-93-9)			
159095	Methyl Propyl Ketone (2-Pentanone) M. W.: 86.13 Assay 98.0%	1305.00 5202.00	500 ml 2.5 lit
C ₅ H ₁₀ O (107-87-9)			
865895	Methyl Purple (pH Indicator) Solution AR	320.00 603.00	125 ml 250 ml
	2-Methyl Pyridine See a-Picoline		
	3-Methyl Pyridine See β-Picoline		
	4-Methyl Pyridine See g-Picoline		
159545	1-Methyl-2-Pyrrolicarboxylic Acid M. W.: 125.13 Assay 97.0%	5103.00 18450.00 52200.00	5 gm 25 gm 100 gm
C ₆ H ₇ NO ₂ (6973-60-0)			
029251	n-Methyl-2-Pyrrolidone M. W.: 99.13 Assay (GC) 99.0%	1360.00 6102.00	500 ml 2.5 lit
C ₅ H ₉ NO (872-50-4)			
			POR 25 lit POR 200 lit
585995	1-Methyl-2-Pyrrolidone (Nmp) AR/ACS M. W.: 99.13 Assay (GC) 99.5%	1638.00 7182.00	500 ml 2.5 lit POR 25 lit
C ₅ H ₉ NO (872-50-4)			
753040	n-Methyl-2-Pyrrolidone for GC-HS M. W.: 99.13 Assay (GC) 99.0%	4203.00 9540.00	1 lit 2.5 lit
C ₅ H ₉ NO (872-50-4)			

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
753020	1-Methyl-2-Pyrrolidone for HPLC & Spectroscopy M.W. : 99.13 Assay (By GC) 99.5%	4050.00	1 lit
C ₅ H ₉ NO (872-50-4)			
	2-Methyl Quinoline See Quinaldine		
159685	4-Methyl Quinoline for Synthesis M. W.: 143.19	1530.00 4500.00	5 gm 25 gm
C ₁₀ H ₉ N (491-35-0)			
306275	Methyl Red AR/ACS pH Indicator C.I. No. 13020 M. W.: 269.30	333.00 1107.00 9504.00	25 gm 100 gm 1 kg
C ₁₅ H ₁₅ N ₃ O ₂ (493-52-7)			
H47943	Methyl Red pH Indicator Certified Grade (C.I. No. 13020) M. W.: 269.30	1341.00 5031.00	25 gm 100 gm
C ₁₅ H ₁₅ N ₃ O ₂ (493-52-7)			
866040	Methyl Red Indicator Solution	140.00 423.00	125 ml 500 ml
866043	Methyl Red TS acc. to USP	225.00	125 ml
866048	Methyl Red- Methylene Blue Solution acc to USP	221.00	125 ml
306415	Methyl Red Sodium Salt (Water Soluble) M. W.: 291.28	405.00 9900.00	25 gm 1 kg
C ₁₅ H ₁₄ N ₃ NaO ₂ (845-10-3)			
159865	- 2-Methyl Resourcinol for Synthesis M. W.: 124.14 Assay 98.0%	1260.00 4600.00	25 gm 100 gm
C ₇ H ₈ O ₂ (608-25-3)			
029256	Methyl Salicylate Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 152.15 Assay (GC) 99.0-100.5%	1161.00 5103.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
C ₆ H ₄ (OH).COOCH ₃ (119-36-8)			
159985	a-Methyl Styrene for Synthesis M. W.: 118.18 Assay 98.0%	2403.00 12240.00	500 ml 5 lit
C ₉ H ₁₀ (98-83-9)			
160015	* n-Methyl Succinimide M. W.: 113.11 Assay 98.0%	6840.00 19620.00	5 gm 25 gm
C ₅ H ₇ NO ₂ (1121-07-9)			
160095	Methyl Sulphonyl Methane (dimethyl sulphone, methyl sulphone) M. W.: 94.13	1540.00	500 gm
(CH ₃) ₂ SO ₂ (67-71-0)			
	Methyl Sulphoxide See Dimethyl sulphoxide		
160115	Methyl Testosterone Purum for Biochemistry 97.0% for Lab Use M.W.: 302.45	1494.00 4194.00	1 gm 5 gm
C ₂₀ H ₃₀ O ₂ (58-18-4)			
160135	2-Methyl Tetrahydrofuran for Synthesis M. W.: 86.13 Assay 98.0%	1800.00 8100.00	500 ml 2.5 lit
C ₅ H ₁₀ O (96-47-9)			
	4-Methyl Thiazolyl Tetrazolium Bromide See M.T.T Tetrazolium		
160185	Methyl Thioglycolate M.W : 106.14	5103.00	500 gm
C ₃ H ₆ O ₂ S (2365-48-2)			
306565	Methyl Thymol Blue (pH Indicator) AR (Methyl Red Thymol Blue)	297.00 1107.00	5 gm 25 gm
306585	Methyl Thymol Blue Complexone Indicator For Complexometric titration M. W.: 844.76	954.00 3807.00	1 gm 5 gm
C ₃₇ H ₄₀ N ₂ Na ₄ O ₁₃ S (1945-77-3)			
	Methyl-p-Toluate See p-Toluic Acid Methyl Ester		
586215	Methyl-4-Toluene Sulphonate AR M. W.: 186.23 Assay (GC) 97.0%	2250.00	500 gm
CH ₃ C ₆ H ₄ SO ₃ CH ₃ (80-48-8)			
160315	Methyl Trichloro Silane for Synthesis M. W.: 149.48 Assay (GC) 98.0%	2106.00	500 ml
CH ₃ SiCl ₃ (75-79-6)			
160350	Methyl Triphenyl Phosphonium Bromide for Synthesis M. W.: 357.22	954.00 4100.00	100 gm 500 gm
C ₁₉ H ₁₈ BrP (1779-49-3)			
586325	▲b-Methyl Umbelliferon AR (7-Hydroxy-4-Methyl Coumarin) M. W.: 176.17	585.00 954.00 2700.00	10 gm 25 gm 100 gm
C ₁₀ H ₈ O ₃ (90-33-5)			
	Methyl Violet 10B See Crystal Violet		
306725	Methyl Violet for Microscopy Dye Content (Spectrophotometry on dried substance) 75.0%	190.00 500.00 4100.00	25 gm 100 gm 1 kg
866180	Methyl Violet 6B Aqueous Solution	144.00	125 ml
159205	Methyl-β-D-Xylo-Pyranoside M.W. : 164.16	4050.00 17200.00	5 gm 25 gm
C ₆ H ₁₂ O ₅ (612-05-5)			
029266	Metol for Photographic purpose M. W.: 344.39 Assay (Acidimetric) 99.0%	1220.00 5202.00	100 gm 500 gm
C ₁₄ H ₁₈ N ₂ O ₂ .H ₂ SO ₄ (55-55-0)			
160490	Metronidazole for Lab Use M. W.: 171.15	1000.00	5 gm
C ₆ H ₉ N ₃ O ₃ (443-48-1)			
160525	Mica Powder Pract Mesh Size (Passing through 200 Mesh) 95.0%	401.00	500 gm
PCT2110	▲Miconazole nitrate Plant Culture Tested M. W.: 479.14 Assay 98%	873.00 3267.00 14724.00	1 gm 5 gm 25 gm
C ₁₈ H ₁₄ Cl ₄ N ₂ O.HNO ₃ (22832-87-7)			
160585	Microcrystalline Wax (White)	1800.00	1 kg
160610	Micsorb 99	3996.00	5 kg
866260	Miller's Reagent	900.00	100 ml
866270	Millon's Reagent (For Protein)	1233.00 4392.00	125 ml 500 ml
160635	Mimosine (Leucenol) for Biochemistry M. W.: 198.18 Assay 98.0%	4563.00 16353.00	25 mg 100 mg
C ₈ H ₁₀ N ₂ O ₄ (500-44-7)			
	Mineral Oil Light/Heavy See Paraffine Liquid Light/Heavy		

Product Code	Product Name	Price	Packing
TC1274 ATC	▲ Minocycline Hydrochloride Cell Culture Tested	2394.00	25 mg
$C_{23}H_{27}N_3O_7 \cdot HCl$ (13614-98-7)	M. W.: 493.94 Assay : $\geq 98\%$	6921.00 14320.00 37827.00	100 mg 250 mg 1 gm
PCT2131 PTC	▲ Mitomycin C Plant Culture Tested	6444.00	2 mg
$C_{15}H_{18}N_4O_5$ (50-07-7)	M. W.: 334.33	10314.00 17100.00	5 mg 10 mg
TC1406 ATC	▲ *Mitomycin C Cell Culture Tested	22721.00	10 mg
$C_{15}H_{18}N_4O_5$ (50-07-7)	M. W.: 334.33		
160680 (308080-99-1)	Molecular Sieves Type 3A 1.5mm	702.00 8505.00	250 gm 5 kg POR 25 kg
160765 (308080-99-1)	Molecular Sieves 3A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	765.00 2133.00 9585.00	250 gm 1 kg 5 kg
160785 (70955-01-0)	Molecular Sieves Type 4A 1.5mm	657.00 8001.00	250 gm 5 kg POR 25 kg
160805 (70955-01-0)	Molecular Sieves 4A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	900.00 2790.00 10090.00	250 gm 1 kg 5 kg
160835 (69912-79-4)	Molecular Sieves Type 5A 1.5mm	657.00 8505.00	250 gm 5 kg POR 25 kg
160865 (69912-79-4)	Molecular Sieves 5A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	891.00 2691.00 9522.00	250 gm 1 kg 5 kg
160900 (63231-69-6)	Molecular Sieves Type 13x1.5mm	954.00 9504.00	250 gm 5 kg POR 25 kg
160935 SiO_2 (63231-69-6)	Molecular Sieves 13X 1/16" Pellets (UOP) (formerly Union Carbide USA)	891.00 2691.00 9522.00	250 gm 1 kg 5 kg
866320	Molisch's Reagent	149.00	125 ml
866370	Molybdenum (Mo) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO_3 in accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml
866400	Molybdenum (Mo) CPECTROSOL® 1000 ppm Single Element Std. Soln. for ICP in 1% HNO_3 & 1% HF	8505.00	100 ml
161005 Mo (7439-98-7)	Molybdenum Metal Powder M. W.: 95.94	4131.00 18072.00	100 gm 500 gm
586935 Mo (7439-98-7)	Molybdenum Metal Powder AR M. W.: 95.94 Assay (Trace metals basis) 99.9%	4599.00 12600.00 36810.00	25 gm 100 gm 500 gm
161165 Mo (7439-98-7)	Molybdenum Sheet 0.1 mm Thick (75mm X 100mm) M.W. : 95.94 Assay (Trace metals basis) 99.9%	28260.00	1 PC

Product Code	Product Name	Price	Packing
161170 Mo (7439-98-7)	Molybdenum Sheet 0.1 mm Thick (150mm X 100mm) M.W. : 95.94 Assay (Trace metals basis) 99.9%	32000.00	1 PC
029268 MoS_2 (1317-33-5)	Molybdenum Disulphide Powder M. W.: 160.06 Assay (Complexometric) (after ignition at 500-600°C) 98.0%	1863.00 8505.00	100 gm 500 gm
161215 MoO_3 (1313-27-5)	Molybdenum Trioxide (Molybdic Anhydride) M. W.: 143.95 Assay (Complexometric) 99.0%	1602.00 7506.00	100 gm 500 gm
587092 MoO_3 (1313-27-5)	Molybdenum Trioxide AR/ACS M. W.: 143.95 Assay (Complexometric) 99.5%	1809.00 8505.00	100 gm 500 gm
H48160 HISURE MoO_3 (1313-27-5)	Molybdenum Trioxide AR M. W.: 143.95 Assay 99.95%	5094.00 11295.00	100 gm 500 gm
PCT1114 PTC MoO_3 (1313-27-5)	Molybdenum Trioxide Plant Culture Tested M. W.: 143.94 Assay 99.5% Store below 30°C	3344.00 15030.00	100 gm 500 gm
029270 $H_2MoO_4 \cdot H_2O$ (7782-91-4)	Molybdic Acid M.W. : 161.95 Assay (Complexometric as MoO_3) 85.0%	1701.00 7506.00	100 gm 500 gm
587100 $H_2MoO_4 \cdot H_2O$ (7782-91-4)	Molybdic Acid AR/ACS M.W. : 161.95 Assay (Complexometric as MoO_3) 87.0%	1800.00 8001.00	100 gm 500 gm
	Molybdic Anhydride See Molybdenum Trioxide		
	dodeca-Molybdo Phosphoric Acid See Phosphomolybdic Acid		
587145 $C_{36}H_{61}NaO_{11}$ (22373-78-0)	▲ Monensin Sodium AR M. W.: 692.85 Assay (TLC) 90.0-95.0%	3303.00 8577.00	1 gm 5 gm POR 25 gm
	Mono-Chloro Acetic Acid See Chloro Acetic Acid-mono		
	Mono-Ethanolamine See Ethanolamine Mono		
	Mono Ethylamine Solution See Ethylamine Solution		
	Mono Ethylaniline See N-Ethylaniline		
	Mono Ethylene Glycol See Ethylene Glycol		
	Monoglyme See Ethylene Glycol Dimethyl Ether		
	Mono-iso-Propylamine See Isopropylamine		
	Mono Methyl Ethanolamine See 2-(Methylamino) Ethanol		
	Mono-Sodium-L-Glutamate See Sodium-L-Glutamate		

M

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

M

Laboratory Chemicals

Product Code	Product Name	Price	Packing
	Mono Thioglycerol for Synthesis See 1-Thioglycerol		
	Mordant Black II See Eriochrome Black T		
161315 C ₇ H ₁₅ NO ₄ S (1132-61-2)	MOPS Buffer M.W.: 209.26 Assay (Alkalimetry) 99.0%	1107.00 2547.00 10395.00	25 gm 100 gm 500 gm
961070 MB	MOPS Buffer (3-(N-Morpholino) Propanesulphonic Acid) For Molecular Biology M. W. : 209.26 Assay : ≥ 99.5% Store Below 30°C	1170.00 4320.00 19530.00	25 gm 100 gm 500 gm
TC1067 ATC	MOPS Free Acid [3-(N-Morpholino)-propanesulphonic acid] Cell Culture Tested M. W.: 209.26 Assay : ≥99% Store below 30°C	2601.00 7830.00 22640.00 33030.00	25 gm 100 gm 500 gm 1 kg
TC1269 ATC	MOPS Sodium Salt [3-(N-Morpholino)-propanesulphonic acid] Cell Culture Tested M. W.: 231.25 Assay : ≥98% Store below 30°C	4433.00 11120.00 31086.00 45270.00	25 gm 100 gm 500 gm 1 kg
161365 C ₇ H ₁₅ NO ₅ S (68399-77-9)	MOPSO Buffer M.W.: 225.30 Assay 99.0%	7390.00	100 gm
961120 MB	MOPSO Buffer For Molecular Biology M. W. : 225.26 Assay : ≥ 99% Store Below 30°C	1900.00	25 gm
306875 C ₁₅ H ₁₀ O ₇ .2H ₂ O (6472-38-4)	Morin AR Reagent for Al, Be, Sn, Ti, Oz C.I. 75660 M. W.: 338.27 Assay (HPLC) 96.0%	1251.00 4626.00	1 gm 5 gm
866480	Morin Reagent (Reagent for Al)	734.00	100 ml
	Morpholino Ethane Sulphonic Acid See MES Buffer		
	3-Morpholio-2-Hydroxypropane Sulphonic Acid See MOPSO Buffer,		
866490	Morner's Reagent	180.00	125 ml
029272 C ₄ H ₉ NO (110-91-8)	Morpholine for Synthesis M. W.: 87.12 Assay (GC) 99.0%	855.00 3807.00	500 ml 2.5 lit 25 lit 200 lit
587355 C ₄ H ₉ NO (110-91-8)	Morpholine AR/ACS M. W.: 87.12 Assay (GC) 99.5%	1260.00 5040.00	500 ml 2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
161495 C ₆ H ₁₃ NO ₂ (622-40-2)	2-Morpholino Ethanol for Synthesis M. W.: 131.17	1656.00	500 ml
	Morpholino Ethane Sulphonic Acid See MES Buffer		
	3-Morpholio-2-Hydroxypropane Sulphonic Acid See MOPSO Buffer,		
	Morpholinopropanesulphonic Acid See MOPS		
307025 C ₁₈ H ₁₆ N ₅ SBr (298-93-1)	▲ M.T.T. Tetrazolium AR M. W.: 414.33 Assay (Argentometric) 98.0%	756.00 1701.00 6300.00	100 mg 250 mg 1 gm
961170 MB	▲ M.T.T. (See : 3-(4,5-Dimethyl-2-Thiazolyl)- 2,5-Diphenyl-2H-Tetrazolium Bromide); Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98%	756.00 3177.00 6300.00	100 mg 500 mg 1 gm
TC1191 ATC	▲ M.T.T. (Thiazoyl blue tetrazolium bromide) Cell Culture Tested M. W.: 414.32 Activity : ≥98%	5427.00 9090.00	500 mg 1 gm
866520	Muller's Fixative	603.00	250 ml
ICP Multi-Element Standard Solutions - in accordance with NIST			
866530	Multi Element Standard Solution for ICP - 3 Elements; 10 mg/L each P, S, Si, in H ₂ O In accordance with NIST	6273.00 9117.00	50 ml 100 ml
866535	Multi Element Standard Solution for ICP - 4 Elements; 1000 mg/L each Ca, K, Mg, Na in 2% HNO ₃ In accordance with NIST	7947.00 10710.00	50 ml 100 ml
866545	Multi Element Standard Solution for ICP - 6 Elements; 10 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	8281.00 11593.00	50 ml 100 ml
866548	Multi Element Standard Solution for ICP - 6 Elements; 100 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	18216.00 26505.00	50 ml 100 ml
866558	Multi Element Standard Solution for ICP - 8 Elements; 10 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ In accordance with NIST	7452.00 9936.00	50 ml 100 ml
866561	Multi Element Standard Solution for ICP - 8 Elements; 100 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ In accordance with NIST	7947.00 10764.00	50 ml 100 ml
866566	Multi Element Standard Solution for ICP - 9 Elements; 10 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ In accordance with NIST	7947.00 9936.00	50 ml 100 ml

Product Code	Product Name	Price	Packing
866571	Multi Element Standard Solution for ICP -9 Elements; 100 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ In accordance with NIST	7947.00 10764.00	50 ml 100 ml
866570	Multi Element Standard Solution for ICP -10 Elements; 10 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ In accordance with NIST	7452.00 9936.00	50 ml 100 ml
866579	Multi Element Standard Solution for ICP -10 Elements; 100 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ In accordance with NIST	8281.00 11592.00	50 ml 100 ml
866580	Multi Element Standard Solution for ICP - 15 elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn in 5% HCl In accordance with NIST	14904.00 23175.00	50 ml 100 ml
866590	Multi Element Standard Solution for ICP - 15 Elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn, in 5% HCl In accordance with NIST	13240.00 19872.00	50 ml 100 ml
866595	Multi Element Standard Solution for ICP - 18 Elements; 100 mg/L "Cortisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO ₃ In accordance with NIST	14072.00 21520.00	50 ml 100 ml
866605	Multi Element Standard Solution for ICP - 20 Elements; 10 mg/L each Ce, Dy,Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO ₃ In accordance with NIST	13240.00 19872.00	50 ml 100 ml
866705	Multi Element Standard Solution for ICP- 32 Elements; 100 mg/L each Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co,Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, Ni, Nb, Pb, Rb, Sb,Se, Sr,Ti, Tl, V, U, Zn, in 5% HNO ₃ In accordance with NIST	14072.00 21520.00	50 ml 100 ml
867000	Multi Cation IC Standard Solution 6 components (Lithium (Li ⁺) 10 mg/l; Sodium (Na ⁺) 20 mg/l; Ammonium (Nh ₄ ⁺) 40 mg/l; Calcium (Ca ²⁺) 40 mg/l; Magnesium (Mg ²⁺) 20 mg/l; Potassium (K ⁺) 20 mg/l in Nitric acid 0.1%)In accordance with NIST	24003.00	100 ml
867010	Multi Cation IC Standard Solution 6 Components (Lithium (Li ⁺) 0.5 mg/l; Sodium (Na ⁺) 2 mg/l; Ammonium (Nh ₄ ⁺) 2.5 mg/l; Calcium (Ca ²⁺) 5 mg/l; Magnesium (Mg ²⁺) 2.5 mg/l; Potassium (K ⁺) 5 mg/l in Nitric acid 0.1%)In accordance with NIST	24003.00	100 ml
867020	Multi Anion IC Standard Solution 7 Components (1000 mg/l each of Chlorides (Cl ⁻); Fluorides (F ⁻); Bromides (Br ⁻); Nitrites (NO ₂ ⁻); Nitrates (No ₃ ⁻); Phosphates (Po ₄ ³⁻); Sulphates (SO ₄ ²⁻) in Water) In accordance with NIST	24003.00	100 ml

Product Code	Product Name	Price	Packing
867030	Multi Anion IC Standard Solution 7 Components (Fluorides (F ⁻) 5mg/l ; Chlorides (Cl ⁻) 10mg/l ; Nitrites (NO ₂ ⁻) 15mg/l ; Bromides (Br ⁻) 25mg/l ; Nitrates (NO ₃ ⁻) 25mg/l ; Phosphates (PO ₄ ³⁻) 40mg/l ; Sulphates (SO ₄ ²⁻) 30mg/l in Water) In accordance with NIST	24003.00	100 ml
	Murexide See Ammonium Purpurate		
TC1329	ATC Murine Recombinant Prolactin Source : E-coli Cell Culture Tested Store at -20°C	22662.00 28134.00	10 mcg 50 mcg
TC1405	ATC ▲Mycophenolic Acid Cell Culture Tested M. W.: 320.34 Assay : ≥99%	2736.00 5603.00 22442.00	25 mg 50 mg 250 mg
	Mycostatin See Nystatin		
TC1032	ATC ▲Mycostatin (Nystatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mL Potency : ≥4400 USP units/mg	900.00 3690.00 11952.00	1x1 mu 5x1 mu 25x1 mu
	(1400-61-9)		
TC1032G	ATC ▲Mycostatin Gamma Irradiated (Nystatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mL M. W.: 926.09 Potency : ≥4400 USP units/mg	1125.00 4600.00 14940.00	1x1 mu 5x1 mu 25x1 mu
	C ₄₇ H ₇₅ NO ₁₇ (1400-61-9)		
161685	Myristalkonium Chloride for Synthesis M. W.: 368.04	891.00	25 gm
	C ₂₃ H ₄₂ NCl (139-08-2)		
161785	Myristic Acid M. W.: 228.38 Assay (GC) 98.0%	950.00	500 gm
	CH ₃ (CH ₂) ₁₂ .COOH (544-63-8)		
161790	Myristic Acid for Biochemistry M. W.: 228.38 Assay (NaOH) 99.0%	288.00 1026.00	5 gm 25 gm
	CH ₃ .(CH ₂) ₁₂ .COOH (544-63-8)		
161835	Myristyl Alcohol for Synthesis (Tetradecanoic Acid) M. W.: 214.39	900.00	500 ml
	CH ₃ (CH ₂) ₁₃ OH (112-72-1)		

M
Laboratory Chemicals

FOR MICROBIOLOGY

Products which have been specially purified and tested for their microbiological applications.



Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

N

Laboratory Chemicals

Product Code	Product Name	Price	Packing
	NAD See b-Nicotinamide Adenine Dinucleotide		
	NADH See b-Nicotinamide Adenine Dinucleotide Reduced		
	NADP See b-Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt		
166335	Nalidixic Acid free Acid for Lab Use	1314.00 3906.00	5 gm 25 gm
C ₁₂ H ₁₂ N ₂ O ₃ (389-08-2)	M. W.: 232.24 Assay (Acidimetric, dried bases) 99.0%	POR	100 gm
592285 *	Naphazoline Hydrochloride AR	4806.00	25 gm
C ₁₄ H ₁₄ N ₂ .HCl (550-99-2)	M. W.: 246.74		
166515	1-Naphthaldehyde for Synthesis (α -Naphthaldehyde)	2502.00 9504.00	100 gm 500 gm
C ₁₀ H ₇ CHO (66-77-3)	M. W.: 156.18		
029277	Naphthalene for Synthesis	468.00	500 gm
C ₁₀ H ₈ (91-20-3)	M. W.: 128.17 Assay (GC) 99.0%		
592395	Naphthalene AR	531.00	500 gm
C ₁₀ H ₈ (91-20-3)	M. W.: 128.17 Assay (GC) 99.0%		
756425	Naphthalene Scintillation grade	612.00 1161.00	500 gm 1 kg
C ₁₀ H ₈ (91-20-3)	M. W.: 128.17 Assay (GC) 99.0%		
029298	1-Naphthalene Acetic Acid	230.00 680.00 2907.00	25 gm 100 gm 500 gm
C ₁₂ H ₁₀ O ₂ (86-87-3)	M. W.: 186.21 Assay (GC) 95.0%		
PCT1809 PTC	a-Naphthalene Acetic Acid (NAA) Plant Culture Tested	230.00 730.00	25 gm 100 gm
C ₁₂ H ₁₀ O ₂ (86-87-3)	M. W.: 186.21 Assay 95% Store below 30°C		
PCT2402 PTC	▲ NAA Solution w/ 1 mg/ml NAA in sterile distilled water Sterile filtered Plant Culture Tested	837.00 2511.00	20 ml 5X20 ml
	Naphthalene Black 12B See Amido Black 10B		
	1,3-Naphthalene Diol See Naphthoresorcinol		
592495	-2, 7-Naphthalenediol AR	2790.00	25 gm
C ₁₀ H ₆ (OH) ₂ (582-17-2)	M. W.: 160.17 Assay 97.0%		
756140	Napthalene-2-Sulphonic Acid Sodium Salt AR for HPLC	1000.00 2250.00	5 gm 25 gm
C ₁₀ H ₇ NaO ₃ S (532-02-5)	M. W.: 230.22 Assay (HPLC) 95.0%		
756125 *	5,12-Naphthcenequinone (Electronic Grade)	10170.00 POR	25 gm 500 gm
C ₁₈ H ₁₀ O ₂ (1090-13-7)	M. W.: 258.27 Assay 97.0%		

Product Code	Product Name	Price	Packing
592625	a-Naphthoflavone AR	730.00	1 gm
C ₁₉ H ₁₂ O ₂ (604-59-1)	M. W.: 272.30 Assay (TLC) 98.0%	2655.00 12042.00	5 gm 25 gm
029290	1-Naphthol for Synthesis (a-Naphthol)	495.00 2205.00	100 gm 500 gm
C ₁₀ H ₇ .OH (90-15-3)	M. W.: 144.17 Assay (GC) 99.0%		
592665	1-Naphthol AR	612.00	100 gm
C ₁₀ H ₇ .OH (90-15-3)	M. W.: 144.17 Assay (GC) 99.0%	2350.00	500 gm
868330	a-Naphthol Solution	162.00	125 ml
029291	2-Naphthol for Synthesis (b-Naphthol)	410.00 756.00	250 gm 500 gm
C ₁₀ H ₇ .OH (135-19-3)	M. W.: 144.17 Assay (GC) 98.0%		
592675	2-Naphthol AR	324.00	100 gm
C ₁₀ H ₇ .OH (135-19-3)	M. W.: 144.17 Assay (GC) 99.0%	1368.00	500 gm
166865	▲ Naphthol as-Acetate for Microscopy	1431.00 5220.00	100 mg 500 mg
C ₁₉ H ₁₅ NO ₃ (1163-67-3)	M. W.: 305.33 Assay 99.0%		
	1-(2-Naphtholazo-3,6-Disulphonic Acid)-2-Naphthol-4-Sulphonic Acid Disodium Salt See Hydroxynaphthol Blue		
307915	a-Naphthol Benzein (pH Indicator)	936.00 4104.00	5 gm 25 gm
C ₂₇ H ₁₈ O ₂ (145-50-6)	M. W.: 374.44		
868350	a-Naphthol Benzein Indicator Solution (pH yellow 6.5-9.8 green)	405.00	100 ml
	p-Naphthol Benzein See a-Naphtholbenzein		
	Naphthol Black for Microscopy See Amido Black 10 B		
	Naphthol Blue Black See Amido Black 10B		
308055	Naphthol Green B for Microscopy C.I. No. 10020	302.00 801.00 7200.00	25 gm 100 gm 1 kg
(C ₁₀ H ₅ .N.NaO ₅ S) ₃ Fe (19381-50-1)	M. W.: 878.47		
592715	Naphthol Hydroxamic Acid AR for Calcium Determination	3200.00 7200.00	5 gm 25 gm
C ₁₂ H ₇ NO ₃ (7797-81-1)	M.W. : 213.19		
308195	Naphthol Orange for Microscopy	2880.00	25 gm
C ₁₆ H ₁₁ N ₂ NaO ₄ S (523-44-4)	M. W.: 350.32		
308285	a-Naphtholphthalein pH Indicator	1000.00 3006.00	1 gm 5 gm
C ₂₈ H ₁₈ O ₄ (596-01-0)	M. W.: 418.45		
308465	b-Naphthol Violet AR	603.00	25 gm
167255	1,4-Naphthoquinone for Synthesis	2205.00 8406.00	100 gm 500 gm
C ₁₀ H ₆ O ₂ (130-15-4)	M. W.: 158.15 Assay 97.0%		

Product Code	Product Name	Price	Packing
592805	1,2-Naphthoquinone-4-Sulphonic Acid Sodium Salt AR	640.00 2196.00	5 gm 25 gm
C ₁₀ H ₅ NaO ₅ S (521-24-4)	M. W.: 260.20 Assay (iodometric) 99.0%		
308375	Naphthoresorcinol AR (1,3-Dihydroxynaphthalene)	4005.00 18009.00	1 gm 5 gm
C ₁₀ H ₆ (OH) ₂ (132-86-5)	M. W.: 160.17 Assay (GC) About 98.0%		
868380	Naphthoresorcinol solution (EFGRIIVE)(Reagent for glycuronic acid & glycuronates)	990.00	100 ml
167475	2-Naphthoxyacetic Acid for Synthesis (β-Naphthoxy Acetic Acid)	513.00 1791.00 7200.00	25 gm 100 gm 500 gm
C ₁₂ H ₁₀ O ₃ (120-23-0)	M. W.: 202.21 Assay 97.0%		
PCT1810	2-Naphthoxyacetic Acid (NOA)	1710.00 4950.00	25 gm 100 gm
C ₁₂ H ₁₀ O ₃ (120-23-0)	Plant Culture Tested M. W.: 202.21 Assay 97% Store below 30°C		
PCT2408	▲NOA Solution w/ 1 mg/ml NOA in sterile distilled water Sterile filtered Plant Culture Tested	770.00 2340.00	20 ml 5X20 ml
593125	▲1-Naphthyl Acetate AR Naphthol free Substrate for esterase	900.00 3200.00	5 gm 25 gm
C ₁₂ H ₁₀ O ₂ (830-81-9)	M. W.: 186.21 Assay (GC) 99.5%		
593135	▲2-Naphthyl Acetate AR (β-Naphthyl Acetate)	1000.00 3168.00	5 gm 25 gm
C ₁₂ H ₁₀ O ₂ (1523-11-1)	M. W.: 186.21		
	1-Naphthyl Acetic Acid See 1-Naphthalene Acetic Acid		
167565	1-Naphthylamine Pract	1800.00	500 gm
C ₁₀ H ₇ .NH ₂ (134-32-7)	M. W.: 143.19 Assay (GC) About 98.0%		
593235	1-Naphthylamine AR	1000.00 3996.00	100 gm 500 gm
C ₁₀ H ₇ .NH ₂ (134-32-7)	M. W.: 143.19 Assay 99.0%		
868420	a-Naphthylamine Solution	486.00	100 ml
593335	2-Naphthylamine AR (Beta-Naphthylamine)	11350.00	1 gm
C ₁₀ H ₉ N (91-59-8)	M. W.: 143.19 Assay (TLC) 98.0%		
029300	1-Naphthylamine Hydrochloride (1-Naphthyl Ammonium Chloride)	1450.00	100 gm
C ₁₀ H ₇ .NH ₂ .HCl (552-46-5)	M. W.: 179.65 Assay (ex Cl) 98.0%		
593425	n-1-Naphthylethylene Diamine Dihydrochloride AR/ACS	873.00 1593.00 3501.00	5 gm 10 gm 25 gm
C ₁₂ H ₁₄ N ₂ 2HCl (1465-25-4)	M. W.: 259.18 Assay (argentometric) 98.0%		
	▲1-Naphthylphosphate Sodium Salt See Sodium-1-Naphthyl Phosphate		

Product Code	Product Name	Price	Packing
PCT1845	N-1-Naphthylphthalamic Acid (NPA)	2250.00 4519.00 6462.00	100 mg 250 mg 500 mg
C ₁₈ H ₁₃ NO ₃ (132-66-1)	Plant Culture Tested M. W.: 291.3 Store below 30°C		
TC1407	▲Natamycin	12150.00 27810.00	100 mg 1 gm
C ₃₃ H ₄₇ NO ₁₃ (7681-93-8)	Cell Culture Tested M. W.: 665.73 Assay : ≥900 µg/mg		
K069015	Neisser's Metachromatic stains kit	469.00	KIT
868520	Neisser's Stain A Soln. (Methylene Blue)	145.00	125 ml
868530	Neisser's Stain B Soln. (Crystal Violet)	145.00	125 ml
868540	Neisser's Stain C Soln. (Chrysodine)	145.00	125 ml
593515	Neocuproine AR	1467.00 6800.00	1 gm 5 gm
C ₁₄ H ₁₂ N ₂ (484-11-7)	M. W.: 208.27 Assay (HClO ₄ , titration dried) 99.0%		
593520	Neocuproine Hydrochloride AR Monohydrate	1638.00 7605.00	1 gm 5 gm
C ₁₄ H ₁₂ N ₂ .HCl.H ₂ O (41066-08-4)	M. W.: 262.74 Assay Non-aqueous) 99.0%		
868650	Neodymium (Nd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3726.00	250 ml
868660	Neodymium (Nd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	8073.00 24102.00	100 ml 500 ml
RE1930	Neodymium Metal Ingot Nd	8046.00 21260.00	25 gm 100 gm
(7440-00-8)	M. W.: 144.24 Assay (Trace metal basis) 99.99%		
RE1935	Neodymium Metal Lump Nd	8046.00	25 gm
(7440-00-8)	M. W.: 144.24 Assay (Trace metal basis) 99.99%		
RE1940	Neodymium Metal Powder Nd	18000.00 42687.00	5 gm 25 gm
(7440-00-8)	M. W.: 144.24 Assay (Trace metal basis) 99.99%		
RE1985	Neodymium (III) Acetate Nd(O ₂ C ₂ H ₃) ₃ .xH ₂ O	2925.00 8100.00	25 gm 100 gm
(334869-71-5)	M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.9%		
RE1990	Neodymium (III) Acetate Nd(O ₂ C ₂ H ₃) ₃ .xH ₂ O	10000.00 36000.00	25 gm 100 gm
(334869-71-5)	M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.99%		
RE1995	Neodymium (III) Acetate Nd(O ₂ C ₂ H ₃) ₃ .xH ₂ O	POR POR	25 gm 100 gm
(334869-71-5)	M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.999%		
RE2010	Neodymium (III) Carbonate Nd ₂ (CO ₃) ₃ .xH ₂ O	5607.00 14220.00	25 gm 100 gm
(38245-38-4)	M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.9%		

N

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

N

Laboratory Chemicals

Product Code	Product Name	Price	Packing
RE2015	Neodymium (III) Carbonate M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.99%	9000.00	25 gm
		32000.00	100 gm
RE2020	Neodymium (III) Carbonate M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.999%	POR	25 gm
		POR	100 gm
RE2035	Neodymium (III) Chloride M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.9%	6508.00	50 gm
		24534.00	250 gm
RE2040	Neodymium (III) Chloride M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.99%	20043.00	5 gm
		86000.00	25 gm
RE2045	Neodymium (III) Chloride M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.999%	POR	25 gm
		POR	100 gm
RE2055	Neodymium (III) Iodide M. W.: 524.95 Assay (Trace metal basis) 99.95%	44370.00	1 gm
		POR	25 gm
RE2070	Neodymium (III) Nitrate M. W.: 438.35 Assay (Trace metal basis) 99.9%	5310.00	50 gm
		13500.00	250 gm
RE2075	Neodymium (III) Nitrate M. W.: 438.35 Assay (Trace metal basis) 99.99%	2610.00	5 gm
		7700.00	25 gm
RE2080	Neodymium (III) Nitrate M. W.: 438.35 Assay (Trace metal basis) 99.999%	POR	5 gm
		POR	25 gm
RE2090	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99.0%	941.00	25 gm
		3105.00	100 gm
RE2095	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99.9%	900.00	10 gm
		1998.00	25 gm
		17100.00	250 gm
		30006.00	500 gm
RE2100	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99.99%	6318.00	25 gm
		14382.00	100 gm
RE2105	Neodymium (III) Oxide M. W.: 336.48 Assay (Trace metal basis) 99.999%	81900.00	1 kg
RE2120	Neodymium (III) Sulphate M. W.: 720.78 Assay (Trace metal basis) 99.9%	16812.00	25 gm
		47052.00	100 gm
RE2125	Neodymium (III) Sulphate M. W.: 720.78 Assay (Trace metal basis) 99.99%	5000.00	25 gm
		16866.00	100 gm
RE2130	Neodymium (III) Sulphate M. W.: 720.78 Assay (Trace metal basis) 99.999%	12060.00	25 gm
		40050.00	100 gm
167760	▲ Neomycin Sulphate C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ .XH ₂ O M.W.: 908.9 (anhydrous) (1405-10-3)	POR	2 gm
		POR	10 gm
PCT2111	▲ Neomycin Sulphate Plant Culture Tested C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ M. W.: 908.88 (1405-10-3) Potency 600 µg/mg	540.00	5 gm
		1459.00	25 gm
		5563.00	100 gm

Product Code	Product Name	Price	Packing
TC1031	▲ Neomycin Sulphate Salt Cell Culture Tested Recommended for use in cell culture application at 50 mg/L C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ M. W.: 908.88 (1405-10-3) Assay : ≥600 IU/mg	1017.00	5 gm
		2421.00	25 gm
PCT2506	▲ Neomycin Sulphate Solution w/ 10 mg/ml Neomycin sulphate in sterile distilled water Sterile filtered Plant Culture Tested	1539.00	20 ml
		5000.00	5X20 ml
167780	Neopentyl Glycol C ₅ H ₁₂ O ₂ M. W.: 104.15 (126-30-7) Assay (GC) 98.0%	693.00	500 gm
		POR	25 kg
593590	Neotetrazolium Chloride AR C ₃₈ H ₂₈ N ₈ Cl ₂ M.W.: 667.60 (298-95-3) Assay 75.0%	2003.00	1 gm
		9000.00	5 gm
	Neothorine See Arsenazo I		
868740	Nessler's Reagent (For detection of Ammonia and Ammonium salt)	306.00	100 ml
868760	Nessler's Reagent King's (For Serum Urea Nitrogen)	405.00	100 ml
TC1694	▲ Neuraminidase Cell Culture Tested (9001-67-6)	POR	1 units
		POR	5 units
	Neutral Red 4 See Carmine Acid	POR	10 units
308615	Neutral Red AR (pH Indicator) C.I. No. 50040 (Neutral Red Chloride) M. W.: 288.78 Dye content (spectrophotometry, on dried subs.) abt. 60.0%	567.00	10 gm
		1152.00	25 gm
		4005.00	100 gm
		30060.00	1 kg
H50364	Neutral Red 85% C ₁₅ H ₁₇ ClN ₄ M. W.: 288.78 (553-24-2)	2367.00	25 gm
		9027.00	100 gm
868790	Neutral Red pH Indicator Solution	149.00	125 ml
	Neutral Red Chloride See Neutral Red Indicator		
868795	Neutral Red (Jensen) As Counterstain	180.00	125 ml
868800	Neutral Red Metachromatic Staining Solution	153.00	125 ml
868805	Neutral Red TS acc. to USP	167.00	125 ml
308755	New Fuchsin for Microscopy C.I. No. 42520 M. W.: 365.91 Dye content (Titanometry on dried subs.) Abt. 90.0%	333.00	25 gm
		900.00	100 gm
C ₂₂ H ₂₄ ClN ₃ (3248-91-7)			
868820	Newman's Stain Soln.	370.00	100 ml
167905	New Methylene Blue C ₁₈ H ₂₂ ClN ₃ S M. W.: 347.91 (1934-16-3) Dye content : About 70.0%	5994.00	5 gm
		19000.00	25 gm
	Niacin See Nicotinic Acid		
	Niacinamide See Nicotinamide		

Product Code	Product Name	Price	Packing
868870	Nickel (Ni) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2808.00	250 ml
		3852.00	500 ml
868900	Nickel (Ni) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
868920	Nickel (Ni) CRISTAR® 10,000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16030.00	100 ml
		48204.00	500 ml
168010 Ni (7440-02-0)	Nickel (Metal) Powder At. W.: 58.69 Assay (Complexometric) 99.5%	6804.00	500 gm
168000 Ni (7440-02-0)	Nickel Foil M.W : 58.71 Assay 99.9%	4806.00	250 gm
029310 (CH ₃ COO) ₂ Ni.4H ₂ O (6018-89-9)	Nickel Acetate M. W.: 248.84 Assay (Complexometric) 98.0%	900.00	100 gm
		3600.00	500 gm
		POR	25 kg
029312 Al/Ni (12635-27-7)	Nickel Aluminium Alloy Powder (50% Ni & 50% Al)	3600.00	500 gm
	Nickel Ammonium Sulphate See Ammonium Nickel Sulphate		
029314	Nickel (II) Borate	981.00	100 gm
168085 Br ₂ Ni (13462-88-9)	Nickel (II) Bromide M. W.: 218.50 Assay 98.0%	1863.00	100 gm
		5400.00	500 gm
168145 NiCO ₃ .2Ni(OH) ₂ .4H ₂ O (12607-70-4)	Nickel (II) Carbonate Purified (Nickel Hydroxide Carbonate) M.W.: 376.23 Assay (Ni) : 40.0-45.0%	2214.00	250 gm
		3600.00	500 gm
		POR	5 kg
		POR	25 kg
029316 NiCl ₂ .6H ₂ O (7791-20-0)	Nickel (II) Chloride (Hexahydrate) M. W.: 237.69 Assay (Complexometric) (ex Ni) 97.0%	1710.00	250 gm
		2106.00	500 gm
		19000.00	5 kg
		POR	25 kg
593715 NiCl ₂ .6H ₂ O (7791-20-0)	Nickel (II) Chloride (Hexahydrate) AR M. W.: 237.69 Assay (Ni) 98.0%	2403.00	500 gm
PCT1115 PTC NiCl ₂ .6H ₂ O (7791-20-0)	Nickel (II) Chloride Hexahydrate Plant Culture Tested M. W.: 237.69 Assay 98% Store below 30°C	1521.00	100 gm
		6156.00	500 gm
TC1155 ATC NiCl ₂ .6H ₂ O (7791-20-0)	Nickel (II) Chloride Hexahydrate Cell Culture Tested M. W.: 237.69. Assay : ≥98% Store below 30°C	1746.00	100 gm
		4743.00	500 gm
168235 NiF ₂ (10028-18-9)	Nickel (II) Fluoride M. W.: 96.69	1089.00	100 gm
		3060.00	500 gm
	Nickel (II) Hydroxide Carbonate See Nickel (II) Carbonate		

Product Code	Product Name	Price	Packing
029322 Ni(NO ₃) ₂ .6H ₂ O (13478-00-7)	Nickel (II) Nitrate (Hexahydrate) M. W.: 290.79 Assay (Complexometric ex Ni) 98.0%	1035.00	250 gm
		1701.00	500 gm
		POR	50 kg
593745 Ni(NO ₃) ₂ .6H ₂ O (13478-00-7)	Nickel (II) Nitrate (Hexahydrate) AR M. W.: 290.79 Assay (Complexometric) 99.0%	1206.00	250 gm
		2205.00	500 gm
168325 NiC ₂ O ₄ .2H ₂ O (6018-94-6)	Nickel (II) Oxalate M. W.: 182.76	4806.00	500 gm
029325 NiO (1313-99-1)	Nickel (II) Oxide (Black) M. W.: 74.69 Assay (Complexometric as Ni) 78.0-79.0%	1143.00	100 gm
		5301.00	500 gm
H50463 HSURE NiO (1313-99-1)	Nickel (II) Oxide 99.995% M. W.: 74.69 Assay (Trace metal basis) 99.995%	19440.00	25 gm
168405 NiO (1313-99-1)	Nickel Oxide Green M. W.: 74.69	6705.00	500 gm
168425 Ni ₃ (PO ₄) ₂ .8H ₂ O	Nickel Phosphate M. W.: 510.18	1400.00	250 gm
869100 Ni(NH ₂ SO ₃) ₂ .4H ₂ O (13770-89-3)	Nickel Sulphamate 60% w/w Solution M. W.: 322.9 Assay (Complexometric Content of Ni) 11.0%	2300.00	500 gm
		10503.00	2.5 kg
		POR	25 kg
		POR	50 kg
029329 NiSO ₄ .6H ₂ O (10101-97-0)	Nickel Sulphate Hexahydrate Purified M. W.: 262.85 Assay (Complexometric) 98.0%	1710.00	500 gm
		3204.00	1 kg
		15030.00	5 kg
		POR	25 kg
		POR	50 kg
593765 NiSO ₄ .7H ₂ O (10101-97-0)	Nickel Sulphate Hexahydrate AR/ACS M. W.: 280.85 Assay 99.0%	2300.00	500 gm
168535 Ni ₃ S ₂ (12035-72-2)	Nickel Sulphide M. W.: 240.21 Assay 99.0%	3006.00	25 gm
		12609.00	100 gm
168835 C ₆ H ₆ N ₂ O (98-92-0)	Nicotinamide for Biochemistry M. W.: 122.13 Assay (Non-aqueous) 98.5%	531.00	100 gm
		4104.00	1 kg
PCT1209 PTC C ₆ H ₆ N ₂ O (98-92-0)	Nicotinamide (Niacinamide) Plant Culture Tested M. W.: 122.12 Assay 99.5% Store below 30°C	540.00	100 gm
TC1154 ATC C ₆ H ₆ N ₂ O (98-92-0)	Nicotinamide Niacinamide Cell Culture Tested M. W.: 122.12 Assay : ≥98.5% Store below 30°C	1143.00	100 gm
		3434.00	500 gm
TC1154M ATC C ₆ H ₆ N ₂ O (98-92-0)	Nicotinamide Niacinamide Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 122.12 Store below 30°C	1819.00	100 gm
		4842.00	500 gm

N

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
168715	β-Nicotinamide Adenine Dinucleotide Extrapure for biochemistry (Oxidised) (β-NAD, DPN) (NAD Free Acid)	140.00 775.00 3600.00 17100.00	100 mg 1 gm 5 gm 25 gm
C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ (53-84-9)	M.W. 663.44 Assay (UV) 98%		
962680	Nicotinamide Adenine Dinucleotide (See DPN; NAD, From Yeast) For Molecular Biology Store Below 30°C	910.00 4392.00	1 gm 5 gm
TC1156	▲β-Nicotinamide Adenine Dinucleotide, From Yeast Cell Culture Tested	1557.00 6490.00 22500.00 27190.00	100 mg 1 gm 5 gm 10 gm
C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ (53-84-9)	M. W.: 663.43 Assay : ≥95%		
168735	β-Nicotinamide Adenine Dinucleotide Disodium Salt Extrapure for Biochemistry (β-NADH, DPNH)	270.00 2260.00 10206.00	100 mg 1 gm 5 gm
C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ Na ₂ (606-68-8)	M.W. 709.46 Assay(UV) 98%		
964710	β-Nicotinamide Adenine Dinucleotide Reduced Disodium Salt (See : DPNH Disodium Salt; NADH Disodium Salt) For Molecular Biology Store Below 30°C	374.00 3303.00 14832.00	100 mg 1 gm 5 gm
TC1699	β-Nicotinamide Adenine Dinucleotide, Reduced Disodium Salt Hydrate (NADH) Cell Culture Tested	4266.00 9252.00 12700.00 49284.00	100 mg 500 mg 1 gm 5 gm
C ₂₁ H ₂₇ N ₇ Na ₂ O ₁₄ P ₂ .xH ₂ O (606-68-8)	M. W.: 709.40 (anhydrous basis)		
963840	Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (See : NADP (TPN) Disodium Salt) For Molecular Biology	1233.00 8505.00	100 mg 1 gm
C ₂₁ H ₂₆ N ₇ Na ₂ O ₁₇ P ₃ (24292-60-2)	M. W.: 787.37 Assay : > 90% Store Below 30°C		
TC1700	▲ Nicotinamide Adenine Dinucleotide, Phosphate Disodium salt (NADP) Cell Culture Tested	4302.00 14220.00 47610.00	50 mgm 250 mgm 1 gm
C ₂₁ H ₂₆ N ₇ Na ₂ O ₁₇ P ₃ (24292-60-2)	M. W.: 787.37		
168755	β-Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt Extrapure for Biochemistry (β-NADP, TPN)	820.00 3105.00 5940.00 20660.00	100 mgm 500 mgm 1 gm 5 gm
C ₂₁ H ₂₇ N ₇ O ₁₇ P ₃ Na (1184-16-3)	M.W. 765.4 Assay 98%		
168775	β-Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt Extrapure for Biochemistry (β-NADPH, TPNH)	936.00 2691.00 22770.00	25 mg 100 mg 1 gm
C ₂₁ H ₂₆ N ₇ Na ₄ O ₁₇ P ₃ .XH ₂ O (2646-71-1)	M.W. 833.35 (Anhy. basis) Assay(UV) 95.0%		

Product Code	Product Name	Price	Packing
TC1701	▲ Nicotinamide Adenine Dinucleotide 2 -Phosphate Reduced Tetrasodium Salt Hydrate (NADPH) Cell Culture Tested	12520.00 46900.00 84510.00	100 mg 500 mg 1 gm
C ₂₁ H ₂₆ N ₇ Na ₄ O ₁₇ P ₃ .XH ₂ O (2646-71-1)	M. W.: 833.35		
	Store at -20°C		
	iso-Nicotinic Acid See Iso Nicotinic Acid		
	iso-Nicotinic Acid Hydrazide See Iso Nicotinic Acid Hydrazide		
168895	Nicotinic Acid	221.00 491.00 1800.00 POR	25 gm 100 gm 500 gm 1 kg
C ₆ H ₅ NO ₂ (59-67-6)	M. W.: 123.11 Assay (acidimetric, on dried substances) 99.5%		
PCT1210	Nicotinic acid (Niacin) Plant Culture Tested	221.00 540.00	25 gm 100 gm
C ₆ H ₅ NO ₂ (59-67-6)	M. W.: 123.11 Assay 99.5% Store below 30°C		
TC1157	Nicotinic Acid (Vitamin B3, Niacin) Cell Culture Tested	1305.00 3933.00	100 gm 500 gm
C ₆ H ₅ NO ₂ (59-67-6)	M. W.: 123.11 Assay : ≥99% Store below 30°C		
308845	Night Blue for Microscopy	1008.00	25 gm
C ₃₈ H ₄₂ N ₃ Cl (4692-38-0)	M. W.: 576.23 C.I. 44085		
308985	Nigrosin (Alcohol soluble)	153.00 464.00 POR	25 gm 100 gm 1 kg
(11099-03-9)	C.I. No. 50415		
309005	Nigrosin for Microscopy (Water Soluble) C.I. No. 50420	149.00 459.00	25 gm 100 gm
(8005-03-6)			
869200	Nigrosine 10% Solution For Negative Staining	149.00	125 ml
	Nile Blue A See Nile Blue Sulphate		
309145	Nile Blue Chloride	1206.00	25 gm
C ₂₀ H ₂₀ ClN ₃ O (2381-85-3)	C.I. : 51180 M. W.: 353.85 Dye content >90.0%		
309165	Nile Blue Sulphate for Microscopy (Nile Blue Hydrogen Sulphate)	360.00 1400.00	5 gm 25 gm
C ₄₀ H ₃₈ N ₆ O ₂ .H ₂ SO ₄ (3625-57-8)	M. W.: 732.84 Dye content (spectrophotometric) > 90.0%		
869235	Nile Blue Sulphate Solution	594.00	100 ml
965170	Nile Red For Molecular Biology	3893.00 32810.00	100 mg 1 gm
C ₂₀ H ₁₈ N ₂ O ₂ (7385-67-3)	M. W.: 318.37		
	Store Below 30°C		
594475	Ninhydrin AR	801.00 1602.00 4707.00 POR	10 gm 25 gm 100 gm 1 kg
C ₉ H ₄ O ₃ .H ₂ O (485-47-2)	M. W.: 178.14 Assay (Non-aqueous) 99.0%		

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
967260	Ninhydrin (2,2-Dihydroxy-1,3-Indanedione) For Molecular Biology M. W.: 178.14 Assay : ≥ 99% Store Below 30°C	1026.00	10 gm
		2260.00	25 gm
C ₉ H ₆ O ₄ (485-47-2)			
869280	Ninhydrin Solution	144.00	125 ml
869290	Niobium (Nb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2552.00	100 ml
		8577.00	500 ml
869300	Niobium (Nb) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in 5% HNO ₃ 1% in HF in accordance with NIST	4014.00	50 ml
		5751.00	100 ml
168965	Niobium Metal Powder Nb M. W.: 92.91 Assay 99.98% (7440-03-1)	6003.00	25 gm
		18900.00	100 gm
594540	Niobium Pentoxide AR (Niobium (v) oxide) M. W.: 265.81 Assay (Gravimetric) 99.5% Nb ₂ O ₅ (1313-96-8)	315.00	5 gm
		1206.00	25 gm
		20007.00	500 gm
169145	* Nioxime C ₆ H ₈ (=NOH) ₂ (492-99-9) M. W.: 142.16 Assay 97.0%	6993.00	5 gm
309395	Nitrazine Yellow Indicator (C. I. No. 14890) M. W.: 542.36 C ₁₆ H ₈ N ₄ Na ₂ O ₁₁ S ₂ (5423-07-4)	2106.00	5 gm
		9900.00	25 gm
169215	Nitric Acid (1.41-1.42) HNO ₃ (7697-37-2) M. W.: 63.01 Assay 69-72% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes)	477.00	500 ml
		1710.00	2.5 lit
594655	Nitric Acid (1.42) AR/ACS HNO ₃ (7697-37-2) M. W.: 63.01 Assay 69-72% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole box)	513.00	500 ml
		1755.00	2.5 lit
756360	Nitric Acid Acipur for Trace Metal Analysis HNO ₃ (7697-37-2) M.W : 63.01 Assay 69.5%	1800.00	500 ml
		6201.00	2.5 lit
756355	Nitric Acid EL HNO ₃ (7697-37-2) M. W.: 63.01 Assay 69-71%	16830.00	2.5 lit
756370	Nitric Acid ABT 70% "TAR" Trace Analysis Reagent (7697-37-2)	8154.00	1 lit
869400	Nitric Acid CPECTROSOL® 0.01M (0.01N) Standard Solution in H ₂ O in accordance with NIST	1400.00	1 lit
869420	Nitric Acid CPECTROSOL® 0.1M (0.1N) Standard Solution in H ₂ O in accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
869425	Nitric Acid 0.1 Mol/l (0.1N) For 1000 ml Solution	180.00	1 AMP
869530	Nitric Acid 10 mol/L Solution.	576.00	500 ml
		1035.00	1 lit
		1566.00	2.5 lit
869460	Nitric Acid CPECTROSOL® 1M (1N) for Standard Solution in H ₂ O in accordance with NIST	1400.00	1 lit
869480	Nitric Acid CPECTROSOL® 2M (2N) for Standard Solution in H ₂ O in accordance with NIST	1400.00	1 lit
869500	Nitric Acid CPECTROSOL® 4M (4N) for Standard Solution in H ₂ O in accordance with NIST	1400.00	1 lit
869520	Nitric Acid CPECTROSOL® 8M (8N) for Standard Solution in H ₂ O in accordance with NIST	1400.00	1 lit
029338	Nitritotriacetic Acid (NTA) Complexometric Indicator and Reagent C ₆ H ₉ NO ₆ (139-13-9) M. W.: 191.14 Assay (acidimetric) 99.0%	261.00	100 gm
		990.00	500 gm
594725	Nitritotriacetic Acid (NTA) AR N(CH ₂ COOH) ₃ (139-13-9) M. W.: 191.14	333.00	100 gm
		1206.00	500 gm
169335	p-Nitro Acetanilide for Synthesis C ₈ H ₈ N ₂ O ₃ (104-04-1) M. W.: 180.16	2250.00	100 gm
		7506.00	500 gm
169445	3-Nitro Acetophenone for Synthesis C ₈ H ₇ NO ₃ (121-89-1) M. W.: 165.15	630.00	100 gm
		2754.00	500 gm
169505	p-Nitro Acetophenone for Synthesis C ₈ H ₇ NO ₃ (100-19-6) M. W.: 165.15	2601.00	250 gm
		8100.00	1 kg
169555	m-Nitro Aniline (3-Nitro Aniline) Pract C ₆ H ₆ N ₂ O ₂ (99-09-2) M. W.: 138.13 Assay (GC) 96.0%	1863.00	250 gm
029341	o-Nitro Aniline (2-Nitro Aniline) C ₆ H ₆ N ₂ O ₂ (88-74-4) M. W.: 138.13 Assay (GC) 98.0%	873.00	250 gm
029343	p-Nitro Aniline (4-Nitro Aniline) C ₆ H ₆ N ₂ O ₂ (100-01-6) M. W.: 138.12 Assay(GC) 98.0%	864.00	250 gm
594865	4-Nitro Aniline AR for Determination Of Phenol C ₆ H ₆ N ₂ O ₂ (100-01-6) M. W.: 138.12	302.00	25 gm
		882.00	100 gm
		3006.00	500 gm
169615	2-Nitro Anisole for Synthesis (o-Nitroanisole) C ₇ H ₇ NO ₃ (91-23-6) M. W.: 153.14	864.00	500 ml
		4005.00	2.5 lit
			POR 25 lit
			POR 200 lit
309545	▲Nitro B. T. AR Used for estimating dehydrogenase enzymes Totally soluble formazan free C ₄₀ H ₃₀ N ₁₀ O ₆ Cl ₂ (298-83-9) M. W.: 817.65 Assay (ex Cl, anhydrous) 95.0%	801.00	100 mg
		1301.00	250 mg
		4590.00	1 gm

N

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

N

Laboratory Chemicals

Product Code	Product Name	Price	Packing
970100	▲ Nitro B. T. for Microscopy and for Molecular Biology C ₄₀ H ₃₀ Cl ₂ N ₁₀ O ₆ (298-83-9) M. W.: 817.67 Assay (Argentometric, ex Cl), anhydrous) 95.0%	882.00 3870.00 6930.00	100 mg 500 mg 1 gm
TC1475	▲ Nitro B. T. (Nitroblue Tetrazolium Chloride) Cell Culture Tested C ₄₀ H ₃₀ N ₁₀ O ₆ .2Cl (298-83-9) M. W.: 817.64 Activity : ≥98% Store at 2-8°C	1670.00 3681.00 10026.00 30060.00	100 mg 250 mg 1 gm 5 gm
169675	o-Nitro Benzaldehyde NO ₂ C ₆ H ₄ CHO (552-89-6) M. W.: 151.12 Assay (GC) 98.0%	2691.00 18145.00	100 gm 1 kg
595065	o-Nitro Benzaldehyde AR NO ₂ C ₆ H ₄ CHO (552-89-6) M. W.: 151.12 Assay (GC) 99.0%	432.00 810.00 27000.00	10 gm 25 gm 1 kg
169735	3-Nitro Benzaldehyde for Synthesis (m-Nitrobenzaldehyde) O ₂ NC ₆ H ₄ CHO (99-61-6) M. W.: 151.12	828.00 3402.00	100 gm 500 gm
595075	4-Nitro Benzaldehyde AR O ₂ NC ₆ H ₄ CHO (555-16-8) M. W.: 151.12	702.00 2007.00	25 gm 100 gm
169885	4-Nitro Benzamide for Synthesis C ₇ H ₆ N ₂ O ₃ (619-80-7) M. W.: 166.13	900.00 3114.00	25 gm 100 gm
029353	Nitro Benzene C ₆ H ₅ .NO ₂ (98-95-3) M. W.: 123.11 Assay (GC) 99.0%	702.00 3006.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
595135	Nitro Benzene AR/ACS C ₆ H ₅ .NO ₂ (98-95-3) M. W.: 123.11 Assay (By GC) 99.0%	801.00 3303.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
595485	4-Nitro Benzene Diazonium Tetrafluoroborate AR C ₆ H ₄ N ₃ O ₂ .BF ₄ (456-27-9) M. W.: 236.92 Assay 97.0%	4500.00 11800.00	5 gm 25 gm
	3-Nitro Benzene-1,2-Dicarboxylic Acid See 3-Nitrophthalic Acid		
	4-Nitro Benzene-1,2-Dicarboxylic Acid See 4-Nitrophthalic Acid		
170025	4-Nitro Benzene Sulfonyl Chloride for Synthesis C ₆ H ₄ ClNO ₄ S (98-74-8) M. W.: 221.62 Assay 97.0%	3807.00 POR	100 gm 5 kg
029355	m-Nitro Benzene Sulphonic Acid Sodium Salt C ₆ H ₄ NNaO ₅ S (127-68-4) M. W.: 225.16 Assay(dried) 98.0%	963.00 4230.00	1 kg 5 kg
595695	5-Nitro Benzimidazole AR C ₇ H ₅ N ₃ O ₂ (94-52-0) M. W.: 163.13	1350.00 3807.00	25 gm 100 gm
170085	5-Nitro Benzimidazole Nitrate 5, 6 Photo pure C ₇ H ₅ N ₃ O ₂ .HNO ₃ (27896-84-0) M. W.: 226.15 Assay (acidimetric) 98.0%	2106.00 POR	25 gm 1 kg

Product Code	Product Name	Price	Packing
170170	m-Nitro Benzoic Acid C ₇ H ₅ NO ₄ (121-92-6) M.W.: 167.12 Assay (HPLC) 98.0%	504.00 2231.00	100 gm 500 gm
170145	o-Nitro Benzoic Acid C ₇ H ₅ NO ₄ (552-16-9) M. W.: 167.12 Assay 95.0%	5400.00 16200.00	100 gm 500 gm
029361	p-Nitro Benzoic Acid for Synthesis NO ₂ .C ₆ H ₄ COOH (62-23-7) M. W.: 167.12 Assay (HPLC) 99.0%	1602.00 POR	500 gm 25 kg
170225	6-Nitro Benzothiazole C ₇ H ₄ N ₂ O ₂ S (2942-06-5) M. W.: 180.18 Assay 99.0%	13230.00	50 gm
170295	4-Nitro Benzoyl Chloride for Synthesis C ₇ H ₄ ClNO ₃ (122-04-3) M. W.: 185.56 Assay 98.0%	792.00 2646.00	100 gm 500 gm
170375	4-Nitro Benzyl Alcohol for Synthesis (p-Nitrobenzyl Alcohol) C ₇ H ₇ NO ₃ (619-73-8) M. W.: 153.14	306.00 855.00	25 gm 100 gm
170485	4-Nitro Benzyl Bromide for Synthesis BrC ₇ H ₆ NO ₂ (100-11-8) M. W.: 216.03 Assay 99.0%	513.00 910.00 4302.00	25 gm 100 gm 500 gm
595745	4-(4-Nitro Benzyl) Pyridine extra Pure AR NO ₂ .C ₆ H ₄ .CH ₂ .C ₅ H ₄ N (1083-48-3) M. W.: 214.23 Assay (Non-aqueous) 99.0%	2601.00 11520.00	5 gm 25 gm
	Nitro Blue Tetrazolium Chloride See Nitro B.T.		
	Nitro Carbol See Nitromethane		
595905	4-Nitro Catechol AR C ₆ H ₅ NO ₄ (3316-09-4) M. W.: 155.11 Assay 97.0%	3393.00	5 gm
170545	Nitro Cellulose (9004-70-0)	3069.00	500 gm
	O-Nitro Chlorobenzene (ONCB) See 1-Chloro-2-Nitrobenzene		
	M-Nitro Chlorobenzene (MNCB) See 1-Chloro-3-Nitrobenzene		
	P-Nitro Chlorobenzene (PNCB) See 1-Chloro-4-Nitrobenzene		
170575	Nitro Ethane C ₂ H ₅ NO ₂ (79-24-3) M. W.: 75.07 Assay 99.0%	3285.00 11300.00	500 ml 2.5 lit
596225	Nitro Ethane AR C ₂ H ₅ NO ₂ (79-24-3) M. W.: 75.07 Assay 99.0%	3006.00 5823.00	250 ml 500 ml
170665	5-Nitro Indole for Synthesis C ₈ H ₆ N ₂ O ₂ (6146-52-7) M. W.: 162.15	2007.00 9504.00	5 gm 25 gm
170775	5-Nitro Isophthalic Acid for Synthesis C ₈ H ₅ NO ₆ (618-88-2) M. W.: 211.13	2502.00	500 gm
029371	Nitro Methane CH ₃ NO ₂ (75-52-5) M. W.: 61.04 Assay (GC) 98.0%	1220.00 5500.00	500 ml 2.5 lit

▲ ATC : Animal Cell Culture
▲ MB : Molecular Biology
▲ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
596335 CH ₃ NO ₂ (75-52-5)	Nitro Methane AR/ACS M. W.: 61.04	2709.00 8100.00	500 ml 2.5 lit
170885 *	4-Nitro-3-Methoxybenzoic Acid M. W.: 197.14 Assay 98.0%	3366.00	5 gm
596400 C ₂₀ H ₁₆ N ₄ (2218-94-2)	Nitron AR M. W.: 312.38 Assay 97.0%	1800.00 3960.00	1 gm 5 gm
170995 C ₁₀ H ₇ NO ₂ (86-57-7)	1-Nitro Naphthalene for Synthesis (A-Nitro Naphthalene) M. W.: 173.17 Assay 99.0%	2034.00 8505.00	100 gm 500 gm
309745 O ₂ NC ₆ H ₄ OH (554-84-7)	m-Nitro Phenol Indicator AR (3-Nitrophenol) M. W.: 139.11	531.00 1854.00 5643.00	5 gm 25 gm 100 gm
029377 NO ₂ .C ₆ H ₄ .OH (88-75-5)	o-Nitro Phenol (2-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	1710.00	500 gm
309705 O ₂ NC ₆ H ₄ OH (88-75-5)	o-Nitro Phenol Indicator AR M. W.: 139.11	203.00 702.00	25 gm 100 gm
029379 C ₆ H ₅ NO ₃ (100-02-7)	p-Nitro Phenol (4-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	351.00 1485.00	100 gm 500 gm
TC1702 ATC	p-Nitro Phenol Cell Culture Tested M. W.: 139.11 Store below 30°C	3033.00 10917.00	5 gm 25 gm
309785 C ₆ H ₅ NO ₃ (100-02-7)	p-Nitro Phenol Indicator AR M. W.: 139.11 Assay (GC) 99.0%	342.00 954.00 3501.00	25 gm 100 gm 500 gm
	4-(4-Nitro Phenyl Azo)-1-Naphthol See Magneson II		
	4-(4-Nitro Phenyl Azo)-Resorcinol See Magneson I		
171185 CH ₃ CO ₂ C ₆ H ₄ NO ₂ (830-03-5)	p-Nitro Phenyl Acetate (4-Nitrophenyl Acetate) M. W.: 181.15	1031.00 3492.00 9576.00	5 gm 25 gm 100 gm
171225 C ₈ H ₇ NO ₄ (104-03-0)	p-Nitro Phenyl Acetic Acid M. W.: 181.15 Assay 98.0%	320.00 1323.00 4185.00	5 gm 25 gm 100 gm
171285 *	p-Nitro Phenyl Acetonitrile for Synthesis M. W.: 162.15 Assay 98.0%	2997.00 9500.00	100 gm 500 gm
171415 C ₉ H ₁₀ N ₂ O ₄ .H ₂ O (207591-86-4)	▲ 4-Nitro-L-Phenylalanine Monohydrate for Biochemistry M. W.: 228.20 Assay 98.0%	4185.00 10450.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
171525 C ₁₂ H ₁₅ NO ₈ (369-07-3)	o-Nitro Phenyl B-D-Galactopyranoside Extra Pure for Biochemistry M. W.: 301.25 Assay 98.0%	730.00 6300.00 10440.00	500 mg 5 gm 10 gm
PCT2558 PTC	o-Nitrophenyl-B-Galactopyranoside Plant Culture Tested M. W.: 301.3	6310.00 10449.00	5 gm 25 gm
596785 C ₆ H ₇ N ₃ O ₂ (100-16-3)	4-Nitro Phenyl Hydrazine AR (p-Nitrophenylhydrazine) M. W.: 153.14	1566.00 7722.00	25 gm 100 gm
596805 C ₆ H ₄ NNa ₂ O ₆ .P.6H ₂ O (4264-83-9)	4-Nitro Phenyl Phosphate Disodium Salt Hexahydrate AR M. W.: 371.15 Assay (Absorptiometric) 98.0%	522.00 2403.00	5 gm 25 gm
970150 MB	▲ p-Nitrophenyl Phosphate Disodium Salt Hexahydrate For Molecular Biology M. W.: 371.14 Assay : ≥ 98%	860.00 3700.00	5 gm 25 gm
171615 (68189-42-4)	4-Nitrophenyl Phosphate Di(TRIS) Salt (pNPP DTRIS SALT) for Biochemistry	640.00 1900.00 6800.00	1 gm 5 gm 25 gm
171695 O ₂ NC ₆ H ₃ -1,2-(CO ₂ H) ₂ (603-11-2)	3-Nitro Phthalic Acid for Synthesis (3-Nitrobenzene-1,2-Dicarboxylic Acid) M. W.: 211.13	612.00 2403.00	100 gm 500 gm
171715 C ₈ H ₅ NO ₆ (610-27-5)	4-Nitro Phthalic Acid for Synthesis (4-Nitrobenzene-1, 2-Dicarboxylic Acid) M. W.: 211.13	730.00 3303.00	100 gm 500 gm
171745 C ₈ H ₃ N ₃ O ₂ (31643-49-9)	4-Nitrophthalonitrile M. W.: 173.13 Assay 99.0%	1400.00 4248.00 13500.00	5 gm 25 gm 100 gm POR 25 kg
171785 C ₃ H ₇ O ₂ N (79-46-9)	2-Nitro Propane for Synthesis M. W.: 89.09 Assay 96.0%	5229.00 19602.00	100 gm 500 gm
309925 C ₁₀ H ₆ (OH).NO (131-91-9)	1-Nitroso-2-Naphthol M. W.: 173.16 Assay (Titanometry) 95.0%	1764.00 6840.00	100 gm 500 gm
309935 C ₁₀ H ₆ (OH).NO (131-91-9)	1-Nitroso-2-Naphthol AR M. W.: 173.17 Assay(dried) 98.0%	900.00 3200.00	25 gm 100 gm
869650	1-Nitroso-2-Naphthol Solution (Reagent for Co, Fe, Ni & Pd)	189.00	100 ml
309995 C ₁₀ H ₆ (OH)NO (132-53-6)	2-Nitroso-1-Naphthol AR Reagent for Cobalt and Zirconium M. W.: 173.17 Assay(Titanometric) 95.0%	603.00 2800.00	5 gm 25 gm
310025 C ₁₀ H ₅ NNa ₂ S ₂ O ₈ (525-05-3)	Nitroso-R-Salt AR Sensitivity to Cobalt 1:1000000 M. W.: 377.26	460.00 1323.00	25 gm 100 gm

N

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

N

Laboratory Chemicals

Product Code	Product Name	Price	Packing
869670	Nitroso-R Salt Solution (Reagent for cobalt & Iron)	216.00	100 ml
	Nitrotetrazolium Blue Chloride See Nitro B.T.		
171935	m-Nitro Toluene for Synthesis (3-Nitro Toluene)	675.00 2907.00	500 ml 2.5 lit
NO ₂ .C ₆ H ₄ .CH ₃ (99-08-1)	M. W.: 137.14 Assay (GC) 99.0%	POR POR	25 lit 200 lit
029393	o-Nitro Toluene for Synthesis (2 Nitro Toluene)	666.00 2907.00	500 ml 2.5 lit
NO ₂ .C ₆ H ₄ .CH ₃ (88-72-2)	M. W.: 137.14 Assay (GC) 99.0%	POR POR	25 lit 200 lit
029395	p-Nitro Toluene for Synthesis (4-Nitro Toluene)	621.00 POR	500 gm 25 kg
NO ₂ .C ₆ H ₄ CH ₃ (99-99-0)	M. W.: 137.14 Assay (GC) 99.0%		
171995	▲5-Nitro Uracil for Biochemistry	1467.00 6003.00	5 gm 25 gm
C ₄ H ₃ N ₃ O ₄ (611-08-5)	M. W.: 157.08 Assay 98.0%		
172075	✳ 5-Nitro-m-Xylene	2592.00	5 gm
C ₈ H ₉ NO ₂ (99-12-7)	M. W.: 151.16 Assay 99.0%		
172265	n-Nonadecane for Synthesis	6894.00	100 ml
C ₁₉ H ₄₀ (629-92-5)	M. W.: 268.53 Assay 98.0%		
597095	n-Nonadecane AR	10000.00	100 ml
C ₁₉ H ₄₀ (629-92-5)	M. W. : 268.53		
172415	n-Nonane for Synthesis	3366.00 9000.00	100 ml 500 ml
CH ₃ (CH ₂) ₇ CH ₃ (111-84-2)	M. W.: 128.26		
757180	1-Nonanesulphonic Acid Sodium Salt AR For HPLC	3221.00 14787.00	5 gm 25 gm
CH ₃ (CH ₂) ₈ SO ₃ Na (35192-74-6)	M. W.: 230.30		
172465	Nonanoic Acid	1098.00 4401.00	100 gm 500 gm
C ₉ H ₁₈ O ₂ (112-05-0)	M. W.: 158.24 Assay 97.0%		
172355	n-Nonanol for Synthesis (Nonan-1-ol)	3200.00 5814.00	100 ml 500 ml
C ₉ H ₂₀ O (143-08-8)	M. W.: 144.25		

Product Code	Product Name	Price	Packing
	Nonidet P 40, (NP-40,4-nonylphenyl) see Octylphenyl Polyethylene Glycol		
	Nonyl Alcohol See N-Nonanol		
172705	Nonyl Phenol (Ethoxylated)	621.00 2800.00	500 ml 2.5 lit
C ₁₅ H ₂₄ O (104-40-5)	M. W.: 220.35		
597415	✳ DL-Nor-Adrenaline HCl AR	19710.00	1 gm
C ₈ H ₁₁ NO ₃ .HCl (55-27-6)	M. W.: 205.64 Assay (TLC) 97.0%		
172795	▲Norfloxacin for Lab Use	2034.00 4743.00	1 gm 5 gm
C ₁₆ H ₁₈ FN ₃ O ₃ (70458-96-7)	M. W.: 319.33 Assay 98.0%		
172885	Norit-A 100 mesh	10800.00 21600.00 POR	2 kg 5 kg 25 kg
C (7440-44-0)	At. W. 12.01		
310095	Nuclear Fast Red for Microscopy	1602.00 7506.00	1 gm 5 gm
C ₁₄ H ₈ NNaO ₇ S (6409-77-4)	M. W.: 357.27		
869900	Nylander's Reagent (Test Reagent for Glucose in urine)	369.00	50 ml
172975	▲Nystatin 4400 USP Unit per mg	500.00	1mil.Unit
C ₄₇ H ₇₅ NO ₁₇ (1400-61-9)	M. W.: 926.10		
PCT2112	▲Nystatin Plant Culture Tested 1,000,000 units per vial Potency 4400 USP U/mg	662.00 5292.00 13230.00	1 vl 10x1 vl 25x1 vl
(1400-61-9)			
TC1032	▲Nystatin (Mycostatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mL Potency : ≥4400 USP units/mg	900.00 3690.00 11952.00	1x1 mu 5x1 mu 25x1 mu
(1400-61-9)			
TC1032G	▲Nystatin Gamma Irradiated (Mycostatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mg/L M. W.: 926.09 Potency : ≥4400 USP units/mg	1125.00 4600.00 14940.00	1x1 mu 5x1 mu 25x1 mu
C ₄₇ H ₇₅ NO ₁₇ (1400-61-9)			



NMR Solvents

NMR for spectroscopy & deuterated solvents are provided to NMR-users for use in chemical analysis and R & D worldwide.



Product Code	Product Name	Price	Packing
871180	Obermayer's Reagent (Test reagent for "Indican" in urine)	342.00	100 ml
176175	n-Octadecane 90% for Synthesis M. W.: 254.2	1953.00 9360.00	25 gm 250 gm
C ₁₈ H ₃₈ (593-45-3)			
029404	1-Octadecanol (Octadecyl Alcohol) M. W.: 270.50 Assay (GC) 96.0%	684.00	500 gm
C ₁₈ H ₃₈ O (112-92-5)			
176045	* 1-Octadecene 90% for Synthesis M. W.: 252.48 Assay 90.0%	3960.00	500 ml
C ₁₈ H ₃₆ (112-88-9)			
	1-Octadecyl Alcohol See 1-Octadecanol, Stearyl Alcohol		
176295	Octadecylamine for Synthesis M. W.: 269.51 Assay 97.0%	882.00 2997.00	250 gm 1 kg
C ₁₈ H ₃₉ N (124-30-1)			
029409	n-Octane for Synthesis M. W.: 114.23	1251.00 5706.00 17100.00	100 ml 500 ml 2.5 lit
CH ₃ (CH ₂) ₆ CH ₃ (111-65-9)			
597455	n-Octane AR M.W.: 114.23 Assay (GC) 99.7%	1503.00 6003.00	100 ml 500 ml
CH ₃ (CH ₂) ₆ CH ₃ (111-65-9)			
	iso-Octane See ISO Octane		
759105	1-Octane Sulphonic Acid Sodium Salt (Anhydrous) HPLC for Ion-Pair Chromatography M. W.: 216.28	1103.00 4005.00	25 gm 100 gm
C ₈ H ₁₇ O ₃ SNa (5324-84-5)			
759110	1-Octane Sulphonic Acid Sodium Salt Monohydrate M. W.: 234.29 Assay (acidimetric on dried basis) 98.0%	1107.00 4005.00	25 gm 100 gm
C ₈ H ₁₇ NaO ₃ S.H ₂ O (207596-29-0)			
	Octanoic Acid See Caprylic Acid		
	n-Octanoic Acid Sodium Salt See n-Caprylic Acid Sodium Salt		
029408	1-Octanol (Octyl Alcohol) for Synthesis (Octan-1-OL, n-Octanol) M. W.: 130.23 Assay (GC) 99.0%	1053.00 4500.00	500 ml 2.5 lit
CH ₃ .(CH ₂) ₆ .CH ₂ OH (111-87-5)		POR	25 lit 200 lit
597485	1-Octanol AR M. W.: 130.23 Assay (GC) 99.5%	1314.00 6318.00	500 ml 2.5 lit
C ₈ H ₁₈ O (111-87-5)			
759200	1-Octanol HPLC & Spectroscopy M. W.: 130.23	2106.00 3807.00	500 ml 1 lit
C ₈ H ₁₈ O (111-87-5)			
	iso-Octanol See 2-Ethyl -1-Hexanol		
176445	3-Octanol M. W.: 130.23 Assay (GC) 97.0%	1026.00 4680.00	500 ml 2.5 lit
C ₈ H ₁₈ O (589-98-0)			
176485	1-Octene M. W.: 112.22 Assay 98.0%	1800.00 5270.00	500 ml 2.5 lit
C ₈ H ₁₆ (111-66-0)		POR	25 lit

Product Code	Product Name	Price	Packing
	Octoic Acid See 2-Ethyl Hexanoic Acid		
176655	Octyl Acetate for Synthesis M. W.: 172.26 Assay 99.0%	1670.00 16700.00	500 ml 10 lit
C ₁₀ H ₂₀ O ₂ (112-14-1)			
176745	n-Octylamine for Synthesis M. W.: 129.24 Assay 99.0%	1413.00 4343.00	250 ml 1 lit
C ₈ H ₁₉ N (111-86-4)		POR	10 lit
	Octyl Sulphate Sodium Salt See Sodium Octyl Sulphate		
176835	n-Octyl-Beta-D-Glucopyranoside for Biochemistry M. W.: 292.37 Assay (GC) 98.0%	4122.00 16713.00	1 gm 5 gm
C ₁₄ H ₂₈ O ₆ (29836-26-8)			
176875	4-tert-Octylphenol for Synthesis M. W.: 206.33 Assay 97.0%	1404.00	500 gm
C ₁₄ H ₂₂ O (140-66-9)			
176925	Octylphenyl Polyethylene Glycol (Nonidet P 40, (NP-40,4-nonylphenyl])	576.00 2205.00	100 ml 500 ml
(9016-45-9)			
970195	Octylphenyl Polyethylene Glycol (Nonidet P 40, (NP-40,4-nonylphenyl])	882.00 4005.00	100 ml 500 ml
(9016-45-9)			
TC1708	Octylphenyl Polyethylene Glycol (Nonidet P 40, (NP-40,4-nonylphenyl])	1022.00 4527.00	100 ml 500 ml
(9016-45-9)			
	iso-Octyl Phenoxy Polyethoxy Ethanol See Criton 100		
	di Octyl Sodium Sulphosuccinate See Dioctyl Sodium Sulphosuccinate		
177015	Octyl β-D-Thioglucopyranoside for Biochemistry (Octyl Thioglucoside) M. W.: 308.44	3870.00 6903.00	500 mgm 1 gm
C ₁₄ H ₂₈ O ₅ S (85618-21-9)			
	ODCB See o-Dichlorobenzene		
177105	Ofloxacin for Lab Use M.W.: 361.37	3160.00 11520.00	1 gm 10 gm
C ₁₈ H ₂₀ FN ₃ O ₄ (82419-36-1)		POR	500 gm
	Oil Aemons See Oil Almond		
347235	Oil Almond	6350.00	500 ml
(8007-69-0)			
347695	Oil Bergamot	4806.00	500 gm
(8007-75-8)			
	Oil Citronella See Citronella		
349095	Oil Corn	1593.00	500 ml
(8001-30-7)			
	Oil of Castor See Castor Oil		
	Oil of Cedarwood See Cedar Wood Oil		
	Oil of Clove See Clove Oil		
	Oil of Eucalyptus See Eucalyptus Oil		
	Oil of Turpentine See Turpentine Oil		

0

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
350245 (8000-46-2)	Oil Geranium	8604.00	500 gm
	Oil of Immersion See Immersion Oil		
352585 (8007-02-1)	Oil of Lemon Grass Oil	2772.00	500 ml
353045 (8008-79-5)	Oil Mentha	4500.00	500 gm
	Oil of Olive See Olive Oil		
354655 (8006-90-4)	Oil of Peppermint (peppermint oil)	882.00 3700.00	100 ml 500 ml
	Oil Pine See Pine Oil		
354195 (8008-57-9)	Oil Orange	4500.00 POR	500 gm 2.5 kg
310145 $C_{26}H_{24}N_4O$ (14288-70-1)	Oil Red O for Electrophoresis C.I. No. 26125 M. W.: 408.51 Dye content (Titanometry on dried Substance) Min 80.0%	122.00 450.00 POR	5 gm 25 gm 1 kg
871300	Oil Red O Solution 0.5% In Isopropanol	324.00	100 ml
355575 (8007-01-0)	Oil Rose	2021.00 4041.00	10 ml 25 ml
177555 $C_{17}H_{33}COOH$ (112-80-1)	Oleic Acid M. W.: 282.47 Assay(GC) 65.0%	657.00 2610.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
TC1382 ATC	▲Oleic Acid Cell Culture Tested M. W.: 282.46 Assay : ≥97%	2453.00 7830.00 23652.00	1 ml 5 ml 25 ml
$C_{18}H_{34}O_2$ (112-80-1)	Oleic Acid Sodium Salt See Sodium Oleate		
177615 H_2O_4S (8014-95-7)	Oleum 20% Pract M. W.: 98.08	612.00	500 ml
177725 $C_{18}H_{36}O$ (143-28-2)	Oleyl Alcohol Pract M. W.: 268.49	1540.00 6633.00	500 ml 2.5 lit
177815 $C_{18}H_{27}N$ (112-90-3)	Oleylamine for Synthesis M. W.: 267.50	711.00 2367.00 5094.00	250 ml 1 lit 2.5 lit
353965 (8001-25-0)	Olive Oil (Oil of Olive)	657.00 1152.00 3951.00 POR	100 ml 250 ml 1 lit 5 lit
871200	O'meara Reagent	464.00	100 ml
	ONCB See 1-Chloro-2-Nitrobenzene		
311295 (12769-16-3)	Oracet Blue B Indicator	15003.00 POR	5 gm 25 gm

Product Code	Product Name	Price	Packing
311475	Orange G Indicator for Microscopy C.I. No. 16230	297.00 900.00	25 gm 100 gm
$C_{16}H_{10}N_2Na_2O_7S_2$ (1936-15-8)	M. W.: 452.37 Dye content (Titanometry, on dried Subs.) About 90.0%	POR POR	1 kg 5 kg
H54045 (1936-15-8)	Orange G For CERTIFIED HIPURE (C.I. No. 16230)	5580.00 15750.00	25 gm 100 gm
	Orange IV (ph) Indicator See Tropaeolin OO		
	Orange III See Methyl Orange		
311485 (1400-62-0)	Orcein for Microscopy	2493.00 4770.00 POR	5 gm 10 gm 1 kg
H54063 (1400-62-0)	Orcein for Microscopy CERTIFIED HIPURE	15300.00 58500.00	5 gm 25 gm
871325	Orcein Solution (For Inulin)	666.00	100 ml
	Orcein Aceto Solution (Lacour) See Aceto Orcein Solution		
029418 $CH_3.C_6H_3(OH)_2.H_2O$ (6153-39-5)	Orcinol Monohydrate M. W.: 142.15 Assay(GC) 98.0%	1062.00 2300.00 7700.00	10 gm 25 gm 100 gm
970210 MB	Orcinol Monohydrate For Molecular Biology M. W.: 142.15 Assay : ≥ 98% Store Below 30°C	1202.00 2084.00 8200.00	10 gm 25 gm 100 gm
$C_7H_8O_2.H_2O$ (6153-39-5)			
597525	L-Ornithine Monohydrochloride AR For Biochemistry M. W.: 168.62 Assay (Non-aqueous) 98.0%	230.00 702.00 POR	5 gm 25 gm 500 gm
$C_5H_{12}N_2O_2.HCl$ (3184-13-2)			
PCT1323 PTC	L-Ornithine Monohydrochloride Plant Culture Tested M. W.: 168.62 Assay 99% Store below 30°C	855.00 2970.00 13410.00	25 gm 100 gm 500 gm
$C_5H_{12}N_2O_2.HCl$ (3184-13-2)			
TC1093 ATC	L-Ornithine Monohydrochloride (From non-animal source) Cell Culture Tested M. W.: 168.62 Assay : ≥99% Store below 30°C	2745.00 6390.00 20016.00 30015.00	25 gm 100 gm 500 gm 1 kg
$C_5H_{12}N_2O_2.HCl$ (3184-13-2)			
	Orthoacetic Acid Trimethyl Ester See Trimethylorthoformate		
	Ortho Boric Acid See Boric Acid		
	Ortho Nitro Chlorobenzene See 1-Chloro-2-Nitro Benzene		
	Ortho Phosphoric Acid See ortho-Phosphoric Acid		

Product Code	Product Name	Price	Packing
PCT2559	Oryzalin Plant Culture Tested M. W.: 346.36 Store below 30°C	3852.00 16515.00 30852.00	100 mg 500 mg 1 gm
C ₁₂ H ₁₈ N ₄ O ₆ S (19044-88-3)			
597600	Osmic Acid AR M. W.: 254.20 Assay 99.9%	8200.00	1 gm
OsO ₄ (20816-12-0)			
871350	Osmic Acid 2% Solution w/v for Microscopy Osmium Tetraoxide See Osmic Acid	3204.00	5 ml
029423	Oxalic Acid Purified (Ethanedioic acid) M. W.: 126.07 Assay (Oxidimetric) 99.5%	460.00 3996.00 POR	500 gm 5 kg 50 kg
C ₂ H ₂ O ₄ .2H ₂ O (6153-56-6)			
597665	Oxalic Acid AR/ACS M. W.: 126.07 Assay (Oxidimetric) 99.8%	531.00	500 gm
C ₂ H ₂ O ₄ .2H ₂ O (6153-56-6)			
970260	Oxalic Acid Dihydrate For Molecular Biology M. W.: 126.07 Assay : ≥ 99% Store Below 30°C	1090.00	1 kg
C ₂ H ₂ O ₄ .2H ₂ O (6153-56-6)			
871440	Oxalic Acid 0.01 mol/L (0.02N) Solution	144.00 266.00 486.00	500 ml 1 lit 2.5 lit
871490	Oxalic Acid CPECTROSOL® 0.025M (0.05N) Standard Solution in accordance with NIST	1400.00	1 lit
871525	Oxalic Acid CPECTROSOL® 0.05M (0.1N) Standardized Solution in accordance with NIST	1400.00	1 lit
871450	Oxalic Acid N/10 (0.1N) 0.05 mol	144.00 266.00 459.00	500 ml 1 lit 2.5 lit
871520	Oxalic Acid Solution 0.05 M Citrisol 3.1515 g C ₂ H ₂ O ₄ .2H ₂ O for 500 ml Solution 0.1 N solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
871550	Oxalic Acid 0.5M (1N) Volumetric Solution	135.00 243.00 396.00	500 ml 1 lit 2.5 lit
871555	Oxalic Acid CPECTROSOL® 0.5M (1N) Standardized Solution in accordance with NIST	1400.00	1 lit
871580	Oxalic Acid TS acc to USP	198.00	500 ml

Product Code	Product Name	Price	Packing
	Oxalic Acid Bis Cyclohexylidene Hydrazide See Bis -Cyclohexanone Oxalyl Dihydrazone		
597725	Oxalic Acid Dihydrate AR (Oxalyl Dihydrate) M. W.: 118.10 Assay (HPLC) 98.0%	1206.00	25 gm
(CO.NH.NH ₂) ₂ (996-98-5)			
178135	Oxaloacetic Acid for Biochemistry M. W.: 132.07	1116.00 4680.00 POR POR	1 gm 5 gm 100 gm 1 kg
C ₄ H ₄ O ₅ (328-42-7)			
TC1158	Oxaloacetic Acid Cell Culture Tested M. W.: 132.07 Assay : ≥95%	1485.00 5940.00 23850.00 84600.00	1 gm 5 gm 25 gm 100 gm
C ₄ O ₅ H ₄ (328-42-7)			
029426	Oxalyl Chloride for Synthesis M.W.: 126.93 Assay (Acidimetric) 98.0%	2250.00 6804.00	100 ml 500 ml
C ₂ Cl ₂ O ₂ (79-37-8)			
	Oxalyl Dihydrate See Oxalic Acid Dihydrate		
340135	Ox-gall Powder Bacteriological Grade	2106.00 8001.00	100 gm 500 gm
	Oxine See 8-Hydroxy Quinoline		
	2-Oxoglutaric Acid See a-Keto Glutaric Acid		
178250	Oxone (Potassium Peroxy Monosulphate) M.W : 307.38	801.00 2300.00	250 gm 1 kg
HKO ₅ S . 0.5HKO ₄ S . 0.5K ₂ O ₄ S (70693-62-8)			
178340	- Oxyphenbutazone for Lab Use M. W.: 324.38 Assay 98.0%	999.00	5 gm
C ₁₉ H ₂₀ N ₂ O ₃ (129-20-4)			
178520	Oxytetracycline Hydrochloride for Lab Use M. W.: 496.90 Assay 97.0%	828.00 3807.00	1 gm 5 gm
C ₂₂ H ₂₄ N ₂ O ₉ .HCl (2058-46-0)			
PCT2149	Oxytetracycline HCl Plant Culture Tested M. W.: 496.9	1242.00 6003.00	5 gm 25 gm
C ₂₂ H ₂₄ N ₂ O ₉ .HCl (2058-46-0)			
	Store at 30°C		
TC1200	▲ Oxytetracycline Dihydrate Cell Culture Tested M. W.: 496.46 Potency : ≥832 µg/mg	1112.00 7520.00	1 gm 10 gm
C ₂₂ H ₂₄ N ₂ O ₉ .2H ₂ O (6153-64-6)			

0

Laboratory Chemicals



Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

P

Laboratory Chemicals

Product Code	Product Name	Price	Packing
TC1413	▲ Paclitaxel Taxol Cell Culture Tested M. W.: 853.9 Assay : ≥95%	7650.00	10 mg
C ₄₇ H ₅₁ NO ₁₄ (33069-62-4)			
PCT1828	▲ Paclitaxel Plant Culture Tested M. W.: 293.79 Assay 95%	3434.00 7560.00	10 gm 25 gm
C ₁₅ H ₂₀ ClN ₃ O (76738-62-0)			
874055	Palladium (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	3510.00 7030.00 11970.00	100 ml 250 ml 500 ml
874100	Palladium (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3510.00 7030.00 11970.00	100 ml 250 ml 500 ml
874150	Palladium (Pd) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in Hcl	9495.00 23702.00	100 ml 500 ml
874170	Palladium (Pd) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in Hcl	18810.00 75240.00	100 ml 500 ml
603725	Palladium (Metal) Powder AR Pd M. W.: 106.42 Assay 99.9%	21600.00	1 gm
(7440-05-3)			
183085	Palladium on Activated Charcoal (5% Pd) Palladium content Pd 4.9-5.1%	14580.00	10 gm
183095	Palladium on Activated Charcoal (10% Pd) Assay Palladium of Pd 9.9-10.1%	28000.00	10 gm
183105	Palladium 5% on Alumina	9000.00	10 gm
183125	Palladium 10% on Alumina	16560.00	10 gm
183145	Palladium on Asbestos (5% Pd) Assay (On asbestos) (Pd) 4.9-5.1%	14004.00	10 gm
183165	Palladium on Asbestos 10.0% Assay (On asbestos) (9.9-10.1% Pd)	24030.00	10 gm
183185	Palladium on Barium Sulphate (5% Pd)	14004.00	10 gm
183190	Palladium on Barium Sulphate (10% Pd)	24030.00	10 gm
183220	Palladium on Calcium Carbonate (5% Pd)	14670.00	10 gm
(7440-05-3)			
183250	Palladium on Calcium Carbonate (10% Pd)	29070.00	10 gm
(7440-05-3)			
183275	Palladium (II) Acetate for Synthesis M. W.: 244.51	14000.00 49050.00	1 gm 5 gm
C ₄ H ₆ O ₄ Pd (3375-31-3)			
183315	Palladium Bromide Extra Pure M. W.: 266.23 Assay 99.0%	12420.00	1 gm
Br ₂ Pd (13444-94-5)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
029431	Palladium Chloride (Pd 59-60%) PdCl ₂ M. W.: 177.33 Assay 99.0%	19000.00 93006.00	1 gm 5 gm
(7647-10-1)			
183425	Palladium Nitrate Dihydrate Pd(NO ₃) ₂ .2H ₂ O M. W.: 266.46 Assay (Pd) 40.0%	11340.00	1 gm
(10102-05-3)			
183465	Palladium (II) Oxide PdO M. W.: 122.44 Assay (Pd) ~85.0%	27500.00	1 gm
(1314-08-5)			
183505	Palladium Sulphate PdSO ₄ M. W.: 202.48 Assay 98.0%	16470.00	1 gm
(13566-03-5)			
029433	Palmitic Acid for Synthesis CH ₃ .(CH ₂) ₁₄ .COOH M. W.: 256.43 Assay (Acidimetric) 99.0-101.0%	590.00	500 gm
(57-10-3)			
183545	Palmitic Acid for Biochemistry CH ₃ .(CH ₂) ₁₄ .COOH M. W.: 256.43 Assay (GC) 99.0%	630.00 2637.00	5 gm 25 gm
(57-10-3)			
603835	Palmitic Acid AR CH ₃ .(CH ₂) ₁₄ .COOH M. W.: 256.43 Assay (acidimetric) 99.0%	500.00 1800.00	25 gm 100 gm
(57-10-3)			
TC1386	Palmitic Acid Cell Culture Tested M. W.: 256.42 Assay : ≥98% Store below 30°C	3654.00 6651.00 12987.00	10 gm 25 gm 100 gm
C ₁₆ H ₃₂ O ₂ (57-10-3)			
TC1387	Palmitic Acid Methyl Ester Cell Culture Tested M. W.: 270.45 Assay : ≥95% Store below 30°C	1530.00 4212.00 13527.00	1 gm 5 gm 25 gm
C ₁₇ H ₃₄ O ₂ (112-39-0)			
TC1388	▲ Palmitoleic Acid Cell Culture Tested M. W.: 254.41 Assay : ≥99%	4482.00 27270.00	100 mg 1 gm
C ₁₆ H ₃₀ O ₂ (373-49-9)			
183685	Palmitoyl Chloride for Synthesis (Hexadecanoyl Chloride) M. W.: 274.87	1620.00 12200.00	500 ml 5 lit
CH ₃ (CH ₂) ₁₄ COCl (112-67-4)			
183795	Pamoic Acid for Synthesis C ₂₃ H ₁₆ O ₆ M. W.: 388.37 Assay (T) 97.0%	3006.00 9000.00	100 gm 500 gm
(130-85-8)			
312585	PAN Indicator AR Reagent for Complexometric Titration M. W.: 249.27	1350.00 6003.00	1 gm 5 gm
N(CH) ₄ C.N:N.C ₁₀ H ₆ .OH (85-85-8)			
874270	PAN 0.1% w/v indicator Solution in Methanol	153.00	100 ml
874273	PAN 0.1% w/v indicator Solution in Ethanol	225.00	100 ml
874276	PAN 1% w/v indicator Solution in Methanol	325.00	100 ml
874280	PAN 1% w/v indicator Solution in Ethanol	441.00	100 ml
183815	• Pancreatin (From Pig Pancreas)	576.00 2304.00	100 gm 500 gm
(8049-47-6)			

Storage : ● 0-4°C ▲ 2-8°C
 ☆ Delivery Period 4-6 Weeks
 ☞ Supply Only to End User

Product Code	Product Name	Price	Packing
874370	Pandy's Reagent (For determination of Globulin in CSF)	135.00	125 ml
183835	- d-Pantothenol (d-Pantothenyl alcohol) M. W.: 205.26 Assay (NT) 99.0%	2403.00 POR	100 gm 1 kg
C ₉ H ₁₉ NO ₄ (81-13-0)	d-Pantothenic Acid Calcium Salt See Calcium-D-Pantothenate		
183865	- Papain From Papaya Latex	522.00 2007.00	100 gm 500 gm
(9001-73-4)			
183925	- Papain Type III 2xCrystallized	2376.00 4509.00 6525.00	25 mg 100 mg 500 mg
(9001-73-4)			
183955	- Papain Type IV 2xCrystallized	2376.00 4509.00 6525.00	25 mg 100 mg 500 mg
(9001-73-4)			
TC1685	- Papain Source : Carica papaya Cell Culture Tested Activity : NLT 30000 USP units/mg	5922.00 20700.00	25 gm 100 gm
(9001-73-4)			
874420	Papanicolaous Solution 1a Harris Haematoxylin Solution For cytological cancer and cycle Diagnosis	549.00 2205.00	125 ml 500 ml
874430	Papanicolaous Solution 2b Orange (II) Solution For cytological cancer and cycle Diagnosis	320.00	125 ml
874440	Papanicolaous Solution 3b Polychromatic Solution EA 50 For cytological cancer and cycle Diagnosis	567.00	125 ml
874445	Papanicolaous Solution Ea65	360.00	125 ml
874448	Papanicolaous Solution Modified EA	360.00	125 ml
874452	Papanicolaous Solution Ea36	765.00	125 ml
183985	Papaverine Hydrochloride M.W. 375.85 Assay 99%	4001.00 15003.00	25 gm 100 gm
C ₂₀ H ₂₁ NO ₄ .HCl (61-25-6)			
	Para Amino Benzoic Acid See P-Amino Benzoic Acid		
	Para Cresol See p-Cresol		
312625	PAR Indicator AR M. W.: 255.21 Assay (Non-aqueous titration on anhydrous substance) 99.0%	810.00 3501.00	1 gm 5 gm
C ₁₁ H ₈ N ₃ NaO ₂ H ₂ O (16593-81-0)			
874560	PAR Reagent Solution (Reagent for Co, Ca, Bi, Cd, Hg, Ni, V and Zn)	702.00	100 ml
	PARA-Anisaldehyde See Anisaldehyde		
	Paracetamol For Lab Use See 4-acetamidophenol, (acetaminophen, N-acetyl-4-amino phenol, 4-hydroxyacetanilide)		

Product Code	Product Name	Price	Packing
	PARA-Chlorobenzene See p-Dichlorobenzene		
	PARA-Chlorometacresol See 4-Chloro-m-Cresol		
	PARA-Cresol See p-Cresol		
184075	PARA Cresyl Acetate for Synthesis M. W.: 150.17	4500.00	500 gm
C ₉ H ₁₀ O ₂ (140-39-6)			
184085	PARA Cresyl Methyl Ether for Synthesis M. W.: 122.16 Assay 99.0%	2692.00	500 gm
C ₈ H ₁₀ O (104-93-8)			
184095	PARA Cresyl Phenyl Acetate for Synthesis M. W.: 226.27	3250.00	500 gm
C ₁₅ H ₁₄ O ₂ (101-94-0)			
	PARA-Dichlorobenzene (PCDB) See p-Dichlorobenzene		
	PARA-Dimethylaminopyridine See p-Dimethylaminopyridine		
029436	Paraffin Liquid Light	405.00 1404.00 POR	500 ml 2.5 lit 25 lit
(8012-95-1)			
029437	Paraffin Liquid Heavy (also suitable for Oil Bath)	522.00 1908.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
(8012-95-1)			
762500	Paraffin Liquid for IR Spectroscopy	1638.00	500 ml
(8012-95-1)			
961020	Paraffin Liquid For Molecular Biology (Mineral Oil) Store Below 30°C	432.00 1909.00	100 ml 500 ml
(8042-47-5)			
TC1600	Paraffin Liquid White Mineral oil M. W.: 78.13	1161.00 3627.00	100 ml 500 ml
C ₂ H ₆ OS (8042-47-5)			
	Store below 30°C		
	Paraffin Oil See Paraffin Liquid		
	Paraffin Soft White See Petroleum Jelly White		
184277	Paraffin Wax 56-58°C in BLOCK FORM for Histology (Packed in plastic container)	770.00 1422.00	500 gm 1 kg
(8002-74-2)			
184282	Paraffin Wax 56-58°C in PELLETS BLOCK FORM for Histology (Packed in plastic container)	666.00 1251.00	500 gm 1 kg
(8002-74-2)			
184326	Paraffin Wax Solid (Single block) Congealing Point about 58 - 60°C (Packed in Stainless Steel Box)	710.00 1260.00 2093.00	500 gm 1 kg 2 kg
(8002-74-2)			
184286	Paraffin Wax in Block Form Congealing Point about 58-60°C	820.00 1728.00 2700.00	500 gm 1 kg 2 kg
(8002-74-2)			

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

P

Laboratory Chemicals

Product Code	Product Name	Price	Packing
970290	MB Paraffin Wax Pellets Congelling Point : 58 - 60°C For Molecular Biology Store Below 30°C	1193.00 4167.00	500 gm 2 kg
184426	Paraffin Wax with Ceresin Solid (Single block) Congealing Point about 60°C (Packed in Stainless Steel Box)	936.00 2664.00	500 gm 2 kg
(8002-74-2)			
184406	Paraffin Wax with Ceresin Block form Congealing Point about 60°C (Packed in plastic container)	936.00 3591.00	500 gm 2 kg
(8002-74-2)			
184386	Paraffin Wax Solid (Single block) Congealing Point about 60-62°C (Packed in Stainless Steel Box)	761.00 1359.00 2043.00	500 gm 1 kg 2 kg
(8002-74-2)			
184346	Paraffin Wax in Block Form Congealing Point about 60-62°C	1017.00 1494.00 3150.00	500 gm 1 kg 2 kg
(8002-74-2)			
970300	MB Paraffin Wax Pellets Congelling Point : 60-62°C For Molecular Biology Store Below 30°C	1971.00 6903.00	500 gm 2 kg
184366	Paraffin Wax Pellets Congealing Point about 60-62°C	603.00 1107.00	500 gm 2 kg
(8002-74-2)			
029447	Paraformaldehyde Powder (HCHO) _n (30525-89-4) Assay (as HCHO Acidimetric) 96.0%	378.00	500 gm
TC1703	ATC Paraformaldehyde Cell Culture Tested M. W.: 30.03 (as monomer) Store below 30°C	1944.00 3340.00	500 gm 1 kg
HO(CH ₂ O) _n H (30525-89-4)			
184455	Paraldehyde for Synthesis M. W.: 132.16 Assay > 97.0%	1800.00 8200.00	500 ml 2.5 lit
C ₆ H ₁₂ O ₃ (123-63-7)			
312815	Pararosaniline (Base) for Microscopy C.I.: 42500B M. W.: 305.38 Dye content Abt. 95.0%	1305.00	25 gm
C ₁₉ H ₁₉ N ₃ O (467-62-9)			
312865	Pararosaniline Hydrochloride C.I. 42500 M. W.: 323.83 Dye content (Titanometry, on dried substance) Min 88.0%	1107.00 4005.00	25 gm 100 gm
C ₁₉ H ₁₈ ClN ₃ (569-61-9)			
	Para Toluensulphonic Acid See p-Toluene Sulphonic Acid		
PCT2124	PTC ▲Paromomycin sulphate Plant Culture Tested M. W.: 713.71 Assay 98%	4050.00 18190.00	1 gm 5 gm
C ₂₃ H ₄₅ N ₅ O ₁₄ .H ₂ SO ₄ (1263-89-4)			
TC1353	ATC ▲Paromomycin Sulphate Cell Culture Tested M. W.: 713.71 Assay : ≥98%	3276.00 15210.00	1 gm 5 gm
C ₂₃ H ₄₅ N ₂ O ₁₄ .H ₂ SO ₄ (1263-89-4)			

Product Code	Product Name	Price	Packing
313055	Patent Blue V F C.I. 42045 M. W.: 566.68 Dye content Abt. 50.0%	320.00 702.00	10 gm 25 gm
C ₂₇ H ₃₁ N ₂ NaO ₆ S ₂ (129-17-9)			
313255	Patton & Reeder's Reagent AR M. W.: 438.41 Dye content (Titanometry, on dried substance) >60.0%	293.00 972.00	5 gm 25 gm
C ₂₁ H ₁₄ N ₂ O ₇ S (3737-95-9)			POR 250 gm
	PDCB See p-Dichlorobenzene		
PCT2312	PTC Pea Green Colour Plant Culture Tested Store below 30°C	5630.00	250 gm
038052	Pectin Pure (9000-69-5)	963.00 4005.00 7506.00	100 gm 500 gm 1 kg
184675	Pectinase for Biochemistry From Aspergillus Niger (9032-75-1)	1602.00 3402.00 11080.00 45099.00	10 gm 25 gm 100 gm 500 gm
PCT2519	PTC ▲Pectinase Source from Aspergillus niger Plant Culture Tested M. W.: 373.9 Activity : 8000 -12000 U/g	230.00 464.00 919.00 1845.00 5553.00	5 ku 25 ku 50 ku 100 ku 300 ku
C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (9032-75-1)			
PCT2520	PTC ▲Pectolyase Plant Culture Tested M. W.: 373.9 Activity 0.3 unit/mg solid	7605.00 24354.00	25 mg 100 mg
C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (9033-35-6)			POR 1 gm
184720	Pefloxacin for Lab Use M. W.: 333.36	900.00	1 gm
C ₁₇ H ₂₀ FN ₃ O ₃ (70458-92-3)			
	Pelargonic Acid See Nonanoic Acid		
PCT2542	PTC Pendimethalin Plant Culture Tested M. W.: 281.31 Store below 30°C	3564.00	100 gm
C ₁₃ H ₁₉ N ₃ O ₄ (40487-42-1)			
TC1187	ATC ▲Penicillin G Potassium Salt Cell Culture Tested 1 million units per vial M. W.: 372.48 Assay : ≥99% Potency : 1400-1680 U/mg	1530.00 3402.00 23760.00	1 mu 10 mu 100 mu
C ₁₆ H ₁₇ KN ₂ O ₄ S (113-98-4)			
PCT2132	PTC ▲Penicillin G Sodium Salt 1 million units/vl Plant Culture Tested M. W.: 356.37 Potency : 1500-1750 IU/mg	4752.00 19035.00 60930.00	5 gm 25 gm 100 gm
C ₁₆ H ₁₇ N ₂ NaO ₄ S (69-57-8)			



Product Code	Product Name	Price	Packing
TC1020 ATC C ₁₆ H ₁₇ N ₂ NaO ₄ S (69-57-8)	▲ Penicillin G Sodium Salt	1125.00	1x1 mu
	Cell Culture Tested	1737.00	10x1 mu
	1 million units/vl	2809.00	25x1 mu
	Recommended for use in cell culture applications at 100000 U/L	9550.00	100x1 mu
	M. W. : 356.37		
	Potency : 1500-1750 IU/mg		
184795 C ₁₅ H ₃₂ (629-62-9)	n-Pentadecane for Synthesis	4527.00	250 ml
	M.W.: 212.41		
604735 C ₁₅ H ₃₂ (629-62-9)	n-Pentadecane AR	6435.00	250 ml
	M.W.: 212.41		
029450 C ₅ H ₁₂ O ₄ (115-77-5)	Pentaerythritol for Synthesis	684.00	500 gm
	M.W.: 136.15		
	Assay (HPLC) 97.0%		
184865 (4067-16-7)	Pentaethylenehexamine for Synthesis (PEHA)	3960.00	250 ml
	Assay 70.0%		
	Pentahydroxyflavone		
	See Morin,		
	Pentamethylene Dibromide		
	See 1,5-Dibromopentane		
	2,4-Pentanedione		
	See Acetyl Acetone		
029451 C ₅ H ₁₂ (109-66-0)	n-Pentane	680.00	500 ml
	M. W.: 72.15	3002.00	2.5 lit
	Assay (GC) 99.0%	POR	25 lit
		POR	200 lit
604975 C ₅ H ₁₂ (109-66-0)	n-Pentane AR	770.00	500 ml
	M. W.: 72.15	3303.00	2.5 lit
	Assay (GC) 99.0%	POR	25 lit
		POR	200 lit
604985 C ₅ H ₁₂ (109-66-0)	n-Pentane "Dry" AR	1062.00	500 ml
	M.W.: 72.15		
	Assay 99.0%		
762700 C ₅ H ₁₂ (109-66-0)	n-Pentane for HPLC & Spectroscopy	2205.00	1 lit
	M. W.: 72.15	4824.00	2.5 lit
	Assay (GC) 99.0%		
762720 C ₅ H ₁₂ (109-66-0)	n-Pentane for Pesticide Residue Trace Analysis	3690.00	1 lit
	M.W.: 72.15	7893.00	2.5 lit
762735 C ₅ H ₁₁ O ₃ SNa (22767-49-3)	1-Pentane Sulphonic Acid Sodium Salt Anhydrous For HPLC	1107.00	25 gm
	M.W.: 174.19	4001.00	100 gm
762740 CH ₃ (CH ₂) ₄ SO ₃ NaH ₂ O (207605-40-1)	1-Pentane Sulphonic Acid Sodium Salt Monohydrate	1107.00	25 gm
	M. W.: 192.21	4001.00	100 gm
	Assay (Acidimetric) 99.0%		
	Pentanoic Acid		
	See n-Valeric Acid		
	1-Pentanol		
	See n-Amyl Alcohol		

Product Code	Product Name	Price	Packing
	Pentenic Acid		
	See Diethylenetriaminepentaacetic Acid		
	Pentyl Alcohol		
	See n-Amyl Alcohol		
	tert -Pentyl Alcohol		
	See tert-Amyl Alcohol		
	Peppermint Oil		
	See Oil of Peppermint		
185000 (9001-75-6)	Pepsin 1:3000 (From porcine stomach mucosa)	2201.00	100 gm
		10000.00	500 gm
185075 (9001-75-6)	Pepsin 1:10000 (From porcine stomach mucosa)	1800.00	25 gm
		7002.00	100 gm
		35010.00	500 gm
185080 (9001-75-6)	Pepsin 1:10000 for Vaccine Production ex. Porcine stomach mucosa	2106.00	25 gm
		37000.00	500 gm
TC1686 (9001-75-6)	▲ Pepsin (Bovine) Cell Culture Tested Activity : ≥140U/mg	5094.00	5 gm
340595	Peptone Granular Bacto	1206.00	500 gm
		11007.00	5 kg
		POR	25 kg
340615	Peptone Powder Bacto	1008.00	500 gm
		9500.00	5 kg
		POR	25 kg
PCT1406 (91079-38-8)	Peptone Veg No.1 Plant Culture Tested Store below 30°C	3880.00	500 gm
PCT1407 (91079-38-8)	Peptone From Meat Plant Culture Tested Store below 30°C	2719.00	500 gm
874680	Perchloric Acid 20% About 20.0%	720.00	500 ml
		1305.00	1 lit
		3006.00	2.5 lit
605075 HClO ₄ (7601-90-3)	Perchloric Acid 60% AR/ACS M. W.: 100.46 Assay (Acidimetric) 60.0%	1917.00	500 ml
		7983.00	2.5 lit
970400 HClO ₄ (7601-90-3)	Perchloric Acid 60% For Molecular Biology M. W.: 100.46 Assay : 60-62% Store Below 30°C	4356.00	500 ml
605080 HClO ₄ (7601-90-3)	Perchloric Acid 70% AR/ACS M. W.: 100.46 Assay (By Acidimetric) 70.0%	2376.00	500 ml
		10000.00	2.5 lit
605085 HClO ₄ (7601-90-3)	Perchloric Acid 70% AR for Diamond Industry M. W.: 100.46 Assay (By Acidimetric) 70.0%	2430.00	500 ml
		10791.00	2.5 lit
762785	Perchloric Acid 70% Acipur for Trace Metal Analysis Assay 70.0%	3303.00	500 ml
		6003.00	1 lit
		11070.00	2.5 lit
874630	Perchloric Acid 0.01N Solution (0.01N)	1062.00	500 ml
874643	Perchloric Acid Solution 0.1N acc. to USP	1062.00	500 ml

Product Code	Product Name	Price	Packing
874640	Perchloric Acid 0.1 N Solution (N/10) (in glacial Acetic Acid for non-aqueous titration)	1215.00	500 ml
		2205.00	1 lit
		4410.00	2.5 lit
874653	Perchloric Acid CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
874660	Perchloric Acid CPECTROSOL® 1M (1N) Standardized Solution	1400.00	1 lit
	Perchloroethylene See Tetrachloroethylene		
185150 H ₅ IO ₆ (10450-60-9)	Periodic Acid Cryst. M. W.: 227.94 Assay (Iodometric) 98.0%	1107.00	25 gm
		3807.00	100 gm
605275 H ₅ IO ₆ (10450-60-9)	Periodic Acid AR For Histochemical Polysaccharine analysis M. W.: 227.94 Assay (Iodometric) 99.0%	1305.00	25 gm
		4401.00	100 gm
874700	Periodic Acid 1% Solution Forstaining of Cell for Staining of Cell Polysaccharides Schiff's (Pas) Method	1143.00	250 ml
	Permutit See Dermutit		
185195 (9003-99-0)	▲ Peroxidase From Horse Radish ~ 250 units/mg	5760.00	5000 units
		23625.00	25000 units
970500 (9003-99-0)	▲ Peroxidase, Horse Radish For Molecular Biology (Rz ≥ 3.0, Salt Free) Activity : ≥ 250 Units/mg	29250.00	25000 units
TC1487 (9003-99-0)	▲ Peroxidase Horseradish Cell Culture Tested Activity : NLT 250 U/mg	9045.00	25 mg
		15822.00	50 mg
	Petroleum Benzene See Petroleum Ether		
185275 (8032-32-4)	Petroleum Ether for Synthesis Boiling range 40-60°C	603.00	500 ml
		2601.00	2.5 lit
			POR 25 lit
			POR 200 lit
605365 (8032-32-4)	Petroleum Ether AR Boiling range 40-60°C	720.00	500 ml
		2907.00	2.5 lit
			POR 25 lit
			POR 200 lit
762825 (8032-32-4)	Petroleum Ether 40-60°C for HPLC & Spectroscopy	1305.00	1 lit
		2907.00	2.5 lit
874730 (8032-32-4)	Petroleum Ether 40-60°C for Pesticide Ether Trace Analysis Petroleum Benzene 40-60°C for Pesticide Residue Trace Analysis	2016.00	1 lit
185385 (8032-32-4)	Petroleum Ether 50-70°C for Synthesis	450.00	500 ml
		1521.00	2.5 lit
185415 (8032-32-4)	Petroleum Ether for Synthesis Boiling range 60-80°C	441.00	500 ml
		1602.00	2.5 lit
			POR 25 lit
			POR 200 lit

Product Code	Product Name	Price	Packing
605375 (8032-32-4)	Petroleum Ether AR Boiling range 60-80°C	504.00	500 ml
		1800.00	2.5 lit
			POR 25 lit
			POR 200 lit
762835 (8032-32-4)	Petroleum Ether 60-80°C for HPLC & Spectroscopy	846.00	500 ml
		3528.00	2.5 lit
185445 (8032-32-4)	Petroleum Ether 80-100°C for Synthesis	441.00	500 ml
		1800.00	2.5 lit
			POR 25 lit
			POR 200 lit
185475 (8032-32-4)	Petroleum Ether 100-120°C for Synthesis	522.00	500 ml
		2003.00	2.5 lit
			POR 25 lit
			POR 200 lit
185505 (8009-03-8)	Petroleum Jelly White	522.00	500 gm
185535 (8009-03-8)	Petroleum Jelly Yellow	468.00	500 gm
	Petroleum Spirit See Petroleum Ether		
TC1209 (9008-97-3)	▲ PHA-M (Phytohemagglutinin-M) Cell Culture Tested Assay : ≥60% Store at -20°C	3510.00	10 mg
		6201.00	25 mg
		18630.00	4x25 mg
TC1226 (9008-97-3)	▲ PHA-P (Phytohemagglutinin-M) Cell Culture Tested Potency : ≥62.5 mcg/ml Store at -20°C	3771.00	5 mg
		11322.00	5x5 mg
185565 C ₆ H ₅ COCH ₂ Br (70-11-1)	Phenacyl Bromide M. W.: 199.04 Assay 98.0%	3006.00	100 gm
		12600.00	500 gm
185625 C ₆ H ₅ COCH ₂ Cl (532-27-4)	Phenacyl Chloride M. W.: 154.59 Assay 98.0%	1647.00	25 gm
		4194.00	100 gm
			POR 500 gm
185765 C ₁₄ H ₁₀ (85-01-8)	Phenanthrene Pract M. W.: 178.23 Assay 98.0%	3303.00	25 gm
		11007.00	100 gm
605995 C ₁₄ H ₈ O ₂ (84-11-7)	9,10-Phenanthrenequinone AR M. W.: 208.21 Assay 99.0%	5000.00	25 gm
		14000.00	100 gm
313545 C ₁₂ H ₈ N ₂ H ₂ O (5144-89-8)	1,10-Phenanthroline (Monohydrate) AR Redox Indicator M. W.: 198.23 Assay (Non-aqueous) 99.5%	657.00	5 gm
		2601.00	25 gm
		8505.00	100 gm
313585 C ₁₂ H ₈ N ₂ .HCl.H ₂ O (18851-33-7)	1,10-Phenanthroline Hydrochloride AR M. W.: 234.69 Assay (acidimetric, dried) 99.5%	822.00	5 gm
		3807.00	25 gm
185975 C ₁₄ H ₁₄ N ₂ O ₄ S (299-11-6)	- Phenazine Methosulphate (PMS) for Biochemistry M. W.: 306.34 Assay (Non-aqueous) 96.0%	720.00	1 gm
		2601.00	5 gm

Product Code	Product Name	Price	Packing
970650 MB	Phenazine Methosulphate For Molecular Biology C ₁₄ H ₁₄ N ₂ SO ₄ (299-11-6) M. W.: 306.34 Assay : ≥ 90%	9050.00	10 gm
TC1484 ATC	Phenazine Methosulfate Cell Culture Tested C ₁₃ H ₁₁ N ₂ · CH ₃ SO ₄ (299-11-6) M. W.: 306.34 Activity : ≥90%	1044.00 1431.00 6003.00 10900.00 22923.00	500 mg 1 gm 5 gm 10 gm 25 gm
606175	Phenazone AR C ₁₁ H ₁₂ N ₂ O (60-80-0) M. W.: 188.23 Assay 99.0%	1206.00 4950.00	100 gm 500 gm
185945 *	p-Phenetidine for Synthesis C ₈ H ₁₁ NO (156-43-4) M. W.: 137.18 Assay 98.0%	2691.00 4500.00	25 gm 500 gm
186055	Phenetole C ₆ H ₅ OC ₂ H ₅ (103-73-1) M. W.: 122.16 Assay 99.0%	981.00 3303.00	100 ml 500 ml
186215	Phenidone for Photographic Purpose C ₉ H ₁₀ N ₂ O (92-43-3) M. W.: 162.19 Assay (N) 98.0%	1602.00 4806.00	100 gm 500 gm
186315	Phenol Pure (Carbolic Acid) C ₆ H ₅ .OH (108-95-2) M. W.: 94.11 Assay(GC) 99.0%	594.00 1098.00 2592.00 POR	500 gm 1 kg 5 kg 25 kg
606355	Phenol AR (Carbolic Acid) C ₆ H ₅ .OH (108-95-2) M. W.: 94.11 Assay 99.5%	729.00 1296.00 2898.00 POR	500 gm 1 kg 5 kg 25kg
970698 MB	Phenol for Molecular Biology C ₆ H ₅ .OH (108-95-2) M. W.: 94.11 Assay (GC) 99.5%	441.00 1602.00	100 gm 500 gm
875020	Phenol Solution 80%w/w in Water 495.00	495.00	500 ml
875030 MB	Phenol Saturated for Molecular Biology C ₆ H ₅ .OH (108-95-2) M. W.: 94.11 Assay (GC) 90.0%	720.00 2583.00	100 ml 500 ml
875050 MB	Phenol Solution for Molecular Biology Equilibrated with 10 M tris HCl, pH 8.0, 1M EDTA. 2241.00	2241.00 9216.00	100 ml 500 ml
875040 MB	Phenol Solution for Molecular Biology Saturated with 0.1M Citrate Buffer, pH 4.1-4.5 Suitable for RNA Purification 1620.00	1620.00 7272.00	100 ml 500 ml
875060 MB	Phenol Chloroform 5:1 (Phenol : Chloroform : ISO Amyl Alcohol) 125 : 24 : 1 for Molecular Biology 3717.00	3717.00	500 ml
875070##### MB #####	Phenol:Chloroform:ISO Amyl Alcohol 25 : 24 : 1 Saturated with 10 M tris pH 8.0,1m EDTA Suitable for extraction of Protein from Crude Nucleic acid Preparation 1332.00	1332.00 4140.00	100 ml 500 ml
875085	Phenol Disulphonic Acid 25% w/v C ₆ H ₆ O ₇ S ₂ (96-77-5) M. W.: 254.24 Assay 25% w/v 1224.00	1224.00	500 ml
	Phenolic Auramine See Auramine Phenolic		

Product Code	Product Name	Price	Packing
	Phenolindo-2, 6-Dichlorophenol Sodium Salt See 2,6 Dichlorophenol Indophenol Sodium Salt		
313775	Phenolphthalein pH Indicator C ₂₀ H ₁₄ O ₄ (77-09-8) M. W.: 318.33	603.00 900.00 3600.00 POR POR	50 gm 100 gm 500 gm 25 kg 50 kg
PA1505	Phenolphthalein (Indicator Paper)	333.00	200 lvs
875158	Phenolphthalein Indicator 0.375% Solution	131.00 325.00	125 ml 500 ml
875160	Phenolphthalein 0.5% w/v alcoholic for Milk Testing	235.00 POR	100 ml 2.5 lit
875180	Phenolphthalein (Indicator Solution) 1%w/v	149.00 243.00 450.00	125 ml 250 ml 500 ml
875185	Phenolphthalein 2% Solution in Alcohol	261.00	100 ml
875190	Phenolphthalein TS acc. to USP	261.00	125 ml
	Phenol Reagent See Folin & Ciocalteus Phenol Reagent		
313945	Phenol Red Indicator AR C ₁₉ H ₁₄ O ₅ S (143-74-8) M. W.: 354.38 Dye content (Iodometric) 98.0%	207.00 675.00 2403.00 POR	5 gm 25 gm 100 gm 1 kg
875200	Phenol Red Indicator Solution 0.02%	135.00	125 ml
875155	Phenol Red 0.1% Indicator Solution	140.00	125 ml
875520	Phenol Red TS acc. to USP	199.00	125 ml
314005	Phenol Red Sodium Salt AR Water Soluble C ₁₉ H ₁₃ NaO ₅ S (34487-61-1) M. W.: 376.36	261.00 855.00 POR	5 gm 25 gm 1 kg
	Phenol Tetrabromophthalein 3'-3" Di-Sulphonic Acid Disodium Salt See Bromosulphalein		
314145	Phenol Violet (pH Indicator) C ₃₂ H ₂₂ N ₆ O ₈ S ₂ .2Na M. W.: 728.67	261.00 855.00	5 gm 25 gm
	2-Phenoxy Ethanol See Ethylene Glycol Mono Phenyl Ether		
314285	Phenosafrafranine C.I. No. 50200 C ₁₈ H ₁₅ ClN ₄ (81-93-6) M. W.: 322.79 Dye content 80.0%	1530.00	1 gm
186565	Phenothiazine Extra Pure C ₁₂ H ₉ NS (92-84-2) M. W.: 199.27 Assay (GC) 98.0%	1710.00 4950.00	250 gm 1 kg
186705	Phenoxanthine C ₁₂ H ₈ OS (262-20-4) M. W.: 200.26 Assay (GC) 97.0%	6570.00	5 gm
186955	Phenoxy Acetic Acid for Synthesis C ₈ H ₈ O ₃ (122-59-8) M. W.: 152.15	504.00 2205.00	100 gm 500 gm

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
187055	3-Phenoxy Benzyl Alcohol (m-Phenoxybenzyl Alcohol) C ₆ H ₅ OC ₆ H ₄ CH ₂ OH (13826-35-2) M. W.: 200.23	550.00	5 gm
		1450.00	25 gm
187205	3-Phenoxy Propionic Acid C ₆ H ₅ OCH ₂ CH ₂ CO ₂ H (7170-38-9) M. W.: 166.17 Assay 99.0%	5000.00	5 gm
		15003.00	25 gm
187345	Phenyl Acetate for Synthesis CH ₃ COOC ₆ H ₅ (122-79-2) M. W.: 136.15 Assay (GC) 98.0%	2619.00	500 ml
029487	Phenyl Acetic Acid C ₆ H ₅ .CH ₂ .COOH (103-82-2) M. W.: 136.15 Assay (acidimetric) 99.0%	981.00	500 gm
	Phenyl Acetonitrile See Benzyl Cyanide		
187605	Phenyl Acetyl Chloride for Synthesis (phenylacetic acid chloride) C ₆ H ₅ CH ₂ COCl (103-80-0) M. W.: 154.59	1850.00	500 ml
		POR	10 lit
187705	D-Phenyl Alanine for Biochemistry C ₉ H ₁₁ NO ₂ (673-06-3) M. W.: 165.19 Assay (TLC) 98.0%	405.00	5 gm
		1647.00	25 gm
		6003.00	100 gm
037139	DL-Phenylalanine for Biochemistry C ₆ H ₅ CH ₂ CH(NH ₂)COOH (150-30-1) M. W.: 165.19 Assay (Non-aqueous) 98.5%	801.00	25 gm
		POR	1 kg
037138	L-Phenylalanine for Biochemistry C ₆ H ₅ .CH ₂ .CH(NH ₂).COOH (63-91-2) M. W.: 165.19 Assay (ex N Non-aqueous) 99.0%	280.00	25 gm
		3200.00	500 gm
PCT1316	L-Phenylalanine Plant Culture Tested C ₉ H ₁₁ NO ₂ (63-91-2) M. W.: 165.19 Assay 99% Store below 30°C	387.00	25 gm
		1369.00	100 gm
		6183.00	500 gm
TC1098	L-Phenylalanine (From non-animal source) Cell Culture Tested C ₉ H ₁₁ NO ₂ (63-91-2) M. W.: 165.19 Assay : >98.5% Store below 30°C	1143.00	10 gm
		2034.00	25 gm
		6102.00	100 gm
		42750.00	1 kg
TC1098M	L-Phenylalanine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications C ₉ H ₁₁ NO ₂ (63-91-2) M. W.: 165.19 Store below 30°C	1819.00	10 gm
		3636.00	25 gm
		10310.00	100 gm
		66700.00	1 kg
314435	n-Phenyl Anthranilic Acid AR redox indicator colourless to Pinkish Violet C ₁₃ H ₁₁ NO ₂ (91-40-7) M. W.: 213.24 Assay (Acidimetric) 98.0%	1044.00	25 gm
		4293.00	100 gm
	N-Phenyl Benzeneamine See Diphenylamine		
187865	Phenyl Benzoate for Synthesis C ₆ H ₅ CO ₂ C ₆ H ₅ (93-99-2) M. W.: 198.22 Assay 99.0%	3330.00	100 gm
		12924.00	500 gm

Product Code	Product Name	Price	Packing
187955	n-Phenyl Benzylamine for Synthesis C ₆ H ₅ CH ₂ NHC ₆ H ₅ (103-32-2) M. W.: 183.25 Assay 99.0%	2880.00	25 gm
187990	Phenyl Boronic Acid (Benzeneboronic acid, Phenylboron dihydroxide) C ₆ H ₅ B(OH) ₂ (98-80-6) M.W. : 121.93 Assay (Acidimetric) 98.0%	981.00	25 gm
		3771.00	100 gm
	14500.00	500 gm	
	Phenyl Bromide See Bromobenzene		
188025	Phenyl Butazone C ₁₉ H ₂₀ N ₂ O ₂ (50-33-9) M. W.: 308.38 Assay (Acidimetric) 99.0%	1800.00	25 gm
607625	* 2-Phenyl Butyric Acid AR CH ₃ CH ₂ CH(C ₆ H ₅)COOH (90-27-7) M. W.: 164.20 Assay 98.0%	1900.00	100 gm
		8001.00	500 gm
188095	4-Phenyl Butyric Acid for Synthesis C ₆ H ₅ (CH ₂) ₃ COOH (1821-12-1) M. W.: 164.20 Assay 99.0%	3105.00	100 gm
		14500.00	500 gm
	Phenyl Cellosolve See Ethylene Glycol Mono Phenyl Ether		
188205	Phenyl Chloroformate for Synthesis (Chloroformic Acid Phenyl Ester) ClCOOC ₆ H ₅ (1885-14-9) M. W.: 156.57	2502.00	500 ml
		9504.00	2.5 lit
	Phenyl Cyanide See Benzonitrile		
188215	1-Phenyl Dodecan (Dodecyl Benzene) C ₁₈ H ₃₀ (123-01-3) M.W. : 246.43 Assay 97.0%	4671.00	25 ml
		41004.00	500 ml
188225	1,2-Phenylene Diacetic Acid C ₆ H ₄ (CH ₂ CO ₂ H) ₂ (7500-53-0) M. W.: 194.18 Assay 99.0%	3195.00	5 gm
188305	m-Phenylene Diamine for Synthesis C ₆ H ₈ N ₂ (108-45-2) M. W.: 108.14 Assay (Non-aqueous) 98.0%	693.00	250 gm
188385	m-Phenylenediamine Dihydro Chloride C ₆ H ₁₀ Cl ₂ N ₂ (541-69-5) M. W.: 181.07 Assay 99.0%	3470.00	25 gm
		14940.00	500 gm
029497	▲ o-Phenylene Diamine for Synthesis C ₆ H ₄ (NH ₂) ₂ (95-54-5) M. W.: 108.14 Assay (GC) 99.0%	464.00	100 gm
		855.00	250 gm
029500	p-Phenylene Diamine for Synthesis C ₆ H ₄ (NH ₂) ₂ (106-50-3) M. W.: 108.14 Assay (GC) 98.0%	963.00	250 gm
		POR	25 gm
188425	P-Phenylenediamine Dihydrochloride C ₆ H ₁₀ Cl ₂ N ₂ (624-18-0) M. W.: 181.07 Assay (Acidimetric) 99.0%	1584.00	25 gm
		POR	500 gm
	Phenylethane See Ethylbenzene		
029505	2-Phenyl Ethanol (2-Phenyl Ethyl Alcohol) C ₆ H ₅ .CH ₂ .CH ₂ OH (60-12-8) M. W.: 122.17 Assay (GC) 99.0%	1251.00	500 ml
		3645.00	2.5 lit

Product Code	Product Name	Price	Packing
607945 C ₆ H ₅ CH ₂ CH ₂ OH (60-12-8)	2-Phenyl Ethanol AR M. W.: 122.17 Assay (GC) 99.0%	2350.00 7056.00	500 ml 2.5 lit
188505 CH ₃ COOCH ₂ CH ₂ C ₆ H ₅ (103-45-7)	Phenyl Ethyl Acetate M. W.: 164.20 Assay 99.0%	2403.00	500 gm
	β-Phenyl Ethylamine See 2-Phenethylamine		
188445 C ₆ H ₅ CH ₂ CH ₂ NH ₂ (64-04-0)	2-Phenyl Ethylamine for Synthesis M. W.: 121.18	2007.00 9000.00	500 ml 2.5 lit
608065 C ₈ H ₁₁ N (3886-69-9)	R-Phenyl Ethylamine AR M. W.: 121.18 Assay 98.0%	900.00 3006.00 9000.00	25 gm 100 gm 500 gm POR 1 kg
608085 C ₆ H ₅ CH(CH ₃)NH ₂ (2627-86-3)	S-Phenyl Ethylamine AR M. W.: 121.18 Assay 98.0%	900.00 3002.00 9000.00	25 gm 100 gm 500 gm POR 1 kg
188605 C ₁₅ H ₁₄ O ₂ (94-47-3)	Phenyl Ethyl Benzoate for Synthesis M. W.: 226.27 Assay 99.0%	2403.00	500 gm
188625 C ₁₂ H ₁₆ O ₂ (103-52-6)	Phenyl Ethyl Butyrate for Synthesis M. W.: 192.25 Assay 98.0%	2403.00	500 gm
188645 C ₁₇ H ₁₆ O ₂ (103-53-7)	Phenyl Ethyl Cinnamate for Synthesis M. W.: 252.31 Assay 96.0%	6093.00	500 gm
188665 HCO ₂ CH ₂ CH ₂ C ₆ H ₅ (104-62-1)	Phenyl Ethyl Formate for Synthesis M. W.: 150.17 Assay 96.0%	2304.00	500 gm
188685 C ₁₂ H ₁₆ O ₂ (103-48-0)	Phenyl Ethyl Isobutyrate for Synthesis M. W.: 192.25 Assay 98.0%	1791.00	500 gm
188705 C ₉ H ₁₂ O (3558-60-9)	Phenyl Ethyl Methyl Ether for Synthesis M. W.: 136.19 Assay 98.0%	2349.00	500 gm
188725 C ₁₆ H ₁₆ O ₂ (102-20-5)	Phenyl Ethyl Phenyl Acetate for Synthesis M. W.: 240.30 Assay 98.0%	1791.00	500 gm
188745 C ₁₁ H ₁₄ O ₂ (122-70-3)	Phenyl Ethyl Propionate for Synthesis M. W.: 178.23 Assay 98.0%	2779.00	500 gm
188765 C ₁₅ H ₁₄ O ₃ (87-22-9)	Phenyl Ethyl Salicylate for Synthesis M. W.: 242.27 Assay 97.0%	2799.00	500 gm
608625 C ₁₉ H ₁₂ O ₅ (975-17-7)	Phenyl Fluorone AR (9-Phenyl-2,3,7-Trihydroxy-6-Fluorone) M. W.: 320.29	1242.00 4158.00	1 gm 5 gm
188915 C ₁₂ H ₁₆ O ₆ (1464-44-4)	Phenyl-β-D-Glucopyranoside (Phenyl-β-D-glucoside) M. W.: 256.25	1062.00	1 gm

Product Code	Product Name	Price	Packing
608765 C ₆ H ₅ CH(NH ₂)COOH (2835-06-5)	DL-Phenyl Glycine AR M. W.: 151.16 Assay 95.0%	801.00 2250.00	25 gm 100 gm
029508 C ₆ H ₈ N ₂ (100-63-0)	Phenyl Hydrazine for Synthesis M. W.: 108.14 Assay (Non-aqueous) 97.5%	711.00 2700.00 13005.00	100 ml 500 ml 2.5 lit
608855 C ₆ H ₈ N ₂ (100-63-0)	Phenyl Hydrazine AR M. W.: 108.14 Assay 98.0%	1206.00 5508.00	100 ml 500 ml
875300	Phenyl Hydrazine Solution (Reagent for Molybdate)	306.00	100 ml
029509 C ₆ H ₅ NH.NH ₂ HCl (59-88-1)	Phenylhydrazine Hydrochloride M. W.: 144.60 Assay 97.0%	1143.00 2286.00	100 gm 250 gm
608865 C ₆ H ₅ NH.NH ₂ .HCl (59-88-1)	Phenylhydrazine Hydrochloride AR For the detection of Aldehydes and Ketones M. W.: 144.60 Assay 99.0%	1287.00 2709.00	100 gm 250 gm
	Phenylhydrazinium Chloride See Phenylhydrazine Hydrochloride		
189105 C ₆ H ₈ N ₂ (670-96-2)	2-Phenyl Imidazole M. W.: 144.17 Assay 98.0%	1098.00 5301.00	100 gm 500 gm POR 5 kg
189225 C ₆ H ₅ NCS (103-72-0)	Phenyl Isothiocyanate for Synthesis M. W.: 135.19 Assay 98.0%	423.00 3501.00 17010.00	5 ml 100 ml 500 ml
189355 C ₁₀ H ₆ O ₃ (36122-35-7)	Phenyl Maleic Anhydride M. W.: 174.15 Assay (GC) 99.0%	15260.00	5 gm
	Phenyl Mercaptan See Thiophenol		
029510 C ₆ H ₈ HgO ₂ (62-38-4)	Phenyl Mercuric Acetate M. W.: 336.74 Assay(ex Hg argentometric) 98.0%	4100.00 15003.00	25 gm 100 gm
029512 C ₁₂ H ₁₁ Hg ₂ NO ₄ (8003-05-2)	Phenyl Mercuric Nitrate Basic M. W.: 634.40 Assay (Argentometric) 98.0-102.0%	11007.00 38007.00	25 gm 100 gm
189775 C ₆ H ₅ CH ₂ SO ₂ Cl (1939-99-7)	Phenyl Methanesulphonyl Chloride (α-Toluenesulphonyl Chloride; Phenylmethylsulphonyl Chloride) M. W.: 190.65	1008.00 3115.00	25 gm 100 gm
189835 C ₇ H ₇ FO ₂ S (329-98-6)	- Phenyl Methanesulphonyl Fluoride (PMSF) (α-Toluenesulphonyl Fluoride) Phenylmethylsulphonyl Fluoride) M. W.: 174.19	603.00 2300.00 10080.00 39996.00	1 gm 5 gm 25 gm 100 gm
970900 MB C ₇ H ₇ FO ₂ S (329-98-6)	- Phenyl Methanesulphonyl Fluoride (PMSF) For Molecular Biology M. W.: 174.19 Assay : ≥ 99% Store Below 30°C	801.00 3618.00 6903.00	1 gm 5 gm 10 gm

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

P

Laboratory Chemicals

Product Code	Product Name	Price	Packing
TC1706 ATC	- Phenylmethanesulfonyl Fluoride (PMSF) Cell Culture Tested M. W.: 174.19 Assay : ≥99% Store below 30°C	1692.00 5454.00 24570.00	1 gm 5 gm 25 gm
C ₇ H ₇ FO ₂ S (329-98-6)			
189975	N-Phenyl-1-Naphthylamine for Synthesis (N-1-naphthylaniline, N-phenyl-α-Naphthylamine) M. W.: 219.28	500.00 1998.00	100 gm 500 gm
C ₁₀ H ₇ NHC ₆ H ₅ (90-30-2)			
	p-Phenyl Phenol See p-Hydroxy Diphenyl		
190085 *	n-Phenyl-1,2-Phenylenediamine M. W.: 184.24	3060.00 8730.00	5 gm 25 gm
C ₁₂ H ₁₂ N ₂ (534-85-0)			
609455	▲Phenylphosphate Disodium Salt AR M. W.: 254.09 Assay(Acidimetric) 98.0%	2160.00 7200.00	25 gm 100 gm
C ₆ H ₅ Na ₂ O ₄ P.2H ₂ O (3279-54-7)			
190205 *	1-Phenyl Piperazine M. W.: 162.24 Assay (acidimetric) 98.0%	3501.00 14000.00	100 gm 500 gm
C ₁₀ H ₁₄ N ₂ (92-54-6)			
	Trans-3-Phenyl-2-Propenal See Cinnamaldehyde		
029521	n-Phenyl Thiourea for Synthesis M. W.: 152.22	3591.00 29700.00	25 gm 500 gm
C ₆ H ₅ .NH.CS.NH ₂ (103-85-5)			
190345	Phenyl Trimethyl Ammonium Chloride M. W.: 171.67	693.00 3294.00	100 gm 500 gm
C ₉ H ₁₄ N.Cl (138-24-9)			
875630	Phenyl Trimethyl Ammonium Hydroxide , 0.1 M in Methanol	5994.00	100 ml
	pH Indicator Paper See Indicator Paper pH		
	pH Indicator Solution (pH 4.0-11.0) See Universal Indicator Solution		
314585	Phloroglucinol AR for Microscopy M. W.: 126.11 Assay (By GC) 99.0%	1404.00 5058.00	25 gm 100 gm
C ₆ H ₆ O ₃ (108-73-6)			
PCT1836 PTC	Phloroglucinol Plant Culture Tested M. W.: 126.11 Assay 99% Store below 30°C	2034.00 7128.00	25 gm 100 gm
C ₆ H ₆ O ₃ (108-73-6)			
875350	Phloroglucinol Reagent Solution (Reagent for Pentosans)	441.00	100 ml
	▲Phloxin B for Microscopy C.I. No. 45410 M. W.: 829.64 Dye content (gravimetric, on dried substance) 80.0%	441.00 1503.00	25 gm 100 gm
C ₂₀ H ₂ Br ₄ Cl ₄ Na ₂ O ₅ (18472-87-2)			
190505	Phosphatase Alkaline (Alkaline Phosphatase) (from CALF Intestinal Mucosa) Activity 1.5-2U/mg	6490.00 20480.00	100 mg 500 mg
(9001-78-9)			

Product Code	Product Name	Price	Packing
875500	Phosphate 1000 ppm Single Element Std. Soln. as Po ₄	2700.00	250 ml
875650	Phosphate Buffer Saline Tablets pH 7.4 (apha)	576.00 1098.00	50 tab 100 tab
	Phosphate Molybdate Solution See Folin & WU's Phosphate Molybdate Solution		
	Phosphinic Acid See Hypophosphorous Acid		
PCT2537 PTC	▲DL-Phosphinothricin Plant Culture Tested M. W.: 198.2	8253.00 26397.00	250 mg 1 gm
C ₅ H ₁₅ N ₂ O ₄ P (77182-82-2)			
	Phospholeum See Polyphosphoric acid		
609575	Phosphomolybdic Acid AR/ACS H ₃ PO ₄ .12MoO ₃ .xH ₂ O M. W.: 1825.25 (anhy.)	1170.00 3780.00 13005.00	25 gm 100 gm 500 gm
(51429-74-4)			
875670	Phosphomolybdic Acid 20 wt% in ethanol	1170.00	100 ml
	Phosphoric Acid See Orthophosphoric Acid		
029190	m-Phosphoric Acid (Glacial Stick) HPO ₃ M. W.: 79.97 (37267-86-0) Assay (acidimetric) (HPO ₃) Min 38-40%	3510.00	500 gm
875690	meta-Phosphoric Acid 0.6M Solution (Protein Precipitant)	2070.00	100 ml
190630	ortho-Phosphoric Acid (Phosphoric Acid) H ₃ PO ₄ M. W.: 98.00 (7664-38-2) Assay (acidimetric) Abt. 85.0%	900.00 4005.00 7704.00 POR	500 ml 2.5 lit 5 lit 25 lit
609725	ortho-Phosphoric Acid AR Manganese free H ₃ PO ₄ M. W.: 98.00 (7664-38-2) Assay 88.0%	1206.00 4608.00 8802.00 POR	500 ml 2.5 lit 5 lit 25 lit
029420	ortho-Phosphoric Acid (Also for Steel Industry) H ₃ PO ₄ M. W.: 98.0 (7664-38-2) Assay 85.0%	1008.00 4302.00 9468.00 POR	500 ml 2.5 lit 5 lit 25 lit
970230 MB	ortho-Phosphoric Acid For Molecular Biology H ₃ PO ₄ M. W.: 98.00 (7664-38-2) Assay : ≥ 85% Store Below 30°C	4410.00	250 ml
763215	Ortho Phosphoric Acid for HPLC H ₃ PO ₄ M.W : 98.00 (7664-38-2) Assay 85.0%	3402.00 6003.00	500 ml 1 lit
TC1533 ATC	Orthophosphoric Acid Phosphoric acid Cell Culture Tested M. W.: 98 Assay : ≥95% Store below 30°C	3024.00 4330.00	100 gm 500 gm
H ₃ PO ₄ (7664-38-2)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture



Product Code	Product Name	Price	Packing
TC1533M ATC	Orthophosphoric Acid Phosphoric acid Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 98	4842.00	100 gm
		14553.00	500 gm
H ₃ PO ₄ (7664-38-2)	Store below 30°C		
190725	Phosphorus Acid (Crystals) M. W.: 82.00 Assay 98.0%	936.00	500 gm
H ₃ PO ₃ (13598-36-2)			
	Phosphorus (III) Chloride See Phosphorus Trichloride		
	Phosphorus (V) Chloride See Phosphorus Pentachloride		
875750	Phosphorous (P) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O In accordance with NIST	1746.00	100 ml
		2475.00	250 ml
		3852.00	500 ml
875710	Phosphorous (P) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O	5580.00	100 ml
		14058.00	500 ml
875730	Phosphorous (P) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O	14841.00	100 ml
		40212.00	500 ml
	Phosphorus Oxide Chloride See Phosphorus Oxychloride,		
190765	Phosphorous Oxybromide for Synthesis M.W : 286.69 Assay 98.0%	9801.00	100 gm
POBR ₃ (7789-59-5)		POR	1 kg
190775	Phosphorous Oxychloride for Synthesis (Min. order should be placed for 4x500 ml or 4x2.5 lit)	1540.00	500 ml
		7200.00	2.5 lit
POCl ₃ (10025-87-3)	M. W.: 153.33 Assay (acidimetric) (ex Cl) 98.0-101.0%		
190785	Phosphorous Pentachloride for Synthesis M. W.: 208.24 Assay (Acidimetric) 98.0%	900.00	250 gm
		1602.00	500 gm
PCl ₅ (10026-13-8)			
190800	Phosphorous Pentasulphide for Synthesis M. W.: 222.25 Assay (ex P) (Acidimetric) 98.0%	1908.00	500 gm
P ₂ S ₅ (1314-80-3)			
	di-Phosphorous Pentoxide See Phosphorous pentoxide		
029527	di-Phosphorous Pentoxide M. W.: 141.94	819.00	250 gm
P ₂ O ₅ (1314-56-3)		1494.00	500 gm
	Assay (acidimetric) 95.0%	2673.00	1 kg
609755	di-Phosphorous Pentoxide AR/ACS M. W.: 141.94 Assay (Acidimetric) 98.0%	1701.00	500 gm
P ₂ O ₅ (1314-56-3)			
029528	Phosphorous Red At. W.: 30.97 Assay(ex P) 98.0%	603.00	100 gm
P (7723-14-0)		2403.00	500 gm
		4500.00	1 kg

Product Code	Product Name	Price	Packing
	Phosphorous Red Oxide Chloride See Phosphorous Oxychloride		
190810	Phosphorous Tribromide M. W.: 270.70 Assay 98.0%	2304.00	100 ml
PBr ₃ (7789-60-8)		9360.00	500 ml
029536	Phosphorous Trichloride for Synthesis M. W.: 137.33 Assay 99.0%	1206.00	500 ml
PCl ₃ (7719-12-2)		5500.00	2.5 lit
		POR	25 lit
	Phosphoryl Chloride See Phosphorus Oxychloride		
030544	Phosphotungstic Acid M. W.: 2880.05 (Anhy.)	2300.00	100 gm
H ₃ PO ₄ .12WO ₃ .XH ₂ O (12501-23-4)		10503.00	500 gm
609795	Phosphotungstic Acid AR Reagent for Microscopy M. W.: 2880.05 (Anhy.)	900.00	25 gm
H ₃ PO ₄ .12WO ₃ .XH ₂ O (12501-23-4)		3303.00	100 gm
875810	Phosphotungstic Acid TS acc. to USP	846.00	100 ml
190825	Phosphotungstic Acid Disodium Salt (Dodeca- Tungstophosphoric Acid Disodium Salt)	4950.00	25 gm
(51312-42-6)			
609835	o-Phthalaldehyde AR for Fluorometry M. W.: 134.13 Assay (GLC) 98.0%	603.00	5 gm
C ₆ H ₄ (CHO) ₂ (643-79-8)		2403.00	25 gm
	Phthalein Purple See O-Cresolphthalein Complexone		
	Tere Phthalic Acid See Terephthalic Acid		
029539	Phthalic Acid for Synthesis M. W.: 166.13 Assay(acidimetric) 99.0%	675.00	500 gm
C ₆ H ₄ (COOH) ₂ (88-99-3)			
609865	Phthalic Acid AR M. W.: 166.13 Assay (acidimetric) 99.5%	756.00	500 gm
C ₆ H ₄ (COOH) ₂ (88-99-3)			
029541	Phthalic Anhydride for Synthesis M. W.: 148.12 Assay (acidimetric) 98.0%	522.00	500 gm
C ₆ H ₄ (CO) ₂ O (85-44-9)		4401.00	5 kg
		POR	25 kg
		POR	50 kg
190965	Phthalide for Synthesis (1-Isobenzofuranone) M. W.: 134.13	630.00	100 gm
C ₈ H ₆ O ₂ (87-41-2)		2808.00	500 gm
029543	Phthalimide for Synthesis M. W.: 147.13 Assay (Acidimetric) 98.0%	500.00	500 gm
CO.C ₆ H ₄ .CO.NH (85-41-6)		4631.00	5 kg
		POR	50 kg
	Phthalimide Potassium Salt See Potassium Phthalimide		
PCT1829 PTC	Picloram Plant Culture Tested M. W.: 241.46 Assay 97% Store below 30°C	18810.00	5 gm
C ₆ H ₃ Cl ₃ N ₂ O ₂ (1918-02-1)		33930.00	10 gm
		135720.00	50 gm

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
191305 C ₆ H ₇ N (109-06-8)	a-Picoline for Synthesis (2-Picoline, 2-Methyl Pyridine)	1360.00	500 ml
		6201.00	2.5 lit
		POR	25 lit
		POR	200 lit
191335 C ₆ H ₇ N (108-99-6)	b-Picoline for Synthesis (3-Methylpyridine, β-Picoline)	1521.00	500 ml
		7110.00	2.5 lit
		POR	25 lit
		POR	200 lit
191365 C ₆ H ₇ NO (108-89-4)	g-Picoline (4-Picoline, 4-Methyl Pyridine)	2007.00	500 ml
		9504.00	2.5 lit
		POR	25 lit
		POR	200 lit
191415 C ₆ H ₇ NO (931-19-1)	a-Picoline Oxide	5940.00	100 gm
		POR	500 gm
191435 C ₆ H ₇ NO (1003-73-2)	b-Picoline Oxide	11700.00	100 gm
		52002.00	500 gm
191455 C ₆ H ₇ NO (1003-67-4)	g-Picoline Oxide	2691.00	25 gm
191625 C ₆ H ₅ NO ₂ (98-98-6)	2-Picolinic Acid for Synthesis (α-Picolinic Acid, Pyridine-2-Carboxylic Acid) Carboxylic Acid)	1251.00	100 gm
		4806.00	500 gm
029554 (NO ₂) ₃ C ₆ H ₂ .OH (88-89-1)	Picric Acid (Moistened with water)	1503.00	500 gm
610435 (NO ₂) ₃ C ₆ H ₂ OH (88-89-1)	Picric Acid AR (Moistened with water)	450.00	100 gm
		1701.00	500 gm
875920	Picric Acid Saturated Aqueous Soln.	225.00	100 ml
		702.00	500 ml
875900	Picric Acid Solution 1.2% AR for determination of blood glucose and Creatinine	225.00	100 ml
		657.00	500 ml
191765 C ₁₀ H ₈ N ₄ O ₅ (550-74-3)	Picolonic Acid for Synthesis	5994.00	1 gm
		19962.00	5 gm
PCT1408	PTC Pineapple Powder Plant Culture Tested Store below 30°C	7740.00	250 gm
	Pine Oil See Turpentine Oil		
191825 C ₁₀ H ₁₆ (80-56-8)	a-Pinene	999.00	500 ml
		7722.00	5 lit
610685 C ₁₀ H ₁₆ (80-56-8)	a-Pinene AR	2403.00	500 ml
191855 C ₄ H ₁₀ N ₂ (110-85-0)	Piperazine Anhydrous	1557.00	250 gm
		5508.00	1 kg
		POR	5 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
029564 C ₄ H ₁₀ N ₂ .6H ₂ O (142-63-2)	Piperazine (Hexahydrate)	437.00	100 gm
		1305.00	500 gm
191985 C ₈ H ₁₈ N ₂ O ₆ S ₂ (5625-37-6)	Piperazine-1,4-Bis (2-Ethane Sulphonic Acid) (Pipes Buffer)	486.00	5 gm
		1755.00	25 gm
		5103.00	100 gm
971200	MB Piperazine-1,4'-Bis-(2-Ethane Sulphonic Acid) (PIPES) For Molecular Biology	5994.00	100 gm
		POR	500 gm
C ₈ H ₁₈ N ₂ O ₆ S ₂ (5625-37-6)			
PCT2530	PTC Piperazine-1,4-Bis (2-Ethane Sulphonic Acid)(PIPES) Plant Culture Tested	2133.00	25 gm
		7263.00	100 gm
C ₈ H ₁₈ N ₂ O ₆ S ₂ (5625-37-6)			
TC1270	ATC Piperazine-1,4-Bis (2-Ethane Sulphonic Acid)(PIPES Buffer) Cell Culture Tested	11772.00	50 gm
		17033.00	100 gm
C ₈ H ₁₈ N ₂ O ₆ S ₂ (5625-37-6)			
191995 C ₈ H ₁₆ N ₂ Na ₂ O ₆ S ₂ (76836-02-7)	Piperazine-1,4-Bis-(2-Ethanesulphonic Acid) Disodium Salt for Biochemistry (Pipes Disodium Salt)	1728.00	25 gm
		6336.00	100 gm
191975 C ₈ H ₁₇ N ₂ O ₆ S ₂ Na (10010-67-0)	Piperazine-1,4-Bis (2-Ethane Sulphonic Acid) Sodium Salt for Biochemistry (Pipes Sodium Salt)	2124.00	25 gm
		7470.00	100 gm
192075	Piperazine-1,4-bis(2-Hydroxypropane Sulphonic Acid) Sesqui Sodium Salt See POPSO Buffer	1440.00	500 gm
	Piperazine Citrate		
192185 C ₅ H ₁₁ N (110-89-4)	⊗ Piperidine for Synthesis	1800.00	500 ml
		3200.00	1 lit
		6201.00	2.5 lit
		POR	25 lit
611005 C ₅ H ₁₁ N (110-89-4)	⊗ Piperidine AR	2205.00	500 ml
		8100.00	2.5 lit
		POR	25 lit
192305 C ₅ H ₁₁ N.HCl (6091-44-7)	⊗ Piperidine Hydrochloride	855.00	100 gm
		3123.00	500 gm
Piperidinic Acid See 4-Aminobutyric acid			
1-Piperidino Ethanol for Synthesis See 1-(2-Hydroxy Ethyl) Piperidine			
2-Piperidino Ethanol See 1-(2-Hydroxyethyl) Piperidine			

Product Code	Product Name	Price	Packing
611185 C ₁₉ H ₃₀ O ₅ (51-03-6)	Piperonyl Butoxide AR M. W.: 338.44	711.00 2142.00 9720.00	25 gm 100 gm 500 gm
192455 C ₅ H ₁₀ O ₂ (75-98-9)	Pivalic Acid for Synthesis M. W.: 102.13 Assay 99.0%	1080.00 3303.00	100 gm 500 gm POR 5 kg
192515 * C ₅ H ₉ N (630-18-2)	Pivalonitrile M. W.: 83.13 Assay 98.0%	4140.00 8091.00	25 ml 100 ml
192605 (CH ₃) ₃ CCOCl (3282-30-2)	Pivaloyl Chloride for Synthesis (Trimethylacetyl Chloride) M. W.: 120.58	1593.00 5310.00	500 ml 2.5 lit
192635 CaSO ₄ .½H ₂ O (10034-76-1)	Plaster of Paris Pract M. W.: 145.15 Assay (Complexometric as CaSO ₄ .½H ₂ O) Abt. 90.0-95.0%	243.00	500 gm
192665 CaSO ₄ . ½ H ₂ O (10034-76-1)	Plaster of Paris M. W.: 145.15 Assay (Complexometric) 90.0%	261.00 1998.00	500 gm 5 kg
876300	Platelets Counting Fluid	162.00	125 ml
876190	Platinum (Pt) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	3452.00	100 ml
876220	Platinum (Pt) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	8919.00	100 ml
029569 Pt (7440-06-4)	Platinum Wire 0.3 mm	10260.00	1 gm
192765 Pt (7440-06-4)	Platinum (Metal) Powder At. W.: 195.09	10260.00	1 gm
192805 Pt (7440-06-4)	Platinum 5% on Charcoal At. W.: 195.09	5400.00	10 gm
192825 Pt (7440-06-4)	Platinum 10% on Charcoal At. W.: 195.09	10080.00	10 gm
192695 PtCl ₂ (10025-65-7)	Platinous Chloride (Platinum (II) Chloride) M. W.: 266.08 Assay (ex Pt gravimetric) 98%	8100.00	1 gm
192855 PtCl ₄ (13454-96-1)	Platinum (IV) Chloride (Chloro Platinic Acid) M. W.: 336.89	12870.00	1 gm
192885 (52785-06-5)	Platinum Dioxide Hydrate (about 80% Pt) M. W.: 227.09 (anhydrous) Assay Pt.(Gravimetric) 80.0%	15003.00	1 gm
PCT2538 PTC	Pluronic F-68 Plant Culture Tested M. W.: 8400 Avg. Store below 30°C	945.00 2997.00	25 gm 100 gm
	PNCB See 1-Chloro-4-Nitrobenzene		

Product Code	Product Name	Price	Packing
TC1222M ATC	▲ Poloxamer F-68 Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 60.09	2061.00 18180.00	100 gm 1 kg
(C ₃ H ₆ O.C ₂ H ₄ O) _x (9003-11-6)			
TC1223M ATC	▲ Poloxamer P-188 Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 60.09	2061.00 18180.00	100 gm 1 kg
C ₃ H ₆ O.C ₂ H ₄ O) (9003-11-6)			
193015 (C ₃ H ₅ NO) (9003-05-8)	Polyacrylamide (Mw App. 5,000,000) M. W.: 71.07	2808.00 8694.00	250 gm 1 kg
193095 (C ₃ H ₄ O ₂) (9003-01-4)	Polyacrylic Acid 35 wt. % in H ₂ O for Synthesis	4302.00 12690.00	100 ml 500 ml
193098 (C ₃ H ₄ O ₂) (9003-01-4)	Polyacrylic Acid Powder for Synthesis	5000.00 14400.00	100 gm 500 gm
193108	Polyamide For Column Chromatography, 6	35001.00	250 gm
193118	Polyamide Resin (Pellets) Melt temp. 95°C	10206.00 36000.00	100 gm 500 gm
193121	Polyamide Resin (Pellets) Melt temp. 130°C	10206.00 36000.00	100 gm 500 gm
193124	Polyamide Resin (Pellets) Melt temp. 140°C	10206.00 36000.00	100 gm 500 gm
193127	Polyamide Resin (Pellets) Melt temp. 160°C	10206.00 36000.00	100 gm 500 gm
193130	Polyamide Resin (Pellets) Melt temp. 200°C	10206.00 36000.00	100 gm 500 gm
193140	Polyamide Resin (Pellets) Melt temp. 260°C	10206.00 36000.00	100 gm 500 gm
193215 (24936-68-3)	Polycarbonate Resin (BEADS) M.W.: 20,000-25000	3006.00 9027.00	25 gm 100 gm
193218 (24936-68-3)	Polycarbonate Resin (Pellets) M.W.: 20,000-25000	6939.00 19980.00	100 gm 500 gm
193238	Polyelectrolyte - ANIONIC	801.00	500 gm
193241	Polyelectrolyte -CATIONIC	801.00	500 gm
193295 (C ₂ H ₄) _n (9002-88-4)	Polyethylene for Synthesis Average M. W.: 1700-4000	3600.00 8307.00	250 gm 1 kg
193305	Polyethylene HDPE	7002.00	1 kg
193310	Polyethylene LDPE	6345.00	1 kg
193300	Polyethylene AVERAGE MW~35000	5679.00	1 kg
029570	Polyethylene Glycol 200 for Synthesis Average M. W.: 190-210	630.00 2601.00	500 ml 2.5 lit POR 25 lit POR 200 lit
H(OCH ₂ CH ₂) _n OH (25322-68-3)			
193364	Polyethylene Glycol 300 for Synthesis Average M. W.: 285-315	684.00 2808.00	500 ml 2.5 lit POR 25 lit POR 200 lit
H(OCH ₂ CH ₂) _n OH (25322-68-3)			

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

P

Laboratory Chemicals

Product Code	Product Name	Price	Packing
029571 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 400 for Synthesis Average M. W.: 380-420	621.00 2304.00	500 ml 2.5 lit POR 25 lit POR 200 lit
029573 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 600 for Synthesis Average M. W.: 570-630	684.00 2610.00	500 ml 2.5 lit POR 25 lit POR 200 lit
193505 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 1500 for Synthesis Average M. W.: 1400-1600	550.00	500 gm
029576 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 4000 Flakes/Powder Average M. W.: 3500-4500	585.00 4806.00	500 gm 5 kg POR 25 kg
971730 (MB) H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 4000 For Molecular Biology Av. M. W. : 3600-4400 Store Below 30°C	630.00	500 gm
PCT2305 (PTC) H(OCH ₂ CH ₂) _n OH (25322-68-3)	Poly(Ethylene Glycol) 4000 Plant Culture Tested Av. M. W. : 3600 - 4400 Store below 30°C	711.00	500 gm
029577 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 6000 Flakes/Powder Average M. W.: 5000-7000	702.00 5004.00	500 gm 5 kg POR 25 kg
971920 (MB) H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 6000 For Molecular Biology Av. M. W.: 5000-7000 Store Below 30°C	770.00	500 gm
PCT2306 (PTC) H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 6000 Plant Culture Tested Av. M. W.: 5000 - 7000 Store below 30°C	756.00	500 gm
193655 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 8000 Average M.W.: 8000	730.00	500 gm
972110 (MB) H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 8000 For Molecular Biology Av. M. W. : 7000-9000 Store Below 30°C	914.00	500 gm
193705 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 20000 Carbowax 20000 Av. M. W.: 20000	2520.00 4500.00 13500.00	500 gm 1 kg 5 kg
971540 (MB) H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol 20000 For Molecular Biology Av. M. W. : 16000-25000 Store Below 30°C	8811.00	500 gm
193765 CH ₃ (OCH ₂ CH ₂) _n OH (9004-74-4)	Polyethylene Glycol Monomethyl Ether 350 for Synthesis (Methoxy Polyethylene Glycol 350, MPEG-350, Mono-Methyl polyethylene Glycol) M. W.: 76.09	702.00	500 ml

Product Code	Product Name	Price	Packing
193855 (32289-58-0)	Polyhexamethylene Biguanide Hydrochloride 20% Aqueous Solution M. W.: 219.7182	2106.00 20007.00	500 gm 5 kg
	Polyethylene (20) Sorbitan Monolaurate See Cween 20		
	Polyethylene (20) Sorbitan Mono-oleate See Cween 80		
	Polyoxyethylene Lauryl Ether See Brij 35		
194025 (63148-57-2)	✳ Polymethyl Hydrosiloxane (Pmhs) Average M.W. : 1700-3200	3700.00 10630.00	100 ml 500 ml
194120 (9011-14-7)	Polymethyl Methacrylate Average M.W.~15000	8060.00 20260.00	25 gm 100 gm
194123 (9011-14-7)	Polymethyl Methacrylate Average M.W.~97000	17820.00	25 gm
194128 (9011-14-7)	Polymethyl Methacrylate Average M.W.~120000	6309.00 15903.00 24903.00	25 gm 500 gm 1 kg
194134 (9011-14-7)	Polymethyl Methacrylate Average M.W.~350000	6750.00 25020.00 35730.00	25 gm 500 gm 1 kg
194140 (9011-14-7)	Polymethyl Methacrylate Average M.W.~996000	6309.00 26910.00 44091.00	25 gm 500 gm 1 kg
194165 C ₅₅ H ₉₆ N ₁₆ O ₁₃ .2H ₂ SO ₄ (1405-20-5)	▲ Polymyxin B Sulphate App. 6,000 USP M. W.: 1385.63 Potency 6000usp units/mg	999.00	1mil.unit
PCT2125 (PTC) C ₅₅ H ₉₆ N ₁₆ O ₁₃ .2H ₂ SO ₄ (1405-20-5)	▲ Polymyxin B Sulphate Plant Culture Tested M. W.: 1385.61 Potency : =6000IU/mg	2682.00 5373.00 15512.00	1X1 mu 5X1 mu 25X1 mu
TC1033 (ATC) C ₅₅ H ₉₆ N ₁₆ O ₁₃ .2H ₂ SO ₄ (1405-20-5)	▲ Polymyxin B Sulphate Cell Culture Tested (1 million units/vl) Recommended for use in cell culture applications at 50mg/L M. W.: 1385.61 Potency : >=6500 IU/mg	2673.00 5913.00 17055.00	1x1 mu 5x1 mu 25x1 mu
029578 (8017-16-1)	Polyphosphoric Acid for Synthesis Assay (as P ₂ O ₅ Titrimetry) Abt. 85.0%	1305.00 6003.00	500 gm 2.5 kg
612135 (8017-16-1)	Polyphosphoric Acid AR Assay (as P ₂ O ₅ Titrimetry) Abt. 85.0%	1683.00	500 ml
194255 (C ₃ H ₆) _n (9003-07-0)	Polypropylene for Synthesis	2601.00 20601.00	500 gm 5 kg
194260 (9003-07-0)	Polypropylene Isotactic Average M.W.~12000	5859.00 9099.00	250 gm 1 kg
194280 (9003-07-0)	Polypropylene Isotactic Average M.W.~250000	2601.00 5301.00	250 gm 1 kg
194300 (9003-07-0)	Polypropylene Isotactic Average M.W.~340000	2520.00 4509.00	250 gm 1 kg
194345 (C ₈ H ₈) _n (9003-53-6)	Polystyrene for Synthesis	2304.00	500 gm

(ATC) : Animal Cell Culture
(MB) : Molecular Biology
(PTC) : Plant Tissue Culture

Product Code	Product Name	Price	Packing
194455 (C ₂ F ₄) _n (9002-84-0)	Polytetra Fluoro Ethylene for Synthesis	1602.00 7056.00	100 gm 500 gm
194545 (C ₄ H ₆ O ₂) _n (9003-20-7)	Polyvinyl Acetate (Very Fine Crystalline Beads) Average M.W. : 100000	3798.00 7659.00	250 gm 500 gm
194564 (9003-20-7)	Polyvinyl Acetate Granulated	1791.00 12069.00	500 gm 5 kg
194560 (9003-20-7)	Polyvinyl Acetate Regular Crystalline Beads	2349.00 22005.00	500 gm 5 kg
194574 (9003-20-7)	Polyvinyl Acetate Average M.W.~100000	6705.00 10908.00	25 gm 500 gm
194580 (9003-20-7)	Polyvinyl Acetate Average M.W.~140000	6993.00 16902.00	100 gm 500 gm
194600 (9003-20-7)	Polyvinyl Acetate Average M.W.~500000	5904.00 12006.00	100 gm 500 gm
194664 (CH ₂ CHOH) _n (9002-89-5)	Polyvinyl Alcohol (Cold) Average M.W. 85,000-1,24,000	945.00 8420.00	500 gm 5 kg
	POR		25 kg
194765 (CH ₂ CHOH) _n (9002-89-5)	Polyvinyl Alcohol (Hot) Average M.W. 13,000-23000 Hot water soluble	954.00 8550.00	500 gm 5 kg
	POR		25 kg
PCT2316 PTC [-CH ₂ CHOH-] _n (9002-89-5)	Poly(Vinyl Alcohol) (hot water soluble) Plant Culture Tested M. W.: 13,000-23000 Store below 30°C	288.00 1152.00	100 gm 500 gm
194865 (63148-65-2)	Polyvinyl Butyral	1305.00 5049.00	100 gm 500 gm
194915 (C ₂ H ₃ Cl) _n (9002-86-2)	Polyvinyl Chloride for Synthesis	1206.00	500 gm
PCT2004 PTC (9003-39-8)	Polyvinyl Pyrrolidone (PVP 10) Plant Culture Tested Av. M.W. : 10,000 Store below 30°C	7497.00 35991.00	100 gm 500 gm
194935 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-25 M.W. 10000 (Povidone, PVP)	842.00 2907.00 26550.00	100 gm 500 gm 5 kg
029579 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-30 (Povidone, PVP) Avg. M.W.: 40,000	657.00 2610.00 24750.00	100 gm 500 gm 5 kg
972440 MB (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-30 (Povidone) For Molecular Biology Water Soluble Polymer Made From N-Vinylpyrrolidone Av. M.W. : 40000 Store Below 30°C	585.00 2772.00	100 gm 500 gm
PCT2002 PTC (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinylpyrrolidone (PVP) K-30 (Povidone) Plant Culture Tested Av. M.W. : 40,000 Store below 30°C	680.00 3070.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
194955 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-90 M.W. 360000 (Povidone, PVP)	3897.00 29376.00	500 gm 5 kg
961710 MB (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-90 for Molecular Biology M. W.: 360000	2800.00	100 gm
PCT2003 PTC (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinylpyrrolidone (PVPP) (Crosopovidone) Plant Culture Tested Store below 30°C	5490.00	100 gm
	Ponceau B See Biebrich Scarlet		
314915 C ₂₂ H ₁₂ N ₄ Na ₄ O ₁₃ S ₄ (6226-79-5)	Ponceau S for Electrophoresis C. I. No. 27195 M. W.: 760.57	775.00 2907.00	25 gm 100 gm
972800 MB C ₂₂ H ₁₂ N ₄ O ₁₃ S ₄ Na ₄ (6226-79-5)	Ponceau S Sodium Salt Electrophoretic Stain For Molecular Biology C. I. No. : 27195 M. W. : 760.57 Store Below 30°C	1800.00	25 gm
195125 C ₂₄ H ₁₆ N ₂ O ₂ (1806-34-4)	POPOP Scintillation grade M. W.: 364.41	4977.00 19881.00 78863.00	5 gm 25 gm 100 gm
	POPOP Dimethyl See Dimethyl POPOP		
195145 C ₁₀ H ₂₂ N ₂ O ₈ S ₂ .2H ₂ O (68189-43-5)	POPSO Buffer M. W.: 398.5 Assay 97.0%	3483.00 11007.00	25 gm 100 gm
876500	Potassium (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
876502	Potassium (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
876550	Potassium (K) CRISTAR® 200 ppm Single Element Std. Soln. for ICP in HNO ₃	5373.00 13420.00	100 ml 500 ml
876570	Potassium (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃	5373.00 13420.00	100 ml 500 ml
876610	Potassium (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	14841.00 40212.00	100 ml 500 ml
876612	Potassium (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	14841.00 40212.00	100 ml 500 ml

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
029580 (7440-09-7)	Potassium Metal (In liquid paraffin) At. W.: 39.10 Assay (Acidimetric) 98.0%	1201.00	25 gm
		4001.00	100 gm
029581 CH ₃ .COOK (127-08-2)	Potassium Acetate M. W.: 98.14 Assay 99.0%	684.00	500 gm
		6003.00	5 kg
		POR	25 kg
		POR	50 kg
612225 CH ₃ .COOK (127-08-2)	Potassium Acetate AR/ACS M. W.: 98.14 Assay (Non-aqueous) 99.0%	1206.00	500 gm
		10000.00	5 kg
971720 MB CH ₃ .COOK (127-08-2)	Potassium Acetate for Molecular Biology M. W.: 98.14 Assay (Non-aqueous) 99.0%	2421.00	500 gm
TC1786 CH ₃ .COOK (127-08-2)	Potassium Acetate Cell Culture Tested	3276.00	500 gm
		5571.00	1 kg
TC1786M CH ₃ .COOK (127-08-2)	Potassium Acetate Cell Culture Tested	5751.00	500 gm
		10341.00	1 kg
876670	Potassium Acetate TS acc. to USP	225.00	500 ml
	Potassium Alum See Aluminium Potassium Sulphate		
	Potassium Aluminium Sulphate (Potas alum) See Aluminium Potassium Sulphate		
	Potassium Antimonate See Potassium Pyroantimonate		
	Potassium Antimony (III) Oxide Tartrate See Antimony Potassium Tartrate		
195215 C ₆ H ₅ COOK (582-25-2)	Potassium Benzoate for Synthesis M. W.: 160.21	2205.00	250 gm
		3519.00	500 gm
029616 KHCO ₃ (298-14-6)	Potassium Bicarbonate M. W.: 100.12 Assay(acidimetric on dried basis) 99.5-100.0%	522.00	500 gm
		882.00	1 kg
		POR	50 kg
H59054 KHCO ₃ (298-14-6)	Potassium Bicarbonate M. W.: 100.12	720.00	500 gm
195305 KHF ₂ (7789-29-9)	Potassium Bifluoride Extra Pure M. W.: 78.1	900.00	500 gm
		POR	25 kg
	Potassium Biphosphate See Potassium Dihydrogen otho Phosphate		
	Potassium Bisulphate See Potassium Hydrogen Sulphate		
	Potassium Bisulphite See Potassium Metabisulphite		
	Potassium Bitartrate See Potassium Hydrogen (+) Tartrate		
195435 KBH ₄ (13762-51-1)	Potassium Borohydride for Synthesis M. W.: 53.94	1584.00	25 gm
		5940.00	100 gm
		20790.00	500 gm

Product Code	Product Name	Price	Packing
029588 KBrO ₃ (7758-01-2)	Potassium Bromate M. W.: 167.00 Assay (Iodometric; on dried Subs.) 99.0-101.0%	648.00	250 gm
		1206.00	500 gm
		POR	50 kg
612285 KBrO ₃ (7758-01-2)	Potassium Bromate AR/ACS M. W.: 167.00 Assay (Iodometric) 99.8%	1458.00	500 gm
		POR	50 kg
876680	Potassium Bromate 0.01667 M (0.1N) Standardized Solution	1400.00	1 lit
876683	Potassium Bromate CPECTROSOL [®] 1/60 mol/L(0.1N) For 1000 ml Solution In accordance with NIST	162.00	1 Amp
876686	Potassium Bromate 1/60 mol/L (0.1N) Solution	140.00	500 ml
		360.00	1 lit
		550.00	2.5 lit
029589 KBr (7758-02-3)	Potassium Bromide Purified M. W.: 119.00 Assay (ex Br Argentometric) 99.0%	1130.00	500 gm
		9500.00	5 kg
		POR	25 kg
		POR	50 kg
612305 KBr (7758-02-3)	Potassium Bromide AR/ACS M. W.: 119.00 Assay (Argentometric) 99.5%	1620.00	500 gm
		POR	25 kg
763740 KBr (7758-02-3)	Potassium Bromide for Spectroscopy M. W.: 119.00 Assay (Argentometric) 99.5%	4401.00	100 gm
876700	Potassium Bromide 0.1M (0.1N) Volumetric Solution	293.00	500 ml
		532.00	1 lit
		801.00	2.5 lit
876705	Potassium Bromide 0.1 mol/L (0.1N) for 500 ml solution	167.00	1 Amp
		315.00	3 Amp
		603.00	6 Amp
876720	Potassium Bromide 0.2 M (0.2N) Volumetric Solution	828.00	1 lit
876750	Potassium Bromide 0.5 M (0.5N) Volumetric Solution	315.00	500 ml
		585.00	1 lit
		873.00	2.5 lit
876708	Potassium Bromide 1 mol/L (1N) Volumetric Solution	333.00	500 ml
		603.00	1 lit
		918.00	2.5 lit
876712	Potassium Bromide CPECTROSOL [®] 1M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
195465 (CH ₃) ₃ COK (865-47-4)	Potassium tert-Butoxide (Potassium Tert-Butoxide) M. W.: 112.21	1125.00	100 gm
		4905.00	500 gm
		9000.00	1 kg
195475 K ₂ CO ₃ (584-08-7)	Potassium Carbonate (Anhy.) M. W.: 138.21 Assay (Acidimetric after drying) 99.0%	460.00	500 gm
		3510.00	5 kg
		POR	25 kg
		POR	50 kg
612335 K ₂ CO ₃ (584-08-7)	Potassium Carbonate (Anhy.) AR/ACS M. W.: 138.21 Assay (Acidimetric after drying at 300° C) 99.9%	730.00	500 gm
		POR	25 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
876840	Potassium Carbonate TS acc. to USP	185.00	500 ml
029594 KCl (7447-40-7)	Potassium Chloride Purified M. W.: 74.55 Assay (Argentometric) 99.0%	306.00 2350.00 POR POR	500 gm 5 kg 25 kg 50 kg
612375 KCl (7447-40-7)	Potassium Chloride AR Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 74.55 Assay 99.5%	540.00 4905.00 POR POR	500 gm 5 kg 25 kg 50 kg
971800 MB KCl (7447-40-7)	Potassium Chloride for Molecular Biology M. W.: 74.55 Assay (Argentometric) 99.5%	1260.00 10171.00	500 gm 5 kg
PCT1012 PTC KCl (7447-40-7)	Potassium Chloride Plant Culture Tested M. W.: 74.55 Assay 99% Store below 30°C	500.00 891.00	500 gm 1 kg
TC1010 ATC KCl (7447-40-7)	Potassium Chloride Cell Culture Tested M. W.: 74.55 Assay : ≥98.5% Store below 30°C	2790.00 4343.00 8055.00	250 gm 500 gm 1 kg
TC1010M ATC KCl (7447-40-7)	Potassium Chloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 74.55 Store below 30°C	4181.00 6516.00 12060.00	250 gm 500 gm 1 kg
876845	Potassium Chloride 0.2M Solution	252.00 486.00 846.00	500 ml 1 lit 2.5 lit
876850	Potassium Chloride 0.5M (0.5N) Volumetric Solution	230.00 423.00 702.00	500 ml 1 lit 2.5 lit
876870	Potassium Chloride 1M (1N) Volumetric Solution	243.00 459.00 725.00	500 ml 1 lit 2.5 lit
876900	Potassium Chloride Solution 3M (for Potentiometer Electrodes)	936.00	60 ml
612465 K ₂ PtCl ₆ (16921-30-5)	Potassium Chloro Platinate AR M. W.: 486.00 Platinum (Pt) 40.0%	7700.00	1 gm
029598 K ₂ CrO ₄ (7789-00-6)	Potassium Chromate Purified M. W.: 194.19 Assay (oxidimetric) 99.0%	1224.00 POR POR	500 gm 25 kg 50 kg
612515 K ₂ CrO ₄ (7789-00-6)	Potassium Chromate AR M. W.: 194.19 Assay (Iodometric) 99.5-100.5%	1404.00 POR	500 gm 25 kg
877100	Potassium Chromate Solution 5% (Chloride Free)	99.00	125 ml
877047	Potassium Chromate 0.0333m (0.1N) Volumetric Solution	531.00 863.00 2178.00	500 ml 1 lit 2.5 lit
877050	Potassium Chromate CPECTROSOL® 0.0333m (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
029599 K ₃ C ₆ H ₅ O ₇ ·H ₂ O (6100-05-6)	tri-Potassium Citrate Purified M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0-101.0%	720.00 POR POR	500 gm 25 kg 50 kg
612545 K ₃ C ₆ H ₅ O ₇ ·H ₂ O (6100-05-6)	tri-Potassium Citrate AR Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0%	801.00 POR POR	500 gm 25 kg 50 kg
TC1106 ATC C ₆ H ₅ K ₃ O ₇ ·H ₂ O (6100-05-6)	Tri-Potassium Citrate monohydrate Cell Culture Tested M. W.: 324.41 Assay : ≥99% Store below 30°C	1656.00	500 gm
195425 KOCN (590-28-3)	Potassium Cyanate for Synthesis M. W.: 81.12 Assay (Argentometric) 97.0%	1998.00	500 gm
195495 ⊗ KCN (151-50-8)	Potassium Cyanide Against Poison Licence M.W.: 65.12 Assay 96.0%	4842.00	1 kg
612585 ⊗ KCN (151-50-8)	Potassium Cyanide AR Against Poison Licence M.W.: 65.12 Assay 97.0%	2907.00	500 gm
029605 K ₂ Cr ₂ O ₇ (7778-50-9)	Potassium Dichromate Pure M. W.: 294.18 Assay (iodometric) 99.5%	1287.00 2403.00 5500.00 POR POR	500 gm 1 kg 2.5 kg 25 kg 50 kg
612615 K ₂ Cr ₂ O ₇ (7778-50-9)	Potassium Dichromate AR M. W.: 294.18 Assay (Iodometric; after drying) 99.9%	1503.00 6201.00 POR POR	500 gm 2.5 kg 25 kg 50 kg
877253	Potassium Dichromate CPECTROSOL® 0.0167M(0.1N) Standardized Solution in accordance with NIST	1400.00	1 lit
877245	Potassium Dichromate 1/60 Mol/L (0.1N) Volumetric Solution	270.00 495.00 743.00	500 ml 1 lit 2.5 lit
877360	Potassium Dichromate Solution 1/60 mol/lit Citrisol 2.4515g K ₂ Cr ₂ O ₇ For 500 ml solution 0.1 N solution	550.00 900.00	3 Amp 6 Amp
877190	Potassium Dichromate 0.02M (0.12N) Volumetric Solution for Determination of Cod	459.00 846.00 1143.00	500 ml 1 lit 2.5 lit
877220	Potassium Dichromate CPECTROSOL® 0.0417M(0.25N) Solution in accordance with NIST	1400.00	1 lit
877250	Potassium Dichromate CPECTROSOL® 0.167M (1N) Solution in accordance with NIST	1400.00	1 lit
877370	Potassium Dichromate 0.25N Solution	144.00 230.00 342.00	500 ml 1 lit 2.5 lit

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

P

Laboratory Chemicals

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
877365	Potassium Dichromate 1/6 Mol/L (1N) Volumetric Solution	243.00	500 ml	029611	Potassium Ferrocyanide Purified K ₄ Fe(CN) ₆ ·3H ₂ O M. W.: 422.39 (14459-95-1) Assay (Oxidimetric) 99.0%	1107.00	500 gm
		432.00	1 lit			POR	25 kg
		657.00	2.5 lit			POR	50 kg
029608	Potassium Dihydrogen Ortho Phosphate Anhydrous Purified KH ₂ PO ₄ (7778-77-0) M. W.: 136.09 Assay (acidimetric) 99.0-101.0%	855.00	500 gm	612805	Potassium Ferrocyanide AR/ACS K ₄ Fe(CN) ₆ ·3H ₂ O (14459-95-1) M. W.: 422.39 Assay (Oxidimetric) 99.0%	1260.00	500 gm
		7803.00	5 kg			POR	25 kg
		POR	50 kg			POR	50 kg
612705	Potassium Dihydrogen Ortho Phosphate Anhydrous AR/ACS KH ₂ PO ₄ (7778-77-0) M. W.: 136.09 Assay (Acidimetric after drying) 99.5-100.5%	954.00	500 gm	195665	Potassium Fluoborate K ₂ F ₄ (14075-53-7) M. W.: 125.90	495.00	250 gm
		8820.00	5 kg			1350.00	1 kg
		POR	25 kg				
972100	Potassium Dihydrogen Ortho Phosphate for Molecular Biology KH ₂ PO ₄ (7778-77-0) M. W.: 136.09 Assay (Acidimetric) 99.5%	2403.00	500 gm	029613	Potassium Fluoride (Anhydrous) KF (7789-23-3) M. W.: 58.10 Assay (ion-exchange) 97%	594.00	250 gm
		POR	50 kg			1152.00	500 gm
		POR	50 kg			POR	25 kg
764000	Potassium Dihydrogen Orthophosphate 1503.00 for HPLC (Potassium Phosphate Monobasic) KH ₂ PO ₄ (7778-77-0) M.W.: 136.09	500 gm		613625	Potassium Fluoride (Anhydrous) AR KF (7789-23-3) M. W.: 58.10 Assay (Ion-exchange) 99.0%	1800.00	500 gm
						POR	50 kg
PCT1009	Potassium Dihydrogen Phosphate Plant Culture Tested KH ₂ PO ₄ (7778-77-0) M. W.: 136.09 Assay 99% Store below 30°C	1260.00	500 gm	195705	Potassium Formate CHKO ₂ (590-29-4) M. W.: 84.12 Assay (Non-aqueous) 98.0%	325.00	100 gm
		2304.00	1 kg			1206.00	500 gm
		11133.00	5 kg				
TC1011	Potassium Dihydrogen Phosphate Anhydrous (Potassium phosphate monobasic; Monopotassium phosphate) Cell Culture Tested KH ₂ PO ₄ (7778-77-0) M. W.: 136.09 Assay : ≥99% Store below 30°C	1251.00	100 gm	613715	Potassium Formate AR CHKO ₂ (590-29-4) M. W.: 84.12 Assay 99.0%	1305.00	500 gm
		3231.00	500 gm				
		5616.00	1 kg				
TC1011M	Potassium Dihydrogen Phosphate Anhydrous Monobasic Potassium phosphate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications KH ₂ PO ₄ (7778-77-0) M. W.: 136.09 Store below 30°C	2430.00	100 gm	195725	Potassium Gold Cyanide KAu(CN) ₂ (13967-50-5) M. W.: 288.10 Approx Au 68.0%	15120.00	1 gm
		4176.00	500 gm			75060.00	5 gm
		7110.00	1 kg				
877380	Potassium Dihydrogen Phosphate 1/15 mol/L (Buffer Stock Solution)	1980.00	500 ml	Potassium Hexa Cyano Ferrate (III) See Potassium Ferricyanide			
		3780.00	1 lit	Potassium Hexa Cyano Ferrate (II) See Potassium Ferrocyanide			
		5774.00	2.5 lit	Potassium Hexachloroplatinate (IV) See Potassium Chloroplatinate			
	Potassium Diphosphate Tetrabasic See tetra-Potassium pyrophosphate			Potassium Hexahydroantimonate (V) See Potassium Pyroantimonate			
195585	Potassium Ethyl Xanthate for Synthesis C ₂ H ₅ OCSSK (140-89-6) M.W.: 160.30	1305.00	100 gm	195795	Potassium Hexafluorophosphate for Synthesis KPF ₆ (17084-13-8) M.W.: 184.07	1323.00	100 gm
		6003.00	500 gm			4473.00	500 gm
029610	Potassium Ferricyanide Printing grade K ₃ Fe(CN) ₆ (13746-66-2) M. W.: 329.25 Assay (Iodometric) 97.0%	567.00	100 gm	195885	Potassium Humate (68514-28-3)	855.00	500 gm
		2106.00	500 gm			6903.00	5 kg
		POR	25 kg				
612755	Potassium Ferricyanide AR/ACS K ₃ Fe(CN) ₆ (13746-66-2) M. W.: 329.25 Assay (iodometric) 99.0%	2300.00	500 gm	Potassium Hydrogen Carbonate See Potassium Bicarbonate			
877430	Potassium Ferricyanide 0.1M (0.1N) Volumetric Solution	1575.00	1 lit	613805	Potassium Hydrogen Di Iodate AR KH (IO ₃) ₂ (13455-24-8) M. W.: 389.92 Assay(acidimetry) 99.8%	6003.00	25 gm
029619	di-Potassium Hydrogen Ortho Phosphate (Dibasic) Anhydrous K ₂ HPO ₄ (7758-11-4) M. W.: 174.18 Assay (Acidimetric) 98.0%	954.00	500 gm	Potassium Hydrogen Difluoride See Potassium Bifluoride			
		POR	25 kg				
		POR	50 kg				
613905	di-Potassium Hydrogen Ortho Phosphate (Dibasic) Anhydrous AR K ₂ HPO ₄ (7758-11-4) M. W.: 174.18 Assay (Acidimetric) 99.0%	1107.00	500 gm	029619	di-Potassium Hydrogen Ortho Phosphate (Dibasic) Anhydrous K ₂ HPO ₄ (7758-11-4) M. W.: 174.18 Assay (Acidimetric) 98.0%	954.00	500 gm
		9900.00	5 kg				
		22500.00	25 kg				
		43200.00	50 kg				

● **ATC** : Animal Cell Culture
● **MB** : Molecular Biology
● **PTC** : Plant Tissue Culture

Product Code	Product Name	Price	Packing
972300	MB di-Potassium Hydrogen Ortho Phosphate for Molecular Biology	1450.00	100 gm
K ₂ HPO ₄ (7758-11-4)	M. W.: 174.18 Assay (Acidimetric) 99.5%	5481.00	500 gm
764500	di-Potassium Hydrogen Ortho Phosphate for HPLC & Spectroscopy	1503.00	500 gm
K ₂ HPO ₄ (7758-11-4)	M. W.: 174.18 Assay (Acidimetric) 99.0%		
TC1596	ATC di-Potassium Hydrogen Phosphate Anhydrous	1220.00	100 gm
(7758-11-4)	(di-Potassium phosphate) Potassium Hydrogen Phosphate Cell Culture Tested M. W. : 174.174 Assay : ≥97% Store below 30°C	4905.00	500 gm
TC1596M	ATC di-Potassium Hydrogen Phosphate Anhydrous	3636.00	500 gm
(7758-11-4)	Meets USP 41-NF 36, EP 9.0 and BP 2016 testing Specifications M. W. : 174.2 Store below 30°C	7272.00	1 kg
		POR	5 kg
HK ₂ O ₄ P (7758-11-4)			
PCT1018	PTC di-Potassium Hydrogen Phosphate Anhydrous	2142.00	500 gm
(7758-11-4)	(Potassium Phosphate Dibasic) Plant Culture Tested M. W.: 174.18 Assay 99% Store below 30°C	3852.00	1 kg
		17330.00	5 kg
H59954	di-Potassium Hydrogen Ortho Phosphate (Dibasic) Anhydrous	1800.00	500 gm
(7758-11-4)	HIPURE Type I M. W.: 174.18	15930.00	5 kg
H59963	di-Potassium Hydrogen Ortho Phosphate (Dibasic) Anhydrous	2700.00	500 gm
(7758-11-4)	HIPURE Type II M. W.: 174.18	22500.00	5 kg
	tri-Potassium Hydrogen Orthophosphate See tri-Potassium Phosphate		
029621	Potassium Hydrogen Phthalate Purified	756.00	500 gm
COOH.C ₆ H ₄ .COOK (877-24-7)	M. W.: 204.22 Assay (after drying) 99.5%	POR	50 kg
613965	Potassium Hydrogen Phthalate AR	873.00	500 gm
COOH.C ₆ H ₄ .COOK (877-24-7)	M. W.: 204.22 Assay (Non-aqueous, after drying) 99.9-100.1%	POR	50 kg
764700	Potassium Hydrogen Phthalate for HPLC	1107.00	500 gm
COOH.C ₆ H ₄ .COOK (877-24-7)	M.W.: 204.22 Assay 99.5%		
877500	Potassium Hydrogen Phthalate CPECTROSOL [®] 0.1m (0.1N) Standard Solution	1400.00	1 lit
	In accordance with NIST		

Product Code	Product Name	Price	Packing
877505	Potassium Hydrogen Phthalate 0.17gm/L (for COD Determination)	423.00	1 lit
029624	Potassium Hydrogen Sulphate Cryst.	621.00	500 gm
KHSO ₄ (7646-93-7)	M. W.: 136.16 Assay (ex; acidity) 99.0%	POR	25 kg
		POR	50 kg
614055	Potassium Hydrogen Sulphate AR	761.00	500 gm
KHSO ₄ (7646-93-7)	M. W.: 136.16 Assay 99.0%	POR	25 kg
		POR	50 kg
029626	Potassium Hydrogen (+) Tartrate	1755.00	500 gm
C ₄ H ₅ KO ₆ (868-14-4)	M. W.: 188.18	POR	25 kg
		POR	50 kg
877755	Potassium Hydroxide CPECTROSOL [®] 0.05M (0.05N) Standardized Solution	1400.00	1 lit
	In accordance with NIST		
877760	Potassium Hydroxide 0.1 M (0.1N) Citrisol Volumetric Solution	630.00	3 Amp
		1224.00	6 Amp
877700	Potassium Hydroxide 0.1 M (0.1N) CTITRINORM Volumetric Solution	360.00	500 ml
		666.00	1 lit
		1026.00	2.5 lit
877703	Potassium Hydroxide CPECTROSOL [®] 0.1M (0.1N) Standardized Solution	1400.00	1 lit
	In accordance with NIST		
877708	Potassium Hydroxide CPECTROSOL [®] In Ethanol 0.1M (0.1N) Standardized Solution	1400.00	1 lit
	In accordance with NIST		
877846	Potassium Hydroxide CPECTROSOL [®] In Ethanol 0.5M (0.5N) Standardized Solution	1400.00	1 lit
	In accordance with NIST		
877850	Potassium Hydroxide in Methanol 0.5 M (0.5N) Alcoholic CTITRINORM Volumetric Solution	1782.00	500 ml
		3366.00	1 lit
		4410.00	2.5 lit
877705	Potassium Hydroxide 0.5 mol/L (0.5N) For 500 ml Solution	549.00	3 Amp
		963.00	6 Amp
877845	Potassium Hydroxide CPECTROSOL [®] 0.5M (0.5N) Standardized Solution	1400.00	1 lit
	In accordance with NIST		
877855	Potassium Hydroxide 0.5N Solution In Ethanol	2097.00	500 ml
		3960.00	1 lit
		5508.00	2.5 lit
877920	Potassium Hydroxide Alcoholic 1M (1N) Volumetric Solution	2097.00	500 ml
		3960.00	1 lit
		5391.00	2.5 lit
877925	Potassium Hydroxide 1 mol/L (1N) For 500 ml Solution	333.00	1 Amp
		612.00	3 Amp
		1206.00	6 Amp
877858	Potassium Hydroxide CPECTROSOL [®] 1M (1N) Standardized Solution	1400.00	1 lit
	In accordance with NIST		
877923	Potassium Hydroxide CPECTROSOL [®] In Methanol 1M (1N) Standardized Solution	1400.00	1 lit
	In accordance with NIST		
877950	Potassium Hydroxide Solution 40% w/v for Gas Analysis to BS	410.00	500 ml
		756.00	1 lit
		1503.00	2.5 lit

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

P

Laboratory Chemicals

Product Code	Product Name	Price	Packing
877970	Potassium Hydroxide 45% Aqueous Solution AR	770.00 1431.00 3087.00	500 ml 1 lit 2.5 lit
195945	Potassium Hydroxide Flakes (Caustic Potash) M. W.: 56.11 Assay (Acidimetric) 85.0%	486.00 882.00 3807.00	500 gm 1 kg 5 kg
KOH (1310-58-3)		POR POR	25 kg 50 kg
614335	Potassium Hydroxide Flakes AR M. W.: 56.11	504.00 4536.00	500 gm 5 kg
KOH (1310-58-3)			
029628	Potassium Hydroxide Pellets Purified M. W.: 56.11 Assay (Acidimetric) 85.0%	585.00 4905.00	500 gm 5 kg
KOH (1310-58-3)		POR POR	25 kg 50 kg
614365	Potassium Hydroxide Pellets AR M. W.: 56.11 Assay (Acidimetric) 85.0%	684.00 5500.00	500 gm 5 kg
KOH (1310-58-3)		POR POR	25 kg 50 kg
195985	Potassium Hydroxide Pellets Bio Grade for Biochemistry M. W.: 56.11 Assay 86%	783.00	500 gm
KOH (1310-58-3)			
972220	Potassium Hydroxide Pellets For Molecular Biology M. W.: 56.11 Assay : ≥ 85% Store Below 30°C	657.00	500 gm
KOH (1310-58-3)			
PCT2560	Potassium Hydroxide Pellets Plant Culture Tested M. W.: 56.1 Store below 30°C	711.00 1360.00 6400.00	500 gm 1 kg 5 kg
KOH (1310-58-3)			
TC1505	Potassium Hydroxide Pellets Potash caustic Cell Culture Tested M. W.: 56.11 Assay : ≥85% Store below 30°C	720.00 5580.00	500 gm 5 kg
KOH (1310-58-3)			
195983	Potassium Hydroxide Powder M.W : 56.11 Assay 85%	522.00 4005.00	500 gm 5 kg
KOH (1310-58-3)		POR	25 kg
029630	Potassium Iodate Pure M. W.: 214.00 Assay (iodometric) 99.5%	3906.00 9000.00 92007.00	100 gm 250 gm 5 kg
KIO ₃ (7758-05-6)			
614405	Potassium Iodate AR Oxidizing Agent in Volumetric Chemical Analysis M. W.: 214.00 Assay (Iodometric; after drying) 99.9%	4100.00 9801.00 95000.00	100 gm 250 gm 5 kg
KIO ₃ (7758-05-6)			
878100	Potassium Iodate CPECTROSOL® 0.0147M (0.08833N) Standardized Solution in accordance with NIST	1400.00	1 lit
878130	Potassium Iodate CPECTROSOL® 0.01667M (0.1N) Volumetric Solution in accordance with NIST	1400.00	1 lit
878160	Potassium Iodate CPECTROSOL® 0.05 M (0.3 N) CTITRINORM Standard Soln. in accordance with NIST	1400.00	1 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
878155	Potassium Iodate 0.05 mol/L (0.3N) Volumetric Solution	891.00 1670.00 2421.00	500 ml 1 lit 2.5 lit
878132	Potassium Iodate 1/60 mol/L (0.1N) Volumetric Solution	824.00 1503.00 2205.00	500 ml 1 lit 2.5 lit
877165	Potassium Iodate Solution C(KIO ₃) 1/60 mol/L (0.1N) For 1000 ml Solution	1180.00	1 Amp
029631	Potassium Iodide Pure M. W.: 166.00 Assay (Oxidimetric; after drying) 99.0%	873.00 2502.00 5805.00	25 gm 100 gm 250 gm
KI (7681-11-0)		10000.00 97740.00	500 gm 5 kg
		POR POR	25 kg 50 kg
614465	Potassium Iodide AR/ACS M. W.: 166.00 Assay (Oxidimetric; after drying) 99.8%	909.00 2700.00 10980.00	25 gm 100 gm 500 gm
KI (7681-11-0)		21510.00 99990.00	1 kg 5 kg
		POR POR	25 kg 50 kg
972260	Potassium Iodide For Molecular Biology M. W.: 166.0 Assay : ≥ 99.8% Store Below 30°C	3155.00 6930.00	100 gm 250 gm
KI (7681-11-0)			
PCT1116	Potassium Iodide Plant Culture Tested M. W.: 166 Assay 99.8% Store below 30°C	3366.00 7740.00 26222.00	100 gm 250 gm 1 kg
KI (7681-11-0)			
H60454	Potassium Iodide M. W.: 166.00	3645.00 14850.00	100 gm 500 gm
KI (7681-11-0)			
878320	Potassium Iodide 0.1M (0.1N) Volumetric Solution	900.00 1701.00 3600.00	500 ml 1 lit 2.5 lit
878323	Potassium Iodide CPECTROSOL® 0.1M Standardized Solution In accordance with NIST	1602.00	1 lit
878360	Potassium Iodide 1M (1N) Volumetric Solution	1503.00 2700.00 5103.00	500 ml 1 lit 2.5 lit
878365	Potassium Iodide CPECTROSOL® 1M Standardized Solution In accordance with NIST	1548.00	1 lit
878500	Potassium Iodide 3M (3N) Volumetric Solution	3834.00 7128.00 15940.00	500 ml 1 lit 2.5 lit
878805	Potassium Iodide CPECTROSOL® 3M Standardized Solution In accordance with NIST	8505.00	1 lit
878525	Potassium Iodide TS acc. to USP	1503.00	500 ml
878290	Potassium Iodide Iodate N/50	252.00	500 ml
196025	Potassium Iodo Bismuthate M. W. : 1253.50	3879.00	25 gm
BiI ₇ K ₄ (12589-75-2)			

Product Code	Product Name	Price	Packing
614565 I ₆ Pt.K ₂ (16905-14-9)	Potassium Iodoplatinate AR M.W. : 1034.68	5760.00	1 gm
029633 C ₃ H ₅ KO ₃ (996-31-6)	Potassium Lactate Soln. Abt 50% M. W.: 128 Assay Abt. 50.0%	954.00	500 ml
196065 K ₂ HgI ₄ (7783-33-7)	Potassium Mercuric Iodide Pure M. W.: 786.38	2619.00 4905.00	25 gm 100 gm
029634 K ₂ S ₂ O ₅ (16731-55-8)	Potassium Metabisulphite M. W.: 222.31 Assay (Iodometric) 95.0%	684.00 6390.00	500 gm 5 kg POR 25 kg POR 50 kg
614625 K ₂ S ₂ O ₅ (16731-55-8)	Potassium Metabisulphite AR M. W.: 222.31 Assay (Iodometric) 97.0%	855.00	500 gm
	Potassium Metal See Potassium metal		
196155 KIO ₄ (7790-21-8)	Potassium Meta Periodate Extra Pure M.W.: 230.00 Assay 99.0%	2655.00 12200.00	100 gm 500 gm
614725 KIO ₄ (7790-21-8)	Potassium Meta Periodate AR/ACS Reagent for Li and Mn M. W.: 230.00 Assay (iodometric after drying) 99.8%	2800.00 13005.00	100 gm 500 gm
H61144 KIO ₄ (7790-21-8)	Potassium Meta Periodate AR/ACS Reagent for Li and Mn M. W.: 230.00 Assay (iodometric after drying) 99.8%	6498.00 24300.00	100 gm 500 gm
	Potassium Meta Vanadate See Potassium (Meta) Vanadate		
029638 KNO ₃ (7757-79-1)	Potassium Nitrate Purified M. W.: 101.10 Assay (Ion-exchange) 99.0%	522.00 4005.00	500 gm 5 kg POR 25 kg POR 50 kg
614765 KNO ₃ (7757-79-1)	Potassium Nitrate AR M. W.: 101.10 Assay (Ion-exchange) 99.5%	657.00	500 gm POR 50 kg
972350 MB KNO ₃ (7757-79-1)	Potassium Nitrate For Molecular Biology M. W.: 101.1 Assay : ≥ 99% Store Below 30°C	739.00	500 gm
PCT1010 PTC KNO ₃ (7757-79-1)	Potassium Nitrate Plant Culture Tested M. W.: 101.10 Assay 99% Store below 30°C	657.00 1301.00 6490.00	500 gm 1 kg 5 kg POR 25 kg
TC1161 ATC KNO ₃ (7757-79-1)	Potassium Nitrate Cell Culture Tested M. W.: 101.10 Assay : ≥99% Store below 30°C	3240.00 4883.00	500 gm 1 kg
029639 KNO ₂ (7758-09-0)	Potassium Nitrite Crystal M. W.: 85.11 Assay 97.0%	756.00 2250.00	100 gm 500 gm
614805 KNO ₂ (7758-09-0)	Potassium Nitrite AR/ACS M. W.: 85.11 Assay (Redox-titration) 97.0%	1602.00 4806.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
196105 C ₁₅ H ₃₆ O ₂ .k (143-18-0)	Potassium Oleate for Synthesis M. W.: 320.55 Assay 87.0%	3006.00	500 gm
029641 (COOK) ₂ .H ₂ O (6487-48-5)	Potassium Oxalate Purified M. W.: 184.23 Assay (oxidimetric) 99.0%	810.00 6840.00	500 gm 5 kg POR 25 kg POR 50 kg
614895 (COOK) ₂ .H ₂ O (6487-48-5)	Potassium Oxalate AR/ACS M. W.: 184.23 Assay (Oxidimetric) 99.5%	900.00 8100.00	500 gm 5 kg POR 50 kg
H60954 (COOK) ₂ .H ₂ O (6487-48-5)	Potassium Oxalate M. W.: 184.23 Assay (Oxidimetric) 99.5%	1800.00	500 gm
878640	Potassium Oxalate 5% Solution Assay 4.9-5.1%	117.00	125 ml
878660	Potassium Oxalate 10% Solution Assay 9.9-10.1%	135.00	125 ml
196130 *	Potassium Perchlorate KClO ₄ (7778-74-7)	POR	1 kg 5 kg POR 25 kg
614935 *	Potassium Perchlorate AR/ACS KClO ₄ (7778-74-7)	14140.00 35100.00	500 gm 2.5 kg
878720	Potassium Perchlorate 1M Solution	495.00 747.00 1107.00 1656.00	100 ml 250 ml 500 ml 1 lit
	Potassium Periodate See Potassium Meta Periodate		
029644 KMnO ₄ (7722-64-7)	Potassium Permanganate Purified M. W.: 158.03 Assay (Iodometric) 99.0%	702.00 6507.00	500 gm 5 kg POR 25 kg POR 50 kg
615025 KMnO ₄ (7722-64-7)	Potassium Permanganate AR/ACS Meets Analytical Specification of USP M. W.: 158.03 Assay (Iodometric) 99.5-100.5%	837.00	500 gm POR 50 kg
PCT2534 PTC KMnO ₄ (7722-64-7)	Potassium Permanganate Plant Culture Tested M. W.: 158.03 Store below 30°C	1755.00 3150.00	500 gm 1 kg
878740	Potassium Permanganate CPECTROSOL® 0.01M (0.05N) Standard Solution In accordance with NIST	1400.00	1 lit
878780	Potassium Permanganate Solution 0.02 Mol/lit Citrisol 1.5805g KMnO ₄ For 500 ml Solution 0.1N Solution	486.00 729.00 1089.00	1 Amp 3 Amp 6 Amp
878745	Potassium Permanganate CPECTROSOL® 0.02M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
878790	Potassium Permanganate CPECTROSOL® 0.05M (0.25N) Standard Solution In accordance with NIST	1400.00	1 lit

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C

☆ Delivery Period 4-6 Weeks

* Supply Against Licence

⊗ Supply Only to End User

P

Laboratory Chemicals

Product Code	Product Name	Price	Packing
878783	Potassium Permanganate 0.1 N (0.02 mol/L) Solution In Water	513.00 909.00 2205.00	500 ml 1 lit 2.5 lit
878820	Potassium Permanganate CPECTROSOL® 0.2M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
878850	Potassium Permanganate 0.25 N Solution in water	261.00 477.00 756.00	500 ml 1 lit 2.5 lit
878795	Potassium Permanganate 0.5 N (0.1 mol/L) Solution In Water	243.00 387.00 693.00	500 ml 1 lit 2.5 lit
878880	Potassium Permanganate 1.0 N	270.00 486.00 819.00	500 ml 1 lit 2.5 lit
878793	Potassium Permanganate 0.1N acc. to USP	603.00	500 ml
	Potassium Peroxymonosulphate See Oxzone		
	Potassium Peroxydisulphate See Potassium Persulphate		
196175 K ₂ S ₂ O ₈ (7727-21-1)	▲Potassium Persulphate M. W.: 270.31 Assay (Redox-titration) 98.0%	666.00 5607.00 POR	500 gm 5 kg 25 kg 50 kg
615065 K ₂ S ₂ O ₈ (7727-21-1)	▲Potassium Persulphate AR M. W.: 270.31 Assay (Redox-titration) 99.0%	738.00 POR	500 gm 50 kg
196195 K ₃ PO ₄ (7778-53-2)	tri-Potassium Phosphate M. W. : 212.27 Assay 97.0%	840.00	500 gm
615085 K ₃ PO ₄ (7778-53-2)	tri-Potassium Phosphate AR M. W. : 212.27 Assay 98.0%	1503.00	250 gm
196215 C ₈ H ₄ KNO ₂ (1074-82-4)	Potassium Phthalimide M. W.: 185.22 Assay (dried, Non-aqueous) 99.0%	1125.00 POR	500 gm 25 kg
	Potassium Phosphate Dibasic See di-Potassium Hydrogen Ortho Phosphate		
	Potassium Phosphate Mono Basic See Potassium Dihydrogen Ortho Phosphate		
029582 K[Sb(OH) ₆] (12208-13-8)	Potassium Pyroantimonate (Potassium Antimonate) M. W.: 262.89 Assay (on dried basis) 98.5%	1202.00 5810.00	100 gm 500 gm
615175 K[Sb(OH) ₆] (12208-13-8)	Potassium Pyroantimonate AR M. W.: 262.89 Assay 99.0%	1602.00 7506.00	100 gm 500 gm
196295 K ₄ O ₇ P ₂ (7320-34-5)	tetra-Potassium Pyrophosphate M. W.: 330.34 Assay (acidimetric) 98.0%	1323.00 POR POR	500 gm 25 kg 50 kg
196375 K ₂ S ₂ O ₇ (7790-62-7)	Potassium Pyrosulphate M. W.: 254.33	3006.00 8010.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
615215 K ₂ S ₂ O ₇ (7790-62-7)	Potassium Pyrosulphate AR (Potassium Disulphate) M. W.: 254.33 Assay (acidimetric) 97.5%	10800.00	500 gm
196400	Potassium Silicate Solution	1782.00 POR	5 lit 25 lit
196425 K ₂ SiF ₆ (16871-90-2)	Potassium Silicofluoride M. W.: 220.27	657.00	1 kg
029656 C ₄ H ₄ KNaO ₆ .4H ₂ O (6381-59-5)	Potassium Sodium (+) Tartrate M. W.: 282.22 Assay (Non-aqueous) 99.0-102.0%	1107.00 9504.00 POR POR	500 gm 5 kg 25 kg 50 kg
615305 C ₄ H ₄ KNaO ₆ .4H ₂ O (6381-59-5)	Potassium Sodium (+) Tartrate AR/ACS M. W.: 282.22 Assay (Non-aqueous) 99.0%	1251.00 POR POR	500 gm 25 kg 50 kg
972430 C ₄ H ₄ KNaO ₆ .4H ₂ O (6381-59-5)	Potassium Sodium (+) Tartrate Tetrahydrate For Molecular Biology M. W.: 282.22 Assay : ≥ 99% Store Below 30°C	1810.00	500 gm
H61544 C ₄ H ₄ KNaO ₆ .4H ₂ O (6381-59-5)	Potassium Sodium (+) Tartrate M. W.: 282.22	2106.00	500 gm
196465 C ₆ H ₇ KO ₂ (24634-61-5)	Potassium Sorbate M. W.: 150.22 Assay (Acidimetric; on cal. dried basis) 99.0-101.0%	2655.00 POR POR	1 kg 25 kg 50 kg
H62044 C ₆ H ₇ KO ₂ (24634-61-5)	Potassium Sorbate M. W.: 150.22	3996.00	1 kg
196515 K ₂ SnO ₃ .3H ₂ O (12125-03-0)	Potassium Stannate Trihydrate for Synthesis M. W.: 298.95 Assay (Trance metal basis) 99.9%	3996.00	500 gm
196595 C ₁₈ H ₃₅ O ₂ .K (593-29-3)	Potassium Stearate for Synthesis M. W.: 322.57	495.00	500 gm
029658 K ₂ SO ₄ (7778-80-5)	Potassium Sulphate Low in Nitrogen Content Suitable for Protein Test M. W.: 174.25 Assay (Alkalimetric) 99.0%	450.00 3600.00 POR POR	500 gm 5 kg 25 kg 50 kg
615395 K ₂ SO ₄ (7778-80-5)	Potassium Sulphate AR/ACS M. W.: 174.25 Assay (Alkalimetric) 99.5%	603.00 POR POR	500 gm 25 kg 50 kg
PCT1011 K ₂ SO ₄ (7778-80-5)	Potassium Sulphate Plant Culture Tested M. W.: 174.26 Assay 99% Store below 30°C	936.00 1720.00	500 gm 1 kg
879090	Potassium Sulphate TS acc. to USP	203.00	500 ml
196725 K ₂ S (1312-73-8)	Potassium Sulphide M. W.: 110.26	1008.00	500 gm

Product Code	Product Name	Price	Packing
196775 K ₂ SO ₃ (10117-38-1)	Potassium Sulphite M. W.: 158.26 Assay 90.0%	801.00	500 gm
	Potassium Sulphocyanide See Potassium Thiocyanate		
196815 C ₄ H ₆ O ₆ .K ₂ (921-53-9)	DL - Potassium Tartrate Extra Pure M. W.: 226.26	1350.00	500 gm
615985 C ₄ H ₆ O ₆ .K ₂ (921-53-9)	DL-Potassium Tartrate AR M. W.: 226.26	2691.00	250 gm
	Potassium Tert-Butoxide See Potassium tert-Butoxide		
196780 K ₂ TeO ₃ .3H ₂ O (7790-58-1)	Potassium Tellurite Trihydrate for Microbiology M.W. : 307.84 Assay (Argentometric on dried substance) 98.0%	2601.00 9306.00	25 gm 100 gm
029664 K ₂ B ₄ O ₇ .4H ₂ O (12045-78-2)	Potassium Tetraborate M. W.: 305.50 Assay 99.0-101.0%	1000.00	500 gm
196820 K ₂ PtCl ₄ (10025-99-7)	Potassium Tetra Chloro Platinate (II) M. W.: 415.09 Assay (ex Pt Gravimetric) 46.3-47.0%	13590.00 POR	1 gm 5 gm
029665 C ₄ H ₃ KO ₈ .2H ₂ O (6100-20-5)	Potassium Tetraoxalate M. W.: 254.19 Assay 99.0%	693.00	500 gm
616385 C ₄ H ₃ KO ₈ .2H ₂ O (6100-20-5)	Potassium Tetraoxalate (Dihydrate) AR M. W.: 254.19	2079.00	100 gm
	Potassium Tetroxiodate See Potassium Meta Perodate		
029666 KSCN (333-20-0)	Potassium Thiocyanate M. W.: 97.18 Assay (Argentometric) 98.0%	1233.00 POR POR	500 gm 25 kg 50 kg
616475 KSCN (333-20-0)	Potassium Thiocyanate AR/ACS M. W.: 97.18 Assay (Argentometric) 99.0%	1503.00 POR POR	500 gm 25 kg 50 kg
879160	Potassium Thiocyanate 0.05 M (0.05N) CTITRINORM Standard Solution	837.00	1 lit
879185	Potassium Thiocyanate 0.1 N Solution	266.00 486.00 1152.00	500 ml 1 lit 2.5 lit
879120	Potassium Thiocyanate CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
196925 K ₂ S ₂ O ₃ (10294-66-3)	Potassium Thiosulphate Practical Grade M. W.: 190.32 Assay 95.0%	6030.00 18090.00	100 gm 500 gm
196975 K ₂ TiO ₃ (12030-97-6)	Potassium Titanate M. W.: 174.06	1494.00 5409.00	100 gm 500 gm

Product Code	Product Name	Price	Packing
196995 K ₂ TiF ₆ (16919-27-0)	Potassium Titanium Fluoride M. W.: 240.09 Assay 98.0%	1152.00	500 gm
616795 K ₂ TiF ₆ (16919-27-0)	Potassium Titanium Fluoride AR M. W.: 240.09	1593.00	500 gm
616885 K ₂ TiC ₄ O ₉ .2H ₂ O (14402-67-6)	Potassium Titanium Oxalate AR M.W.: 354.13 Assay 98.5%	1296.00 2646.00	100 gm 250 gm
197035 KVO ₃ (13769-43-2)	Potassium meta Vanadate M.W.: 138.04 Assay (exV) 98.0%	1000.00 4600.00	100 gm 500 gm
PCT1409 PTC	Potato Powder Plant Culture Tested Store below 30°C	1260.00	100 gm
	Potato Starch See Starch Potato		
TC1601M ATC	Povidone, K-value ≤15 Plasdone C; PVP, 1-Vinyl-2- pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	3600.00 5000.00 6246.00 21060.00	10 gm 50 gm 100 gm 500 gm
(C ₆ H ₉ NO) _n (9003-39-8)			
TC1562M ATC	Povidone, K-value > 15 Plasdone C; PVP, 1-Vinyl-2- pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	3510.00 4905.00 6120.00 20070.00	10 gm 50 gm 100 gm 500 gm
(C ₆ H ₉ NO) _n (9003-39-8)			
197105 C ₁₅ H ₁₁ NO (92-71-7)	PPO (2,5-Diphenyloxazole) Scintillation grade M. W.: 221.26 Assay (Spectrophotometric) 99.0%	1900.00 6507.00 27000.00	25 gm 100 gm 500 gm
RE2140 (7440-10-0)	Praseodymium Metal Ingot Assay (Trace metal basis) 99.99%	6606.00 23580.00	10 gm 50 gm
RE2145 (7440-10-0)	Praseodymium Metal Lump Assay (Trace metal basis) 99.99%	6606.00 23580.00	5 gm 25 gm
RE2150 (7440-10-0)	Praseodymium Metal Powder 325 Mesh Assay (Trace metal basis) 99.99%	POR POR	5 gm 25 gm
RE2195 Pr(O ₂ C ₂ H ₃) ₃ .xH ₂ O (334869-74-8)	Praseodymium Acetate M. W.: 318.03 Assay (Trace metal basis) 99.9%	4905.00 16151.00	25 gm 100 gm
RE2200 Pr(O ₂ C ₂ H ₃) ₃ .xH ₂ O (334869-74-8)	Praseodymium Acetate M. W.: 318.03 Assay (Trace metal basis) 99.99%	7803.00 28800.00	25 gm 100 gm
RE2205 Pr(O ₂ C ₂ H ₃) ₃ .xH ₂ O (334869-74-8)	Praseodymium Acetate M. W.: 318.03 Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE2220 Pr ₂ (CO ₃) ₃ .8H ₂ O (14948-62-0)	Praseodymium Carbonate M. W.: 605.97 Assay (Trace metal basis) 99.9%	5355.00 19926.00	25 gm 100 gm
RE2225 Pr ₂ (CO ₃) ₃ .8H ₂ O (14948-62-0)	Praseodymium Carbonate M. W.: 605.97 Assay (Trace metal basis) 99.99%	11651.00 35820.00	25 gm 100 gm

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
RE2230 Pr ₂ (CO ₃) ₃ .8H ₂ O (14948-62-0)	Praseodymium Carbonate M. W.: 605.97 Assay (Trace metal basis) 99.999%		POR 25 gm POR 100 gm
RE2245 PrCl ₃ .xH ₂ O (19423-77-9)	Praseodymium Chloride M. W.: 247.27 Assay (Trace metal basis) 99.9%	4761.00 10719.00	25 gm 100 gm
RE2250 PrCl ₃ .xH ₂ O (19423-77-9)	Praseodymium Chloride M. W.: 247.27 Assay (Trace metal basis) 99.99%	7142.00 25102.00	25 gm 100 gm
RE2255 PrCl ₃ .xH ₂ O (19423-77-9)	Praseodymium Chloride M. W.: 247.27 Assay (Trace metal basis) 99.999%		POR 25 gm POR 100 gm
RE2270 PrF ₃ (13709-46-1)	Praseodymium Fluoride M. W.: 197.90 Assay (Trace metal basis) 99.9%	5913.00 29520.00	10 gm 50 gm
RE2275 PrF ₃ (13709-46-1)	Praseodymium Fluoride M. W.: 197.90 Assay (Trace metal basis) 99.99%	11660.00 42300.00	10 gm 50 gm
RE2280 PrF ₃ (13709-46-1)	Praseodymium Fluoride M. W.: 197.90 Assay (Trace metal basis) 99.999%		POR 10 gm POR 100 gm
RE2300 Pr(OH) ₃ .xH ₂ O	Praseodymium Hydroxide M. W.: 191.90 Assay (Trace metal basis) 99.99%		POR 25 gm POR 100 gm
RE2305 Pr(OH) ₃ .xH ₂ O	Praseodymium Hydroxide M. W.: 191.90 Assay (Trace metal basis) 99.999%		POR 25 gm POR 100 gm
RE2320 Pr(NO ₃) ₃ .xH ₂ O (15878-77-0)	Praseodymium Nitrate M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.9%	7344.00 28000.00	25 gm 100 gm
RE2325 Pr(NO ₃) ₃ .xH ₂ O (15878-77-0)	Praseodymium Nitrate M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.99%	11430.00 40050.00	25 gm 100 gm
RE2330 Pr(NO ₃) ₃ .xH ₂ O (15878-77-0)	Praseodymium Nitrate M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.999%		POR 25 gm POR 100 gm
RE2345 Pr ₂ (C ₂ O ₄) ₃ .xH ₂ O (28877-86-3)	Praseodymium Oxalate M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.9%		POR 25 gm
RE2350 Pr ₂ (C ₂ O ₄) ₃ .xH ₂ O (28877-86-3)	Praseodymium Oxalate M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.99%		POR 5 gm POR 25 gm
RE2355 Pr ₂ (C ₂ O ₄) ₃ .xH ₂ O (28877-86-3)	Praseodymium Oxalate M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.999%		POR 5 gm POR 25 gm
RE2368 Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide Ceramic Grade M.W. 1021.44 Assay 97.0%	9500.00	1 kg
RE2370 Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide M. W.: 1021.43 Assay (Trace metal basis) 99.9%	550.00 1233.00 4100.00	10 gm 25 gm 100 gm
RE2375 Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide M. W.: 1021.43 Assay (Trace metal basis) 99.99%	12380.00 43983.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
RE2380 Pr ₆ O ₁₁ (12037-29-5)	Praseodymium Oxide M. W.: 1021.43 Assay (Trace metal basis) 99.999%		POR 25 gm POR 100 gm
RE2395 Pr ₂ (SO ₄) ₃ .8H ₂ O (13510-41-3)	Praseodymium Sulphate M. W.: 714.12 Assay (Trace metal basis) 99.9%	5202.00 11610.00	25 gm 100 gm POR 500 gm
RE2400 Pr ₂ (SO ₄) ₃ .8H ₂ O (13510-41-3)	Praseodymium Sulphate M. W.: 714.12 Assay (Trace metal basis) 99.99%	5607.00 18252.00	25 gm 100 gm
029672 C ₁₃ H ₁₁ N ₃ .0.5H ₂ SO ₄ (1811-28-5)	Proflavine Hemisulphate M.W. : 516.58	1350.00 4320.00	5 gm 25 gm
197145 C ₂₁ H ₃₀ O ₂ (57-83-0)	Progesterone for lab use M. W.: 314.47 Assay(HPLC) 97.0%	1242.00 5085.00	5 gm 25 gm POR 500 gm
TC1379 ATC C ₂₁ H ₃₀ O ₂ (57-83-0)	Progesterone Cell Culture Tested M. W.: 314.46 Assay : ≥97% Store below 30°C	1944.00 3960.00 13770.00	1 gm 5 gm 25 gm
PCT1854 PTC C ₁₀ H ₁₀ CaO ₅ (127277-53-6)	- Prohexadione Calcium Plant Culture Tested M. W.: 250.26	4185.00 31410.00	100 mg 1 gm
617495 C ₅ H ₉ NO ₂ (344-25-2)	D-Proline AR M. W.: 115.13 Assay 99.0%	410.00 1071.00	1 gm 5 gm
037143 C ₅ H ₉ NO ₂ (147-85-3)	L-Proline for Biochemistry M. W.: 115.13 Assay (Non-aq.on dried Subs.) 99.0%	81.00 302.00 4500.00	5 gm 25 gm 500 gm
PCT1317 PTC C ₅ H ₉ NO ₂ (147-85-3)	L-Proline Plant Culture Tested M. W.: 115.13 Assay 99% Store below 30°C	144.00 505.00 6570.00 12600.00	5 gm 25 gm 500 gm 1 kg
TC1109 ATC C ₅ H ₉ NO ₂ (147-85-3)	L-Proline (From non-animal source) Cell Culture Tested M. W.: 115.13 Assay : ≥99% Store below 30°C	1431.00 4293.00 17110.00 25776.00	25 gm 100 gm 500 gm 1 kg
TC1109M ATC C ₅ H ₉ NO ₂ (147-85-3)	L-Proline (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 115.13 Store below 30°C	1540.00 4653.00 18153.00 28881.00	25 gm 100 gm 500 gm 1 kg
	Propanal See Propionaldehyde		
	Propan-1-ol See 1-Propanol		
	Propan-2-ol See 2-Propanol		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
029673	1,2- Propanediol for Synthesis (Propylene Glycol)	873.00	500 ml
C ₃ H ₈ O ₂ (57-55-6)	M. W.: 76.10 Assay (GC) 99.0%	3709.00 POR POR	2.5 lit 25 lit 200 lit
617585	1,2- Propanediol AR	936.00	500 ml
C ₃ H ₈ O ₂ (57-55-6)	M. W.: 76.10 Assay (GC) 99.5%	4005.00 POR POR	2.5 lit 25 lit 200 lit
197345	1,3- Propanediol for Synthesis (Trimethylene Glycol, 1,3-Propylene Glycol)	2106.00	500 ml
C ₃ H ₈ O ₂ (504-63-2)	M.W : 76.09	9504.00	2.5 lit
	1,2- Propanediol Cyclic Carbonate See Propylene Carbonate		
765700	1- Propane Sulphonic Acid Sodium Salt HPLC	306.00	5 gm
C ₃ H ₇ NaO ₃ S (14533-63-2)	M.W. : 146.14 Assay 99.0%	1400.00	25 gm
765705	2- Propane-Sulphonic Acid Sodium Salt for HPLC	351.00	5 gm
	Assay 99.0%	1503.00	25 gm
	2- Propen-1-ol See Allyl Alcohol		
029679	1- Propanol for Synthesis (n-Propyl Alcohol)	486.00	500 ml
C ₃ H ₈ O (71-23-8)	M. W.: 60.10 Assay (GC) 99.0%	1908.00 POR POR	2.5 lit 25 lit 200 lit
617645	1- Propanol AR (n-Propyl Alcohol)	558.00	500 ml
C ₃ H ₈ O (71-23-8)	M. W.: 60.10 Assay (GC) 99.5%	2106.00 POR POR	2.5 lit 25 lit 200 li
765793	1- Propanol GC-HS Grade (n-Propyl Alcohol)	1728.00	1 lit
CH ₃ .CH ₂ .CH ₂ OH (71-23-8)	M.W. 60.10		
765800	1- Propanol for HPLC & Spectroscopy	2808.00	1 lit
C ₃ H ₈ O (71-23-8)	M. W.: 60.10 Assay (GC) 99.8%		
765760	1- Propanol for Pesticide residue analysis (n-Propyl Alcohol, Propan-1-Ol)	2800.00	1 lit
C ₃ H ₈ O (71-23-8)	M. W.: 60.10		
TC1571M ATC	1- Propanol n-Propanol Meets EP 9.0 and BP 2016 testing specifications	5400.00	500 ml
C ₃ H ₈ O (71-23-8)	M. W.: 60.09 Store below 30°C	8235.00	1 lit
197405	2- Propanol for Synthesis (ISO-Propyl Alcohol)	423.00	500 ml
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.0%	1503.00 2520.00 POR POR	2.5 lit 5 lit 25 lit 200 lit
617665	2- Propanol AR (ISO-Propyl Alcohol)	477.00	500 ml
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.5%	855.00 1701.00 POR	1 lit 2.5 lit 25 lit

Product Code	Product Name	Price	Packing
617675	2- Propanol Specially dried AR	423.00	500 ml
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.5%	1944.00	2.5 lit
765853	2- Propanol GC-HS Grade	1665.00	1 lit
CH ₃ CH(OH)CH ₃ (67-63-0)	M.W : 60.10 Assay 99.8%		
765857	2- Propanol EL grade (ISO-Propyl Alcohol)	2403.00	2.5 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.8%		
765860	2- Propanol for HPLC & Spectroscopy	513.00	500 ml
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.8%	927.00 2007.00	1 lit 2.5 lit
972570 MB	2- Propanol for Molecular Biology	1737.00	500 ml
C ₃ H ₈ O (67-63-0)	M. W.: 60.10 Assay (GC) 99.5%		
765900	Propanol-2-OL for Pesticide Residue Trace Analysis (Iso Propyl Alcohol, 2-Propanol)	1760.00	1 lit
C ₃ H ₈ O (67-63-0)	M. W.: 60.10		
197425	- Propanolol Hydrochloride for Lab Use	2430.00	5 gm
C ₁₆ H ₂₁ NO ₂ .HCl (318-98-9)	M. W.: 295.81 Assay 99.0%		
	2- Propanone See Acetone		
197445	Propargyl Alcohol (2-Propyn-1-ol, Propinol, Ethynyl Carbinol)	2205.00	500 ml
C ₃ H ₄ O (107-19-7)	M. W.: 56.06	10080.00 POR	2.5 lit 25 lit
	2- Propinol See Propargyl Alcohol		
TC1223 ATC	β-Propiolactone	72630.00	100 ml
C ₃ H ₄ O ₂ (57-57-8)	M. W.: 72.06 Assay ≥97% Store at -20°C		
029685	Propionaldehyde for Synthesis	576.00	500 ml
C ₃ H ₆ O (123-38-6)	M. W.: 58.08 Assay (GC) 98.0%	2106.00	2.5 lit
029688	Propionic Acid for Synthesis	603.00	500 ml
C ₃ H ₆ O ₂ (79-09-4)	M. W.: 74.08 Assay (GC) 99.0%	2700.00 POR	2.5 lit 25 lit
029689	Propionic Anhydride for Synthesis	1656.00	500 ml
C ₆ H ₁₀ O ₃ (123-62-6)	M. W.: 130.14 Assay 97.0%	7200.00 POR	2.5 lit 25 lit
197535	Propionitrile for Synthesis (Ethyl Cyanide)	1431.00	500 ml
CH ₃ CH ₂ CN (107-12-0)	M. W.: 55.08	5751.00 POR	2.5 lit 10 lit
618305	Propionitrile AR	1620.00	250 ml
CH ₃ CH ₂ CN (107-12-0)	M. W.: 55.08		

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing	
197625	Propionyl Chloride for Synthesis (Propionic Acid Chloride) M. W.: 92.52	1503.00 4600.00	500 ml 2.5 lit	198435	Propyl-p-Hydroxy Benzoate Sodium Salt M. W.: 202.19 Assay 99.0-104.0%	2106.00 19000.00	500 gm 5 kg	
CH ₃ CH ₂ COCl (79-03-8)				C ₁₀ H ₁₁ NaO ₃ (35285-69-9)		POR 25 kg POR 50 kg		
972510 MB	▲Propodium Iodide For Molecular Biology M. W.: 668.39 Assay : ≥ 94%	2214.00 4032.00	10 mg 25 mg	198505	n-Propyl Iodide for Synthesis (1-Iodopropane) M.W. : 169.99 Assay 99.0%	5400.00 26010.00	100 ml 500 ml	
C ₂₇ H ₃₄ I ₂ N ₄ (25535-16-4)				C ₃ H ₇ I (107-08-4)				
197885	n-Propyl Acetate for Synthesis M. W.: 102.13	567.00 2403.00	500 ml 2.5 lit	Propyl Paraben See propy-p-Hydroxybenzoate				
C ₅ H ₁₀ O ₂ (109-60-4)			POR 25 lit POR 200 lit	2-Propyn-1-ol See Propargyl Alcohol,				
	n-Propyl Alcohol See 1-Propanol			N-Propyl-3,4,5-Trihydroxybenzoate See N-Propyl Gallate				
	iso-Propyl Alcohol See 2-Propanol			619845	Protamine Sulphate AR	10494.00	5 gm	
	Propyl Chloride See Allyl Chloride			(53597-25-4)		POR 25 gm		
	iso-Propyl Ether See Di-iso-Propyl Ether			TC1563M ATC	Protamine Sulphate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 372.42	21060.00 84240.00	10 gm 50 gm POR 500 gm	
029695	n-Propylamine for Synthesis M. W.: 59.11 Assay(GC) 98.0%	680.00 3204.00	500 ml 2.5 lit	(9009-65-8)	Store below 30°C			
C ₃ H ₉ N (107-10-8)			POR 25 lit POR 200 lit	198535 *	Protein A Soluble Purified from S aureus Cell Wall, Lyophilised essentially salt free binding capacity 7-14 mgm of human 1g per mgm solid	13401.00	2 mg	
619005	n-Propylamine AR M. W.: 59.11	990.00 3600.00	500 ml 2.5 lit	972590 MB	▲Protein A Sepharose For Molecular Biology	97002.00 174600.00	500 mg 1 gm	
C ₃ H ₉ N (107-10-8)				972670 MB	▲Proteinase K, From Pichia Pastoris Recombinant PCR Grade For Molecular Biology M. W.: 28.93 kDa	720.00 6642.00 51750.00	10 mg 100 mg 1 gm	
198065	N-Propyl Benzene M. W.: 120.19 Assay 97.5%	2475.00 9900.00	100 ml 500 ml	(39450-01-6)	TC1687 ATC	▲Proteinase K Cell Culture Tested M. W.: 28.9 kDa	1944.00 8730.00	10 mg 100 mg
C ₉ H ₁₂ (103-65-1)				(39450-01-6)	341095	Protease Peptone (Culture Media Ingradient)	1503.00	500 gm
027484	n-Propyl Bromide for Synthesis M. W.: 122.99 Assay (GC) 99.0%	2106.00 8811.00	500 ml 2.5 lit	198615	Protocatechuic Acid for Synthesis (OH) ₂ C ₆ H ₃ CO ₂ H (99-50-3)	2205.00 7200.00	25 gm 100 gm	
CH ₃ .CH ₂ .CH ₂ Br (106-94-5)				315055	Prussian Blue for Microscopy M.W. : 859.23	500.00 1800.00 2800.00 5000.00	5 gm 25 gm 100 gm 1 kg	
198305	Propylene Carbonate (1,2-Propanediol Cyclic Carbonate) (4-Methyl-1,3-Dioxolan-2-one) M. W.: 102.09	855.00 3807.00	500 ml 2.5 lit	(14038-43-8)		5000.00	1 kg	
C ₄ H ₆ O ₃ (108-32-7)			POR 25 lit POR 200 lit	198665	Pumic Stone (Granular for elemental analysis)	3600.00	500 gm	
619325	Propylene Carbonate AR M. W.: 102.09	1260.00	500 ml	198715	Pumic Stone Powder	225.00 2007.00	500 gm 5 kg	
C ₄ H ₆ O ₃ (108-32-7)				(1332-09-8)	PCT2150 PTC	▲Puromycin Dihydrochloride Plant Culture Tested M. W.: 544.043	10211.00 10 gm	
	Propylene Glycol See 1,2-Propanediol			C ₂₂ H ₂₉ N ₇ O ₅ .2HCl (58-58-2)				
	Propylene Glycol Monomethyl Ether See 1-Methoxy-2-Propanol							
619505	Propylene Oxide AR M. W.: 58.08 Assay 99.5%	3699.00	100 ml					
C ₃ H ₆ O (75-56-9)								
029704	n-Propyl Gallate (Antioxident) M. W.: 212.20 Assay (Complexometric) 98.0%	1305.00 5202.00 48060.00	100 gm 500 gm 5 kg					
C ₁₀ H ₁₂ O ₅ (121-79-9)			POR 25 kg					
198425	Propyl-p-Hydroxy Benzoate (Propyl Paraben) M. W.: 180.20 Assay Acidimetric, potentiometric cal. on dried subs. 99.0-102.0%	1800.00 15003.00	500 gm 5 kg					
C ₁₀ H ₁₂ O ₃ (94-13-3)			POR 25 kg POR 50 kg					

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1198 C ₂₂ H ₂₉ N ₇ O ₅ .2HCl (58-58-2)	▲Puromycin Dihydrochloride Cell Culture Tested M. W.: 544.43 Assay : ≥98%	4320.00	10 mg
		9081.00	25 mg
PCT1811 C ₄ H ₁₂ N ₂ .2HCl (333-93-7)	▲Putrescine Dihydrochloride (1,4-Butanediamine dihydrochloride) Plant Culture Tested M. W.: 161.07 Assay 99%	675.00	1 gm
		1962.00	5 gm
		8811.00	25 gm
TC1163 C ₄ H ₁₂ N ₂ .2HCl (333-93-7)	▲Putrescine Dihydrochloride Cell Culture Tested M. W.: 161.07 Assay : ≥98%	2480.00	5 gm
		10854.00	25 gm
029707 C ₅ H ₅ N (110-86-1)	Pyridine M. W.: 79.10 Assay (GC) 99.0%	460.00	250 ml
		855.00	500 ml
		3700.00	2.5 lit
619935 C ₅ H ₅ N (110-86-1)	Pyridine AR M. W.: 79.10 Assay 99.5%	531.00	250 ml
		936.00	500 ml
		4203.00	2.5 lit
			POR 25 lit
			POR 200 lit
620355 C ₅ H ₅ N (110-86-1)	Pyridine "Dry" AR M. W.: 79.10	1377.00	500 ml
199000 C ₅ H ₅ N (110-86-1)	Pyridine for Karl Fischer Reagent M. W.: 79.10	1193.00	500 ml
766500 C ₅ H ₅ N (110-86-1)	Pyridine for HPLC & Spectroscopy M. W.: 79.10	2700.00	1 lit
D93078 C ₅ D ₅ N (7291-22-7)	Pyridine-d₅ (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	16920.00	10x0.75 ml
D93087 C ₅ D ₅ N (7291-22-7)	Pyridine-d₅ (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99.5 atom%D	23994.00	10 ml
	Pyridine 2:6-Dicarboxylic Acid for synthesis SEE 2,6-Dipicolinic Acid		
199045 C ₅ H ₅ N.HBr (18820-82-1)	Pyridine Hydrobromide for Synthesis (Pyridinium Bromide) M. W.: 160.01	441.00	100 gm
		1152.00	500 gm
		1980.00	1 kg
199095 C ₅ H ₅ NO (694-59-7)	Pyridine-N-Oxide for Synthesis M. W.: 95.10 Assay 94.0-106.0%	2160.00	25 gm
		4500.00	100 gm
		17100.00	500 gm
	3-Pyridine Carbonitrile See 3-Cyano Pyridine		
	4-Pyridine Carbonitrile See 4-Cyano Pyridine		
199315 C ₅ H ₆ NCrO ₃ (26299-14-9)	Pyridinium Chlorochromate for Synthesis M. W.: 215.56 Assay 98.0%	1305.00	100 gm
		5607.00	500 gm
620785 C ₁₀ H ₁₀ N ₂ .H ₂ Cr ₂ O ₇ (20039-37-6)	Pyridinium Dichromate AR M. W.: 376.20	585.00	25 gm
		1800.00	100 gm
		7803.00	500 gm

Product Code	Product Name	Price	Packing
199405 C ₁₂ H ₁₃ NO ₃ S (24057-28-1)	Pyridinium-p-Toluene Sulphonate for Synthesis (4-Toluenesulphonic Acid Pyridine Salt) M. W.: 251.30	684.00	25 gm
		2502.00	100 gm
		7992.00	500 gm
199415 C ₈ H ₉ NO ₃ .HCl (65-22-5)	Pyridoxal Hydrochloride M. W.: 203.62	2907.00	5 gm
		12456.00	25 gm
TC1164 C ₈ H ₉ NO ₃ .HCl (65-22-5)	▲Pyridoxal Hydrochloride Cell Culture Tested M. W.: 203.62 Assay : ≥99%	3380.00	5 gm
		13550.00	25 gm
199425 C ₈ H ₁₀ NO ₆ PH ₂ O (41468-25-1)	Pyridoxal-5-Phosphate for Biochemistry M. W.: 265.16 Assay 99.0%	1017.00	1 gm
		4626.00	5 gm
		16300.00	25 gm
199435 C ₈ H ₁₂ N ₂ O ₂ .2HCl (524-36-7)	▲Pyridoxamine Dihydrochloride Cell Culture Tested M. W.: 241.11 Assay : ≥98%	2295.00	1 gm
		4590.00	5 gm
		12600.00	25 gm
TC1165 C ₈ H ₁₂ N ₂ O ₂ .2HCl (524-36-7)	▲Pyridoxamine Dihydrochloride Cell Culture Tested M. W.: 241.11 Assay : ≥98%	5153.00	1 gm
		14004.00	5 gm
		53411.00	25 gm
199455 C ₈ H ₁₁ NO ₃ .HCl (58-56-0)	Pyridoxine Hydrochloride For Biochemistry M. W.: 205.64 Assay (dried, non aqueous) 98-101.0%	117.00	5 gm
		504.00	25 gm
		1800.00	100 gm
PCT1212 C ₈ H ₁₁ NO ₃ .HCl (58-56-0)	▲Pyridoxine Hydrochloride (Vitamin B6 hydrochloride) Plant Culture Tested M. W.: 205.64 Assay 99%	315.00	10 gm
		707.00	25 gm
TC1039 C ₈ H ₁₁ NO ₃ .HCl (58-56-0)	▲Pyridoxine Hydrochloride (Vitamin B6 hydrochloride) Cell Culture Tested M. W.: 205.64 Assay : ≥99%	1630.00	10 gm
		3240.00	25 gm
		9766.00	100 gm
TC1039M C ₈ H ₁₁ NO ₃ .HCl (58-56-0)	▲Pyridoxine Hydrochloride Vitamin B6; Pyridoxol hydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 205.64	3636.00	10 gm
		7272.00	25 gm
		14544.00	100 gm
199465 C ₁₂ H ₉ NO (127406-56-8)	4-(2-Pyridyl) Benzaldehyde M.W.: 183.21	2300.00	1 gm
		6480.00	5 gm
			POR 500 gm
620875 C ₂₀ H ₁₄ N ₄ (1046-56-6)	3-(2-Pyridyl)-5,6-Diphenyl-1,2,4-Triazine AR (PDT) M. W.: 310.36 Assay (HClO ₄ -titration) 99.0%	2601.00	1 gm
		12501.00	5 gm

P

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
☒ Supply Only to End User

Product Code	Product Name	Price	Packing
620885	3-(2-Pyridyl)-5,6-Diphenyl -1,2,4-Triazine 4'-4"-Disulphonic Acid Disodium Salt AR C ₂₀ H ₁₂ N ₄ Na ₂ O ₆ S ₂ (28048-33-1) M. W.: 514.44 Assay (HClO ₄ -titration, on anhydrous substances) 99.0%	4203.00	1 gm
	1-(2-Pyridyl Azo)-2-naphthol Metal (Pm) Indicator See PAN Indicator		
	4-(2-Pyridyl Azo) Resorcinol Mono Sodium Salt Metal (Pm) Indicator See PAR Indicator		
199485	1- (2-Pyridyl) Piprazine C ₉ H ₁₃ N ₃ (34803-66-2) M.W.: 163.22	1800.00 6003.00 POR	5 gm 25 gm 500 gm
027653	Pyrocatechol C ₆ H ₄ (OH) ₂ (120-80-9) M. W.: 110.11 Assay (GC) 98.0%	405.00 1206.00 POR POR	100 gm 500 gm 25 kg 50 kg
620925	Pyrocatechol AR C ₆ H ₄ (OH) ₂ (120-80-9) M. W.: 110.11 Assay (GC) 99.0%	851.00 4001.00	100 gm 500 gm
	3,5-Pyrocatechol Disulphonic Acid Disodium Salt See Tiron		
315205	Pyrocatechol Violet AR (Catechol violet) C ₁₉ H ₁₄ O ₇ S (115-41-3) M.W.: 386.38	1008.00 4005.00	1 gm 5 gm
879360	Pyrocatechol Violet Solution Adsorption Indicator (Reagent for Al, Bi, Sn, V & Ti)	441.00	100 ml
	Pyrogallol Acid See Pyrogallol		
029716	Pyrogallol for Synthesis 1, 2, 3-Trihydroxy benzene (Pyrogallol acid) C ₆ H ₃ (OH) ₃ (87-66-1) M. W.: 126.11 Assay (By GC) 98.0%	1836.00 8802.00 POR	100 gm 500 gm 25 kg
621385	Pyrogallol AR C ₆ H ₃ (OH) ₃ (87-66-1) M. W.: 126.11 Assay (By GC) 99.0%	2007.00 9504.00	100 gm 500 gm
315365	Pyrogallol Red AR C ₁₉ H ₁₄ O ₉ S (32638-88-3) M. W.: 418.38	1251.00	1 gm
199545	▲L-Pyroglyutamic Acid for Biochemistry C ₅ H ₇ NO ₃ (98-79-3) M. W.: 129.11 Assay 99.0%	504.00 1503.00	25 gm 100 gm
199585	Pyromellitic Dianhydride (PMDA) (89-32-7) Assay 98%	1503.00 2430.00 7740.00	25 gm 100 gm 500 gm
315455	Pyronin B C ₄₂ H ₅₄ Cl ₈ Fe ₂ N ₄ O ₂ (2150-48-3) C. I. NO. 45010 M.W.: 1042.22 Dye content 30.0%	1656.00	5 gm

Product Code	Product Name	Price	Packing
315475	▲Pyronin G for Microscopy Suitable as Tracker Dye in Acid Buffer System (Pyronin y) C. I. No. 45005 C ₁₇ H ₁₉ ClN ₂ O (92-32-0) M.W.: 302.80	2205.00	5 gm
972750	Pyronin Y For Molecular Biology C. I. No.: 45005 M. W.: 302.80	2556.00	5 gm
	Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Salt See Ammonium Pyrrolidine Dithiocarbamate		
	S-(-)-2-Pyrrolidone-5-Carboxylic Acid See L-Pyroglutamic		
199755	Pyrrole for Synthesis C ₄ H ₅ N (109-97-7) M.W.: 67.09 Assay 97.5%	6822.00 19800.00	100 ml 500 ml
199835	Pyrrole-2-Carboxylic Acid C ₅ H ₅ NO ₂ (634-97-9) M.W.: 111.10 Assay 99.0%	12321.00 47880.00	25 gm 100 gm
199945	Pyrrolidine for Synthesis (Tetramethyleneimine Tetrahydropyrole) C ₄ H ₉ N (123-75-1) M.W.: 71.12	3870.00 16110.00	500 ml 2.5 lit
621465	Pyrrolidine AR C ₄ H ₉ N (123-75-1) M. W.: 71.12 Assay 99.5%	1900.00 5850.00	100 ml 500 ml
200105	2-Pyrrolidino Ethanol for Synthesis C ₆ H ₁₃ NO (2955-88-6) M.W.: 115.17 Assay 97.0%	2205.00 7650.00	100 ml 500 ml
200225	2-Pyrrolidone (2-Pyrrolidone, Butyrolactum) C ₇ H ₇ NO (616-45-5) M.W.: 85.10	1800.00 8811.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
TC1692	▲Pyruvate Kinase Cell Culture Tested (9001-59-6) M. W.: 237 kDa Assay : ≥95%	POR	1000 units
	Pyruvic Acid Sodium Salt See Sodium Pyruvate		

PESTICIDE RESIDUE ANALYSIS SOLVENTS

These solvents are developed especially for the applications in residual pesticides analysis and analysis of other low-volatile, environmentally relevant substances by using GC/ECD or GC/PND or GC/MSD instrumentation. These solvents are also suitable for analysis of polychlorinated biphenyls (PCBs) class of substance.



Product Code	Product Name	Price	Packing
623895	Quartz Granular AR Washed and Calcined M. W.: 60.09	594.00 2196.00	250 gm 1 kg
SiO ₂ (14808-60-7)			
623910	Quartz Fine Powder > 230 Mesh AR M. W.: 60.08	2160.00 6390.00	250 gm 1 kg
SiO ₂ (14808-60-7)			
205215	Quartz Powder ≥ 230 Mesh Pure M. W.: 60.08	693.00 2106.00	100 gm 500 gm
SiO ₂ (14808-60-7)			
205200	Quartz Powder ≤ 230 Mesh Pure M. W.: 60.08	981.00	100 gm
SiO ₂ (14808-60-7)			
623905	Quartz Powder ≤ 230 mesh AR M. W.: 60.08	1395.00	100 gm
SiO ₂ (14808-60-7)			
205235	Quartz Powder Pure M. W.: 60.08	792.00 2403.00	250 gm 1 kg
SiO ₂ (14808-60-7)			
205295	Quartz White Powder Pure For Cleaning of Platinum, Crucibles, Calcined, Crdeu M. W.: 60.08	2800.00	2.5 kg
SiO ₂ (14808-60-7)			
205255	Quartz Sand Acid Purified Pure M. W.: 60.08	1080.00 1962.00	500 gm 1 kg
SiO ₂ (14808-60-7)			
623915	Quartz Washed & Calcined AR M. W.: 60.08	3780.00 13500.00	250 gm 1 kg
SiO ₂ (14808-60-7)			
205315	▲ Quercetin Dihydrate (3,3,4,5,7-pentahydroxyflavone) M. W.: 338.27	1900.00 7002.00	25 gm 100 gm
C ₁₅ H ₁₀ O ₇ .2H ₂ O (6151-25-3)			
PCT2547 PTC	▲ Quercetin Dihydrate Plant Culture Tested M. W.: 338.27 Store below 30°C	3204.00 11205.00	25 gm 100 gm
C ₁₅ H ₁₀ O ₇ .2H ₂ O (6151-25-3)			
626895	Quinaldic Acid AR M. W.: 173.17 Assay 98.0%	3070.00 6606.00	10 gm 25 gm
C ₁₀ H ₇ NO ₂ (93-10-7)			
205505	Quinaldine for Synthesis (2-Methylquinoline) M. W.: 143.19 Assay 95.0%	1305.00 6003.00	100 gm 500 gm
C ₁₀ H ₉ N (91-63-4)			
316375	▲ Quinaldine Red Indicator M. W.: 430.33 Dye content 95.0%	1422.00 6507.00	1 gm 5 gm
C ₂₁ H ₂₃ IN ₂ (117-92-0)			
879860	Quinaldine Red Indicator Solution	585.00	100 ml
627075	Quinhydrone AR M. W.: 218.21	1980.00 9000.00	100 gm 500 gm
C ₁₂ H ₁₀ O ₄ (106-34-3)			

Product Code	Product Name	Price	Packing
205835	▲ Quinic Acid for Synthesis M. W.: 192.17 Assay 98.0%	1242.00 3915.00	5 gm 25 gm
C ₇ H ₁₂ O ₆ (77-95-2)			
PCT2548 PTC	Quinine Plant Culture Tested M. W.: 324.42 Store below 30°C	1323.00 2655.00	10 gm 25 gm
C ₂₀ H ₂₄ N ₂ O ₂ (130-95-0)			
627135	Quinine Glycero Phosphate AR (146-39-4)	36000.00	5 gm
205910	Quinine Sulphate (C ₂₀ H ₂₄ N ₂ O ₂) ₂ .H ₂ SO ₄ .2H ₂ O M. W.: 782.95 Assay (Non-aqueous) 99.5%	1450.00	25 gm
(6119-70-6)			
627175	Quinine Sulphate AR (C ₂₀ H ₂₄ N ₂ O ₂) ₂ .H ₂ SO ₄ .2H ₂ O M. W.: 782.95 Assay (Non-aqueous) 99.5%	1683.00	25 gm
(6119-70-6)			
316515	Quinizarine for Synthesis M. W.: 240.21 Assay 95.0%	2007.00	100 gm
C ₁₄ H ₈ O ₄ (81-64-1)			
	Quinol See Hydroquinone		
030012	Quinoline for Synthesis M. W.: 129.16 Assay (GC) 97.0%	2457.00 11520.00	500 ml 2.5 lit POR 200 lit
C ₉ H ₇ N (91-22-5)			
627495	Quinoline AR M. W.: 129.16	8334.00	1 lit
C ₉ H ₇ N (91-22-5)			
206035	Quinoline-4-Carboxylic Acid for Synthesis M. W.: 173.17 Assay 97.0%	4680.00 12582.00	1 gm 5 gm
C ₁₀ H ₇ NO ₂ (486-74-8)			
316605	Quinoline Yellow (Spirit Soluble) C.I. 47000 (8003-22-3)/(91-22-5)	801.00	25 gm
316695	Quinoline Yellow (Water Soluble) C.I. 47005 M. W.: 477.38	1044.00 2800.00	25 gm 100 gm
C ₁₈ H ₉ NO ₈ S ₂ 2Na (8004-92-0)			
206235 *	Quinolinic Acid for Synthesis M. W.: 167.12 Assay 99.0%	1017.00 1980.00 7920.00	25 gm 100 gm 500 gm
C ₇ H ₅ NO ₄ (89-00-9)			

NANOPOWDER / NANOPARTICLES

Product Code : N11930 | Diamond Nanoparticles / Nanopowder
(C,3-10nm)
Assay 98%

CAS No. (7782-40-3)





R

Laboratory Chemicals

Product Code	Product Name	Price	Packing
840000	R.B.C. Diluting Fluid (Gower's)	432.00	500 ml
883010	R.B.C. Diluting Fluid (Hayem's)	145.00 244.00	125 ml 500 ml
632495	D-Raffinose AR (Pentahydrate)	693.00	10 gm
C ₁₈ H ₃₂ O ₁₆ .5H ₂ O (17629-30-0)	M. W.: 594.52	1593.00	25 gm
		5810.00	100 gm
TC1162	D-(+)-Raffinose Pentahydrate (Melitose; Melitriose) Cell Culture Tested	4240.00 15660.00 60462.00	25 gm 100 gm 500 gm
C ₁₈ H ₃₂ O ₁₆ .5H ₂ O (17629-30-0)	M. W.: 594.51 Assay : ≥98% Store below 30°C		
	Raney Nickel Catalyst Alloy See Nickel Aluminium Alloy		
TC1416	Rapamycin 23,27-Epoxy-3H-pyrido[2,1-c][1,4] oxaazacyclohentrriacontine, AY 22989, Sirolimus Cell Culture Tested	33850.00 90936.00	10 mg 50 mg
C ₅₁ H ₇₉ NO ₁₃ (53123-88-9)	M. W.: 914.17 Assay : ≥90%		
	Rare Earth Multi Element See Multi Element		

Reagents & Solutions According To United States Pharmacopoeia

800105	Acetate Buffer TS acc. to USP	423.00	500 ml
800263	Acetic Acid Solution 2N acc. to USP	423.00	500 ml
800336	Acetic Acid - Ammonium Acetate Buffer TS acc. to USP	900.00	500 ml
804800	Ammonia TS acc. to USP	369.00	500 ml
804805	Ammonia-Ammonium Chloride Buffer TS acc. to USP	225.00	500 ml
805070	Ammonium Carbonate TS acc. to USP	302.00	500 ml
805140	Ammonium Chloride-Ammonium Hydroxide TS acc. to USP	320.00	500 ml
805138	Ammonium Chloride TS acc. to USP	239.00	500 ml
806200	Ammonium Thiocyanate TS acc. to USP	261.00	500 ml
808082	Barium Chloride TS acc. to USP	275.00	500 ml
808200	Barium Nitrate TS acc. to USP	261.00	500 ml
811282	Bromate-Bromide Solution 0.1N acc. to USP	351.00	500 ml
811744	Bromocresol Green TS acc. to USP	167.00	125 ml
812005	Bromophenol Blue TS acc. to USP	252.00	125 ml
812175	Bromothymol Blue TS acc. to USP	288.00	125 ml
814470	Calcium Sulphate TS acc. to USP	234.00	500 ml
819045	Congo Red TS acc. to USP	261.00	125 ml
819280	Copper Acetate TS acc. to USP	306.00	500 ml
819390	Copper Sulphate TS acc. to USP	351.00	500 ml
829050	Edetate Disodium TS acc. to USP	495.00	500 ml
834270	Ferric Ammonium Sulphate TS acc. to USP	176.00	500 ml

Product Code	Product Name	Price	Packing
834325	Ferric Chloride TS acc. to USP	167.00	500 ml
839650	Glycerin Base TS acc. to USP	333.00	500 ml
844865	Hydrochloric Acid 1N acc. to USP	333.00	500 ml
849845	Iodine Solution 0.1N acc. to USP	1400.00	500 ml
859825	Lead Acetate TS acc. to USP	261.00	500 ml
864520	Mercuric Chloride TS acc. to USP	558.00	100 ml
865750	Methylene Blue TS acc. to USP	315.00	125 ml
865863	Methyl Orange TS acc. to USP	176.00	125 ml
866043	Methyl Red TS acc. to USP	225.00	125 ml
866048	Methyl Red-Methylene Blue solution acc. to USP	221.00	125 ml
868805	Neutral Red TS acc. to USP	167.00	125 ml
871580	Oxalic Acid TS acc. to USP	198.00	500 ml
874643	Perchloric Acid Solution 0.1N acc. to USP	1062.00	500 ml
875190	Phenolphthalein TS acc. to USP	261.00	125 ml
875520	Phenol Red TS acc. to USP	199.00	125 ml
875810	Phosphotungstic Acid TS acc. to USP	846.00	100 ml
876670	Potassium Acetate TS acc. to USP	225.00	500 ml
876840	Potassium Carbonate TS acc. to USP	185.00	500 ml
878525	Potassium Iodide TS acc. to USP	1503.00	500 ml
878793	Potassium Permanganate Solution 0.1N acc. to USP	630.00	500 ml
879090	Potassium Sulphate TS acc. to USP	203.00	500 ml
883215	Resorcinol TS acc. to USP	603.00	500 ml
889415	Silver Nitrate Solution 0.1N acc. to USP	3303.00	500 ml
890325	Sodium Acetate TS acc. to USP	221.00	500 ml
891250	Sodium Chloride TS, Alkaline acc. to USP	604.00	500 ml
892163	Sodium Hydroxide TS (1 N) acc. to USP	194.00	500 ml
893245	Sodium Thiosulphate Solution 0.1N (N/10) acc. to USP	302.00	500 ml
894495	Sulphanilic Acid TS acc. to USP	369.00	500 ml
894594	Sulphomolybdic Acid TS acc. to USP	1031.00	500 ml
895152	Sulphuric Acid Solution 1N acc. to USP	360.00	500 ml
897443	Thymol Blue TS acc. to USP	234.00	125 ml
908530	Zinc Sulphate Solution 0.05M	765.00	500 ml
	Red Phosphorus See Phosphorus Red		
	Reinecke Salt See Ammonium Reineckate		
TC1689	▲ Renin Cell Culture Tested Rennet strength : NLT 800 MCU/g	3033.00 12132.00	1 gm 5 gm

(9001-98-3)

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
	Resacetophenone See 2,4-Dihydroxy Aceto Phenone		
317605 C ₁₂ H ₆ N ₂ NaO ₄ (62758-13-8)	Resazurin Sodium Salt AR M. W.: 251.17 Dye content Min. 75.0%	1350.00 6003.00	1 gm 5 gm
632585 C ₃₃ H ₄₀ N ₂ O ₉ (50-55-5)	Reserpine AR M.W.: 608.69 Assay (Non-aqueous) ≥ 99.0%	3303.00 16002.00	1 gm 5 gm
	Resazurin AR See Resazurin Sodium Salt		
	Resorcin Blue See Lacmoid,		
030019 C ₆ H ₄ (OH) ₂ (108-46-3)	Resorcinol for Synthesis M. W.: 110.11 Assay (GC) 99.0%	2403.00 4608.00 POR	250 gm 500 gm 25 kg
632695 C ₆ H ₄ (OH) ₂ (108-46-3)	Resorcinol AR M. W.: 110.11 Assay(GC) 99.5%	1107.00 5202.00	100 gm 500 gm
972830 MB	Resorcinol (1,3-Dihydroxybenzene) For Molecular Biology M. W.: 110.11 Assay : ≥ 99% Store Below 30°C	2664.00 5211.00 19530.00	25 gm 100 gm 500 gm
883215	Resorcinol TS acc.to USP	603.00	500 ml
213755 *	Resorcinol Dimethyl Ether for Synthesis M.W.: 138.16 Assay 98.0%	1872.00 7700.00	100 gm 500 gm
213865 *	b-Resourcylaldehyde for Synthesis M.W.: 138.12 Assay 97.5%	4590.00 11700.00 28710.00	25 gm 100 gm 500 gm
213975 C ₁₄ H ₁₂ O ₃ (501-36-0)	Resveratrol for Biochemistry M. W.: 228.24 Assay 99.0%	2700.00 8100.00 24300.00	1 gm 5 gm 25 gm
883225	Reticulocyte Counting Fluid	401.00	125 ml
TC1153 ATC	▲ Retinol Acetate (Vitamin A acetate power: Retinyl acetate) Cell Culture Tested M. W.: 328.49 Assay : ≥475000 IU/g	1593.00 5590.00 11205.00	1 gm 5 gm 25 gm
632785 C ₆ H ₁₂ O ₅ H ₂ O (10030-85-0)	L-Rhamnose AR M. W.: 182.17	657.00 2601.00	5 gm 25 gm
883250	Rhenium (Re) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2772.00 10710.00	100 ml 500 ml
883260	Rhenium (Re) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	8046.00	100 ml
214075 Re (7440-15-5)	Rhenium Metal Powder M. W.: 186.21 Assay 99.9%	5000.00 POR	1 gm 5 gm

Product Code	Product Name	Price	Packing
317755	Rhodamine B AR for Microscopy C.I. No. 45170 M. W.: 479.02 Dye content Abt. 80.0%	306.00 900.00	25 gm 100 gm
C ₂₈ H ₃₁ N ₂ O ₃ Cl (81-88-9)			
214165	Rhodamine B-Iso-Thiocyanate for Biochemistry & Microscopy M.W.: 536.08	22433.00 167000.00	100 mg 1 gm
C ₂₉ H ₃₀ ClN ₃ O ₃ S (36877-69-7)			
317895	Rhodamine 6G C.I. No. 45160 M. W.: 479.02 Dye content (Spectrophotometric, on dried subs.) Abt. 95.0%	459.00 1152.00 3002.00 POR	5 gm 25 gm 100 gm 1 kg
C ₂₈ H ₃₁ ClN ₂ O ₃ (989-38-8)			
214275	Rhodanine (2-Thioxo-4-Thiazolidinone) M.W.: 133.19 Assay 98.0%	3303.00	25 gm
C ₃ H ₃ NOS ₂ (141-84-4)			
214395	Rhodinol for Synthesis M. W.: 156.27	3690.00	250 gm
C ₁₀ H ₂₀ O (141-25-3)			
214505	Rhodinyl Acetate for Synthesis M. W.: 198.30	5000.00	500 gm
C ₁₂ H ₂₂ O ₂ (141-11-7)			
214525	Rhodinyl Butyrate for Synthesis M. W.: 226.36	5000.00	500 gm
C ₁₄ H ₂₆ O ₂ (732282-93-8)			
214545	Rhodinyl Formate for Synthesis (845870-35-1)	5000.00	500 gm
214565	Rhodinyl Phenyl Acetate for Synthesis M. W.: 274.40	4500.00	500 gm
C ₁₈ H ₂₆ O ₂ (10486-14-3)			
883320	Rhodium (Rh) CPECTROSOL® Atomic Absorption Std.Soln. Contain1000 mg/lit AAS in HNO ₃ In accordance with NIST	20304.00 50760.00	100 ml 500 ml
883330	Rhodium (Rh) CRISTAR® Element Std. Soln. for ICP in HNO ₃	23994.00	100 ml
214675 Rh (7440-16-6)	Rhodium (Metal) Powder A.W.: 102.91 Assay 99%	16700.00	100 mg
214685	Rhodium Trichloride Rh contain abt 40% M. W.: 209.26 (Anhydrous) Assay (Rh) 40.0%	6444.00 36000.00	100 mg 1 gm
RhCl ₃ xH ₂ O (20765-98-4)			
	Rhodizonic Acid Sodium Salt See Sodium Rhodizonate		
214705 C ₈ H ₁₂ N ₄ O ₅ (36791-04-5)	Ribavirin M. W.: 244.2	1000.00 1503.00 2997.00 8982.00	5 gm 10 gm 25 gm 100 gm
PCT2133 PTC	▲ Ribavirin Plant Culture Tested M. W.: 244.2 Assay : =98.9%	1791.00 8042.00	10 gm 50 gm
C ₈ H ₁₂ N ₄ O ₅ (36791-04-5)			
214725	Riboflavin For Biochemistry Vitamin B ₂ (For Lab use) M. W.: 376.37 Assay (Spectrophotometric, on dried substance) 98.0-102.0%	306.00 558.00 1152.00 3160.00 9000.00	5 gm 10 gm 25 gm 100 gm 500 gm
C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)			

Storage : ● 0-4°C ▲ 2-8°C

* Delivery Period 4-6 Weeks

☞ Supply Only to End User

ATC : Animal Cell Culture

MB : Molecular Biology

PTC : Plant Tissue Culture

R

Laboratory Chemicals

Product Code	Product Name	Price	Packing
PCT1214	(-)-Riboflavin (Vitamin B2) Plant Culture Tested M. W.: 376.36 Assay 99% Store below 30°C	441.00 963.00	10 gm 25 gm
C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)			
TC1167	(-)-Riboflavin (Vitamin G; Vitamin B2) Cell Culture Tested M. W.: 376.36 Assay : ≥98% Store below 30°C	1504.00 4545.00	25 gm 100 gm
C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)			
TC1167M	(-)-Riboflavin Vitamin G; Vitamin B2; Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 376.36 Store below 30°C	3155.00 9100.00	25 gm 100 gm
C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)			
214735	▲Riboflavin-5-Mono Phosphate Sodium Salt (FMN) for Biochemistry M. W.:478.33 (For Lab use) Assay (UV) 93.0%	221.00 729.00	5 gm 25 gm
C ₁₇ H ₂₀ N ₄ NaO ₉ P (130-40-5)			
214745	- Ribonuclease 3x cryst Lyophilised (R Nase) ex. Bovine pancreas	4914.00 21033.00	100 mg 500 mg
(9001-99-4)			
972910	Ribonuclease-A (See: RNase A) From Bovine Pancreas (DNase Free) For Molecular Biology M. W.: ~13700 Assay : ≥ 50 Units/mg E. C. No. : 3.1.27.5 Protein (Kunitz) Store at 20°C	2682.00 12150.00 22460.00	100 mg 500 mg 1 gm
(9001-99-4)			
TC1688	RNase A (DNase free) Source : Bovine Pancreas Cell Culture Tested M. W.: ~13.7 kDa Store at -20°C	9531.00 22563.00 38421.00	100 mg 500 mg 1 gm
(9001-99-4)			
972990	Ribonucleic Acid (See: RNA, From Torula Yeast) For Molecular Biology Assay : ≥ 86% Upon Receipt Store at - 20°C	1008.00 1926.00 7407.00	10 gm 25 gm 100 gm
(63231-63-0)			
973070	▲Ribonucleic Acid Sodium Salt For Molecular Biology	1990.00 4383.00 16623.00	10 gm 25 gm 100 gm
(73049-77-1)			
038058	- D-Ribose for Biochemistry M. W.: 150.13 Assay ≥ 99.0%	270.00 702.00 2502.00	5 gm 25 gm 100 gm
C ₅ H ₁₀ O ₅ (50-69-1)			
973180	▲D-Ribose For Molecular Biology M. W.: 150.13 Assay : ≥ 99%	221.00 927.00 3033.00 7146.00	1 gm 5 gm 25 gm 100 gm
C ₅ H ₁₀ O ₅ (50-69-1)			

Product Code	Product Name	Price	Packing
PCT1614	▲D-(-)-Ribose Plant Culture Tested M. W.: 150.13 Assay 99%	387.00 820.00	5 gm 25 gm
C ₅ H ₁₀ O ₅ (50-69-1)			
TC1168	▲D-(-)-Ribose Cell Culture Tested M. W.: 150.13 Assay : ≥99%	3267.00 8204.00	25 gm 100 gm
C ₅ H ₁₀ O ₅ (50-69-1)			
214805	L-Ribose for Biochemistry M.W.: 150.13	1172.00 8460.00	1 gm 5 gm
C ₅ H ₁₀ O ₅ (24259-59-4)			
	Rice Starch See Starch Rice		
214845	- Rifampicin for Lab use M. W.: 822.96 Assay(dried subsatnce) 97-102%	720.00 3267.00	1 gm 5 gm
C ₄₃ H ₅₈ N ₄ O ₁₂ (13292-46-1)			
PCT2119	▲Rifampicin Plant Culture Tested M. W.: 822.94 Assay 97%	963.00 2890.00 11543.00 34642.00	1 gm 5 gm 25 gm 100 gm
C ₄₃ H ₅₈ N ₄ O ₁₂ (13292-46-1)			
TC1354	▲Rifampicin (Rifampin) Cell Culture Tested M. W.: 822.94 Potency : ≥97%	11070.00 22140.00	1 gm 5 gm
C ₄₃ H ₅₈ N ₄ O ₁₂ (13292-46-1)			
883380	Ringer'S Solution	180.00 522.00	125 ml 500 ml
883410	Robert's Test Reagent	113.00	125 ml
	Rochelle Salt See Potassium Sodium (+) Tartrate		
318095	Rosaniline Hydrochloride AR M.W. : 337.86 Dye content (Titanometric; on dried subs.) 88.0%	1188.00 4311.00	25 gm 100 gm
C ₂₀ H ₁₉ N ₃ .HCl (632-99-5)			
	p-Rosaniline Hydrochloride See Pararosanine Chloride,		
	P-Rosaniline See Pararosanine		
215025	Rose Crystals Pure M. W.: 267.53	2403.00	500 gm
C ₁₀ H ₉ Cl ₃ O ₂ (90-17-5)			
318245	Rose Bengal AR C.I. No. 45440 M. W.: 1017.6 Dye content (Gravimetry, on dried substance) Abt.75.0%	703.00 2097.00 7497.00	5 gm 25 gm 100 gm
C ₂₀ H ₂ O ₅ I ₄ Cl ₄ Na ₂ (632-69-9)			
318335	Rosolic Acid C.I. 43800 (Para Rosolic Acid, Aurine) M. W.: 290.32 Dye Content 85%	891.00 3303.00	25 gm 100 gm
C ₁₉ H ₁₄ O ₃ (603-45-2)			
883460	Rothera's Mixture Powder (For detection of Ketone bodies (Acetone) in Urine)	135.00	100 gm
215075	Roxithromycin for Lab use M.W. : 837.05 Assay 90.0%	1620.00 4851.00	1 gm 5 gm
C ₄₁ H ₇₆ N ₂ O ₁₅ (80214-83-1)			
	Rubenic Acid See Dithiooxamide		

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
883510	Rubidium (Rb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2552.00	100 ml
		6696.00	500 ml
883520	Rubidium (Rb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5661.00	100 ml
632885	Rubidium Bromide AR RbBr (7789-39-1)	4005.00	5 gm
		13811.00	25 gm
215145	Rubidium Carbonate Rb ₂ CO ₃ (584-09-8)	6201.00 30960.00	10 gm 50 gm
632975	Rubidium Chloride AR RbCl (7791-11-9)	3303.00	5 gm
		15480.00	25 gm
973230	Rubidium Chloride (RbCl) For Molecular Biology M. W. : 120.92 Assay : ≥ 99.5% Store Below 30°C	4014.00	5 gm
		19557.00	25 gm
632945	Rubidium Iodide AR RbI (7790-29-6)	7560.00	10 gm
		34920.00	50 gm

Product Code	Product Name	Price	Packing
215185	Rubidium Sulphate Rb ₂ SO ₄ (7488-54-2)	2502.00	5 gm
		10090.00	25 gm
215255	Ruthenium Metal 99.9% Ru (7440-18-8)	4860.00	1 gm
215445	Ruthenium Dioxide Anhydrous RuO ₂ (12036-10-1)	7506.00	1 gm
		31500.00	5 gm
318475	Ruthenium Red Content about 34% Approx Ru ₃ O ₂ (NH ₃) ₁₄ Cl ₆ ·4H ₂ O (11103-72-3)	5760.00	1 gm
		27630.00	5 gm
030032	Ruthenium Trichloride Ru Content about 40% RuCl ₃ ·xH ₂ O (14898-67-0)	3402.00	1 gm
		32000.00	10 gm
215505	Rutin (Vitamin P) C ₂₇ H ₃₀ O ₁₆ ·3H ₂ O (250249-75-3)/ (153-18-4)	954.00	25 gm
		3470.00	100 gm

R

Laboratory Chemicals

Plant Tissue Culture Tested Chemicals

CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.



Storage : ● 0-4°C ▲ 2-8°C

✳ Delivery Period 4-6 Weeks

⊗ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
215605	Saccharin insoluble C ₇ H ₅ NO ₃ S (81-07-2) M. W.: 183.18 Assay (Acidimetric) 98.0%	2700.00	500 gm	215865	Salt Mixture XIV (as per USP XIV (1950))	477.00 909.00 4230.00	500 gm 1 kg 5 kg
030034	Saccharin Sodium C ₇ H ₄ NNaO ₃ .S.2H ₂ O (6155-57-3) M. W.: 241.19 Assay (Non-aq., on anhydrous subs.) 98.0%	2601.00 POR	500 gm 25 kg 50 kg	887180	Salzmann's Reagent Solution (Reagent for Nitrite)	1000.00	100 ml
	Saccharose See Sucrose			RE2410	Samarium Metal Ingot (7440-19-9) Assay (Trace metal basis) 99.99%	8200.00 32000.00	25 gm 100 gm
319375	Safranin O for Microscopy C.I. No. 50240 M. W.: 350.85 Dye content (spectrophotometry, dried) Abt. 90.0%	675.00 2403.00 22500.00	25 gm 100 gm 1 kg	RE2415	Samarium Metal Lump (1 cm) (7440-19-9) Assay (Trace metal basis) 99.99%	8200.00 32000.00	25 gm 100 gm
C ₂₀ H ₁₉ ClN ₄ (477-73-6)				RE2420	Samarium Metal Powder 325 mesh (7440-19-9) Assay (Trace metal basis) 99.99%	POR POR	5 gm 25 gm
887100	Safranin 1% w/v Aq. Staining Solution	176.00 297.00	125 ml 250 ml	RE2465	Samarium (III) Acetate SmC ₆ H ₉ O ₆ .XH ₂ O (100587-91-5) M. W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.9%	7290.00 19080.00	25 gm 100 gm
	Salmine Sulphate See Protamine Sulphate			RE2470	Samarium (III) Acetate SmC ₆ H ₉ O ₆ .XH ₂ O (100587-91-5) M. W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.99%	9000.00 23400.00	25 gm 100 gm
038060	Salicin for Microbiology C ₁₃ H ₁₈ O ₇ (138-52-3) M. W.: 286.28	1503.00 5310.00	5 gm 25 gm	RE2480	Samarium (III) Carbonate Sm ₂ (CO ₃) ₃ .XH ₂ O (38245-37-3) M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.99%	4671.00 13680.00	25 gm 100 gm
030035	Salicylaldehyde for Synthesis C ₆ H ₄ (OH).CHO (90-02-8) M. W.: 122.12 Assay (GC) 99.0%	774.00 1791.00	100 ml 250 ml	RE2485	Samarium (III) Carbonate Sm ₂ (CO ₃) ₃ .XH ₂ O (38245-37-3) M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
634305	Salicylaldehyde AR C ₆ H ₄ (OH).CHO (90-02-8) M. W.: 122.12 Assay (GC) 99.5%	1071.00 3600.00	100 ml 500 ml	RE2490	Samarium (III) Carbonate Sm ₂ (CO ₃) ₃ .XH ₂ O (38245-37-3) M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
215705	Salicylaldehyde Azine C ₁₄ H ₁₂ N ₂ O ₂ (959-36-4) M. W.: 240.26	801.00 2007.00 6003.00	1 gm 5 gm 25 gm	RE2500	Samarium (III) Chloride SmCl ₃ .XH ₂ O (10361-82-7) M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.99%	11790.00 32310.00	25 gm 100 gm
638305	Salicylaldehyde Oxime AR (salicylaldoxime) 2-(OH)C ₆ H ₄ CH=NOH (94-67-7) M. W.: 137.14	405.00 1800.00	5 gm 25 gm	RE2505	Samarium (III) Chloride SmCl ₃ .XH ₂ O (10361-82-7) M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
215745	Salicylamide C ₇ H ₇ NO ₂ (65-45-2) M. W.: 137.14 Assay (T) 98.0%	1720.00 16020.00	500 gm 5 kg	RE2510	Samarium (III) Chloride SmCl ₃ .XH ₂ O (10361-82-7) M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
638395	Salicylhydrazide AR C ₇ H ₉ N ₂ O ₂ (936-02-7) M. W.: 152.15	3051.00 9909.00	25 gm 100 gm	RE2520	Samarium (III) Nitrate Sm(NO ₃) ₃ .6H ₂ O (13759-83-6) M. W.: 444.47 Assay (Trace metal basis) 99.99%	13500.00 30510.00	25 gm 100 gm
030038	Salicylic Acid for Synthesis C ₆ H ₄ (OH).COOH (69-72-7) M. W.: 138.12 Assay 99.0%	981.00 9090.00 POR POR	500 gm 5 kg 25 kg 50 kg	RE2525	Samarium (III) Nitrate Sm(NO ₃) ₃ .6H ₂ O (13759-83-6) M. W.: 444.47 Assay (Trace metal basis) 99.999%	17010.00 POR	25 gm 100 gm
638435	Salicylic Acid AR C ₆ H ₄ (OH)COOH (69-72-7) M. W.: 138.12 Assay (Cal. on dried subs. alkalimetric) 99.0-100.5%	1035.00 POR POR	500 gm 25 kg 50 kg	RE2530	Samarium (III) Nitrate Sm(NO ₃) ₃ .6H ₂ O (13759-83-6) M. W.: 444.47 Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
PCT1826	Salicyclic Acid Plant Culture Tested C ₇ H ₆ O ₃ (69-72-7) M. W.: 138.12 Assay 99% Store below 30°C	1350.00	500 gm	RE2545	Samarium (III) Oxide Sm ₂ O ₃ (12060-58-1) M. W.: 348.70 Assay (Trace metal basis) 99.9%	2430.00 4860.00 9684.00 38790.00	10 gm 25 gm 100 gm 500 gm
215805	Salt Mixture Bernhart Tommarelli (a modified NRC salt mixture)	401.00 756.00 3375.00	500 gm 1 kg 5 kg	RE2550	Samarium (III) Oxide Sm ₂ O ₃ (12060-58-1) M. W.: 348.70 Assay (Trace metal basis) 99.99%	6192.00 17100.00 61200.00	25 gm 100 gm 500 gm
215835	Salt Mixture H.M.W. (acc. to Hubble Mendal and Wakeman, Journal of Nutrition 14,273 (1937))	446.00 855.00 3708.00	500 gm 1 kg 5 kg	RE2555	Samarium (III) Oxide Sm ₂ O ₃ (12060-58-1) M. W.: 348.70 Assay (Trace metal basis) 99.999%	3663.00 13077.00 34200.00	5 gm 25 gm 100 gm
				RE2565	Samarium (III) Sulphate Sm ₂ (SO ₄) ₃ .8H ₂ O (13465-58-2) M. W.: 733.03 Assay Assay (Trace metal basis) 99.99%	11880.00 32000.00	25 gm 100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE2570 Sm ₂ (SO ₄) ₃ .8H ₂ O (13465-58-2)	Samarium (III) Sulphate M. W.: 733.03 Assay (Trace metal basis) 99.999%	POR POR	25 gm 100 gm
RE2575 Sm ₂ (SO ₄) ₃ .8H ₂ O (13465-58-2)	Samarium (III) Sulphate M. W.: 733.03 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
215895 SiO ₂ (14808-60-7)	Sand Acid Purified 40-200 mesh M. W.: 60.08	693.00 1080.00 4150.00	500 gm 1 kg 5 kg
215925 SiO ₂ (14808-60-7)	Sand Calcined Crude Pract M. W.: 60.08	1044.00	2.5 kg
	Sanger's Reagent See 1-Fluoro-2,4-Dinitrobenzene		
215955 (8047-15-2)	Saponin Pure	1800.00 7200.00	100 gm 500 gm
973310 MB (8047-15-2)	Saponin (From Plant) For Molecular Biology Store Below 30°C	5211.00 25461.00	100 gm 500 gm
216005 C ₃ H ₇ NO ₂ (107-97-1)	Sarcosine For Biochemistry M. W.: 89.09 Assay 98.0%	1000.00 4500.00	100 gm 500 gm
973390 MB C ₁₅ H ₂₈ NO ₃ Na (137-16-6)	▲ Sarcosyl For Molecular Biology M. W.: 293.38 Assay : ≥ 94%	640.00 2881.00	5 gm 25 gm
887290	Scandium (Sc) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3430.00 8595.00	100 ml 500 ml
887300	Scandium (Sc) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃	5490.00 9109.00	50 ml 100 ml
RE2585 (7440-20-2)	Scandium Metal Ingot Assay (Trace metal basis) 99.99%	14940.00 55530.00	1 gm 5 gm
RE2590 (7440-20-2)	Scandium Metal Lump (1cm) Assay (Trace metal basis) 99.99%	14940.00 55530.00	1 gm 5 gm
RE2595 (7440-20-2)	Scandium Metal Powder Assay (Trace metal basis) 99.99%	14400.00 POR	1 gm 5 gm
RE2635 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9%	7281.00 28530.00	1 gm 5 gm
RE2640 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.99%	9000.00 32000.00	1 gm 5 gm
RE2645 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE2650 Sc(O ₂ C ₂ H ₃) ₃ .XH ₂ O (304675-64-7)	Scandium Acetate M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm

Product Code	Product Name	Price	Packing
RE2665 Sc ₂ (CO ₃) ₃ .XH ₂ O	Scandium Carbonate M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.99%	10494.00 43983.00	1 gm 5 gm
RE2670 Sc ₂ (CO ₃) ₃ .XH ₂ O	Scandium Carbonate M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE2680 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.9%	6120.00 20970.00	1 gm 5 gm
RE2685 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.99%	8055.00 25353.00	1 gm 5 gm
RE2690 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE2695 ScCl ₃ .6H ₂ O (20662-14-0)	Scandium Chloride M. W.: 259.41 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE2705 ScF ₃ (13709-47-2)	Scandium Fluoride M. W.: 101.95 Assay (Trace metal basis) 99.9%	8100.00 38300.00	1 gm 10 gm
RE2710 ScF ₃ (13709-47-2)	Scandium Fluoride M. W.: 101.95 Assay (Trace metal basis) 99.99%	10000.00 43020.00	1 gm 10 gm
RE2715 ScF ₃ (13709-47-2)	Scandium Fluoride M. W.: 101.95 Assay (Trace metal basis) 99.999%	POR	5 gm
RE2725 Sc(OH) ₃ .xH ₂ O (17674-34-9)	Scandium Hydroxide M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.9%	POR	5 gm
RE2730 Sc(OH) ₃ .xH ₂ O (17674-34-9)	Scandium Hydroxide M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.99%	POR	5 gm
RE2735 Sc(OH) ₃ .xH ₂ O (17674-34-9)	Scandium Hydroxide M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.999%	POR	5 gm
RE2745 ScI ₃ (14474-33-0)	Scandium Iodide M. W.: 425.67 Assay (Trace metal basis) 99.95%	POR POR	1 gm 5 gm
RE2755 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9%	8631.00 23850.00	1 gm 5 gm
RE2760 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.99%	12960.00 48060.00	1 gm 5 gm
RE2765 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE2770 Sc(NO ₃) ₃ .XH ₂ O (107552-14-7)	Scandium Nitrate M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE2785 Sc ₂ (C ₂ O ₄) ₃ .XH ₂ O (17926-77-1)	Scandium Oxalate M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.99%	7200.00 POR	1 gm 5 gm

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
RE2790 Sc ₂ (C ₂ O ₄) ₃ .XH ₂ O (17926-77-1)	Scandium Oxalate M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
RE2795 Sc ₂ (C ₂ O ₄) ₃ .XH ₂ O (17926-77-1)	Scandium Oxalate M. W.: 353.97 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE2805 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.9%	2970.00 9000.00	1 gm 5 gm
RE2810 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.99%	3294.00 10540.00	1 gm 5 gm
RE2815 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.999%	6993.00 29530.00	1 gm 5 gm
RE2820 Sc ₂ O ₃ (12060-08-1)	Scandium Oxide M. W.: 137.91 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 5 gm
RE2830 Sc ₂ (SO ₄) ₃ .8H ₂ O (52788-54-2)	Scandium Sulphate M. W.: 522.22 Assay (Trace metal basis) 99.9%	7992.00 POR	1 gm 10 gm
RE2835 Sc ₂ (SO ₄) ₃ .8H ₂ O (52788-54-2)	Scandium Sulphate M. W.: 522.22 Assay (Trace metal basis) 99.99%	16506.00 70407.00	1 gm 5 gm
RE2840 Sc ₂ (SO ₄) ₃ .8H ₂ O (52788-54-2)	Scandium Sulphate M. W.: 522.22 Assay (Trace metal basis) 99.999%	POR POR	1 gm 5 gm
	Scarlet Red See Sudan IV		
887330	Schaeffer & Fulton's Spore Stain A	243.00	100 ml
887360	Schaeffer & Fulton's Spore Stain B	203.00	100 ml
K094005	Schaeffer & Fulton's Spore stains kit	374.00	KIT
888040	Schiff's Reagent for detection of aldehydes	171.00 500.00	125 ml 500 ml
	SDS Biological Detergent See Sodium Lauryl Sulphate		
TC1698 ATC	SDS (Dodecyl sulphate sodium salt) Cell Culture Tested M. W.: 288.38 Store below 30°C	1760.00 5270.00 10557.00 13222.00 26010.00	25 gm 100 gm 250 gm 500 gm 1 kg
216150	Sea Sand Purified M.W.: 60.08	1503.00 2205.00	500 gm 1 kg
638525	Sea Sand AR M. W.: 60.08	3006.00	1 kg
030042	Sebacic Acid for Synthesis M. W.: 202.25 Assay (acidimetric) 98.0%	1494.00 POR POR	500 gm 25 kg 50 kg
216215	Selenic Acid for Synthesis M. W.: 144.97	8307.00 17100.00	25 ml 100 ml

Product Code	Product Name	Price	Packing
	Selenious Acid See Selenous Acid		
888160	Selenium (Se) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2372.00	250 ml
888190	Selenium (Se) CPECTROSOL® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	4716.00	100 ml
888130	Selenium (Se) CPECTROSOL® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	15620.00	100 ml
216190	Selenium (Metal) Powder Se A. W.: 78.96 (7782-49-2) Assay (iodometric) 99.0%	3006.00 13005.00	100 gm 500 gm
638615	Selenium (Metal) Powder Black AR Se A. W.: 78.96 (7782-49-2) Assay (iodometric) 99.5%	846.00 3195.00 14940.00	25 gm 100 gm 500 gm
216285	Selenium (Metal) Pellets Se A. W.: 78.96 (7782-49-2) Assay (iodometric) 99.999%	7200.00	100 gm
030050	Selenium Dioxide (Sublimed) SeO ₂ M. W.: 110.96 (7446-08-4) Assay (ex Se Iodometric) 98.0%	3002.00 13500.00	100 gm 500 gm
216315	Selenium Disulphide SeS ₂ M. W.: 143.09 (7488-56-4) Assay (ex Se) 52.0-55.5%	3042.00 7300.00	100 gm 250 gm
030054	Selenous Acid H ₂ SeO ₃ M. W.: 128.97 (7783-00-8) Assay (ex Se iodometric) 98.0%	3006.00 28008.00	100 gm 1 kg
888280	Seliwan Off's Reagent	208.00	125 ml
888310	Semen Diluting Fluid	149.00	125 ml
030056	Semicarbazine Hydrochloride CH ₅ N ₃ OHCl M. W.: 111.53 (563-41-7) Assay (Oxidimetric) 98.0%	603.00 2808.00 POR	100 gm 500 gm 25 kg
638675	Semicarbazine Hydrochloride AR CH ₅ N ₃ OHCl M. W.: 111.53 (563-41-7) Assay (Oxidimetric) 99.5%	684.00 3006.00 POR	100 gm 500 gm 25 kg
216345	Seralite 225 (Na) 14-25 mesh standard grade	5000.00	500 gm
037147	DL-Serine C ₃ H ₇ NO ₃ (302-84-1) Assay (non aqueous) 98.5%	990.00 3240.00	25 gm 100 gm
TC1377 ATC	DL-Serine (±) 2-Amino-3-hydroxypropionic acid Cell Culture Tested C ₃ H ₇ NO ₃ (302-84-1) M. W.: 105.09 Assay : ≥98% Store below 30°C	2412.00 5590.00	25 gm 100 gm
037146	L-Serine C ₃ H ₇ NO ₃ (56-45-1) Assay (Non-aqueous Calc. with ref. to the dried substance) 98.5-101.0%	153.00 621.00 2174.00 10000.00	5 gm 25 gm 100 gm 500 gm

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PCT1318	PTC L-Serine Plant Culture Tested C ₃ H ₇ NO ₃ (56-45-1) M. W.: 105.09 Assay 99% Store below 30°C	234.00 1053.00 3690.00 16632.00	5 gm 25 gm 100 gm 500 gm	216745	Silica Gel 100-200 mesh Fia grade SiO ₂ M. W.: 60.08 (112926-00-8)	3006.00	500 gm
TC1113	ATC L-Serine (From non-animal source) Cell Culture Tested C ₃ H ₇ NO ₃ (56-45-1) M. W.: 105.09 Assay : >98.5% Store below 30°C	3353.00 7110.00 23031.00 43956.00	25 gm 100 gm 500 gm 1 kg	216755	Silica Gel 100-200 mesh for Lipid Chromatography SiO ₂ M. W.: 60.08 (112926-00-8)	630.00 POR	500 gm 25 kg
TC1113M	ATC L-Serine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications C ₃ H ₇ NO ₃ (56-45-1) M. W.: 105.09 Store below 30°C	4014.00 7776.00 25300.00 48920.00	25 gm 100 gm 500 gm 1 kg	216765	Silica Gel 200-400 Mesh SiO ₂ M. W.: 60.08 (112926-00-8)	770.00 POR	500 gm 25 kg
216405	* L-Serine Methyl Ester HCl for Biochemistry C ₄ H ₉ NO ₃ .HCl (5680-80-8) M. W.: 155.58 Assay 98.0%	837.00 3636.00 9846.00	5 gm 25 gm 100 gm	216775	Silica Gel 230-400 mesh for TLC SiO ₂ M. W.: 60.08 (112926-00-8)	756.00 POR	500 gm 25 kg
216515	Serotonine Creatinine Sulfate for Biochemistry C ₁₄ H ₁₉ N ₅ O ₂ .H ₂ O ₄ SH ₂ O (61-47-2) M. W.: 405.43	5760.00	1 gm	216785	Silica Gel 400-700 Mesh SiO ₂ M. W.: 60.08 (112926-00-8)	801.00	500 gm
216605	* Sesamol For Synthesis [3,4-(Methylenedioxy) Phenol] C ₇ H ₆ O ₃ (533-31-3) M. W.: 138.12 Assay 98.0%	2250.00 9500.00	50 gm 250 gm	216820	Silica Gel for TLC with Binder SiO ₂ M. W.: 60.08 (112926-00-8)	657.00	500 gm
216665	Shellac Flakes (Arsenic free)	3393.00	500 gm	216845	Silica Gel without Binder for TLC SiO ₂ M. W.: 60.08 (112926-00-8)	603.00	500 gm
888400	Shorr Staining Soln.	212.00	125 ml	216805	Silica Gel Davison 923 Suitable for use in the testing of Petroleum Product by I.P. and ASTM Methods SiO ₂ M. W.: 60.08 (112926-00-8)	5040.00	500 gm
216790	Silica Gel Blue Self indicating (Coarse) 5-8 mesh SiO ₂ (112926-00-8) M. W.: 60.08	495.00 909.00 4536.00 POR	500 gm 1 kg 5 kg 25 kg	216815	Silica Gel G for TLC SiO ₂ M. W.: 60.08 (112926-00-8)	370.00 657.00 1206.00	250 gm 500 gm 1 kg
216795	Silica Gel Blue Self indicating (about 6-20 mesh) SiO ₂ (112926-00-8) M. W.: 60.08	477.00 855.00 4240.00 POR	500 gm 1 kg 5 kg 25 kg	216825	Silica Gel GF 254 for TLC Contains CaSO ₄ SiO ₂ M. W.: 60.08 (112926-00-8)	4104.00 POR	500 gm 25 kg
216875	Silica Gel Self Indicating Orange	603.00 1107.00	500 gm 1 kg	216835	Silica Gel H for TLC SiO ₂ M. W.: 60.08 (112926-00-8)	603.00	500 gm
030062	Silica Gel White Ability to absorb moisture (coarse) SiO ₂ (112926-00-8) M. W.: 60.08	360.00 680.00 3330.00	500 gm 1 kg 5 kg	638765	Silica Gel H for TLC AR SiO ₂ M. W.: 60.08 (112926-00-8)	4600.00	500 gm
216725	Silica Gel 60-120 mesh Column Chromatography SiO ₂ (112926-00-8) M. W.: 60.08	581.00 POR POR	500 gm 25 kg 50 kg	216850	Silica Gel HF 254 for TLC without CaSO ₄ SiO ₂ M. W.: 60.08 (112926-00-8)	4203.00	500 gm
216735	Silica Gel 60-200 mesh for Resolution of Acidic Mixtures pH of 10% Slurry 4.0-5.5 SiO ₂ (112926-00-8) M. W.: 60.08	730.00 POR POR	500 gm 25 kg	638825	Silica Gel HF 254 for TLC AR SiO ₂ M. W.: 60.08 (112926-00-8)	4806.00	500 gm
				216985	Silica Powder Precipitated SiO ₂ M. W.: 60.08 (112945-52-5)	1800.00	500 gm
				217175	Silicic Acid for Lipid Chromatography Narrow Range below 325 Mesh SiO ₂ .XH ₂ O (1343-98-2) M. W. 60.08 (anhy.)	1301.00 2502.00	250 gm 500 gm

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
030064 SiO ₂ .XH ₂ O (1343-98-2)	Silicic Acid Precipitated Dried M. W. 60.08 (anhy.) Assay (gravimetry SiO ₂ on calcined substance) 99-100.5%	500.00	500 gm
888680	Silicon (Si) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O In accordance with NIST	1746.00 2286.00 3853.00	100 ml 250 ml 500 ml
888740	Silicon (Si) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	9963.00	100 ml
888710	Silicon (Si) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	36567.00	100 ml
030066 Si (7440-21-3)	Silicon (Metal) Powder M. W.: 28.09 Assay (Alkalimetric) 99.0%	1404.00	500 gm
217325	Silicon Antifoaming Agent Nonionic	504.00 1908.00 7110.00	100 ml 500 ml 2.5 lit
973470 MB	Silicon (Anti Foaming Agent) For Molecular Biology Store Below 30°C	1540.00 3870.00	100 gm 500 gm
217375 SiC (409-21-2)	Silicon Carbide 220 mesh M. W.: 40.10 Mesh size (pass through 220 mesh) Min 95.0%	486.00	500 gm
217385 SiC (409-21-2)	Silicon Carbide 400 Mesh M. W.: 40.10 Mesh size (pass through 400 mesh) Min 95.0%	720.00	500 gm
217455 SiO ₂ (60676-86-0)	Silicon Dioxide Confirming to BP Specification M.W. 60.08	1503.00	1 kg
217435 SiO ₂ .XH ₂ O (63231-67-4)	Silicon Dioxide Colloidal Hydrate Confirming to IP M.W : 60.1	1701.00	1 kg
	Silicon High Vacuum Grease See High Vacuum Silicon Grease		
356235 (63148-62-9)	Silicon Oil For Oil Baths upto 250°C	1440.00 7542.00 POR	500 ml 2.5 lit 25 lit
640205 H ₄ [Si(W ₃ O ₁₀) ₄].xH ₂ O (12027-43-9)	Silicotungstic Acid AR M. W.: 2878.17	1107.00 4005.00	25 gm 100 gm
888840	Silver (Ag) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1908.00 4212.00 6696.00	100 ml 250 ml 500 ml
888900	Silver (Ag) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	7371.00 18441.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
888960	Silver (Ag) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	12330.00 29511.00	100 ml 500 ml
030072 Ag (7440-22-4)	Silver Metal Powder At. W.: 107.87 Assay (Argentometric) 99.9%	10400.00 36000.00	25 gm 100 gm
030073 Ag (7440-22-4)	Silver Metal Wire Abt. 1mm M. W.: 107.87	6003.00	25 gm
030074 C ₂ H ₃ AgO ₂ (563-63-3)	Silver Acetate for Synthesis M. W.: 166.91 Assay (ex Ag) 98.0%	7605.00 26001.00	25 gm 100 gm
217645 AgBr (7785-23-1)	Silver Bromide for Synthesis M. W.: 187.77 Assay (ex Ag) 97.0%	8001.00	25 gm
030078 Ag ₂ CO ₃ (534-16-7)	Silver Carbonate Purified M. W.: 275.75 Assay (ex Ag) 98.0%	7407.00	25 gm
030079 AgCl (7783-90-6)	Silver Chloride M. W.: 143.32 Assay (ex Ag gravimetric) 99.0%	7506.00 27009.00	25 gm 100 gm
640295 AgCl (7783-90-6)	Silver Chloride AR M. W.: 143.32	7992.00 29997.00 POR	25 gm 100 gm 500 gm
217675 Ag ₂ CrO ₄ (7784-01-2)	Silver Chromate M. W.: 331.73	8811.00	25 gm
640325 C ₅ H ₁₀ AgNS ₂ (1470-61-7)	▲Silver Diethyl Dithiocarbamate AR M. W.: 256.13	1503.00 6507.00	5 gm 25 gm
217700 AgIO ₃ (7783-97-3)	Silver Iodate M. W.: 282.77 Assay (Iodometric) 98.0%	5607.00 21870.00 POR	25 gm 100 gm 500 gm
217705 AgI (7783-96-2)	Silver Iodide M. W.: 234.77 Assay (ex Ag Argentometric) 98.0%	7506.00	25 gm
N72300 Ag (7440-72-4)	Silver Nanopowder (Type-I)	10800.00 18990.00	5 gm 10 gm
217715 AgNO ₃ (7761-88-8)	Silver Nitrate Technical M.W : 169.87	5400.00 21025.00 POR	25 gm 100 gm 500 gm
030087 AgNO ₃ (7761-88-8)	Silver Nitrate M. W.: 169.87 Assay (Argentometric ex Ag) 99.8%	2530.00 5472.00 21276.00 103500.00	10 gm 25 gm 100 gm 500 gm
640575 AgNO ₃ (7761-88-8)	Silver Nitrate AR/ACS M. W.: 169.87 Assay (Argentometric ex Ag) (Trace metals basis) 99.9%	2763.00 5706.00 22437.00 108100.00	10 gm 25 gm 100 gm 500 gm
973550 MB	Silver Nitrate For Molecular Biology M. W.: 169.87 Assay : ≥ 99% Store Below 30°C	4032.00 8865.00 31032.00	10 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
PCT2307 PTC	Silver Nitrate Plant Culture Tested M. W.: 169.87 Assay 99.9% Store below 30°C	4491.00 9882.00 34601.00	10 gm 25 gm 100 gm
AgNO ₃ (7761-88-8)			
889280	Silver Nitrate Solution N/10 (0.1N)	779.00 2359.00 4185.00 9360.00	125 ml 500 ml 1 lit 2.5 lit
889290	Silver Nitrate N/50 solution (0.02 M)	936.00 1656.00 3520.00	500 ml 1 lit 2.5 lit
889300	Silver Nitrate Solution 0.2906%	198.00	125 ml
889330	Silver Nitrate Solution 0.5814%	279.00	125 ml
889340	Silver Nitrate Solution 0.1 M Citrisol 8.4935 g AgNO ₃ for 500 ml Solution 0.1 N Solution	4185.00 6606.00 12150.00	1 Amp 3 Amp 6 Amp
889370	Silver Nitrate CPECTROSOL® 0.01M (0.01N) Volumetric Solution In accordance with NIST	1998.00	1 lit
889400	Silver Nitrate CPECTROSOL® 0.05M (0.05N) Volumetric Solution In accordance with NIST	4401.00	1 lit
889410	Silver Nitrate CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	5067.00	1 lit
889415	Silver Nitrate Solution 0.1N acc. to USP	3303.00	500 ml
889450	Silver Nitrate CPECTROSOL® 0.5M (0.5N) Volumetric Solution In accordance with NIST	14850.00	1 lit
889455	Silver Nitrate 0.05N Volumetric Solution	1440.00 2502.00 5500.00	500 ml 1 lit 2.5 lit
889520	Silver Nitrate CPECTROSOL® 1M (1N) Volumetric Solution In accordance with NIST	26420.00	1 lit
889525	Silver Nitrate 1N Volumetric Solution	4680.00 22950.00 45000.00	100 ml 500 ml 1 lit
030090	Silver Oxide Purified M. W.: 231.74 Assay (ex Ag Argentometric) 98.0%	8100.00 31050.00 POR	25 gm 100 gm 500 gm
Ag ₂ O (20667-12-3)			
640885	Silver Oxide AR M. W.: 231.74	9900.00	25 gm
Ag ₂ O (20667-12-3)			
217745	Silver Perchlorate Pure M. W.: 207.32 Assay 97.0%	6453.00 19368.00	25 gm 100 gm
AgClO ₄ (7783-93-9)			
217725	Silver ortho Phosphate M. W.: 418.57 Assay (ex Ag Argentometric) 99.0%	8127.00	25 gm
Ag ₃ PO ₄ (7784-09-0)			
640995	Silver ortho Phosphate AR M. W.: 418.57	8370.00	25 gm
Ag ₃ PO ₄ (7784-09-0)			

Product Code	Product Name	Price	Packing
217755	▲Silver Proteinate for Histology	3016.00 8343.00	5 gm 25 gm
(9008-42-8)			
030095	Silver Sulphate Purified M. W.: 311.79 Assay (Argentometric ex Ag) 98.5%	2763.00 5931.00 23040.00	10 gm 25 gm 100 gm
Ag ₂ SO ₄ (10294-26-5)			
641035	Silver Sulphate AR/ACS M. W.: 311.79 Assay (Argentometric) 99.0%	2881.00 6102.00 24156.00	10 gm 25 gm 100 gm
Ag ₂ SO ₄ (10294-26-5)			
889860	Silver Sulphate 10,000 mg/lit in Sulphuric Acid	3520.00	1 lit
889870	Silver Sulphate 60,000 mg/lit in Sulphuric Acid	16390.00	1 lit
217805	Silver Sulphide M. W.: 247.80 Assay (ex Ag Argentometric) 98.0%	9954.00	25 gm
Ag ₂ S (21548-73-2)			
PCT2308 PTC	▲Silver Thiosulphate Plant Culture Tested	783.00 2980.00	100 ml 5X100 ml
(23149-52-2)			
217845	Silver Vanadate M. W.: 206.81 Assay 98.0%	3600.00 13356.00	5 gm 25 gm
AgVO ₃ (13497-94-4)			
889900	Simon's Reagent 'A'	1000.00	25 ml
889902	Simon's Reagent 'B'	1000.00	25 ml
PCT2524	b Sitosterol Plant Culture Tested M. W.: 414.71 Assay 99% Store at -20°C	2106.00 3663.00 14670.00	10 gm 100 gm 500 gm
C ₂₉ H ₅₀ O (83-46-5)			
217875	Skim Milk Powder for Microbiology SLES See Sodium Lauryl Ether Sulfate	1107.00	500 gm
889930	Smith's Reagent For Bile Pigment	162.00	125 ml
217935	Soap Powder (White)	531.00 4977.00	1 kg 10 kg
889940	Soap Solution (For Water Hardness Determination)	432.00	1 lit
889945	Soap Solution According to Clarke's	792.00	500 ml
217965	Sodalime Granules (8006-28-8)	450.00 3996.00	500 gm 5 kg
641125	Sodalime AR With indicator For Absorbing Carbon dioxide (8006-28-8)	603.00 2790.00	1 kg 5 kg
218085	Sodamide M.W. : 39.01 Assay 98.0%	680.00 2800.00	100 gm 500 gm
NH ₂ Na (7782-92-5)			
890000	Sodium (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
890060	Sodium (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
☒ Supply Only to End User

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
890180	Sodium (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	4257.00	100 ml	641230	Sodium Acetate Trihydrate Cryst. AR Meets Analytical Specification of IP M. W.: 136.08 Assay (Non-aqueous) 99.5%	360.00	500 gm
		8523.00	500 ml	2570.00		5 kg	
890150	Sodium CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in H ₂ O In accordance with NIST	16029.00	100 ml	C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4)	Sodium Acetate Trihydrate for HPLC M. W.: 136.08	POR	25 kg
		48240.00	500 ml	POR		50 kg	
890120	Sodium CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	4257.00	100 ml	769700	Sodium Acetate Trihydrate for Molecular Biology M. W.: 136.08	603.00	250 gm
		8523.00	500 ml	1161.00		500 gm	
890210	Sodium (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16029.00	100 ml	C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4)	Sodium Acetate Trihydrate Acetic acid sodium salt trihydrate Cell Culture Tested M. W.: 136.08 Assay : ≥98% Store below 30°C	2507.00	250 gm
		48204.00	500 ml	4392.00		500 gm	
030101	Sodium Metal Pieces in Kerosene/Liq. Paraffin At. W.: 22.99 Assay 98.0%	468.00	100 gm	TC1456	Sodium Acetate Trihydrate Acetic acid sodium salt trihydrate Cell Culture Tested M. W.: 136.08 Assay : ≥98% Store below 30°C	7034.00	1 kg
		945.00	250 gm	21096.00		5 kg	
		1602.00	500 gm				
641185	Sodium Metal AR Pieces in Kerosene/Liq. Paraffin At. W. : 22.99 Assay (Acidimetric) 99.0%	1044.00	250 gm	TC1456M	Sodium Acetate Trihydrate Acetic acid sodium salt trihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 136.079 Store below 30°C	4986.00	250 gm
		1800.00	500 gm	7470.00		500 gm	
030104	Sodium Acetate Anhydrous CH ₃ COONa (127-09-3) M. W.: 82.03 Assay (Non-aqueous) 98.0%	469.00	500 gm	C ₂ H ₉ NaO ₅ (6131-90-4)	Sodium Acetate Buffer Solution for Chlorine determination in water monitors	13104.00	1 kg
		3609.00	5 kg	23590.00		2 kg	
		POR	25 kg	54540.00		5 kg	
641225	Sodium Acetate Anhydrous AR/ACS CH ₃ COONa (127-09-3) M. W.: 82.03 Assay(non-aqueous) 99.0%	405.00	250 gm	890300	Sodium Acetate TS acc. to USP	230.00	500 ml
		657.00	500 gm	919.00		2.5 lit	
		4609.00	5 kg				
769600	Sodium Acetate Anhydrous for HPLC & Spectroscopy M. W.: 82.03 Assay (Non-aqueous) 99.5%	POR	25 kg	Sodium Acid Phosphate See Sodium Dihydrogen Orthophosphate	Sodium Alginate (9005-38-3)	2430.00	500 gm
		POR	50 kg			22500.00	5 kg
		POR	50 kg			POR	25 kg
984300	Sodium Acetate Anhydrous for Molecular Biology M. W.: 82.03 Assay (Non-aqueous) 99.0%	900.00	250 gm	030105	Sodium Alginate (Low Viscosity)	1962.00	500 gm
				18450.00		5 kg	
TC1023	Sodium Acetate Anhydrous [Acetic acid sodium salt] Cell Culture Tested M. W.: 82.03 Assay : ≥99% Store below 30°C	595.00	100 gm	984400	Sodium Alginate For Molecular Biology Store Below 30°C	1729.00	100 gm
		1773.00	500 gm	7750.00		500 gm	
TC1023U	Sodium Acetate Anhydrous Acetic acid sodium salt, Sodium acetate Meets USP 41-NF 36 testing specifications M. W.: 82.03 Store below 30°C	1431.00	100 gm	PCT2317	Sodium Alginate Plant Culture Tested Store below 30°C	397.00	100 gm
		6399.00	500 gm	1611.00		500 gm	
030103	Sodium Acetate Trihydrate Cryst. C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4) M. W.: 136.08 Assay (non-aqueous) 99.0-102.0%	306.00	500 gm	Sodium Alizarine Sulfonate See Alizarine Red S	Sodium Aluminate for Synthesis NaAlO ₂ (11138-49-1)	909.00	500 gm
		2003.00	5 kg			8019.00	5 kg
		POR	25 kg				
030103	Sodium Acetate Trihydrate Cryst. C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4) M. W.: 136.08 Assay (non-aqueous) 99.0-102.0%	POR	25 kg	Sodium Aluminium Fluoride See Cryolite			
		POR	50 kg	Sodium Amide See Sodamide			
218295	Sodium Ammonium Phosphate H ₃ NH ₃ O ₄ PNa (13011-54-6) M. W.: 137.07	675.00	500 gm	218295	Sodium Ammonium Phosphate M. W.: 137.07	675.00	500 gm
				792.00		25 gm	
				2502.00		250 gm	
218315	Sodium Arsenate Na ₂ HAsO ₄ ·7H ₂ O (10048-95-0) M. W.: 312.02	792.00	25 gm	218315	Sodium Arsenate M. W.: 312.02	792.00	25 gm
		2502.00	250 gm	2502.00		250 gm	
		4802.00	500 gm	4802.00		500 gm	

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
641265	Sodium Arsenate AR/ACS	1134.00	25 gm
Na ₂ HAsO ₄ ·7H ₂ O (10048-95-0)	M. W.: 312.02 Assay (iodometric) 99.0-102.0%	4343.00 8721.00	250 gm 500 gm
218335	Sodium Arsenite	900.00	25 gm
NaAsO ₂ (7784-46-5)	M. W.: 129.91	4302.00 7502.00	250 gm 500 gm
641275	Sodium Arsenite AR	1000.00	25 gm
NaAsO ₂ (7784-46-5)	M. W.: 129.91 Assay (iodometric) 98.5%	4343.00 8595.00	250 gm 500 gm
890390	Sodium Arsenite 0.05 M (0.1N) Volumetric Soln.	716.00 2313.00	500 ml 2.5 lit
890395	Sodium Arsenite CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
890420	Sodium Arsenite CPECTROSOL® 0.005M (0.01N) Standardized Solution In accordance with NIST	1400.00	1 lit
890450	Sodium Arsenite CPECTROSOL® 0.15M (0.3N) Standardized Solution In accordance with NIST	1400.00	1 lit
218355	Sodium L(+) Ascorbate	603.00 2601.00	100 gm 500 gm
C ₆ H ₇ NaO ₆ (134-03-2)	M.W.:198.11 Assay(dried basis) 99-101%		
TC1095	ATC Sodium L(+) Ascorbate (Vitamin C sodium salt) Cell Culture Tested	2124.00 8514.00	100 gm 500 gm
C ₆ H ₇ NaO ₆ (134-03-2)	M. W.: 198.11 Assay : ≥99% Store below 30°C		
030111	Sodium Azide	837.00 3600.00	100 gm 500 gm
NaN ₃ (26628-22-8)	M. W.: 65.01 Assay (oxidimetric) 99.0%	POR	25 kg
641335	Sodium Azide AR	891.00 3807.00	100 gm 500 gm
NaN ₃ (26628-22-8)	M. W.: 65.01 Assay (oxidimetric) 99.5%		
984500	MB Sodium Azide For Molecular Biology	1071.00 4500.00	100 gm 500 gm
NaN ₃ (26628-22-8)	M. W.: 65.01 Assay : ≥ 98% Store Below 30°C		
TC1704	ATC Sodium Azide Cell Culture Tested	1215.00 3636.00	25 gm 100 gm
NaN ₃ (26628-22-8)	M. W. : 65.01 Store below 30°C	14553.00	500 gm
030112	Sodium Benzoate	477.00 4005.00	500 gm 5 kg
C ₆ H ₅ COONa (532-32-1)	Meets Analytical Specification of IP, BP, Ph. Eur., FCC. M. W.: 144.11 Assay (on dry material Non-aqueous) 99.0-100.5%	POR POR	25 kg 50 kg
641425	Sodium Benzoate AR	702.00	500 gm
C ₆ H ₅ COONa (532-32-1)	M. W.: 144.11 Assay (on dried) 99.5%	POR POR	25 kg 50 kg
Sodium Bicarbonate See Sodium Hydrogen Carbonate			
Sodium Biphosphate See Sodium Dihydrogen Orthophosphate			
030161	Sodium Biselenite	3807.00 34920.00	100 gm 1 kg
NaHSeO ₃ (7782-82-3)	M.W.: 150.96 Assay (ex Se Iodometric) 98.0%		
030113	Sodium Bismuthate [Sodium bismuthate (V)]	603.00 1953.00	25 gm 100 gm
NaBiO ₃ (12232-99-4)	M. W.: 279.97 Assay (Oxidimetric) 80.0%		
641485	Sodium Bismuthate AR	2106.00	100 gm
NaBiO ₃ (12232-99-4)	M. W.: 279.97 Assay (oxidimetric) 85.0%		
Sodium Bisulphate See Sodium Hydrogen Sulphate			
218455	Sodium Bisulphite	342.00 2502.00	500 gm 5 kg
NaHSO ₃ (7631-90-5)	M.W.: 104.06 Assay (Iodometry) 58.5-67.4%	POR POR	25 kg 50 kg
641525	Sodium Bisulphite AR	550.00 4905.00	500 gm 5 kg
NaHSO ₃ (7631-90-5)	M. W.: 104.06 Assay (as SO ₂ content) 58.5%	POR POR	25 kg 50 kg
218555	Sodium Bitartrate Extra Pure	1503.00	500 gm
C ₄ H ₆ O ₆ .Na (526-94-3)	M. W.: 172.07		
218580	Sodium-m-Borate	401.00	500 gm
NaBO ₂ ·4H ₂ O (10555-76-7)	M. W.: 137.86 Assay (acidimetric) 98.0%		
030114	Sodium Borohydride for Synthesis	549.00 1810.00 8505.00	25 gm 100 gm 500 gm
NaBH ₄ (16940-66-2)	M. W.: 37.83 Assay (Iodometric) 98.0%	POR	5 kg
030115	Sodium Bromate	1521.00	500 gm
NaBrO ₃ (7789-38-0)	M. W.: 150.89 Assay (iodometric) 99.0%	POR POR	25 kg 50 kg
030116	Sodium Bromide Pure	1054.00	500 gm
NaBr (7647-15-6)	M. W.: 102.89 Assay (after drying Argentometric) 99.0%	POR POR	25 kg 50 kg
641585	Sodium Bromide AR	1206.00	500 gm
NaBr (7647-15-6)	M. W.: 102.89 Assay (ex Br) after drying 99.5%	POR POR	25 kg 50 kg
218680	Sodium-tert-Butoxide	730.00 3006.00	100 gm 500 gm
C ₄ H ₉ NaO (865-48-5)	M. W.: 96.11 Assay (potentiometric) 97.0%		
218705	Sodium Butyrate	900.00 4005.00	100 gm 500 gm
C ₄ H ₇ NaO ₂ (156-54-7)	M. W.: 110.09 Assay (GC) 98.5%		
TC1471	ATC Sodium Butyrate Butyric acid sodium salt trihydrate Cell Culture Tested	882.00 1566.00 6103.00	5 gm 100 gm 500 gm
CH ₃ CH ₂ CH ₂ COONa (156-54-7)	M. W.: 110.09 Assay : ≥99% Store below 30°C		

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✦ Delivery Period 4-6 Weeks
☞ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing
030118	Sodium Cacodylate C ₂ H ₆ AsNaO ₂ 3H ₂ O (124-65-2)	15300.00 41004.00	25 gm 100 gm
984800	Sodium Cacodylate Trihydrate For Molecular Biology C ₂ H ₆ AsO ₂ Na ₃ H ₂ O (6131-99-3)	22500.00	50 gm
030121	Sodium Carbonate (Anhydrous) Pure Na ₂ CO ₃ (497-19-8)	378.00 2691.00	500 gm 5 kg
642205	Sodium Carbonate (Anhydrous) AR Na ₂ CO ₃ (497-19-8)	513.00 2997.00	500 gm 5 kg
984840	Sodium Carbonate (Anhydrous) (Soda Ash) For Molecular Biology Na ₂ CO ₃ (497-19-8)	2484.00 4725.00 9091.00	100 gm 500 gm 1 kg
218780	Sodium Carbonate Monohydrate Na ₂ CO ₃ .H ₂ O (5968-11-6)	405.00 2853.00	500 gm 5 kg
642195	Sodium Carbonate Monohydrate AR Na ₂ CO ₃ .H ₂ O (5968-11-6)	477.00	500 gm
891000	Sodium Carbonate N/10	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
891030	Sodium Carbonate 0.05 M (0.1N) Volumetric Soln.	162.00	500 ml
891060	Sodium Carbonate CPECTROSOL® 0.5M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
218805	Sodium Caseinate for Biochemistry (9005-46-3)	1467.00 5500.00	100 gm 500 gm
030123	Sodium Chloride Cryst. Pure NaCl (7647-14-5)	230.00 406.00 981.00	500 gm 1 kg 5 kg
642243	Sodium Chloride AR/ACS NaCl (7647-14-5)	270.00 1107.00	500 gm 5 kg
770200	Sodium Chloride for HPLC NaCl (7647-14-5)	765.00	500 gm
984900	Sodium Chloride for Molecular Biology NaCl (7647-14-5)	873.00 7470.00	500 gm 5 kg

■ **ATC** : Animal Cell Culture
■ **MB** : Molecular Biology
■ **PTC** : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1046	Sodium Chloride Cell Culture Tested NaCl (7647-14-5)	1540.00 2350.00 5814.00 7480.00	500 gm 1 kg 5 kg 10 kg
TC1046M	Sodium Chloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications NaCl (7647-14-5)	3033.00 5454.00 16371.00 24260.00	500 gm 1 kg 5 kg 10 kg
891180	Sodium Chloride 0.1 M (0.1N) Volumetric Solution	207.00 550.00 990.00	1 Amp 3 Amp 6 Amp
891185	Sodium Chloride 0.1 N Solution	113.00 207.00 369.00	500 ml 1 lit 2.5 lit
891190	Sodium Chloride CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
891210	Sodium Chloride CPECTROSOL® 0.05M (0.05N) Standard Solution In accordance with NIST	1400.00	1 lit
891220	Sodium Chloride 0.5M (0.5N) Volumetric Solution	117.00 216.00 387.00	500 ml 1 lit 2.5 lit
891205	Sodium Chloride 1 N Solution	122.00 230.00 401.00	500 ml 1 lit 2.5 lit
891200	Sodium Chloride CPECTROSOL® 1M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
891150	Sodium Chloride (Concentrated saline solution) for preparing isotonic (0.9% w/v) Soln.	118.00 792.00	500 ml 5 lit
891250	Sodium Chloride TS, Alkaline acc. to USP	604.00	500 ml
218850	Sodium Chlorite NaClO ₂ (7758-19-2)	1031.00 1800.00	500 gm 1 kg
218955	Sodium Chloroacetate Mono for Synthesis (Chloroacetic Acid Sodium Salt) CH ₂ CO ₂ NaCl (3926-62-3)	387.00	500 gm
219005	Sodium (Hexa) Chloro Iridate Na ₃ IrCl ₆ .xH ₂ O (123334-23-6)	POR POR	1 gm 5 gm
219115	Sodium Cholate for Biochemistry C ₂₄ H ₄₀ O ₅ Na (361-09-1)	2390.00 9011.00	25 gm 100 gm
219145	Sodium Chromate Tetrahydrate Na ₂ CrO ₄ .4H ₂ O (10034-82-9)	208.00 747.00	100 gm 500 gm

Storage : ● 0-4°C ▲ 2-8°C
 ☆ Delivery Period 4-6 Weeks
 ☞ Supply Only to End User

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
642325	Sodium Chromate AR M. W.: 234.03 Assay(iodometric) 99.5%	820.00	500 gm POR 25 kg POR 50 kg	219455	* Sodium Decyl Sulphate for ion pair Chromatography (Decyl Sulphate Sodium Salt) C ₁₀ H ₂₁ O ₄ SNa (142-87-0) M. W.: 260.32 Assay 99.0%	4770.00	5 gm
TC1249M	ATC tri-Sodium Citrate Dihydrate Sodium citrate dihydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W. : 294.1	5463.00 9864.00 36702.00	500 gm 1 kg 5 kg	219465	▲ Sodium Deoxycholate (Sodium desoxycholate) C ₂₄ H ₃₉ O ₄ Na (302-95-4) M.W. : 414.55 Assay 90.0%	3006.00 11007.00 53555.00	25 gm 100 gm 500 gm
	Na ₃ C ₆ H ₅ O ₇ ·2H ₂ O (6132-04-3) Store below 30°C			030130	Sodium Dichromate Dihydrate Na ₂ Cr ₂ O ₇ ·2H ₂ O (7789-12-0) M. W.: 298.00 Assay (iodometric) 99.0%	873.00	500 gm POR 25 kg POR 50 kg
TC1526M	ATC Sodium Citrate Anhydrous Meets USP 41-NF 36 testing specifications M. W.: 258.07	8843.00 22140.00	100 gm 500 gm	642905	Sodium Dichromate AR/ACS Na ₂ Cr ₂ O ₇ ·2H ₂ O (7789-12-0) M. W.: 298.00 Assay (iodometric) 99.5%	1107.00	500 gm POR 25 kg POR 50 kg
	Na ₃ C ₆ H ₅ O ₇ (68-04-2) Store below 30°C			642945	Sodium Diethyl Dithiocarbamate AR/ACS Sensitivity to Cu... 1:50,000,000 C ₅ H ₁₀ NNaS ₂ ·3H ₂ O (20624-25-3) M. W.: 225.30 Assay (iodometric) 98.5%	711.00 2800.00	100 gm 500 gm
030128	tri Sodium Citrate Dihydrate (tri-Sodium Citrate-2 hydrate) Meets Analytical Specification of FCC. M. W.: 294.10	306.00 603.00 1107.00	100 gm 500 gm 1 kg	891480	Sodium Diethyl Dithiocarbamate Solution (Reagent for Cd, Cr, CU, Pb, Co, Mn, Ni, U & Zn)	369.00	100 ml
	Na ₃ C ₆ H ₅ O ₇ ·2H ₂ O (6132-04-3) Assay (Cal. anhydrous basis Non-aqueous) 99.0-100.5%	4401.00	5 kg POR 25 kg POR 50 kg	219505	Sodium dihydro-bis- (2-methoxyethoxy) Aluminate -70% in Toluene	2520.00 8640.00	100 ml 500 ml
642385	tri Sodium Citrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 294.10	999.00 4806.00	500 gm 5 kg POR 25 kg POR 50 kg	219515	Sodium Dihydrogen Ortho Phosphate Dihydrate Cryst. NaH ₂ PO ₄ ·2H ₂ O (13472-35-0) M. W.: 156.01 Assay (acidimetric) 98.0%	720.00 6102.00	500 gm 5 kg POR 25 kg POR 50 kg
	Na ₃ C ₆ H ₅ O ₇ ·2H ₂ O (6132-04-3) Assay (calculated w.r.t. anhydrous subs. Non-aqueous) 99.0-100.5%			642985	Sodium Dihydrogen Ortho Phosphate Dihydrate AR NaH ₂ PO ₄ ·2H ₂ O (13472-35-0) M. W.: 156.01 Assay (Acidimetric; dried subs.) 98.0-100.5%	810.00 6606.00	500 gm 5 kg POR 50 kg
985400	MB tri Sodium Citrate for Molecular Biology M. W.: 294.10	1305.00	500 gm	771000	Sodium Dihydrogen Ortho Phosphate Dihydrate for HPLC NaH ₂ PO ₄ ·2H ₂ O (13472-35-0) M. W.: 156.01 Assay 99.0% (acidimetric)	1206.00	500 gm
	Na ₃ C ₆ H ₅ O ₇ ·2H ₂ O (6132-04-3) Assay (Non-aqueous) 99.5%			643010	Sodium Dihydrogen Orthophosphate Anhydrous AR NaH ₂ PO ₄ (7558-80-7) M.W.119.98	1053.00 8010.00	500 gm 5 kg
TC1249	ATC tri-Sodium Citrate Dihydrate Cell Culture Tested M. W.: 294.10	1584.00 2570.00 9054.00	500 gm 1 kg 5 kg	986000	MB Sodium Dihydrogen Ortho Phosphate Anhydrous Molecular Biology NaH ₂ PO ₄ (7558-80-7) M.W. : 119.98 Assay 98.0%	2097.00	500 gm
	Na ₃ C ₆ H ₅ O ₇ ·2H ₂ O (6132-04-3) Assay : ≥99% Store below 30°C			643005	Sodium Dihydrogen Ortho Phosphate Monohydrate AR NaH ₂ PO ₄ ·H ₂ O (10049-21-5) M. W.: 137.99 Assay 99.0%	1053.00 POR 25 kg POR 50 kg	500 gm
891410	Sodium Citrate Solution 3.8% w/v (as C ₆ H ₅ Na ₃ O ₇ ·2H ₂ O) 3.8-4.2% w/v	190.00	500 ml	986010	MB Sodium Dihydrogen Ortho Phosphate Monohydrate For Molecular Biology NaH ₂ PO ₄ ·H ₂ P (10049-21-5) M. W.: 137.99 Assay : ≥ 99.5% Store Below 30°C	3380.00	250 gm
219190	Sodium Cobaltinitrite M. W.: 403.94 Assay 90.0%	2304.00	100 gm	TC1459	ATC Sodium Dihydrogen Phosphate (Sodium phosphate monobasic) Cell Culture Tested NaH ₂ PO ₄ (7558-80-7) M. W.: 119.98 Assay : ≥98% Store below 30°C	1540.00 3852.00 4802.00 12821.00	100 gm 500 gm 1 kg 5 kg
642445	Sodium Cobaltinitrite AR M. W.: 403.94 Assay 95.0%	945.00 2502.00	25 gm 100 gm				
219255	Sodium Cyanate for Synthesis M. W.: 65.01	450.00	500 gm				
219345	* Sodium Cyanide Extra Pure (Against Poison Licence) M. W.: 49.01	1323.00 2205.00	500 gm 1 kg POR 25 kg POR 50 kg				
	NaCN (143-33-9)						
642845	Sodium Cyanide AR/ACS (Against Poison Licence) M. W.: 49.01	1503.00	500 gm POR 25 kg POR 50 kg				
	NaCN (143-33-9)						
219395	Sodium Cyanoborohydride M.W.: 62.84 Assay (Iodometric) 95.0%	2403.00 8910.00	25 gm 100 gm				
	NaBH ₃ CN (25895-60-7)						

Storage : ● 0-4°C ▲ 2-8°C

☆ Delivery Period 4-6 Weeks

* Supply Against Licence

⊗ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing
TC1459M	Sodium Dihydrogen Phosphate (Sodium phosphate monobasic) Monosodium dihydrogen orthophosphate, Monosodium phosphate, anhydrous Meets USP 41-NF 36 and BP 2016 testing specifications M. W.: 119.98 Store below 30°C	5243.00	100 gm
		17240.00	500 gm
		30465.00	1 kg
	NaH ₂ PO ₄ (7558-80-7)		
PCT1013	Sodium Dihydrogen Phosphate Monohydrate Plant Culture Tested M. W.: 137.99 Assay 98% Store below 30°C	1062.00	500 gm
		2070.00	1 kg
		8010.00	5 kg
		POR	25 kg
	NaH ₂ PO ₄ .H ₂ O (10049-21-5)		
TC1068	Sodium Dihydrogen Phosphate Monohydrate (Sodium phosphate monobasic; Monosodium phosphate) Cell Culture Tested M. W.: 137.99 Assay : ≥98% Store below 30°C	1494.00	100 gm
		3807.00	500 gm
		4761.00	1 kg
		12790.00	5 kg
	NaH ₂ PO ₄ .H ₂ O (10049-21-5)		
891500	Sodium Diphenyl Solution AR	1107.00	15 ml
	P ₁₂ H ₁₀ Na (5137-46-2)	10161.00	10x15 ml
319575	Sodium Diphenylamine Sulphonate AR/ACS	342.00	5 gm
		1206.00	25 gm
	C ₁₂ H ₁₀ NNaO ₃ S (6152-67-6)		
891510	Sodium Diphenylamine Sulphonate Indicator Solution (Redox indicator) tetra - Sodium Diphosphate See tetra-Sodium Pyrophosphate Sodium Dodecyl Benzene Sulphonate See Dodecyl Benzene Sulphonic Acid Sodium Salt Sodium Disulphite See Sodium Meta Bisulphite	262.00	100 ml
219595	Sodium Dithionite Purified	316.00	100 gm
		801.00	500 gm
		POR	25 kg
	Na ₂ S ₂ O ₄ .H ₂ O (7775-14-6)	POR	50 kg
986110	Sodium Dithionite For Molecular Biology M. W.: 174.11 Assay : ≥ 85%	3114.00	500 gm
	Na ₂ O ₄ S ₂ (7775-14-6)		
	Sodium Dodecyl Sulphate See Sodium Lauryl Sulphate		
219645	Sodium Ethoxide for Synthesis (Sodium Ethylate) M.W : 68.05 Assay 94.0%	1602.00	250 gm
		3600.00	1 kg
		POR	10 kg
	C ₂ H ₅ NaO (141-52-6)		
219700	Sodium Ferrocyanide Decahydrate	594.00	500 gm
		4001.00	5 kg
	C ₆ FeN ₆ Na ₄ .10H ₂ O (14434-22-1)		

Product Code	Product Name	Price	Packing
030139	Sodium Fluoride NaF M. W.: 41.99 (7681-49-4) Assay (Non-aqueous) 97.0%	819.00	500 gm
		5607.00	5 kg
		POR	25 kg
		POR	50 kg
643105	Sodium Fluoride AR NaF M. W.: 41.99 (7681-49-4) Assay (ion exchange) 99.0%	1305.00	500 gm
		POR	25 kg
		POR	50 kg
891530	Sodium Fluoride 1 gm/lit Volumetric Solution	3393.00	1 lit
891535	Sodium Fluoride 40 gm/lit Volumetric Solution	9090.00	1 lit
219735	Sodium Fluoroborate NaBF ₄ (13755-29-8)	882.00	500 gm
	Sodium Fluorosilicate See Sodium Silicofluoride		
219745	Sodium Formaldehyde Bisulphite CH ₃ NaO ₄ S (870-72-4) Assay (Iodometric) 96.0%	351.00	500 gm
030141	Sodium Formaldehyde Sulphoxylate CH ₃ NaO ₃ S.2H ₂ O (6035-47-8) Assay (Iodometric) 95.0%	675.00	500 gm
		2808.00	2.5 kg
		POR	25 kg
		POR	50 kg
030142	Sodium Formate HCOONa (141-53-7) Assay (Iodometric) 98.0%	311.00	500 gm
		2800.00	5 kg
		POR	25 kg
		POR	50 kg
643145	Sodium Formate AR/ACS HCOONa (141-53-7) Assay (Iodometric) 99.0%	401.00	500 gm
		POR	25 kg
		POR	50 kg
891565	Sodium Formate 0.01 N Solution	198.00	500 ml
		370.00	1 lit
		540.00	2.5 lit
891568	Sodium Formate 0.1 N Solution	190.00	500 ml
		342.00	1 lit
		513.00	2.5 lit
891571	Sodium Formate 0.5 N Solution	216.00	500 ml
		387.00	1 lit
		576.00	2.5 lit
030143	Sodium Fumarate C ₄ H ₂ O ₄ Na ₂ (17013-01-3) Assay (Non-aqueous) 99.0%	1233.00	500 gm
643195	Sodium Fumarate AR C ₄ H ₂ O ₄ Na ₂ (17013-01-3) Assay (ex Na) 99.5%	315.00	100 gm
		2682.00	1 kg
030144	Sodium Gluconate for Synthesis C ₆ H ₁₁ NaO ₇ (527-07-1) Assay (non-aqueous) 98.0-102.0%	297.00	500 gm
		POR	50 kg
037106	Sodium-L-Glutamate C ₅ H ₈ O ₄ NNa.H ₂ O (6106-04-3) Assay (non-aqueous) 99.0%	216.00	100 gm
		657.00	500 gm
		4653.00	5 kg
		POR	25 kg
		POR	50 kg

▲ ATC : Animal Cell Culture
▲ MB : Molecular Biology
▲ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1064	ATC Sodium-L-Glutamate (L-Glutamic Acid Mono Sodium Monohydrate) (From non-animal source) Cell Culture Tested	1260.00	100 gm
		3780.00	500 gm
		5670.00	1 kg
C ₅ H ₈ NNaO ₄ H ₂ O (6106-04-3) M. W.: 187.13 Assay : ≥99% Store below 30°C			
TC1561U	ATC Sodium-L-Glutamate Meets USP 41-NF 36 testing specification	2421.00	100 gm
		9702.00	500 gm
C ₅ H ₈ NNaO ₄ H ₂ O (6106-04-3) M. W.: 169.11 Store below 30°C			
643255	Sodium-b-Glycero Phosphate AR Substrate for the assay of Phosphatase	540.00	25 gm
		1701.00	100 gm
C ₃ H ₇ Na ₂ O ₆ P ₅ H ₂ O (13408-09-8) M. W.: 306.11 Assay (potentiometric) 98.0%			
Sodium Hexafluoroaluminate See Cryolite			
Sodium Hexafluorosilicate See Sodium Silicofluoride			
219815	Sodium Hexametaphosphate M. W.: 612.00 Assay (as P ₂ O ₅) 62.0%	657.00	500 gm
		5202.00	5 kg
		POR	25 kg
POR 50 kg			
Sodium Hexanitro Cobaltate (III) See Sodium Cobaltinitrite			
Sodium Hippurate See Hippuric Acid Sodium Salt			
030150	Sodium Hydride for Synthesis (Moistened with Paraffin Oil)	270.00	25 gm
		581.00	100 gm
		2403.00	500 gm
HNa (7646-69-7) M. W.: 24.00 Assay (titrimetry) 55-65% 14220.00 5 kg			
030151	Sodium Hydrogen Carbonate Purified M. W.: 84.01 Assay (acidimetric) 99.0-101.0%	279.00	500 gm
		450.00	1 kg
		1800.00	5 kg
		POR	25 kg
POR 50 kg			
643545	Sodium Hydrogen Carbonate AR Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 84.01 Assay (Acidimetric) 99.7-100.3%	333.00	500 gm
		2106.00	5 kg
		POR	25 kg
NaHCO ₃ (144-55-8) POR 50 kg			
771200	Sodium Hydrogen Carbonate for HPLC & Spectroscopy M.W.: 84.01 Assay (Acidimetric) 99.7-100.3%	594.00	500 gm
NaHCO ₃ (144-55-8)			
986200	MB Sodium Hydrogen Carbonate for Molecular Biology M. W.: 84.01 Assay (Acidimetric) 99.7%	1341.00	500 gm
NaHCO ₃ (144-55-8)			
PCT2535	PTC Sodium Hydrogen Carbonate (Sodium Bicarbonate) Plant Culture Tested M. W.: 84.01 Store below 30°C	122.00	100 gm
		540.00	500 gm
		981.00	1 kg
		3960.00	5 kg
NaHCO ₃ (144-55-8)			

Product Code	Product Name	Price	Packing
TC1230	ATC Sodium Hydrogen Carbonate (Sodium Bicarbonate) Cell Culture Tested M. W.: 84.01 Assay : ≥99.5% Store below 30°C	833.00	100 gm
		2502.00	500 gm
		3762.00	1 kg
NaHCO ₃ (144-55-8) 11286.00 5 kg			
TC1230M	ATC Sodium Hydrogen Carbonate (Sodium Bicarbonate) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 84.01 Store below 30°C	1818.00	100 gm
		5454.00	500 gm
		8487.00	1 kg
NaHCO ₃ (144-55-8) 24264.00 5 kg			
030152	di-Sodium Hydrogen Citrate M. W.: 263.11 Assay (Non-aqueous) 99.0-104.0%	846.00	500 gm
C ₆ H ₆ Na ₂ O ₇ ·1½ H ₂ O (144-33-2)			
030158	di-Sodium Hydrogen Ortho Phosphate Anhydrous M. W.: 141.96 Assay (acidimetric dried subs.) 98.0%	720.00	500 gm
		6130.00	5 kg
		POR	25 kg
Na ₂ HPO ₄ (7558-79-4) POR 50 kg			
643385	di-Sodium Hydrogen Ortho Phosphate Anhydrous AR M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	882.00	500 gm
		POR	25 kg
		POR	50 kg
Na ₂ HPO ₄ (7558-79-4)			
771500	di-Sodium Hydrogen Ortho Phosphate Anhydrous for HPLC & Spectroscopy M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	1755.00	500 gm
Na ₂ HPO ₄ (7558-79-4)			
986350	MB di-Sodium Hydrogen Ortho Phosphate Anhydrous for Molecular Biology M. W.: 141.96 Assay (Acidimetric ;after drying) 99.5%	2070.00	500 gm
Na ₂ HPO ₄ (7558-79-4)			
TC1051	ATC di-Sodium Hydrogen Phosphate Anhydrous (Sodium phosphate dibasic; Disodium phosphate) Cell Culture Tested M. W.: 141.96 Assay : ≥99% Store below 30°C	1746.00	100 gm
		3803.00	500 gm
		5283.00	1 kg
		13095.00	5 kg
Na ₂ HPO ₄ (7558-79-4)			
TC1051M	ATC di-Sodium Hydrogen Phosphate Anhydrous Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 141.96 Store below 30°C	2628.00	100 gm
		7579.00	500 gm
		11862.00	1 kg
Na ₂ HPO ₄ (7558-79-4) 22752.00 5 kg			
030157	di-Sodium Hydrogen Ortho Phosphate Dihydrate Purified M. W.: 177.99 Assay (acidimetric dried subs.) 99.0%	675.00	500 gm
		6507.00	5 kg
		POR	25 kg
Na ₂ HPO ₄ ·2H ₂ O (10028-24-7) POR 50 kg			
643405	di-Sodium Hydrogen Ortho Phosphate Dihydrate AR M. W.: 177.99 Assay (Acidimetric; dried substance) 99.5%	792.00	500 gm
		7605.00	5 kg
		POR	25 kg
Na ₂ HPO ₄ ·2H ₂ O (10028-24-7) POR 50 kg			

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
✳ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
986400	MB di- Sodium Hydrogen Ortho Phosphate Dihydrate For Molecular Biology M. W.: 177.99 Assay (Acidimetric) 99.0% Na ₂ HPO ₄ .2H ₂ O (10028-24-7)	1305.00	500 gm	219950	Sodium Hydroxide Powder M.W : 40.00 Assay 98.0% (1310-73-2)	405.00	500 gm
		12330.00	5 kg			2709.00	5 kg
TC1507	ATC di- Sodium Hydrogen Phosphate Dihydrate (Sodium phosphate dibasic dihydrate) Cell Culture Tested M. W.: 177.99 Assay : ≥99% Store below 30°C Na ₂ HPO ₄ .2H ₂ O (10028-24-7)	1800.00	500 gm	030167	Sodium Hydroxide Pellets Purified M. W.: 40.00 Assay (Acidimetric) 97.0% (1310-73-2)	342.00	500 gm
		3160.00	1 kg			2403.00	5 kg
TC1507M	ATC di- Sodium Hydrogen Phosphate Dihydrate Disodium phosphate dihydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications M. W.: 177.99 Store below 30°C Na ₂ HPO ₄ .2H ₂ O (10028-24-7)	2170.00	500 gm	643525	Sodium Hydroxide Pellets AR Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 40.00 Assay (Acidimetric) 98.0% (1310-73-2)	405.00	500 gm
		3790.00	1 kg			2952.00	5 kg
219885	di-Sodium Hydrogen Ortho Phosphate Dodecahydrate M. W.: 358.14 Assay (acidimetric) 98.0-101.0% Na ₂ HPO ₄ .12H ₂ O (10039-32-4)	640.00	500 gm	986460	MB Sodium Hydroxide Pellets For Molecular Biology M. W.: 40.00 Assay : ≥ 98% Store Below 30°C (1310-73-2)	239.00	100 gm
		POR	25 kg			603.00	500 gm
TC1508	ATC di- Sodium Hydrogen Phosphate Dodecahydrate (Sodium phosphate dibasic Dodecahydrate) Cell Culture Tested M. W.: 358.14 Assay : ≥99% Store below 30°C Na ₂ HPO ₄ .12H ₂ O (10039-32-4)	1944.00	500 gm	TC1460	ATC Sodium Hydroxide Pellets Caustic Soda Cell Culture Tested M. W.: 40 Assay : ≥99% Store below 30°C (1310-73-2)	405.00	500 gm
		11620.00	5 kg			739.00	1 kg
891550	di-Sodium Hydrogen Phosphate 1/15 mol/L (Buffer Stock Solution) See Sodium Biselenite Na ₂ HPO ₄ .12H ₂ O (10039-32-4)	1323.00	500 ml	TC1460M	ATC Sodium Hydroxide Pellets Caustic Soda Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 40 Store below 30°C (1310-73-2)	1215.00	500 gm
		2403.00	1 lit			2179.00	1 kg
030162	Sodium Hydrogen Sulphate Monohydrate M. W.: 138.07 Assay (acidimetric) 98-104.0% NaHSO ₄ .H ₂ O (10034-88-5)	405.00	500 gm	891580	Sodium Hydroxide 10% Solution AR M.W. 40.0 Assay About 10.0% (1310-73-2)	140.00	500 ml
		POR	25 kg			230.00	1 lit
643465	Sodium Hydrogen Sulphate Monohydrate AR M. W.: 138.07 Assay (acidimetric) 99.0% NaHSO ₄ .H ₂ O (10034-88-5)	527.00	500 gm	891583	Sodium Hydroxide 21% Solution AR M.W. 40.0 Assay About 21.0% (1310-73-2)	207.00	500 ml
		POR	25 kg			383.00	1 lit
219905	Sodium Hydrosulphide 30% (Sodium Hydrogen Sulphide) See Sodium Bisulfite NaHSO ₄ .H ₂ O (10034-88-5)	3006.00	5 lit	891586	Sodium Hydroxide 32% Solution AR (For Determination Of Nitrogen) M.W. 40.0 Assay About 32.0% (1310-73-2)	221.00	500 ml
		POR	50 kg			387.00	1 lit
030166	Sodium Hydroxide Flakes M. W.: 40.00 Assay (acidimetric) 96.0% (1310-73-2)	279.00	500 gm	891589	Sodium Hydroxide 45% Solution AR M.W. 40.0 Assay About 45.0% (1310-73-2)	252.00	500 ml
		504.00	1 kg			441.00	1 lit
030166	Sodium Hydroxide Flakes M. W.: 40.00 Assay (acidimetric) 96.0% (1310-73-2)	1953.00	5 kg	891592	Sodium Hydroxide 50% Solution in Water AR M.W. 40.0 Assay About 50.0% (1310-73-2)	261.00	500 ml
		POR	25 kg			504.00	1 lit
030166	Sodium Hydroxide Flakes M. W.: 40.00 Assay (acidimetric) 96.0% (1310-73-2)	POR	50 kg	891600	Sodium Hydroxide N/1 Solution 1 mol/L Citrisol 20.00 g NaOH for 500 ml Solution 1N solution (1310-73-2)	140.00	1 Amp
		POR	50 kg			306.00	3 Amp
030166	Sodium Hydroxide Flakes M. W.: 40.00 Assay (acidimetric) 96.0% (1310-73-2)	POR	50 kg	891630	Sodium Hydroxide N/10 Solution 0.1 mol/L Citrisol 2.000 g NaOH for 500 ml solution 0.1N Solution (1310-73-2)	550.00	6 Amp
		POR	50 kg			140.00	1 Amp
030166	Sodium Hydroxide Flakes M. W.: 40.00 Assay (acidimetric) 96.0% (1310-73-2)	POR	50 kg	891660	Sodium Hydroxide Solution (N/10) (1310-73-2)	163.00	500 ml
		POR	50 kg			257.00	1 lit
030166	Sodium Hydroxide Flakes M. W.: 40.00 Assay (acidimetric) 96.0% (1310-73-2)	POR	50 kg	891660	Sodium Hydroxide Solution (N/10) (1310-73-2)	396.00	2.5 lit
		POR	50 kg			396.00	2.5 lit

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
891690	Sodium Hydroxide CPECTROSOL® 0.01M (0.01N) Standard Solution In accordance with NIST	1400.00	1 lit
891695	Sodium Hydroxide 0.01 mol/L (0.01N) For 500 ml Solution	243.00 451.00 882.00	1 Amp 3 Amp 6 Amp
891700	Sodium Hydroxide CPECTROSOL® 0.02M (0.02N) Standard Solution In accordance with NIST	1400.00	1 lit
891970	Sodium Hydroxide CPECTROSOL® 0.2M (0.2N) Standard Solution In accordance with NIST	1400.00	1 lit
891720	Sodium Hydroxide 0.05 M (0.05N) Volumetric Solution	275.00	500 ml
891750	Sodium Hydroxide CPECTROSOL® 0.1M (0.1N) Standard Solution In accordance with NIST	1400.00	1 lit
891870	Sodium Hydroxide CPECTROSOL® 0.111M (0.111N) Standard Solution In accordance with NIST	1400.00	1 lit
891960	Sodium Hydroxide 0.2 M (0.2N) Volumetric Solution	154.00 230.00 486.00	500 ml 1 lit 2.5 lit
891705	Sodium Hydroxide 0.02 mol/L (0.02N) Solution	243.00 414.00 702.00	500 ml 1 lit 2.5 lit
891990	Sodium Hydroxide 0.25 M (0.25N) Volumetric Solution	171.00 293.00 576.00	500 ml 1 lit 2.5 lit
891997	Sodium Hydroxide CPECTROSOL® 0.25M (0.25N) Standard Solution In accordance with NIST	1400.00	1 lit
891999	Sodium Hydroxide 0.25 mol/L (0.25N) For 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
892000	Sodium Hydroxide 0.33 mol/L (0.33N) Solution	243.00 414.00 702.00	500 ml 1 lit 2.5 lit
891995	Sodium Hydroxide 0.357M (1/2.8N) Solution	284.00 513.00 864.00	500 ml 1 lit 2.5 lit
892050	Sodium Hydroxide 0.5 M (0.5N) Volumetric Solution	171.00 243.00 532.00	500 ml 1 lit 2.5 lit
892055	Sodium Hydroxide CPECTROSOL® 0.5M (0.5N) Standard Solution In accordance with NIST	1400.00	1 lit
892058	Sodium Hydroxide 0.5 mol/L (0.5N) For 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
892060	Sodium Hydroxide 1M (1N) Volumetric Solution	154.00 293.00 541.00	500 ml 1 lit 2.5 lit

Product Code	Product Name	Price	Packing
892063	Sodium Hydroxide CPECTROSOL® 1M (1N) Standard Solution In accordance with NIST	1400.00	1 lit
892065	Sodium Hydroxide 2 M (2N) Volumetric Solution	203.00 387.00 604.00	500 ml 1 lit 5 lit
892068	Sodium Hydroxide CPECTROSOL® 2M (2N) Standard Solution In accordance with NIST	1400.00	1 lit
892070	Sodium Hydroxide 4 M (4N) Low in Carbonate Volumetric Solution	243.00 459.00 720.00	500 ml 1 lit 2.5 lit
892075	Sodium Hydroxide CPECTROSOL® 4M (4N) Standard Solution In accordance with NIST	1400.00	1 lit
892080	Sodium Hydroxide 5M (5N) Volumetric Solution	261.00 486.00 783.00	500 ml 1 lit 2.5 lit
892095	Sodium Hydroxide 6M (6N) Solution	275.00 505.00 846.00	500 ml 1 lit 2.5 lit
892110	Sodium Hydroxide 8M (8N) Volumetric Solution	306.00 576.00 882.00	500 ml 1 lit 2.5 lit
892170	Sodium Hydroxide 10M (10N) Volumetric Solution	338.00 621.00 963.00	500 ml 1 lit 2.5 lit
892163	Sodium Hydroxide TS (1 N) acc. to USP	194.00	500 ml
892215	Sodium Hypobromite For Synthesis	279.00	500 ml
DI2160	Sodium Hypochlorite Solution (Approximately 4% w/v available Chlorine)	162.00 280.00 999.00 POR	500 ml 1 lit 5 lit 25 lit
PCT2311	Sodium Hypochlorite (4% w/v solution) Plant Culture Tested M. W.: 74.44 Store below 30°C	2061.00 3259.00	5X50 ml 5X100 ml
NaOCl (7681-52-9)			
030170	Sodium Hypophosphite (Monohydrate) NaH ₂ PO ₂ H ₂ O (10039-56-2) Assay (oxidimetric) 98.0-101.0%	1548.00 M. W.: 105.99 POR POR	500 gm 25 kg 50 kg
644245	Sodium Hypophosphite (Monohydrate) AR NaH ₂ PO ₂ H ₂ O (10039-56-2) M. W.: 105.99	1701.00 POR POR POR	500 gm 25 kg 50 kg
030171	Sodium Iodate NaIO ₃ (7681-55-2) Assay (Iodometric) 98.0%	2556.00 M. W.: 197.90 POR	100 gm
644305	Sodium Iodate AR NaIO ₃ (7681-55-2) Assay (Iodometric) 99.5%	2700.00 M. W.: 197.90 POR	100 gm

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
S 030172 NaI (7681-82-5)	Sodium Iodide Pure	945.00	25 gm
	M. W.: 149.89	2700.00	100 gm
	Assay (ex I)(after drying)99.0%	6201.00	250 gm POR 25 kg
644345 NaI (7681-82-5)	Sodium Iodide AR/ACS	3006.00	100 gm
	M. W.: 149.89 Assay (after drying) 99.5%	6606.00	250 gm
030173 C ₃ H ₅ NaO ₃ (72-17-3)	Sodium Lactate 60% Soln.	630.00	500 ml
	M. W.: 112.06	2502.00	2.5 lit
	Assay (Non-aqueous) 58.8-61.2%	POR	25 lit
		POR	50 lit
220305 (C ₂ H ₄ O) _n C ₁₂ H ₂₆ O ₄ SNa (9004-82-4)	Sodium Lauryl Ether Sulphate (SLES)	1953.00	5 lit
	M.W. : 332.43	POR	25 lit
		POR	50 lit
220030 C ₁₂ H ₂₅ NaO ₄ S (151-21-3)	Sodium Lauryl Sulphate (Needle Shape)	756.00	500 gm
	M. W.: 288.38	6507.00	5 kg
	Assay (As sodium Lauryl Sulphate) 90.0%	POR	25 kg POR 50 kg
220040 C ₁₂ H ₂₅ NaO ₄ S (151-21-3)	Sodium Lauryl Sulphate Powder	927.00	500 gm
	Meets Analytical Specification of IP, BP, USP, NF, Ph. Eur.	8200.00	5 kg
	M. W.: 288.38	POR	25 kg
	Assay (Sodium Lauryl Sulphate) 90.0%	POR	50 kg
220050 C ₁₂ H ₂₅ NaO ₄ S (151-21-3)	Sodium Lauryl Sulphate	2106.00	100 gm
	M. W.: 288.38	10000.00	500 gm
	Assay (Sodium Lauryl Sulphate) 99.5%	19000.00	1 kg 90000.00 5 kg
644595 C ₁₂ H ₂₅ NaO ₄ S (151-21-3)	Sodium Lauryl Sulphate AR/ACS	1341.00	100 gm
	For SDS Electrophoresis	5337.00	500 gm
	M. W.: 288.38	10310.00	1 kg POR 25 kg
772000 C ₁₂ H ₂₅ NaO ₄ S (151-21-3)	Sodium Lauryl Sulphate HPLC (Sodium Dodecyl Sulphate)	1719.00	25 gm
	M. W.: 288.38	4410.00	100 gm
		17290.00	500 gm
		22440.00	1 kg
986680 MB C ₁₂ H ₂₅ NaO ₄ S (151-21-3)	Sodium Lauryl Sulphate	594.00	25 gm
	For Molecular Biology	1913.00	100 gm
	M. W.: 288.38	6408.00	500 gm
	Assay (After drying two phase titration) 99.0%	11412.00	1 kg
892270	Sodium Lauryl Sulphate 10% Solution	1476.00	100 ml
892272	Sodium Lauryl Sulphate 20% Solution	2043.00	250 ml
	Sodium-M-Arsenite See Sodium Arsenite		
030179 C ₃ H ₂ Na ₂ O ₄ (141-95-7)	Sodium Malonate	1404.00	100 gm
	M. W.: 148.03 Assay(Non-aqueous) 98.5%	6030.00	500 gm
030180 Na ₂ S ₂ O ₅ (7681-57-4)	Sodium Metabisulphite Purified (Sodium Disulphite, Sodium Pyrosulphite)	289.00	500 gm
	M. W.: 190.11	504.00	1 kg
	Assay (iodometric) 95.0%	1809.00	5 kg
		POR	25 kg
		POR	50 kg
644455 Na ₂ S ₂ O ₅ (7681-57-4)	Sodium Metabisulphite AR/ACS	333.00	500 gm
	Meets Analytical Specification of IP, BP, USP, Ph. Eur.	603.00	1 kg
	M. W.: 190.11	2205.00	5 kg
	Assay (Iodometric) 98.0%	POR	25 kg POR 50 kg

Product Code	Product Name	Price	Packing
	Sodium Meta Periodate See Sodium-meta-Periodate		
221755 Na ₂ SiO ₃ ·9H ₂ O (13517-24-3)	Sodium Meta Silicate Nonahydrate	293.00	500 gm
	M. W.: 284.2	460.00	1 kg
	Assay Abt. 95.0%	POR	25 kg POR 25 kg
221760 Na ₂ SiO ₃ ·5H ₂ O (10213-79-3)	Sodium Meta Silicate Pentahydrate	441.00	500 gm
	M.W.: 212.14	3195.00	5 kg
	Assay (Acidimetric) 97.0%	POR	50 kg
PCT2327 PTC Na ₂ SiO ₃ (6834-92-0)	Sodium Meta Silicate Plant Culture Tested	2017.00	1 gm
	M. W.: 122.06	40460.00	25 gm
	Assay 95% Store below 30°C		
	Sodium Metavanadate See Sodium (meta) Vanadate		
220170 NaOCH ₃ (124-41-4)	Sodium Methoxide	198.00	100 gm
	M. W.: 54.02	702.00	500 gm
	Assay (Calculated; as NaOCH ₃) 97.5%	6003.00	5 kg
		POR	25 kg POR 50 kg
892450	Sodium Methoxide Solution 25% Assay 24.9-25.1%	450.00	500 ml
		1602.00	2.5 lit
892470	Sodium Methoxide 0.5M solution in Methanol ACS	315.00	500 ml
		576.00	1 lit
030185 Na ₂ MoO ₄ ·2H ₂ O (10102-40-6)	Sodium Molybdate Pure	1161.00	100 gm
	M. W.: 241.95	2610.00	250 gm
	Assay (ex Mo) 98-102.0%	4806.00	500 gm
		9207.00	1 kg POR 25 kg
644495 Na ₂ MoO ₄ ·2H ₂ O (10102-40-6)	Sodium Molybdate AR Reagent for Alkaloids	1351.00	100 gm
	M. W.: 241.95	2809.00	250 gm
	Assay (ex Mo) 99.0-102.0%	5202.00	500 gm
		9801.00	1 kg POR 25 kg
PCT1117 PTC Na ₂ MoO ₄ ·2H ₂ O (10102-40-6)	Sodium Molybdate Dihydrate Plant Culture Tested	1872.00	100 gm
	M. W.: 241.95	9010.00	500 gm
	Assay 99.5% Store below 30°C		
TC1581M ATC Na ₂ MoO ₄ ·2H ₂ O (10102-40-6)	Sodium Molybdate Dihydrate Meets EP 9.0 and and BP 2016 testing specifications	1819.00	25 gm
	M. W.: 241.95	5823.00	100 gm
	Assay (ex Mo) 99.0-102.0%	24462.00	500 gm
		49510.00	1 kg
	Sodium Monochloroacetate See Sodium Chloro Acetate Mono		
220875 * C ₁₀ H ₈ NO ₃ Na (130-13-2)	Sodium Naphthionate	1908.00	1 kg
	M. W.: 245.23		
	Sodium-a-Naphthylamine Sulfonate See Sodium Naphthionate		
644585 C ₁₀ H ₈ NaPO ₄ ·H ₂ O (81012-89-7)	▲Sodium-1-Naphthyl Phosphate Monohydrate AR (1-Naphthyl Phosphate Mono Sodium Salt)	2430.00	5 gm
	M. W.: 264.15		
	Assay (NaOH titration) 99.0%		

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
030187	Sodium Nitrate Purified NaNO ₃ (7631-99-4) M. W.: 84.99 Assay (ex NO ₃) 98.0%	423.00 2880.00 POR POR	500 gm 5 kg 25 kg 50 kg	030190	Sodium Nitroprusside Purified Na ₂ [Fe(CN) ₅ NO]2H ₂ O (13755-38-9) M. W.: 297.95 Assay (Argentometric) 98.0%	333.00 981.00 4590.00	25 gm 100 gm 500 gm
645075	Sodium Nitrate AR/ACS NaNO ₃ (7631-99-4) M. W.: 84.99 Assay (ex NO ₃) 99.5%	460.00 3393.00 POR POR	500 gm 5 kg 25 kg 50 kg	645170	Sodium Nitroprusside AR/ACS Na ₂ [Fe(CN) ₅ NO].2H ₂ O (13755-38-9) M. W.: 297.95 Assay (Argentometric) 99.0%	1089.00 4860.00	100 gm 500 gm
PCT1014	Sodium Nitrate Plant Culture Tested NaNO ₃ (7631-99-4) M. W.: 84.99 Assay 99% Store below 30°C	864.00 1549.00	500 gm 1 kg	645435	Sodium Octyl Sulphate AR C ₈ H ₁₈ O ₄ SNa (142-31-4) M. W.: 232.27	2304.00 9000.00	5 gm 25 gm
030188	Sodium Nitrite Purified NaNO ₂ (7632-00-0) M. W.: 69.00 Assay (ex NO ₂ Oxidimetric) 98.0%	189.00 428.00 3681.00 POR POR	100 gm 500 gm 5 kg 25 kg 50 kg	221135	Sodium Oleate Pure C ₁₈ H ₃₃ NaO ₂ (143-19-1) M. W.: 304.44 Assay 98.0%	1602.00	1 kg
645080	Sodium Nitrite AR NaNO ₂ (7632-00-0) M. W.: 69.00 Assay (ex NO ₂ Oxidimetric) 98.0%	504.00 POR POR	500 gm 25 kg 50 kg	645500	tri-Sodium Ortho Phosphate Anhydrous AR Assay 98.5%	576.00 4600.00	500 gm 5 kg
892630	Sodium Nitrite 0.1M (0.2N) Volumetric Solution	207.00 379.00 567.00	500 ml 1 lit 2.5 lit	030193	tri-Sodium Ortho Phosphate -12-hydrate Na ₃ PO ₄ .12H ₂ O (10101-89-0) M. W.: 380.13 Assay (acidimetric) 98.0%	576.00 1090.00 4600.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
892635	Sodium Nitrite CPECTROSOL® 0.1M (0.2N) Standardized Solution In accordance with NIST	1400.00	1 lit	645495	tri-Sodium Ortho Phosphate -12-hydrate AR Na ₃ PO ₄ .12H ₂ O (10101-89-0) M. W.: 380.13 Assay (acidimetric) 98.0-102.0%	657.00 5220.00 POR POR	500 gm 5 kg 25 kg 50 kg
892660	Sodium Nitrite 0.2M (0.4N) Volumetric Solution	243.00 441.00 666.00	500 ml 1 lit 2.5 lit	030195	Sodium Oxalate Purified (di-Sodium Oxalate) C ₂ Na ₂ O ₄ (62-76-0) M. W.: 134.00 Assay (oxidimetric) 99.5%	621.00 POR POR	500 gm 25 kg 50 kg
892665	Sodium Nitrite CPECTROSOL® 0.2M (0.4N) Standardized Solution In accordance with NIST	1400.00	1 lit	645535	Sodium Oxalate AR C ₂ Na ₂ O ₄ (62-76-0) M. W.: 134.00 Assay(oxidimetric) 99.9%	684.00 POR POR	500 gm 25 kg 50 kg
892690	Sodium Nitrite 0.5M (1N) Volumetric Solution	239.00 441.00 666.00	500 ml 1 lit 2.5 lit	892840	Sodium Oxalate 0.05M (0.1N) Volumetric Solution	401.00 720.00 1089.00	500 ml 1 lit 2.5 lit
892695	Sodium Nitrite CPECTROSOL® 0.5M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit	892845	Sodium Oxalate CPECTROSOL® 0.05 M (0.1 N) Standard Solution In accordance with NIST	1400.00	1 lit
892720	Sodium Nitrite 1M (2N) Volumetric Solution	266.00 486.00 720.00	500 ml 1 lit 2.5 lit	221295	Sodium Oxide Na ₂ O (1313-59-3) M. W.: 61.98 Assay 80.0%	4100.00	25 gm
892725	Sodium Nitrite CPECTROSOL® 1M (2N) Standardized Solution In accordance with NIST	1400.00	1 lit	221375	Sodium Pantothenate C ₉ H ₁₆ NNaO ₅ (867-81-2) M. W.: 241.22	6400.00	25 gm
892750	Sodium Nitrite 4M (8N) Volumetric Solution	302.00 550.00 829.00	500 ml 1 lit 2.5 lit	221415	Sodium Pentachlorophenate C ₆ Cl ₅ .NaO (131-52-2) M. W.: 288.32 Assay (acidimetric, on anhydrous substance) 98.0%	500.00	500 gm
892755	Sodium Nitrite CPECTROSOL® 4M (8N) Standardized Solution In accordance with NIST	1400.00	1 lit	221455	Sodium Perborate Tetrahydrate NaBO ₃ .4H ₂ O (10486-00-7) M. W.: 153.86 Assay (Iodometric) 96.0%	622.00 POR POR	1 kg 25 kg 50 kg
	Sodium Nitroso Pentacyano Ferrate (III) See Sodium Nitroprusside			221500	Sodium Percarbonate Na ₂ CO ₃ .1.5H ₂ O ₂ (15630-89-4) M.W. 157.01	333.00 1485.00	500 gm 2.5 kg
				221520	* Sodium Perchlorate Monohydrate NaClO ₄ .H ₂ O (7791-07-3) M. W.: 140.46	POR POR POR	5 kg 25 kg 50 kg

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
 ☆ Delivery Period 4-6 Weeks
 ☞ Supply Only to End User

Product Code	Product Name	Price	Packing
645605	* Sodium Perchlorate AR Monohydrate NaClO ₄ ·H ₂ O (7791-07-3) M. W.: 140.46 Assay (argentometric) 99.0%	5000.00	100 gm
		14940.00	500 gm
892885	Sodium Perchlorate 1M Solution	693.00	100 ml
		1107.00	250 ml
		1485.00	500 ml
		1981.00	1 lit
030200	Sodium meta Periodate NaIO ₄ (7790-28-5) M. W.: 213.89 Assay (Iodometric) 98.0%	2403.00	100 gm
		11007.00	500 gm
645645	Sodium Meta Periodate AR/ACS For the colorimetric determination of triglycerides NaIO ₄ (7790-28-5) M. W.: 213.89 Assay (Iodometric, on dry subs.) 99.0%	2655.00	100 gm
		12006.00	500 gm
H62544	Sodium meta Periodate NaIO ₄ (7790-28-5)	4032.00	100 gm
		13500.00	500 gm
645665	Sodium Peroxide granular AR/ACS Na ₂ O ₂ (1313-60-6) M. W.: 77.98 Assay (By titration of reducing powder against permaganate) 95.0%	4203.00	100 gm
		20070.00	500 gm
Sodium Peroxydisulphate See Sodium Persulphate			
030203	Sodium Persulphate Na ₂ S ₂ O ₈ (7775-27-1) M. W.: 238.09 Assay (iodometric) 95.0%	190.00	100 gm
		657.00	500 gm
		POR	25 kg
		POR	50 kg
645705	Sodium Persulphate AR Na ₂ S ₂ O ₈ (7775-27-1) M. W.: 238.09 Assay(iodometric) 98.0%	730.00	500 gm
		POR	25 kg
Sodium Phosphate Dibasic See di-Sodium Hydrogen Ortho Phosphate			
Sodium Phosphate Monobasic See Sodium dihydrogen Orthophosphate			
Sodium Phosphate Tribasic See tri-Sodium Orthophosphate			
319665	Sodium Polyanethole Sulphonate AR (55963-78-5)	657.00	1 gm
		2520.00	5 gm
Sodium Polyphosphate See Sodium Hexametaphosphate			
Sodium Potassium Tartrate See Potassium Sodium tartrate			
030206	Sodium Propionate C ₃ H ₅ NaO ₂ (137-40-6) M. W.: 96.06 Assay (after drying, Non-aqueous) 99.0-101.0%	864.00	500 gm
		POR	25 kg
		POR	50 kg
030208	tetra-Sodium Pyro Phosphate (Anhydrous) Na ₄ P ₂ O ₇ (7722-88-5) M. W.: 265.90 Assay (acidimetric) 97.5%	792.00	500 gm
		POR	25 kg
		POR	50 kg

Product Code	Product Name	Price	Packing
030207	tetra-Sodium Pyro Phosphate (Decahydrate) Na ₄ P ₂ O ₇ ·10H ₂ O (13472-36-1) M. W.: 446.05 Assay (acidimetric) 98.5%	900.00	500 gm
		POR	50 kg
645835	tetra-Sodium Pyro Phosphate (Decahydrate) AR Na ₄ P ₂ O ₇ ·10H ₂ O (13472-36-1) M. W.: 446.06 Assay (acidimetric) 99-103%	1350.00	500 gm
		POR	25 kg
		POR	50 kg
646085	Sodium Pyrosulphate AR NaHSO ₄ (7681-38-1) M.W. : 120.06	6390.00	250 gm
		12600.00	500 gm
646175	Sodium Pyruvate for Biochemistry AR C ₃ H ₃ O ₃ Na (113-24-6) M. W.: 110.04 Assay (NAT) (Non-aqueous) 99.0%	540.00	25 gm
		1602.00	100 gm
		4608.00	500 gm
PCT1503	PTC Sodium Pyruvate (Pyruvic acid sodium salt) Plant Culture Tested C ₃ H ₃ O ₃ Na (113-24-6) M. W.: 110.04 Assay 99% Store below 30°C	684.00	25 gm
		2403.00	100 gm
TC1166	ATC Sodium Pyruvate (Pyruvic acid sodium salt) Cell Culture Tested C ₃ H ₃ O ₃ Na (113-24-6) M. W.: 110.04 Assay : ≥99% Store below 30°C	3960.00	25 gm
		14004.00	100 gm
		31680.00	250 gm
		88371.00	1 kg
319815	▲ Sodium Rhodizonate AR C ₆ Na ₂ O ₆ (523-21-7) M. W.: 214.04 Assay (non-aqueous) 98.5%	540.00	1 gm
		2403.00	5 gm
892900	Sodium Rhodizonate Reagent Solution (Reagent for Ba, Pb, Sr)	514.00	100 ml
030210	Sodium Salicylate C ₇ H ₅ NaO ₃ (54-21-7) M. W.: 160.10 Assay (after drying non-aqueous) 99.0%	1305.00	500 gm
		POR	25 kg
		POR	50 kg
646305	Sodium Salicylate AR C ₇ H ₅ NaO ₃ (54-21-7) M. W.: 160.10 Assay (dried substance) 99.5-100.5%	2502.00	250 gm
		4500.00	500 gm
646405	Sodium Selenate AR Na ₂ SeO ₄ (13410-01-0) M. W.: 188.94 Assay 99.0%	3006.00	100 gm
		27900.00	1 kg
221715	Sodium Selenite Anhydrous Na ₂ SeO ₃ (10102-18-8) M. W.: 172.94	2403.00	100 gm
		22005.00	1 kg
646495	Sodium Selenite AR Additive for nutrient media alkaloidal reagent Na ₂ SeO ₃ (10102-18-8) M. W.: 172.94 Assay (ex Se Oxidimetric) 99.0%	756.00	25 gm
		2800.00	100 gm
		23500.00	1 kg
TC1169	ATC Sodium Selenite Cell Culture Tested Na ₂ SeO ₃ (10102-18-8) M. W.: 172.94 Assay : ≥99% Store below 30°C	1485.00	10 gm
		2394.00	25 gm
		5013.00	100 gm
TC1169E	ATC Sodium Selenite Anhydrous Meets EP 9.0 testing specifications Na ₂ SeO ₃ (10102-18-8) M. W.: 172.94 Store below 30°C	1810.00	10 gm
		3115.00	25 gm
		6606.00	100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture



Product Code	Product Name	Price	Packing
221730 Na ₂ SeO ₃ .5H ₂ O (26970-82-1)	Sodium Selenite Pentahydrate M.W : 263.0 Assay 98.5%	2601.00 23040.00	100 gm 1 kg
221745	Sodium Sesquicarbonate Sodium-m-Silicate See Sodium Meta Silicate	378.00	500 gm
892935 Na ₂ Si ₃ O ₇ (1344-09-8)	Sodium Silicate Solution water glass M. W.: 242.2 Assay as (Na ₂ O Titrimetric) 10% (Gravimetric as) 25.5-28.5%	1206.00 POR	5 lit 25 lit
221775 Na ₂ SiF ₆ (16893-85-9)	Sodium Silicofluoride M W.: 188.05 Assay (NaF) 43.0-45.0%	333.00 603.00 POR POR	500 gm 1 kg 25 kg 50 kg
221795 Na ₂ SnO ₃ .3H ₂ O (12209-98-2)	Sodium Stannate M.W.:266.71 Assay [soluble Tin (as Sn)] Abt. 40.0%	4401.00 POR POR	500 gm 25 kg 50 kg
030217 (9063-38-1)	Sodium Starchglycolate	603.00 5706.00 POR POR	500 gm 5 kg 25 kg 50 kg
221895 CH ₃ (CH ₂) ₁₆ COONa (822-16-2)	Sodium Stearate for Synthesis M.W. : 306.46 Assay 98.0%	500.00	500 gm
030219 (CH ₂ COONa) ₂ .6H ₂ O (6106-21-4)	Sodium Succinate Hexahydrate M. W.: 270.14 Assay (dried, non-aq.) 99.0%	360.00 981.00 POR POR	100 gm 500 gm 25 kg 50 kg
646555 (CH ₂ COONa) ₂ .6H ₂ O (6106-21-4)	Sodium Succinate AR (Hexahydrate) M. W.: 270.14 Assay (NT) 99.0%	469.00 2187.00	100 gm 500 gm
TC1219 ATC C ₄ H ₄ O ₄ Na ₂ .6H ₂ O (6106-21-4)	Sodium Succinate Hexahydrate Cell Culture Tested M. W.: 270.14 Assay : ≥99% Store below 30°C	653.00 1990.00 8415.00	25 gm 100 gm 500 gm
030223 Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous Purified (Sodium Sulphate Dried) M. W.: 142.04 Assay (after drying) 99.0%	234.00 387.00 1602.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
646605 Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate (Anhydrous) AR/ACS M. W.: 142.04 Assay (Acidimetric after drying) 99.5%	316.00 550.00 POR POR	500 gm 1 kg 25 kg 50 kg
772700 Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate HPLC M. W.: 142.04	2300.00	250 gm
986780 MB Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous For Molecular Biology M. W.: 142.04 Assay : ≥ 99% Store Below 30°C	666.00	1 kg
PCT1015 PTC Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous Plant Culture Tested M. W.: 142.04 Assay 99% Store below 30°C	604.00 1090.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1572M ATC Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous Meets USP 41-NF 36, EP 9.0 BP 2016 testing specifications M. W.: 142.04 Store below 30°C	1260.00 1900.00 8523.00	500 gm 1 kg 5 kg
221995 Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous Granular AR/ACS for Pesticide Residue Analysis M.W.: 142.04 Assay 99.0%	550.00 2610.00 POR	500 gm 2.5 kg 25 kg
030224 Na ₂ S.XH ₂ O (27610-45-3)	Sodium Sulphide Fused Flakes Iron Free M. W.: 78.04 + H ₂ O Assay (Na ₂ S) 55.0-58.0%	370.00 POR POR	500 gm 25 kg 50 kg
646665 Na ₂ S.XH ₂ O (27610-45-3)	Sodium Sulphide AR M. W.: 78.04 Assay (Na ₂ S) About 60.0%	666.00 POR POR	500 gm 25 kg 50 kg
030226 Na ₂ SO ₃ (7757-83-7)	Sodium Sulphite Anhydrous Purified M. W.: 126.04 Assay (iodometric) 96.0%	320.00 558.00 2304.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
646705 Na ₂ SO ₃ (7757-83-7)	Sodium Sulphite Anhydrous AR/ACS M. W.: 126.04 Assay (iodometric) 97.0%	405.00 POR POR	500 gm 25 kg 50 kg
986800 MB Na ₂ SO ₃ (7757-83-7)	Sodium Sulphite Anhydrous For Molecular Biology M. W.: 126.04 Assay : ≥ 98% Store Below 30°C	541.00	500 gm
030227 [CHOHCOONa] ₂ .2H ₂ O (6106-24-7)	di-Sodium Tartrate Purified M. W.: 230.08 Assay (Non-aqueous) 99-101%	1305.00 POR POR	500 gm 25 kg 50 kg
646735 C ₄ H ₄ Na ₂ O ₆ .2H ₂ O (6106-24-7)	di-Sodium Tartrate AR M. W.: 230.08 Assay 99.0%	855.00 1503.00	250 gm 500 gm
219615 C ₄ H ₄ Na ₂ O ₆ (868-18-8)	Sodium-DL-Tartrate Anhydrous (Not Suitable for Karl Fischer) M. W.: 194.05 Assay (Non-aqueous) 99-101.00%	1107.00	500 gm
TC1347 ATC C ₂₆ H ₄₄ NO ₆ SNa.XH ₂ O (207737-97-1)	Sodium Tauroglycocholate for Bacteriological See Bile Salt	864.00 1584.00 7520.00	500 mg 1 gm 5 gm
222125 Na ₂ TeO ₃ (10102-20-2)	Sodium Tellurite Extra Pure M. W.: 221.58 Assay (Te) 56.7-58.5%	6300.00	100 gm
222235 Na ₂ PdCl ₄ (13820-53-6)	Di-Sodium Tetraborate See Borax	12600.00 59940.00	1 gm 5 gm
646805 C ₂₄ H ₂₀ BNa (143-66-8)	Sodium Tetra Phenyl Borate AR/ACS M. W.: 342.23 Assay (argentometric) 99.5%	1107.00 9504.00	10 gm 100 gm

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
☒ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
222205 NaSCN (540-72-7)	Sodium Thiocyanate M. W.: 81.07 Assay (Calculated on dried basis; Argentometric) 98.0%	756.00 POR	500 gm 25 kg
646845 NaSCN (540-72-7)	Sodium Thiocyanate AR/ACS M. W.: 81.07 Assay (Calculated on dried basis; argentometric) 99.0%	954.00 POR	500 gm 50 kg
893120	Sodium Thiocyanate CPECTROSOL® 0.1M (0.1N) Volumetric Solution In accordance with NIST	1400.00	1 lit
030234 C ₂ H ₃ NaO ₂ S (367-51-1)	Sodium Thioglycolate for Bacteriology M.W. : 114.09 Assay (Iodometric) 98.0%	972.00 4500.00	100 gm 500 gm
222335 Na ₂ S ₂ O ₃ (7772-98-7)	Sodium Thiosulphate Anhydrous M.W : 158.10 Assay 97.0%	504.00	1 kg
646935 Na ₂ S ₂ O ₃ (7772-98-7)	Sodium Thiosulphate (Anhydrous) AR M. W.: 158.11 Assay (iodometric on dried subs.) 98.0%	370.00 603.00 POR	500 gm 1 kg 50 kg
986870 Na ₂ S ₂ O ₃ (7772-98-7)	Sodium Thiosulphate Anhydrous For Molecular Biology M. W.: 158.11 Assay : ≥ 98% Store Below 30°C	405.00	500 gm
030235 Na ₂ S ₂ O ₃ ·5H ₂ O (10102-17-7)	Sodium Thiosulphate Pentahydrate Purified (Sodium Thiosulphate-5-hydrate Hypo) M. W.: 248.17 Assay (iodometric) 99.0%	203.00 351.00 1548.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
646905 Na ₂ S ₂ O ₃ ·5H ₂ O (10102-17-7)	Sodium Thiosulphate Pentahydrate AR/ACS Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 248.17 Assay (Iodometric) 99.5%	306.00 2160.00 POR POR	500 gm 5 kg 25 kg 50 kg
986930 Na ₂ S ₂ O ₃ ·5H ₂ O (10102-17-7)	Sodium Thiosulphate Pentahydrate For Molecular Biology M. W.: 248.18 Assay : ≥ 99% Store Below 30°C	423.00 765.00	500 gm 1 kg
PCT1122 Na ₂ S ₂ O ₃ ·5H ₂ O (10102-17-7)	Sodium Thiosulphate Pentahydrate Plant Culture Tested M. W.: 248.18 Assay 99.5% Store below 30°C	640.00	500 gm
893240	Sodium Thiosulphate 0.1 M (0.1N) Volumetric Solution (N/10)	153.00 262.00 486.00	500 ml 1 lit 2.5 lit
893270	Sodium Thiosulphate 0.01M (0.01N) Volumetric Solution	194.00 333.00 604.00	500 ml 1 lit 2.5 lit
892275	Sodium Thiosulphate CPECTROSOL® 0.01M (0.01N) Standardized Solution In accordance with NIST	1400.00	1 lit

Product Code	Product Name	Price	Packing
893275	Sodium Thiosulphate 0.01 mol/L (N/10) (0.01N) For 500 ml Solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
893330	Sodium Thiosulphate 0.05M (0.05N) Volumetric Solution	190.00 333.00 603.00	500 ml 1 lit 2.5 lit
893345	Sodium Thiosulphate CPECTROSOL® 0.1M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
893335	Sodium Thiosulphate CPECTROSOL® 0.05M (0.05N) Standardized Solution In accordance with NIST	1400.00	1 lit
893340	Sodium Thiosulphate Solution 0.1 mol/L Citrisol 12.409g Na ₂ S ₂ O ₃ ·5H ₂ O for 500 ml solution 0.1 N solution	140.00 306.00 550.00	1 Amp 3 Amp 6 Amp
893350	Sodium Thiosulphate 0.2M (0.2N) Volumetric Solution	180.00 315.00 576.00	500 ml 1 lit 2.5 lit
893360	Sodium Thiosulphate 0.394M (0.394N) Volumetric Solution	239.00 423.00 630.00	500 ml 1 lit 2.5 lit
893390	Sodium Thiosulphate 1M (1N) Volumetric Solution	207.00 383.00 576.00	500 ml 1 lit 2.5 lit
893395	Sodium Thiosulphate CPECTROSOL® 1M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
893245	Sodium Thiosulphate Solution 0.1N (N/10) acc. to USP	302.00	500 ml
222395 C ₆ H ₁₀ BNaO ₆ (56553-60-7)	Sodium Triacetoxyborohydride M. W.: 211.94 Assay 95.0%	1000.00 3492.00 13770.00	25 gm 100 gm 500 gm
222485 CCl ₃ CO ₂ Na (650-51-1)	Sodium Trichloroacetate (Trichloroacetic acid sodium salt) M. W.: 185.37	1107.00	500 gm
222535 Na ₅ O ₁₀ P ₃ (7758-29-4)	Sodium Tripolyphosphate Anhydrous (STPP) M. W.: 367.86 Assay (Cal. Based on P ₂ O ₅) 57-59%	603.00 2597.00	1 kg 5 kg
030237 Na ₂ WO ₄ ·2H ₂ O (10213-10-2)	Sodium Tungstate Purified M. W.: 329.86 Assay (Gravimetric) 98.0%	1305.00 2809.00 23130.00	100 gm 250 gm 2.5 kg
646995 Na ₂ WO ₄ ·2H ₂ O (10213-10-2)	Sodium Tungstate AR/ACS Reagent for determination of Uric acid M. W.: 329.86 Assay 99.0-101.0%	1530.00 3042.00 5607.00	100 gm 250 gm 500 gm
893480	Sodium Tungstate 10% w/v Volumetric Solution Assay 10-11.0% w/v	122.00 648.00	100 ml 500 ml
218605 NaVO ₃ (13718-26-8)	Sodium Meta Vanadate (Sodium Monovanadate) M. W.: 121.93 Assay (ex V) 98.0%	2106.00 9500.00	100 gm 500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
K095525	Soil testing kit (For the estimation of organic carbon)	1089.00	25 te
K095515	Soil testing kit (For the estimatio of available calcium and magnesium (exchangable) in soil)	1530.00	1x20 te
K095555	Soil testing kit (For the estimatio of available sulphur in soil)	1395.00	1x20 te
K095535	Soil testing kit (For the estimation of N,P,K & pH)	2214.00	4x10 te
K095545	Soil testing kit refill pack (Reagents only) (For the estimation of N,P,K & pH)	1206.00	4x10 te
	Solochrome Black T See Erichrome black T		
	Solochrome Cyanine R See Eriochrome Cyanine R.		
319955	Solochrome Dark Blue C.I. No. 15705 (Calcon, Eriochrome Blue Black R) M. W.: 416.39	311.00 990.00	5 gm 25 gm
	Soluble Blue See Aniline Blue		
	Solvent Ether See Diethyl Ether		
320175	Solvent Green 3 [Quinizarine Green (Spirit Soluble)] (C.I. 61565) M.W. : 418.49 Dye content 95.0%	711.00	25 gm
	Solvent Red See Sudan IV		
030241	Sorbic Acid Mould yeast inhibitor M. W.: 112.13 Assay (acidimetric) 98.5%	1503.00 12510.00	500 gm 5 kg
	Sorbic Acid Potassium Salt See Potassium Sorbate		
	Sorbitan Monolaurate See Span 20		
	Sorbitan Monopalmitate See Span 40		
	Sorbitan Monostearate See Span 60		
	Sorbitan Monooleate See Span 80		
	Sorbite Powder See D-Sorbitol		
030242	D-Sorbitol for Microbiology M. W.: 182.17 Assay (Iodometric, Calc. On anhy. Subs.) 98.0-100.5%	504.00 1602.00	250 gm 1 kg
987180	D-Sorbitol Molecular Biology Grade M. W.: 182.17	1584.00 2700.00 9000.00	500 gm 1 kg 5 kg

Product Code	Product Name	Price	Packing
PCT1606	D(-)-Sorbitol Plant Culture Tested M. W.: 182.17 Assay 99% Store below 30°C	1170.00 2093.00	500 gm 1 kg
TC1170	D(-)-Sorbitol Cell Culture Tested M. W.: 182.17 Assay : ≥98% Store below 30°C	1540.00 2313.00 9540.00	500 gm 1 kg 5 kg
TC1170M	D(-)-Sorbitol Polyhydric alcohol; D- Glucitol; Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications M. W.: 182.17 Store below 30°C	1863.00 2781.00 11430.00	500 gm 1 kg 5 kg
222815	Sorbitol Liquid 70%	342.00 1404.00	500 ml 2.5 lit
222905	L (-) Sorbose for Biochemistry M. W.: 180.16	4302.00 16506.00	25 gm 100 gm 500 gm
	Sorensen's Salt See di-Sodium Hydrogen Ortho Phosphate		
222945	Soyabean Meal Defatted (68513-95-1)	297.00	500 gm
222925	Soya Lecithin (8002-43-5)	1710.00 3870.00	100 gm 500 gm
320365	Spadns AR M. W.: 570.40	1602.00 4401.00	5 gm 25 gm
H72081	Spadns Certified M. W.: 570.40	2862.00 10000.00	5 gm 25 gm
222985	Span 20 M. W.: 346.46	810.00 3240.00	500 ml 2.5 lit
223005	Span 40 M. W.: 402.57	882.00	500 gm
223025	Span 60 M.W. : 430.62	882.00	500 gm
223045	Span 65 M. W.: 963.55	900.00	500 gm
223065	Span 80 M. W.: 428.60	855.00 6750.00	500 ml 5 lit
TC1599	Span® 80, Vaccine Grade M. W.: 428.6	4734.00 7920.00	100 ml 500 ml
	Store below 30°C		
223085	Span 85 (sorbitain Trioleate) M. W.: 957.50	927.00	500 ml

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing
TC1408	ATC ▲ Sparfloxacin 5-Amino-1-cyclohexyl-7-(cis-3,5-Dimethylpiperazino-6,8-difluoro-1,4-dihydro-4-oxo-3-quinolinecaroxylic acid Cell Culture Tested M. W.: 392.4 Assay : ≥98.5%	3380.00	1 gm
		27100.00	10 gm
$C_{19}H_{22}F_2N_4O_3$ (110871-86-8)			
PCT2134	PTC ▲ Spectinomycin Dihydrochloride Pentahydrate Plant Culture Tested M. W.: 495.35 Assay 98%	1881.00	1 gm
		8483.00	5 gm
$C_{14}H_{24}N_2O_7 \cdot 2HCl \cdot 5H_2O$ (22189-32-8)			
TC1034	ATC ▲ Spectinomycin Dihydrochloride Pentahydrate Cell Culture Tested Recommended for use in cell culture application at 7.5-20 mg/L M. W.: 495.35 Potency : ≥603 µg/mg	2052.00	1 gm
		6710.00	5 gm
$C_{14}H_{24}N_2O_7 \cdot 2HCl \cdot 5H_2O$ (22189-32-8)			
PCT1812	PTC · Spermidine Plant Culture Tested M. W.: 145.25 Assay 98%	7740.00	1 gm
		34830.00	5 gm
$C_7H_{19}N_3$ (124-20-9)			
TC1276	ATC · Spermidine Cell Culture Tested M. W.: 145.25 Assay : ≥98%	5175.00	1 gm
		21744.00	5 gm
$C_7H_{19}N_3$ (124-20-9)			
PCT1821	PTC · Spermine Plant Culture Tested M. W.: 202.34 Assay 97%	13923.00	1 gm
$C_{10}H_{26}N_4$ (71-44-3)			
TC1275	ATC · Spermine (Free base) Cell Culture Tested M. W.: 202.34 Assay : ≥96%	5184.00	1 gm
		23265.00	5 gm
$C_{10}H_{26}N_4$ (71-44-3)			
TC1279	ATC · Sphingomyelin Cell Culture Tested Source : Bovine brain Assay : ≥98%	21663.00	100 mg
		62321.00	500 mg
(85187-10-6)			
223275	* Squalene for Synthesis M. W.: 422.81	2800.00	100 ml
		6800.00	500 ml
$C_{30}H_{62}$ (111-01-3)			
223305	Squalene for Synthesis M. W.: 410.72 Assay 98.0%	3006.00	100 ml
		9603.00	500 ml
$C_{30}H_{50}$ (111-02-4)			

AAS Standards Solution

- *Standard Solutions in accordance with NIST
- *AAS Standard Solutions
- *ICP Single Element Standard Solutions
- *Multi Element ICP Standard Solutions
- *Conductivity Standard Solutions

803140	Aluminium (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml

Product Code	Product Name	Price	Packing
803142	Aluminium (Al) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml
806500	Antimony (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml
803502	Antimony (Sb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml
807000	Arsenic (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
807002	Arsenic (As) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
807450	Barium (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
807452	Barium (Ba) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
809350	Beryllium (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 HF in 2% HNO_3 In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
809352	Beryllium (Be) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
809900	Bismuth (Bi) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
810840	Boron (B) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H_2O In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
813350	Cadmium (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3 In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
813352	Cadmium (Cd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml

- ATC** : Animal Cell Culture
- MB** : Molecular Biology
- PTC** : Plant Tissue Culture

Product Code	Product Name	Price	Packing
814010	Calcium (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
814012	Calcium (Ca) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
815350	Cerium (Ce) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
815590	Cesium CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	2160.00	100 ml
		2700.00	250 ml
		3600.00	500 ml
817540	Chromium (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
817542	Chromium (Cr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
817710	Cobalt (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	2403.00	100 ml
		2800.00	250 ml
		4023.00	500 ml
817712	Cobalt (Co) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	2403.00	100 ml
		2800.00	250 ml
		4023.00	500 ml
819100	Copper (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
819102	Copper (Cu) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
829695	Erbium (Er) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	3978.00	100 ml
		13392.00	500 ml
830070	Europium (Eu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	4014.00	100 ml
		10845.00	500 ml
839060	Gadolinium (Gd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO ₃ in accordance with NIST	3735.00	100 ml
		9405.00	500 ml

Product Code	Product Name	Price	Packing
839100	Gallium (Ga) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO ₃ in accordance with NIST	2655.00	100 ml
		6696.00	500 ml
839265	Germanium (Ge) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/ lit AAS in HNO ₃ in accordance with NIST	3132.00	100 ml
		6021.00	500 ml
839910	Gold (Au) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl in accordance with NIST	5400.00	250 ml
844000	Hafnium (Hf) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	3204.00	100 ml
		9405.00	500 ml
844395	Holmium (Ho) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	3735.00	100 ml
		9405.00	500 ml
849300	Indium (In) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	4788.00	250 ml
850040	Iron (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
850042	Iron (Fe) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
859400	Lanthanum (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
859402	Lanthanum (La) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		4802.00	500 ml
859630	Lead (Pb) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2115.00	250 ml
		3852.00	500 ml
860920	Lithium (Li) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
861450	Lutetium (Lu) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	9280.00	100 ml
		15669.00	500 ml
863100	Magnesium (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2264.00	250 ml
		3852.00	500 ml

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing
863102	Magnesium (Mg) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00	100 ml
		2295.00	250 ml
		3852.00	500 ml
863640	Manganese (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
863642	Manganese (Mn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
864860	Mercury (Hg) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	2700.00	100 ml
		3591.00	250 ml
		4491.00	500 ml
866370	Molybdenum (Mo) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in 0.5 N HNO ₃ in accordance with NIST	1746.00	100 ml
		2466.00	250 ml
		3852.00	500 ml
868650	Neodymium (Nd) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	3726.00	250 ml
868870	Nickel (Ni) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ in accordance with NIST	1746.00	100 ml
		2808.00	250 ml
		3852.00	500 ml
869290	Niobium (Nb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ in accordance with NIST	2552.00	100 ml
		8577.00	500 ml
874100	Palladium (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3510.00	100 ml
		7030.00	250 ml
		11970.00	500 ml
871402	Palladium (Pd) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	3510.00	100 ml
		7030.00	250 ml
		11970.00	500 ml
875750	Phosphorous (P) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O In accordance with NIST	1746.00	100 ml
		2475.00	250 ml
		3852.00	500 ml
876190	Platinum (Pt) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Hcl In accordance with NIST	3452.00	100 ml
876500	Potassium (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml

Product Code	Product Name	Price	Packing
876502	Potassium (K) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
883250	Rhenium (Re) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2772.00	100 ml
		10710.00	500 ml
883320	Rhodium (Rh) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO ₃ In accordance with NIST	20304.00	100 ml
		50760.00	500 ml
883510	Rubidium (Rb) CPECTROSOL® Atomic Absorption Std. Soln. Contain1000 mg/lit AAS in HNO ₃ In accordance with NIST	2552.00	100 ml
		6696.00	500 ml
887290	Scandium (Sc) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	3430.00	100 ml
		8595.00	500 ml
888160	Selenium (Se) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2372.00	250 ml
888680	Silicon (Si) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in H ₂ O In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3853.00	500 ml
888840	Silver (Ag) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1908.00	100 ml
		4212.00	250 ml
		6696.00	500 ml
890000	Sodium (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
890060	Sodium (Na) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
893990	Strontium (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
893992	Strontium (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
896100	Tellurium (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2412.00	100 ml
		4014.00	500 ml

Product Code	Product Name	Price	Packing
896130	Tellurium (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl In accordance with NIST	2412.00	100 ml
		4014.00	500 ml
896200	Terbium (Tb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2907.00	100 ml
		9882.00	500 ml
897510	Tin (Sn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	1800.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
900080	Tungsten (W) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2871.00	100 ml
		4563.00	500 ml
902590	Vanadium (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
902592	Vanadium (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
907500	Zinc (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00	100 ml
		2466.00	250 ml
		3852.00	500 ml
907502	Zinc (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl In accordance with NIST	1746.00	100 ml
		2466.00	250 ml
		3852.00	500 ml
ICP Single Element Standard Solution			
803190	Aluminium (Al) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
803192	Aluminium (Al) CRISTAR® 1000 ppm Single Element Std Soln. for ICP in Hcl In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
803194	Aluminium (Al) CRISTAR® 10000 ppm Single Element Std Soln. for ICP in Hcl In accordance with NIST	16020.00	100 ml
		48240.00	500 ml
806550	Antimony (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5500.00	100 ml
		8505.00	500 ml

Product Code	Product Name	Price	Packing
806600	Antimony (Sb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5500.00	100 ml
		8505.00	500 ml
806650	Antimony (Sb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	16020.00	100 ml
		48240.00	500 ml
807050	Arsenic (As) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
807100	Arsenic (As) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16660.00	100 ml
		48204.00	500 ml
807500	Barium (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
807550	Barium (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	16020.00	100 ml
		48240.00	500 ml
807502	Barium (Ba) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in Hcl In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
807552	Barium (Ba) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in Hcl In accordance with NIST	16020.00	100 ml
		48240.00	500 ml
809400	Beryllium (Be) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	4815.00	50 ml
		7713.00	100 ml
809950	Bismuth (Bi) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8514.00	500ml
809952	Bismuth (Bi) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00	100 ml
		48222.00	500 ml
810860	Boron (B) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	5220.00	100 ml
		8505.00	500 ml
810862	Boron (B) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	16020.00	100 ml
		48200.00	500 ml

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
 ✪ Delivery Period 4-6 Weeks
 ⚙ Supply Only to End User

ATC : Animal Cell Culture
 MB : Molecular Biology
 PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
813400	Cadmium (Cd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00 8505.00	100 ml 500 ml	817620	Chromium (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00 8505.00	100 ml 500 ml
813420	Cadmium (Cd) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00 48204.00	100 ml 500 ml	817640	Chromium (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00 48222.00	100 ml 500 ml
814050	Calcium (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00 8505.00	100 ml 500 ml	817740	Cobalt (Co) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5544.00 8856.00	100 ml 500 ml
814090	Calcium (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00 48204.00	100 ml 500 ml	817770	Cobalt (Co) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	16740.00 50320.00	100 ml 500 ml
814030	Calcium (Ca) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5301.00 8505.00	100 ml 500 ml	819150	Copper (Cu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	5301.00 8505.00	100 ml 500 ml
814070	Calcium (Ca) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	16020.00 48204.00	100 ml 500 ml	819180	Copper (Cu) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	16020.00 48200.00	100 ml 500 ml
815400	Cerium (Ce) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO ₃	5301.00 8505.00	100 ml 500 ml	829700	Erbium CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12051.00 40176.00	100 ml 500 ml
815420	Cerium (Ce) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO ₃	16020.00 48222.00	100 ml 500 ml	830080	Europium (Eu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12051.00 40176.00	100 ml 500 ml
815610	Cesium (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	4968.00 7938.00	100 ml 500 ml	839070	Gadolinium (Gd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12240.00 48213.00	100 ml 500 ml
815650	Cesium (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	15021.00 45144.00	100 ml 500 ml	839110	Gallium (Ga) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃	3375.00 4977.00	50 ml 100 ml
815612	Cesium (Cs) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	4968.00 7938.00	100 ml 500 ml	839270	Germanium (Ge) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 5% HNO ₃ 1% HF	8487.00	100 ml
815652	Cesium (Cs) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	15021.00 45144.00	100 ml 500 ml	839960	Gold (Au) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Diluted HCl in accordance with NIST	12330.00 26910.00	100 ml 500 ml
817580	Chromium (Cr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5301.00 8505.00	100 ml 500 ml	839980	Gold (Au) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl in accordance with NIST	50670.00 151300.00	100 ml 500 ml
817600	Chromium (Cr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	16020.00 48222.00	100 ml 500 ml	844020	Hafnium (Hf) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	11970.00	100 ml

Product Code	Product Name	Price	Packing
844400	Holmium (Ho) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12160.00	100 ml
		36504.00	500 ml
849350	Indium (In) CRISTAR® 1000 ppm Single Element Std. Soln. "Certisol" for ICP in HNO ₃	5490.00	100 ml
850130	Iron (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8514.00	500 ml
850160	Iron CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00	100 ml
		48204.00	500 ml
850070	Iron (Fe) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00	100 ml
		8514.00	500 ml
850100	Iron (Fe) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	16020.00	100 ml
		48204.00	500 ml
859430	Lanthanum (La) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5742.00	100 ml
		18081.00	500 ml
859660	Lead (Pb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8514.00	500 ml
859690	Lead (Pb) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00	100 ml
		48213.00	500 ml
860950	Lithium (Li) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5301.00	100 ml
		8514.00	500 ml
860980	Lithium (Li) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	16030.00	100 ml
		48204.00	500 ml
861470	Lutetium (Lu) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	12272.00	100 ml
		48204.00	500 ml
863030	Magnesium (Mg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5301.00	100 ml
		8514.00	500 ml
863060	Magnesium (Mg) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	16020.00	100 ml
		48204.00	500 ml

Product Code	Product Name	Price	Packing
863670	Manganese (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5301.00	100 ml
		8514.00	500 ml
863690	Manganese (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	16030.00	100 ml
		48204.00	500 ml
863710	Manganese (Mn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	5301.00	100 ml
		8514.00	500 ml
863730	Manganese (Mn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	16030.00	100 ml
		48204.00	500 ml
864890	Mercury (Hg) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	4969.00	100 ml
		7939.00	500 ml
864910	Mercury (Hg) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in HNO ₃ In accordance with NIST	15053.00	100 ml
		45144.00	500 ml
866400	Molybdenum (Mo) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 1% HNO ₃ & 1%.HF	8505.00	100 ml
868660	Neodymium (Nd) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	8073.00	100 ml
		24102.00	500 ml
868900	Nickel (Ni) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
868920	Nickel (Ni) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16030.00	100 ml
		48204.00	500 ml
869300	Niobium (Nb) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in 5% HNO ₃ 1% in HF In accordance with NIST	4014.00	50 ml
		5751.00	100 ml
874150	Palladium (Pd) CRISTAR® 1000 ppm Single Element Std. Soln for ICP in Hcl.	9495.00	100 ml
		23702.00	500 ml
874170	Palladium (Pd) CRISTAR® 10000 ppm Single Element Std. Soln for ICP in Hcl.	18810.00	100 ml
		75240.00	500 ml
875710	Phosphorous (P) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O	5580.00	100 ml
		14058.00	500 ml

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
875730	Phosphorous (P) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O	14841.00	100 ml
		40212.00	500 ml
876220	Platinum (Pt) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl	8919.00	100 ml
876550	Potassium (K) CRISTAR® 200 ppm Single Element Std. Soln. for ICP in HNO ₃	5373.00	100 ml
		13420.00	500 ml
876570	Potassium (K) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃	5373.00	100 ml
		13420.00	500 ml
876610	Potassium (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	14841.00	100 ml
		40212.00	500 ml
876612	Potassium (K) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	14841.00	100 ml
		40212.00	500 ml
883260	Rhenium (Re) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	8046.00	100 ml
883330	Rhodium (Rh) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	23994.00	100 ml
883520	Rubidium (Rb) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	5661.00	100 ml
887300	Scandium (Sc) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃	5490.00	50 ml
		9109.00	100 ml
888190	Selenium (Se) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	4716.00	100 ml
888130	Selenium (Se) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	15620.00	100 ml
888740	Silicon (Si) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	9963.00	100 ml
888710	Silicon (Si) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	36567.00	100 ml
888900	Silver (Ag) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃	7371.00	100 ml
		18441.00	500 ml

Product Code	Product Name	Price	Packing
888960	Silver (Ag) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃	12330.00	100 ml
		29511.00	500 ml
890180	Sodium (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	4257.00	100 ml
		8523.00	500 ml
890150	Sodium (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in H ₂ O In accordance with NIST	16029.00	100 ml
		48240.00	500 ml
890120	Sodium (Na) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	4257.00	100 ml
		8523.00	500 ml
890210	Sodium (Na) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16029.00	100 ml
		48204.00	500 ml
894080	Strontium (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
894110	Strontium (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00	100 ml
		48204.00	500 ml
894020	Strontium (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
894050	Strontium (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	16020.00	100 ml
		48204.00	500 ml
894730	Sulphur (S) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
894760	Sulphur (S) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O In accordance with NIST	16020.00	100 ml
		48204.00	500 ml
896010	Tantalum (Ta) CRISTAR® 1000 ppm Single Element Std. Soln. in 5% HNO ₃ , 1% HF In accordance with NIST	5531.00	50 ml
		8110.00	100 ml
896150	Tellurium (Te) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5544.00	100 ml
		8856.00	500 ml

Product Code	Product Name	Price	Packing
896155	Tellurium (Te) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16750.00	100 ml
		50382.00	500 ml
896210	Terbium (Tb) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO ₃	18962.00	100 ml
896190	Thallium (Tl) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃ In accordance with NIST	5544.00	50 ml
		8865.00	100 ml
897520	Tin (Sn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	3960.00	100 ml
		8505.00	500 ml
897560	Tin (Sn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	16326.00	100 ml
		48204.00	500 ml
900180	Tungsten (W) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 1% HNO ₃ , 2% HF In accordance with NIST	4969.00	50 ml
		7947.00	100 ml
901875	Vanadium (V) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8514.00	500 ml
901895	Vanadium (V) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO ₃ In accordance with NIST	16331.00	100 ml
		48240.00	500 ml
905750	Yttrium (Y) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in 2% HNO ₃ In accordance with NIST	5544.00	50 ml
		8856.00	100 ml
907540	Zinc (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8514.00	500 ml
907560	Zinc CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in In accordance with NIST	16020.00	100 ml
		48254.00	500 ml
907520	Zinc (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl In accordance with NIST	5301.00	100 ml
		8514.00	500 ml

Product Code	Product Name	Price	Packing
ICP Multi-Element Standard Solution			
866605	Multi Element Standard Solution CRISTAR® for ICP - 20 Elements; 10 mg/L each Ce, Dy,Er, Eu, Ga, Gd, Ho, In, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb in 2% HNO ₃ In accordance with NIST	13240.00	50 ml
		19872.00	100 ml
866705	Multi Element Standard Solution CRISTAR® for ICP- 32 Elements; 100 mg/L each Al, Ag, As, B, Ba, Be, Bi, Ca, Cd, Cs, Co,Cr, Fe, In, K, Li, Mg, Mn, Mo, Na, Ni, Nb, Pb, Rb, Sb,Se, Sr,Ti, Tl, V, U, Zn, in 5% HNO ₃ In accordance with NIST	14072.00	50 ml
		21520.00	100 ml
866530	Multi Element Standard Solution CRISTAR® for ICP- 3 Elements; 10 mg/L each P,S, Si, in H ₂ O In accordance with NIST	6273.00	50 ml
		9117.00	100 ml
866570	Multi Element Standard Solution CRISTAR® for ICP -10 Elements; 10 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ In accordance with NIST	7452.00	50 ml
		9936.00	100 ml
866566	Multi Element Standard Solution CRISTAR® for ICP -9 Elements; 10 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ In accordance with NIST	7947.00	50 ml
		9936.00	100 ml
866558	Multi Element Standard Solution CRISTAR® for ICP -8 Elements; 10 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ In accordance with NIST	7452.00	50 ml
		9936.00	100 ml
866545	Multi Element Standard Solution CRISTAR® for ICP - 6 Elements; 10 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% Hcl In accordance with NIST	8281.00	50 ml
		11593.00	100 ml
866579	Multi Element Standard Solution CRISTAR® for ICP -10 Elements; 100 mg/L each Ag, Al, As, B, Ba, Bi, Ca, Cd, Na, K in 5% HNO ₃ In accordance with NIST	8281.00	50 ml
		11592.00	100 ml
866571	Multi Element Standard Solution CRISTAR® for ICP -9 Elements; 100 mg/L each Fe, Pb, Cu, Cr, Co, Mg, Mn, Ni, Mo in 5% HNO ₃ In accordance with NIST	7947.00	50 ml
		10764.00	100 ml

S
Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing
866561	Multi Element Standard Solution CRISTAR® for ICP -8 Elements; 100 mg/L each V, Zn, Sr, Li, Pb, Fe, Na, K in 5% HNO ₃ In accordance with NIST	7947.00	50 ml
		10764.00	100 ml
866548	Multi Element Standard Solution CRISTAR® for ICP - 6 Elements; 100 mg/L each Au, Rh, Pd, Ru, Ir, Pt in 5% HCl In accordance with NIST	18216.00	50 ml
		26505.00	100 ml
866535	Multi Element Standard Solution CRISTAR® for ICP -4 Elements; 1000 mg/L each Ca, K, Mg, Na in 2% HNO ₃ In accordance with NIST	7947.00	50 ml
		10710.00	100 ml
866580	Multi Element Standard Solution CRISTAR® for ICP - 15 Elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, Os, Re, Sn in 5% Hcl In accordance with NIST	14904.00	50 ml
		23175.00	100 ml
866590	Multi Element Standard Solution CRISTAR® for ICP - 18 Elements; 10 mg/L each Pt, Pd, Rh, Ir, Au, Ru, Zr, Hf, Ta, W, Ge, Te, W, Ge, Te, Os, Re, Sn, in 5% HCl In accordance with NIST	13240.00	50 ml
		19872.00	100 ml
866595	Multi Element Standard Solution CRISTAR® for ICP - 18 Elements; 100 mg/L "Certisol" each (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb) in HNO ₃ In accordance with NIST	14072.00	50 ml
		21520.00	100 ml
867000	Multi Cation IC Standard Solution CRISTAR® 6 components (Lithium (Li ⁺) 10 mg/l; Sodium (Na ⁺) 20 mg/l; Ammonium (Nh ₄ ⁺) 40 mg/l; Calcium (Ca ²⁺) 40 mg/l; Magnesium (Mg ²⁺) 20 mg/l; Potassium (K ⁺) 20 mg/l in Nitric acid 0.1%)In accordance with NIST	24003.00	100 ml
867010	Multi Cation IC Standard Solution CRISTAR® 6 Components (Lithium (Li ⁺) 0.5 mg/l; Sodium (Na ⁺) 2 mg/l; Ammonium (Nh ₄ ⁺) 2.5 mg/l; Calcium (Ca ²⁺) 5 mg/l; Magnesium (Mg ²⁺) 2.5 mg/l; Potassium (K ⁺) 5 mg/l in Nitric acid 0.1%)In accordance with NIST	24003.00	100 ml
867020	Multi Anion IC Standard Solution CRISTAR® 7 Components (1000 mg/l each of Chlorides (Cl ⁻); Fluorides (F ⁻); Bromides (Br ⁻); Nitrites (NO ₂ ⁻); Nitrates (No ₃ ⁻); Phosphates (Po ₄ ³⁻); Sulphates (SO ₄ ²⁻) in Water) In accordance with NIST	24003.00	100 ml
867030	Multi Anion IC Standard Solution CRISTAR® 7 Components (Fluorides (F ⁻) 5mg/l ; Chlorides (Cl ⁻) 10mg/l ; Nitrites (NO ₂ ⁻) 15mg/l ; Bromides (Br ⁻) 25mg/l ; Nitrates (NO ₃ ⁻) 25mg/L ; Phosphates (PO ₄ ³⁻) 40mg/l ; Sulphates (SO ₄ ²⁻) 30mg/l in Water) In accordance with NIST	24003.00	100 ml

Product Code	Product Name	Price	Packing
Conductivity Standard Solution			
818830	Conductivity Standard 5 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818833	Conductivity Standard 10 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818836	Conductivity Standard 15 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818839	Conductivity Standard 20 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818842	Conductivity Standard 25 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818845	Conductivity Standard 29.4 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818848	Conductivity Standard 50 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818851	Conductivity Standard 70 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818855	Conductivity Standard 75 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818858	Conductivity Standard 84 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818861	Conductivity Standard 100 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818864	Conductivity Standard 147 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818867	Conductivity Standard 185 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818870	Conductivity Standard 200 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818873	Conductivity Standard 250 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818876	Conductivity Standard 300 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818879	Conductivity Standard 390 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818882	Conductivity Standard 400 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818885	Conductivity Standard 500 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818888	Conductivity Standard 600 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml
818891	Conductivity Standard 718 CRISTAR® Microsiemense in accordance with NIST	4320.00	500 ml

Product Code	Product Name	Price	Packing
818894	Conductivity Standard 1000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818987	Conductivity Standard 1412 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818900	Conductivity Standard 1413 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818903	Conductivity Standard 2000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818906	Conductivity Standard 2060 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818909	Conductivity Standard 2500 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818912	Conductivity Standard 3000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818915	Conductivity Standard 5000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818918	Conductivity Standard 7000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818921	Conductivity Standard 10000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818924	Conductivity Standard 12880 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818927	Conductivity Standard 13250 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818930	Conductivity Standard 13400 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818933	Conductivity Standard 15000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818936	Conductivity Standard 20000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818939	Conductivity Standard 30000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818942	Conductivity Standard 35000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818945	Conductivity Standard 40000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818948	Conductivity Standard 50000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818951	Conductivity Standard 58700 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818954	Conductivity Standard 60000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml

Product Code	Product Name	Price	Packing
818957	Conductivity Standard 80000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818960	Conductivity Standard 84000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818963	Conductivity Standard 100000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818966	Conductivity Standard 111800 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818969	Conductivity Standard 150000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818976	Conductivity Standard 200000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818979	Conductivity Standard 300000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
818982	Conductivity Standard 500000 CRISTAR® Microsiemens in accordance with NIST	4320.00	500 ml
223415	Stannic Chloride Anhydrous (Tin (IV) Chloride) Fuming Liquid SnCl ₄ (7646-78-8) M.W.: 260.52 Assay 98.5-101.5%	9720.00 47070.00	500 ml 2.5 lit
030247	Stannic Chloride Pentahydrate SnCl ₄ ·5H ₂ O (10026-06-9) M. W.: 350.58 Assay (ex Sn) 97.5%	4230.00	500 gm
030251	Stannic Oxide SnO ₂ (18282-10-5) M. W.: 150.69 Assay (by gravimetric) 99.0%	9100.00	500 gm
647395	Stannic Oxide AR SnO ₂ (18282-10-5) M. W.: 150.69 Assay 99.5%	5103.00	250 gm
030254	Stannous Chloride (Tin II Chloride) SnCl ₂ ·2H ₂ O (10025-69-1) M. W.: 225.63 Assay (oxidimetric) 97.0%	1062.00 2570.00 4473.00	100 gm 250 gm 500 gm
647435	Stannous Chloride AR/ACS Reagent for Amino Acid & Peptide Analysis SnCl ₂ ·2H ₂ O (10025-69-1) M. W.: 225.63 Assay 98.0-103.0%	1503.00 2997.00 5184.00	100 gm 250 gm 500 gm
892455	Stannic Chloride 1M Solution in Dichloromethane	1242.00 4500.00	100 ml 500 ml
223745	Stannous Oxalate Extra Pure SnC ₂ O ₄ (814-94-8) M. W.: 206.73 Assay (Tin) 56-58%	1602.00 6372.00	100 gm 500 gm
030258	Stannous Oxide SnO (21651-19-4) M. W.: 134.69 Assay (ex stannous, Tin) 90.0%	9900.00	500 gm
223795	Stannous Sulphate (Tin (II) Sulphate) SnSO ₄ (7488-55-3) M. W.: 214.75 Assay (oxidimetric, Sn) 50.0%	1323.00 5310.00	100 gm 500 gm

S
Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
646435 SnSO ₄ (7488-55-3)	Stannous Sulphate AR M. W.: 214.75 Assay (iodometric) 96.0%	3200.00	250 gm
893910	Starch 0.05% w/v aq. Indicator Solution	234.00	100 ml
893890	Starch 0.5% w/v aq. Indicator Solution in Saturated Salt Solution APHA Stabilized	289.00	100 ml
893893	Starch 1 wt. % Aqueous Solution Stabilized	109.00	125 ml
030261 (C ₆ H ₁₀ O ₅) _n (9005-25-8)	Starch Corn (Maize) (Insoluble)	261.00 2106.00	500 gm 5 kg
223845 (9005-84-9)	Starch Hydrolysed for Biochemistry	1036.00 4860.00	100 gm 500 gm
987990 (C ₆ H ₁₀ O ₅) _n (9005-25-8)	Starch Hydrolysed For Molecular Biology	2412.00 10854.00	100 gm 500 gm
PA1850	Starch Iodide Paper (10 Books of 20 Leaves in Box)	401.00	200 lvs
030262 (9005-25-8)	Starch Potato (Insoluble)	387.00 3303.00 POR	500 gm 5 kg 25 kg
223945 (9005-25-8)	Starch Rice (Insoluble)	1017.00	500 gm
030264 (9005-84-9)	Starch Soluble (Ex Potato)	1107.00 POR	500 gm 25 kg
647625 (9005-84-9)	Starch Soluble (Ex Potato) AR	1251.00 POR	500 gm 25 kg
224055 (9005-25-8)	Starch Wheat (Insoluble)	1188.00	500 gm
030267 C ₁₈ H ₃₆ O ₂ (57-11-4)	Stearic Acid for Synthesis M. W.: 284.49 Total assay (Palmitic acids stearic acid) (C ₁₈ H ₃₆ O ₂ & C ₁₆ H ₃₂ O ₂) (GC) 90.0%	640.00 6300.00 POR	500 gm 5 kg 25 kg
224090 C ₁₈ H ₃₆ O ₂ (57-11-4)	Stearic Acid for Biochemistry M. W.: 284.49 Assay 99.0%	306.00 1152.00	5 gm 25 gm
TC1384 C ₁₈ H ₃₆ O ₂ (57-11-4)	Stearic Acid Cell Culture Tested M. W.: 284.48 Assay : ≥99% Store below 30°C	1270.00 3803.00 5615.00 10692.00	1 gm 5 gm 10 gm 25 gm
030268 (C ₁₇ H ₃₅ .CO) ₂ O (638-08-4)	Stearic Anhydride M. W.: 550.95 Assay (ex anhydride) 97.0%	2502.00 7300.00	5 gm 25 gm
224245 C ₂₇ H ₅₀ NCl.H ₂ O (122-19-0)	Stearyl Alcohol See 1-Octadecanol		
	Stearylkonium Chloride (Dimethylstearylbenzylammonium Chloride) M. W.: 442.00 Assay (ex ci) 98.0%	936.00 3321.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
893940	Steril Solution	761.00 3470.00	1 lit 5 lit
224415	Stigmasterol for Biochemistry (3-β-Hydroxy-24-Ethyl-5,22-Cholestadiene) M. W.: 412.70	990.00 4536.00	1 gm 5 gm
C ₂₉ H ₄₈ O (83-48-7)			
PCT2525 C ₂₉ H ₄₈ O (83-48-7)	Stigmasterol Plant Culture Tested M. W.: 412.69 Assay 95%	2745.00 12312.00 55440.00	1 gm 5 gm 25 gm
893975	Stoke's Reagent (As reducing agent-blood examination)	441.00	100 ml
224495	Stopcock Grease (Lab)	891.00 3294.00	250 gm 1 kg
987050 (9013-20-1)	Streptavidin For Molecular Biology Activity (Fibrinogen) : ~14 Units/mg Protein	11286.00	5 mg
224575 C ₂₁ H ₃₉ N ₇ O ₁₂ .1.5H ₂ SO ₄ (3810-74-0)	Streptomycin Sulphate for Lab Use M. W.: 728.69 Assay (dried) 95.0%	396.00 1287.00	5 gm 25 gm
PCT2120 C ₂₁ H ₃₉ N ₇ O ₁₂ .1.5H ₂ SO ₄ (3810-74-0)	Streptomycin Sulphate Plant Culture Tested M. W.: 728.69 Potency 650-850 µg/mg	945.00 4257.00 14900.00	5 gm 25 gm 100 gm
TC1035 C ₂₁ H ₃₉ N ₇ O ₁₂ .1.5H ₂ SO ₄ (3810-74-0)	Streptomycin Sulphate Cell Culture Tested Recommended for use in cell culture application at 100 mg/L Potency : ≥730 Units/mg	1112.00 2772.00	5 gm 25 gm
224625 C ₈ H ₁₅ N ₃ O ₇ (18883-66-4)	Streptozotocin for Biochemistry M. W.: 265.22 Assay (HPLC) 98.0%	2025.00 9495.00 17200.00 75600.00	100 mg 500 mg 1 gm 5 gm
TC1418 C ₈ H ₁₅ N ₃ O ₇ (18883-66-4)	Streptozotocin N-(methyl nitroso carbamoyl)-α-D-Glucosamine Cell Culture Tested M. W.: 265.22 Assay: ≥98% Store at -20°C	4690.00 26073.00	100 mg 1 gm
893990	Strontium (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
893992	Strontium (Sr) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
894080	Strontium (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ in accordance with NIST	5301.00 8505.00	100 ml 500 ml

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
894110	Strontium (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16020.00	100 ml
		48204.00	500 ml
894020	Strontium (Sr) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5301.00	100 ml
		8505.00	500 ml
894050	Strontium (Sr) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	16020.00	100 ml
		48204.00	500 ml
224815	Strontium (Metal) INGOT Sr M. W.: 87.62 (7440-24-6)	3501.00	5 gm
		12069.00	25 gm
224835	Strontium Acetate (CH ₃ CO ₂) ₂ Sr M. W.: 205.71 (543-94-2)	2403.00	500 gm
224855	Strontium Borate (71786-49-7)	2462.00	500 gm
224875	Strontium Bromide SrBr ₂ M. W.: 247.43 (10476-81-0)	3006.00	500 gm
648115	Strontium Bromide AR SrBr ₂ M. W.: 247.43 (10476-81-0)	5500.00	500 gm
030275	Strontium Carbonate SrCO ₃ M. W.: 147.63 (1633-05-2)	594.00	250 gm
		1080.00	500 gm
		POR	25 kg
030276	Strontium Chloride Purified SrCl ₂ ·6H ₂ O M. W.: 266.62 (10025-70-4)	684.00	500 gm
		6400.00	5 kg
		POR	50 kg
648155	Strontium Chloride AR/ACS SrCl ₂ ·6H ₂ O M. W.: 266.62 (10025-70-4)	783.00	500 gm
225025	Strontium Chromate SrCrO ₄ M.W. : 203.61 (7789-06-2)	1503.00	500 gm
225045	Strontium Fluoride for Synthesis SrF ₂ M. W.: 125.62 (7783-48-4)	2979.00	500 gm
225065	Strontium Hydroxide Octahydrate Extra Pure Sr(OH) ₂ ·8H ₂ O M. W.: 265.76 (1311-10-0)	864.00	500 gm
030282	Strontium Nitrate Anhydrous Purified Sr(NO ₃) ₂ M. W.: 211.63 (10042-76-9)	720.00	500 gm
		POR	50 kg
648245	Strontium Nitrate AR/ACS Sr(NO ₃) ₂ M. W.: 211.63 (10042-76-9)	1089.00	500 gm
225085	Strontium Oxalate Extra Pure SrC ₂ O ₄ M. W.: 175.64 (814-95-9)	1125.00	500 gm

Product Code	Product Name	Price	Packing
225125	* Strontium Phosphate Sr ₃ (PO ₄) ₂ (7446-28-8)	2106.00	500 gm
225130	Strontium Sulphate Pure SrSO ₄ M. W.: 183.68 (7759-02-6)	621.00	500 gm
225135	Strontium Sulphide SrS M. W.: 119.69 (1314-96-1)	4302.00	500 gm
225335	Styryllyl Acetate for Synthesis C ₁₀ H ₁₂ O ₂ M. W.: 164.20 (93-92-5)	3699.00	500 gm
225435	Styrax for Synthesis (Gum Storax) (8046-19-3)	2799.00	500 gm
225585	Styrene for Synthesis (Monomer-Stabilised) C ₈ H ₈ M. W.: 104.15 (100-42-5)	396.00	500 ml
		3510.00	10x500 ml
648955	Suberic Acid AR C ₈ H ₁₄ O ₄ M. W.: 174.19 (505-48-6)	3600.00	100 gm
		15030.00	500 gm
030295	Succinic Acid Cryst. Pure C ₄ H ₆ O ₄ M. W.: 118.09 (110-15-6)	900.00	500 gm
		5940.00	5 kg
		POR	25 kg
		POR	50 kg
649045	Succinic Acid AR C ₄ H ₆ O ₄ M. W.: 118.09 (110-15-6)	603.00	100 gm
		2403.00	500 gm
		POR	25 kg
		POR	50 kg
PCT1504	PTC Succinic Acid Plant Culture Tested C ₄ H ₆ O ₄ M. W.: 118.09 (110-15-6)	842.00	100 gm
		3790.00	500 gm
TC1047	ATC Succinic Acid, Free Acid Cell Culture Tested C ₄ H ₆ O ₄ M. W.: 118.09 (110-15-6)	1463.00	100 gm
		4370.00	500 gm
	Succinic Acid 2,2-Dimethyl Hydrazide See Alar (B-9)		
030296	Succinic Anhydride for Synthesis C ₄ H ₄ O ₃ M. W.: 100.07 (108-30-5)	450.00	100 gm
		1602.00	500 gm
		POR	25 kg
		POR	50 kg
030297	Succinimide (Butanimide) C ₄ H ₅ NO ₂ M. W.: 99.09 (123-56-8)	594.00	100 gm
		2403.00	500 gm
		POR	25 kg
030299	Sucrose (Saccharose) C ₁₂ H ₂₂ O ₁₁ M. W.: 342.30 (57-50-1)	261.00	500 gm
		450.00	1 kg
		1899.00	5 kg
		POR	25 kg
		POR	50 kg

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
645105 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose AR/ACS M. W.: 342.30 Assay 99.5%	401.00	500 gm
		752.00	1 kg
		3690.00	5 kg
		POR	25 kg
		POR	50 kg
987380 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose For Molecular Biology M. W.: 342.30 Assay 99.5%	585.00	500 gm
		1045.00	1 kg
		4249.00	5 kg
		POR	25 kg
		POR	50 kg
PCT1607 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose Plant Culture Tested M. W.: 342.3 Assay 99% Store below 30°C	477.00	500 gm
		864.00	1 kg
		4068.00	5 kg
		POR	25 kg
		POR	50 kg
TC1048 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose Source : Sugarcane Cell Culture Tested M. W.: 342.30 Store below 30°C	2210.00	500 gm
		3591.00	1 kg
		10630.00	5 kg
		POR	25 kg
		POR	50 kg
TC1048M C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose D-(+)-Saccharose, Sugar Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications M. W.: 342.30 Store below 30°C	4240.00	500 gm
		9702.00	1 kg
		38800.00	5 kg
		POR	25 kg
		POR	50 kg
TC1648 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose Source : Beetroot Cell Culture Tested M. W.: 342.30 Store below 30°C	6732.00	500 gm
		11790.00	1 kg
		48303.00	5 kg
		POR	25 kg
		POR	50 kg
320605 C ₁₆ H ₁₂ N ₂ O (842-07-9)	Sudan I C.I. 12055 M. W.: 248.29 Dye content (titanometry) Abt. 97.0%	203.00	25 gm
		594.00	100 gm
320655 C ₂₂ H ₁₆ N ₄ O (85-86-9)	Sudan III for Microscopy C.I. No. 26100 M. W.: 352.4 Dye content (titanometry) Not less than 75.0%	162.00	10 gm
		252.00	25 gm
894290	Sudan III Solution M. W.: 380.45 Dye content (titanometry) About 80.0%	666.00	100 gm
		234.00	125 ml
320715 C ₂₄ H ₂₀ N ₄ O (85-83-6)	Sudan IV for Microscopy C.I. No. 26105 M. W.: 380.45 Dye content (titanometry) About 80.0%	135.00	10 gm
		280.00	25 gm
		829.00	100 gm
894350	Sudan IV Solution	216.00	125 ml
		765.00	500 ml
894355	Sudan IV Staining Solution (Fat Stain)	306.00	100 ml
		POR	500 ml
320555 C ₂₉ H ₂₄ N ₆ (4197-25-5)	Sudan Black B for Microscopy C.I. No. 26150 M. W.: 456.55 Dye content (Acidimetry) 60.0%	801.00	10 gm
		1602.00	25 gm
		6003.00	100 gm
		POR	500 ml

Product Code	Product Name	Price	Packing
987420 C ₂₉ H ₂₄ N ₆ (4197-25-5)	Sudan Black B For Molecular Biology C. I. No. : 26150 M. W. : 456.54 Store Below 30°C	3160.00	25 gm
		POR	100 ml
		POR	250 ml
		POR	500 ml
		POR	1000 ml
894375	Sudan Black (Alcoholic) Solution	577.00	100 ml
894377	Sudan Black (P.G.) Solution	680.00	100 ml
320865 (4197-25-5)	Sudan Yellow C. I. No. : 12055	981.00	25 gm
		POR	100 ml
225645 C ₈ H ₉ N ₂ NaO ₃ S.H ₂ O (6209-17-2)	Sulphacetamide Sodium for Lab Use M. W.: 254.24 Assay (Calculated on anhy. basis) 99.0%	1000.00	5 gm
		2493.00	25 gm
		4671.00	100 gm
225665 C ₁₀ H ₁₀ N ₄ O ₂ S (68-35-9)	Sulphadiazine for Lab Use M. W.: 250.28	1260.00	25 gm
		POR	100 gm
225685 C ₁₂ H ₁₄ N ₄ O ₂ S (57-68-1)	Sulphamethazine Plain for Lab Use M. W.: 278.33 Assay (HPLC) 99.0%	1593.00	25 gm
		5310.00	100 gm
		POR	500 gm
225705 C ₁₀ H ₁₁ N ₃ O ₃ S (723-46-6)	▲ Sulphamethoxazole for Lab Use M. W.: 253.28	1800.00	10 gm
		10800.00	100 gm
PCT2135 C ₁₀ H ₁₁ N ₃ O ₃ S (723-46-6)	▲ Sulphamethoxazole Plant Culture Tested M. W.: 253.28 Assay 98%	900.00	5 gm
		2700.00	25 gm
		5400.00	50 gm
030307 NH ₂ SO ₃ H (5329-14-6)	Sulphamic Acid (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dried subs.) 99.0%	460.00	500 gm
		3510.00	5 kg
		POR	50 kg
649665 NH ₂ SO ₃ H (5329-14-6)	Sulphamic Acid AR (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dried subs.) 99.3-100.3%	351.00	100 gm
		1548.00	500 gm
		POR	25 kg
225760 C ₆ H ₈ N ₂ O ₂ S (63-74-1)	Sulphanilamide M. W.: 172.20 Assay (HPLC) 98.0%	3204.00	500 gm
		POR	25 kg
649225 C ₆ H ₈ N ₂ O ₂ S (63-74-1)	Sulphanilamide AR M. W.: 172.20 Assay (HPLC) 99.0%	945.00	100 gm
		3861.00	500 gm
		POR	25 kg
030309 C ₆ H ₇ NO ₃ S (121-57-3)	Sulphanilic Acid for Synthesis M. W.: 173.19 Assay (acidimetric) 98.5%	212.00	100 gm
		702.00	500 gm
649265 C ₆ H ₇ NO ₃ S (121-57-3)	Sulphanilic Acid AR/ACS Sensitivity to Nitrate 1:100,000,000 Parts M. W.: 173.19 Assay (Acidimetric) 99.0%	333.00	100 gm
		1310.00	500 gm
		POR	500 gm
894490	Sulphanilic Acid Solution 0.8%	117.00	100 ml
894495	Sulphanilic Acid TS acc. to USP	369.00	500 ml
894520	Sulphate Standard Solution 1000 mg/l	3960.00	100 ml

▲ ATC : Animal Cell Culture
■ MB : Molecular Biology
■ PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
225850	Sulpholane for Synthesis (Tetramethylene Sulfone) M. W.: 120.17 Assay 98.0%	774.00 3520.00	500 ml 2.5 lit
C ₄ H ₈ O ₂ S (126-33-0)			
649675	Sulpholane AR M. W.: 120.17 Assay 99.0%	1323.00 5760.00	500 ml 2.5 lit
C ₄ H ₈ O ₂ S (126-33-0)			
894594	Sulphomolybdic Acid TS acc. to USP	1031.00	500 ml
894590	Sulphomolybdic Acid Solution (Reagent for Glucosides)	514.00	100 ml
030314	5-Sulphosalicylic Acid M. W.: 254.21 Assay (acid-base titrimetric) 99.0-101.0%	320.00 1152.00	100 gm 500 gm
C ₇ H ₆ O ₆ S.2H ₂ O (5965-83-3)			POR 25 kg
649765	5-Sulphosalicylic Acid AR Suitable for detection of Protein in Urine M. W.: 254.21 Assay(acidimetric) 99.5%	1000.00 1800.00	250 gm 500 gm
C ₇ H ₆ O ₆ S.2H ₂ O (5965-83-3)			
894610	5-Sulpho Salicylic Acid 3% Solution	145.00	125 ml
894640	5-Sulpho Salicylic Acid 10% Solution	158.00	125 ml
894670	5-Sulphosalicylic Acid 20% Solution	171.00 198.00	125 ml 250 ml
894700	5-Sulphosalicylic Acid 30% Soln. for Biochemistry	473.00	250 ml
894715	Sulphosalicylic Acid Solution (Reagent for Fe-green blue to pale yellow)	189.00	100 ml
894730	Sulphur (S) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in H ₂ O in accordance with NIST	5301.00 8505.00	100 ml 500 ml
894760	Sulphur (S) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in H ₂ O in accordance with NIST	16020.00 48204.00	100 ml 500 ml
226005	Sulphur Powder Extra Pure M. W.: 32.06 Assay 98.0%	252.00 POR	500 gm 25 kg
S (7704-34-9)			POR 50 kg
649965	Sulphur Powder AR M. W.: 32.06 Assay 99.0%	423.00	500 gm
S (7704-34-9)			
	Sulphur Dioxide Aqueous Solution See Sulphurous Acid 5-6%		
226125	Sulphur Monochloride for Synthesis M. W.: 135.04 Assay 98.0%	900.00 POR	500 ml 25 lit
S ₂ Cl ₂ (10025-67-9)			
894893	Sulphuric Acid 6.5%	109.00	500 ml
894895	Sulphuric Acid 10%	144.00	500 ml
894900	Sulphuric Acid 20% v/v Assay About 19.9-20.1% v/v	149.00	500 ml
894910	Sulphuric Acid 25% v/v Assay about 24.9-25.1% v/v	153.00	500 ml

Product Code	Product Name	Price	Packing
894913	Sulphuric Acid 25% AR for Analysis M.W. 98.08 Assay about 25%	1107.00 3393.00	500 ml 2.5 lit
H ₂ SO ₄ (7664-93-9)			
894920	Sulphuric Acid 40% for Determination of Gas Metabolism According to Knipping	1107.00 2106.00 3200.00	500 ml 1 lit 2.5 lit
894930	Sulphuric Acid 90-91% for Gerber Fat Determination and Determination of Nitrates in Milk	351.00 1260.00	500 ml 2.5 lit
894950	Sulphuric Acid 0.005 M (0.01N) for 1000 ml Solution	207.00 837.00	1 Amp 6 Amp
894955	Sulphuric Acid CPECTROSOL® 0.005M (0.01N) for 1000 ml In accordance with NIST	1400.00	1 lit
894960	Sulphuric Acid 0.05M (0.1N) N/10 Standardized Solution	235.00 405.00 608.00	500 ml 1 lit 2.5 lit
894880	Sulphuric Acid N/50 (0.02N)	149.00 414.00	500 ml 2.5 lit
894965	Sulphuric Acid CPECTROSOL® 0.05M (0.1N) Standardized Solution In accordance with NIST	1400.00	1 lit
895090	Sulphuric Acid 0.1N Solution 0.05 mol/lit Citrisol	149.00 270.00 540.00	1 Amp 3 Amp 6 Amp
894970	Sulphuric Acid 0.1M (0.2N) Standardized Solution	270.00 495.00 743.00	500 ml 1 lit 2.5 lit
895000	Sulphuric Acid CPECTROSOL® 0.1M (0.2N) Standardized Solution In accordance with NIST	1400.00	1 lit
895120	Sulphuric Acid CPECTROSOL® 0.25M (0.5N) Standardized Solution In accordance with NIST	1400.00	1 lit
895130	Sulphuric Acid 0.25M (0.5N) Solution	270.00 495.00 747.00	500 ml 1 lit 2.5 lit
895140	Sulphuric Acid 0.5M (1N) Standardized Solution	293.00 522.00 792.00	500 ml 1 lit 2.5 lit
895150	Sulphuric Acid CPECTROSOL® 0.5M (1N) Standardized Solution In accordance with NIST	1400.00	1 lit
895153	Sulphuric Acid 0.5 mol/L (N/1) (1N) For 500 ml Solution	154.00 324.00 621.00	1 Amp 3 Amp 6 Amp
895152	Sulphuric Acid Solution 1N acc. to USP	360.00	500 ml
895155	Sulphuric Acid 1M (2N) Standardized Solution	279.00 495.00 747.00	500 ml 1 lit 2.5 lit

S

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

S

Laboratory Chemicals

Product Code	Product Name	Price	Packing
895160	Sulphuric Acid CPECTROSOL® 1M (2N) Standardized Solution In accordance with NIST	1400.00	1 lit
894890	Sulphuric Acid 2N/3	243.00 450.00 666.00	500 ml 1 lit 2.5 lit
895170	Sulphuric Acid 2.5M (5N) Solution	302.00 550.00 837.00	500 ml 1 lit 2.5 lit
895260	Sulphuric Acid CPECTROSOL® 2.5M (5N) Standardized Solution In accordance with NIST	1400.00	1 lit
895265	Sulphuric Acid 5M (10N) Standardized Solution	396.00 720.00 1107.00	500 ml 1 lit 2.5 lit
895275	Sulphuric Acid CPECTROSOL® 5M (10N) Standardized Solution In accordance with NIST	1400.00	1 lit
894850	Sulphuric Acid N/1	162.00	500 ml
226325	Sulphuric Acid (SP.GR 1.835)	369.00 1377.00 1998.00	500 ml 2.5 lit 5 lit
	H ₂ SO ₄ (7664-93-9) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)		
650055	Sulphuric Acid AR (SP.GR 1.84)	495.00 1494.00 1827.00	500 ml 2.5 lit 5 lit
	H ₂ SO ₄ (7664-93-9) M. W.: 98.08 Assay ABT 98% (Order must be placed for 8x500 ml pack in a thermocole boxes) (Order must be placed for 4x2.5 lit ml pack in a thermocole boxes) (Order must be placed for 4x5 lit ml pack in boxes)		
773530	Sulphuric Acid Acipur for Trace Metal Analysis	1553.00 2934.00 4460.00	500 ml 1 lit 2.5 lit
	H ₂ SO ₄ (7664-93-9) M.W : 98.08 Assay 96.0%		
773520	Sulphuric Acid EL (SP.GR. 1.84) For Use in VLSI/ULSI	8420.00	2.5 lit
	H ₂ SO ₄ (7664-93-9) M. W.: 98.08 Assay ABT 98%		
895440	Sulphurous Acid Solution 5-6% AR (Sulphur dioxide)	396.00 1593.00	500 ml 2.5 lit
	H ₂ SO ₃ (7782-99-2) M. W.: 64.06 Assay (SO ₂) 5.0-6.0% w/v		
226445	Sulphuryl Chloride for Synthesis	711.00	500 ml
	SO ₂ Cl ₂ (7791-25-5) M. W.: 134.97		
	Sunset Yellow See Yellowish orange S		

Product Code	Product Name	Price	Packing
TC1693	Superoxide Dismutase (SOD) Cell Culture Tested M. W.: 32.5 kDa Activity : NLT 1000U/mg	10009.00	15 ku
	(9054-89-1) Store at -20°C		
895470	Susa Fixative	2403.00	50 ml
226715	Syringaldazine (4-Hydroxy-3,5-Dimethoxy- Benzaldehyde Azine)	4500.00 19998.00	1 gm 5 gm
	[HOC ₆ H ₂ (OCH ₃) ₂ CH=N-] ₂ M. W.: 360.36 (14414-32-5)		
226855	Syringaldehyde for Synthesis (4-Hydroxy-3,5-Dimethoxy- Benzaldehyde)	576.00 1755.00 6255.00	5 gm 25 gm 100 gm
	HOC ₆ H ₂ (OCH ₃) ₂ CHO M. W.: 182.17 (134-96-3)		
226885	Syringic Acid for Synthesis (4-Hydroxy-3,5-Dimethoxy- Benzoic Acid)	1503.00	25 gm
	HOC ₆ H ₂ (OCH ₃) ₂ CO ₂ H M. W.: 198.17 (530-57-4)		

ACIPUR


 High purity acids
 for trace metal analysis


Product Code	Product Name	Price	Packing
236935 (14807-96-6)	Talcum Powder Pract	171.00 1350.00 POR POR	500 gm 5 kg 25 kg 50 kg
236885 C ₇₆ H ₅₂ O ₄₆ (1401-55-4)	Tannic Acid Powder Pure M. W.: 1701.23	981.00 2106.00 4005.00	100 gm 250 gm 500 gm
655565 C ₇₆ H ₅₂ O ₄₆ (1401-55-4)	Tannic Acid AR M. W.: 1701.23	1107.00 2300.00 4203.00	100 gm 250 gm 500 gm
PCT2549 PTC C ₇₆ H ₅₂ O ₄₆ (1401-55-4)	Tannic acid Plant Culture Tested M. W.: 1701.2 Store below 30°C	2039.00 4482.00 8055.00	100 gm 250 gm 500 gm
896000	Tannic Acid Solution (Reagent for Albumin & Gelatin)	675.00	100 ml
896010	Tantalum (Ta) CPRCTROSOL® 1000 ppm Single Element Std. Soln. in 5% HNO ₃ , 1% HF In accordance with NIST	5531.00 8110.00	50 ml 100 ml
237055 Ta (7440-25-7)	Tantalum Sheet 0.1mm Thick (40mm X 100mm) M. W.: 180.95 Assay 99.9%	16110.00	1 pc
237075 Ta (7440-25-7)	Tantalum Sheet 0.1mm Thick (40mm X 50mm) M. W.: 180.95 Assay 99.9%	10800.00	1 pc
N73107 Ta (7440-25-7)	Tantalum Nanoparticles/ Nanopowder (60-80nm) M. W.: 180.95 Assay 99.7%	10000.00 21420.00 64260.00	1 gm 5 gm 25 gm
655655 Ta ₂ O ₅ (1314-61-0)	Tantalum (V) Oxide AR (Tantalum penta oxide) M. W.: 441.89 Assay (Base on trace metal) 99.5%	2907.00 4500.00 20007.00	5 gm 10 gm 50 gm
237195 C ₇ H ₁₇ NO ₆ S (29915-38-6)	TAPS Buffer M. W.: 243.28 Assay (Acidimetric) 99.0%	1107.00 4005.00	25 gm 100 gm
TC1271 ATC C ₇ H ₁₇ NO ₆ S (29915-38-6)	TAPS Buffer Cell Culture Tested M. W.: 243.28 Assay : ≥99.5% Store below 30°C	2142.00 6201.00 19450.00 POR	25 gm 100 gm 500 gm 1 kg
237255 C ₇ H ₁₇ NO ₇ S (68399-81-5)	TAPSO Buffer M.W.: 259.28 Assay 99.0%	8073.00	100 gm
TC1272 ATC C ₇ H ₁₇ NO ₇ S (68399-81-5)	TAPSO Buffer Cell Culture Tested M. W.: 259.28 Assay : ≥99% Store below 30°C	2552.00 8091.00 25083.00	25 gm 100 gm 500 gm
237315 C ₄ H ₆ O ₆ (147-71-7)	D (-) Tartaric Acid M. W.: 150.09 Assay (acidimetric) 99.0%	549.00 1310.00	100 gm 250 gm

Product Code	Product Name	Price	Packing
237435 C ₄ H ₆ O ₆ (133-37-9)	DL-Tartaric Acid (This is not D-Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	711.00 POR POR	500 gm 25 kg 50 kg
237440 C ₄ H ₆ O ₆ (87-69-4)	L (+) Tartaric Acid Cryst.Pure (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	950.00 8001.00 POR POR	500 gm 5 kg 25 kg 50 kg
655745 C ₄ H ₆ O ₆ (87-69-4)	L (+) Tartaric Acid AR (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (on dried subs. acidimetric) 99.5-100.5%	1107.00 9000.00 POR POR	500 gm 5 kg 25 kg 50 kg
321765 C ₁₆ H ₉ N ₄ Na ₃ O ₉ S ₂ (1934-21-0)	Tartrazine for Microscopy C.I. No. 19140 M. W.: 534.37 Dye content (dried, titanometric) 85.0%	230.00 603.00 4203.00	25 gm 100 gm 1 kg
037149 C ₂ H ₇ NO ₃ S (107-35-7)	Taurine for Synthesis M. W.: 125.15 Assay (T; acidimetry) 98.0%	495.00 1440.00	25 gm 100 gm
TC1028 ATC C ₂ H ₇ NO ₃ S (107-35-7)	Taurine (From non-animal source) Cell Culture Tested M. W.: 125.15 Assay : ≥99% Store below 30°C	1170.00 3510.00 14067.00 24620.00	25 gm 100 gm 500 gm 1 kg
Tauroglycocholic Acid Sodium Salt See Bile Salt For Bacteriology			
655945 C ₁₁ H ₁₆ N ₅ O.BF ₄ (125700-67-6)	▲TBTU (O-(1H-Benzotriazol-1-YI)- N,N,N',N'-Teramethyluroniumtetra Fluoroborate) AR M. W.: 321.08	369.00 1341.00 5490.00	5 gm 25 gm 100 gm
655985 H ₆ TeO ₆ (7803-68-1)	Telluric Acid AR M. W.: 229.64 Assay 99.0%	5400.00	25 gm
896100	Tellurium (Te) CPECTROSOL® Contains 1000 mg/lit Atomic . Absorption Std. Soln AAS in HNO ₃ In accordance with NIST	2412.00 4014.00	100 ml 500 ml
896130	Tellurium (Te) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted Hcl in accordance with NIST	2412.00 4014.00	100 ml 500 ml
896150	Tellurium (Te) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5544.00 8856.00	100 ml 500 ml
896155	Tellurium (Te) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	16750.00 50382.00	100 ml 500 ml
030347 Te (13494-80-9)	Tellurium (Metal) powder At. W.: 127.60 Assay (Iodometry) 99.0%	8001.00	100 gm

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

T

Laboratory Chemicals

Product Code	Product Name	Price	Packing
	TEMED See N,N,N,N Tetramethyl Ethylenediamine		
656125 C ₉ H ₁₈ NO (2564-83-2)	▲Tempo (Free Radical) AR M. W.: 156.25 Assay 98.0%	144.00 504.00 2205.00	1 gm 5 gm 25 gm
896200	Terbium (Tb) CPECTROSOL® Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2907.00 9882.00	100 ml 500 ml
896210	Terbium (Tb) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO ₃	18962.00	100 ml
RE2850 Tb (7440-27-9)	Terbium Metal Ingot M. W. : 158.93 Assay (Trace metal basis) 99.99%	8163.00 31600.00	2 gm 10 gm
RE2855 Tb (7440-27-9)	Terbium Metal Lump M. W. : 158.93 Assay (Trace metal basis) 99.99%	8163.00 31600.00	1 gm 5 gm
RE2860 Tb (7440-27-9)	Terbium Metal Powder 325 mesh M. W. : 158.93 Assay (Trace metal basis) 99.9%	5400.00 21700.00	1 gm 5 gm
RE2900 Tb(CH ₃ CO ₂) ₃ .xH ₂ O (100587-92-6)	Terbium Acetate M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.9%	8830.00 23121.00	10 gm 50 gm
RE2905 Tb(CH ₃ CO ₂) ₃ .xH ₂ O (100587-92-6)	Terbium Acetate M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.99%	9100.00 29484.00	5 gm 25 gm
RE2910 Tb(CH ₃ CO ₂) ₃ .xH ₂ O (100587-92-6)	Terbium Acetate M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE2925 Tb ₂ (CO ₃) ₃ .xH ₂ O (100587-96-0)	Terbium Carbonate M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.9%	8406.00 36540.00	10 gm 50 gm
RE2930 Tb ₂ (CO ₃) ₃ .xH ₂ O (100587-96-0)	Terbium Carbonate M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.99%	5500.00 26100.00	5 gm 25 gm
RE2935 Tb ₂ (CO ₃) ₃ .xH ₂ O (100587-96-0)	Terbium Carbonate M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE2950 TbCl ₃ .6H ₂ O (13798-24-8)	Terbium Chloride M. W.: 373.38 Assay (Trace metal basis) 99.9%	9981.00 39960.00	10 gm 50 gm
RE2955 TbCl ₃ .6H ₂ O (13798-24-8)	Terbium Chloride M. W.: 373.38 Assay (Trace metal basis) 99.99%	10926.00 36630.00	10 gm 50 gm
RE2960 TbCl ₃ .6H ₂ O (13798-24-8)	Terbium Chloride M. W.: 373.38 Assay (Trace metal basis) 99.999%	7560.00 29952.00	5 gm 25 gm
RE2975 Tb(NO ₃) ₃ .5H ₂ O (57584-27-7)	Terbium Nitrate M. W.: 435.02 Assay (Trace metal basis) 99.9%	5202.00 21600.00 POR	5 gm 25 gm 100 gm
RE2980 Tb(NO ₃) ₃ .5H ₂ O (57584-27-7)	Terbium Nitrate M. W.: 435.02 Assay (Trace metal basis) 99.99%	15530.00 53420.00	10 gm 50 gm

Product Code	Product Name	Price	Packing
RE2985 Tb(NO ₃) ₃ .5H ₂ O (57584-27-7)	Terbium Nitrate M. W.: 435.02 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE3000 Tb ₄ O ₇ (12037-01-3)	Terbium Oxide M. W.: 747.69 Assay (Trace metal basis) 99.9%	3996.00 14000.00 22500.00 59850.00 POR POR	1 gm 5 gm 10 gm 50 gm 250 gm 1 kg
RE3005 Tb ₄ O ₇ (12037-01-3)	Terbium Oxide M. W.: 747.69 Assay (Trace metal basis) 99.99%	17730.00 86000.00 POR	5 gm 25 gm 250 gm
RE3010 Tb ₄ O ₇ (12037-01-3)	Terbium Oxide M. W.: 747.69 Assay (Trace metal basis) 99.999%	5000.00 19900.00 POR POR	1 gm 5 gm 25 gm 250 gm
RE3025 Tb ₂ (SO ₄) ₃ .8H ₂ O (13842-67-6)	Terbium Sulphate M. W.: 750.16 Assay (Trace metal basis) 99.9%	6624.00 55000.00	5 gm 50 gm
RE3030 Tb ₂ (SO ₄) ₃ .8H ₂ O (13842-67-6)	Terbium Sulphate M. W.: 750.16 Assay (Trace metal basis) 99.99%	10670.00 42921.00	5 gm 25 gm
RE3035 Tb ₂ (SO ₄) ₃ .8H ₂ O (13842-67-6)	Terbium Sulphate M. W.: 750.16 Assay (Trace metal basis) 99.999%	POR POR	10 gm 50 gm
237525 C ₈ H ₆ O ₂ (623-27-8)	Terephthalaldehyde for Synthesis M. W.: 134.13 Assay 97.5%	4059.00 14000.00	100 gm 500 gm
237635 C ₁₈ H ₁₄ (92-94-4)	p-Terphenyl for Synthesis M. W.: 230.30	2502.00 7560.00	25 gm 100 gm
030351 C ₈ H ₆ O ₄ (100-21-0)	Terephthalic Acid for Synthesis M. W.: 166.14 Assay (acidimetric) 98.0%	464.00	500 gm
237805 C ₈ H ₄ Cl ₂ O ₂ (100-20-9)	Terphthaloyl Chloride for Synthesis M. W.: 203.02 Assay 99.0%	1170.00 5337.00	100 gm 500 gm
237855 C ₁₀ H ₁₈ O (8006-39-1)	Terpineol (Mixture of isomers) M. W.: 154.25 Assay (mix isomers) 98.0%	1279.00 5751.00	500 ml 2.5 lit
237975 C ₁₂ H ₂₀ O ₂ (80-26-2)	Terpinyl Acetate for Synthesis M. W.: 196.29 Assay 95.0%	1827.00	500 gm
	Tert-Butanol See tert-Butanol		
238275 C ₆ H ₁₅ NO ₆ S (7365-44-8)	TES Buffer M. W.: 229.25 Assay (Acidimetric) 99.0%	666.00 1908.00 7353.00	5 gm 25 gm 100 gm
987560	MB TES Buffer (See : N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) For Molecular Biology M. W. : 229.25 Assay : ≥ 99% Store Below 30°C	7650.00	100 gm
C₆H₁₅NO₆S (7365-44-8)			

Product Code	Product Name	Price	Packing
TC1273	ATC TES Buffer Cell Culture Tested	4370.00	25 gm
C ₆ H ₁₅ NO ₆ S (7365-44-8)	M. W.: 229.25 Assay : ≥99% Store below 30°C	13100.00	100 gm
238325	Testosterone for Lab use	2300.00	5 gm
C ₁₉ H ₂₈ O ₂ (58-22-0)	M. W.: 288.42	9500.00	25 gm
238375	Testosterone Propionate	2570.00	5 gm
(57-85-2)		10890.00	25 gm
238425	* 1,1,2,2-Tetra Bromo Ethane for Microscopy	6804.00	250 gm
C ₂ H ₂ Br ₄ (79-27-6)	M. W.: 345.67 Assay (GC) 98.5%	13005.00	500 gm
238450	Tetrabutylammonium Borohydride for Synthesis	1170.00	5 gm
C ₁₆ H ₄₀ BN (33725-74-5)	M.W. 257.31 Assay 98.0%	5490.00	25 gm
238475	Tetra Butyl Ammonium Bromide	1296.00	500 gm
C ₁₆ H ₃₆ NBr (1643-19-2)	M. W.: 322.37 Assay (argentometric) 99.0%	2300.00	1 kg
656955	Tetrabutyl Ammonium Bromide AR	657.00	100 gm
C ₁₆ H ₃₆ NBr (1643-19-2)	M. W.: 322.37	3110.00	500 gm
773700	Tetrabutyl Ammonium Bromide HPLC Phase Transfer Catalyst Suitable for HPLC	770.00	100 gm
C ₁₆ H ₃₆ NBr (1643-19-2)	M. W.: 322.37		
238525	Tetrabutyl Ammonium Chloride for Synthesis	3006.00	100 gm
[CH ₃ (CH ₂) ₃] ₄ NCl (1112-67-0)	M. W.: 277.92 Assay 99.0%	13510.00	500 gm
773750	▲ Tetrabutyl Ammonium Dihydrogen Phosphate AR/ HPLC	3006.00	5 gm
C ₁₆ H ₃₆ NH ₂ O ₄ P (5574-97-0)	M. W.: 339.45 Assay 99.0%	11007.00	25 gm
238675	Tetra Butyl Ammonium Hydrogen Sulphate for Synthesis	550.00	100 gm
C ₁₆ H ₃₇ NO ₄ S (32503-27-8)	M. W.: 339.54 Assay (acidimetric) 98.0%	2300.00	500 gm
656985	Tetra Butyl Ammonium Hydrogen Sulphate AR	1602.00	100 gm
C ₁₆ H ₃₇ NO ₄ S (32503-27-8)	M. W.: 339.54		
773800	Tetrabutyl Ammonium Hydrogen Sulphate HPLC	1755.00	100 gm
C ₁₆ H ₃₇ NO ₄ S (32503-27-8)	M. W.: 339.53		
896300	Tetra-N-Butyl Ammonium Hydroxide 0.1N aq. Solution AR	1760.00	500 ml
896310	Tetra-N-Butyl Ammonium Hydroxide 0.1N In Isopropanol AR	2007.00	500 ml
896330	Tetra-N-Butyl Ammonium Hydroxide 0.1N in methanol AR (For Non-Aqueous Titration)	1917.00	500 ml

Product Code	Product Name	Price	Packing
896335	Tetra-N-Butyl Ammonium Hydroxide 0.1N in toluene AR	1431.00	500 ml
896340	Tetrabutyl Ammonium Hydroxide (2052-49-5)	1998.00	100 ml
	1M solution in Methanol	7920.00	500 ml
896350	Tetra-N-Butyl Ammonium Hydroxide 1m in Water	1755.00	100 ml
		7700.00	500 ml
896370	Tetra-N-Butyl Ammonium Hydroxide 10% aqueous Solution Assay (acidimetric) 9.9-10.1%	1098.00	100 ml
896390	Tetra-N-Butyl Ammonium Hydroxide 10% in Methanol Assay About 10.0%	1296.00	100 ml
896395	Tetra-N-Butyl Ammonium Hydroxide 10% in Toluene	1818.00	100 ml
896400	Tetrabutyl Ammonium Hydroxide (2052-49-5)	1296.00	100 ml
	12.5% In Methanol	5000.00	500 ml
896450	Tetra-N-Butyl Ammonium Hydroxide 20% aq. Solution Assay About 20.0%	1692.00	100 ml
		6507.00	500 ml
896470	Tetra-N-Butyl Ammonium Hydroxide 20% Solution in Methanol Assay About 20%	1701.00	100 ml
		8001.00	500 ml
896485	Tetra-N-Butyl Ammonium Hydroxide 20% Solution in Toluene	2403.00	100 ml
896500	Tetra-N-Butyl Ammonium Hydroxide 25% aq. Solution	2151.00	100 ml
		10251.00	500 ml
896510	Tetra-N-Butyl Ammonium Hydroxide 25% In Methanol Extra Pure Assay About 25%	1593.00	100 ml
		7200.00	500 ml
896530	Tetra-N-Butyl Ammonium Hydroxide 40% in Methanol AR Assay About 40%	3006.00	100 ml
		12960.00	500 ml
896570	Tetra-N-Butyl Ammonium Hydroxide 40 % in Water Assay 39-41%	3204.00	100 ml
		15300.00	500 ml
896790	Tetra-N-Butyl Ammonium Hydroxide 54-56 % aqueous solution Assay 54-56%	8703.00	100 ml
(2052-49-5)		36810.00	500 ml
657055	Tetra Butyl Ammonium Iodide AR	576.00	25 gm
[CH ₃ (CH ₂) ₃] ₄ NI (311-28-4)	M. W.: 369.38 Assay (argentometric) 99.0%	2007.00	100 gm
896290	* Tetrabutylammonium Phosphate Monobasic 1M Solution In Ethanol	1656.00	100 ml
	Tetrachloro-p-Benzoquinone See p-Chloranil		
238825	1,1,2,2-Tetra Chloroethane for Synthesis	1998.00	500 ml
CHCl ₂ .CHCl ₂ (79-34-5)	M. W.: 167.85 Assay (GC) 97.0%	8505.00	2.5 lit
657165	1,1,2,2-Tetra Chloroethane AR	2610.00	500 ml
CHCl ₂ .CHCl ₂ (79-34-5)	M. W.: 167.85 Assay (GC) 98.0%	12510.00	2.5 lit

T

Laboratory Chemicals

Product Code	Product Name	Price	Packing
238875	Tetrachloroethylene for Synthesis (Perchloro Ethylene)	945.00	500 ml
CCl ₂ :CCl ₂ (127-18-4)	M. W.: 165.83 Assay (GC) 99.0%	4005.00	2.5 lit
		POR	25 lit
657195	Tetrachloroethylene AR (perchloroethylene)	1107.00	500 ml
CCl ₂ :CCl ₂ (127-18-4)	M. W.: 165.83	4500.00	2.5 lit
		POR	25 lit
774000	Tetrachloroethylene for HPLC & Spectroscopy	1206.00	500 ml
Cl ₂ C:CCl ₂ (127-18-4)	M. W.: 165.83 Assay (GC) 99.8%	2106.00	1 lit
773990	Tetrachloroethylene GC-HS	2620.00	1 lit
Cl ₂ C:CCl ₂ (127-18-4)	M. W.: 165.83		
239025	Tetrachloro Phthalic Anhydride	3807.00	1 kg
C ₈ Cl ₄ O ₃ (117-08-8)	M. W.: 285.95 Assay 96.0%		
657275	* Tetracyanoethylene AR	2700.00	1 gm
C ₆ N ₄ (670-54-2)	M. W.: 128.09 Assay 98.0%	9000.00	5 gm
239175	* 7,7,8,8-Tetracyanoquino Dimethane Extra Pure	6300.00	5 gm
C ₁₂ H ₄ N ₄ (1518-16-7)	M. W.: 204.19 Assay 98.0%		
239225	▲ Tetracycline Hydrochloride for Lab Use	441.00	5 gm
C ₂₂ H ₂₄ N ₂ O ₈ HCl (64-75-5)	M. W.: 480.90 Assay 95.0%	2160.00	25 gm
		7920.00	100 gm
987810	MB ▲ Tetracycline Hydrochloride For Molecular Biology	855.00	5 gm
C ₂₂ H ₂₄ N ₂ O ₈ .HCl (64-75-5)	M. W. : 480.9 Potency : ≥ 900 µg/mg	3861.00	25 gm
PCT2126	PTC ▲ Tetracycline Hydrochloride Plant Culture Tested	1170.00	5 gm
C ₂₂ H ₂₄ N ₂ O ₈ .HCl (64-75-5)	M. W.: 480.9 Assay 98%	4491.00	25 gm
		14621.00	100 gm
TC1036	ATC ▲ Tetracycline Hydrochloride Cell Culture Tested	1656.00	5 gm
C ₂₂ H ₂₄ N ₂ O ₈ .HCl (64-75-5)	Recommended for use in cell culture M. W.: 480.9 Potency : ≥ 720 IU/mg	6300.00	25 gm
	Tetradecanoic Acid See Myristic Acid		
	1-Tetradecanol See Myristyl Alcohol		
	Tetradecyltrimethyl Ammonium Bromide See Cetrimide		
239275	N-Tetradecane	2394.00	100 ml
C ₁₄ H ₃₀ (629-59-4)	M. W.: 198.39	5000.00	500 ml
657465	N-Tetradecane AR	3366.00	100 ml
C ₁₄ H ₃₀ (629-59-4)	M. W.: 198.39	16497.00	500 ml
774090	Tetradecyl Ammonium Bromide AR for HPLC	3591.00	5 gm
C ₄₀ H ₈₄ NBr (14937-42-9)	M. W.: 659.01 Assay 99.0%	15363.00	25 gm

Product Code	Product Name	Price	Packing
	Tetraethoxy Silane See Tetraethyl Ortho Silicate		
030366	Tetraethyl Ammonium Bromide for Synthesis	351.00	100 gm
(C ₂ H ₅) ₄ NBr (71-91-0)	M. W.: 210.16 Assay (Argentometric) 98.0%	2120.00	500 gm
239515	Tetraethyl Ammonium Chloride (Contains 10-15% Water) Pure	1701.00	25 gm
C ₈ H ₂₀ ClN (56-34-8)	M. W.: 165.70	3700.00	100 gm
774140	Tetraethyl Ammonium Hydrogen Sulphate (HPLC)	873.00	25 gm
C ₈ H ₂₀ NHO ₄ S (16873-13-5)	M. W.: 227.32 Assay 99.0%	3290.00	100 gm
896730	Tetraethyl Ammonium Hydroxide 10% In Water	1800.00	100 ml
(77-98-5)		8505.00	500 ml
896740	Tetraethyl Ammonium Hydroxide 20% In Water for Synthesis	2205.00	100 ml
(77-98-5)	Assay 18.5-21.5%	9540.00	500 ml
896770	Tetraethyl Ammonium Hydroxide 25% Aqueous Solution	1908.00	100 ml
(77-98-5)	Assay 23.5-26.5%	8811.00	500 ml
239635	Tetraethyl Ammonium Iodide	3240.00	100 gm
C ₈ H ₂₀ NI (68-05-3)	M. W.: 257.153	31032.00	1 kg
239695	Tetraethyl Ortho Silicate for Synthesis	1701.00	500 ml
C ₈ H ₂₀ O ₄ Si (78-10-4)	M. W.: 208.33 Assay 99.0%		
657745	Tetraethylammonium Bromide AR	8820.00	25 gm
C ₂₈ H ₆₀ NBr (4368-51-8)	M. W.: 490.70	31995.00	100 gm
030371	Tetrahydrofuran (Stabilized) for Synthesis	770.00	500 ml
C ₄ H ₈ O (109-99-9)	M. W.: 72.11 Assay (GC) 99.5%	3790.00	2.5 lit
		POR	25 lit
657835	Tetrahydrofuran AR Stabilized	855.00	500 ml
C ₄ H ₈ O (109-99-9)	M. W.: 72.11 Assay (GC) 99.5%	4104.00	2.5 lit
		POR	25 lit
657905	Tetrahydrofuran (Stabilized) Specially Dried	1180.00	500 ml
C ₄ H ₈ O (109-99-9)	M. W.: 72.11 Assay (GC) 99.5%	5121.00	2.5 lit
		POR	25 lit
774380	Tetrahydrofuran For HPLC & Spectroscopy	2106.00	1 lit
C ₄ H ₈ O (109-99-9)	M. W.: 72.11 Assay (GC) 99.7%	4806.00	2.5 lit
774410	Tetrahydrofuran for Pesticide Residue Trace Analysis	2403.00	1 lit
C ₄ H ₈ O (109-99-9)	M. W.: 72.11		
	1,2,3,4-Tetrahydro Naphthalene See Tetralin		

Product Code	Product Name	Price	Packing
321975	Tetrahydroxy-p-Benzoquinone AR Indicator for Sulphate Titration M. W.: 208.12 Assay (HPLC) 97.0%	801.00 3501.00	1 gm 5 gm
C ₆ H ₄ O ₆ .2H ₂ O (5676-48-2)			
239900	N,N,N',N'-Tetrakis (4-aminophenyl)-1,4-phenylenediamine POR	3564.00 10683.00	1 gm 5 gm 25 gm
(3283-07-6)			
658055	▲ Tetrakis (Triphenylphosphine) Palladium(0) (Reduction Catalyst) AR M. W.: 1155.56 Assay 99.0%	3600.00 17010.00 83070.00	1 gm 5 gm 25 gm
C ₇₂ H ₆₀ P ₄ Pd (14221-01-3)			
030373	Tetralin M. W.: 132.21 Assay (GC) 98.0%	1521.00 6705.00	500 ml 2.5 lit
C ₁₀ H ₁₂ (119-64-2)			
240125	a-Tetralone for Synthesis M. W.: 146.19 Assay 97.0%	1845.00 8307.00	100 gm 500 gm
C ₁₀ H ₁₀ O (529-34-0)			
240085	b-Tetralone M. W.: 146.19 Assay 98.0%	7470.00 19710.00	5 gm 25 gm
C ₁₀ H ₁₀ O (530-93-8)			
240335	Tetramethyl Ammonium Bromide for Synthesis M. W.: 154.05 Assay 98.0%	1503.00 5950.00	100 gm 500 gm
C ₄ H ₁₂ BrN (64-20-0)			
030379	Tetramethyl Ammonium Chloride pure M. W.: 109.60 Assay (argentometry) 98.0%	405.00 1800.00	100 gm 500 gm
C ₄ H ₁₂ ClN (75-57-0)			
240735	Tetramethyl Ammonium Hydrogen Sulphate Monohydrate (103812-00-6)	2394.00	100 gm
896860	Tetramethyl Ammonium Hydrogen Sulphate 0.1 N AR	2979.00	500 ml
774500	Tetramethyl Ammonium Hydrogen Sulphate (HPLC) for Ion Pair Chromatography M. W.: 171.21	702.00 3006.00	5 gm 25 gm
C ₄ H ₁₂ NHO ₄ S (80526-82-5)			
240555	· Tetramethyl Ammonium Hydroxide Pentahydrate Extra Pure M.W. 181.23 Assay 98.0%	1332.00 4500.00	25 gm 100 gm
(CH ₃) ₄ N(OH).5H ₂ O (10424-65-4)			
897000	Tetramethyl Ammonium Hydroxide 0.1 N in methanol	1450.00 2790.00	250 ml 500 ml
(75-59-2)			
897005	Tetramethyl Ammonium Hydroxide 0.1 N in IPA	1450.00 2790.00	250 ml 500 ml
(75-59-2)			
897010	Tetramethyl Ammonium Hydroxide 1M Solution In Methanol	1206.00 5500.00	100 ml 500 ml
897013	Tetramethyl Ammonium Hydroxide 1M Solution in water	1000.00 4500.00	100 ml 500 ml
897020	Tetramethyl Ammonium Hydroxide 10% Solution in water for Polarography M.W.: 91.15 Assay (acidimetric) 9.5-10.5%	801.00 2907.00	50 ml 250 ml
(CH ₃) ₄ .NOH (75-59-2)			

Product Code	Product Name	Price	Packing
897050	Tetramethyl Ammonium Hydroxide 25% aqueous Solution pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	2601.00 9550.00	100 ml 500 ml
(CH ₃) ₄ .NOH (75-59-2)			
897070	Tetramethyl Ammonium Hydroxide 25% in Methanol pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	2800.00 9990.00	100 ml 500 ml
(CH ₃) ₄ .NOH (75-59-2)			
240605	Tetramethyl Ammonium Iodide M. W.: 201.05 Assay (argentometric) 99.0%	2907.00 10503.00	100 gm 500 gm
C ₄ H ₁₂ IN (75-58-1)			
658465	N,N,N',N'-Tetramethyl Benzidine AR M. W.: 240.34 Assay 95.0%	4370.00	1 gm
C ₁₆ H ₂₀ N ₂ (366-29-0)			
658545	▲ 3,3',5,5'-Tetramethyl Benzidine AR (TMB) (Reagent for Detection of Blood) M. W.: 240.34	1206.00 5000.00 24003.00	1 gm 5 gm 25 gm
C ₁₆ H ₂₀ N ₂ (54827-17-7)			
TC1705	ATC 3,3',5,5' Tetramethyl benzidine (TMB) Cell Culture Tested M. W.: 240.34 Assay : ≥99%	1386.00 5391.00 18072.00	100 mg 1 gm 5 gm
C ₁₆ H ₂₀ N ₂ (54827-17-7)			
988900	MB ▲ 3,3',5,5'-Tetramethylbenzidine (TMB) For Molecular Biology M. W. : 240.34 Assay : ≥ 99%	2772.00 8235.00	1 gm 5 gm
C ₁₆ H ₂₀ N ₂ (54827-17-7)			
	n,n,n,n'-Tetramethyl Diamino Diphenyl Methane See 4,4-Bis-(Dimethylamino Phenyl) Methane		
	Tetramethylene Dibromide See 1,4-Dibromobutane		
	Tetramethylene Dichloride See 1,4-Dichlorobutane		
	Tetramethylene Glycol See 1,4-Butanediol		
	Tetramethyleneimine See Pyrrolidine		
240875	n,n,n,n'-Tetramethyl Ethylenediamine (Temed) for Synthesis M. W.: 116.21 Assay (GLC) 99.0%	684.00 3096.00 14706.00	100 ml 500 ml 2.5 lit
C ₆ H ₁₆ N ₂ (110-18-9)			
658605	n,n,n,n'-Tetramethyl Ethylene Diamine AR M. W.: 116.21 Assay (GC) 99.0%	846.00 3600.00	100 ml 500 ml
C ₆ H ₁₆ N ₂ (110-18-9)			
988500	n,n,n,n'-Tetramethyl Ethylene Diamine for Electrophoresis/Molecular Biology M. W.: 116.21	1602.00	100 ml
C ₆ H ₁₆ N ₂ (110-18-9)			
658725	1,1,3,3-Tetramethyl Guanidine AR M. W.: 115.18 Assay 98.5%	2061.00 7344.00	100 gm 500 gm
C ₅ H ₁₃ N ₃ (80-70-6)			

T

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

T

Laboratory Chemicals

Product Code	Product Name	Price	Packing
030386 C ₁₀ H ₁₆ N ₂ .2HCl (637-01-4)	▲n,n,n,n-Tetramethyl-p-Phenylene Diamine Dihydrochloride	1602.00	5 gm
	M. W.: 237.17 Assay (argentometric) 98.0%	7002.00	25 gm
	2,2,6,6-Tetramethylpiperidine-1-Oxyl See TEMPO		
D99036 C ₄ H ₁₂ Si (75-76-3)	Tetramethylsilane (TMS)	14013.00	100 ml
	M.W.: 88.23 (for NMR Spectroscopy) Assay (GC) Min. 99.9%		
	Tetramethyluronium Hexafluorophosphate See HATU		
241025 C ₆ H ₁₂ N ₂ S ₄ (137-26-8)	Tetramethyl Thiuram Disulphide	1359.00	100 gm
	M. W.: 240.44 Assay 98.0%	4149.00	500 gm
	Tetranitro Blue Tetrazolium Chloride See Tetranitro B.T.		
322125 C ₄₀ H ₂₈ Cl ₂ N ₁₂ O ₁₀ (1184-43-6)	Tetranitro B.T. AR (Tetranitro Blue Tetrazolium Chloride)	2151.00	100 mgm
	M. W.: 907.63	4352.00	250 mgm
	Tetraphenyl Boron Sodium Salt See Sodium Tetra Phenyl Borate		
241225 C ₂₄ H ₂₀ P.Br (2751-90-8)	Tetraphenyl Phosphonium Bromide for Synthesis	1422.00	25 gm
	M. W.: 419.3	4230.00	100 gm
241265 C ₂₄ H ₂₀ P.Cl (2001-45-8)	Tetraphenyl Phosphonium Chloride for Synthesis	3006.00	5 gm
	M. W.: 374.85 Assay 98.0%	7506.00	25 gm
241305 C ₂₄ H ₂₀ P.I (2065-67-0)	✱ Tetraphenyl Phosphonium Iodide for Synthesis	3330.00	5 gm
	M. W.: 466.30	10800.00	25 gm
	Tetraphosphoric Acid See Polyphosphoric acid		
	Tetrapotassium Diphosphate See tetra-Potassium Pyrophosphate		
241425 C ₁₂ H ₂₈ NBr (1941-30-6)	Tetrapropyl Ammonium Bromide Extra Pure	720.00	100 gm
	M. W.: 266.26	3006.00	500 gm
897260 (4499-86-9)	Tetrapropyl Ammonium Hydroxide 10% Aqueous Solution	1206.00	100 ml
	Assay 9.5-10.5%	4203.00	500 ml
897280 (4499-86-9)	Tetrapropyl Ammonium Hydroxide 20% Solution in Water	1782.00	100 ml
	Assay 18.5-21.5%	7704.00	500 ml
897300 (4499-86-9)	Tetrapropyl Ammonium Hydroxide 40% Solution in Water	3204.00	100 ml
	Assay 38.5-41.5%	13005.00	500 ml
774680 CH ₂ N ₄ (288-94-8)	▲1H-Tetrazole for DNA Synthesis (Amidite Activator)	410.00	1 gm
	M. W.: 70.05	1800.00	5 gm
		6930.00	25 gm
	Store at -2°C		

Product Code	Product Name	Price	Packing
988990 CH ₂ N ₄ (288-94-8)	▲1H-Tetrazole For Molecular Biology	784.00	1 gm
	M. W. : 240.34 Assay : ≥ 99%	3470.00	5 gm
897350 CH ₂ N ₄ (288-94-8)	▲Tetrazole, 3 To 4 Wt. % Solution in Acetonitrile	6003.00	100 ml
	M.W. 70.05	25002.00	500 ml
	Tetrazolium Blue See Blue Tetrazolium		
	Tetrazolium Red See 2,3,5 Tri Phenyl Tetrazolium Chloride		
	Tetrazolium Salt See 2,3,5-Triphenyl Tetrazolium Chloride		
322225 C ₂₃ H ₁₇ ClN ₄ (1719-71-7)	▲Tetrazolium Violet AR	2106.00	1 gm
	M. W.: 384.86		
896190	Thallium (TI) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 2% HNO ₃ In accordance with NIST	5544.00	50 ml
		8865.00	100 ml
659415 C ₈ H ₅ F ₃ O ₂ S (326-91-0)	2-Thenoyl Trifluoro Acetone AR	1360.00	10 gm
	M. W.: 222.19 Assay (acidimetric) 99.0%	10900.00	100 gm
241905 C ₇ H ₈ N ₄ O ₂ (83-67-0)	Theobromine for Synthesis	2250.00	25 gm
	M. W.: 180.16 Assay 99.0%	5670.00	100 gm
		16200.00	500 gm
241925 C ₇ H ₈ N ₄ O ₂ (58-55-9)	Theophylline Anhydrous	370.00	25 gm
	M. W.: 180.16 Assay 99.0%	981.00	100 gm
		POR	5 kg
659505 C ₇ H ₈ N ₄ O ₂ (58-55-9)	Theophylline Anhydrous AR	801.00	25 gm
	M. W.: 180.16 Assay 99.0%	2700.00	100 gm
PCT1819 C ₁₀ H ₇ N ₃ S (148-79-8)	▲Thiabendazole Plant Culture Tested	29844.00	50 gm
	M. W.: 201.25 Assay 98%	54270.00	100 gm
241965 C ₁₂ H ₁₇ N ₄ OSCIHCl (67-03-8)	Thiamine Hydrochloride for Biochemistry (Vitamin B1)	405.00	10 gm
	M. W.: 337.27 Assay (On dried substance) 98.5-101.5%	819.00	25 gm
		2727.00	100 gm
		13600.00	500 gm
PCT1215 C ₁₂ H ₁₇ ClN ₄ OS.HCl (67-03-8)	▲Thiamine Hydrochloride (Vitamin B1 hydrochloride) Plant Culture Tested	963.00	25 gm
	M. W.: 337.27 Assay 99%	3330.00	100 gm
		13356.00	500 gm
TC1173 C ₁₂ H ₁₇ ClN ₄ OS.HCl (67-03-8)	▲Thiamine Hydrochloride (Vitamin B1 hydrochloride) Cell Culture Tested	1602.00	25 gm
	M. W.: 337.27 Assay : ≥99%	4073.00	100 gm
		10009.00	500 gm

▲ ATC : Animal Cell Culture
● MB : Molecular Biology
● PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
TC1173M	▲ Thiamine Hydrochloride Vitamin B1; Thiamine monohydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 337.27 $C_{12}H_{17}ClN_4OS.HCl$ (67-03-8)	1944.00	25 gm
		4923.00	100 gm
		14553.00	500 gm
	Thiazolyl Blue See M.T.T. Tetrazolium		
PCT1820	▲ Thidiazuron (TDZ) Plant Culture Tested M. W.: 220.25 Assay 92%	6102.00	250 mg
		21362.00	1 gm
$C_9H_8N_4OS$ (51707-55-2)			
PCT2409	▲ Thidiazuron (TDZ) Solution w/ 1 mg/ml TDZ in sterile distilled water Sterile filtered Plant Culture Tested	873.00	20 ml
		4212.00	5X20 ml
030416	Thimersoal Used as a Preservative for Sucrose Buffer Solution M. W.: 404.81 Assay (Argentometric) 97.0%	6705.00	10 gm
$C_9H_9HgNaO_2S$ (54-64-8)		16020.00	25 gm
		61020.00	100 gm
		POR	1 kg
PCT2136	Thimersoal (Sodium ethylmercurithio salicylate) Plant Culture Tested M. W.: 404.81 Store below 30°C	6800.00	10 gm
		16200.00	25 gm
		62001.00	100 gm
$C_9H_9HgNaO_2S$ (54-64-8)			
TC1470	Thimersoal Cell Culture Tested Thiomersal; Thiomersalate; Mercuriothiolate; Sodium Ethylmercurithiosalicylate M. W.: 404.81 Potency : ≥97% Store below 30°C	10270.00	10 gm
		21132.00	25 gm
		67631.00	100 gm
		227120.00	500 gm
$C_9H_9HgNaO_2S$ (54-64-8)			
	Thimersoal See Thimerosal		
242025	Thioacetamide Pract M. W.: 75.13 Assay (Argentometry) 98.0%	1602.00	100 gm
		7506.00	500 gm
CH_3CSNH_2 (62-55-5)			
659545	Thioacetamide AR for Precipitation of Heavy Metals M. W.: 75.13 Assay (Argentometric) 99.0%	581.00	25 gm
		2007.00	100 gm
		8802.00	500 gm
CH_3CSNH_2 (62-55-5)		POR	5 kg
897370	Thioacetamide Solution (Reagent for As, Bi, Cd, Sb, Co, Pb, Ni & Zn)	585.00	100 ml
242125	Thioacetic Acid for Synthesis M. W.: 76.12	1098.00	100 ml
CH_3COSH (507-09-5)		4194.00	500 ml
242175	Thioanisole M.W. 124.21 Assay 99.0%	4330.00	100 ml
		17200.00	500 ml
C_7H_8S (100-68-5)			
659605	2-Thiobarbituric Acid AR M. W.: 144.15 Assay (acidimetric on dried substance) 99.0%	1206.00	25 gm
		4500.00	100 gm
$C_4H_4N_2O_2S$ (504-17-6)			

Product Code	Product Name	Price	Packing
242305	Thiobenzamide M. W.: 137.20 Assay 98.0%	2106.00	25 gm
		7803.00	100 gm
C_7H_7NS (2227-79-4)			
	Thiocarbamide See Thiourea		
242575	2,2-Thio Diethanol for Synthesis M. W.: 122.19 Assay 99.0%	3330.00	250 ml
		6093.00	500 ml
$C_4H_{10}O_2S$ (111-48-8)			
322365	Thioflavine T C.I. 49005 M. W.: 318.86 Dye content 65-75%	1152.00	5 gm
		2835.00	25 gm
$C_{17}H_{19}ClN_2S$ (2390-54-7)			
030415	Thioglycolic Acid 80% M. W.: 92.11 Assay Abt. 80.0%	2052.00	500 ml
		9500.00	2.5 lit
$CH_2(SH)COOH$ (68-11-1)			
242745	1-Thioglycerol (3-Mercapto-1, 2-Propanediol) M. W.: 108.16 Assay (oxidimetric) 90.0%	3510.00	100 ml
		16920.00	500 ml
$C_3H_8O_2S$ (96-27-5)			
242825	Thiomalic Acid for Synthesis Used In Cosmetic, Metallurgy, Printing Ink and for Electroplating M. W.: 150.15 Assay 97.0%	1800.00	100 gm
		8001.00	500 gm
$C_4H_6O_4S$ (70-49-5)			
	Thioglycolic Acid Sodium Salt See Sodium Thioglycollate		
322455	Thionin Acetate for Microscopy C. I. No. 52000 M. W.: 287.34	2250.00	5 gm
		9450.00	25 gm
$C_{12}H_9N_3S.C_2H_4O_2$ (78338-22-4)			
222945	Thionyl Chloride for Synthesis (Min. order should be for 4x500 ml) M. W.: 118.97 Assay (iodometric ex; Cl) 99.0-101.0%	468.00	500 ml
		2007.00	2.5 lit
$SOCl_2$ (7719-09-7)			
660235	Thionyl Chloride AR (Min. order should be for 4x500 ml) M. W.: 118.97 Assay (iodometric ex; Cl) 99.0-101.0%	783.00	500 ml
		3303.00	2.5 lit
$SOCl_2$ (7719-09-7)			
243085	Thiophene for Synthesis M. W.: 84.14	720.00	100 ml
		3204.00	500 ml
C_4H_4S (110-02-1)			
243255	Thiophene-2-Carboxaldehyde for Synthesis M. W.: 112.15 Assay 98.0%	3060.00	100 gm
		14940.00	500 gm
C_5H_4OS (98-03-3)			
243295	2-Thiophene Ethanol for Synthesis	4005.00	100 ml
		15003.00	500 ml
$(5402-55-1)$			
243395	Thiophenol for Synthesis M. W.: 110.2 Assay (GC) 98.0%	3105.00	500 ml
		13806.00	2.5 lit
C_6H_6S (108-98-5)			
	Thiosalicylic Acid See 2-Mercaptobenzoic Acid		
243575	Thiosemicarbazide for Synthesis M. W.: 91.13	540.00	25 gm
		1602.00	100 gm
		14000.00	1 kg
CH_5N_3S (79-19-6)			

Storage : ● 0-4°C ▲ 2-8°C
 ☆ Delivery Period 4-6 Weeks
 ☒ Supply Only to End User

T

Laboratory Chemicals

Product Code	Product Name	Price	Packing
660295	Thiosemicarbazide AR	657.00	25 gm
CH ₅ N ₃ S (79-19-6)	M. W.: 91.13 Assay (Iodometric) 99.0%	1800.00	100 gm
243725	* 2-Thiouracil for Synthesis (Used in Bioside & Electroplating)	1107.00	25 gm
C ₄ H ₄ N ₂ OS (141-90-2)	M. W.: 128.15 Assay 99.0%	3803.00	100 gm
243755	Thiourea Pract	666.00	500 gm
CH ₄ N ₂ S (62-56-6)	M. W.: 76.12 Assay (iodometric) About 97.0%	POR	25 kg
		POR	50 kg
030423	Thiourea Purified	864.00	500 gm
CH ₄ N ₂ S (62-56-6)	M. W.: 76.12 Assay (Iodometric) 98.0%	POR	25 kg
		POR	50 kg
660355	Thiourea AR	666.00	250 gm
CH ₄ N ₂ S (62-56-6)	M. W.: 76.12 Assay (Iodometric) 99.0%	1107.00	500 gm
		POR	50 kg
897395	Thiourea Solution	482.00	100 ml
322605	Thorin Indicator AR Reagent for Thorium, Beryllium & Other Metals	7700.00	5 gm
C ₁₆ H ₁₁ AsN ₂ Na ₂ O ₁₀ S ₂ (3688-92-4)	M. W.: 576.30		
660415	Thorium Nitrate AR as a reagent for determination of Fluorine	18000.00	5 gm
Th(NO ₃) ₄ 5H ₂ O (14767-04-5)	M. W.: 570.13 Assay (complexometric) 99.0%	POR	100 gm
660435	Thorium Oxide AR	20709.00	5 gm
ThO ₂ (1314-20-1)	M. W.: 264.04 Assay 99.0%		
	Thoron Indicator See Thorin Indicator		
243935	DL-Threonine for Biochemistry	3717.00	25 gm
C ₄ H ₉ NO ₃ (80-68-2)	M. W.: 119.12	14040.00	100 gm
TC1378	DL-Threonine (±)-2-Amino-3-hydroxybutyric acid Cell Culture Tested	3960.00	25 gm
C ₄ H ₉ NO ₃ (80-68-2)	M. W.: 119.12 Assay : >99% Store below 30°C	14940.00	100 gm
660505	L-Threonine AR	100.00	5 gm
C ₄ H ₉ NO ₃ (72-19-5)	M. W.: 119.12 Assay (ex. N non-aq.) 99.0%	302.00	25 gm
		5000.00	500 gm
PCT1319	L-Threonine Plant Culture Tested	234.00	5 gm
C ₄ H ₉ NO ₃ (72-19-5)	M. W.: 119.12 Assay 99% Store below 30°C	1017.00	25 gm
		7335.00	500 gm
TC1120	L-Threonine (From non-animal source) Cell Culture Tested	3182.00	25 gm
C ₄ H ₉ NO ₃ (72-19-5)	M. W.: 119.12 Assay : >99% Store below 30°C	9550.00	100 gm
		28620.00	500 gm
		42980.00	1 kg

Product Code	Product Name	Price	Packing
TC1120M	L-Threonine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	4842.00	25 gm
	M. W.: 119.12	14553.00	100 gm
		31545.00	500 gm
		60666.00	1 kg
C ₄ H ₉ NO ₃ (72-19-5)	Store below 30°C		
RE3045	Thulium Metal Ingot	POR	1 gm
Tm (7440-30-4)	M. W.: 168.93 Assay (Trace metal basis) 99.99%	POR	5 gm
RE3050	Thulium Metal Lump	POR	1 gm
Tm (7440-30-4)	M. W.: 168.93 Assay (Trace metal basis) 99.99%	POR	5 gm
RE3055	Thulium Metal Powder 325 mesh	POR	1 gm
Tm (7440-30-4)	M. W.: 168.93 Assay (Trace metal basis) 99.99%	POR	5 gm
RE3095	Thulium (III) Acetate	3006.00	1 gm
Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9%	8496.00	5 gm
		POR	100 gm
RE3100	Thulium (III) Acetate	15930.00	5 gm
Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.99%	POR	25 gm
RE3105	Thulium (III) Acetate	POR	1 gm
Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.999%	POR	25 gm
RE3110	Thulium (III) Acetate	POR	1 gm
Tm(CH ₃ CO ₂) ₃ .xH ₂ O (207738-11-2)	M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9999%	POR	25 gm
RE3114	Thulium (III) Carbonate	5220.00	1 gm
Tm ₂ (CO ₃) ₃ .xH ₂ O (87198-17-2)	M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.99%	18000.00	5 gm
RE3116	Thulium (III) Carbonate	POR	1 gm
Tm ₂ (CO ₃) ₃ .xH ₂ O (87198-17-2)	M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.999%	POR	25 gm
RE3118	Thulium (III) Carbonate	POR	1 gm
Tm ₂ (CO ₃) ₃ .xH ₂ O (87198-17-2)	M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.9999%	POR	25 gm
RE3120	Thulium (III) Chloride	8604.00	2 gm
TmCl ₃ (13537-18-3)	M. W.: 275.29 Assay (Trace metal basis) 99.9%	31482.00	10 gm
RE3125	Thulium (III) Chloride	5994.00	1 gm
TmCl ₃ (13537-18-3)	M. W.: 275.29 Assay (Trace metal basis) 99.99%	34362.00	10 gm
RE3130	Thulium (III) Chloride	POR	2 gm
TmCl ₃ (13537-18-3)	M. W.: 275.29 Assay (Trace metal basis) 99.999%	POR	10 gm
RE3135	Thulium (III) Chloride	POR	1 gm
TmCl ₃ (13537-18-3)	M. W.: 275.29 Assay (Trace metal basis) 99.9999%	POR	25 gm
RE3137	Thulium (III) Fluoride	14940.00	2 gm
TmF ₃ (13760-79-7)	M. W.: 225.93 Assay (Trace metal basis) 99.9%	72810.00	10 gm
RE3139	Thulium (III) Fluoride	POR	5 gm
TmF ₃ (13760-79-7)	M. W.: 225.93 Assay (Trace metal basis) 99.99%	POR	25 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
RE3141 TmF ₃ (13760-79-7)	Thulium (III) Fluoride M. W.: 225.93 Assay (Trace metal basis) 99.999%	POR POR	1 gm 25 gm
RE3143 TmF ₃ (13760-79-7)	Thulium (III) Fluoride M. W.: 225.93 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 25 gm
RE3145 TmI ₃ (13813-43-9)	Thulium (III) Iodide M. W.: 549.65 Assay (Trace metal basis) 99.95%	6750.00 26200.00	1 gm 5 gm
RE3155 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9%	25300.00 94320.00	10 gm 50 gm
RE3160 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.99%	12600.00 44730.00	2 gm 10 gm
RE3165 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 25 gm
RE3170 Tm(NO ₃) ₃ .xH ₂ O	Thulium (III) Nitrate M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 25 gm
RE3172 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9%	4190.00 15003.00	2 gm 10 gm
RE3174 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.99%	5000.00 POR	1 gm 25 gm
RE3176 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	1 gm 25 gm
RE3178 Tm ₂ (C ₂ O ₄) ₃ .xH ₂ O (58176-73-3)	Thulium Oxalate M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	1 gm 25 gm
RE3180 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.9%	8200.00 32500.00 POR	2 gm 10 gm 50 gm
RE3185 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.99%	8802.00 35100.00	2 gm 10 gm
RE3190 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.999%	5500.00 26100.00	1 gm 5 gm
RE3195 Tm ₂ O ₃ (12036-44-1)	Thulium Oxide M. W.: 385.88 Assay (Trace metal basis) 99.9999%	POR POR	1 gm 10 gm
RE3205 Tm ₂ (SO ₄) ₃ .8H ₂ O (13778-40-0)	Thulium Sulphate M. W.: 770.18 Assay (Trace metal basis) 99.9%	2970.00 10800.00	1 gm 5 gm
RE3210 Tm ₂ (SO ₄) ₃ .8H ₂ O (13778-40-0)	Thulium Sulphate M. W.: 770.18 Assay (Trace metal basis) 99.99%	3573.00 11907.00	1 gm 5 gm
RE3215 Tm ₂ (SO ₄) ₃ .8H ₂ O (13778-40-0)	Thulium Sulphate M. W.: 770.18 Assay (Trace metal basis) 99.999%	POR POR	1 gm 25 gm

Product Code	Product Name	Price	Packing
042048 C ₁₀ H ₁₄ N ₂ O ₅ (50-89-5)	▲Thymidine for biochemistry M. W.: 242.23 Assay (HPLC) 99.0%	370.00 1450.00 5900.00	1 gm 5 gm 25 gm
TC1174 ATC C ₁₀ H ₁₄ N ₂ O ₅ (50-89-5)	▲Thymidine Cell Culture Tested M. W.: 242.23 Assay : ≥99% Store below 30°C	1729.00 5832.00 9045.00 20070.00	1 gm 5 gm 10 gm 25 gm
244125 C ₅ H ₆ N ₂ O ₂ (65-71-4)	▲Thymine for Biochemistry M. W.: 126.11 Assay 99%	423.00 1602.00	5 gm 25 gm
TC1175 ATC C ₅ H ₆ N ₂ O ₂ (65-71-4)	▲Thymine Cell Culture Tested M. W.: 126.11 Assay : ≥98%	1279.00 3803.00	5 gm 25 gm
030433 C ₁₀ H ₁₄ O (89-83-8)	Thymol (Crystal) M. W.: 150.22 Assay(GC) 99.0%	855.00 3807.00	100 gm 500 gm
660595 C ₁₀ H ₁₄ O (89-83-8)	Thymol (Crystal) AR M. W.: 150.22 Assay (GC) 99.5%	999.00 4104.00	100 gm 500 gm
322755 C ₂₇ H ₃₀ O ₅ S (76-61-9)	Thymol Blue pH Indicator AR pH Transition range 1.2-2.8 Red to Yellow M. W.: 466.60	387.00 1305.00	5 gm 25 gm
897440	Thymol Blue Indicator Solution	131.00	125 ml
322895 C ₂₇ H ₂₉ NaO ₅ S (62625-21-2)	Thymol Blue Sodium Salt pH Indicator M. W.: 488.58	351.00	5 gm
897443	Thymol Blue TS acc. to USP	234.00	125 ml
323035 C ₂₈ H ₃₀ O ₄ (125-20-2)	Thymolphthaleine pH Indicator M. W.: 430.55	261.00 918.00 POR	5 gm 25 gm 1 kg
323045 C ₂₈ H ₃₀ O ₄ (125-20-2)	Thymolphthaleine AR pH Indicator M. W.: 430.55	351.00 1206.00 POR	5 gm 25 gm 1 kg
897490	Thymolphthaleine Indicator Solution	149.00	125 ml
323095 C ₃₈ H ₄₄ N ₂ O ₁₂ (1913-93-5)	Thymolphthaleine Complexone M. W.: 720.78	2007.00 7506.00	1 gm 5 gm
	Thymolphthalexon See Thymolphthalein Complexone		
323185	Thymol Violet pH Indicator	221.00 900.00	5 gm 25 gm
	Tiles Wash See Tw009		
PCT2113 PTC	▲Timentin [Ticarillin disodium salt / Potassium clavulanate mixture (15:1)] Plant Culture Tested C ₁₅ H ₁₄ N ₂ Na ₂ O ₆ S ₂ /C ₈ H ₈ KNO ₅ M. W.: 428.4/237.3 (4697-14-7 /61177-45-5)	6462.00 11633.00	1 gm 2 gm

T

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

T

Laboratory Chemicals

Product Code	Product Name	Price	Packing
PCT2508	PTC Timentin Solution [Ticarillin disodium salt / Potassium clavulanate mixture (15:1)] w/ 100 mg/ml Timentin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C	4986.00	20 ml
		13640.00	100 ml
897510	Tin (Sn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl In accordance with NIST	1800.00	100 ml
		2286.00	250 ml
		3852.00	500 ml
897520	Tin (Sn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in Hcl	3960.00	100 ml
		8505.00	500 ml
897560	Tin (Sn) CRISTAR® 10000 ppm Single Element Std. Soln. for ICP in Hcl	16326.00	100 ml
		48204.00	500 ml
660735	Tin (Metal) Powder AR Sn (7440-31-5) At. Wt. : 118.69 Assay 99.5%	2300.00	100 gm
		10980.00	500 gm
660745	Tin (Metal) Powder AR Sn (7440-31-5) At. Wt.: 118.69 Assay 99.9%	594.00	5 gm
		2187.00	25 gm
244255	Tin Wire (2.0 MM) Sn (7440-31-5) M. W.: 118.69	7002.00	5 gm
		30609.00	25 gm
660755	Tin (Metal) Foil AR Sn (7440-31-5) At. Wt.:118.69 Assay 99.8%	2952.00	250 gm
244235	Tin (Metal) Foil Sn (7440-31-5) At. Wt.: 118.69 Assay (Complexometric) 99.5%	990.00	50 gm
030438	Tin (Metal) Granulated Sn (7440-31-5) At. Wt.: 118.69 Assay (Complexometric) 99.5%	2241.00	100 gm
		10251.00	500 gm
660765	Tin (Metal) Granulated AR Sn (7440-31-5) At. Wt.: 118.69 Assay (Complexometric) 99.7%	2700.00	100 gm
		12510.00	500 gm
	Tin (II) Chloride See Stannous Chloride		
	Tin (IV) Chloride See Stannic Chloride		
244265	Tin (II) Fluoborate 50% for Electroplating Sn(BF ₄) ₂ (13814-97-6) M.W. : 292.32 Assay 50.0%	3591.00	500 gm
		POR	25 kg
	Tin (IV) Oxide See Stannic Oxide		
N74282	Tin Oxide Nanoparticles/ Nanopowder (50nm) (18282-10-5) Assay SnO ₂ 99.9%	4203.00	5 gm
		12070.00	25 gm
	Tin (II) Sulphate See Stannous Sulphate		
323335	Tiron AR Metal (pH) Indicator (149-45-1)	351.00	5 gm
		1206.00	25 gm

Product Code	Product Name	Price	Packing
897600	Titan Yellow Solution	266.00	100 ml
		1099.00	500 ml
323435	Titan Yellow AR C.I. No. 19540 M. W.: 695.73 C ₂₈ H ₁₉ N ₅ Na ₂ O ₆ S ₄ (1829-00-1)	423.00	10 gm
		1593.00	50 gm
244465	Titanium Metal Granular Ti (7440-32-6) M. W.: 47.87	2619.00	25 gm
		5706.00	100 gm
244485	Titanium Metal Powder Ti (7440-32-6) M. W.: 47.87	7470.00	100 gm
N74287	Titanium Nanoparticles/ Nanopowder (40-60nm) Ti (7440-32-6) M. W.: 47.87 Assay 99.9%	10962.00	5 gm
		54000.00	25 gm
	Titanium Tetrachloride See Titanium (IV) Chloride		
030446	Titanium Dioxide (Titanium IV Oxide) TiO ₂ (13463-67-7) M. W.: 79.89 Assay (ex Ti) 98.0%	855.00	500 gm
		1602.00	1 kg
		7506.00	5 kg
		POR	25 kg
		POR	50 kg
661315	Titanium Dioxide AR TiO ₂ (13463-67-7) M. W.: 79.89 Assay (ex Ti dried subs.) 99.0-100.5%	1800.00	500 gm
		14994.00	5 kg
		POR	25 kg
		POR	50 kg
661325	Titanium Dioxide AR TiO ₂ (13463-67-7) M. W.: 79.89 Assay (ex Ti) 99.9%	5000.00	10 gm
244785	Titanium Dioxide, Rutile (Titanium (IV) Oxide, Rutile) TiO ₂ (1317-80-2) M.W. 79.87	900.00	500 gm
		1602.00	1 kg
N74385	Titanium Nitride Nanoparticles/ Nanopowder (20nm) TiN (25583-20-4) M.W. 61.87 Assay 99.9%	12780.00	5 gm
		27000.00	25 gm
		50000.00	100 gm
N74412	Titanium Oxide Nanoparticles/ Nanopowder (mixture of anatase and rutile, 20-30nm) TiO ₂ (13463-67-7) M.W. 79.87 Assay 99%	10000.00	25 gm
		36720.00	100 gm
N74430	Titanium Oxide Nanopowder/ Nanoparticles (Rutile, 10-30nm) TiO ₂ (13463-67-7) M.W. 79.87 Assay 99.5%	5391.00	25 gm
		15111.00	100 gm
		50000.00	500 gm
N74440	Titanium Oxide Nanoparticles/ Nanopowder (Anatase 20-30nm) TiO ₂ (13463-67-7) M.W. 79.87 Assay 99.8%	5391.00	25 gm
		15111.00	100 gm
		50000.00	500 gm
	Titanium (IV) Oxide See Titanium Dioxide		
897700	Titanium (III) Sulphate (0.1 M) Volumetric Solution	2529.00	100 gm

Product Code	Product Name	Price	Packing
244865	▲ Titanium (IV) Chloride for Synthesis (titanium tetrachloride) TiCl ₄ (7550-45-0) M. W.: 189.68	1251.00 5202.00	500 ml 2.5 lit
897730	Titanium Tetrachloride 0.1 M 20% Hydrochloric Acid	2620.00 6300.00	100 ml 500 ml
897733	Titanium Tetrachloride 1 M Solution In Dichloromethane	2160.00 4500.00	100 ml 500 ml
897736	Titanium Tetrachloride 1 M Solution In Toluene	1670.00 3960.00	100 ml 500 ml
244885	Titanium Tetraisopropoxide for Synthesis C ₁₂ H ₂₈ O ₄ Ti (546-68-9) M. W.: 284.22 Assay 97.0%	1503.00 6300.00	500 ml 2.5 lit
897815	Titanium Tetraisopropoxide 27.8-28.6% TiO ₂ (546-68-9)	1080.00 5040.00	500 ml 2.5 lit
030448	Titanium Trichloride Solution for Synthesis TiCl ₃ (7705-07-9) M.W. : 154.23 Assay ~15.0%	1998.00 3465.00	250 ml 500 ml
	Titanous Chloride Solution See Titanium Trichloride Solution		
245080	▲ DL-a-Tocopherol Acetate Powder (Vitamin E Acetate Powder) C ₃₁ H ₅₂ O ₃ (7695-91-2) M. W.: 472.74 Assay 50%	1000.00 3006.00 7200.00	50 gm 250 gm 1 kg
245085	▲ DL-a-Tocopherol Acetate (Vitamin E Acetate) C ₃₁ H ₅₂ O ₃ (7695-91-2) M. W.: 472.75 Assay (Oxidimetric) 96-102%	801.00 9000.00	50 gm 1 kg
TC1376	▲ DL-α-Tocopherol Acetate (Vitamin E acetate) Cell Culture Tested C ₃₁ H ₅₂ O ₃ (7695-91-2) M. W.: 472.74 Assay : ≥96%	1459.00 3636.00 12132.00	5 gm 25 gm 100 gm
	Toilet Cleaner See Tc009		
245105	o-Tolidine C ₁₄ H ₁₆ N ₂ (119-93-7) M.W. 212.30 Assay 97.5%	1845.00 3753.00	100 gm 500 gm
661395	o-Tolidine AR Reagent for the Halogens and Gold C ₁₄ H ₁₆ N ₂ (119-93-7) M. W.: 212.30 Assay 99.0%	603.00 2205.00	25 gm 100 gm
897900	o-Tolidine Reagent (For Chlorine Estimation) C ₁₄ N ₁₆ N ₂ (119-93-7) M. W.: 212.30	221.00	500 ml
897905	o-Tolidine Reagent (For Occult Blood Test) (119-93-7)	266.00	100 ml
897910	o-Tolidine Reagent for Gold	198.00	100 ml
661415	o-Tolidine Hydrochloride AR C ₁₄ H ₁₈ Cl ₂ N ₂ (612-82-8) M. W.: 285.22 Assay (Argentometric by autotitrator) 99.0%	891.00 2772.00	25 gm 100 gm
898000	Tollen's Reagent	2403.00 10071.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
030452	Toluene Rectified C ₆ H ₅ .CH ₃ (108-88-3) M. W.: 92.14 Assay(GC) 99.0%	352.00 603.00 1350.00	500 ml 1 lit 2.5 lit POR
661475	Toluene AR C ₆ H ₅ CH ₃ (108-88-3) M. W.: 92.14 Assay (GC) 99.5%	500.00 900.00 1670.00	500 ml 1 lit 2.5 lit POR
030454	Toluene Sulphur Free C ₆ H ₅ .CH ₃ (108-88-3) M. W.: 92.14 Assay (GC) 99.0%	477.00 1647.00	500 ml 2.5 lit POR
661480	Toluene Specially Dried AR C ₆ H ₅ .CH ₃ (108-88-3) M. W.: 92.14 Assay (GC) 99.5%	603.00 2070.00	500 ml 2.5 lit
775783	Toluene GC-HS Grade C ₆ H ₅ .CH ₃ (108-88-3) M. W.: 92.14 Assay(GC) 99.0%	1665.00	1 lit
775500	Toluene For HPLC & Spectroscopy C ₆ H ₅ CH ₃ (108-88-3) M. W.: 92.14 Assay (GC) 99.7%	981.00 1940.00	1 lit 2.5 lit
775785	Toluene Scintillation Grade C ₆ H ₅ CH ₃ (108-88-3) M. W.: 92.14 Assay (GC) 99.5%	486.00 2070.00	500 ml 2.5 lit
775550	Toluene for Pesticide Residue Trace Analysis (Methy Benzene) C ₆ H ₅ CH ₃ (108-88-3) M. W.: 92.14	3060.00	1 lit
D99450	Toluene-d₈ (for NMR Spectroscopy) C ₇ D ₈ (2037-26-5) M.W.: 100.21 Assay (GC) Min. 99.5 atom%D	13630.00	10 ml
245435	Toluene -2-4-Diisocyanate (Tolylene-2,4-Diisocyanate, 2,4-Diisocyanato toluene) C ₉ H ₆ N ₂ O ₂ (584-84-9) M. W.: 174.16	1062.00 4941.00	500 ml 2.5 lit
661505	Toluene-3,4-Dithiol AR CH ₃ .C ₆ H ₃ (SH) ₂ (496-74-2) M. W.: 156.27 Assay (GC) 97.0%	13150.00	5 ml
661515	Toluene-3,4-Dithiol Zinc Derivative AR C ₇ H ₆ S ₂ Zn (29726-21-4) M.W.: 219.62	4293.00	1 gm
245530	p-Toluene Sulphonamide C ₇ H ₉ NO ₂ S (70-55-3) M. W.: 171.22 Assay 99.0%	1800.00	500 gm
245550	p-Toluene Sulphonic Acid Pract CH ₃ .C ₆ H ₄ .SO ₃ H.H ₂ O (6192-52-5) M. W.: 190.22 Assay 97.5%	351.00 3150.00	500 gm 5 kg
030459	p-Toluene Sulphonic Acid for Synthesis (Toluene-4-Sulphonic Acid) CH ₃ .C ₆ H ₄ .SO ₃ H.H ₂ O (6192-52-5) M. W.: 190.22 Assay (acidimetric) 98.0%	477.00 3807.00	500 gm 5 kg POR 25 kg 50 kg
661605	p-Toluene Sulphonic Acid AR Monohydrate CH ₃ .C ₆ H ₄ .SO ₃ H.H ₂ O (6192-52-5) M. W.: 190.22 Assay (acidimetric) 99.0%	1251.00	500 gm POR 25 kg
245575	p-Toluene Sulfonic Acid Sodium Salt for Synthesis CH ₃ C ₆ H ₄ SO ₃ Na (657-84-1) M. W.: 194.18 Assay 95.0%	1107.00	500 gm

T

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
030461 CH ₃ C ₆ H ₄ .SO ₂ Cl (98-59-9)	p-Toluene Sulphonyl Chloride M. W.: 190.65 Assay (Acidimetric) 98.0%	1053.00	500 gm
245560 (36635-61-7)	p-Toluene Sulphonyl Methyl Iso Cyanide	1098.00 4491.00	5 gm 25 gm
245595 (106-45-6)	p-Toluene Thiol	6003.00 11232.00	100 gm 500 gm
245620 C ₈ H ₈ O ₂ (99-04-7)	m-Toluic Acid M. W.: 136.15 Assay (GLC) 99.0%	1400.00	500 gm
245605 C ₈ H ₈ O ₂ (118-90-1)	o-Toluic Acid M. W.: 136.15 Assay (GC) 98.0%	1152.00	500 gm
245635 C ₈ H ₈ O ₂ (99-94-5)	p-Toluic Acid M. W.: 136.15 Assay (GLC) 98.0%	1152.00	500 gm
245675 C ₉ H ₁₀ O ₂ (99-75-2)	p-Toluic Acid Methyl Ester (Methyl p-toluate) M.W. 150.17 Assay 99.0%	801.00 3393.00	100 gm 500 gm
245710 C ₇ H ₉ N (108-44-1)	m-Toluidine for Synthesis (m-Aminotoluene) M. W.: 107.16	801.00 3600.00	500 ml 2.5 lit
030467 CH ₃ .C ₆ H ₄ .NH ₂ (95-53-4)	o-Toluidine for Synthesis For colorimetric determination of glucose M. W.: 107.16 Assay (GC) 99.0%	783.00	500 ml
661665 C ₇ H ₉ N (95-53-4)	o-Toluidine AR for determination of blood sugar M. W.: 107.16 Assay(GC) 99.5%	882.00	500 ml
030469 C ₇ H ₉ N (106-49-0)	p-Toluidine M. W.: 107.16 Assay (GC) 98.0%	927.00	500 gm
661695 C ₇ H ₉ N (106-49-0)	p-Toluidine AR M. W.: 107.16	918.00	100 gm
323575 C ₁₅ H ₁₆ ClN ₃ S (92-31-9)	▲ Toluidine Blue for Microscopy C.I. No. 52040 M. W.: 305.83 Dye content (Titanometric on dried Subs.) Abt. 85.0%	855.00 3195.00 26910.00	25 gm 100 gm 1 kg
897930	Toluidine Blue 0.1%	279.00 801.00	100 ml 500 ml
245730 (636-21-5)	o-Touidine Hydrochloride for Synthesis Assay (argentometric) 98.0%	3510.00	5 gm
245740 C ₇ H ₉ NHCl (540-23-8)	p-Touidine Hydrochloride for Synthesis M. W.: 143.62 Assay (argentometric) 99.0%	801.00 3510.00	100 gm 500 gm
	Tolylene Red See Neutral Red		

Product Code	Product Name	Price	Packing
PCT1410	PTC Tomato Powder Plant Culture Tested Store below 30°C	423.00	250 gm
898140	Topfer's Reagent Determination of HCl in Gastric Juice	158.00	125 ml
PCT1827	PTC ▲ meta-Topolin Plant Culture Tested M. W.: 241.25 Store at 2-8°C	5243.00 17820.00	25 mg 100 mg
PCT2410	PTC ▲ meta-Topolin Solution w/ 1 mg/ml meta-Topolin in sterile distilled water Sterile filtered Plant Culture Tested	3250.00 15957.00	20 ml 5X20 ml
	Tosyl Chloride See p-Toluenesulfonyl Chloride		
898190	Total Hardness Indicator Powder	91.00	25 gm
245780	Towex 50x8 20-50 mesh standard grade	5004.00	500 gm
	Tragacanth Powder See Gum Tragacanth		
038063 C ₁₂ H ₂₂ O ₁₁ .2H ₂ O (6138-23-4)	D (+) Trehalose M. W.: 378.33	370.00 702.00 1278.00 4257.00	5 gm 10 gm 25 gm 100 gm
PCT1610	PTC D(+)-Trehalose Dihydrate Plant Culture Tested M. W.: 378.33 Assay 99% Store below 30°C	756.00 1360.00 2980.00 52110.00	5 gm 10 gm 25 gm 1 kg
TC1177	ATC D(+)-Trehalose Dihydrate Cell Culture Tested M. W.: 378.33 Assay : ≥98% Store below 30°C	2520.00 4950.00 13600.00	10 gm 25 gm 100 gm
TC1177M	ATC D-(+)-Trehalose Dihydrate Mycose, Tremalose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 378.33 Store below 30°C	3114.00 6183.00 17595.00	10 gm 25 gm 100 gm
	Triacetin See Glycerol Triacetate		
245810 C ₃₀ H ₆₂ O (593-50-0)	▲ n-Triacontanol (15% Active Matter) (Plant Growth Promoter) M.W. 438.81	1503.00 11520.00	100 gm 1 kg
245825 C ₂ H ₃ N ₃ (288-88-0)	1,2,4-Triazole for Synthesis M. W.: 69.07 Assay (GC) 98.0%	603.00 2800.00	100 gm 500 gm
245835	1,2,4-Triazole Sodium Salt Technical Grade M. W.: 91.05 Assay 90.0%	405.00 1800.00	25 gm 100 gm
C₂H₂N₃Na (41253-21-8)			

Product Code	Product Name	Price	Packing
245935 C ₆ H ₃ Br ₃ (626-39-1)	1,3,5-Tribromobenzene M. W.: 314.80	1197.00 3501.00	25 gm 100 gm
	Tribromomethane See Bromoform		
246045 Br ₃ C ₆ H ₂ OH (118-79-6)	2,4,6-Tribromophenol for Synthesis M. W.: 330.80 Assay 99.0%	2250.00 9000.00	100 gm 500 gm
246115 C ₁₂ H ₂₇ N (102-82-9)	Tri-n-Butylamine M. W.: 185.35 Assay (acidimetric) 99.0%	702.00 3501.00	500 ml 2.5 lit
662615 [CH ₃ (CH ₂) ₃]N (102-82-9)	Tri-n-Butylamine AR M. W.: 185.35	1202.00 5500.00	500 ml 2.5 lit
246215 C ₁₂ H ₂₇ BO ₃ (688-74-4)	Tributyl Borate M.W. 230.15 Assay 98%	1782.00 5580.00	100 ml 500 ml
246235 C ₁₈ H ₃₂ O ₇ (77-94-1)	Tributyl Citrate for Synthesis M. W.: 360.44 Assay 97.0%	900.00 2610.00	100 ml 500 ml
030488 C ₁₂ H ₂₇ PO ₄ (126-73-8)	Tri-n-Butyl Phosphate for Synthesis M. W.: 266.32 Assay (GC) 97.0%	1809.00 8010.00	500 ml 2.5 lit
662905 C ₁₂ H ₂₇ O ₄ P (126-73-8)	Tri-n-butyl Phosphate AR for Extraction Analysis M.W.: 266.31	2007.00	500 ml
246155 C ₁₂ H ₂₇ ClSn (1461-22-9)	Tributyltin Chloride for Synthesis M. W.: 325.50 Assay 96.0%	5994.00	500 ml
	Tributylin See Glycerol Tributyrate		
	Tri-Calcium Citrate See Calcium Citrate Tetrahydrate		
	Tri-Calcium Phosphate See tri-Calcium Phosphate		
	Tricaprylmethylammonium Chloride See Aliquat 336		
030489 CCl ₃ .COOH (76-03-9)	Trichloroacetic Acid for Synthesis M. W.: 163.39 Assay (Acidimetric) 99.0%	289.00 855.00	100 gm 500 gm
		POR	25 kg
662965 CCl ₃ .COOH (76-03-9)	Trichloro Acetic Acid AR/ACS for determination of Serum-Iron Protein M. W.: 163.39 Assay (Acidimetric) 99.5%	360.00 1107.00	100 gm 500 gm
898330	Trichloro Acetic Acid 20% W/V AR	522.00	500 ml
246475 C ₈ H ₅ Cl ₃ O (4252-78-2)	2',2',4'-Trichloro Acetophenone M. W.: 223.48 Assay 97.0%	1998.00 7506.00	25 gm 100 gm
246590 C ₆ H ₃ Cl ₃ (87-61-6)	1,2,3-Trichloro Benzene M. W.: 181.45 Assay 99.0%	1350.00	500 gm

Product Code	Product Name	Price	Packing
246695 C ₆ H ₃ Cl ₃ (120-82-1)	1,2,4-Trichlorobenzene for Synthesis M. W.: 181.45	675.00 3006.00	500 ml 2.5 lit
246865 Cl ₃ CCH ₃ (71-55-6)	1,1,1-Trichloro Ethane for Synthesis M. W.: 133.40 Assay 97.0%	12609.00	5 ml
896620 (71-55-6)	1,1,1-Trichloro Ethane 5000 ug/mL in methanol	4905.00	1 ml
246885 C ₃ H ₂ Cl ₄ O ₂ (17341-93-4)	2,2,2-Trichloroethyl Chloroformate M.W. 211.86 Assay 97.0%	2997.00 8991.00	25 gm 100 gm
030497 CHCl.CCl ₂ (79-01-6)	Trichloroethylene M. W.:131.39 Assay (GC) 99.0%	900.00 4365.00	500 ml 2.5 lit
		POR	25 lit
		POR	200 lit
663415 CHCl.CCl ₂ (79-01-6)	Trichloroethylene AR/ACS M. W.:131.39	963.00 4509.00	500 ml 2.5 lit
775788 CHCl.CCl ₂ (79-01-6)	Trichloro Ethylene EL grade M. W.: 131.39 Assay (GC) 99.7%	5895.00	2.5 lit
775790 CHCl.CCl ₂ (79-01-6)	Trichloro Ethylene For HPLC & Spectroscopy M. W.: 131.39 Assay (GC) 99.5%	1206.00 2295.00	500 ml 1 lit
	Trichloromethyl Benzene See Benzotrchloride		
	Trichloromethane See Chloroform		
246915 C ₆ H ₃ Cl ₃ O (88-06-2)	2,4,6-Trichloro Phenol for Synthesis M. W.: 197.45 Assay (GC) 97.0%	1503.00 2502.00	100 gm 500 gm
PCT1839 PTC	▲2,4,5-Trichloro Phenoxyacetic Acid Plant Culture Tested M. W.: 255.48 Assay 98%	7497.00 24363.00	25 gm 100 gm
246945 (CH ₂ OH) ₃ C.NH.CH ₂ COOH (5704-04-1)	Tricine Biological Buffer M. W.: 179.17 Assay (Potentiometric) 99.0%	1540.00 5400.00	25 gm 100 gm
989300 MB	Tricine For Molecular Biology M. W. : 179.17 Assay : ≥ 99% Store Below 30°C	4770.00	100 gm
TC1069 ATC	Tricine [N-Tris[Hydroxymethyl]-methyl-Glycine]; [N-[2-Hydroxy-1,1-bis-(Hydroxymethyl)ethylglycine] Cell Culture Tested M. W.: 179.17 Assay : ≥99% Store below 30°C	1818.00 5445.00 21025.00 30627.00	25 gm 100 gm 500 gm 1 kg
246960 C ₁₂ H ₇ Cl ₃ O ₂ (3380-34-5)	Triclosan M. W.: 289.54 Assay (GLC) 98.0%	1098.00 POR	100 gm 1 kg

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
246975	Tricresyl Phosphate (Tritolyl Phosphate) M. W.: 368.37	1710.00	500 ml
		8460.00	2.5 lit
(CH ₃ .C ₆ H ₄) ₃ PO ₄ (1330-78-5)			
247015	n-Tridecane M. W.: 184.36	2350.00	25 ml
		3105.00	100 ml
		4600.00	500 ml
C ₁₃ H ₂₈ (629-50-5)			
247075	Triethanolamine Pract M. W.: 149.19 Assay (ex Total bases) 95.0%	342.00	500 ml
		1683.00	2.5 lit
C ₆ H ₁₅ NO ₃ (102-71-6)			
247145	Triethanolamine for Synthesis M. W.: 149.19 Assay (Acidimetric) 98.0%	500.00	500 ml
		1971.00	2.5 lit
		POR	25 lit
		POR	50 lit
C ₆ H ₁₅ NO ₃ (102-71-6)			
663435	Triethanolamine AR Suitable for Metal Titration M. W.: 149.19 Assay (GC) 99.0%	774.00	500 ml
		3006.00	2.5 lit
		POR	25 lit
		POR	50 lit
C ₆ H ₁₅ NO ₃ (102-71-6)			
663445	Triethanolamine Hydrochloride AR Buffer Component M. W.: 185.65 Assay (dried) 99.5%	405.00	100 gm
		1503.00	500 gm
C ₆ H ₁₅ NO ₃ .HCl (637-39-8)			
247165	Triethanolamine Lauryl Sulphate M. W.: 415.58	756.00	1 lit
		1728.00	5 lit
C ₁₂ H ₂₆ O ₄ SC ₆ H ₁₅ NO ₃ (139-96-8)			
030502	Triethylamine for Synthesis M. W.: 101.19 Assay (GC) 99.0%	396.00	500 ml
		1917.00	2.5 lit
		POR	25 lit
		POR	200 lit
(C ₂ H ₅) ₃ N (121-44-8)			
663505	Triethylamine AR M. W.: 101.19 Assay (GC) 99.5%	500.00	500 ml
		2070.00	2.5 lit
		POR	25 lit
(C ₂ H ₅) ₃ N (121-44-8)			
776040	Triethylamine for HPLC & Spectroscopy M. W.: 101.19 Assay (GC) 99.5%	1953.00	500 ml
		3402.00	1 lit
(C ₂ H ₅) ₃ N (121-44-8)			
775950	▲ Triethylamine for DNA & Peptide Synthesis M. W.: 101.19	2205.00	500 ml
(C ₂ H ₅) ₃ N (121-44-8)			
247345	Triethylamine Hydrobromide M.W. 182.1 Assay 99.0%	500.00	100 gm
		2007.00	500 gm
C ₆ H ₁₅ N.HBr (636-70-4)			
247355	Triethylamine Hydrochloride for Synthesis M. W.: 137.65 Assay 99.0%	558.00	100 gm
		1809.00	500 gm
(C ₂ H ₅) ₃ N.HCl (554-68-7)			
247465	Triethyl Citrate for Synthesis (Ethyl Citrate, Citric Acid Triethyl Ester) M. W.: 276.28 Assay 98.0%	882.00	250 ml
		1720.00	500 ml
		6426.00	2.5 lit
C ₁₂ H ₂₀ O ₇ (77-93-0)			
030511	Triethylene Glycol (Trigol) M. W.: 150.17 Assay (GC) 95.0%	567.00	500 ml
		2120.00	2.5 lit
C ₆ H ₁₄ O ₄ (112-27-6)			

Product Code	Product Name	Price	Packing
247525	Triethylene Tetramine M. W.: 146.24 Assay(GC) 97.0%	1305.00	500 ml
		6201.00	2.5 lit
C ₆ H ₁₈ N ₄ (112-24-3)			
247595	Triethyl Methyl Ammonium Bromide M.W. 196.13 Assay 99.0%	2800.00	100 gm
		15930.00	1 kg
C ₇ H ₁₈ N.Br (2700-16-5)			
247665	Triethyl Orthoformate (Ethyl Orthoformate, Orthoformic Acid, tri-Ethyl Ester, Triethoxy Methane) M. W.: 148.20	2205.00	500 ml
		10503.00	2.5 lit
CH(OC ₂ H ₅) ₃ (122-51-0)			
247775	Triethyl Phosphate for Synthesis M. W.: 182.15 Assay 99.5%	1494.00	500 ml
		7340.00	2.5 lit
C ₆ H ₁₅ O ₄ P (78-40-0)			
247805	Triethyl Phosphite for Synthesis M. W.: 166.162 Assay 98.0%	3636.00	500 ml
		14220.00	2.5 lit
C ₆ H ₁₅ O ₃ P (122-52-1)			
247925	Triethylsilane for Synthesis M. W.: 116.28	2619.00	100 ml
		8982.00	500 ml
C ₆ H ₁₆ Si (617-86-7)			
248045	2,2,4-Trifluoroacetamide M. W.: 113.04 Assay 97.0%	1593.00	25 gm
		5607.00	100 gm
		22600.00	500 gm
C ₂ H ₂ F ₃ NO (354-38-1)			
030508	Trifluoro Acetic Acid for Synthesis M. W.: 114.02 Assay (Acidimetric) 98.0%	1593.00	100 ml
		5000.00	500 ml
		23450.00	2.5 lit
C ₂ F ₃ HO ₂ (76-05-1)			
664225	Trifluoro acetic Acid AR M. W.: 114.02	2800.00	100 ml
C ₂ F ₃ HO ₂ (76-05-1)			
776140	Trifluoro Acetic Acid for HPLC Spectroscopy M. W.: 114.02	6174.00	500 ml
C ₂ F ₃ HO ₂ (76-05-1)			
898360	Trifluoroacetic Acid 25% Solution in Water For Protein Sequence Analysis	3303.00	500 ml
248195	Trifluoro Acetic Anhydride for Sequential Analysis M. W.: 210.03 Assay 99.0%	2502.00	100 ml
		11007.00	500 ml
C ₄ F ₆ O ₃ (407-25-0)			
248245	* 2,3,4-Trifluoro Aniline M. W.: 147.10 Assay 98.0%	1990.00	5 gm
		3960.00	25 gm
C ₆ H ₄ F ₃ N (3862-73-5)			
248325	1,3,5-Trifluoro Benzene M. W.: 132.08 Assay 99.0%	5940.00	5 gm
C ₆ H ₃ F ₃ (372-38-3)			
248415	2,2,2-Trifluoroethanol for Synthesis (B,B,B-Trifluoroethyl Alcohol) M. W.: 100.04	1251.00	100 ml
		5004.00	500 ml
C ₂ H ₃ F ₃ O (75-89-8)			
248545	Trifluoro Methane Sulphonic Acid for Synthesis M. W.: 150.08 Assay 97.5-102.5%	3420.00	100 gm
		13005.00	500 gm
CHF ₃ O ₃ S (1493-13-6)			

Product Code	Product Name	Price	Packing
248605	Trifluoro Methane Sulphonic Anhydride for Synthesis	2025.00 10890.00	25 gm 100 gm
PCT2536	PTC Trifluralin Plant Culture Tested M. W.: 335.28 Assay 97% Store below 30°C	16061.00	100 mg
C ₁₃ H ₁₆ F ₃ N ₃ O ₄ (1582-09-8)			
248665	* 4-(Trifluoromethoxy) Phenyl Boronic Acid M. W.: 205.93 Assay 95.0%	6750.00	5 gm
C ₇ H ₆ BF ₃ O ₃ (139301-27-2)			
	Triglycol See Triethylene Glycol		
	Trigol See Triethylene Glycol		
	1,3,5-Trihydroxybenzene See Phloroglucinol		
	1,2,3-Trihydroxy Benzene See Pyrogallol		
	3,4,5-Trihydroxybenzoic Acid See Gallic Acid		
	2,4,6-Trihydroxypyrimidine See Barbituric Acid		
664295	▲ 2,3,5-Tri Iodo Benzoic Acid AR (TIBA) Plant Growth Regulator M. W.: 499.81 Assay(HPLC) 99.0%	900.00 1701.00	5 gm 10 gm
C ₇ H ₃ I ₃ O ₂ (88-82-4)			
PCT1823	PTC ▲ 2,3,5-Triiodobenzoic Acid (TIBA) Plant Culture Tested M. W.: 499.81 Assay 98%	4707.00	5 gm
C ₇ H ₃ I ₃ O ₂ (88-82-4)			
248785	▲ Trimethoprim for Lab Use M. W.: 290.32	756.00 2979.00	5 gm 25 gm
C ₁₄ H ₁₈ N ₄ O ₃ (738-70-5)			
PCT2137	PTC ▲ Trimethoprim Plant Culture Tested M. W.: 290.32 Assay 98%	950.00 4284.00	5 gm 25 gm
C ₁₄ H ₁₈ N ₄ O ₃ (738-70-5)			
248955	3,4,5-Trimethoxy Benzaldehyde for Synthesis M. W.: 196.20	1584.00 3681.00	25 gm 100 gm
C ₁₀ H ₁₂ O ₄ (86-81-7)			
249045	Trimethylamine Solution for Synthesis M. W.: 59.11 Assay (acidimetric) Abt. 30.0%	306.00 1296.00	500 ml 2.5 lit
C ₃ H ₉ N (75-50-3)			
249125	Trimethylamine Hydrochloride for Synthesis M. W.: 95.57	954.00	500 gm
C ₃ H ₉ N.HCl (593 81-7)			
	1,3,5-Trimethylbenzene See Mesitylene		
	Trimethyl Chloro Silane SEE Chloro trimethyl Silane		

Product Code	Product Name	Price	Packing
	3,5,5-Trimethyl-2-Cyclohexen-1-One See Isophorone		
	Trimethylene dibromide See 1,3-Dibromopropane		
249335	Trimethyl Orthoformate for Synthesis C ₄ H ₁₀ O ₃ (149-73-5) M. W.: 106.12	1035.00 4662.00	500 ml 2.5 lit
249405	Trimethyl Orthovalerate for Synthesis C ₈ H ₁₈ O ₃ (13820-09-2) M. W.: 162.23 Assay 97.0%	1710.00 5000.00	25 gm 100 gm
	2,2,4-Trimethyl Pentane See Iso Octane		
249465	Trimethyl Phosphate C ₃ H ₉ O ₄ P (512-56-1) M.W. 140.08	3200.00 9900.00	500 ml 2.5 lit
249575	Trimethyl Phosphite C ₃ H ₉ O ₃ P (121-45-9) M. W.: 124.08 Assay 99.0%	1350.00 5994.00	500 ml 2.5 lit
664775	* Trimethyl Phosphono Acetate AR C ₅ H ₁₁ O ₅ P (5927-18-4) M. W.: 182.11 Assay 98.0%	1400.00 3830.00	25 gm 100 gm
249775	Trimethylsilyl Azide (4648-54-8)	4905.00 15003.00	25 gm 100 gm
249825	Trimethylsilyl Cyanide For Synthesis (Trimethylsilylcarbonitrile, Cyanotrimethylsilane, TMSCN) (CH ₃) ₃ SiCN (7677-24-9) M.W. 99.21 Assay 98.0%	2970.00 9990.00	25 ml 100 ml
249875	Trimethylsilyl Iodide (16029-98-4)	2350.00 7200.00 25020.00	25 gm 100 gm 500 gm
664875	Trimethyl Silyl Triflate (TMSOF, Trimethylsilyl Trifluoro- Methane sulphonate) AR C ₄ H ₉ F ₃ O ₃ SSi (27607-77-8) M. W.: 222.26 Assay 98.5-101.5%	1053.00 3600.00 13500.00	25 gm 100 gm 500 gm
249975	▲ Trimethyl Sulphoxonium Iodide for Synthesis C ₃ H ₉ IO ₃ (1774-47-6) M. W.: 220.07	1602.00 6804.00	100 gm 500 gm
249175	Trimethylol Propane (2-Ethyl-2-Hydroxymethyl-1, 3 Propanediol) C ₆ H ₁₄ O ₃ (77-99-6) M. W.: 134.18 Assay 98.0%	900.00	500 gm
249225	Trimethylolpropane Triacrylate Technical Grade C ₁₅ H ₂₀ O ₆ (15625-89-5) M. W.: 296.32 Assay 70.0%	1260.00 3780.00	100 gm 500 gm
	2,4,6-Trinitrophenol See Picric Acid		
250025	Trioctylamine for Synthesis C ₂₄ H ₅₁ N (1116-76-3) M. W.: 353.67 Assay 98.0%	1368.00 4780.00	100 ml 500 ml
	Trioctylmethylammonium Chloride See Aliquat 336		

T

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

T

Laboratory Chemicals

Product Code	Product Name	Price	Packing
664935	Tri-n-Octyl Phosphin oxide AR for Extraction analysis	1098.00	10 gm
C ₂₄ H ₅₁ OP (78-50-2)	M. W.: 386.64 Assay (GLC) 99.0%	7002.00	100 gm
250165	Triolein for Biochemistry	7200.00	1 gm
C ₅₇ H ₁₀₄ O ₆ (122-32-7)	M. W.: 885.44		
250225	1,3,5-Trioxane for Synthesis (Sym-Trioxane)	702.00	100 gm
C ₃ H ₆ O ₃ (110-88-3)	M. W.: 90.08 Assay 99.0%	3204.00	500 gm
250315	Tripalmitin for Synthesis	6705.00	25 gm
C ₅₁ H ₉₈ O ₆ (555-44-2)	M. W.: 807.33 Assay 85.0%		
250415	Triphenyl Amine for Synthesis	1998.00	5 gm
C ₁₈ H ₁₅ N (603-34-9)	M. W.: 245.32 Assay 98.0%	7300.00	25 gm
250500	* Triphenyl Carbinol	2106.00	25 gm
C ₁₉ H ₁₆ O (76-84-6)	M. W.: 260.33 Assay 97.0%	8280.00	500 gm
	Triphenyl Chloro Methane See Trityl Chloride		
250615	Triphenylethyl phosphonium Bromide for Synthesis	423.00	25 gm
C ₂₀ H ₂₀ BrP (1530-32-1)	M. W.: 371.25	1305.00	100 gm
250645	Triphenyl Methane	1215.00	100 gm
(C ₆ H ₅) ₃ CH (519-73-3)	M. W.: 244.33 Assay 99.0%	4960.00	500 gm
030536	Triphenyl Phosphate	1305.00	500 gm
(C ₆ H ₅) ₃ PO ₄ (115-86-6)	M. W.: 326.29 Assay (GLC) 99.0%	POR	25 kg
030537	Triphenyl Phosphine	864.00	100 gm
C ₁₈ H ₁₅ P (603-35-0)	M. W.: 262.29 Assay (GC) 98.0%	3510.00	500 gm
250735	Triphenyl Phosphite for Synthesis	1656.00	500 ml
(C ₆ H ₅ O) ₃ P (101-02-0)	M. W.: 310.28 Assay 97.0%	7506.00	2.5 lit
250845	Triphenylsilane for synthesis	1971.00	5 gm
(789-25-3)		8600.00	25 gm
665275	2,3,5-Triphenyl Tetrazolium Bromide AR	1800.00	1 gm
C ₁₉ H ₁₅ BrN ₄ (1096-80-6)	M. W.: 379.26 Assay (ex Br) 98.0%		
323725	2,3,5-Triphenyl Tetrazolium Chloride AR (TTC)	2007.00	10 gm
C ₁₉ H ₁₅ ClN ₄ (298-96-4)	M. W.: 334.81 Assay(ex N) min. 99.0%	4707.00	25 gm
989490	2,3,5-Triphenyl Tetrazolium Chloride For Molecular Biology	1980.00	10 gm
C ₁₉ H ₁₅ N ₄ Cl (298-96-4)	M. W.: 334.8 Assay : ≥ 99%	4815.00	25 gm
PCT2309	2,3,5-Triphenyl Tetrazolium Chloride Tetrazolium Salt (TTC) Plant Culture Tested	2682.00	10 gm
C ₁₉ H ₁₅ N ₄ Cl (298-96-4)	M. W.: 334.8 Assay 99%	5900.00	25 gm

Product Code	Product Name	Price	Packing
250975	Triphosgene for Synthesis	801.00	100 gm
C ₃ Cl ₆ O ₃ (32315-10-9)	M. W.: 296.75	2106.00	500 gm
		POR	25 kg
	Triphospho Pyridine Nucleotide (TPN) See b-Nicotinamide Adenine Dinucleotide Phosphate Mono Sodium Salt		
251115	Tripopylamine for Synthesis	657.00	100 ml
C ₉ H ₂₁ N (102-69-2)	M. W.: 143.27 Assay 98.0%	1710.00	500 ml
665025	▲2,4,6-Tri-(2-Pyridyl) 1,3,5-Triazine AR	2106.00	1 gm
C ₁₈ H ₁₂ N ₆ (3682-35-7)	M. W.: 312.33	9504.00	5 gm
251215	Tris (Dibenzylideneacetone) Di Palladium (O) for Synthesis	8406.00	1 gm
C ₅₁ H ₄₂ O ₃ Pd ₂ (51364-51-3)	M.W : 915.72	34020.00	5 gm
		160200.00	25 gm
251235	Tris (Hydroxy Methyl) Amino Methane	855.00	100 gm
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14 Assay (Acidimetric; on dried material) 99.0%	3600.00	500 gm
		6804.00	1 kg
		32310.00	5 kg
		POR	25 kg
665425	Tris (Hydroxy Methyl) Amino Methane AR (Tris Hydroxy Methyl Amino Methane) biological Buffer PKA=8.07 at 25°C	990.00	100 gm
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14 Assay (Acidimetric after drying) 99.8%	3888.00	500 gm
		37000.00	5 kg
		POR	25 kg
998660	Tris (Hydroxymethyl) Aminomethane for Molecular Biology A 40% at 290 nm.....max 0.03 (Tris Buffer, Tris Base) DNase, RNase, protease not detected	1107.00	100 gm
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14 Assay (Acidimetric; on dried material) 99.8%	4905.00	500 gm
		44640.00	5 kg
776280	Tris(Hydroxymethyl) Aminomethane for HPLC	6530.00	500 gm
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14		
TC1072	Tris (Hydroxymethyl) Aminomethane Cell Culture Tested [Tris Base]	1260.00	100 gm
C ₄ H ₁₁ NO ₃ (77-86-1)	M. W.: 121.14 Assay : ≥99% Store below 30°C	5130.00	500 gm
		7830.00	1 kg
TC1072M	Tris (Hydroxymethyl) Aminomethane Trometamol ; Tromethamine Tris Base (Trizma [®]) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications	2925.00	100 gm
NH ₂ C(CH ₂ OH) ₃ (77-86-1)	M. W.: 121.14 Store below 30°C	7641.00	500 gm
		11430.00	1 kg
899720	Tris Buffer 1.5M Solution	792.00	100 ml
251245	Tris (Hydroxymethyl) Aminomethane Acetate (Tris Acetate Buffer)	1800.00	100 gm
C ₄ H ₁₁ NO ₃ C ₂ H ₄ O ₂ (6850-28-8)	M. W.: 181.2 Assay (Non-aqueous) 99.0%	8505.00	500 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
665440	Tris(Hydroxymethyl) Aminomethane Hydrochloride AR (Tris HCl)	1350.00	100 gm
C ₄ H ₁₁ NO ₃ .HCl (1185-53-1)	M. W.: 157.60 Assay (ex Cl) 99.5%	6003.00	500 gm POR 25 gm
998780	Tris (Hydroxymethyl) Aminomethane Hydrochloride for Molecular Biology (Tris HCl) DNase, RNase, protease not detected	1602.00	100 gm
C ₄ H ₁₁ NO ₃ .HCl (1185-53-1)	M. W.: 157.60	7002.00	500 gm
TC1073	Tris Hydrochloride [Tris(hydroxymethyl) aminomethane] Hydrochloride	1791.00	100 gm
C ₄ H ₁₁ NO ₃ .HCl (1185-53-1)	Cell Culture Tested M. W.: 157.60 Assay : ≥98% Store below 30°C	7470.00	500 gm
251265	Tris(Hydroxymethyl) Aminomethane Maleate (Tris-Maleate, Mono [Tris (Hydroxymethyl)-Aminomethane]Maleate)	1557.00	100 gm
(72200-76-1)			
251275	Tris(Hydroxymethyl) Aminomethane Nitrate (tris-nitrate)	2070.00	100 gm
C ₄ H ₁₁ NO ₃ .HNO ₃ . (41521-38-4)	M. W.: 184.15		
251295	Tris(Hydroxymethyl) Aminomethane Oxalate (Tris-Oxalate, Di[tris(Hydroxy Methyl)-Aminomethane]Oxalate)	1450.00	100 gm
(108321-13-7)	Assay (Non aqueous) 97.0%		
251315	Tris(Hydroxymethyl) Aminomethane Phosphate Dibasic (Tris-phosphate Dibasic, Di[tris-(Hydroxymethyl) Aminomethane]Phosphate)	1638.00	100 gm
(C ₄ H ₁₁ NO ₃) ₂ .H ₃ PO ₄ (108321-11-5)	M. W.: 340.27		
251335	Tris(Hydroxymethyl) Aminomethane Phosphate Monobasic (Tris-Phosphate Monobasic, Mono[tris-(Hydroxymethyl) Aminomethane]Phosphate)	1638.00	100 gm
NH ₂ C(CH ₂ OH) ₃ .H ₃ PO ₄ (6992-39-8)	M. W.: 219.13		
251495	Tris(Hydroxymethyl) Aminomethane Succinate (Tris-Succinate, Di[tris(Hydroxy Methyl)-Aminomethane]Succinate)	1638.00	100 gm
(85169-32-0)			
251525	Tris(Hydroxymethyl) Aminomethane Sulphate (Tris-Sulphate, Di[tris(Hydroxy Methyl)-Aminomethane]Sulphate)	1090.00	100 gm
NH ₂ C(CH ₂ OH) ₃ .OSH ₂ SO ₄ (6992-38-7)	M. W.: 170.17		
	Tri-Sodium Orthophosphate See tri-Sodium Orthophosphate		
251615	▲ Tristearin for Synthesis	2376.00	25 gm
C ₅₇ H ₁₁₀ O ₆ (555-43-1)	M. W.: 891.49 Assay 99.0%		
	Triton B See Benzyl Trimethyl Ammonium Hydroxide		

Product Code	Product Name	Price	Packing
	Tritolyl Phosphate See Tricresyl Phosphate		
	Triton B 40% See Benzyltrimethyl Ammonium Hydroxide 40% in Methanol		
	Triton x 100 See Triton X100		
	Tromethamine See Tris Buffer		
	Tromethamine Hydrochloride See Tris Hydrochloride		
251725	Triyl Chloride (Chloro triphenyl methane)	603.00	100 gm
C ₁₉ H ₁₅ Cl (76-83-5)	M.W.: 278.78 Assay 96.5-103.5%	2502.00	500 gm
323905	Tropaeolin O (pH Indicator) (Resorcin Yellow) C.I. 14270	720.00	25 gm
C ₁₂ H ₉ N ₂ O ₅ S.Na (547-57-9)	M. W.: 316.26	2300.00	100 gm
323915	Tropeolin OO Indicator	855.00	25 gm
C ₁₈ H ₁₄ N ₃ NaO ₃ S (554-73-4)	C.I. 13080 M. W.: 375.38	3105.00	100 gm
323965	Tropaeolin OOO (pH Indicator) (Orange II) C.I. 15510	230.00	25 gm
C ₁₆ H ₁₁ N ₂ NaO ₄ S (633-96-5)	M. W.: 350.32	630.00	100 gm
665595	DL-Tropic Acid AR for Biochemistry	3366.00	25 gm
C ₆ H ₅ CH(CH ₂ OH)CO ₂ H (529-64-6)	M.W. : 166.17 Assay 98.0%		
899795	Trypan Blue 0.4% Solution	441.00	125 ml
324105	Trypan Blue for Microscopy	910.00	25 gm
C ₃₄ H ₂₄ N ₆ Na ₄ O ₁₄ S ₄ (72-57-1)	C.I. No. 23850 M. W.: 960.82 Dye content (Titanometric) Abt. 60.0%	3402.00	100 gm
251865	▲ Trypsin 1:250 for Biochemistry	1656.00	25 gm
(9002-07-7)	Porcine Gastric Mucosa	4600.00	100 gm
	22005.00	500 gm	
TC1245	▲ Trypsin 1:250 Powder Porcine	4914.00	25 gm
(9002-07-7)	Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEU units/mg	13343.00	250 gm
	24957.00	500 gm	
TC1245G	▲ Trypsin 1:250 Powder Porcine	15030.00	100 gm
(9002-07-7)	Gamma irradiated Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEU units/mg		
251935	▲ Trypsin 2000 u/g	1000.00	100 gm
(9002-07-7)	0.2 Anson Unit/g	4500.00	500 gm
	Porcine Gastric Mucosa	POR	1 kg
252005	▲ Trypsin exbovine Pancrease 3 x Cryst	1125.00	250 mgm
(9002-07-7)	Activity 2500 NFU/mg	2268.00	1 gm
	(7500 BAEU Units mg)	10098.00	5 gm

T

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

T

Laboratory Chemicals

Product Code	Product Name	Price	Packing
TC1598	ATC ▲ Trypsin Source : Bovine Pancreas Cell Culture Tested	2421.00 19414.00 27270.00	25 gm 250 gm 500 gm
(9002-07-7)			
TC1485	ATC ▲ Trypsin Recombinant, Porcine Source : E.coli Cell Culture Tested	3240.00 7650.00 52497.00	25 gm 100 mg 1 gm
(9002-07-7)			
TC1251	ATC ▲ Trypsin Inhibitor, Powder Source : Soyabean Cell Culture Tested Activity : ≥7000 BAEE units of Inhibition/mg	3132.00 9396.00 37593.00 60156.00	25 mg 100 mg 500 mg 1 gm
(9035-81-8)			
TC1318	ATC ▲ Trypsin inhibitor from Lima bean Cell Culture Tested Source Lima Bean	10692.00 18720.00	50 mg 100 mg
(9035-81-8)			
252185	Tryptamine Hydrochloride Extra Pure for Biochemistry M. W.: 196.68 Assay 98.5-101.5%	604.00 2817.00	1 gm 5 gm
C ₁₀ H ₁₂ N ₂ .HCl (343-94-2)			
342935	Trypticase	3996.00	500 gm
343395	Tryptone for Bacteriology	1701.00	500 gm
(91079-40-2)			
037154	DL-Tryptophan for Biochemistry M. W.: 204.23 Assay (Non-aqueous) 99.0%	450.00 1953.00	5 gm 25 gm
C ₁₁ H ₁₂ N ₂ O ₂ (54-12-6)			
037153	L-Tryptophan M. W.: 204.23 Assay 99.0%	221.00 702.00 9000.00	5 gm 25 gm 500 gm
C ₁₁ H ₁₂ N ₂ O ₂ (73-22-3)			
PCT1320	PTC L-Tryptophan Plant Culture Tested M. W.: 204.23 Assay 98% Store below 30°C	320.00 1440.00 26010.00	5 gm 25 gm 500 gm
C ₁₁ H ₁₂ N ₂ O ₂ (73-22-3)			
TC1121	ATC L-Tryptophan (From non-animal source) Cell Culture Tested M. W.: 204.23 Assay : ≥99% Store below 30°C	3182.00 9554.00 28620.00 42980.00	25 gm 100 gm 500 gm 1 kg
C ₁₁ H ₁₂ N ₂ O ₂ (73-22-3)			
TC1121M	ATC L-Tryptophan (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 204.23 Store below 30°C	5220.00 15156.00 45450.00 60660.00	25 gm 100 gm 500 gm 1 kg
C ₁₁ H ₁₂ N ₂ O ₂ (73-22-3)			
	TS Solution According to USP See Complete List Reagents & Solution According to USP		

Product Code	Product Name	Price	Packing
TC1697	ATC TUNEL Enzyme (Terminal deoxynucleotidyl transferase) Cell Culture Tested M. W.: 60 kDa Activity : NLT 5000Units/mg		POR 1000 units
(9027-67-2)			
	Store at -20°C		
900080	Tungsten (W) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	2871.00 4563.00	100 ml 500 ml
900180	Tungsten (W) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 1% HNO ₃ , 2% HF in accordance with NIST	4969.00 7947.00	50 ml 100 ml
030541	Tungsten (Metal) Powder 325 mesh At.:183.85 Assay (Complexometric) 99.0%	2502.00 11502.00	100 gm 500 gm
W (7440-33-7)			
900450	Tungsten-molybdate reagent for blood analysis	783.00	100 ml
N75497	Tungsten Nanoparticles/ Nanopowder (40-60nm) At.:183.85 Assay 99.7%	9252.00 40860.00	5 gm 25 gm
W (7440-33-7)			
N75519	Tungsten Carbide Nanopowder (APS 50 nm) M. W.: 195.85 Assay 99.0%	22257.00 85500.00	25 gm 100 gm
WC (12070-12-1)			
665965	Tungstic Acid AR H ₂ WO ₄ (7783-03-1) M. W.: 249.85	1206.00 5580.00	100 gm 500 gm
252425	Tungstic Oxide (Tungsten (VI) oxide) M. W.: 231.84 Assay (Purity based on trace metal analysis) 99.0%	1755.00 7920.00	100 gm 500 gm
WO ₃ (1314-35-8)			
	Tungsto Phosphoric Acid See Phosphotungstic Acid		
	Tungsto Silicic Acid See Silicotungstic Acid		
	Turk's See W.B.C Diluting Fluid		
PA1980	Turmeric Paper	450.00	200 lvs
356465	Turpentine Oil Pure (Pine oil)	540.00 2300.00	500 ml 2.5 lit
	Tween 20, 40, 60, 80 See Cween 20, 40, 60, 80		
TC1205	ATC ▲ Tylosin Tartrate Cell Culture Tested Potency : ≥900 U/mg	3213.00 12843.00 20520.00	1 gm 5 gm 10 gm
252515	Tyramine Hydrochloride for Biochemistry M. W.: 173.64 Assay 98.0%	423.00 1062.00 4510.00	1 gm 5 gm 25 gm
C ₈ H ₁₁ NO.HCl (60-19-5)			

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
666245 C ₉ H ₁₁ NO ₃ (556-02-5)	D-Tyrosine AR M. W.: 181.19 Assay 98.5%	603.00 2151.00	1 gm 5 gm
252575 C ₉ H ₁₁ NO ₃ (556-03-6)	DL-Tyrosine for Biochemistry M. W.: 181.19 Assay 98.5-101.5%	729.00 3240.00	5 gm 25 gm
037156 C ₉ H ₁₁ NO ₃ (60-18-4)	L-Tyrosine for Biochemistry M. W.: 181.19 Assay (Non-aqueous) 98.5%	261.00 882.00 3600.00	25 gm 100 gm 500 gm
PCT1321 C ₉ H ₁₁ NO ₃ (60-18-4)	L-Tyrosine Plant Culture Tested M. W.: 181.19 Assay 99% Store below 30°C	423.00 1440.00 6462.00	25 gm 100 gm 500 gm
TC1122 C ₉ H ₁₁ NO ₃ (60-18-4)	L-Tyrosine (From non-animal source) Cell Culture Tested M. W.: 181.19 Assay : ≥95% Store below 30°C	1737.00 6066.00 24354.00 36522.00	25 gm 100 gm 500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1122M 4-(HO)C ₆ H ₄ CH ₂ CH(NH ₂)CO ₂ H (60-18-4)	L-Tyrosine (From animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 181.19 Store below 30°C	3150.00 10170.00 27270.00 47313.00	25 gm 100 gm 500 gm 1 kg
TC1477 C ₉ H ₉ NO ₃ •2Na•2H ₂ O (122666-87-9)	L-Tyrosine Disodium Salt Dihydrate L-3-(4-Hydroxyphenyl) alanine disodium salt (From non-animal source) Cell Culture Tested M. W.: 261.19 Assay : ≥95% Store below 30°C	POR POR POR	25 gm 100 gm 500 gm
TC1461 C ₉ H ₉ NO ₃ •2Na•XH ₂ O (69847-45-6)	L-Tyrosine Disodium Salt Hydrate L-3-(4-Hydroxyphenyl) alanine disodium salt (From non-animal source) Cell Culture Tested M. W.: 225.15 Assay : ≥98%	4113.00 13176.00 50067.00	25 gm 100 gm 500 gm

T

Laboratory Chemicals

Animal Tissue Culture Tested Chemicals

CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing.

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specification.



Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

U

Laboratory Chemicals

Product Code	Product Name	Price	Packing
256840 C ₁₁ H ₂₄ (1120-21-4)	N-Undecane for Synthesis M. W.: 156.31	2440.00	500 ml
671225 C ₁₁ H ₂₄ (1120-21-4)	N-Undecane AR M. W.: 156.31	1602.00	250 ml
256865 C ₁₁ H ₂₄ O (112-42-5)	1-Undecanol for Synthesis M. W.: 172.31	1800.00 5472.00	100 ml 500 ml
257015 C ₁₁ H ₂₀ O ₂ (112-38-9)	▲Undecylenic Acid for Synthesis M. W.: 184.28	1701.00	500 gm
901000	Universal Indicator paper pH 1-10 See Indicator pH Papers Universal		
901000	Universal Indicator Solution pH 4-11	131.00 333.00	125 ml 500 ml
257065 C ₄ H ₄ N ₂ O ₂ (66-22-8)	▲Uracil for Biochemistry M. W.: 112.09 Assay (Potentiometric) 98.0%	405.00 1467.00 11610.00	25 gm 100 gm 1 kg
TC1178 C ₄ H ₄ N ₂ O ₂ (66-22-8)	▲Uracil Cell Culture Tested M. W.: 112.09 Assay : ≥99% Store below 30°C	1503.00 3609.00 14310.00	25 gm 100 gm 500 gm
	Uranin See Fluorescein Sodium		
671605 UO ₂ (CH ₃ COO) ₂ ·2H ₂ O (6159-44-0)	Uranyl Acetate AR (Only Enduser) M. W.: 424.19 Assay (ex U) 98.0%	13410.00 26550.00 66006.00 264024.00	5 gm 10 gm 25 gm 100 gm
030558 CH ₄ N ₂ O (57-13-6)	Urea Cryst. Pure for Biochemistry M. W.: 60.06 Assay (Kjeldahl) 99.0%	351.00 2403.00 POR POR	500 gm 5 kg 25 kg 50 kg
671815 CH ₄ N ₂ O (57-13-6)	Urea AR Special Quality for Biochemical Purpose Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 60.06 Assay (Calculated with respect to dried substance kjeldahl's method) 99.0-101.0%	486.00 POR POR	500 gm 25 kg 50 kg
257215 CH ₄ N ₂ O (57-13-6)	Urea Specially Purified for enzyme work M. W.: 60.06 Assay (ex N) 99.5%	774.00 6444.00	500 gm 5 kg
990000 CH ₄ N ₂ O (57-13-6)	Urea for Molecular Biology M. W.: 60.06 Assay 99.5%	820.00 1476.00 6660.00	500 gm 1 kg 5 kg

Product Code	Product Name	Price	Packing
TC1180 CH ₄ N ₂ O (57-13-6)	Urea (Carbamide) M. W.: 60.06 Assay : ≥99.5% Store below 30°C	1386.00 2070.00 6732.00	500 gm 1 kg 5 kg
TC1180M NH ₂ CONH ₂ (57-13-6)	Urea (Carbamide) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 60.06 Store below 30°C	2718.00 4032.00 13060.00	500 gm 1 kg 5 kg
901160	Urea Stock Standard 0.25% w/v Assay 0.249-0.251% w/v	144.00	125 ml
257365 CH ₄ N ₂ O·H ₃ PO ₄ (4861-19-2)	Urea Phosphate M. W.: 158.05 Assay (Acidimetric) 98.0%	1098.00 POR	500 gm 25 kg
TC1691 (9002-13-5)	Urease Cell Culture Tested Av M. W.: 90.77 kDa Store at -20°C	18810.00	25 gm
257465	Urease Active Meal	3250.00	10 gm
671855 C ₅ H ₄ N ₄ O ₃ (69-93-2)	▲Uric Acid AR Used as substrate in determination of Uricase M. W.: 168.11 Assay(ex N) 99.0%	2853.00 11007.00	25 gm 100 gm
901210	Uric Acid Reagent	199.00	125 ml
901215	Uric Acid Reagent Folin/Newton	203.00	100 ml
901230	Uric Acid Stock Standard 0.1% w/v Assay 0.099-0.101% w/v	136.00	125 ml
042053 C ₉ H ₁₂ N ₂ O ₆ (58-96-8)	▲Uridine for Biochemistry M.W.: 244.20 Assay (ex N HPLC) 98.0%	252.00 756.00 1800.00	1 gm 5 gm 25 gm
TC1181 C ₉ H ₁₂ N ₂ O ₆ (58-96-8)	▲Uridine Cell Culture Tested M. W.: 244.2 Assay : ≥99%	2250.00 6210.00 9153.00	5 gm 25 gm 50 gm
257615 C ₉ H ₁₁ N ₂ Na ₂ O ₉ P (3387-36-8)	Uridine-5-Monophosphate Disodium Salt Dihydrate for Biochemistry M.W.: 368.15 Assay (ex N, on dried subs.) 96.0%	657.00 2466.00	1 gm 5 gm
257715 C ₁₈ H ₁₆ O ₇ (7562-61-0)	▲Usnic Acid for Synthesis M. W.: 344.32 Assay 98.0%	15210.00	5 gm

These are high purity chemicals specially manufactured and tested for research and synthesis. As required heavy metal content is carefully monitored and reduced to minimum possible levels.



ATC : Animal Cell Culture
 MB : Molecular Biology
 PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
	Vacuum Grease Silicon High See High Vacuum Silicon grease						
259745	n-Valeric Acid (Pentanoic Acid, 1-Butane-Carboxylic Acid) for Synthesis M. W.: 102.13	1062.00 4977.00	500 ml 2.5 lit	PCT2114 PTC	▲Vancomycin Hydrochloride Plant Culture Tested M. W.: 1485.71 Potency 950 µg/mg	4361.00 6543.00 25533.00 98100.00	500 mg 1 gm 5 gm 25 gm
$C_5H_{10}O_2$ (109-52-4)				TC1202 ATC	▲Vancomycin Hydrochloride Cell Culture Tested M. W.: 1485.71 Assay : ≥80% Potency : ≥900 µg/mg	5310.00 9774.00 36720.00	500 mg 1 gm 5 gm
259835	D-Valerolactone M. W.: 100.12	7470.00 15930.00	100 gm 500 gm	901735	Van Gieson II Solution for Microscopy Differential Stain for Collagen	189.00	100 ml
$C_5H_8O_2$ (542-28-9)				901835	Vanadium (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
259935	Valeronitrile (Butyl Cyanide) M. W.: 83.13	621.00 1836.00	100 ml 500 ml	901855	Vanadium (V) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00 2286.00 3852.00	100 ml 250 ml 500 ml
C_5H_9N (110-59-8)				901875	Vanadium (V) CRISTAR® 1000 ppm Single Element Standard for ICP in HNO ₃ In accordance with NIST	5301.00 8514.00	100 ml 500 ml
260045	Valerophenone for Synthesis M. W.: 162.23	2673.00 11070.00	100 ml 500 ml	901895	Vanadium (V) CRISTAR® 10000 ppm Single Element Standard for ICP in HNO ₃ in accordance with NIST	16331.00 48240.00	100 ml 500 ml
$C_{11}H_{14}O$ (1009-14-9)				260455	Vanadium (Metal) 100 Mesh V M. W.: 50.94 (7440-62-2) Assay (trace metal basis) 99.9%	2403.00 11210.00	5 gm 25 gm
260135	Valeroyl Chloride for Synthesis M. W.: 120.58	820.00 3645.00	100 ml 500 ml	030565	Vanadium Pentoxide V_2O_5 (1314-62-1) Assay 98.5%	1305.00 6003.00	100 gm 500 gm
C_5H_9ClO (638-29-9)						POR 5 kg POR 25 kg	
260315	D-Valine for Biochemistry M. W.: 117.15	747.00 2358.00	5 gm 25 gm	671915	Vanadium Pentoxide AR V_2O_5 (1314-62-1) Assay (manganometric) 99.5%	1503.00 7002.00	100 gm 500 gm
$C_5H_{11}NO_2$ (640-68-6)				676725	▲Vanadyl Acetyl Acetate AR $C_{10}H_{14}O_5V$ (3153-26-2) Assay 97.0%	1089.00 3402.00 14000.00	25 gm 100 gm 500 gm
037161	DL-Valine for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 98.5%	801.00 3006.00 10000.00	25 gm 100 gm 1 kg	030570	Vanillic Acid $C_8H_8O_4$ (121-34-6) Assay (HPLC) 97.0%	900.00 3402.00	25 gm 100 gm
$C_5H_{11}NO_2$ (516-06-3)				030569	Vanillin for synthesis $C_8H_8O_3$ (121-33-5) Assay(By GC) 98.0%	810.00 3681.00	100 gm 500 gm
037160	L-Valine for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 99.0%	270.00 3501.00	25 gm 500 gm	676815	Vanillin AR $C_8H_8O_3$ (121-33-5)	351.00 1107.00 4500.00	25 gm 100 gm 500 gm
$C_5H_{11}NO_2$ (72-18-4)				260915	Vanillyl Mandelic Acid (VMA) for Biochemistry (DI-4-Hydroxy-3-Methoxy Mandelic acid) Assay 98.0%	1476.00 4095.00 12483.00	250 mg 1 gm 5 gm
PCT1322 PTC	L-Valine (L-2-Amino-3-methylbutanoic acid) Plant Culture Tested M. W.: 117.15 Assay 99% Store below 30°C	360.00 1279.00 11543.00	25 gm 100 gm 1 kg	$C_9H_{10}O_5$ (2349-20-9)	Veegum See Magnesium Aluminium Silicate		
$C_5H_{11}NO_2$ (72-18-4)							
TC1132 ATC	L-Valine (From non-animal source) L-2-Amino-3-methylbutanoic acid Cell Culture Tested M. W.: 117.15 Assay : ≥99% Store below 30°C	1287.00 3870.00 11655.00 17492.00	25 gm 100 gm 500 gm 1 kg				
$C_5H_{11}NO_2$ (72-18-4)							
TC1132M ATC	L-Valine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 117.15 Store below 30°C	1575.00 4730.00 21816.00 41220.00	25 gm 100 gm 500 gm 1 kg				
$C_5H_{11}NO_2$ (72-18-4)							
260335	L-Valine Methyl Ester Hydrochloride M.W. 167.64 Assay 99.0%	450.00 1800.00 5508.00	5 gm 25 gm 100 gm				
$C_6H_{13}NO_2.HCl$ (6306-52-1)							
030568	▲Vanadyl Sulphate M. W.: 163.00 (Anhy.) Assay (anhydrous; oxidimetric) 96.0%	2502.00 10503.00	100 gm 500 gm				
$VO_2SO_4 \cdot xH_2O$ (123334-20-3 / 12439-96-2)							

Storage : ● 0-4°C ▲ 2-8°C
✳ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

V

Laboratory Chemicals

Product Code	Product Name	Price	Packing
261010 C ₉ H ₁₀ O ₄ (93-07-2)	Veratric Acid (3,4-Dimethoxybenzoic Acid) for Synthesis M. W.: 182.17	1026.00	100 gm
		5292.00	500 gm
261105 C ₈ H ₁₀ O ₂ (91-16-7)	Veratrole for Synthesis M. W.: 138.16 Assay 99.0%	550.00	100 ml
		2300.00	500 ml
	Veseline See Petroleum Jelly White		
	Vesuvin See Bismark Brown		
325905 C ₃₃ H ₃₂ ClN ₃ (2580-56-5)	Victoria Blue B for Microscopy C.I. 44045 M. W.: 506.1 Dye content Abt. 85.0%	284.00	25 gm
		954.00	100 gm
261385 C ₄ H ₆ O ₂ (108-05-4)	Vinyl Acetate Monomer M. W.: 86.09 Assay (GC) 99.0%	423.00	500 ml
		1683.00	2.5 lit
261545 C ₆ H ₉ CHCH ₂ (100-40-3)	* 4-Vinyl-1-Cyclohexene for Synthesis M. W.: 108.18 Assay 99.5%	1890.00	100 ml
		8460.00	500 ml
261725 C ₁₀ H ₇ CHCH ₂ (827-54-3)	* 2-Vinyl Naphthalene OPTICAL GRADE M. W.: 154.21	5130.00	5 gm
261905 C ₇ H ₇ N (100-69-6)	2-Vinyl Pyridine for Synthesis M. W.: 105.14	2070.00	25 ml
		12600.00	500 ml
261995 C ₂₂ H ₃₂ O ₂ (127-47-9)	• Vitamin A Acetate for Biochemistry (Retinol acetate) M. W.: 328.50 Assay (Potency) 500,000 IU/gm	2106.00	25 gm
		8010.00	100 gm

Product Code	Product Name	Price	Packing
	Vitamin B1 See Thiamine Hydrochloride		
	Vitamin B2 See Riboflavin		
	Vitamin B3 See Nicotinic Acid		
	Vitamin B6 Hcl See Pyridoxine Hydrochloride		
	Vitamin B9 See Folic Acid		
	Vitamin H See D-Biotin		
	Vitamin P See Rutin Trihydrate		
	Vitamin B₆ Hydrochloride See Pyridoxine Hydrochloride		
	Vitamin B₁₂ See Cyanocobalamin		
	Vitamin C See L-Ascorbic Acid		
262085 C ₂₇ H ₄₄ O (67-97-0)	Vitamin D₃ M. W.: 384.64 Assay 97.0%	1710.00	1 gm
	Vitamin-E-Acetate See DL-a-Tocopherol Acetate		
	Vitamin K₃ Sodium Bisulphite See Menadion Sodium Bisulphite		

Molecular Biology Grade Reagents

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.



ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
902550	W.B.C. Diluting Fluid (Truck's)	131.00 230.00	125 ml 500 ml
902600	Wagner's Reagent for the detection of alkaloids	162.00 522.00	125 ml 500 ml
902690	Wanklyn's Solution	302.00 1206.00	500 ml 2.5 lit
	Water Blue See Aniline Blue (Water Soluble)		
	Water DM See DM Water		
679825 H ₂ O (7732-18-5)	Water AR M. W.: 18.015	423.00	1 lit
902760 H ₂ O (7732-18-5)	Water Deionized M.W.: 18.015	1998.00	5 lit
902740 H ₂ O (7732-18-5)	Water Distilled M. W.: 18.015	549.00	5 lit
779595 H ₂ O (7732-18-5)	Water EL M.W.: 18.015	540.00	1 lit
779645 H ₂ O (7732-18-5)	Water GC-HS For GC-Headspace Analysis M.W.: 18.015	1503.00 3105.00	1 lit 2.5 lit
779600 H ₂ O (7732-18-5)	Water for HPLC & Spectroscopy M. W.: 18.015	522.00 1044.00 2088.00	1 lit 2.5 lit 5 lit
779650 H ₂ O (7732-18-5)	Water Gradient Grade for Chromatography, HPLC M. W.: 18.015	900.00	1 lit
779675	Water LC-MS	4806.00	1 lit
994000 H ₂ O (7732-18-5)	Water for Molecular Biology Grade M. W.: 18.015	3105.00	5 lit
779630 H ₂ O (7732-18-5)	Water for Pesticide Residue Trace Analysis M. W.: 18.015	1233.00	1 lit
779700	Water Nuclease free	4410.00	100 ml
902910	Water/2-Propanol 50/50 (V/V)	801.00	1 lit
902790	Water With 0.1% Acetic Acid for LCMS	3600.00	2.5 lit
902820	Water With 0.1% Formic Acid for LCMS	3591.00	2.5 lit
902940	Water With 0.1% Trifluoro Acetic Acid for LCMS	3600.00	2.5 lit
K114005	Water testing kit (for the estimation of arsenic)	3096.00	25 te
K114015	Water testing kit refill pack (Reagents only)(for the estimation of arsenic)	1720.00	25 te

Product Code	Product Name	Price	Packing
K114025	Water testing kit (For the estimation of total alkalinity and pH)	1287.00	2x200 te
K114035	Water testing kit (For the estimation of Calcium hardness)	2250.00	100 te
K114045	Water testing kit (Residual chlorine)	567.00	200 te
K114055	Water testing kit (for the estimation of Fluoride, Chloride and Residual chlorine)	1287.00	3X200 te
K114065	Water testing kit (for the estimation of Nitrate Nitrite and Ammonium in water)	1692.00	3x200 te
K114075	Water testing kit (For the estimation of dissolved oxygen)	1125.00	25 te
K114085	Water testing kit refill pack (For the estimation of dissolved oxygen)	1674.00	25 te
K114095	Water testing kit (for the estimation of phosphate & iron)	2556.00	2x200 te
K114105	Water testing kit (For the estimation of Sulphite/ Residual sulphite in water)	4662.00	1x100 te
K114115	Water testing kit (For the estimation of Total hardness)	1013.00	200 te
K115125	Water testing kit (Microbiological testing)	936.00	10 te
902990	Wij's & Iodine Solution	621.00	500 ml
679915 (76093-98-6)	Wood's (Metal) AR	1836.00 3060.00	100 gm 250 gm
	Wright Eosin Methylene Blue See Wright's Stain		
326805 (68988-92-1)	▲Wright's Stain for Microscopy (Wright's eosin Methylene Blue)	837.00 2907.00	25 gm 100 gm
903010	Wright's Staining Solution for Microscopy	140.00 261.00	125 ml 250 ml

W

Laboratory Chemicals

CPECTROSOL® & CRISTAR®

CDH offer a wide range of single element standard solutions (1000mg/L) suitable for AAS (CPECTROSOL®) & ICP (CRISTAR®). We also offer multi elements concentrated solutions at 10,000 mg/L in accordance with NIST.



Storage : ● 0-4°C ▲ 2-8°C

✦ Delivery Period 4-6 Weeks

⊗ Supply Only to End User

X

Laboratory Chemicals

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
998905	MB · X-Gal (5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside) For Molecular Biology M. W. : 408.63 Assay : ≥ 98%	1656.00 7461.00 14913.00	100 mg 500 mg 1 gm	268835	Xanthan Gum Pure (Food Grade)	2520.00	1 kg
	C ₁₄ H ₁₅ BrClNO ₆ (7240-90-6)			(11138-66-2)			
	▲ X-Gal See 5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside			042057	Xanthine for Biochemistry	801.00	5 gm
PCT2204	PTC · X-Glucoside (5-Bromo-4-chloro-3-indolyl-β-D-glucopyranoside) Plant Culture Tested M. W.: 408.63 Assay 97%	2070.00 6192.00	25 mg 100 mg	C ₅ H ₄ N ₄ O ₂ (69-89-6)	M. W.: 152.11 Assay (Spectrophotometric 275 nm pH 10) 98.0%	3303.00	25 gm
	C ₁₄ H ₁₅ BrClNO ₆ (15548-60-4)			TC1690	ATC · Xanthine Oxidase Cell Culture Tested Activity : ~15U/mg	39600.00	250 units
PCT2205	PTC · X-Glucuronide CHA salt (5-Bromo-4-chloro-3-indolyl-β-D-glucuronideCyclohexyl ammonium salt) Plant Culture Tested M. W.: 521.79 Assay 98%	11250.00 20930.00 30960.00	100 mg 500 mg 1 gm	(9002-17-9)			
	C ₂₀ H ₂₆ BrClN ₂ O ₇ (114162-64-0)			TC1239	ATC · XTT Sodium Salt Cell Culture Tested M. W.: 673.52	23000.00 110250.00	100 mg 500 mg
PCT2206	PTC · X-Glucuronide sodium salt (5-Bromo-4-chloro-3-indolyl-β-D-glucuronide sodium salt) Plant Culture Tested M. W.: 444.59 Assay 98%	51300.00 93420.00	500 mg 1 gm	C ₂₂ H ₁₆ N ₇ NaO ₁₃ S ₂ (111072-31-2)	M. W.: 673.52 Store at -20°		
	C ₁₄ H ₁₂ BrClNNaO ₇ (129541-41-9)			998918	MB · Xylan From Beechwood For Molecular Biology Store Below 30°C	9450.00	10 gm
PCT2208	PTC · X-a-Gal (5-Bromo-4-chloro-3-indolyl-β-D-galactopyranoside) Plant Culture Tested M. W.: 408.63 Assay 98%	23771.00	100 mg	(9014-63-5)			
	C ₁₄ H ₁₅ BrClNO ₆ (107021-38-5)			030575	Xylene Sulphur Free	450.00	500 ml
PCT2202	PTC · X-Gal (5-Bromo-4-chloro-3-indolyl-β-D-galactopyranoside) Plant Culture Tested M. W.: 408.63 Assay 98%	1845.00 8204.00	100 mg 500 mg	C ₈ H ₁₀ (1330-20-7)	M. W.: 106.17	1602.00	2.5 lit POR 25 lit
	C ₁₄ H ₁₅ BrClNO ₆ (7240-90-6)			269785	Xylene Rectified	360.00	500 ml
998907	MB · X-Glucurono Sodium Salt 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Salt For Molecular Biology M. W. : 444.59 Assay : ≥ 98% Store at 20°C	9010.00 21600.00 39510.00	100 mg 500 mg 1 gm	C ₈ H ₁₀ (1330-20-7)	M. W.: 106.17	693.00	1 lit
	C ₁₄ H ₁₂ BrClNNaO ₇ (129541-41-9)			(1330-20-7)		1503.00	2.5 lit POR 25 lit POR 200 lit
998908	MB · X-Glucoside 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside For Molecular Biology M. W. : 408.63 Assay : ≥ 97%	1944.00 9090.00 16970.00	1 mg 5 mg 10 mg	686715	Xylene AR	504.00	500 ml
	C ₁₄ H ₁₂ BrClNO ₆ (15548-60-4)			C ₈ H ₁₀ (1330-20-7)	M. W.: 106.17	1701.00	2.5 lit POR 25 lit POR 200 lit
TC1476	ATC · X-phosphate disodium salt ,BCIP® 5-Bromo-4-Chloro 3-Indolyl Phosphate, Disodium Salt, Cell Culture Tested M. W.: 370.43	1530.00 4095.00 28710.00	25 mg 100 mg 1 gm	780300	Xylene Scintillation Grade	450.00	500 ml
	C ₈ H ₄ BrClNO ₄ P . 2Na (102185-33-1)			C ₈ H ₁₀ (1330-20-7)	M. W.: 106.17 Assay (GC) 99.0%	1602.00	2.5 lit
				269825	Xylene Special (Mixtures of Isomers)	594.00	500 ml
				C ₈ H ₁₀ (1330-20-7)	M. W.: 106.17	2196.00	2.5 lit
				686725	Xylene Special AR (Mixtures of Isomers) (Ethyl Benzene <0.1%)	671.00	500 ml
				C ₈ H ₁₀ (1330-20-7)	M. W.: 106.17	2250.00	2.5 lit
				030577	m-Xylene for Synthesis	756.00	500 ml
				C ₈ H ₁₀ (108-38-3 / 108-33-3)	M. W.: 106.17 Assay (GC) 98.0%	3105.00	2.5 lit POR 25 lit POR 200 lit
				686915	m-Xylene AR	1323.00	500 ml
				(108-38-3 / 108-33-3)			
				030576	o-Xylene for Synthesis	423.00	500 ml
				C ₈ H ₁₀ (95-47-6)	M. W.: 106.17 Assay (GC) 98.0%	1575.00	2.5 lit POR 25 lit POR 200 lit
				686935	o-Xylene AR	540.00	500 ml
				C ₈ H ₁₀ (95-47-6)	M. W.: 106.17		

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
270045 C ₈ H ₁₀ (106-42-3)	p-Xylene for Synthesis M. W.: 106.17 Assay (GC) 98.5%	603.00 2601.00 POR POR	500 ml 2.5 lit 25 lit 200 lit
686945 C ₈ H ₁₀ (106-42-3)	p-Xylene AR M. W.: 106.17 Assay (GC) 99.0%	783.00	500 ml
779200 C ₈ H ₁₀ (106-42-3)	p-Xylene for HPLC M. W.: 106.17 Assay (GC) 99.0%	2394.00	1 lit
998923 C ₈ H ₁₀ (1330-20-7)	MB Xylene Mixture of Isomers For Molecular Biology M. W. : 106.17 Store Below 30°C	900.00 2300.00	500 ml 2.5 lit
327705 C ₂₅ H ₂₇ N ₂ NaO ₆ S ₂ (2650-17-1)	Xylene Cyanol FF C.I. 43535 M. W.: 538.61	1206.00 5000.00	5 gm 25 gm
903510	Xylene Cyanol Indicator Solution (Color Change -Green to Orange)	486.00	100 ml
327855 C ₂₃ H ₂₂ O ₅ S (125-31-5)	p-Xylenol Blue Indicator AR M. W.: 410.49	603.00 2502.00	1 gm 5 gm
903520	Xylenol Orange Indicator Solution for EDTA Titration (Reagent for Cd, Pb, Mg, Zn, Bi)	293.00	100 ml
328005 C ₃₁ H ₂₈ N ₂ O ₁₃ SN ₄ (3618-43-7)	•Xylenol Orange AR Suitable for use in EDTA Zinc Titration M. W.: 760.6	603.00 1107.00	5 gm 10 gm

Product Code	Product Name	Price	Packing
270405 C ₈ H ₁₁ N (95-68-1)	2,4-Xylidine Pure M. W.: 121.18	550.00 3690.00 POR	250 ml 2.5 lit 10 lit
270425 C ₈ H ₁₁ N (87-62-7)	2,6-Xylidine Pure M. W.: 121.18 Assay 98.5%	851.00 8001.00	250 ml 2.5 lit
270445 (CH ₃) ₂ C ₆ H ₃ NH ₂ (108-69-0)	* 3,5-Xylidine M. W.: 121.18	3906.00 10710.00 POR	100 ml 500 ml 10 lit
328145 C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ (3761-53-3)	Xylidine Ponceau for Microscopy M. W.: 604.48 Dye content (on dried subs., titrimetry) Abt. 75.0%	153.00	25 gm
328295 C ₂₅ H ₂₀ N ₃ NaO ₆ S (14936-97-1)	Xylidyl Blue I AR M. W.: 513.50	4500.00	1 gm
038101 C ₅ H ₁₂ O ₅ (87-99-0)	Xylitol for Biochemistry M.W.: 152.15	207.00 702.00 3200.00	25 gm 100 gm 500 gm
030590 C ₅ H ₁₀ O ₅ (58-86-6)	D (+)-Xylose M. W.: 150.13	252.00 423.00 1791.00	25 gm 100 gm 500 gm
PCT1615 C ₅ H ₁₀ O ₅ (58-86-6)	PTC D-Xylose Plant Culture Tested M. W.: 150.1 Store below 30°C	279.00 1000.00 4527.00	25 gm 100 gm 500 gm
270855 C ₅ H ₁₀ O ₅ (609-06-3)	L (-)Xylose for Biochemistry M. W.: 150.13	1890.00 9000.00	5 gm 25 gm

X

Laboratory Chemicals



Culture Media Bases Ingredients

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.



Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Product Code	Product Name	Price	Packing
345235 (8013-01-2)	Yeast Autolysate Bacteriological Grade	2520.00	500 gm
345325 (8013-01-2)	Yeast Extract Paste For Bacteriology	761.00	500 gm
345355	Yeast Extract Powder	1107.00 10000.00	500 gm 5 kg
345385	Yeast Extract Special for Bacteriology	1206.00	500 gm
	Yellow Ammonium Sulphide Solution See Ammonium Sulphide Solution yellow		
PCT2315 PTC	Yellow Colour Plant Culture Tested Store below 30°C	5625.00	250 gm
329385 $C_{10}H_{10}N_2Na_2O_7S_2$ (2783-94-0)	Yellowish Orange S (C.I. 15985) M. W.: 452.37	261.00	25 gm
358765 (8006-81-3)	Ylang Ylang Oil for Synthesis	5000.00	500 gm
272205 $C_{21}H_{26}N_2O_3.HCl$ (65-19-0)	Yohimbine Hydrochloride M. W.: 390.90	3006.00 9000.00	1 gm 5 gm
RE3225 Yb (7440-64-4)	Ytterbium Metal Ingot M. W.: 173.04 Assay (Trace metal basis) 99.99%	6408.00 22167.00	5 gm 25 gm
RE3230 Yb (7440-64-4)	Ytterbium Metal Lump M. W.: 173.04 Assay (Trace metal basis) 99.99%	6408.00 22167.00	5 gm 25 gm
RE3235 Yb (7440-64-4)	Ytterbium Metal Powder 325 mesh M. W.: 173.04 Assay (Trace metal basis) 99.9%	8613.00 50670.00	2 gm 25 gm
RE3270 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.9%	3618.00 16155.00	10 gm 50 gm
RE3275 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.99%	2610.00 10000.00	5 gm 25 gm
RE3280 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.999%	POR POR	2 gm 100 gm
RE3285 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	Ytterbium Acetate M. W.: 422.23 Assay (Trace metal basis) 99.9999%	POR POR	2 gm 100 gm
RE3295 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9%	6462.00 25821.00	10 gm 50 gm
RE3300 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.99%	6400.00 29970.00	10 gm 50 gm
RE3305 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE3310 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	Ytterbium Carbonate M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm

Product Code	Product Name	Price	Packing
RE3320 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.9%	7920.00 31050.00	25 gm 100 gm
RE3325 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.99%	6570.00 24300.00	10 gm 50 gm
RE3330 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.999%	11997.00 41000.00	5 gm 25 gm
RE3335 $YbCl_3.6H_2O$ (10035-01-5)	Ytterbium Chloride M. W.: 387.49 Assay (Trace metal basis) 99.9999%	POR POR	5 gm 25 gm
RE3345 YbF_3 (13760-80-0)	Ytterbium (III) Fluoride Anhydrous M. W.: 230.04	12600.00	10 gm
RE3355 YbI_3	Ytterbium Iodide M. W.: 533.74 Assay (Trace metal basis) 99.95%	33993.00 POR	1 gm 5 gm
RE3365 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9%	3276.00 11908.00 22005.00	10 gm 50 gm 100 gm
RE3370 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.99%	7660.00 23391.00	10 gm 50 gm
RE3375 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.999%	9000.00 POR	5 gm 25 gm
RE3380 $Yb(NO)_3.XH_2O$	Ytterbium Nitrate M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9999%	POR POR	2 gm 25 gm
RE3390 Yb_2O_3 (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.9%	4707.00 12492.00 POR	25 gm 100 gm 1 kg
RE3395 Yb_2O_3 (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.99%	7061.00 18514.00	10 gm 50 gm
RE3400 Yb_2O_3 (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.999%	5000.00 18980.00	5 gm 25 gm
RE3405 Yb_2O_3 (1314-37-0)	Ytterbium Oxide M. W.: 394.08 Assay (Trace metal basis) 99.9999%	POR POR	2 gm 25 gm
905750	Yttrium (V) CRISTAR® 1000 ppm Single Element Standard Soln. for ICP in 2% HNO ₃ . In accordance with NIST	5544.00 8856.00	50 ml 100 ml
RE3435 Y (7440-65-5)	Yttrium Metal Ingot M. W.: 88.90 Assay (Trace metal basis) 99.99%	15300.00 61200.00	10 gm 50 gm
RE3440 Y (7440-65-5)	Yttrium Metal Lump M. W.: 88.90 Assay (Trace metal basis) 99.99%	7650.00 30600.00	5 gm 25 gm
RE3445 Y (7440-65-5)	Yttrium Metal Powder 325 mesh M. W.: 88.90 Assay (Trace metal basis) 99.99%	9270.00 33300.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
RE3485 Y(CH ₃ CO ₂) ₃ .xH ₂ O (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.9%	4311.00 12606.00	50 gm 250 gm
RE3490 Y(CH ₃ CO ₂) ₃ .xH ₂ O (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.99%	8240.00 24642.00	25 gm 100 gm
RE3495 Y(CH ₃ CO ₂) ₃ .xH ₂ O (304675-69-2)	Yttrium Acetate M. W.: 266.03 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	10 gm 100 gm
RE3510 Y ₂ (CO ₃) ₃ .xH ₂ O (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.9%	6507.00 25470.00	50 gm 250 gm
RE3515 Y ₂ (CO ₃) ₃ .xH ₂ O (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.99%	5886.00 18000.00	25 gm 100 gm
RE3520 Y ₂ (CO ₃) ₃ .xH ₂ O (38245-39-5)	Yttrium Carbonate M. W.: 357.84 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	5 gm 100 gm
RE3535 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.9%	3600.00 13500.00 POR	10 gm 50 gm 250 gm
RE3540 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.99%	2601.00 7700.00 26100.00	5 gm 25 gm 100 gm
RE3545 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.999%	POR POR	10 gm 50 gm
RE3550 YCl ₃ .6H ₂ O (10025-94-2)	Yttrium Chloride M. W.: 303.36 Assay (Trace metal basis) 99.9999%	POR POR	2 gm 25 gm
RE3560 YF ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99%	5751.00 13500.00	25 gm 100 gm
RE3565 YF ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.9%	4617.00 11530.00 50355.00	25 gm 100 gm 500 gm
RE3570 YF ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.99%	7570.00 22640.00 69093.00	25 gm 100 gm 500 gm
RE3575 Yf ₃ (13709-49-4)	Yttrium Fluoride M. W.: 145.9 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE3590 Y(OH) ₃ .xH ₂ O	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.9%	POR POR	50 gm 250 gm
RE3595 Y(OH) ₃ .xH ₂ O	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.99%	POR POR	5 gm 25 gm

Product Code	Product Name	Price	Packing
RE3600 Y(OH) ₃ .xH ₂ O	Yttrium Hydroxide M. W.: 139.93 (Anhy.) Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm
RE3615 Y(NO ₃) ₃ .xH ₂ O	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.9%	3420.00 8307.00	25 gm 100 gm
RE3620 Y(NO ₃) ₃ .xH ₂ O	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.99%	2205.00 8892.00 25790.00	5 gm 25 gm 100 gm
RE3625 Y(NO ₃) ₃ .xH ₂ O	Yttrium Nitrate M. W.: 274.92 (Anhy.) Assay (Trace metal basis) 99.999%	36900.00 135000.00	25 gm 100 gm
RE3640 Y(C ₈ H ₁₅ O ₂) ₂	Yttrium Octoate M. W.: 374.91 Assay (Trace metal basis) 99.9%	POR POR	50 gm 250 gm
RE3660 Y ₂ (C ₂ O ₄) ₃ .10H ₂ O (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.9%	9918.00 43515.00	50 gm 250 gm
RE3665 Y ₂ (C ₂ O ₄) ₃ .10H ₂ O (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.99%	7200.00	25 gm
RE3670 Y ₂ (C ₂ O ₄) ₃ .10H ₂ O (13266-82-5)	Yttrium Oxalate M. W.: 622.02 Assay (Trace metal basis) 99.999%	2430.00 POR	5 gm 25 gm
RE3685 Y ₂ O ₃ (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.9%	702.00 1503.00 14000.00 POR	10 gm 25 gm 250 gm 1 kg
RE3690 Y ₂ O ₃ (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.99%	4941.00 18000.00 POR	25 gm 250 gm 1 kg
RE3695 Y ₂ O ₃ (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.999%	7785.00 16151.00 POR	25 gm 100 gm 1 kg
RE3700 Y ₂ O ₃ (1314-36-9)	Yttrium Oxide M. W.: 225.81 Assay (Trace metal basis) 99.9999%	3600.00 10000.00 POR	10 gm 50 gm 250 gm
RE3715 Y ₂ (SO ₄) ₃ .6H ₂ O	Yttrium Sulphate M. W.: 574.27 Assay (Trace metal basis) 99.9%	5000.00 24800.00	50 gm 250 gm
RE3720 Y ₂ (SO ₄) ₃ .6H ₂ O	Yttrium Sulphate M. W.: 574.27 Assay (Trace metal basis) 99.99%	6300.00 POR	25 gm 250 gm
RE3725 Y ₂ (SO ₄) ₃ .6H ₂ O	Yttrium Sulphate M. W.: 574.27 Assay (Trace metal basis) 99.999%	POR POR	5 gm 25 gm

Y

Laboratory Chemicals



GCHS
SOLVENTS

Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
Z00120 $C_{11}H_{13}NO_3$ (2304-94-1)	•Z-B-Alanine M. W.: 223.21 Assay 99.0%	576.00 1476.00 5850.00	1 gm 5 gm 25 gm
Z00140 $C_{11}H_{13}NO_4$ (26607-51-2)	•Z-D-Alanine M.W.: 223.21 Assay 99.0%	603.00 2430.00 11070.00	1 gm 5 gm 25 gm
Z00180 $C_{11}H_{13}NO_4$ (4132-86-9)	•Z-DL-Alanine M.W.: 223.21 Assay 99.0%	505.00 2403.00 11466.00	1 gm 5 gm 25 gm
Z00220 $C_{11}H_{13}NO_4$ (1142-20-7)	•Z-L-Alanine M. W.: 223.21 Assay 99.0%	540.00 2214.00 7970.00	5 gm 25 gm 100 gm
Z00260 $C_{12}H_{20}NO_4$ (42918-86-5)	•Z-2-Aminobutyric Acid M.W.: 237.30 Assay 99.0%	945.00 4194.00 20322.00	1 gm 5 gm 25 gm
Z00300 $C_{14}H_{20}N_4O_4$ (6382-93-0)	•Z-D-Arginine M.W.: 308.30 Assay 99.0%	6075.00 20232.00 73530.00	1 gm 5 gm 25 gm
Z00340 $C_{14}H_{20}N_4O_4.HCl$ (56672-63-0)	•Z-L-Arginine HCl M. W.: 344.79 Assay 99.0%	5230.00 19530.00	25 gm 100 gm
Z00380 $C_{12}H_{14}N_2O_5$ (4474-86-6)	•Z-D-Asparagine M.W.: 266.25 Assay 99.0%	1090.00 4487.00 18702.00	1 gm 5 gm 25 gm
Z00420 $C_{12}H_{14}N_2O_5$ (29880-22-6)	•Z-DL-Asparagine M.W.: 266.25 Assay 99.0%	1517.00 4977.00 16110.00	1 gm 5 gm 25 gm
Z00460 $C_{12}H_{14}N_2O_5$ (2304-96-3)	•Z-L-Asparagine M. W.: 266.25 Assay 99.0%	307.00 990.00 2583.00	1 gm 5 gm 25 gm
Z00500 $C_{12}H_{13}NO_6$ (78663-07-7)	•Z-D-Aspartic Acid M. W.: 267.23 Assay 99.0%	640.00 2655.00 11080.00	1 gm 5 gm 25 gm
Z00540 $C_{12}H_{13}NO_6$ (4515-21-3)	•Z-DL-Aspartic Acid M.W.: 267.23 Assay 99.0%	702.00 3321.00 15813.00	1 gm 5 gm 25 gm
Z00580 $C_{12}H_{13}NO_6$ (1152-61-0)	•Z-L-Aspartic Acid M. W.: 267.23 Assay 99.0%	460.00 855.00 2057.00	5 gm 10 gm 25 gm
Z00620 $C_{13}H_{15}NO_6$ (63648-73-7)	•Z-D-Glutamic Acid M. W.: 281.27 Assay 99.0%	761.00 2660.00 10233.00	1 gm 5 gm 25 gm
Z00660 $C_{13}H_{15}NO_6$	•Z-DL-Glutamic Acid M. W.: 281.27 Assay 99.0%	POR POR	1 gm 5 gm
Z00700 $C_{13}H_{15}NO_6$ (1155-62-0)	•Z-L-Glutamic Acid M. W.: 281.27 Assay 99.0%	360.00 1459.00 5220.00	5 gm 25 gm 100 gm
Z00740 $C_{20}H_{21}NO_6$ (5680-86-4)	Z-L-Glutamic Acid-4- Benzyl Ester for Biochemistry M. W.: 371.39 Assay 98.0%	14121.00 24710.00	10 gm 25 gm
Z00780 $C_{13}H_{16}N_2O_5$ (13139-52-1)	•Z-D-Glutamine M. W.: 280.28 Assay 99.0%	1224.00 5103.00 21267.00	1 gm 5 gm 25 gm

Product Code	Product Name	Price	Packing
Z00820 $C_{13}H_{16}N_2O_5$ (2650-64-8)	•Z-L-Glutamine M. W.: 280.28 Assay 99.0%	747.00 2583.00 8622.00	5 gm 25 gm 100 gm
Z00860 $C_{10}H_{11}NO_4$ (1138-80-3)	•Z-Glycine M. W.: 209.20 Assay 99.0%	702.00 1422.00 4320.00	5 gm 25 gm 100 gm
Z00940 $C_{14}H_{15}N_3O_4$ (19728-57-5)	•Z-DL-Histidine M. W.: 289.30 Assay 99.0%	3474.00 16560.00	1 gm 5 gm
Z00980 $C_{14}H_{15}N_3O_4$ (14997-58-1)	•Z-L-Histidine M. W.: 289.30 Assay 99.0%	1197.00 5427.00 21285.00	1 gm 5 gm 25 gm
Z01020 $C_{13}H_{15}NO_5$ (13504-85-3)	•Z-L-Hydroxyproline M. W.: 265.30 Assay 99.0%	1400.00 6327.00 24710.00	1 gm 5 gm 25 gm
Z01100 $C_{14}H_{19}NO_4$ (3160-59-6)	•Z-L-Isoleucine M. W.: 265.30 Assay 99.0%	2007.00 6273.00 20772.00	5 gm 25 gm 100 gm
Z00100 $C_{14}H_{17}NO_4$ (10314-98-4)	Z-Isonipecotic Acid for Biochemistry M.W.: 263.00 Assay 98.0%	6130.00 10710.00	10 gm 25 gm
Z01140 $C_{14}H_{19}NO_4$ (28862-79-5)	•Z-D-Leucine M. W.: 265.30 Assay 99.0%	1090.00 4510.00 18810.00	1 gm 5 gm 25 gm
Z01180 $C_{14}H_{19}NO_4$ (3588-60-1)	•Z-DL-Leucine M. W.: 265.30 Assay 99.0%	1827.00 8703.00	5 gm 25 gm
Z01240 $C_{14}H_{19}NO_4$ (2018-66-8)	•Z-L-Leucine M. W.: 265.30 Assay 99.0%	1521.00 4330.00 16070.00	5 gm 25 gm 100 gm
Z01280 $C_{14}H_{20}N_2O_4$ (70671-54-4)	•Z-D-Lysine M. W.: 280.32 Assay 99.0%	9486.00 37935.00	1 gm 5 gm
Z01320 $C_{14}H_{20}N_2O_4$ (2212-75-1)	•Z-L-Lysine M. W.: 280.32 Assay 99.0%	1278.00 5900.00 24260.00	1 gm 5 gm 25 gm
Z01360 $C_{13}H_{17}NO_4S$ (28862-80-8)	•Z-D-Methionine M. W.: 280.40 Assay 99.0%	2376.00 6490.00 18891.00	1 gm 5 gm 25 gm
Z01400 $C_{13}H_{17}NO_4S$ (4434-61-1)	•Z-DL-Methionine M. W.: 283.40 Assay 99.0%	738.00 3474.00 16840.00	1 gm 5 gm 25 gm
Z01440 $C_{13}H_{17}NO_4S$ (1152-62-1)	•Z-L-Methionine M. W.: 283.40 Assay 99.0%	684.00 2844.00 9342.00	1 gm 5 gm 25 gm
Z01480 $C_{14}H_{19}NO_4$ (15027-14-2)	•Z-D-Norleucine M. W.: 265.30 Assay 99.0%	4608.00 41400.00	500 mg 5 gm
Z01520 $C_{14}H_{19}NO_4$ (15027-13-1)	•Z-DL-Norleucine M. W.: 265.30 Assay 99.0%	3150.00 15930.00	1 gm 5 gm
Z01560 $C_{14}H_{19}NO_4$ (39608-30-5)	•Z-L-Norleucine M. W.: 265.30 Assay 99.0%	4131.00 18783.00	1 gm 5 gm

Product Code	Product Name	Price	Packing
Z01600 C ₁₃ H ₁₇ NO ₄	•Z-D-Norvaline M. W.: 251.30 Assay 99.0%	2790.00 12650.00	1 gm 5 gm
Z01640 C ₁₃ H ₁₇ NO ₄ (21691-43-0)	•Z-DL-Norvaline M. W.: 251.30 Assay 99.0%	2304.00 10476.00	1 gm 5 gm
Z01680 C ₁₃ H ₁₇ NO ₄ (21691-44-1)	•Z-L-Norvaline M. W.: 251.30 Assay 99.0%	2790.00 12650.00	1 gm 5 gm
Z01720 C ₁₃ H ₁₈ N ₂ O ₄ (3304-51-6)	•Z-L-Ornithine M. W.: 266.30 Assay 99.0%	5004.00 22752.00	1 gm 5 gm
Z01760 C ₁₇ H ₁₇ NO ₄ (2448-45-5)	•Z-D-Phenylalanine M. W.: 299.32 Assay 99.0%	640.00 2655.00 11034.00	1 gm 5 gm 25 gm
Z01800 C ₁₆ H ₁₅ NO ₄ (17609-52-8)	Z-D-Phenylglycine for Biochemistry M. W.: 285.29 Assay 98.0%	7390.00 12933.00	10 gm 25 gm
Z01840 C ₁₇ H ₁₇ NO ₄ (3588-57-6)	•Z-DL-Phenylalanine M. W.: 299.32 Assay 99.0%	2304.00 10476.00	5 gm 25 gm
Z01880 C ₁₇ H ₁₇ NO ₄ (1161-13-3)	•Z-L-Phenylalanine M. W.: 299.32 Assay 99.0%	2232.00 7902.00	25 gm 100 gm
Z01920 C ₁₈ H ₁₉ NO ₄ (35909-92-3)	Z-L-Phenylalanine Methyl Ester for Biochemistry M. W.: 313.35 Assay 98.0%	12240.00 21402.00	10 gm 25 gm
Z01960 C ₂₃ H ₂₀ N ₂ O ₆ (2578-84-9)	Z-L-Phenylalanine 4-Nitrophenyl Ester for Biochemistry M. W.: 420.41 Assay 98.0%	11016.00 19260.00	10 gm 25 gm
Z02000 C ₁₆ H ₁₅ NO ₄ (53990-33-3)	Z-L-Phenylglycine for Biochemistry M. W.: 285.29 Assay 99.0%	6490.00 11350.00	10 gm 25 gm
Z02040 C ₁₃ H ₁₅ NO ₄ (6404-31-5)	•Z-D-Proline M. W.: 249.26 Assay 99.0%	927.00 1566.00 6039.00 30150.00	500 mg 1 gm 5 gm 25 gm
Z02080 C ₁₃ H ₁₅ NO ₄ (1148-11-4)	•Z-L-Proline M. W.: 249.26	1260.00 3780.00	5 gm 25 gm
Z02120 C ₁₁ H ₁₃ NO ₅ (6081-61-4)	•Z-D-Serine M. W.: 239.20 Assay 99.0%	2178.00 3357.00 14022.00 58410.00	500 mg 1 gm 5 gm 25 gm
Z02160 C ₁₁ H ₁₃ NO ₅ (1145-80-8)	•Z-L-Serine M. W.: 239.22 Assay 99.0%	423.00 1450.00 7002.00	1 gm 5 gm 25 gm
Z02200 C ₁₂ H ₁₅ NO ₅ (80384-27-6)	•Z-D-Threonine M. W.: 253.30 Assay 99.0%	1305.00 5202.00 20070.00	1 gm 5 gm 25 gm
Z02240 C ₁₂ H ₁₅ NO ₅ (19728-63-3)	•Z-L-Threonine M. W.: 253.25 Assay 99.0%	1296.00 4725.00 15786.00	5 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
Z02300 C ₁₉ H ₁₈ N ₂ O ₄ (2279-15-4)	•Z-D-Tryptophan M. W.: 338.40 Assay 99.0%	2205.00 5500.00 22896.00	1 gm 5 gm 25 gm
Z02340 C ₁₉ H ₁₈ N ₂ O ₄ (7432-21-5)	•Z-L-Tryptophan M. W.: 338.40 Assay 99.0%	1053.00 2106.00	5 gm 25 gm
Z02380 C ₁₇ H ₁₇ NO ₅ (64205-12-5)	•Z-D-Tyrosine M. W.: 315.32 Assay 99.0%	2570.00 8470.00 37800.00	1 gm 5 gm 25 gm
Z02420 C ₁₇ H ₁₇ NO ₅ (1164-16-5)	•Z-L-Tyrosine M. W.: 315.32 Assay 99.0%	981.00 1953.00 4986.00	1 gm 5 gm 25 gm
Z02460 C ₁₃ H ₁₇ NO ₄ (1685-33-2)	•Z-D-Valine M. W.: 251.30 Assay 99.0%	1323.00 5481.00 21051.00	1 gm 5 gm 25 gm
Z02500 C ₁₃ H ₁₇ NO ₄ (3588-63-4)	•Z-DL-Valine M. W.: 251.30 Assay 99.0%	2790.00 13240.00	5 gm 25 gm
Z02540 C ₁₃ H ₁₇ NO ₄ (1149-26-4)	•Z-L-Valine M. W.: 251.28 Assay 99.0%	2466.00 4680.00	25 gm 100 gm
Z02600 C ₁₉ H ₂₈ N ₂ O ₆ .C ₁₂ H ₂₃ N (2212-76-2)	•Z-N-e-Lysine Dicyclohexyl Ammonium Salt for Biochemistry M. W.: 561.75 Assay 98.0%	5940.00 24552.00	5 gm 25 gm
Z02640 (78190-11-1)	•Z-Nipecotic Acid for Biochemistry Assay 99.0%	3231.00 13185.00	5 gm 25 gm
Z02680 C ₂₄ H ₂₃ NO ₅ (16677-29-5)	•Z-O-Benzyl-L-Tyrosine for Biochemistry M. W.: 405.44 Assay 98.0%	3790.00 16830.00	5 gm 25 gm
PCT1813 PTC	▲ Zeatin Plant Culture Tested M. W.: 219.24 Assay 99%	5373.00 10260.00 22590.00 41553.00 80640.00	50 mg 100 mg 250 mg 500 mg 1 gm
PCT1814 PTC	▲ trans-Zeatin riboside Plant Culture Tested M. W.: 351.36 Assay 98%	28116.00 63243.00	10 mg 25 gm
PCT2411 PTC	▲ Zeatin Solution w/ 1 mg/ml Zeatin in sterile distilled water Sterile filtered Plant Culture Tested	4680.00 22950.00	20 ml 5X20 ml
907480	Zenker's Fixing for Microscopy Fixing System For Animal Tissue Zeocarbe (Pemutit) See Dermutit Zerolite See Seralites	604.00	100 ml
K129005	Ziehl Neelsen Acid Fast Stains Kit	513.00	1 kit
907485	Zimmermann-Reinhard's Reagent	603.00	500 ml
907500	Zinc (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO ₃ In accordance with NIST	1746.00 2466.00 3852.00	100 ml 250 ml 500 ml

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
✦ Delivery Period 4-6 Weeks
⊗ Supply Only to End User

Z

Laboratory Chemicals

Product Code	Product Name	Price	Packing
907502	Zinc (Zn) CPECTROSOL® Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Diluted HCl in accordance with NIST	1746.00	100 ml
		2466.00	250 ml
		3852.00	500 ml
907540	Zinc (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HNO ₃ In accordance with NIST	5301.00	100 ml
		8514.00	500 ml
907560	Zinc CRISTAR® 10000 ppm Single Element Std. Soln. for ICP-MS in HNO ₃ In accordance with NIST	16020.00	100 ml
		48254.00	500 ml
907520	Zinc (Zn) CRISTAR® 1000 ppm Single Element Std. Soln. for ICP in HCl In accordance with NIST	5301.00	100 ml
		8514.00	500 ml
030596 Zn (7440-66-6)	Zinc Metal Dust At. W.: 65.37 Assay (Zn Complexometric) 98.0%	1107.00	500 gm
		9000.00	5 kg
		POR	25 kg
		POR	50 kg
695305 Zn (7440-66-6)	Zinc Metal Dust AR At. W.: 65.37 Assay (Complexometric) 99.5%	1251.00	500 gm
		11880.00	5 kg
		POR	25 kg
		POR	50 kg
030598 Zn (7440-66-6)	Zinc (Metal) Granular At. W.: 65.37 Assay (Complexometric) 99.0%	1494.00	500 gm
		POR	25 kg
		POR	50 kg
695315 Zn (7440-66-6)	Zinc (Metal) Granular AR At. W.: 65.37 Assay (Complexometric) 99.7%	1647.00	500 gm
		POR	25 kg
		POR	50 kg
274685 Zn (7440-66-6)	Zinc Foil At. W. 65.38	1206.00	100 gm
		4802.00	500 gm
N96516 Zn (7440-66-6)	Zinc Nanopowder (100nm) At. W.: 65.37 Assay Zn 99.9+%	16200.00	5 gm
		48600.00	25 gm
	Zinc Metal Powder See Zinc (Metal) Dust		
274725 Zn (7440-66-6)	Zinc Wire, Dia (2mm) M. W.: 65.39	540.00	100 gm
695325 Zn (7440-66-6)	Zinc Wire, Dia (2mm) AR M. W.: 65.39	608.00	100 gm
030601 C ₄ H ₆ O ₄ Zn.2H ₂ O (5970-45-6)	Zinc Acetate Pure M. W.: 219.50 Assay (ex Zn Complexometric) 98-102%	801.00	500 gm
		POR	25 kg
		POR	50 kg
695415 C ₄ H ₆ O ₄ Zn.2H ₂ O (5970-45-6)	Zinc Acetate AR M. W.: 219.50 Assay (ex Zn Complexometric) 99.5%	1107.00	500 gm
274805 (10361-94-1)	Zinc Borate	1440.00	500 gm
		2205.00	1 kg

Product Code	Product Name	Price	Packing
030603 ZnBr ₂ (7699-45-8)	Zinc Bromide M. W.: 225.20 Assay 98.0%	2700.00	500 gm
030604 [ZnCO ₃] ₂ [Zn(OH) ₂] ₃ (5263-02-5/12539-71-8)	Zinc Carbonate Basic M.W.: 549.02 Assay (Acidimetric Zn) 58.0%	1008.00	500 gm
		POR	25 kg
		POR	50 kg
907580	Zinc Chloride CPECTROSOL® 0.1M Volumetric Solution In accordance with NIST	1400.00	1 lit
907590	Zinc Chloride 0.5M Solution In Tetrahydrofuran	6003.00	100 ml
		14094.00	500 ml
907592	Zinc Chloride CPECTROSOL® 0.5M Standardized Solution In accordance with NIST	1400.00	1 lit
030605 ZnCl ₂ (7646-85-7)	Zinc Chloride (Dry) Purified M. W.: 136.29 Assay (ex Zn Complexometric) 97.0%	630.00	500 gm
		1152.00	1 kg
		POR	25 kg
		POR	50 kg
695505 ZnCl ₂ (7646-85-7)	Zinc Chloride (Dry) AR/ACS M. W.: 136.29 Assay (by complexometry) 98.0%	950.00	500 gm
		POR	25 kg
		POR	50 kg
999000 ZnCl ₂ (7646-85-7)	Zinc Chloride for Molecular Biology M. W.: 136.29	2502.00	500 gm
TC1184 ZnCl ₂ (7646-85-7)	ATC Zinc Chloride Anhydrous Cell Culture Tested M. W.: 136.3 Assay : ≥97% Store below 30°C	1017.00	100 gm
		3011.00	500 gm
		4527.00	1 kg
TC1184M ZnCl ₂ (7646-85-7)	ATC Zinc Chloride Anhydrous Zinc(II) chloride, Zinc dichloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 136.29 Store below 30°C	1279.00	100 gm
		3627.00	500 gm
		5445.00	1 kg
274885 CrH ₂ O ₄ Zn (13530-65-9)	Zinc Chromate M. W.: 181.38	1305.00	500 gm
274915 Zn(CN) ₂ (557-21-1)	Zinc Cyanide M. W.: 117.42	1953.00	500 gm
	Zinc Dithiol See Toluene 3,4 Dithiol Zinc Derivative		
275005 ZnF ₂ (7783-49-5)	Zinc Fluoride Purified M. W.: 103.39 Assay 99.0%	1800.00	500 gm
	Zinc Foil See Zinc Foil		
907630	Zinc Iodide Starch Solution	198.00	100 ml
275095 ZnI ₂ (10139-47-6)	Zinc Iodide for Synthesis M. W.: 319.20 Assay 98.0%	2079.00	50 gm
		3906.00	100 gm

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

Product Code	Product Name	Price	Packing
030614 Zn(NO ₃) ₂ ·6H ₂ O (10196-18-6)	Zinc Nitrate Hexahydrate M. W.: 297.49 Assay (ex Zn) 96.0-103.0%	662.00 POR	500 gm 25 kg 50 kg
695595 Zn(NO ₃) ₂ ·6H ₂ O (10196-18-6)	Zinc Nitrate Hexahydrate AR M. W.: 297.49 Assay (Complexometric) 99.0%	900.00	500 gm
275145 ZnC ₂ O ₄ ·2H ₂ O	Zinc Oxalate M. W.: 189.41 Assay 98.0%	684.00	250 gm
030617 ZnO (1314-13-2)	Zinc Oxide Pure M. W.: 81.39 Assay (Complexometric; calc. on ignited basis) 99.0%	855.00 1602.00 7506.00 POR POR	500 gm 1 kg 5 kg 25 kg 50 kg
695605 ZnO (1314-13-2)	Zinc Oxide AR M. W.: 81.39 Assay (Complexometric; calc. on the ignited basis) 99.0-100.5%	1009.00	500 gm
N96850 ZnO (1314-13-2)	Zinc Oxide Nanoparticles/ Nanopowder (Spherical) (20-30nm) M. W.: 81.39 Assay 99.8%	4370.00 6570.00 27270.00	25 gm 100 gm 500 gm
N96872 ZnO (1314-13-2)	Zinc Oxide Nanopowder (100-200nm) M. W.: 81.39 Assay ZnO 99.9+%	2178.00 4370.00 6570.00 27270.00	5 gm 25 gm 100 gm 500 gm
275225 C ₁₀ H ₈ N ₂ O ₂ S ₂ ZN (13463-41-7)	Zinc Pyrrithione M. W.: 317.7 Assay 97.0%	1000.00 1800.00 3600.00	25 gm 100 gm 500 gm
275265 *	Zinc Perchlorate M. W.: 372.36 Assay 99.0-101.0%	POR POR POR	500 gm 5 kg 25 kg
695695 *	Zinc Perchlorate AR M. W.: 372.36 Assay 99.0-101.0%	3105.00 10944.00	100 gm 500 gm
030615 Zn ₃ (PO ₄) ₂ (7779-90-0)	Zinc Phosphate Puram M. W.: 386.11 Assay 98.0%	846.00	500 gm
275325 ZnSe (1315-09-9)	Zinc Selenide Electronic Grade M. W.: 144.35 Assay (trace metal basis) 99.9%	8730.00	25 gm
695735 ZnSeO ₃ (13597-46-1)	Zinc Selenite AR M. W.: 192.35	1980.00 POR	100 gm 1 kg
275445	Zinc Silicofluoride for Synthesis	594.00	500 gm
275510 (C ₁₇ H ₃₅ COO) ₂ Zn (557-05-1)	Zinc Stearate M. W.: 632.34 Assay (as Zn) 10.0-12.0%	720.00	500 gm
030621 ZnSO ₄ ·7H ₂ O (7446-20-0)	Zinc Sulphate Heptahydrate Purified (Zinc sulphate-7-hydrate) M. W.: 287.54 Assay (Complexometric) 99.0%	441.00 702.00 2907.00 POR	500 gm 1 kg 5 kg 25 kg

Product Code	Product Name	Price	Packing
695835 ZnSO ₄ ·7H ₂ O (7446-20-0)	Zinc Sulphate AR/ACS (Zinc sulphate-7-hydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 287.54 Assay (Complexometric) 99.5%	531.00 3870.00 POR POR	500 gm 5 kg 25 kg 50 kg
030622 ZnSO ₄ ·H ₂ O (7446-19-7)	Zinc Sulphate (Dried) Monohydrate M. W.: 179.45 Assay (complexometric) 99-100.5%	612.00 POR POR	500 gm 25 kg 50 kg
999050 MB	Zinc Sulphate Heptahydrate For Molecular Biology M. W.: 287.56 Assay : ≥ 99.5% Store Below 30°C	621.00	500 gm
PCT1118 PTC	Zinc Sulphate Heptahydrate Plant Culture Tested M. W.: 287.56 Assay 99% Store below 30°C	972.00 1755.00	500 gm 1 kg
TC1131 ATC	Zinc Sulphate Heptahydrate Cell Culture Tested M. W.: 287.56 Assay : ≥99.5% Store below 30°C	1504.00 3173.00	100 gm 500 gm
TC1131M ATC	Zinc Sulphate Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications M. W.: 287.56 Store below 30°C	2070.00 4266.00	100 gm 500 gm
908500	Zinc Sulphate CPECTROSOL® 0.05M Standard Solution HNO ₃ In accordance with NIST	1400.00	1 lit
908510	Zinc Sulphate CPECTROSOL® 0.1M Standard Solution HNO ₃ In accordance with NIST	1400.00	1 lit
908505	Zinc Sulphate 0.05 mol/L Volumetric Solution	720.00 1323.00 1981.00	500 ml 1 lit 2.5 li
908508	Zinc Sulphate CPECTROSOL® 0.05M Standardized Solution In accordance with NIST	1400.00	1 lit
908515	Zinc Sulphate 0.1 mol/L Volumetric Solution	540.00 990.00 1485.00	500 ml 1 lit 2.5 lit
908518	Zinc Sulphate CPECTROSOL® 0.1M Standardized Solution In accordance with NIST	1400.00	1 lit
908520	Zinc Sulphate 0.1 mol/L (0.1M) For 500 ml Solution (Ampoule Packing)	396.00 617.00 1215.00	1 Amp 3 Amp 6 Amp
908530	Zinc Sulphate Solution 0.05M acc. to USP	765.00	500 ml
030623 ZnS (1314-98-3)	Zinc Sulphide M. W.: 97.46 Assay (ex Zn) 98.0%	2700.00	500 gm

Z

Laboratory Chemicals

Storage : ● 0-4°C ▲ 2-8°C
* Delivery Period 4-6 Weeks
* Supply Against Licence
⊗ Supply Only to End User

Z

Laboratory Chemicals

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
369935	Zinc Sulphide Special Grade ZnS (1314-98-3)	12060.00	500 gm	N97083	Zirconium Oxide Nanopowder (10-20nm) ZrO ₂ (1314-23-4)	3627.00 9342.00 42570.00	25 gm 100 gm 500 gm
275725	Zinc Sulphite H ₂ O ₃ SZn (13597-44-9)	1602.00	500 gm		Zirconium (IV) Oxynitrate See Zirconyl Nitrate		
275785	Zinc Tartrate C ₄ H ₆ O ₆ Zn (551-64-4)	2691.00	500 gm	030630	Zirconium Oxychloride (Zirconyl Chloride) ZrOCl ₂ .8H ₂ O (13520-92-8)	450.00 1404.00	100 gm 500 gm
330295	Zincon AR C ₂₀ H ₁₅ N ₄ O ₆ SNa (62625-22-3)	950.00 4500.00	1 gm 5 gm	696365	Zirconium Oxychloride AR Octahydrate for Fluorine Determination ZrOCl ₂ .8H ₂ O (13520-92-8)	1998.00	100 gm
275015	Zirconium Metal 100 mesh Zr (7440-67-7)	9189.00 12060.00 36000.00	25 gm 100 gm 500 gm	276195	Zirconium Silicate Extra Pure ZrSiO ₄ (10101-52-7)	1008.00 3501.00	250 gm 1 kg
276015	Zirconium (IV) Carbonate Basic CH ₂ O ₇ Zr ₂ (57219-64-4)	603.00 2502.00	100 gm 500 gm		Zirconyl Chloride See Zirconium Oxychloride		
030627	Zirconium Dioxide Calcined ZrO ₂ (1314-23-4)	2853.00	500 gm	276145	Zirconyl Nitrate tech. ZrO(NO ₃) ₂ .XH ₂ O (14985-18-3)	1503.00 6993.00	100 gm 500 gm
696305	Zirconium Dioxide AR ZrO ₂ (1314-23-4)	3002.00	500 gm	K132005	ZN Acid Fast Stains Kit	725.00	Kit

Bioshell
DISINFECTANTS

Hand Wash
HWS09


 500 ML
5 LIT

BIOSHELL HAND WASH is formulated with antimicrobial agents ensuring highest level of cleansing, using it everyday protects hands from germs and helps keep them hygienically clean and refreshed. Wash hand properly with Bioshell and help keep your family healthy.

ATC : Animal Cell Culture
MB : Molecular Biology
PTC : Plant Tissue Culture

SILROX - 10™
ED009

Advanced Hydrogen Peroxide
Silver Stabilized Solution


 1 LIT
5 LIT
25 LIT

Salient Features

- Eco-friendly as the breakdown products are water and oxygen
- Remains active and stable for longer periods
- Causes no irritation to skin or eyes
- Non pollutant and biodegradable

272

Ethyl Alcohol
Hand Sanitizer

Kills 99.99% of Germs

HAND SANITIZER
HWG09



Packing

 50 ml / 500 ml
5 Lit


Storage : ● 0-4°C ▲ 2-8°C
✱ Delivery Period 4-6 Weeks
⊗ Supply Only to End User



CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
001120	001175	015141	005170	024267	247075	024395	216820
001600	001705	015173	216805	024268	245550	024396	216745
001620	001735	015191	082315	024273	237315	024397	216755
001820	001885	016149	085375	024274	237855	024398	216725
004000	004065	016905	160935	024277	252425	024399	215745
004100	280725	019059	131105	024282	238675	024404	216665
004300	281305	019094	875085	024283	238475	024445	205910
004530	281455	020009	063785	024284	323185	024446	205255
004550	004575	020021	287575	024286	245530	024447	205295
005100	005145	020026	290295	024287	245825	024448	205215
005200	005325	020027	290305	024288	242945	024449	205235
005400	005425	020031	290625	024290	343395	024492	215505
007300	281995	020049	296395	024293	342935	024497	215075
007350	007550	020060	304205	024294	242025	024498	318335
007550	007350	020065	306205	024295	056290	024500	205200
008175	008235	020071	306585	024296	244265	024565	025145
008250	008405	020072	306725	024297	243755	024615	025165
009685	009645	020075	307915	024298	244235	024627	198435
009925	010025	020076	308285	024304	320605	024629	196215
009950	010075	020088	313775	024309	225685	024630	197035
009965	010115	020102	317895	024310	225645	024634	195705
009975	010165	020114	322895	024313	225665	024638	195425
010714	289715	020127	076955	024314	222815	024641	051725
010910	297085	020215	020315	024318	225705	024642	192855
010975	282485	021217	021625	024319	224090	024643	194955
011275	011285	021930	146485	024320	222395	024644	194935
011285	011275	021955	284845	024321	222925	024645	192635
011612	138185	022105	022005	024323	219615	024646	192075
011695	282685	022205	022225	024325	221760	024647	198535
011725	282835	022225	022245	024326	221455	024648	185505
011915	011865	022475	022535	024327	221745	024649	185535
011990	012065	022565	022625	024332	219745	024650	191855
012009	183145	022675	022805	024336	218705	024651	196465
012010	183165	022775	045885	024342	225130	024654	196820
012095	012115	023039	Di2160	024343	218355	024658	196995
012325	241025	023505	023555	024344	223065	024659	198715
012685	012585	023794	274885	024345	223045	024660	196295
012885	012725	023795	274805	024346	223025	024661	Pa1505
013005	280865	023796	275145	024347	223005	024662	195725
013006	281015	023797	274685	024349	220030	024663	188425
013046	075905	023799	345355	024350	217725	024665	188385
013053	078375	023935	284985	024354	217385	024666	188305
013063	292695	023985	333565	024356	217375	024667	187990
013079	117655	024001	001855	024357	217700	024668	199425
013090	309925	024014	185975	024359	217645	024669	190810
013120	319955	024148	261995	024360	224575	024670	190205
013405	283315	024159	262085	024361	216735	024671	188505
013795	283455	024160	261385	024362	217805	024672	190785
013895	283595	024195	257365	024363	217875	024673	199485
013900	283645	024230	243395	024366	216775	024674	190800
013905	283695	024234	240605	024369	215925	024675	190775
014028	121580	024237	239635	024379	217845	024678	184720
014611	701005	024249	250645	024380	215865	024682	312865
014615	197105	024250	249045	024381	215835	024683	197425
014623	729720	024254	246915	024382	215805	024685	188025
014627	775785	024255	246115	024383	215895	024691	183545
014628	780300	024256	245635	024384	215605	024791	177105
014630	716990	024257	245620	024385	216845	024792	178520
015003	005195	024258	245605	024386	218805	024796	176445
015020	093850	024259	248785	024387	216315	024798	353965
015025	046035	024260	251865	024388	216825	024799	178340
015042	281895	024261	323095	024390	216835	024836	069415
015067	356235	024263	242745	024391	216815	024873	169555
015139	005185	024265	246960	024392	218455	024875	309145
015140	005180	024266	245740	024394	216850	024876	869100



CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
024877	171745	025345	105395	025651	071485	025790	045545
024879	172885	025346	103935	025652	070895	025791	045425
024883	172795	025347	107555	025686	050745	025792	043215
024885	169145	025349	107435	025688	043965	025793	049585
024886	169675	025353	104665	025690	815000	025795	051445
024887	170170	025356	104305	025691	198425	025796	041355
024889	166335	025362	106905	025693	194165	025798	042630
024893	168425	025368	107590	025694	042570	025835	104615
024894	171935	025432	296715	025695	055875	025839	025005
024896	170085	025433	096755	025696	041615	025841	285375
024897	308845	025437	096865	025697	041425	025847	035105
024898	167780	025442	095810	025698	041275	025851	028045
024925	025445	025443	093525	025700	052955	025853	286255
024953	144215	025444	093645	025701	052965	025854	285965
024957	152560	025445	097425	025702	052975	025855	027995
024960	160525	025446	093635	025703	053025	025860	021695
024963	145270	025449	093615	025704	053035	025865	022755
024964	144180	025450	093495	025705	053225	025867	033515
024970	152855	025515	085595	025706	054185	025869	020395
024971	144830	025520	085255	025707	054325	025870	020685
024972	149795	025521	085155	025709	055305	025873	022335
024974	149780	025522	084685	025712	055785	025874	020810
024976	161785	025525	085610	025714	D1095	025876	020720
024977	154655	025526	085525	025715	D1100	025877	025185
024978	145125	025527	083435	025716	D1105	025882	019895
024979	147895	025528	082295	025717	043755	025883	023505
024982	149920	025529	293875	025719	348635	025885	027455
024986	154555	025532	083635	025720	042600	025890	032655
024987	152635	025533	085915	025725	056165	025892	033605
024988	147355	025534	087855	025727	056005	025893	032715
024989	160635	025535	085725	025732	052285	025898	020255
024990	339195	025536	087765	025733	049345	025899	020275
024991	147135	025537	087585	025739	044215	025910	012495
024992	160490	025538	084525	025744	042015	025911	008315
024997	155965	025539	349325	025745	041885	025912	008285
024998	149635	025540	082730	025746	055125	025913	006470
025040	137835	025541	082720	025748	054485	025917	006825
025043	134525	025542	082780	025749	054455	025919	010005
025044	134745	025543	085945	025750	054425	025923	012665
025049	136985	025544	082180	025751	045225	025926	011805
025051	136575	025545	084975	025753	053825	025929	009695
025053	139315	025570	063805	025759	054375	025940	011915
025055	136545	025597	064265	025760	054355	025941	005975
025056	137725	025600	820050	025762	058985	025945	001115
025065	025465	025601	063995	025763	041905	025946	001055
025070	303235	025604	065855	025764	055955	025951	333065
025100	130915	025605	064995	025766	054055	025952	333085
025222	125095	025607	071975	025767	042075	025954	282335
025223	125725	025614	074395	025768	042815	025955	280425
025233	127020	025615	078865	025769	041995	025957	009915
025234	126785	025617	077985	025770	053655	025959	009945
025264	177555	025618	071425	025771	053815	025961	004680
025322	113880	025620	078715	025772	053675	025963	007595
025325	107335	025626	066435	025773	814350	025967	154605
025329	117335	025627	074615	025774	052245	025968	012545
025330	118265	025631	080400	025775	053975	025969	004005
025331	117350	025634	071685	025776	333665	025974	002635
025332	117330	025635	067355	025777	051855	025975	002865
025333	117325	025636	069275	025781	045445	025979	009985
025334	113555	025638	069230	025782	053205	025981	004375
025336	106455	025640	292405	025783	044935	025984	004605
025337	117620	025642	064245	025784	052755	025985	027415
025340	111445	025644	072975	025785	047535	025986	K001015
025342	110085	025645	072965	025787	045825	025988	009405
025344	110035	025648	064705	025789	045535	025989	009845

CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
025991	009955	027505	124715	029811	137385	034016	288885
025992	124615	027520	033130	029825	185275	034017	289025
025994	009635	027528	125335	029826	185445	034020	289615
025998	001295	027598	042550	029827	185475	034021	289865
025999	333005	027614	042505	029828	286855	034022	290065
026017	011585	027625	285875	029842	185150	034024	290555
026019	011930	027645	044295	029848	034295	034025	293605
026022	021375	027673	183835	029855	168010	034026	293665
026034	042035	027675	286065	029861	196175	034027	293725
026035	042115	027706	082405	029864	193705	034029	294325
026039	025925	027728	051045	030045	216190	034030	296205
026041	043005	027755	053045	030060	216790	034031	297225
026048	045855	027832	027945	030119	218780	034032	297325
026065	063155	027874	052985	030132	219515	034033	298245
026079	071445	027875	057235	030156	219885	034034	298405
026091	071405	027882	009685	030181	218580	034041	302335
026094	093235	027898	004035	030183	218605	034042	303375
026096	093695	027921	045975	030355	238425	034043	303555
026099	093960	027925	170545	030573	194765	034045	296175
026105	105915	027929	044425	030574	270045	034046	305415
026106	106585	027932	085555	030632	D1065	034047	305655
026152	221415	027935	028095	030636	222205	034048	305795
026157	195475	027946	035635	030668	214075	034055	308055
026165	195945	027984	053755	030671	214685	034058	309005
026176	218850	028016	085135	030693	238875	034059	309165
026186	221755	028021	085295	030713	237440	034061	310145
026190	221795	028023	085315	030719	222535	034062	311475
026198	238825	028024	085275	030726	223795	034063	311485
026212	247525	028026	085405	030733	219145	034064	314775
026214	246975	028035	028145	030734	219815	034066	318475
026222	276145	028189	292055	030775	032965	034067	319375
026230	168145	028245	028245	032405	032250	034069	320655
026265	281745	028268	078925	032425	032295	034070	320715
026465	025010	028296	085545	032705	032865	034071	320555
026485	025055	028406	296875	032805	032895	034074	320865
026545	025125	028409	296985	033001	001025	034077	323575
026595	025205	028425	075595	033003	333105	034078	324105
026615	025225	028523	115825	033004	333025	034079	325905
026645	025265	028524	115915	033017	021285	034080	326805
026750	025365	028585	156945	033018	021295	034081	328145
026790	025385	028612	070545	033028	045645	034088	312815
026810	025405	028641	066635	033032	046155	034095	283175
026970	025705	028643	025605	033033	062525	034106	289915
027011	074165	028664	045315	033034	046175	034115	294905
027041	280135	028672	085645	033053	096515	034121	296685
027043	280275	028683	117340	033059	131015	034131	308985
027060	025725	028691	092940	033062	131395	034134	313055
027078	137465	029024	134825	033069	134155	034150	321765
027119	251235	029086	144115	033081	192665	034184	308755
027126	282135	029089	144120	033083	198665	034687	063745
027199	218295	029128	338625	033106	217965	035145	035065
027200	285735	029169	148705	033122	236935	035200	035085
027211	124575	029254	160135	033134	045195	036004	019985
027212	124595	029438	199465	033135	112840	036029	080415
027392	027255	029452	126575	033151	217325	036061	351205
027395	027285	029469	248665	033180	333045	036063	348865
027400	027300	029477	186315	033215	107775	036080	D1815
027405	027305	029693	126825	033216	117905	037001	044625
027411	027505	029694	197405	033218	D12007	037115	106855
027415	027365	029724	126865	033220	348385	037137	190630
027423	027890	029739	185415	034003	282535	037190	012295
027425	027895	029744	183085	034006	283745	037218	058585
027459	030350	029752	192885	034007	283795	037221	113170
027460	030355	029764	756425	034010	285435	039013	064725
027491	031595	029791	194664	034015	286155	039016	104835



CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
039029	183815	044184	109885	056240	056270	116255	116195
039030	183865	044205	167760	058585	059285	116505	116685
039031	183955	044207	172975	060112	218680	120940	351185
039032	185000	044211	079335	062905	063035	121205	848910
039039	214745	044290	044375	065905	291475	124215	124315
039041	251935	044306	327705	066036	022585	125530	127175
039042	252005	044308	240875	066041	023755	126325	136035
039045	257465	044310	290165	066042	023805	126435	126475
039095	137045	044324	107360	066071	045405	131005	302145
040007	022425	044328	290195	066082	049995	131405	131575
041007	105975	044464	883460	066277	183220	134955	134865
042058	122395	044493	046090	066278	183250	137285	303745
042059	107520	044494	046095	066280	183465	137315	303885
042060	118515	044505	161365	066298	192695	137345	303975
042066	002955	044510	195145	066300	193364	138415	338165
042072	059085	044514	223845	066311	127125	138805	138865
042090	054585	044515	105325	066320	219395	145500	305115
042097	002925	044516	340595	066323	220170	146745	146805
043011	052475	044517	043775	066325	219465	146905	146975
043033	197145	044575	237255	068875	069865	146985	147015
043405	043585	044665	289195	071545	071575	147525	305275
043565	043595	044695	815160	071585	071605	147655	339215
043825	043765	045011	027205	072095	071995	147705	864300
044004	918730	045100	348615	073025	316515	148505	149095
044005	241965	045155	289285	073405	078885	148595	148995
044006	012625	045204	257215	073505	078965	149385	149485
044011	024060	045206	009940	077125	077055	149515	149395
044016	044925	045275	045395	079525	079555	153295	153385
044017	044915	045370	045435	080195	080225	154755	154805
044018	044945	045635	045695	083825	083855	154805	154850
044020	044885	045750	045795	085415	085175	155795	305925
044023	056525	046032	251245	085425	085235	156555	306065
044037	086100	046060	041955	085535	085560	157515	156580
044043	095885	049190	049205	085585	085660	157525	156600
044045	103795	049285	052435	085635	085675	159315	191335
044047	104565	051000	051095	085775	085930	159435	191365
044068	168835	051845	051755	085920	085960	159785	306415
044069	168895	052725	289525	085955	085995	159955	159985
044073	131305	053145	053055	087605	294625	160155	160115
044074	042520	054001	160680	088215	294765	160205	160350
044075	340615	054004	160785	092265	295815	160461	160610
044086	199455	054010	160835	092295	295875	160485	160585
044088	214725	054015	160900	092325	295935	167085	308195
044089	214735	054035	054135	092365	296085	169075	309395
044092	215955	054185	054215	092465	296255	171495	355575
044095	222945	054400	818205	092795	009705	172925	136085
044099	245085	054410	818215	093000	010065	173035	310095
044103	257065	054420	818225	094385	094295	174900	311295
044108	043795	054525	107725	098011	045555	176915	176875
044109	023955	054865	055225	099800	214845	177190	347005
044110	246945	054985	055285	099900	239225	177210	347235
044117	001085	055009	045585	104945	104995	177215	347695
044120	191985	055011	045595	104965	105095	177245	349095
044127	025755	055014	045605	104995	104945	177285	350245
044130	238275	055036	245780	105685	105755	177305	352585
044133	023905	055046	216345	105995	106035	177325	353045
044141	149240	055128	045615	106295	106285	177395	354655
044143	148195	055150	055355	106955	298875	177425	354195
044145	220040	055335	055535	110215	299775	178200	340135
044147	110685	055865	055925	112405	112595	183840	183925
044149	079435	056002	222985	112460	112485	183890	183985
044155	027580	056003	027755	113460	113655	183985	001205
044158	237195	056007	077505	113505	113715	184265	184426
044159	083205	056011	D1055	113535	113735	184268	184406
044164	161315	056023	056300	114635	114705	184282	184326



CROSS REFERENCE FOR NEW PRODUCT CODE

Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code	Old Product Code	New Product Code
184290	184386	245265	245730	522550	294185	834730	K027015
184294	184346	245625	245810	529870	296935	834731	K027025
186435	314285	245725	245835	535205	298265	834732	K027030
186455	314145	249725	249975	545445	299935	835210	K027725
186665	186705	249865	249175	546025	301045	839600	DI811
189325	189355	249875	249825	546125	300845	839610	DI813
191855	356465	249915	249225	550105	301245	840050	K032015
193215	193218	251245	251265	582025	305565	840051	K032020
193218	193215	251945	323905	585205	305875	849990	DI1800
193238	193241	251965	323915	586085	306275	849995	DI1900
193241	193238	251985	323965	586125	306565	863460	K062015
193301	193305	269050	269785	587185	306875	863461	K062025
193304	193310	269135	269825	587445	307025	866222	K063035
193310	193300	269265	270445	592735	308465	866224	K063015
194560	194564	269285	270405	592855	308375	866320	K063025
194564	194560	269305	270425	593630	308615	868500	K069015
195005	314915	269475	270855	594955	309545	868501	K069025
196095	196025	271875	345235	596545	309705	868503	K064025
196225	196195	271895	345385	596575	309745	871402	874055
196245	196065	271900	345325	596585	309785	875510	875650
196355	196155	272115	358765	596895	309935	887390	K094005
196505	196105	275265	275325	596905	309995	887391	K094015
196995	177015	276105	276195	596915	310025	890290	896300
197385	197445	335105	024665	604495	312585	893520	K095515
198565	341095	343795	054935	604525	312625	893560	K095525
198695	315055	355001	074915	604585	313255	893565	K095535
199625	315455	452905	280585	606025	313545	893570	K095545
199645	315475	452910	280875	606035	313585	893675	K095555
205615	316375	453645	281165	606415	313945	897590	892455
206140	316605	455735	282145	606420	314005	902500	901735
206145	316695	457535	282345	607005	314435	902592	901855
215685	215705	459085	282695	609515	314585	902610	901875
216715	216985	459095	282845	621295	315205	902630	901895
216740	216795	459635	282995	621425	315365	902950	K114115
216750	216875	459725	283035	632635	317605	902952	K114035
216905	216765	461865	284705	632795	317755	902954	K114055
216995	216785	464265	285135	632840	318095	902958	K114045
217272	217455	464355	285235	632855	318245	902960	K114025
217275	217435	465805	285595	643065	319575	902962	K114005
217563	217715	467695	286395	645745	319665	902964	K114015
217675	217475	467715	286425	646235	319815	902966	K114095
217745	217675	467885	286615	658915	322125	902968	K114065
219500	219505	467995	286765	659325	322225	902970	K115125
219875	219905	468705	287015	660375	322605	902972	K114075
220045	892215	468805	287225	660655	322755	902974	K114085
221425	221375	469215	287375	660695	323045	902976	K114105
221605	221730	469395	287525	661135	323335	907490	K129005
221615	221715	478455	288495	661225	323435	909810	K132005
221765	221775	489595	288645	665335	323725	909811	K132015
222765	320175	489685	288745	677925	321975	924300	926010
225795	225850	490115	289055	687035	327855	941550	942020
226605	329385	494515	289435	687125	328005	950500	951290
238045	238325	496360	289725	687175	328295	970700	875030
238135	238375	498470	290355	695925	330295	970750	875050
238270	238450	498495	290415	752270	865090	970770	875040
238285	238525	499345	290575	752320	865110	970800	875060
239395	239695	508665	291625	752370	865130	970820	875070
242725	322365	508805	291775	802390	K000495	002500	280285
242945	322455	511785	291915	802391	K000505	H09855	009855
244305	244255	513305	292065	812500	K005005	012465	H04065
244465	244485	513350	292165	814810	K010005	020720	020715
244485	244465	513375	292265	814811	K010015	027455	030085
244735	244865	517225	292705	818700	K012305	027580	042055
244865	897815	522415	293885	834265	805150	042035	107385
245245	245710	522505	294035	834270	805155	542810	542815
				042055	257615	113445	845056
				188425	188445	113450	845058
				030085	217705	025228	126715



CE Certified
ISO 13485:2016

microgen culture media products are made of high quality ingredients so as to produce maximum good results as expected by our customers. It is of great significance to know the functions and reactions of a particular ingredient and its interaction with other ingredients in a media. Here arises the necessity of strict evaluation of the ingredients.

In *microgen* each and every ingredient undergoes thorough testing prior to manufacturing by our well-equipped and highly efficient quality control department. Maximum quality control measures are taken throughout the manufacturing process to give the desired results. It will be our greatest effort to provide products of maximum attainable quality to our customers.

We serve a wide range of culture media products to meet the various requirements of Dairy, Pharmaceuticals, Veterinary, Cosmetics, Water Treatment, Public Health and Medical Microbiology departments.

dehydrated culture media
media bases & supplements





MICROBIOLOGY

Microbiology Products Comprehensive range of dehydrated culture media and ready prepared media in standard pack size & customized for bulk supply.

Product	Prefix	Page
Ready Prepared Media	PM	276-286
Dehydrated Culture Media	DM	287-323
Media Supplements	MS	324-337
Culture Media Bases	BC/BA	338-342
Antimicrobial Susceptibility Systems	EM/MD/SD HX/OD/DE/IC	343-386
Cell Biology	AL/AT/IML/IM/ID/TS/AL***G RSL/TCL/AO/TS/TL/AC/ACL/TC VA/SFM/RSL/CCK/MS	387-441
Plant Tissue Culture	PT/FD/TS/PL/VP/TP/PCT	442-478
Molecular Biology Chemicals		479-492
Stains/Readymade Staining solution	K	493-498
Laboratory Disinfectant & Detergent For Medical Industrial, Domestic	DI/FW	499-501



READY PREPARED MEDIA MICROBIOLOGY PRODUCTS

Ready Prepared Media can meet your quality control and research needs, to enable right detection of microorganisms.

Product	Prefix	Page
• Prepared Media Plates	PM	276-280
• Ready Prepared Media in 55 mm Scored Polystyrene Plates 55mm Equivalent to RODAC Plate	PS	281
• Ready Prepared Media in Scored Polystyrene Petri Plate (For Environmental Sampling)	PM/PS	282
• Ready Prepared Media in Polystyrene Agar Plates with β-Lactamase	PM/PS	282
>> 90 mm Ready Prepared Plates with β -Lactamase	PM	282
>> 55 mm Ready Prepared Scored Plates with β -Lactamase	PS	283
• Ready Prepared Solid Media in Glass Bottels	SM	284
• Ready Prepared Liquid Media in Glass Bottels	LQ	285
• Ready to Use Wash Solution	LQ	286
• Ready to Use Media for Microbial Limit Test	LQ	286



READY PREPARED MEDIA MICROBIOLOGY PRODUCTS

- Highest level of quality performance
- Consistent quality
- Time and Cost saving
- Economical

PREPARED PLATES

- Assured sterility by γ -irradiation sterilization process
- Sterile gamma irradiated, triple wrapped, water impermeable packaging
- Primary packing impermeable to H_2O_2

FACILITIES

- State-of-the-Art manufacturing facility



label specimen



FOR LABORATORY USE ONLY
NOT FOR DRUG USE

your partner in research since 1981

DM 1011H ← Product Code

Net Content 500 gm

**Soyabean Casein Digest Medium
(Casein Soyabean Digest Broth)**

For cultivation of a wide variety of microorganisms and for sterility testing of moulds and lower bacteria in accordance with Indian Pharmacopoeia.

FORMULA:

Pancreatic digest of casein	17.000
Papaic digest of soyabean meal	3.000
Sodium chloride	5.000
Dipotassium hydrogen phosphate	2.270
Dextrose monohydrate	2.500
pH after sterilization (at 25°C)	7.3 ± 0.2

DIRECTION : Suspend 29.77 gms of dehydrated medium of powder media in 1000 ml purified / distilled water. Shake well & heat if necessary to dissolve the medium completely. Dispense as desire. Sterilize by autoclaving at 15 lbs pressure 121°C for 20 minutes.

Received

Opened

Specified expiry period applies if container stored as directed in intact condition only.
Important : On completion of work all used or unusable preparations of this product and derivatives thereof are to be disposed off by autoclaving and/or by incineration.

Mfd. : June 2023

Best before : May 2026

Batch No. ←

Usage

Direction to use

Use before

Manufacturing Date

Product Name

Formula

ISO 9001 : 2015 | 14001 : 2015 | WHO GMP | CE
45001 : 2018 | 13485 : 2016

Central Drug House (P) Ltd.
Corp. Office: 7/28 Vardaan House, Daryaganj, Delhi-110002 (INDIA)
Mfg Unit: Plot No. D-2/CH/9, Dahej-2, GIDC, Gujarat
Customer care : care@cdhfinechemical.com

For COA & MSDS please logon www.cdhfinechemical.com

PRODUCT DOCUMENTATION

Certificate of Analysis :

For any given product and its batch number, a COA can be requested for.

Material Safety Data Sheet :

To ensure proper handling and storage of the product, MSDS is also available for each Microgen media product.

Specification Sheet :

Product specifications may vary from those printed on the specification manual. To obtain the latest updated information for any product that you wish to purchase, kindly request a specification sheet or simply log on to our website and download copy.

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PM 1491	Anaerobic Agar (Brewer) Plate for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology.	3123.00	50 plts	PM 1074	*Brucella Agar Plate for selective isolation and cultivation of Brucella or Campylobacter species from clinical and non clinical specimens.	910.00 3834.00	10 plts 50 plts
PM 1975A	*#Anaerobic Blood Agar Plate for cultivation of anaerobic microorganisms including very fastidious organisms from clinical Specimens.	1827.00 3870.00	20 plts 50 plts	PM 2039	*#Brucella Agar Plate with Hemin & Vitamin K1 used for the isolation and cultivation of Brucella Species.	2016.00 4527.00	20 plts 50 plts
PM 2345	*#Anaerobic Blood Agar Plate w / Neomycin For isolation and cultivation of group A and group B Streptococci from throat cultures and other clinical.	914.00 3870.00	10 plts 50 plts	PM 2640	*Burkholderia Cepacia Agar Plate for selective isolation of Burkholderia cepacia from clinical sample	2170.00 4734.00	20 plts 50 plts
PM 1043	*Baird Parker Agar Plate for the isolation and enumeration of coagulase positive Staphylococci from food and clinical Sample.	1575.00 3555.00	20 plts 50 plts	PM 1792	C.L.E.D. Agar w/ Bromothymol Blue Plate for isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	1440.00 3250.00	20 plts 50 plts
PM 18131	*BCYE Agar Plate For selective isolation and cultivation of Legionella species from cooling towers, clinical and other materials. The composition and performace criteria of this medium are as per the specifications laid down in ISO 11731:2017	3510.00	50 plts	PM 6208	*# CNA Agar Plate with 5% Sheep Blood for selective isolation of pathogenic gram positive cocci from clinical and non clinical Specimens	3114.00	50 plts
PM 6383	*BCYE Selective Agar Plate for selektiv isolation and cultivation of Legionella.	810.00 3510.00	10 plts 50 plts	PM 1994	*#Campylobacter Agar Plate for selective isolation of Campylobacter species from faecal specimens, food and environmental Specimens.	2016.00 4527.00	20 plts 50 plts
PM 1972	Bile Esculin Agar Plate for differential isolation and presumptive identification of group D Streptococci in food and pharmaceutical products.	810.00 3816.00	10 plts 50 plts	PM 1024	Cetrimide Agar Plate for selective isolation of Pseudomonas aeruginosa from clinical specimens.	1503.00 3385.00	20 plts 50 plts
PM 1493	Bile Esculin Azide Agar Plate selective medium used for isolation and presumptive identification of faecal Streptococci.	3555.00	50 plts	PM 1024H	Cetrimide Agar Plate for the selection and subculture of Pseudomonas aeruginosa in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
PM 1217	Bi.G.G.Y. Agar Plate (Nickerson Agar Plate) For detection, selective isolation, differentiation and presumptive identification of Candida albicans and Candida tropicalis.	1638.00 3452.00	20 plts 50 plts	PM 1024HT	Cetrimide Agar Plate (Triple Pack) for usage refer PM1024H	1314.00	10 plts
PM 6304	*#Blood Agar Plate w/ Gentamicin (5mcg/plate) for selective isolation of Streptococcus Pneumoniae	1620.00 3411.00	20 plts 50 plts	PM 1024GT	Cetrimide Agar Plate (γ irradiated) (Triple pack) for usage refer PM1024H	1656.00 3902.00	20 plts 50 plts
PM 1211	BHI Agar Plate for cultivation of fastidious pathogenic bacteria, yeasts and moulds	1252.00 2547.00	20 plts 50 plts	PM 1103	*Chocolate Agar Plate for isolation of Neisseria gonorrhoeae from chronic and acute cases of gonococcal infections.	1530.00 3452.00	20 plts 50 plts
PM 6380	*#BHI Agar Plate w/Blood for cultivation of fastidious pathogenic bacteria requiring to blood for growth.	910.00 4113.00	10 plts 50 plts	PM 6333	*Chocolate Agar Plate w/ Bacitracin for selective isolation of Neisseria gonorrhoeae from chronic and acute cases of gonococcal Infections	4420.00	50 plts
PM 6381	*BHI Agar Plate w/Vancomycin for selective isolation of vancomycin resistant enterococci.	747.00 2710.00	10 plts 50 plts	PM 1144H	Columbia Agar Plate for the selection and subculture of Clostridium sporogenes in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
PM 6382	*#BHI Blood Agar Plate w/Vancomycin for selective isolation of fastidious Vancomycin resistant Enterococcus (VRE) species.	990.00 4158.00	10 plts 50 plts	PM 1144	*#Columbia 5% Sheep Blood Agar Plate for isolation and cultivation of fastidious Organisms.	1827.00 4122.00	20 plts 50 plts
PM 1175SB	*# Bordet Gengou Agar Plate w/ 25% Sheep Blood for detection and isolation of Bordetella pertussis and Bordetella parapertussis.	1332.00 6120.00	10 plts 50 plts	PM 1160	D.C.L.S. Agar a selective medium used to detect and isolate Salmonella and Shigella species. Also useful for isolation of Vibrio cholerae.	855.00 3385.00	10 plts 50 plts
PM 1016	*Brilliant Green Agar Modified Plate for selective isolation of Salmonellae other than Salmonella Typhi from faeces, food dairy products.	783.00 3385.00	10 plts 50 plts	PM 2419	*DNase Test Agar Plate w/Methyl Green for detecion of deoxyribonuclease activity of bacteria and fungi and especially for identification of pathogenic Staphylococci.	2457.00	10 plts

On receipt all the above products to be stored between 20-30°C.

* On receipt all the above products to be stored between 2-8°C.

Due to short shelf life this product will be supplied to the customer.

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PM 2041	*DNase Test Agar Plate w/Toluidine Blue for detection of deoxyribonuclease activity of Microorganisms.	2457.00	10 plts	PM 2295	*Microme E.coli Agar Plate for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filtration or by indole reagent	1953.00 4104.00	20 plts 50 plts
PM 1188	*D.T.M Agar Plate for selective isolation of dermatophytes.	855.00 3385.00	10 plts 50 plts	PM 2575A	*Microme ECol157 : H7 Selective Agar Plate for selective isolation and easy detection of Escherichia coli O157 : H7 from food samples	1117.00 4734.00	10 plts 50 plts
PM 1065	Deoxycholate Citrate Agar Plate selective medium for the isolation of enteric pathogens particularly Salmonella and Shigella Species.	810.00 3322.00	10 plts 50 plts	PM 2829	*Microme ESBL Agar Plate for detection of Extended Spectrum β -Lactamase-producing organisms from clinical & environmental samples.	1242.00 5220.00	10 plts 50 plts
PM 1186	Dey Engley Neutralizing Agar Plate in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	3385.00	50 plts	PM 2831	*Microme KPC Agar Plate for detection of Gram-negative bacteria with a reduced susceptibility to carbapenem agents. from clinical samples	2170.00 5220.00	20 plts 50 plts
PM 1186GT	Dey Engley Neutralizing Agar Plate (γ-irradiated) (Triple Pack) for usage refer PM 1186	3897.00	50 plts	PM 2417F	*Microme Listeria Agar Plate for rapid and direct identification of Listeria species in accordance with FDA BAM, 1998.	4653.00	50 plts
PM 1317	EMB Agar Plate for differential isolation of Gram-negative enteric bacilli from clinical and non clinical specimens.	1872.00 4230.00	20 plts 50 plts	PM 2938	*Microme MDR Acinetobacter Agar Plate for selective isolation of Acinetobacter species from environmental and clinical samples	7070.00	50 plts
PM 1022	EMB Agar, Levine Plate for isolation, enumeration and differentiation of members of Enterobacteriaceae.	1872.00 4230.00	20 plts 50 plts	PM 2674	*Microme MeReSa Agar Plate for isolation and selective identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical specimens	2170.00 4734.00	20 plts 50 plts
PM 1029	*Endo Agar Plate for the confirmation of the presumptive test for members of the coliform group	1575.00	20 plts	PM 2974	*Microme Rapid MRSA Agar Plate for rapid isolation and identification of Methicillin Resistant Staphylococcus aureus (MRSA) from clinical specimens.	2277.00 5121.00	20 plts 50 plts
PM 6384	*#GBS Agar Plate for rapid detection of group B Streptococci from clinical specimens.	824.00 3470.00	10 plts 50 plts	PM 2296	*Microme Salmonella Agar Plate for the isolation and differentiation of Salmonella species from coliforms by chromogenic method.	1683.00 7070.00	10 plts 50 plts
PM 2057	*G. Vaginalis Selective Agar Plate for the qualitative isolation and differentiation of Gardnerella vaginalis from clinical specimens.	1053.00 4284.00	10 plts 50 plts	PM 2837	*Microme Staph Agar Plate, Modified selective medium for the isolation and enumeration of Staphylococcus aureus	2192.00 4877.00	20 plts 50 plts
PM 2259	*#Haemophilus Test Agar Plate for the susceptibility testing of Haemophilus Influenzae.	945.00	10 plts	PM 2966	*Microme Strep B Selective Agar Plate for selective isolation of Group B streptococci from clinical sample.	1202.00 5067.00	10 plts 50 plts
PM 1467	Hektoen Enteric Agar Plate for differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens.	855.00 3385.00	10 plts 50 plts	PM 2353	*Microme UTI Agar Plate for presumptive identification of microorganisms mainly causing urinary tract infections	1972.00 4302.00	20 plts 50 plts
PM 6390	*#Helicobacter pylori Selective Agar Plate for selection of Helicobacter pylori in clinical Specimens.	1188.00 4860.00	10 plts 50 plts	PM 2600	*Microme Universal Agar Plate for presumptive identification of microorganisms from clinical & non clinical specimens.	2170.00	20 plts
PM 2651	*Microme Bacillus Agar Plate for isolation and differentiation between various species of Bacillus from a mixed culture	2277.00 5373.00	20 plts 50 plts	PM 2925	*Microme VRE Agar Plate for selective isolation and differentiation of Vancomycin Resistant Enterococcus faecalis and Enterococcus faecium from clinical samples.	1031.00 4302.00	10 plts 50 plts
PM 2297A	*Microme Candida Differential Agar Plate for rapid isolation and identification of Candida species from mixed cultures	2170.00 4734.00	20 plts 50 plts	PM 1015	*Hoyles Media Plate with supplements for selective isolation and differentiation of Corynebacterium diphtheria types	3385.00	50 plts
PM 29911	*Microme Chromogenic Coliform Agar Plate (CCA Plate) for detection of Escherichia coli and coliforms in water samples. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:2014.	2070.00 4653.00	20 plts 50 plts	PM 1180	Lead Acetate Agar Plate for detection of hydrogen sulphide producing enteric bacteria.	1593.00	20 plts
PM 2832	*Microme Coliform Agar Plate, Modified it is a selective agar recommended for the simultaneous detection of Escherichia coli and total coliforms in water and food samples	1854.00 4122.00	20 plts 50 plts	PM 2151	Luria Bertani Agar Plate for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular studies; may be used for routine isolation, cultivation of not particularly fastidious Microorganisms	1503.00 3385.00	20 plts 50 plts

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PM 2151A	*Luria Bertani Agar Plate w/100µg/ml Ampicillin or the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1575.00 3790.00	20 plts 50 plts	PM 1118	Mannitol Salt Agar Plate for selective isolation of pathogenic Staphylococci.	1252.00 2547.00	20 plts 50 plts
PM 2151CH	Luria Bertani Agar Plate w/50µg/ml Chloramphenicol for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1566.00 3753.00	20 plts 50 plts	PM 3085	* Martin Lewis Agar Plate for the isolation and cultivation of Neisseria species from clinical specimens.	873.00 3708.00	10 plts 50 plts
PM 2151I	Luria Bertani Agar Plate w/ IPTG for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1665.00 4005.00	20 plts 50 plts	PM 1137	Malt Extract Agar Plate for detection, isolation and enumeration of yeasts and moulds.	1341.00 2925.00	20 plts 50 plts
PM 2151K	* Luria Bertani Agar Plate w/100µg/ml for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1566.00 3753.00	20 plts 50 plts	PM 2594	* MeReSa Agar Plate for the selection, isolation and identification of Methicillin Resistant Staphylococcus aureus from clinical specimens.	981.00	10 plts
PM 2151KI	* Luria Bertani Agar Plate w/100µg/ml Kanamycin Kanamycin & IPTG for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular biology studies	1746.00 4221.00	20 plts 50 plts	PM 1887I	* Modified Charcoal Cefoperazone Deoxycholate Agar Plate recommended for selective detection and enumeration of Campylobacter species from food chain. The composition and performance criteria of this medium are as per the specification laid down in ISO 10272-2:2017	783.00 3276.00	10 plts 50 plts
PM 2106	* M-Endo Agar Plate for enumeration of coliforms in water using a two step membrane filtration technique.	1962.00	20 plts	PM 1163	Modified Plate Count Agar Plate for enumeration of bacteria in milk and milk products, rinse water, icecreams etc.	824.00 3456.00	10 plts 50 plts
PM 1081H	MacConkey Agar Plate for selective isolation and differentiation of E.coli and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP.	1314.00 2660.00	20 plts 50 plts	PM 1173	Mueller Hinton Agar Plate for determination of susceptibility of microorganisms to antimicrobial agents.	1382.00 2871.00	20 plts 50 plts
PM 1081HT	MacConkey Agar Plate (Triple Pack) for usage refer PM 1081H	1107.00	10 plts	PM 1173C	Mueller Hinton Agar Plate (100 mm Plate) for usage refer PM 1173	3312.00	50 plts
PM 1081	MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl Plate for selective isolation and differentiation of coliform organisms and other enteric pathogens.	1252.00 2547.00	20 plts 50 plts	PM 1173M	Mueller Hinton Agar Plate (120mm plate) for usage refer PM 1173	2102.00	20 plts
PM 1082	MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate Plate for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic Gram-positive Organisms.	1252.00 2547.00	20 plts 50 plts	PM 1173XL	Mueller Hinton Agar Plate (200mm plate) for usage refer PM 1173	4420.00	20 plts
PM 2702	MacConkey Agar RS Plate for isolation and differentiating Gram negative enteric bacilli from specimens containing swarming strains of proteus species.	738.00 3060.00	10 plts 50 plts	PM 2084	Mueller Hinton Agar No. 2 Plate for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by the Bauer-Kirby Method.	1360.00 2817.00	20 plts 50 plts
PM 1298	MacConkey Sorbitol Agar Plate for isolation and identification of enteropathogenic Escherichia coli strains associated with infant diarrhoea.	1252.00 2547.00	20 plts 50 plts	PM 6389	Mueller Hinton Agar Plate w/ 2% NaCl for testing susceptibility to methicillin & oxacillin of Streptococci.	747.00 3123.00	10 plts 50 plts
PM 1118H	Mannitol Salt Agar Plate for selection and subculture of Staphylococcus aureus in accordance with the harmonized method of USP/EP/BP/JP/IP.	1314.00 2660.00	20 plts 50 plts	PM 2806	* Mueller Hinton Agar Plate w/ 5% Sheep Blood for determination of susceptibility of Streptococcus species to antimicrobial agents.	1593.00 3312.00	20 plts 50 plts
PM 1118HT	Mannitol Salt Agar Plate (Triple Pack) for usage refer PM 1118H	1107.00	10 plts	PM 1001	Nutrient Agar Plate a general purpose medium used for cultivation of wide variety of microorganisms.	1278.00 2583.00	20 plts 50 plts
				PM 1001GT	Nutrient Agar (gamma irradiated) (Triple pack) for usage refer PM 1001	1494.00 3123.00	20 plts 50 plts
				PM 1001CL	Nutrient Agar Plate (150mm plate) for usage refer PM 1001	2282.00	20 plts
				PM 1639	* Oxytetracycline Glucose Yeast Agar Plate for selective isolation and enumeration of yeast and moulds in food.	3564.00	50 plts
				PM 1579	* Perfringens Agar Plate for selective isolation and enumeration of Clostridium perfringens in food.	3344.00	50 plts

On receipt all the above products to be stored between 20-30°C.

* On receipt all the above products to be stored between 2-8°C.

Due to short shelf life this product will be supplied to the customer.

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PM 1540	*#Phenyl Blood Agar Plate used for cultivation of fastidious anaerobic Bacteria.	1900.00 3902.00	20 plts 50 plts	PM 1063GT	Sabouraud Dextrose Agar Plate (γ irradiated) (Triple Pack) for usage refer PM 1063G	2903.00	50 plts
PM 1091	Plate Count Agar Plate for determination of plate counts of microorganisms in foods, water and waste water.	1252.00 2547.00	20 plts 50 plts	PM 1063AGT	Sabouraud Dextrose Agar Plate w/1% Glycerol (γ irradiated) (TriplePack) for cultivation of yeasts, moulds and aciduric Microorganisms.	3114.00	50 plts
PM 1091GT	Plate Count Agar Plate (γ irradiated) (Triple pack) or usage refer PM 1091	1332.00 2890.00	20 plts 50 plts	PM 1664	*Sabouraud Dextrose Agar Platew/Chloramphenicol (50mg/L) and Cycloheximide (500mg/L) for selective isolation and cultivation of pathogenic fungi.	27410.00	50 plts
PM 1096H	Potato Dextrose Agar Plate for the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP.	1314.00 2660.00	20 plts 50 plts	PM 6332	*Sabouraud Dextrose Agar Plate w/ Chloramphenicol & Gentamicin for selective cultivation of yeasts and moulds.	3510.00	50 plts
PM 1096	Potato Dextrose Agar Plate for isolation and enumeration of yeasts and moulds from dairy and other food products.	1252.00 2547.00	20 plts 50 plts	PM 6387	*Sabouraud Dextrose Agar Plate w/ Cycloheximide for selective isolation of fungi.	6490.00 27280.00	10 plts 50 plts
PM 1120	Pseudomonas Fluorescein Agar Plate for detection of fluorescein production by Pseudomonas species.	1252.00 2547.00	20 plts 50 plts	PM 6386	*Sabouraud Dextrose Agar Plate w/ Gentamicin for selective isolation of fungi.	824.00 3520.00	10 plts 50 plts
PM 1406	Pseudomonas Isolation Agar Plate for seletive isolation and identification of Pseudomonas aeruginosa from clinical and non clinical specimens.	604.00 2547.00	10 plts 50 plts	PM 6334	*Sabouraud Dextrose Agar Plate w/Penicillin & Streptomycin for selective cultivation of yeasts, moulds and aciduric microorganisms.	3105.00	50 plts
PM 1119	Pseudomonas Pyocyanin Agar Plate for detection of pyocyanin production by Pseudomonas species.	2547.00	50 plts	PM 1291	*Schaedler Agar Plate for isolation and enumeration of anaerobic Bacteria.	1827.00	20 plts
PM 1962	R-2A Agar Plate for heterotrophic plate count of treated potable water, using longer incubation period.	1503.00 3385.00	20 plts 50 plts	PM 2301	*# Sheep Blood Agar Plate used for cultivation of fastidious organisms and studying haemolytic reactions. It provides improved and enhanced haemolysis.	1602.00 3385.00	20 plts 50 plts
PM 1962GT	R-2A Agar Plate (γ - irradiated) (Triple Pack) for usage refer PM 1962	1674.00 3753.00	20 plts 50 plts	PM 2956	*# Sheep Blood Agar, Modified Plate used for cultivation and studying haemolytic Reactions of Bacillus cereus. The composition and performance of this media are as per the specification laid down in ISO 21871 :2006	1827.00 3870.00	20 plts 50 plts
PM 1640	Rose Bengal Chloramphenicol Agar Plate for selective isolation and enumeration of yeasts and moulds from foods and environmental materials.	1503.00 3385.00	20 plts 50 plts	PM 1290H	Soybean Casein Digest Agar Plate for the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	1252.00 2853.00	20 plts 50 plts
PM 6319GT	SCDA w/ 0.5% Polysorbate 80 & 1% Glycerol a general purpose medium used for cultivation of a wide variety of microorganisms.	4005.00	50 plts	PM 1290HGT	Soybean Casein Digest Agar Plate (γ irradiated) (Triple pack) for usage refer PM 1290H	1332.00	20 plts
PM 1108	SS Agar (Salmonella Shigella Agar) Plate for differential and selective isolation of Salmonella and Shigella species from pathological specimens,suspected foodstuffs etc.	1503.00 3385.00	20 plts 50 plts	PM 1290HV	Soybean Casein Digest Agar Plate (High Fill volume) for usage refer PM 1290H	2970.00	50 plts
PM 2067	Sabouraud Chloramphenicol Agar Plate for selective cultivation of yeasts and moulds.	1530.00 3452.00	20 plts 50 plts	PM 1290	Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) a general purpose medium used for cultivation of a wide variety of microorganisms.	1202.00 2710.00	20 plts 50 plts
PM 2067GT	Sabouraud Chloramphenicol Agar Plate (γ - irradiated) (Triple Pack) for usage refer PM 2067	1810.00 4140.00	20 plts 50 plts	PM 1290GT	Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (γ- irradiated) (Triple Pack) for usage refer PM 1290	1360.00 3042.00	20 plts 50 plts
PM 2946GT	Sabouraud Chloramphenicol Agar Plate w/ 1% Glycerol (γ irradiated) (Triple Pack) for selective isolation and cultivation of pathogenic fungi.	2493.00	20 plts	PM 1290AGT	Soyabean Casein Digest Agar Plate w/ 1% Glycerol (γ irradiated) (Triple Pack) a general purpose medium used for cultivation of a wide variety of microorganisms.	1773.00 4005.00	20 plts 50 plts
PM 1063H	Sabouraud Dextrose Agar Plate for the subculture of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP.	1314.00 2660.00	20 plts 50 plts				
PM 1063GTH	Sabouraud Dextrose Agar Plate (γ irradiated) (Triple pack) for usage refer PM1063H.	1382.00 3015.00	20 plts 50 plts				

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PM 6326GT	Soybean Casein Digest Agar Plate w/ 1% Glycerol, 0.5% Lecithin & 4% Polysorbate 80 (γ irradiated) (Triple Pack) for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	4640.00	50 plts	PM 6270	Soybean Casein Digest Agar Plate w/ 1% Polysorbate 80 & 1% Glycerine for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	4401.00	50 plts
PM 6281GT	Soybean Casein Digest Agar Plate w/2% Glycerol (γ irradiated) (Triple pack) used for cultivation of wide variety of Microorganisms	1818.00 4176.00	20 plts 50 plts	PM 6211	*# Soybean Casein Digest Agar Plate w/ 5% Sheep blood general purpose medium used for the cultivation of wide variety of microorganisms and to study the haemolytic reactions.	1827.00 4122.00	20 plts 50 plts
PM 6317GT	Soybean Casein Digest Agar Plate w/ 1% Glycerol & 4% Polysorbate 80 (γ irradiated) (Triple pack) for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	4240.00	50 plts	PM 1870	TCBS Agar Plate for the selective isolation of Vibrio cholerae and other enteropathogenic Vibrios.	3430.00	50 plts
PM 2691	Soybean Casein Digest Agar Plate w/ LTHTh for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	1737.00	20 plts	PM 2260	*# Tellurite Blood Agar Plate for the selective isolation and cultivation of Corynebacterium species.	2025.00	20 plts
PM 2691GT	Soybean Casein Digest Agar Plate w/ LTHTh (γ irradiated) (Triple Pack) for usage refer PM 2691	1927.00 4631.00	20 plts 50 plts	PM 1616	Tergitol-7 Agar Plate for the selective enumeration and identification of coliform organisms.	1656.00 3645.00	20 plts 50 plts
PM 6311GT	Soybean Casein Digest Agar Plate w/ 0.1% Polysorbate 80 (γ irradiated) (Triple pack) for cultivation of wide variety of microorganisms.	1251.00 2970.00	20 plts 50 plts	PM 1413	* Thayer Martin Agar Plate w/VCNT for selective isolation of Gonococci from pathological specimens.	1503.00 3385.00	20 plts 50 plts
PM 6282GT	Soybean Casein Digest Agar Plate w/0.05% Tween 80 (γ irradiated) (Triple pack) used for cultivation of wide variety of Microorganisms	1593.00 3700.00	20 plts 50 plts	PM 2948	* Tryptone Soya Serum Bacitracin Vancomycin Agar (TSBV) Plate for isolation and presumptive identification of Actinobacillus actinomycetemcomitans.	5090.00	50 plts
PM 1449	Soybean Casein Digest Agar Plate w/ Lecithin and Polysorbate 80 (Tryptone Soya Agar Plate w/ Lecithin & Polysorbate 80) for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	3861.00	50 plts	PM 2763	* Vancomycin Resistant Enterococci (VRE) Agar Plate for selective isolation of vancomycin resistant Enterococci.	684.00 2754.00	10 plts 50 plts
PM 1449GT	Soybean Casein Digest Agar Plate w/ Lecithin and Polysorbate 80 (Tryptone Soya Agar Plate w/ Lecithin & Polysorbate 80) (γ- irradiated) (Triple Pack) for usage refer PM 1449	1890.00 4284.00	20 plts 50 plts	PM 1581H	Violet Red Bile Glucose Agar Plate for the selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
PM 2943	Soybean Casein Digest Agar Plate w/ 0.5% Lecithin and 4% Polysorbate 80 for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	4240.00	50 plts	PM 1049	Violet Red Bile Agar Plate for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products.	1503.00 3385.00	20 plts 50 plts
PM 6297GT	Soybean Casein Digest Agar w/0.5% lecithin and 2% Polysorbate 80 & 1% Glycerol (γ-irradiated) (Triple pack) for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	4644.00	50 plts	PM 1023	Vogel Johnson Agar Plate (V.J. Agar Plate) for selective isolation of coagulase positive mannitol fermenting Staphylococcus aureus from heavily contaminated food and clinical Specimens.	1575.00 3555.00	20 plts 50 plts
				PM 1031H	Xylose Lysine Deoxycholate Agar Plate for the selection and subculture of Salmonella in accordance with the harmonized method of USP/EP/BP/JP/IP.	1575.00 3555.00	20 plts 50 plts
				PM 1031	Xylose Lysine Deoxycholate Agar (XLD Agar) for selective isolation and enumeration of Salmonella Typhi and other Salmonella species.	1503.00 3385.00	20 plts 50 plts
				PM 1843	* Yersinia Selective Agar Plate for selective isolation and enumeration of Yersinia enterocolitica from clinical specimens and food samples.	923.00 3771.00	10 plts 50 plts

On receipt all the above products to be stored between 20-30°C.

* On receipt all the above products to be stored between 2-8°C.

Due to short shelf life this product will be supplied to the customer.

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Ready Prepared Media in 55 mm Scored Polystyrene Plates 55mm equivalent to RODAC Plate For Environmental Sampling (Triple Pack) (γ-irradiated) Scored Prepared Plates Also available Triple Pack, γ-irradiated • 55 mm Scored Polystyrene petri Plate equivalent to RODAC Plates. • Scored Polystyrene Petri Plates (Triple Pack) (γ-irradiated). • For Environmental Sampling, sterility testing etc., • Grid molded for easy colony counting.				PS 1063GT	Sabouraud Dextrose Agar Plate (γ-irradiated) (Triple Pack) for usage refer PS 1063	5702.00	100 plts
				PS 1063HG	Sabouraud Dextrose Agar Plate (γ-irradiated) for the subculture of <i>Candida albicans</i> in accordance with the harmonized method of USP/EP/BP/JP.	5445.00	100 plts
				PS 2659G	Sabouraud Dextrose Agar Plate w/ Lecithin & Polysorbate 80 (γ-irradiated) for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	6760.00	100 plts
PS 1024HG	Cetrimide Agar Plate (γ-irradiated) for the selection and subculture of <i>Pseudomonas aeruginosa</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	6760.00	100 plts	PS 2995GT	Sabouraud Dextrose Agar Plate w/ LTHTh (γ-irradiated) (Triple Pack) for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	7830.00	100 plts
PS 1144H	Columbia Agar Plate for the selection and subculture of <i>Clostridium sporogenes</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	7101.00	100 plts	PS 6319GT	SCDA w/ 0.5% Polysorbate 80 & 1% Glycerol a general purpose medium for cultivation of a wide variety of microorganisms.	8127.00	100 plts
PS 1186	Dey-Engley Neutralizing Agar Plate in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity.	7776.00	100 plts	PS 1290GT	Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (γ-irradiated) (Triple Pack) a general purpose medium for cultivation of a wide variety of microorganisms.	6894.00	100 plts
PS 1186GT	Dey-Engley Neutralizing Agar Plate (γ-irradiated) (Triple Pack) for usage refer PS 1186	8406.00	100 plts	PS 2691GT	Soyabean Casein Digest Agar Plate w/ LTHTh (Tryptone Soya Agar plate W/LTHTh) (γ-irradiated)(Triple Pack) for determining the efficiency of sanitization of containers, equipment surfaces, water miscible Cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials.	8433.00	100 plts
PS 2991I	*Microme Chromogenic Coliform Agar Plate for detection of <i>Escherichia coli</i> and coliforms in water samples. The composition and performance criteria of this medium are as per the specifications laid down in ISO 9308-1:2014.	8640.00	100 plts	PS 1449GT	Soyabean Casein Digest Agar Plate w/ Lecithin & Polysorbate 80 (Tryptone Soya Agar Plate w/Lecithin & Polysorbate 80) (γ-irradiated) (Triple Pack) for usage refer PS 1449G	8650.00	100 plts
PS 2569	*Microme M-Lauryl Sulphate Agar Plate for differentiation and enumeration of <i>Escherichia coli</i> and other coliforms by single membrane filtration	8532.00	100 plts	PS 2943GT	Soyabean Casein Digest Agar Plate w/0.5% Lecithin and 4% Polysorbate 80 (Tryptone Soya Agar plate w/0.5% Lecithin and 4% Polysorbate 80) (γ-irradiated) (Triple Pack) for usage refer PS 2943	9324.00	100 plts
PS 1081H	MacConkey Agar Plate for the selection and subculture of <i>Escherichia coli</i> in accordance with the harmonized method of USP/EP/BP/JP.	4793.00	100 plts				
PS 1118H	Mannitol Salt Agar Plate for the selection and subculture of <i>Staphylococcus aureus</i> in accordance with the harmonized method of USP/EP/BP/JP/IP.	4793.00	100 plts				
PS 1091G	Plate Count Agar Plate (γ-irradiated) for determination of plate counts of microorganisms in food, water and waste water.	7722.00	100 plts				
PS 1096HG	Potato Dextrose Agar Plate (γ-irradiated) for the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP.	5333.00	100 plts				
PS 2067G	Sabouraud Chloramphenicol Agar Plate (γ-irradiated) for selective cultivation of yeasts and moulds.	6516.00	100 plts				

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing				
PS 6279GT	Soybean Casein Digest Agar Plate W/Lecithin, Tween 80 & 1% Glycerol Plate (γ-Irradiated) (Triple pack) for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	8874.00	100 plts	PS 1290A	Soybean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (75mm scored Petri plate) for usage refer PS 1290	6593.00	100 plts				
PS 6297GT	Soybean Casein Digest Agar Plate w/0.5% Lecithin, 2% Polysorbate 80 and 1% Glycerol (γ-irradiated) (Triple pack) sterility test medium also used for cultivation of wide variety of microorganisms and for determining efficiency of sanitization of Containers,equipment surfaces, water miscible cosmetics etc.	9810.00	100 plts	PS 1290GT	Soybean Casein Digest Agar Plate, (Tryptone Soya Agar Plate) (in 55mm scored Petri plate)(γ-irradiated) (Triple pack) for usage refer PS 1290	6894.00	100 plts				
PS 6270	Soybean Casein Digest Agar Plate w/ 1% Polysorbate 80 & 1% Glycerine for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	9297.00	100 plts	<p>Ready Prepared Media in Polystyrene Plates with β Lactamase</p> <ul style="list-style-type: none"> • Sterile Ready to use agar plates w/ β Lactamase available in 90mm Plates & 55mm Scored plates • The beta lactamases can efficiently inactivate a range of antibiotics as per their activity, thus finding application such as <ol style="list-style-type: none"> 1. Inactivation of penicillin, Cephalosporin of first, second, third & fourth generation and give true bioburden count during environmental studies. 2. Environmental studies in facilities where presence of beta lactam antibiotics is suspected. <p>90 mm Ready Prepared Plates with β-Lactamase</p>							
PS 6282GT	Soybean Casein Digest Agar Plate w/0.05 % Tween 80 (γ-irradiated) (Triple pack) Sterility test medium also used for cultivation of wide variety of microorganisms.	7380.00	100 plts								
PS 6318GT	Soybean Casein Digest Agar Plate w/ 1% Lecithin & 4% Polysorbate 80 (γ-irradiated) (Triple pack) for determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	8541.00	100 plts								
PS 6317GT	Soybean Casein Digest Agar Plate w/ 1% Glycerol & 4% Polysorbate 80 (γ-irradiated) (Triple pack) for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	4240.00	50 plts								
PS 6311GT	Soybean Casein Digest Agar Plate w/ 0.1% Polysorbate 80 (γ-irradiated) (Triple pack) for cultivation of wide variety of microorganisms	1485.00 3600.00	20 plts 50 plts								
PS 1581H	Violet Red Bile Glucose Agar Plate for the selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	6516.00	100 plts								
PS 1031H	Xylose Lysine Deoxycholate Agar Plate for the selection and subculture of Salmonella in accordance with the harmonized method of USP/EP/BP/JP/IP.	6516.00	100 plts								
<p>Ready Prepared Media in Scored Polystyrene Petri Plate (For Environmental Sampling)</p>								PM 6201	Potato Dextrose Agar Plate w/ β-Lactamase a general purpose media for isolation of yeasts and moulds and for inactivation of β -lactam antibiotics.	1972.00 4302.00	20 plts 50 plts
PS 1063	Sabouraud Dextrose Agar Plate (in 55mm scored Petri plate) for the cultivation of yeast moulds and aciduric bacteria.	5085.00	100 plts					PM 6201GT	Potato Dextrose Agar Plate w/ β- Lactamase (γ-irradiated) (Triple Pack) for usage refer PM 6201	2133.00 4644.00	20 plts 50 plts
PS 1290	Soybean Casein Digest Agar Plate (Tryptone Soya Agar Plate) (in 55mm scored Petri plate) a general purpose medium for cultivation of a wide variety of microorganisms.	5580.00	100 plts					PM 6202	Potato Dextrose Agar Plate w/ β-Lactamase II a general purpose media for isolation of yeasts and moulds and for inactivation of cephalosporins of first, second, third and fourth Generation	2835.00 6246.00	20 plts 50 plts
				PM 6202GT	Potato Dextrose Agar Plate w/ β-Lactamase II (γ-irradiated) (Triple Pack) for usage refer PM 6202	3060.00 6741.00	20 plts 50 plts				
				PM 6203	Potato Dextrose Agar Plate w/ β-Lactamase mixture a general purpose media for isolation of yeasts and moulds and for inactivation of penicillins cephalosporins of first, second, third and fourth generation and penems	2835.00 6246.00	20 plts 50 plts				
				PM 6203GT	Potato Dextrose Agar Plate w/ β-Lactamase mixture (γ-irradiated) (Triple Pack) for usage refer PM 6203	3060.00 6741.00	20 plts 50 plts				
				PM 6308GT	Sabouraud Chloramphenicol Agar Plate w/ β-lactamase mixture (25IU/plate) (γ-irradiated) (Triple pack) a general purpose media for isolation of yeasts and moulds and for inactivation of penicillins cephalosporins of first, second, third and fourth generation and penems	2642.00	50 plts				

On receipt all the above products to be stored between 20-30°C.

* On receipt all the above products to be stored between 2-8°C.

Due to short shelf life this product will be supplied to the customer.

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PM 6225GT	Sabouraud Dextrose Agar Plate w/ Lecithin, Polysorbate 80 & β-Lactamase I (γ-irradiated) (Triple Pack) recommended as a general purpose medium for isolation of yeast and moulds, for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β-lactam antibiotics.	4122.00	50 plts	PM 2807GT	Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture) (γ-irradiated) (Triple Pack) for usage refer PM 2807	3204.00 7083.00	20 plts 50 plts
PM 2765	Soyabean Casein Digest Agar Plate w/ β Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase) a general purpose medium for cultivation of wide variety of organisms and for inactivation of β lactam antibiotics.	1972.00 4302.00	20 plts 50 plts	PM 2808	Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase II (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase II) for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second , third and fourth generation.	2835.00 6246.00	20 plts 50 plts
PM 2765GT	Soyabean Casein Digest Agar Plate w/ β-Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase) (β- irradiated) (Triple Pack) for usage refer PM 2765	2232.00 4870.00	20 plts 50 plts	PM 2808GT	Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase II (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/β-Lactamase II) (γ-irradiated) (Triple Pack) for usage refer PM 2808	3204.00 7070.00	20 plts 50 plts
PM 2804	Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β Lactamase mixture) a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and Penems.	2835.00 6246.00	20 plts 50 plts	PM 2809	Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80, w/ β-Lactamase (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase) for determining efficiency of containers ,equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics	1972.00 4302.00	20 plts 50 plts
PM 2804GT	Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β Lactamase mixture) (γ - irradiated) (Triple Pack) for usage refer PM 2804	3060.00 6741.00	20 plts 50 plts	PM 2809GT	Soyabean Casein Digest Agar Plate w/Lecithin and Tween 80, w/ β-Lactamase (Tryptone Soya Agar w/Lecithin and Tween 80, w/ β-Lactamase) (γ-irradiated) (Triple Pack) for usage refer PM 2809	2133.00 4644.00	20 plts 50 plts
PM 6309GT	Soyabean Casein Digest Agar Plate w/ β-lactamase mixture (25IU/ plate) (γ-irradiated) (Triple pack) a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	5418.00	50 plts	PM 6280GT	Soyabean Casein Digest Agar Plate w/1% Glycerol, 0.5% Polysorbate 80, 0.07% Soya Lecithin and 5IU/plate β-lactamase mixture (γ-irradiated) (Triple pack) for cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems	4707.00	50 plts
PM 2805	Soyabean Casein Digest Agar Plate w/ β-Lactamase II (Tryptone Soya Agar Plate w/ β-Lactamase II) a general purpose medium for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second , third and fourth generation.	2835.00 6246.00	20 plts 50 plts	PM 2810	Total Plate Count Agar Plate w/ β-Lactamase for determination of plate counts of microorganisms in foods,water and waste water and inactivation of β lactam antibiotics	1710.00 3452.00	20 plts 50 plts
PM 2805GT	Soyabean Casein Digest Agar Plate w/ β-Lactamase II (Tryptone Soya Agar Plate w/ β-Lactamase II) (γ - irradiated) (Triple Pack) for usage refer PM 2805	3060.00 6741.00	20 plts 50 plts	PM 2810GT	Total Plate Count Agar Plate w/ β-Lactamase (γ-irradiated) (Triple Pack) for usage refer PM 2810	1854.00 3861.00	20 plts 50 plts
PM 2807	Soyabean Casein Digest Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ Lecithin and Tween 80 w/ β-Lactamase mixture) recommended for determining efficiency of containers , equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	2970.00 6246.00	20 plts 50 plts	55 mm Ready Prepared Scored Plates with β-Lactamase			
				PS 6330GT	Dey Engley Neutralizing Agar Plate w/ Penase in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity.	12393.00	100 plts
				PS 6201GT	Potato Dextrose Agar Plate w/ β-Lactamase I (4.5 IU/plate) (γ-irradiated) (Triple Pack) a general purpose medium for isolation of yeasts and moulds for inactivation of β-lactam antibiotics.	11620.00	100 plts



READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PS 2765GT	Soyabean Casein Digest Agar Plate w/ β-Lactamase (Tryptone Soya Agar Plate w/ β-Lactamase) (γ-irradiated) (Triple Pack) for usage refer PS 2765	8793.00	100 plts	PS 6222GT	Soyabean Casein Digest Agar Plate w/ Polysorbate 80 & Glycerol w/ 5IU of β-Lactamase II & 50IU of β-Lactamase I/100 ml (Tryptone Soya Agar Plate w/ Polysorbate 80 & Glycerol w/ 5IU of β-Lactamase II & 50IU of β-Lactamase I/100 ml) (γ-irradiated) (Triple Pack) for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.	6890.00	100 plts
PS 2804GT	Soyabean Casein Digest Agar Plate w/ β-Lactamase mixture (Tryptone Soya Agar Plate w/ β-Lactamase mixture) (γ-irradiated) (Triple Pack) a general purpose medium for cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	10130.00	100 plts	PS 2810GT	Total Plate Count Agar Plate w/ β-Lactamase (γ-irradiated) (Triple Pack) for determination of plate counts of microorganisms in foods, water and waste water and inactivation of β lactam antibiotics	5860.00	100 plts
PS 2805GT	Soyabean Casein Digest Agar Plate β-Lactamase-II (Tryptone Soya Agar Plate w/ β-Lactamase-II) (γ-irradiated) (Triple Pack) a general purpose medium for cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation.	8127.00	100 plts	Ready Prepared Solid Media in Glass Bottles			
PS 2807GT	Soyabean Casein Digest Agar Plate w/ Tween 80 and Soya Lecithin and β-Lactamase Mixture (Tryptone Soya Agar Plate w/ Tween 80 and Soya Lecithin and β-Lactamase Mixture) (γ-irradiated) (Triple Pack) for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and Penems.	10476.00	100 plts	SM 1972	Bile Esculin Agar For differential isolation and presumptive identification of Group D Streptococci in food and pharmaceutical products	900.00 2903.00	5x100 ml 5x500 ml
PS 2808GT	Soyabean Casein Digest Agar Plate w/Lecithin and Tween 80 w/ β-Lactamase II (Tryptone Soya Agar w/ lecithin and Tween 80 w/ β-Lactamase II) (γ-irradiated) (Triple Pack) for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation.	10476.00	100 plts	SM 1211	Brain Heart Infusion Agar Recommended for the cultivation of fastidious pathogenic bacteria, yeasts and moulds.	900.00	5x100 ml
PS 2809GT	Soyabean Casein Digest Agar Plate W/Lecithin and Tween 80 w/ β-Lactamase (Tryptone Soya Agar w/ lecithin and Tween 80 w/ β-Lactamase) (γ-irradiated) (Triple Pack) for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics.	7542.00	100 plts	SM 1024H	Cetrimide Agar For the selection and subculture of Pseudomonas aeruginosa in accordance with harmonized method of USP/EP/BP/JP/IP.	648.00 2082.00	5x100 ml 5x500 ml
PS 6280GT	Soyabean Casein Digest Agar Plate W/1% Glycerol, 0.5% Polysorbate 80, 0.07% Soya Lecithin & 5IU/plate β-lactamase mixture (γ-irradiated) (Triple pack) for cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	8532.00	100 plts	SM 1728	Citrate Agar For cultivation of iron bacteria	2903.00	5x500 ml
				SM 1144H	Columbia Agar For the selection and subculture of Clostridium sporogenes in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 2903.00	5x100 ml 5x500 ml
				SM 1150	Corn Meal Dextrose Agar For cultivation of phytopathological fungi and other fungi.	2903.00	5x500 ml
				SM 1467	Hektoen Enteric Agar For differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens.	648.00 2084.00	5x100 ml 5x500 ml
				SM 1078	Kligler Iron Agar For differential identification of gram negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production.	900.00	5x100 ml
				SM 1557	Luria Agar For routine cultivation and estimation of not particularly fastidious microorganisms.	2903.00	5x500 ml

On receipt all the above products to be stored between 20-30°C.

* On receipt all the above products to be stored between 2-8°C.

Due to short shelf life this product will be supplied to the customer.

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SM 1081	MacConkey Agar Recommended for selective isolation and differentiation of coliform organisms and other enteric pathogens.	882.00	5x100 ml	SM 1290H	Soyabean Casein Digest Agar For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 1593.00 2903.00	5x100 ml 5x250 ml 5x500 ml
SM 1081H	MacConkey Agar For the selection and subculture of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP/IP.	2903.00	5x500 ml	SM 1021	Triple Sugar Iron Agar For identification of gram negative enteric bacilli on the basis of dextrose lactose and sucrose fermentation and hydrogen sulphide production	900.00	5x100 ml
SM 1082	MacConkey Agar Recommended for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram positive organisms.	882.00	5x100 ml	SM 1581H	Violet Red Bile Glucose Agar For the subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 2903.00	5x100 ml 5x500 ml
SM 1118H	Mannitol Salt Agar For the selection and subculture of Staphylococcus aureus in accordance with the harmonized method of USP/EP/BP/JP/IP.	963.00 2903.00	5x100 ml 5x500 ml	SM 1049	Violet Red Bile Glucose Agar For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy food products.	900.00	5x100 ml
SM 1260	Motility Test Agar For detection of bacterial motility.	900.00	5x100 ml	SM 1031H	Xylose Lysine Deoxycholate Agar For the selection and subculture of Salmonella species in accordance with the harmonized method of USP/EP/BP/JP/IP	900.00 2903.00	5x100 ml 5x500 ml
SM 1173	Mueller Hinton Agar Recommended for cultivation of Neisseria and for determination of susceptibility of microorganisms.	882.00	5x100 ml	Ready Prepared Liquid Medium in Glass Bottles			
SM 1001	Nutrient Agar Recommended as general culture medium for cultivation of less fastidious microorganisms.	882.00 2660.00	5x100 ml 5x500 ml	LQ 1210	Brain Heart Infusion Broth Recommended for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	770.00 1990.00	5x100 ml 5x500 ml
SM 1091	Plate Count Agar Recommended for determination of plate counts of microorganisms in food, water and waste	882.00 2440.00	5x100 ml 5x500 ml	LQ 1157	GN Broth, Hajna For the selective enrichment of gram negative organisms of the enteric group	3366.00	5x100 ml
SM 1096	Potato Dextrose Agar Recommended for isolation and enumeration of yeasts and moulds from dairy and other food products.	828.00 2637.00	5x100 ml 5x500 ml	LQ 1108	Letheen Broth For determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus.	1053.00	5x100 ml
SM 1096H	Potato Dextrose Agar For the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 2903.00	5x100 ml 5x500 ml	LQ 1131	Letheen Broth Modified For screening cosmetic products for microbial contamination	1053.00 4194.00	5x100 ml 5x500 ml
SM 1962B	R2A Agar For heterotrophic plate count of treated potable water using longer incubation periods.	693.00 2286.00	5x100 ml 5x500 ml	LQ 1104H	#Rappaport Vassiliadis Broth For selective enrichment of Salmonella species in accordance with the harmonized method of USP/EP/BP/JP/IP	2160.00	5x100 ml
SM 1063	Sabouraud Dextrose Agar For cultivation of yeasts, moulds and aciduric microorganisms.	2682.00	5x500 ml	LQ 1148	Soyabean Casein Digest Medium w/BCP Soyabean Casein Digest Medium with BCP is a general-purpose medium used for the cultivation of a wide variety of microorganisms. With the addition of carbohydrates it can be also used for the fermentation studies.	2660.00	10x100 ml
SM 1063H	Sabouraud Dextrose Agar For cultivation of C. albicans in accordance with the harmonized method of USP/EP/BP/JP/IP.	900.00 1593.00 2903.00	5x100 ml 5x250 ml 5x500 ml				
SM 1290	Soyabean Casein Digest Agar Recommended as a general purpose medium for cultivation of wide variety of microorganisms.	900.00 2903.00	5x100 ml 5x500 ml				

READY PREPARED MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
LQ 1158	Soyabean Casein Digest Medium with Tween 80 & Lecithin For determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	4581.00	10x100 ml	LQ 1122	Diluting Fluid K Diluent in testing of pharmaceuticals in accordance with USP.	2196.00 3816.00	10x100 ml 5x300 ml
LQ 1114	Terrific Broth For the cultivation of recombinant strains of Escherichia coli.	1134.00	5x100 ml	LQ 1141	Sterile Saline 0.85% Used as a diluent.	783.00	5x90 ml
Ready to Use Wash Solution				Ready to Use Media for Microbial Limit Test			
LQ 1123	Buffered Sodium Chloride Peptone Solution pH 7.0 For the preparation of test suspension in accordance with harmonized methods of USP, EP, BP & JP	2170.00 2358.00	10x100 ml 5x300 ml	LQ 1119H	Enterobacteria Enrichment Broth Mossel For enrichment of bile organisms in accordance with the harmonized method of USP/EP/BP/JP/IP	2295.00	10x100 ml
LQ 1121	Diluting Fluid A Diluent in testing of pharmaceuticals in accordance with USP.	2980.00 3717.00 4194.00	10x100 ml 5x300 ml 5x500 ml	LQ 1115H	MacConkey Broth For selective enrichment of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP/IP	2295.00	10x100 ml
LQ 1510	Diluting Fluid D Diluent in testing of pharmaceuticals in accordance with USP.	2160.00 3645.00	10x100 ml 5x300 ml	LQ 1130H	Reinforced Medium for Clostridia For the cultivation and enumeration of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	1053.00	5x100 ml
				LQ 1120H	Sabouraud Dextrose Broth For enrichment of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP/IP	2252.00 4653.00	10x100 ml 5x 500 ml



On receipt all the above products to be stored between 20-30°C.
 * On receipt all the above products to be stored between 2-8°C.
 # Due to short shelf life this product will be supplied to the customer.

DEHYDRATED CULTURE MEDIA

A

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1874	A-1 Broth for determining the presence of faecal coliforms in water samples and foods by MPN Technique. 31.50 gms/litre	1683.00 7191.00	100 gm 500 gm	DM 2225	*Acetate Agar for the isolation and cultivation of Leuconostoc and Pediococcus species. 61.90 gms/litre	5252.00	500 gm
DM 1231	AATCC Bacteriostasis Agar for the detection of antibacterial activity of Fabrics. 35.00 gms/litre	5067.00	500 gm	DM 1339	Acetate Differential Agar for the differentiation of Shigella species from Escherichia coli. 29.18 gms/litre	4797.00	500 gm
DM 1221	AATCC Bacteriostasis Broth (FDA Broth) for routine antibacterial testing of antiseptics and disinfectants. 20.00 gms/litre	4780.00	500 gm	DM 1238	Acetobacter Agar (Glucose) for maintenance of glucose positive Acetobacter species. 38.00 gms/litre	4842.00	500 gm
DM 1232	AATCC Mineral Salts Agar for evaluation of fungicides for use on textiles and the resistance of textiles to mildew and rot. 27.80 gms/litre	4716.00	500 gm	DM 1370	Acetobacter Agar (Mannitol) for maintenance of mannitol positive Acetobacter species. 48.00 gms/litre	4842.00	500 gm
DM 1337	AC Agar for cultivation of a wide variety of microorganisms particularly for sterility Testing. 35.20 gms/litre	4874.00	500 gm	DM 1346	Acetobacter Agar w/HL Extract for maintenance of glucose positive Acetobacter species. 57.00 gms/litre	4622.00	500 gm
DM 1875	AC Broth for cultivation of common aerobes and sterility testing of solutions and biological products without mercurial preservatives. 34.20 gms/litre	4581.00	500 gm	DM 2208	Acid Broth for the cultivation of acid tolerant microorganisms from canned food. 27.50 gms/litre	4487.00	500 gm
DM 1234	AK Agar No.2 (Sporulating Agar) (Arret and Kirshbaum Medium) for production of spores of Bacillus subtilis ATCC 6633 which are used as inoculum in detection of Pencillin and other antibiotics residues in milk and dairy Products. 30.80 gms/litre 123	5171.00	500 gm	DM 1341	Actinomyces Agar for cultivation and maintenance of the anaerobic Actinomyces species. 77.22 gms/litre	4595.00	500 gm
DM 1226	APT Agar for cultivation of heterofermentative Lactobacilli and other organisms requiring a high thiamine content. 61.18 gms/litre	4874.00	500 gm	DM 1233	Actinomyces Broth for cultivation and maintenance of the anaerobic Actinomyces species. 57.22 gms/litre	4320.00	500 gm
DM 1227	APT Broth for the cultivation of heterofermentative lactic acid bacteria requiring high thiamine content. 46.20 gms/litre	4581.00	500 gm	DM 1855	Adams Agar for examination of sporulation in yeasts. 22.70 gms/liter	4595.00	500 gm
DM 1904	ASLA Agar Base for selective isolation and cultivation of Propionibacterium species from foods 16.19 gms/litre	4865.00	500 gm	DM 1884	Aeromonas Isolation Medium Base for selective, differential isolation of Aeromonas hydrophila from clinical and environmental Specimens. 56.30 gms/litre	6696.00	500 gm
MS 2097	*Propionibacteria Growth Supplement	1009.00	5 vl	MS 2039	*Aeromonas Selective Supplement	1171.00	5 vl
DM 2033	Acetamide Agar (Twin Pack) for confirmation of Pseudomonas aeruginosa in water samples. 10 of Part A + 22.63 of Part B	4874.00	500 gm	DM 1343	Algae Culture Agar for isolation and cultivation of algae from soil, water and sewage. Also for carrying stock cultures of algae used in the bioassay of algicidal chemicals. 16.87 gms/litre	4874.00	500 gm
DM 1148	Acetamide Broth (Twin Pack) for confirmation of Pseudomonas aeruginosa in water samples. 10 of Part A + 7.63 of Part B	1134.00 4802.00	100 gm 500 gm	DM 1342	Algae Culture Broth for cultivation of algae from soil, water and sewage. Also for preparing the inoculum for the bioassay of algicidal chemicals. 1.87 gms/litre	1067.00 4712.00	100 gm 500 gm
DM 2370	Acetamide Nutrient Broth (Twin Pack) For detection of microbial utilization of Acetamide. 0.56 of Part A + 2.0 of Part B	1071.00 4802.00	100 gm 500 gm	DM 1618	Alkaline Peptone Water for enrichment of Vibrio species. 20.00 gms/litre	873.00 3960.00	100 gm 500 gm
				DM 1618	Alkaline Peptone Water for detection of Vibrio parahaemolyticus. The composition and performance criteria of this medium are in accordance with ISO 1990, ISO/DIS 8914. 50.00 gms/litre	3551.00	500 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1618S	Alkaline Peptone Water for enrichment of Vibrio species. It is recommended by BIS committee under the specifications IS:5887 Part IV)-1976. 15.00 gms/litre	873.00 3582.00	100 gm 500 gm	DM 1885S	Andrade Peptone Water as a basal medium, which with carbohydrate addition is used to study fermentation Reactions. 15.10 gms/litre	860.00 3619.00	100 gm 500 gm
DM 1010	Alternative Thioglycollate Medium (NIH Thioglycollate Broth) for sterility testing of turbid or viscous biological products. 29.00 gms/litre	432.00 1737.00	100 gm 500 gm 2.5 kg 5 kg	DM 1885	Andrade Peptone Water A basal medium, which with Carbohydrate addition is used to study Fermentation reactions. 15.10 gms/litre	860.00 3619.00	100 gm 500 gm
DM 1651	Amies Transport Medium w/Charcoal for transportation and preservation of microbiological specimens. 19.75 gms/litre	1027.00 4150.00	100 gm 500 gm	DM 1909	Andrade Peptone Water w/Meat Extract As a basal medium for studying Fermentation reactions, particularly of Members of the Enterobacteriaceae. 18.10 gms/litre	4131.00	500 gm
DM 1235	Ammonium Phosphate Agar for detecting the ability of microorganisms to utilize ammonium phosphate as a source of Nitrogen. 26.45 gms/litre	4392.00	500 gm	DM 2346	Antibiotic Assay Medium B For microbiological assay of colistumethate Sulphate and polymyxin b sulphate using Bordetella bronchiseptica. 45.00 gms/liter 10 gms/liter Polysorbate 80	4941.00	500 gm
DM 1228	Anaerobic Agar a general purpose medium for the cultivation of anaerobic bacteria, especially, Clostridium Species. 58.00 gms/litre	1193.00 4842.00	100 gm 500 gm	DM 1555	Antibiotic Assay Medium C As the broth medium in turbidimetric Assay of a wide variety of antibiotics. 20.00 gms/litre	4703.00	500 gm
DM 1491	Anaerobic Agar (Brewer) for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology. 53.00 gms/litre	4842.00	500 gm	DM 1556	Antibiotic Assay Medium D for microbiological assay of Erythromycin and Neomycin using Klebsiella pneumoniae. 19.40 gms/litre	4703.00	500 gm
DM 1230	Anaerobic Agar w/o Dextrose for carbohydrate fermentation studies and for studies of hemolytic activity of clostridia, streptococci and other organisms. 38.00 gms/litre	4842.00	500 gm	DM 2347	Antibiotic Assay Medium E for microbiological assay of Neomycin sulphate and Framycetin sulphate using Bacillus subtilis and Bacillus pumilus. 28.67 gms/litre	4716.00	500 gm
DM 1229	Anaerobic Agar w/o Dextrose and Eh Indicator for the isolation and identification of anaerobic pathogens and for the studies of haemolytic activity of Clostridia, Streptococci and other anaerobic organisms. 43.00 gms/litre	4842.00	500 gm	DM 1923	Antibiotic Assay Medium F for microbiological assay of Amphotericin B and Nystatin using Saccharomyces cerevisiae & Candida tropicalis respectively. 60.00 gms/litre	4905.00	500 gm
DM 2345	Anaerobic Blood Agar Base recommended for isolation and cultivation of Group A & Group B Streptococci from throat cultures and other clinical samples. 40.00 gms/litre	4842.00	500 gm	DM 1991	Antibiotic Assay Medium L-AOAC for microbiological assay of Monensin using Bacillus subtilis as test organism. 28.64 gms/litre	4892.00	500 gm
MS 2149	*Neomycine Supplement	1013.00	5 vl	DM 1992	Antibiotic Assay Medium M-AOAC for microbiological assay of Lasalocid using Bacillus subtilis as a test organism. 33.64 gms/litre	4892.00	500 gm
DM 1978	Anaerobic Fermentation Medium Base for the detection of fermentation reactions of anaerobic microorganisms. 40.00 gms/litre	4761.00	500 gm	DM 1003	Antibiotic Assay Medium No. 1 (Seed Agar) (Antibiotic Assay Medium-A) for microbiological assay of β -lactam and other Antibiotics. 30.50 gms/litre	1062.00 4244.00	100 gm 500 gm
DM 2034	*Anaerobic CNA Agar Base for the selective isolation of anaerobic Streptococci. 44.14 gms/litre	8712.00	100 gm	DM 1005	Antibiotic Assay medium No. 2 (Base Agar) for microbiological assay of Antibiotics. 25.50 gms/litre	4820.00	500 gm
DM 1902	Anaerobic Egg Agar Base for detection of Clostridium perfringens in food Samples. 55.00 gms/litre	5090.00	500 gm	DM 1042	Antibiotic Assay Medium No. 3 for microbiological assay of antibiotics. 17.50 gms/litre	905.00 4023.00	100 gm 500 gm
MS 2045F	*Egg Yolk Emulsion (50ml / 100 ml per vial)	2700.00	5 vl				

A

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

	Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
A	DM 1140	Antibiotic Assay Medium No. 4 (Yeast MB Agar) for detection of Penicillin-G in milk samples using Bacillus Stearothermophilus. 26.50 gms/litre	5130.00	500 gm	DM 2142	Antibiotic Assay Medium No. 39 for microbiological assay of Neomycin and Streptomycin using Klebsiella pneumoniae as the test organism. 17.50 gms/litre	4464.00	500 gm
	DM 1006	Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/Yeast Extract) for microbiological assay of Dihydrostreptomycin, Framycetine and Kanamycin B using Bacillus Subtilis. 25.50 gms/litre	5040.00	500 gm	DM 2143	Antibiotic Assay Medium No. 40 for the microbiological assay of Thiostrepton using Enterococcus hirae (Streptococcus faecalis) as the test organism. 47.10 gms/litre	4716.00	500 gm
	DM 1223	Antibiotic Assay Medium No. 6 for induction of spore production in Bacillus subtilis strains used in antibiotic assay. 30.03 gms/litre	4464.00	500 gm	DM 2144	Antibiotic Assay Medium No. 41 for the microbiological assay of Thiostrepton using Enterococcus hirae as the test organism. 46.00 gms/litre	4464.00	500 gm
	DM 1041	Antibiotic Assay Medium No. 8 (Base Agar w/low pH) for microbiological assay of Oxytetracycline, tetracycline and Vancomycin. 25.50 gms/litre	4600.00	500 gm	DM 1164	Antifungal Assay Agar for assaying antifungal activity of pharmaceutical products and other materials by the cylinder plate or disc method. 75.76 gms/litre	4770.00	500 gm
	DM 1147	Antibiotic Assay Medium No. 9 (Polymyxin Base Agar) as a base layer medium for assaying the products containing Polymyxin-B. 50.00 gms/litre	4716.00	500 gm	DM 1619	Arginine Dihydrolase Broth for detection of arginine dihydrolase producing Microorganisms. 19.31 gms/litre	5031.00	500 gm
	DM 1225	Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar) as a seed layer medium for assaying the products containing Polymyxin-B, also for assaying Carbenicillin, Colistin and Colistimethate sodium. 42.00 gms/litre + 10 ml of Polysorbate 80	4802.00	500 gm	DM 1234	Arret & Kirshbaum Medium (Sporulating Agar) see AK Agar No. 2	5171.00	500 gm
	DM 1004	Antibiotic Assay Medium No. 11 (Neomycin, Erythromycin Assay Agar) (Erythromycin Seed Agar) for microbiological assay of antibiotics. (Note : pH of the Medium is 8.3 : ± 0.2) 30.50 gms/litre	959.00 4302.00	100 gm 500 gm	DM 1804	Ascospore Agar for detection of ascosporegenous yeasts. 43.50 gms/litre	4780.00	500 gm
	DM 1280	Antibiotic Assay Medium No. 12 (Nystatin Assay Agar) for microbiological assay of Amphotericin B and Nystatin using Saccharomyces.cerevisiae ATCC 2601. 62.50 gms/litre	5040.00	500 gm	DM 1713	Ashby's Glucose Agar for cultivation of Azotobacter species from soil that can use glucose and atmospheric nitrogen as source of carbon and nitrogen respectively. 40.70 gms/litre	4991.00	500 gm
	DM 1101	Antibiotic Assay Medium No. 19 for microbiological assay of Amphotericin B, Natamycin and Nystatin using Saccharomyces Cerevisiae. 60.00 gms/litre	4716.00	500 gm	DM 1706	Ashby's Mannitol Agar for isolation of Azotobacter species from soil that can use mannitol and atmospheric nitrogen as source of carbon and nitrogen respectively. 40.70 gms/litre	4991.00	500 gm
	DM 1167	Antibiotics Assay Medium No. 20 (Yeast MB Broth) for microbiological assay of Amphotericin B using Candida tropicalis. 42.50 gms/litre	4797.00	500 gm	DM 1725	Asparagine Gelatin Lactate Medium Base for isolation of sulphur bacteria. 152.50 gms/litre	3735.00	100 gm
	DM 2667	Antibiotic Assay Medium No. 37 (Tryptone Soya Broth) for cultivation of wide variety of microorganisms and sterility testing of pharmaceutical preparations. 30.00 gms/litre	432.00 1773.00	100 gm 500 gm	DM 1724	Asparagine Nitrate Medium for the isolation and cultivation of denitrifying bacteria from soil samples. 27.70 gms/litre	3735.00	100 gm
	DM 1799	Antibiotic Assay Medium No. 38 for microbiological assay of Ticarcillin using Pseudomonas aeruginosa. 45.40 gms/litre	4716.00	500 gm	DM 1182	Ayers and Johnson Agar (Stock Culture Agar) for maintenance of cultures of Streptococci and other Microorganisms. 50.00 gms/litre	4811.00	500 gm
					DM 1158	Azide Blood Agar Base for selective isolation and cultivation of Staphylococcus and Streptococcus species from mixed bacterial flora. 33.20 gms/litre	4644.00	500 gm
					DM 1345	Azide Dextrose Broth a selective medium for detection of Streptococci in water, sewage, food and other materials suspected of sewage contamination. 34.70 gms/litre	4428.00	500 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2271	Azide Dextrose Broth w/BCP recommended for cultivation of faecal Streptococci. 34.70 gms/litre	4977.00	500 gm	DM 1833	Bacillus Cereus Agar Base a selective medium for isolation detection and enumeration of Bacillus cereus. 40.97 gms/litre	1053.00 4725.00	100 gm 500 gm
DM 1220	B.A.G.G. Broth Base (Buffered Azide Glucose Glycerol Broth Base) for detection of faecal Streptococci (group D) from clinical specimens and other materials of sanitary significance. 36.01 gms/litre	4563.00	500 gm	MS 2003	*Polymyxin B Selective Supplement	1170.00	5 vl
DM 1861	B.T.B. Lactose Agar for isolation of pathogenic Staphylococci 33.17 gms/litre	1242.00 4977.00	100 gm 500 gm	DM 2394	Bacillus Differentiation Agar for differentiation between Bacillus cereus and Bacillus subtilis based on mannitol Fermentation. 22.00 gms/litre	5540.00	500 gm
DM 1036	*B12 Assay Medium (Vitamin B₁₂ Assay Medium) (Using L. Leichmannii) for microbiological assay of Vitamin B ₁₂ using Lactobacillus leichmannii ATCC 7830 as the test organism. 84.53 gms/litre	3618.00	100 gm	DM 1043	Baird Parker Agar Base for isolation and enumeration of coagulase positive Staphylococci from food and other Materials. 63.00 gms/litre	1013.00 4554.00	100 gm 500 gm
DM 1185	*B12 Culture Agar (E. coli Maintenance Medium) (E. coli Mutant Culture Agar) for propagation, cultivation and maintenance of Escherichia coli mutant used in microbiological assay of Vitamin B ₁₂ . 37.85 gms/litre	2300.00	100 gm	MS 2046	*Egg Yolk Tellurite Emulsion (100ml per vial)	2264.00	5 vl
DM 1035	*B12 Culture Agar (L.leichmannii Maintance Medium) for propagation cultivation and maintenance of Lactobacillus leichmannii ATCC 7830 42.10 gms/litre	1900.00	100 gm	MS 2047	*Potassium Tellurite 3.5% (1ml per vial)	730.00	5 vl
DM 1206	*B12 Inoculum Broth for preparing the inoculum of Lactobacillus leichmannii ATCC 7830 for the microbiological assay of Vitamin B ₁₂ . 32.10 gms/litre	1872.00	100 gm	MS 2069	*B. P Sulpha Supplement	1067.00	5 vl
DM 1906	B.C. Motility Test Medium for testing motility of Bacillus cereus. 23.00 gms/litre	4356.00	500 gm	DM 1043S	Baird Parker Agar Base for isolation and enumeration of bacteria responsible for food poisoning 65.00 gms/litre	1233.00 5022.00	100 gm 500 gm
DM 1106	B.C.G. - Dextrose Agar (Snyder Test Agar) for the estimation of Lactobacilli, an indication of caries activity. 65.02 gms/litre	4654.00	500 gm	MS 2045F	*Egg Yolk Emulsion 50% 100ml per vial	2700.00	5 vl
DM 1205	B.D.G. - Broth, Hajna for presumptive detection of enteric bacilli present in treated drinking waters. 35.60 gms/litre	5445.00	500 gm	MS 2046	*Egg Yolk Tellurite Emulsion (100ml per vial)	2264.00	5 vl
DM 1492	B.G. Sulpha Agar See Brilliant Green Sulpha Agar	1103.00 5022.00	100 gm 500 gm	MS 2047	* Potassium Tellurite 3.5% (1ml per vial)	730.00	5 vl
DM 2020	BPL Agar for isolation and identification of Salmonellae except Salmonella serotype typhi in faeces, urine, milk and other materials. 40.04 gms/litre	4622.00	500 gm	MS 2195	*Fibrinogen Plasma trypsin Inhibitor (100ml per vial)	5419.00	5 vl
DM 1470	BYE Agar for cultivation and routine studies of distribution of Mycoplasmas or Pleuropneumonia Like organisms (PPOs) and L- forms of bacteria. 52.00 gms/litre	4428.00	500 gm	DM 1043M	Baird Parker Agar Base for isolation and enumeration of coagulase positive Staphylococci from food and other materials in accordance with IP 63.05 gms/litre	1013.00 4554.00	100 gm 500 gm
				MS 2045F	*Egg Yolk Emulsion 50% (100ml per vial)	2700.00	5 vl
				MS 2052	* Potassium Tellurite 1.0% (1ml per vial)	675.00	5 vl
				DM 2140	Baird Parker Agar Base w/ Sulpha recommended for isolation and enumeration of coagulase positive Staphylococci from food and other materials. 63.05 gms/litre	6080.00	500 gm
				MS 2045F	*Egg Yolk Emulsion 50% 100ml per vial	2700.00	5 vl
				MS 2046	*Egg Yolk Tellurite Emulsion (100ml per vial)	2264.00	5 vl
				MS 2047	* Potassium Tellurite 3.5% (1ml per vial)	730.00	5 vl
				DM 1005	Base Agar See Antibiotic Assay Medium No. 2	4820.00	500 gm
				DM 1041	Base Agar w/low pH See Antibiotic Assay Medium No.8	4600.00	500 gm
				BA 2274	Meat Extract Paste	1197.00	500 gm
				BA 2002	Meat Extract Powder refined for use in microbial culture media	2300.00 POR	500 gm 2.5 kg
				BC 2002	Meat Extract Powder, Certified for the maximum recovery and growth of a wide variety of microorganisms.	4095.00	500 gm
				BA 2669	Meat Extract Powder Type 1 used in media for routine cultivation and diagnostic purposes.	2350.00 POR	500 gm 5 kg
				DM 1806	Meat Extract Agar for routine cultivation of non fastidious bacteria 33.00 gms/litre	1103.00 4563.00	100 gm 500 gm

**A
B**

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

B

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1807	Meat Extract Broth for routine cultivation of non fastidious bacteria 18.00 gms/litre	4487.00	500 gm	DM 1739	Bile Salt Agar for isolation and enumeration of bile tolerant enteric bacilli. 43.00 gms/litre	1081.00 4865.00	100 gm 500 gm
DM 1217	Bi.G.G.Y. Agar (Nickerson Medium) for detection, selective isolation, differentiation and presumptive identification of <i>Candida albicans</i> and <i>Candida tropicalis</i> . 45.00 gms/litre	5153.00	500 gm	DM 1739S	Bile Salt Agar for isolation and enumeration of bile tolerant enteric bacteria responsible for food poisoning. 40.00 gms/litre	1081.00 4865.00	100 gm 500 gm
DM 1071	Bile Broth Base for cultivation of members of the Enterobacteriaceae and in culture of blood clots from patients with suspected enteric fever 30.00 gms/litre	1193.00 4780.00	100 gm 500 gm	DM 2157	Bile Salts Brilliant Green Starch Agar for selective isolation and identification of <i>Aeromonas hydrophila</i> from food and environmental specimens. 45.00 gms/litre	4865.00	500 gm
DM 1972	Bile Esculin Agar for differential isolation and Presumptive identification of group D Streptococci in food and pharmaceutical products. 64.50 gms/litre	2223.00 8892.00	100 gm 500 gm	BA 2021	Bio Peptone mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.	2863.00	500 gm
DM 1972I	Bile Esculin Agar recommended for isolation and identification of <i>Yersinia enterocolitica</i> from food and animal feeding stuffs. 64.50 gms/litre * Meat Equivalent to Beef	8640.00	500 gm	BC 2021	Bio Peptone, Certified Provide a broad spectrum of peptides and amino acids which supports better microbiological growth characteristics to a large variety of organisms.	4257.00	500 gm
DM 2035	Bile Esculin Agar w/Kanamycin for selective isolation and presumptive identification of bacteria of the <i>Bacteroides fragilis</i> group from mixed flora. 44.60 gms/litre	2403.00 9612.00	100 gm 500 gm	DM 1027U	Bismuth Sulphite Agar Medium for selective isolation of Salmonellae from faeces, urine, sewage and other materials in accordance with USP. 52.32 gms/litre	1062.00 4343.00	100 gm 500 gm
DM 1340	Bile Esculin Agar Base for differential isolation and presumptive identification of group D Streptococci in food and pharmaceutical products. 63.50 gms/litre	5481.00	500 gm	DM 1027	Bismuth Sulphite Agar for selective isolation of Salmonellae from faeces, urine, sewage and other materials. 52.33 gms/litre	941.00 4203.00	100 gm 500 gm
MS 2050	Aesculin (Esculin) 0.5 gm per vial	2673.00	5 vial	DM 2004	Bismuth Sulphite Agar, Modified for isolation and preliminary identification of <i>Salmonella Typhi</i> and other Salmonellae from pathological materials, sewage, water supplies, food etc. 40.00 gms/litre	1143.00 4554.00	100 gm 500 gm
DM 1493	Bile Esculin Azide Agar for selective isolation and presumptive identification of faecal Streptococci. 56.65 gms/litre	8784.00	500 gm	DM 1073	Blood Agar Base (Infusion Agar) for isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood. 40.00 gms/litre	792.00 3587.00	100 gm 500 gm
DM 1493I	Bile Esculin Azide Agar recommended for isolation and presumptive identification of faecal Streptococci. 56.65 gms/litre	8784.00	500 gm	DM 1089	Blood Agar Base w/low pH an infusion medium, for isolation and cultivation of fastidious organisms, after addition of blood. 40.00 gms/litre	959.00 3834.00	100 gm 500 gm
DM 1481	Bile Peptone Transport Medium for safe collection, transport and presentation of cholera organisms. 25.00 gms/litre	4797.00	500 gm	DM 1834	Blood Agar Base No. 2 after addition of blood, medium permits maximum recovery of Streptococci, Pneumococci and other fastidious pathogenic microorganisms without interfering with their haemolytic reactions. 42.50 gms/litre	770.00 3452.00	100 gm 500 gm
BA 2008	Bile Salt for Bacteriology	8964.00	500 gm	MS 2005	*Brucella Selective Supplement	413.00	5 vial
BC 2008	Bile Salts, Certified a specially manufactured extract of bile salts, is recommended as a selective inhibitory agent in microbiological culture media.	9927.00	500 gm	MS 2006	*Campylobacter Supplement-I (Blaser-Wang)	242.00	5 vial
BA 2009	Bile Salts Mixture equivalent to Bile Salt No.3 for use in bacteriology culture media as selective inhibitory agent.	4221.00	100 gm	MS 2007	*Campylobacter Supplement-II (Butzler)	503.00	5 vial
BC 2009	Bile Salts Mixture, Certified recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria.	7610.00	100 gm	MS 2008	*Campylobacter Supplement-III (Skirrow)	341.00	5 vial
				MS 2009	*Campylobacter Growth Supplement	341.00	5 vial
				MS 2031	*Strepto Supplement	1134.00	5 vial



DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1834A	Blood Agar Base No. 2 w/1.2% Agar especially devised to permit the maximum recovery fo fastidious pathogenic microorganisms without interfering with their haemolytic reactions. 39.50 gms/litre	3902.00	500 gm	DM 1210I	Brain Heart Infusion Broth for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6880:1983. 37.00 gms/litre	4212.00	500 gm
MS 2005	*Brucella Selective Supplement	1413.00	5 vl	DM 1212	Brain Heart Infusion w/PABA for examination of blood from patients under Sulphonamide therapy. 37.05 gms/litre	4824.00	500 gm
MS 2006	*Campylobacter Supplement-I (Blaser-Wang)	#242.00	5 vl	DM 1213	Brain Heart Infusion w/PABA and Agar for improved growth of pathogens from blood from patients undergoing Sulphonamide Treatment. 38.05 gms/litre	4914.00	500 gm
MS 2007	*Campylobacter Supplement-II (Butzler)	#503.00	5 vl	DM 1019	Brewer Thioglycollate Medium for testing sterility of biological products and for isolation of aerobic and anaerobic organisms 40.05 gms/litre	711.00 3101.00	100 gm 500 gm
MS 2008	*Campylobacter Supplement-III (Skirrow)	#341.00	5 vl	DM 1195	Brewer Thioglycollate Medium, Modified (Linden Thioglycollate Medium) for testing sterility of biological products and for the isolation of aerobic and anaerobic Organisms. 38.50 gms/litre	739.00 3110.00	100 gm 500 gm
MS 2009	*Campylobacter Growth Supplement	#341.00	5 vl	DM 1195A	Brewer Thioglycollate Medium, Modified for testing sterility of biological products and for isolation of aerobic and anaerobic organisms. 20.60 gms/litre	711.00 3101.00	100 gm 500 gm
MS 2031	*Strepto Supplement	1134.00	5 vl	DM 1016	Brilliant Green Agar, Modified for selective isolation of Salmonellae other than Salmonella Serotype Typhi from faeces, foods, dairy products. 58.09 gms/litre	855.00 3501.00	100 gm 500 gm
DM 1887F	Blood Free Campylobacter Selectivity Agar Base W/Yeast extract recommended for elective isolation and differentiation of Campylobacter species in accordance with FDA BAM.1998	5940.00	500 gm	MS 2068	*Sulpha Supplement	1485.00	5 vl
MS 2135F	*CCDA Supplement	#602.00	5 vl	DM 1016U	Brilliant Green Agar, Modified for selective isolation of Salmonellae other than Salmonella Serotype Typhi from faeces, foods, dairy products etc. In accordance with USP. 58.09 gms/litre	855.00 3510.00	100 gm 500 gm
DM 1175	Bordet Gengou Agar Base for detection and isolation of Bordetella pertussis and Bordetella parapertussis. 40.00 gms/litre	5184.00	500 gm	DM 1016A	Brilliant Green Agar w/ 1.2% Agar recommended as enrichment medium for isolation of Salmonellae from faeces, urine and other pathological materials. 50.09 gms/litre	873.00 3861.00	100 gm 500 gm
MS 2004	*Bordetella Selective Supplement	#292.00	5 vl	MS 2068	*Sulpha Supplement	1485.00	5 vl
DM 1175A	Bordet Gengou Agar Base w/1.6% Agar for detection and isolation of Bordetella pertussis and Bordetella parapertussis. 36.00 gms/litre	5184.00	500 gm	DM 1971	Brilliant Green Agar Base w/Phosphates recommended for selective isolation of Salmonellae while inhibiting Escherichia coli, Proteus and Pseudomonas species. 51.69 gms/litre	4519.00	500 gm
MS 2004	*Bordetella Selective Supplement	#292.00	5 vl	MS 2068	*Sulpha Supplement	1485.00	5 vl
DM 1216	Boric Acid Broth for the detection and presumptive identification of Escherichia coli, on the basis of the ability of these organisms to grow at 43°C and form gas from lactose in the presence of boric acid. 34.55 gms/litre	4487.00	500 gm	DM 1971I	Brilliant Green Agar w/ Phosphates recommended for detection and enumeration of Salmonellae. 54.69 gms/litre	4554.00	500 gm
DM 1211	Brain Heart Infusion Agar (Special Infusion Agar) for cultivation of fastidious pathogenic bacteria, yeast and moulds. 52.00 gms/litre	792.00 3627.00	100 gm 500 gm				
DM 1211A	Brain Heart Infusion Agar w/ 1% Agar for cultivation of fastidious pathogenic bacteria, yeasts and moulds 47.00 gms/litre	4343.00	500 gm				
DM 2036	Brain Heart Infusion w/0.1% Agar for propagation of fastidious pathogenic cocci and other organisms associated blood culture work and allied pathological investigations. 38.00 gms/litre	4266.00	500 gm				
DM 2037	Brain Heart Infusion w/6.5% NaCl for selective cultivation of salt tolerant Microorganisms. 97.00 gms/litre	4190.00	500 gm				
DM 2069	Brain Heart Infusion Agar w/ 3.0% Agar for cultivation of microorganisms when 3.0% Agar gel is desired. 67.00 gms/litre	5121.00	500 gm				
DM 1210	Brain Heart Infusion Broth for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations. 37.00 gms/litre	792.00 3555.00	100 gm 500 gm				

B

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

B
C

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1971S	Brilliant Green Agar Base w/ Phosphates for selective isolation of bacteria responsible for food poisoning. 52.00 gms/litre	1013.00 4554.00	100 gm 500 gm	DM 1813	Buffered Charcoal Yeast Extract Agar Base for selective isolation and cultivation of Legionella species from clinical and other materials. 40.00 gms/litre	5441.00	500 gm
MS 2068	*Sulpha Supplement	1485.00	5 vl	MS 2017	*Legionella Selective Supplement	1170.00	5 vl
DM 1059	Brilliant Green Bile Agar for enumeration of coliform bacteria in water, sewage and foods. 20.70 gms/litre	855.00 3843.00	100 gm 500 gm	MS 2037	*Legionella Selective Supplement II	1575.00	5 vl
DM 1121	Brilliant Green Bile Broth 2% for detection and confirmation of coliform bacteria in water, waste water, foods, milk and dairy products. 40.01 gms/litre	770.00 3430.00 6170.00	100 gm 500 gm 1 kg	MS 2038	*Legionella Selective Supplement III	1485.00	5 vl
DM 1492	Brilliant Green Sulpha Agar See BG Sulpha Agar a highly selective medium for isolation and detection of Salmonella species in food, especially eggs and egg products. 59.09 gms/litre	1103.00 5022.00	100 gm 500 gm	MS 2040	*Legionella Selective Supplement IV (MWY)	1742.00	5 vl
DM 2212	Bromo Cresol Purple Azide Broth for the confirmation of the presence of faecal Streptococci in Water and waste water. 35.93 gms/litre	4563.00	500 gm	MS 2041A	*Legionella Supplement (Twin Pack)	1134.00	5 vl
DM 1676	Bromo Cresol Purple Broth Base (Yeast Fermentation Broth Base) for studying fermentation of carbohydrates by pure cultures. 18.04 gms/litre * Desired Carbohydrate - 0.5 - 1.0%	4743.00	500 gm	DM 1204	Buffered Glycerol Saline Base for collection and transportation of faecal Specimens. 8.30+300 ml glycerol	919.00 4150.00	100 gm 500 gm
DM 2265	Bromo Cresol Purple Broth w/Lactose for identification of Escherichia coli and coliform bacteria from water samples. 28.02 gms/litre	3924.00	500 gm	DM 1614	Buffered Peptone Water for pre-enrichment of injured Salmonella species from foods prior to selective enrichment and isolation. 20.00 gms/litre	662.00 2952.00	100 gm 500 gm
DM 1074	Brucella Agar Base for selective isolation and cultivation of Brucella or Campylobacter species from clinical and nonclinical specimens. 43.10 gms/litre	1017.00 4433.00	100 gm 500 gm	DM 1951	Buffered Tryptone Glucose Yeast Extract Broth for cultivation and characterization of Clostridia isolated from food specimens. 85.00 gms/litre	4320.00	500 gm
MS 2005	*Brucella Selective Supplement	1413.00	5 vl	DM 1585	Buffered Yeast Agar for cultivation of yeasts and moulds and for the controlling of bottle washing operations in the soft-drinks and related industries. 41.00 gms/litre	4392.00	500 gm
MS 2006	*Campylobacter Supplement I (Blaser - Wang)	1242.00	5 vl	DM 1707	Burk's Medium for isolation and cultivation of nitrogen fixing bacteria such as Azotobacter species. 21.33 gms/litre	4347.00	500 gm
MS 2007	*Campylobacter Supplement II (Butzler)	1503.00	5 vl	DM 1349	Bushnell Haas Agar for examination of fuels for microbial contamination and for studying Hydrocarbon deterioration by microorganisms. 23.27 gms/litre	4654.00	500 gm
MS 2008	*Campylobacter Supplement III (Skirrow)	1341.00	5 vl	DM 1350	Bushnell Haas Broth for examining fuels for microbial contamination and for studying hydrocarbon deterioration by microorganisms. 3.27 gms/litre	1067.00 4581.00	100 gm 500 gm
MS 2009	*Campylobacter Growth Supplement	1341.00	5 vl	DM 1893	CAL Agar (Cellulose Arginine Lysine Agar) for isolation and biochemical characterization of Yersinia enterocolitica. 46.03 gms/litre	7300.00	100 gm
DM 1074A	Brucella Agar Base, Modified for cultivation of Campylobacter species 44.10 gms/litre	4433.00	500 gm	DM 1894	CAL Broth (Cellulose Arginine Lysine Broth) for isolation and biochemical characterization of Yersinia enterocolitica. 26.03 gms/litre	6786.00	100 gm
MS 2009	*Campylobacter Growth Supplement	1341.00	5 vl	DM 1351	CHO Medium Base is a basal medium to which carbohydrates may be added for use in fermentation studies of anaerobic bacteria. 26.11 gms/litre	4194.00	500 gm
MS 2008	*Campylobacter Supplement III (Skirrow)	1341.00	5 vl	DM 1352	C.L.E.D. Agar w/ Andrade Indicator for isolation, and differentiation of urinary pathogens on the basis of lactose fermentation. 36.25 gms/litre	1035.00 4487.00	100 gm 500 gm
DM 2039	Brucella Agar w/Hemin and Vitamin K for cultivation of Brucella species, for isolation and subculture of anaerobes with addition of blood. 43.12 gms/litre	5320.00	500 gm				
DM 1348	Brucella Broth Base for enrichment and cultivation of Brucella or Campylobacter species from clinical and nonclinical specimens. 28.10 gms/litre	1004.00 4370.00	100 gm 500 gm				
MS 2009	*Campylobacter Growth Supplement	1341.00	5 vl				

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2146	C.L.E.D. Agar Base w/o Indicator for isolation, enumeration and presumptive identification of bacterial flora in urinary tract. 36.13 gms/litre	990.00 4073.00	100 gm 500 gm	DM 1024H	Cetrimide Agar Recommended as a selective medium used for the isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. 45.30 gms/litre + 10ml glycerol	792.00 3619.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
MS 2091	*Bromo Thymol Blue Supplement (20 mgm per vial)	482.00	5 vl	DM 1862	Cetrimide Broth for selective cultivation of <i>Pseudomonas aeruginosa</i> 25.30 gms/litre	873.00 3619.00	100 gm 500 gm
DM 1792	C.L.E.D. Agar w/Bromo Thymol Blue for isolation and differentiation of urinary pathogens on the basis of lactose fermentation. 36.15 gms/litre	1035.00 4487.00	100 gm 500 gm	DM 1862A	Cetrimide Broth Base recommended for cultivation of <i>Pseudomonas aeruginosa</i> from water samples using membrane filter technique. 31.90 gms/litre	4424.00	500 gm
DM 2240	Campylobacter Nitrate Broth for identification of <i>Campylobacter</i> species on the basis of nitrate reduction. 27.00 gms/litre	3843.00	500 gm	DM 1215	Chapman Stone Agar for selective isolation of <i>Staphylococci</i> causing food poisoning. 202.50 gms/litre	4370.00	500 gm
DM 1363	Carbon Utilization Agar for characterization of streptomycetes on the basis of carbon utilization source. 24.83 gms/litre	2300.00 9225.00	100 gm 500 gm	DM 1344	Charcoal Agar Base for cultivation of <i>Bordetella pertussis</i> , for vaccine Production and also for stock culture maintenance. 62.50 gms/litre	4671.00	500 gm
DM 1202	Cary-Blair Medium Base (Transport Medium w/o Charcoal) for collection and shipment of clinical Specimens. 12.60 gms/litre	1143.00 5040.00	100 gm 500 gm	MS 2004	*Bordetella Selective Supplement ###	1292.00	5 vl
BA 2189	Casein Acid Hydrolysate , Certified, Sodium chloride less than 3%	8865.00	500 gm	DM 1646	Charcoal Blood Agar Base for cultivation of <i>Bordetella pertussis</i> , for vaccine production and also for the maintenance of stock cultures. 54.50 gms/litre	4802.00	500 gm
BA 2498	Casein Acid Hydrolysate special for Pertussis Vaccine production.	8820.00	500 gm	DM 2053	Charcoal Agar Base w/Niacin for cultivation and isolation of <i>Bordetella pertussis</i> and <i>Haemophilus influenzae</i> . 51.00 gms/litre	4743.00	500 gm
BA 2013	Casein Acid Hydrolysate , Technical, used in antibiotic sensitivity test media, vaccine preparation media etc.	5239.00	500 gm	MS 2004	*Bordetella Selective Supplement	#1292.00	5 vl
BC 2013	Casein Acid Hydrolysate , Certified, recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	7812.00	500 gm	DM 1113	Chlamyospore Agar for differentiation of <i>Candida albicans</i> from other <i>Candida</i> species on the basis of chlamyospore formation. 37.10 gms/litre	1521.00 6890.00	100 gm 500 gm
BA 2190	Casein Acid Hydrolysate , Vitamin Free	8082.00	500 gm	DM 1580	China Blue Lactose Agar for differentiation and enumeration of bacteria in milk. 38.30 gms/litre	4654.00	500 gm
BA 2014	Casein Enzyme Hydrolysate , Type-I Tryptone, used in sterility testing, diagnostic media Preparations	3402.00 POR	500 gm 2.5 kg	DM 2008	*Chloramphenicol Yeast Glucose Agar recommended for selective enumeration of yeasts and moulds in milk and milk products. 40.00 gms/litre	905.00 4086.00	100 gm 500 gm
BC 2014	Casein Enzyme Hydrolysate , Certified Tryptone, recommended in a number of media such as sterility testing media diagnostic media for biochemical Characterization, etc.	3889.00	500 gm	DM 1103	Chocolate Agar Base for isolation of <i>Neisseria gonorrhoeae</i> from chronic and acute cases of gonococcal infections. 45.50 gms/litre	4654.00	500 gm
BA 2028	Casein Enzyme Hydrolysate , Type-II	2916.00 POR	500 gm 5 kg	MS 2022	*Haemoglobin Powder	2421.00	100 gm
BA 2714	Casein Peptone , enzymic digest of casein	2907.00 POR	500 gm 2.5 kg	MS 2025	*Vitamin Growth Supplement (Vitamins and Amino Acids Mixture)	#2084.00	5 vl
DM 1201	Casman Agar for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension. 43.60 gms/litre	4428.00	500 gm	MS 2027	*Yeast Autolysate Supplement	990.00	5 vl
DM 1766	Casman Broth Base for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension. 29.60 gms/litre	4150.00	500 gm	DM 1728	Citrate Agar for cultivation of iron bacteria from soil samples. 27.20 gms/litre	887.00 3789.00	100 gm 500 gm
DM 1024	Cetrimide Agar Base for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimen. 46.70 gms/litre +10ml glycerol	792.00 3619.00	100 gm 500 gm	DM 1552	Clausen Medium for sterility testing, in accordance with Nordic Pharmacopoeia Board. 40.00 gms/litre	4622.00	500 gm
MS 2130	*Nalidixic Selective Supplement	1053.00	5 vl				

C

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

C
D

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1836	Clostridium Difficile Agar Base for selective isolation of Clostridium Difficile from faeces. food and certain pathological specimens. 69.10 gms/litre	4780.00	500 gm	DM 1149	Cooked Meat Medium (R.C. Medium) for cultivation of aerobes and anaerobes, especially pathogenic Clostridia and also for the maintenance of stock cultures. 125.00 gms/litre	855.00 4100.00	100 gm 500 gm
MS 2010	*Clostridium Difficile Supplement####	1350.00	5 vl	DM 1149S	Cooked Meat Medium (R.C. Medium) for cultivation of aerobes and anaerobes, especially pathogenic Clostridia and also for the maintenance of stock cultures. 115.40 gms/litre	936.00 4500.00	100 gm 500 gm
DM 2211	Coliform Broth for isolation and cultivation of coliform organisms from cream, yogurt and raw milk. 57.14 gms/litre	3960.00	500 gm	DM 1146	Corn Meal Agar for production of chlamydispores by Candida albicans and the maintenance of fungal stock cultures. 17.00 gms/litre	1067.00 4356.00	100 gm 500 gm
DM 1144	Columbia Blood Agar Base an efficient base for preparation of blood agar, Chocolate agar and for various selective and identification media. 44.00 gms/litre	1027.00 4203.00	100 gm 500 gm	DM 1897	Crystal Violet Lactose Agar for differentiation of pure cultures of pathogenic and nonpathogenic Staphylococci. 33.00 gms/litre	4622.00	500 gm
MS 2005	*Brucella Selective Supplement	#1413.00	5 vl	DM 1831	Crystal Violet Lactose Broth for detection of coliforms in water filtration control works. 16.00 gms/litre	4284.00	500 gm
MS 2006	*Campylobacter Supplement-I (Blaser-Wang)#	#242.00	5 vl	DM 1500	Culture Medium for RWC (Disinfectant Test Broth) for determination of phenol coefficients of disinfectants using Salmonella typhi as a test organisms. 50.00 gms/litre	1062.00 4554.00	100 gm 500 gm
MS 2007	*Campylobacter Supplement-II (Butzler)	#503.00	5 vl	DM 1172	Cystine Heart Agar Base supports excellent growth of gram-negative cocci and other pathogenic organisms. With added haemoglobin it is used for cultivation of Francisella tularensis. 51.00 gms/litre	4347.00	500 gm
MS 2008	*Campylobacter Supplement-III (Skirrow)	#341.00	5 vl	DM 1159	Cystine Tryptone Agar for maintenance, subculturing, detection of motility and fermentation studies with the addition of various carbohydrates. 28.51 gms/litre	1027.00 4181.00	100 gm 500 gm
MS 2009	*Campylobacter Growth Supplement	1341.00	5 vl	DM 1732	Czapek Malt Agar for isolation, detection and cultivation of saprophytic fungi. 94.01 gms/litre	954.00 3961.00	100 gm 500 gm
MS 2030	*Staph-Strepto Supplement####	#1404.00	5 vl	DM 2335	Czapek Yeast Extract Agar for the cultivation and maintenance of Aspergillus niger. 51.40 gms/litre	4802.00	500 gm
MS 2031	*Strepto Supplement	#134.00	5 vl	DM 1482	Dnase Test Agar Base for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci. 42.00 gms/litre	6930.00	100 gm
MS 2056	*G.Vaginalis Selective Supplement	#170.00	5 vl	MS 2051	Toluidine Blue (0.1 gm per vial)	653.00	5 vl
MS 2090	*Campylobacter Selective Supplement	#463.00	5 vl	DM 2419	DNase Test Agar w/ Methyl green for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci. 42.05 gms/litre	6534.00	100 gm
MS 2106	*Campylobacter Supplement VI (Butzler)	#602.00	5 vl	DM 2041	DNase Test Agar w/ Toluidine Blue for detection of deoxyribonuclease activity of Microorganisms. 42.10 gms/litre	8244.00	100 gm
DM 1144A	Columbia Blood Agar Base w/ 1% Agar a basal medium used with or without blood for isolation and cultivation of fastidious Bacteria. 39.00 gms/litre	4527.00	500 gm				
MS 2005	*Brucella Selective Supplement	#1413.00	5 vl				
MS 2006	*Campylobacter Supplement-I (Blaser-Wang)	#242.00	5 vl				
MS 2007	*Campylobacter Supplement-II (Butzler)	#503.00	5 vl				
MS 2008	*Campylobacter Supplement III (Skirrow)	#341.00	5 vl				
MS 2009	*Campylobacter Growth Supplement	#341.00	5 vl				
MS 2031	*Strepto Supplement	#134.00	5 vl				
MS 2056	*G Vaginalis Selective Supplement	#170.00	5 vl				
MS 2090	*Campylobacter Selective Supplement	####1463.00	5 vl				
MS 2106	*Campylobacter Supplement VI (Butzlea)	#602.00	5 vl				
MS 2119	*Streptococcus Selective Supplement	#143.00	5 vl				
DM 2133	Columbia Blood Agar Base w/Hemin an efficient and enriched base for preparation of chocolate and blood agar and for various selective and identification media. 44.01 gms/litre	9081.00	500 gm				
DM 1145	Columbia Broth Base for cultivation of fastidious organisms from clinical specimens. 35.01 gms/litre	3915.00	500 gm				
DM 1560	*Columbia C.N.A. Agar Base for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens. 44.02 gms/litre	10360.00	500 gm				
DM 1560A	*Columbia C.N.A. Agar Base w/1% Agar for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens. 39.02 gms/litre	10360.00	500 gm				
DM 1499	Cooke Rose Bengal Agar Base for selective isolation and cultivation of fungi. 36.54 gms/litre	5220.00	500 gm				



DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1741	DNase Test Agar w/o DNA with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi. DNA-2gms Bromothymol blue - 0.025 gm * Mannitol-10 gms 40.00 gms/litre	2043.00 8442.00	100 gm 500 gm	DM 1066	Deoxycholate Lactose Agar for isolation and enumeration of coliforms in water, waste-water, milk and dairy products. 42.53 gms/litre	1013.00 4050.00	100 gm 500 gm
DM 1160	D.C.L.S. Agar a selective medium used to detect and isolate Salmonella and Shigella species also useful for isolation of <i>Virbio cholerae</i> . 49.53 gms/litre	941.00 3753.00	100 gm 500 gm	DM1084	Dextrose Agar for cultivation of a wide variety of microorganisms. 43.00 gms/litre	873.00 3915.00	100 gm 500 gm
DM 1178	D.C.L.S. Agar, Hajna for the isolation of gram-negative enteric bacilli. 73.52 gms/litre	941.00 3753.00	100 gm 500 gm	DM 1286	Dextrose Agar Base, Emmons (Sabouraud Dextrose Agar Base, Modified) for selective cultivation of pathogenic fungi. 47.00 gms/litre	1099.00 4554.00	100 gm 500 gm
DM 1501	Decarboxylase Agar Base for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid added to the medium. 24.02 gms/litre	4150.00	500 gm	MS 2035	*CC Supplement	1242.00	5 vI
DM 1393	Decarboxylase Broth Base, Moeller (Moeller Decarboxylase Broth Base) to differentiate bacteria on the basis of their ability to decarboxylate the amino acid. 10.52 gms/litre	2331.00 9540.00	100 gm 500 gm	DM 1044	Dextrose Broth used for cultivation of wide variety of Microorganisms. 23.00 gms/litre	730.00 2907.00	100 gm 500 gm
DM 1912S	Decarboxylase Test Medium Base (Falkow) for testing amino acid decarboxylase activity. 9.02 gms/litre	1013.00 4059.00	100 gm 500 gm	DM 1241	Dextrose Mannitol Agar (Gillies Agar No 1) for detection of urease production, dextrose and mannitol fermentation for primary isolation of <i>Salmonella</i> and <i>Shigella</i> species 46.05 gms/litre	5067.00	500 gm
DM 1912	Decarboxylase Test Medium Base (Falkow) for testing amino acid decarboxylase activity. 9.02 gms/litre	1013.00 4059.00	100 gm 500 gm	DM 1649	Dextrose Peptone Agar for general cultivation of organisms. 50.00 gms/litre	3933.00	500 gm
DM 1030	Deoxycholate Agar for the direct differential count of coliforms in dairy products and for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens 45.03 gms/litre	855.00 3501.00	100 gm 500 gm	DM 1650	Dextrose Peptone Broth for the cultivation of fastidious organisms, enumeration of thermophilic bacteria from canned foods and for routine sterility testing 35.00 gms/litre	3771.00	500 gm
DM 1065	Deoxycholate Citrate Agar selective medium for the isolation of enteric pathogens particularly <i>Salmonella</i> and <i>Shigella</i> species 70.52 gms/litre	919.00 4167.00	100 gm 500 gm	DM 1102	Dextrose Salt Agar enumeration of yeasts and moulds in butter and other dairy products. 35.00 gms/litre	4383.00	500 gm
DM 1065B	Deoxycholate Citrate Agar Medium (Agar Medium J) for selective isolation of enteric pathogens in accordance with BP. 69.02 gms/litre	3303.00	500 gm	DM 1980	Dextrose Salt Broth enumeration of yeasts and moulds in butter and other dairy products. 20.00 gms/litre	4005.00	500 gm
DM 1065M	Deoxycholate Citrate Agar for selective isolation and identification of <i>Salmonellae</i> in accordance with IP. 69.02 gms/litre	770.00 3240.00	100 gm 500 gm 2.5 kg 5 kg	DM 1183	Dextrose Starch Agar for propagation of pure cultures of <i>Neisseria gonorrhoeae</i> and other fastidious organisms. 65.00 gms/litre	4383.00	500 gm
DM 2074	Deoxycholate Citrate Agar, Modified (Heynes) selective medium for the isolation of <i>Salmonella</i> and <i>Shigella</i> species. 51.92 gms/litre	4811.00	500 gm	DM 1092	Dextrose Tryptone Agar for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods. 30.04 gms/litre	4343.00	500 gm
DM 1222	Deoxycholate Citrate Agar w/o Sucrose for differentiation and identification of enteric Pathogens. 45.03 gms/litre	963.00 3888.00	100 gm 500 gm	DM 1913	Dextrose Tryptone Agar, Modified for isolation and cultivation of aciduric and thermophilic, aerobic flat-sour sporeformers from canned foods, sugar etc. 32.29 gms/litre	4500.00	500 gm
				DM 1122	Dextrose Tryptone Broth for enrichment and cultivation of mesophilic and thermophilic organisms in foods. 15.04 gms/litre	4203.00	500 gm
				DM 1914	Dextrose Tryptone Broth, Modified for detection and enumeration of mesophilic and thermophilic aerobic microorganisms in food 17.29 gms/litre	4203.00	500 gm
				DM 2062	Dey-Engley Neutralizing Broth for neutralizing and testing antiseptics and disinfectants. 39.02 gms/litre	4797.00	500 gm

D

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

D
E

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1187	Dey-Engley Neutralizing Broth Base for neutralizing and determining bactericidal activity of quaternary ammonium compounds. 17.52 gms/litre	4266.00	500 gm	DM 1127I	EC Broth for selective enumeration of presumptive Escherichia coli by MPN technique. The composition and performance criteria of this medium are as per the specifications laid down in ISO/DIS 7251:1993. 37.00 gms/litre	4050.00	500 gm
DM 1111	Diagnostic Stuart's Urea Broth Base (Urea Broth Base) for the identification of bacteria on the basis of urea utilization, specially for the differentiation of Proteus, Salmonella and Shigella species. 18.71 gms/litre	1062.00 4356.00	100 gm 500 gm	DM 1748	Edward's Medium Base, Modified for selective and rapid isolation of Streptococcus agalactiae and other Streptococci associated with bovine mastitis. 41.33 gms/litre	2539.00	100 gm
MS 2048	*Urea 40% (5ml per vial)	469.00	5 vl	DM 1287	EE Broth, Mossel for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods. 43.46 gms/litre	990.00 4473.00	100 gm 500 gm
DM 1191	Diagnostic Thioglycollate Medium (Thioglycollate Medium w/o Indicator) for enrichment of blood cultures. 30.05 gms/litre	3430.00	500 gm	DM 1287A	EE Broth Modified for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods and animal feed stuffs. 42.93 gms/litre	4451.00	500 gm
DM 1549	Differential Reinforced Clostridial Broth Base for the cultivation of Clostridia from water. 29.00 gms/litre	963.00 4356.00	100 gm 500 gm	DM 1287D	EE Broth, Mossel for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods. 45.01 gms/litre	4451.00	500 gm
DM 1549I	Differential Reinforced Clostridial Broth Base for cultivation of Clostridia from water. The composition and performance criteria of this medium are as per the specifications laid down in ISO 6461-1:1986. 29.00 gms/litre	4581.00	500 gm	DM 1287I	EE Broth, Mossel recommended for selective enrichment of Enterobacteriaceae in bacteriological examination of foods. 43.46 gms/litre	4924.00	500 gm
DM 1915	Dihydrolase Broth Base for studying dihydrolase reaction of Vibrio Parahaemolyticus. 43.03 gms/litre	4311.00	500 gm	DM 1287H	EE Broth, Mossel Enterobacteria Enrichment Broth, Mossel is used for selective enrichment of Enterobacteriaceae from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP 42.93 gms/litre	1000.00 4518.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1500	Disinfectant Test Broth see Culture Medium for RWC	1062.00 4554.00	100 gm 500 gm	DM 1317	EMB Agar for differential isolation of gram-negative enteric bacilli from clinical and nonclinical specimens 35.96 gms/litre	770.00 3430.00	100 gm 500 gm
DM 1354	Disinfectant Test Broth, AOAC for testing disinfectants in accordance with AOAC. 20.00 gms/litre	4284.00	500 gm	DM 1301	EMB Agar Base a basal medium to which different carbohydrates and other test substances may be added for differentiation and study of various enteric bacteria. 27.46 gms/litre	1017.00 4100.00	100 gm 500 gm
DM 1057	Double Sugar Agar, Russell (Russell Double Sugar Agar) for differentiation of gram-negative enteric bacilli on the basis of their ability to ferment dextrose and lactose with or without gas formation. 44.02 gms/litre	4874.00	500 gm	DM 1022S	EMB Agar, Levine for isolation, enumeration and differentiation of members of Enterobacteriaceae. 37.50 gms/litre	959.00 3961.00	100 gm 500 gm
DM 1067	Dubos Broth Base for preparation of liquid medium for rapid cultivation of pure cultures of Mycobacterium tuberculosis and related Microorganisms 6.5 gms/litre	972.00 4100.00	100 gm 500 gm	DM 1022M	EMB Agar, (Levine-Eosine methylene Blue Agar Medium) (in accordance with IP 2007) for isolation, enumeration and differentiation of members of Enterobacteriaceae in accordance with IP. 37.46 gms/litre	999.00 4500.00	100 gm 500 gm
DM 1179	Dubos Oleic Agar Base for cultivation of Mycobacteria. 20.06 gms/litre	1004.00 4428.00	100 gm 500 gm	DM 1022	EMB Agar, Levine for isolation, enumeration and differentiation of members of Enterobacteriaceae. 37.46 gms/litre	747.00 3340.00	100 gm 500 gm
MS 2020	*Oleic Albumin Supplement	1305.00	5 vl	DM 1503	EMB Broth for differentiation of gram-negative enteric bacteria from clinical & non-clinical specimens. 22.46 gms/litre	801.00 3510.00	100 gm 500 gm
DM 1839	Dubos Oleic Broth Base for cultivation of Mycobacteria. 5.06 gms/liter	927.00 4100.00	100 gm 500 gm				
MS 2020	*Oleic Albumin Supplement	#1305.00	5 vl				
DM 1185	E. coli Mutant Culture Agar (E. coli Maintenance Medium) See *B12 Culture Agar	2300.00	100 gm				
DM 1127	EC Broth for selective enumeration of presumptive Escherichia coli by MPN technique. 37.00 gms/litre	959.00 3933.00	100 gm 500 gm				

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1808	Egg Yolk Agar Base for isolation and identification of Clostridia and certain other anaerobes. 75.10 gms/litre	4536.00	500 gm	DM 1004	Erythromycin Seed Agar (Neomycin Erythromycin Assay Agar) See Antibiotic Assay Medium No.11	959.00 4302.00	100 gm 500 gm
MS 2045F	*Egg Yolk Emulsion (100 ml per vial)	2700.00	5 vl	DM 2386	Esculin Agar for cultivation and differentiation of bacteria that can hydrolyze esculin and produce H ₂ S. 41.50 gms/litre	6381.00	500 gm
DM 1086	Eijkman Lactose Broth for detection and differentiation of Escherichia coli from other coliforms on the basis of their ability to grow and liberate gas from lactose. 28.50 gms/litre	3987.00	500 gm	DM 1749	Esculin Azide Broth for selective cultivation and identification of Streptococci. 37.75 gms/litre	5072.00	500 gm
DM 1368	Elliker Broth (Lactobacilli Broth) for cultivation of Lactobacilli and Streptococci of importance in dairy industry. 48.50 gms/litre	4212.00	500 gm	DM 2382	Esculin Fermentation Broth for cultivation and differentiation of bacteria which hydrolyze esculin. 34.50 gms/litre ferric citrate 0.1 gm/l	5976.00	500 gm
DM 1466	Ellners Broth for induction of spore formation in Clostridium perfringens 67.60 gms/litre	4113.00	500 gm	DM 2044	Esculin Iron Agar for verifying enterococcal colonies on membrane filters through which water samples have been filtered and which have been incubated on M-Enterococcus Agar, Modified. 16.50 gms/litre	4995.00	100 gm
DM 1325	Emerson Agar for isolation and cultivation of Actinomycetaceae, Streptomycetaceae and moulds. 41.50 gms/litre	4428.00	500 gm	DM 1426	Ethyl Violet Azide Broth (E.V.A. Broth) for selective, confirmatory detection of Enterococci as an indicator of faecal pollution in water and other specimens. 35.80 gms/litre	3902.00	500 gm
DM 1773	Emerson YSS Agar for the isolation of Actinomycetes and other Fungi. 40.50 gms/litre	4554.00	500 gm	DM 1428	Eugonic Agar for cultivation of fastidious microorganisms like Haemophilus, Neisseria, Pasteurella, Brucella and Lactobacillus species. 44.40 gms/litre	4622.00	500 gm
DM 1029	Endo Agar for the confirmation of the presumptive test for members of the coliform group. 41.50 gms/litre	873.00 3524.00	100 gm 500 gm	DM 1429	Eugonic Broth for cultivation of fastidious microorganisms like Haemophilus, Neisseria, Pasteurella, Brucella and Lactobacillus species. 29.40 gms/litre	4240.00	500 gm
DM 2077	Endo Agar Base for preparing Endo Agar to confirm presumptive test for lactose fermenting coliforms. 38.00 gms/litre	887.00 3699.00	100 gm 500 gm	DM 1221	FDA Broth See AATCC Bacteriostasis Broth	4780.00	500 gm
MS 2059A	Basic Fuchsin (0.17gm per vial)	604.00	5 vl	DM 1565	FNA Medium (Fluorescein Denitrification Agar) for differentiation of Pseudomonas from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment. 30.50 gms/litre	5544.00	500 gm
DM 2258	Endo Agar w/NaCl for detection and isolation of pathogenic enteric bacilli. 37.70 gms/litre	4172.00	500 gm	DM 1919	Fermentation Medium Base for C. Perfringens for studying fermentation reaction of Clostridium perfringens with added carbohydrate 22.25 gms/litre * 1% sterile salicin, 1% sterile raffinose - 1 ml/tube	4581.00	500 gm
DM 2075	Endo Agar, Modified for detection and isolation of coliform and other enteric organisms. 38.60 gms/litre	4977.00	500 gm	DM 1827	Fermentation Medium for Staphylococcus and Micrococcus for studying fermentation by Staphylococcus and Micrococcus species. 23.24 gms/litre	4842.00	500 gm
DM 1738	Enriched Thioglycollate Broth for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria. 31.06 gms/litre	4150.00	500 gm	DM 1239	Fletcher Leptospira Medium Base (Leptospira Medium Base, Fletcher) for isolation, cultivation and maintenance of Leptospira species. 2.5 gms/litre	1116.00 4892.00	100 gm 500 gm
DM 1392	Enterococcus Confirmatory Agar for confirming the presence of Enterococci in water supplies and other sources. 30.41 gms/litre	4293.00	500 gm	DM 1117	Fluid Casein Digest Soya Lecithin Medium (Twin Pack) for sanitary examination of surfaces. 25.00gms of Part A + 40 ml of Part B	2286.00 9090.00	100 gm 500 gm
DM 1394	Enterococcus Confirmatory Broth for confirming the presence of Enterococci in water supplies and other sources. 80.41 gms/litre	4203.00	500 gm				
DM 1419	Enterococcus Presumptive Broth for detection of Enterococci in water and other materials of sanitary importance. 15.43 gms/litre	4203.00	500 gm				

E
F

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

F
G

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1026	Fluid Lactose Medium as a pre enrichment medium for detection of coliform bacteria in water, dairy products and food samples. 13.00 gms/litre	585.00 2480.00	100 gm 500 gm	DM 1265	Fungal Broth w/low pH (Mycological Broth w/low pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria. 50.00 gms/litre	4500.00	500 gm
DM 1013	Fluid Sabouraud Medium (Sabouraud Medium, Cluid) sterility test medium for moulds and lower bacteria in pharmaceutical preparations. 30.00 gms/litre	540.00 2457.00	100 gm 500 gm	DM 2010	Fungi Kimmig Agar Base for cultivation, isolation, identification and preservation of fungal strains. 50.00 gms/litre 40,000 IU penicillin 40 mcg streptomycin * 80 mg colistin & 100mg novobiocin	4842.00	500 gm
DM 1025	Fluid Selenite Cystine Medium (Selenite Cystine Medium) (Twin Pack) enrichment medium for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical Specimens. 19.01 gms Part of A +4 gms Part of B	1206.00 5040.00	100 gm 500 gm	DM 1475	*Fungobiotic Agar (Mycobio Agar) for isolation of dermatophytes and other pathogenic fungi. 35.55 gms/litre	7525.00	100 gm
DM 25331	Fluid Selenite Cystine Broth (Twin Pack) recommended as an enrichment medium for isolation of Salmonellae from faeces, urine or other pathological materials. 19.01 gms Part of A +4 gms Part of B	4554.00	500 gm	DM 1432	Furunculosis Agar for detection of <i>Aeromonas salmonicida</i> by means of its brownish Red pigment production. 33.50 gms/litre	1027.00 4554.00	100 gm 500 gm
DM 1032	Fluid Tetrathionate Medium w/o Iodine and BG (Tetrathionate Broth Base w/o Iodine and BG) selective enrichment medium for isolating of Salmonellae from foods and other pathological Materials. 46.00 gms/litre Iodine solution - 20 ml/lit * 0.1% Brilliant green solution - 10 ml/lit	684.00 2817.00	100 gm 500 gm	DM 2073	GBS Medium Base for rapid detection of group B Streptococci in clinical specimens. 110.25 gms/litre	4487.00	500 gm
DM 1009	Fluid Thioglycollate Medium for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles. 29.75 gms/litre	387.00 1746.00	100 gm 500 gm POR 2.5 kg POR 5 kg	MS 2054	*GBS Supplement	954.00	5 vl
DM 1380	Fluid Thioglycollate Medium w/ Meat Extract for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing. 34.75 gms/litre	3087.00	500 gm	DM 1434	GC Agar Base with added blood or haemoglobin and other supplements, it is recommended for selective isolation and cultivation of Gonococci. 72.00 gms/litre	873.00 3663.00	100 gm 500 gm
DM 1431	Forget Fredette Agar for selective isolation of anaerobes from a mixture of aerobic and anaerobic flora. 40.50 gms/litre	4654.00	500 gm	MS 2021	*GC Supplement w/ Antibiotics	#503.00	5 vl
DM 1079	Fuchsin Lactose Broth for determination of 'coliform' titre in the bacteriological examination of water and other materials. 13.01 gms/litre	4150.00	500 gm	DM 1242	GN Broth, Hajna for selective enrichment of gram-negative organisms of the enteric group. 39.00 gms/litre	684.00 3141.00	100 gm 500 gm
DM 1094	Fungal Agar (Mycological Agar) for cultivation and maintenance of fungi 35.00 gms/litre	4842.00	500 gm	DM 1920	Gelatin Agar for cultivation and identification of Vibrio Species. 65.00 gms/litre	4519.00	500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	#954.00	5 vl	DM 1686	Gelatin Iron Agar for detecting gelatin liquefaction and hydrogen sulphide production. 159.00 gms/litre	4433.00	500 gm
DM 1095	Fungal Agar w/low pH (Mycological Agar w/low pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria. 35.00 gms/litre	4842.00	500 gm	DM 1521	Gelatin Mannitol Salt Agar (Staphylococcus Agar No. 110) for selective isolation and differentiation of pathogenic Staphylococci 149.50 gms/litre	963.00 3880.00	100 gm 500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	954.00	5 vl	BA 2020	Gelatin Peptone, enzymic digestion of gelatin antibiotic assay media and various used, for fermentation media. 149.50 gms/litre	3105.00 POR	500 gm 2.5 kg
DM 1264	Fungal Broth (Mycological Broth) for cultivation of fungi. 50.00 gms/litre	4500.00	500 gm	DM 1921	Gelatin Phosphate Salt Agar (GPS Agar) for cultivation and characterization of Vibrio cholerae from food. 40.00 gms/litre	4977.00	500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	954.00	5 vl	DM 2148	Gelatin Salt Agar for cultivation and differentiation of Vibrio species from foods. 65.00 gms/litre	4977.00	500 gm
				DM 1241	Gillies Agar No. 1 See Dextrose Mannitol Agar	5067.00	500 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1240	Gillies Agar No. 2 (Sucrose Salicin Agar) for detection of motility, hydrogen sulphide and indole production, fermentation of sucrose and salicin during identification of Salmonella and Shigella species. 48.28 gms/litre	7407.00	100 gm	DM 1243	H Broth for preparation of "H" antigen, used in the identification and differentiation of Salmonella species. 21.50 gms/litre	4240.00	500 gm
DM 1584	Giolitti-Cantoni Broth Base for selective enrichment of Staphylococcus aureus from suspected foods stuffs. 54.20 gms/litre	4532.00	500 gm	DM 1590	Halophilic Agar for isolation and cultivation of extremely halophilic bacteria. 325.00 gms/litre	7340.00	500 gm
MS 2047	*Potassium Tellurite 3.5% (1 ml per vial)	# 730.00	5 vl	DM 1591	Halophilic Broth for isolation and cultivation of extremely halophilic bacteria. 305.00 gms/litre	7200.00	500 gm
DM 1483	Gluconate Test Medium for detection of gluconate oxidizing microorganisms. 43.50 gms/litre	3996.00	500 gm	DM 2252	Hanahan's Broth (SOB Medium) for use in cultivation of recombinant strains of Escherichia coli. 28.08 gms/litre	4455.00	500 gm
DM 1982	Glucose Azide Broth for the enumeration of faecal Streptococci by MPN technique From water and sewage. 30.28 gms/litre	4172.00	500 gm	BA 2191	Heart Infusion Powder , a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity.	3893.00	500 gm
DM 1860	Glucose Broth for study of dextrose fermentation where pH indicator is not desired. 20.00 gms/litre	919.00 3924.00	100 gm 500 gm	DM 1169	Heart Infusion Agar for isolation and cultivation of a wide variety of fastidious organisms. 40.00 gms/litre	1062.00 4626.00	100 gm 500 gm
DM 1433	Glucose Cysteine Agar Base w/ Thiamine with added blood or haemoglobin or hemin, it is used for cultivation and enumeration of Pasteurella tularensis. 58.00 gms/litre	1081.00 4554.00	100 gm 500 gm	DM 1170	Heart Infusion Broth for isolation and cultivation of a wide variety of fastidious organisms. 25.00 gms/litre	1067.00 4671.00	100 gm 500 gm
DM 1621	Glucose Salt Teepol Broth (Twin Pack) for enrichment of Vibrio parahaemolyticus and marine isolates from food. 48 gms Part of A+4 ml of Part B	959.00 4464.00	100 gm 500 gm	DM 1467	Hektoen Enteric Agar for differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens. 76.67 gms/litre	972.00 4086.00	100 gm 500 gm
DM 1621S	Glucose Salt Teepol Broth (Twin Pack) for enrichment of Vibrio parahaemolyticus and marine isolates. 48 gms Part of A+4 ml of Part B	959.00 4464.00	100 gm 500 gm	DM 1775	Hemmes Medium Base for biochemical differentiation of Salmonella and Shigella species based on dextrose, lactose, sucrose fermentation, motility, hydrogen sulphide, indole and urease production. 42.95 gms/litre	8290.00	500 gm
DM 1989	Glucose Starch Agar for detection of Clostridium perfringens with addition of salicin, raffinose and phenol red 68.00 gms/litre	4428.00	500 gm	MS 2048	*Urea 40% (5 ml per vial)	#####469.00	5 vl
DM 1963	Glucose Yeast Extract Agar for enumeration and cultivation of Lactobacilli in pharmaceutical preparations. 28.32 gms/litre	1103.00 4532.00	100 gm 500 gm	DM 2158	Hemorrhagic Coli (HC) Agar for isolation and enumeration with an enzyme labeled monoclonal antibody of Escherichia coli. 61.13 gms/litre	5193.00	500 gm
DM 1757	Glucose Yeast Peptone Agar for isolation of yeasts from soil specimens. 50.00 gms/litre	4532.00	500 gm	DM 1505	Herellea Agar for the selective isolation and differentiation of gram-negative, fermentative and nonfermentative organisms especially for differentiation of organisms of Mima and Herellea group. 62.27 gms/litre	5193.00	500 gm
DM 2089	Glutamate Starch Phenol Red Agar Base for detection of Pseudomonas and Aeromonas species in foodstuffs waste water and equipments in food industry. 44.86 gms/litre 100 IU/ml penicillin G, sodium salt * 10 mcg/ml pimariun	4532.00	500 gm	DM 2097	High Plate Count Agar for obtaining higher colony counts by spread plate or pour plate or membrane filter technique 18.75 gms/litre	4842.00	500 gm
DM 1360	Glycerol Asparagine Agar Base (ISP Medium No. 5) See ISP Medium No. 5 for cultivation of Streptomyces species as per International Streptomyces Project. 22.00 gms/litre + 10 ml glycerol	1556.00 6354.00	100 gm 500 gm	DM 2218	High Salt Nutrient Agar recommended for isolation and cultivation of salt tolerant Vibrio species. 55.00 gms/litre	3978.00	500 gm
				DM 2219	High Salt Peptone Yeast Extract Agar recommended for confirmation of Vibrio species. 65.30 gms/litre	4982.00	500 gm
				DM 1717	Hofer's Alkaline Medium for selective isolation of Agrobacterium species while inhibiting Rhizobium species from soil samples. 26.82 gms/litre	1692.00	100 gm

G
H

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

H
I
K

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2425	Hottinger Broth for the cultivation of less fastidious microorganisms and determination of indole in accordance with USSR State Pharmacopoeia. 23.00 gms/litre	3375.00	100 gm	DM 1364	Indole Nitrate Medium (Tryptone Nitrate Medium) for identification of microorganisms by means of nitrate reduction and indole Production. 25.00 gms/litre	860.00 3492.00	100 gm 500 gm
DM 1015	Hoyle Medium Base a highly selective medium used for the isolation and differentiation of <i>Corynebacterium diphtheriae</i> types. 40.00 gms/litre	1103.00 4500.00	100 gm 500 gm	DM 1246	Inhibitory Mould Agar, Ulrich (Mould Inhibitory Agar, Ulrich) for selective isolation of pathogenic fungi. 36.17 gms/litre	4802.00	500 gm
MS 2047	*Potassium Tellurite 3.5% (1 ml per vial)	730.00	5 vl	DM 1723	Inorganic Salt Medium (Modified Raggios Medium) for studying soil microorganisms such as <i>Rhizobium</i> species. 4.14 gms/litre	1103.00 4554.00	100 gm 500 gm
DM 1871	Hugh Leifson Glucose Medium for differentiation of <i>Staphylococci</i> from <i>Micrococci</i> on the basis of anaerobic fermentation of glucose. 45.52 gms/litre	1103.00 4500.00	100 gm 500 gm	DM 1359	Inorganic Salt Starch Agar See ISP Medium No 4	1521.00 6273.00	100 gm 500 gm
DM 1826	Hugh Leifson Medium for detecting aerobic and anaerobic breakdown of glucose. 19.35 gms/litre	1103.00 4500.00	100 gm 500 gm	DM 1574	Inositol Brilliant Green Bile Agar (Plesiomonas Differential Agar) for selective isolation of <i>Plesiomonas Shigelloides</i> , and <i>Aeromonas</i> species from faeces and food stuffs. 52.02 gms/litre	5067.00	500 gm
DM 1826S	Hugh Leifson Medium for detecting aerobic and anaerobic breakdown of glucose. 20.33 gms/litre	1121.00 4761.00	100 gm 500 gm	DM 2161	Inositol Gelatin Medium for the cultivation of <i>Plesiomonas shigelloides</i> from foods as per APHA 140.05 gms/litre	4802.00	500 gm
DM 1356	ISP Medium No. 1 (Tryptone Yeast Extract Broth) a general purpose medium for not particularly fastidious Microorganisms 8.00 gms/litre	1395.00 5670.00	100 gm 500 gm	DM 1615	Iron Oxidizing Medium (Twin Pack) for the isolation, cultivation and enrichment of <i>Thiobacillus ferrooxidans</i> . 3.85 gms of Part A + 44.22 gms of Part B * 10 N Sulphuric acid	1116.00 4455.00	100 gm 500 gm
DM 1424	ISP Medium No. 2 (Yeast Malt Agar) (Y M Agar) for the isolation and cultivation of yeasts, moulds and other aciduric Microorganisms. 41.00 gms/litre	1233.00 5040.00	100 gm 500 gm	DM 1868	Iron Sulphite Agar for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods. 26.00 gms/litre	1130.00 4644.00	100 gm 500 gm
MS 2095	*10% Lactic Acid Solution (10 ml per vial)	954.00	5 vl	DM 1622	Isolation Medium For Iron Bacteria for the isolation of iron bacteria, especially those belonging to <i>Sphaerotilus-Leptothrix</i> Group. 10.91 gms/litre	1103.00 4563.00	100 gm 500 gm
DM 1358	ISP Medium No. 3 for cultivation and characterization of <i>Streptomyces</i> species as per International <i>Streptomyces</i> Project. 38.00 gms/litre	1494.00 6111.00	100 gm 500 gm	DM 1583	K.R.A.N.E.P. Agar Base for selective enumeration of total <i>Staphylococci</i> from Foodstuffs. 71.99 gms/litre	4743.00	100 gm
DM 1359	ISP Medium No. 4 (Inorganic Salt Starch Agar) for cultivation and characterization of <i>Streptomyces</i> species as per International <i>Streptomyces</i> Project. 36.50 gms/litre	1521.00 6273.00	100 gm 500 gm	MS 2045F	*Egg Yolk Emulsion 50% (100 ml per vial)#####	2700.00	5 vl
DM 1360	ISP Medium No. 5 See Glycerol Asparagine Agar Base	1556.00 6354.00	100 gm 500 gm	DM 1248	KF Streptococcal Agar Base for selective isolation and enumeration of faecal <i>Streptococci</i> in surface water by direct plating or by membrane filter method. 76.40 gms/litre	1099.00 4383.00	100 gm 500 gm
DM 1361	ISP Medium No. 6 (Peptone Yeast Extract Iron Agar) for use as per International <i>Streptomyces</i> Project. 37.58 gms/litre	1166.00 4770.00	100 gm 500 gm	MS 2057	*TTC Solution 1% (10 ml per vial)	1054.00	5 vl
DM 1362	ISP Medium No. 7 (Tyrosine Agar) for isolation and characterization of <i>Streptomyces</i> species as per International <i>Streptomyces</i> project. 23.74 gms/litre	1206.00 4874.00	100 gm 500 gm	MS 2093	*Bromo Cresol Purple (15 mg per vial)	# 693.00	5 vl
DM 1247	IUT Medium Base for cultivation of <i>Mycobacterium tuberculosis</i> . 12.71+ 12 ml Glycerol Sterile Whole Egg Emulsion	1454.00 6670.00	100 gm 500 gm	DM 1249	KF Streptococcal Broth Base for detection and enumeration of faecal <i>Streptococci</i> in waters and examination of faeces and other materials. 57.05 gms/litre	1013.00 4059.00	100 gm 500 gm
				MS 2057	*TTC Solution 1% (10 ml per vial) #####	#1054.00	5 vl



DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2007	KF Streptococcus Agar w/BCP for detection and enumeration of faecal Streptococci. 76.41 gms/litre	1350.00 5454.00	100 gm 500 gm	DM 1069	Koser Citrate Medium to differentiate Escherichia coli and Enterobacter aerogenes on the basis of citrate utilization. 5.70 gms/litre	873.00 3771.00	100 gm 500 gm
MS 2057	*TTC Solution 1% (10 ml per vial)	#1054.00	5 vl	DM 1742	L.D. Agar for cultivation and identification of fastidious anaerobic bacteria. 33.22 gms/litre	2124.00 8514.00	100 gm 500 gm
DM 2021	KF Streptococcus Broth Base w/BCP for detection and enumeration of faecal Streptococci. 56.41 gms/litre	9360.00	500 gm	DM 1743	L.D. Esculin Agar for identification of anaerobic bacteria especially Bacteroides species on the basis of esculin Hydrolysis. 34.62 gms/litre	4960.00 17352.00	100 gm 500 gm
MS 2057	*TTC Solution 1% (10 ml per vial)	1054.00	5 vl	DM 1582	L.S. Differential Medium Base (Lactobacillus Streptococcus Differential Medium Base) for differentiation of Lactobacilli and Streptococci on the basis of colonial morphology, TTC reduction and casein reaction. 65.30 gms/litre	5050.00	500 gm
DM 1658	KG Agar Base for promoting fast and free sporulation to distinguish between Bacillus cereus and Bacillus thuringiensis. 19.53 gms/litre	5090.00	500 gm	MS 2057	*TTC Solution 1% (10 ml per vial)	1054.00	5 vl
MS 2045F	*Egg Yolk Emulsion (100 ml per vial)	2700.00	5 vl	DM 1599	Lactic Agar for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method. 63.50 gms/litre	1692.00	100 gm
MS 2003	*Polymyxin B Selective Supplement	1170.00	5 vl	DM 2087	Lactic Bacteria Differential Agar for differentiation of homofermentative and heterofermentative lactic acid bacteria. 35.55 gms/litre * Polysorbate 80-1gm/lit	4654.00	500 gm
DM 1510	Kanamycin Esculin Azide Agar for selective isolation and identification of group D Streptococci in foodstuffs. 44.67 gms/litre	3843.00	100 gm	DM 2086	Lactic Bacteria Differential Broth for differentiation of homofermentative and heterofermentative lactic acid bacteria. 20.55 gms/litre Polysorbate 80-1gm/lit	4370.00	500 gm
DM 1776	Kanamycin Esculin Azide Broth for selective isolation and identification of group D Streptococci in foodstuffs. 32.67 gms/litre	3619.00	100 gm	DM 1366	Lactobacilli Agar, AOAC for carrying the stock cultures used in the microbiological assays of the B vitamins. 48.00 gms/litre	2196.00	100 gm
DM 2169	Kaper's Medium for the enumeration and identification of Aeromonas hydrophilia from foods, as per APHA. 37.92 gms/litre	4797.00	500 gm	DM 1368	Lactobacilli Broth See Elliker Broth	4221.00	500 gm
DM 2235	King's OF Medium Base for studying oxidation-fermentation of carbohydrates by Campylobacter species. 0.50 gms/litre	972.00 4050.00	100 gm 500 gm	DM 1367	Lactobacilli Broth, AOAC for preparation of inocula of test bacteria used in microbiological assays of B vitamins. 38.00 gms/litre	4712.00	500 gm
DM 1078	Kligler Iron Agar for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S production. 57.52 gms/litre	860.00 3492.00	100 gm 500 gm	DM 1927	*Lactobacillus Bulgaricus Agar Base with acetate buffer for isolation and identification of Lactobacillus bulgaricus. 70.00 gms/litre * Acetate Buffer -80ml/lit	5081.00	500 gm
DM 1078A	Kligler Iron Agar, Modified recommended for identification of Yersinia enterocolitica. Also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation lactose and H ₂ S production. 57.41 gms/litre of dextrose,	3951.00	500 gm	DM 2164	*Lactobacillus Heteroferm Screen Broth See MRS Broth Modified	4734.00	500 gm
DM 1078I	Kligler Iron Agar for identification of Pseudomonas species. Also used for differential identification of Gram-negative enteric bacilli. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1995, ISO/DIS 13720. 57.70 gms/litre	3951.00	500 gm	DM 1035	Lactobacillus Leichmannii Maintenance Medium See B12 Culture Agar	1900.00	100 gm
DM 1802	Kohn Two Tube Medium No. 2 for identification of Enterobacteriaceae on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production. 48.12 gms/litre	7065.00	100 gm				

K
L

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

	Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
L	DM 1641	*Lactobacillus MRS Agar (MRS Agar) for isolation and cultivation of Lactobacilli. 67.15 gms/litre	4203.00	500 gm	DM 1180	Lead Acetate Agar for detection of hydrogen sulphide producing enteric bacteria. 36.28 gms/litre	4644.00	500 gm
	DM 1641I	Lactobacillus MRS Agar (MRS Agar) for the isolation and enumeration of lactic acid bacteria from meat and meat products. The composition and performance criteria of this medium are as per the specifications laid down in ISO 1995, Draft ISO/DIS 13720. 65.13 gms/litre	3915.00	500 gm	DM 1602	Lee's Agar for differential enumeration of yogurt starter bacteria (Lactobacillus bulgaricus, Streptococcus thermophilus). 51.52 gms/litre	4644.00	500 gm
	DM 2180	*Lactobacillus Selection Agar Base for isolation and enumeration of Lactobacilli from foods. 84.73 gms/litre * Glacial acetate acid - 1.32 ml/lit	5103.00	500 gm	DM 1809	Legionella Agar Base with addition of supplements it is used for cultivation of Legionella species. 37.00 gms/litre	5225.00	100 gm
	DM 2165	*Lactobacillus Selection bile Agar Base (LBS bile Agar) for the selective isolation, cultivation and enumeration of Lactobacilli. 86.23 gms/litre * Glacial acetate acid - 1.32 ml/lit	5166.00	500 gm	MS 2016A	*Legionella Growth Supplement (Twin Pack)###	1004.00	5 vl
	DM 2166	*Lactobacillus Selection Broth Base for the selective isolation, cultivation and enumeration of Lactobacilli from foods. 69.73 gms/litre * Glacial acetate acid - 1.32 ml/lit	4563.00	500 gm	MS 2017	*Legionella Selective Supplement	1170.00	5 vl
	DM 2081	Lactose Blue Agar See BTB Lactose Agar, Modified	4977.00	500 gm	MS 2041A	*Legionella Supplement (Twin Pack)	1134.00	5 vl
	DM 2003	Lactose Broth for the detection of coliform bacteria in water, foods, dairy products as per Standard Methods. 13.00 gms/litre	594.00 2673.00	100 gm 500 gm	DM 1809A	Legionella Agar Base with addition of supplements it is used for cultivation of Legionella species. 25.00 gms/litre	3699.00	500 gm
	DM 2003S	Lactose Broth for the detection of coliform bacteria in water, foods, dairy products. 13.00 gms/litre * Bromocresol purple solution - 3 ml/lit	711.00 2853.00	100 gm 500 gm	MS 2142	*Legionella Growth Supplement (BCYE)	800.00	5 vl
	DM 2003E	Lactose Monohydrate Broth (Broth Medium D) for detection of coliform bacteria in water, foods, dairy products in accordance with E.P. 12.75 gms/litre	900.00 4104.00	100 gm 500 gm	MS 2143	*Legionella (GVPC) Selective Supplement	1296.00	5 vl
	DM 1628	Lactose Gelatin Medium for the detection of Clostridium species from food samples. 135.00 gms/litre	4420.00	500 gm	MS 2144	*Legionella (BMPA) Selective Supplement	1386.00	5 vl
	DM 1987	Lactose Gelatin Medium, Modified for detection and presumptive identification of Clostridium perfringens from foods, as per AOAC. 160.05 gms/litre	4420.00	500 gm	MS 2206	*Legionella Growth w/o L-Cysteine	1612.00	5 vl
	DM 1987I	Lactose Gelatin Medium, Modified recommended for detection and enumeration of Clostridium perfringens from foods samples. 15.50 gms/litre	4420.00	500 gm	MS 2242	*Legionella Selective Supplement (GVPN)	1540.00	5 vl
	DM 1080	Lauryl Sulphate Broth (Lauryl Tryptose Broth) for detection and enumeration of coliform bacteria in water, wastewater, dairy products and other foods samples. 35.60 gms/litre	693.00 3173.00 6012.00 POR	100 gm 500 gm 1 kg 2.5 kg	DM 2399	Legionella Enrichment Broth Base with addition of supplements it is used for cultivation of Legionella species. 27.50 gms/litre	4860.00	100 gm
	DM 2070	Lauryl Tryptose Mannitol Broth w/Tryptophan a single tube medium used for confirmation of Escherichia coli in drinking water. 35.80 gms/litre	4563.00	500 gm	MS 2016A	*Legionella Growth Supplement (Twin Pack)	1004.00	5 vl
					DM 2009	Leptospira Medium Base for cultivation and maintenance of Leptospira species. 2.56 gms/litre	1081.00 4433.00	100 gm 500 gm
					MS 2066	*Leptospira Enrichment Supplement	2039.00	5 vl
					DM 1239	Leptospira Medium Base, Fletcher See Fletcher Leptospira Medium Base	1116.00 4892.00	100 gm 500 gm
					DM 1414	*Letteen Agar to determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538. 32.00 gms/litre	5504.00	500 gm
					DM 1946	*Letteen Agar, Modified (Modified Letteen Agar) for screening cosmetic products for microbial Contamination. 54.10 gms/litre	5607.00	500 gm
					DM 1165	*Letteen Broth, AOAC for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538. 25.70 gms/litre	5225.00	500 gm
					DM 1976	*Letteen Broth, Modified (Modified Letteen Broth) for screening cosmetic products for microbial contamination. 42.80 gms/litre	5140.00	500 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1472	Levinthal's Medium Base for cultivation of Haemophilus species. 45.00 gms/litre	4761.00	500 gm	DM 2245	Luria Bertani Broth, Miller for the cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular biology studies; may be used for routine cultivation and estimation of not particularly fastidious Microorganisms. 25.00 gms/litre	3375.00 7632.00	500 gm 1 kg
DM 1569	Listeria Enrichment Broth (Twin Pack) for selective enrichment of Listeria monocytogenes from clinical specimens. 26.00 gms Part of A + 37.50 gms Part of B	4487.00	500 gm	DM 1575	Luria Broth for the cultivation and maintenance of recombinant strains of Escherichia coli 20.00 gms/litre	3996.00	500 gm
DM 1888	* Listeria Enrichment Broth, Modified for selective enrichment of Listeria species. 51.98 gms/litre	1639.00 7525.00	100 gm 500 gm	DM 2230	Lysine Arginine Iron (LAI) Agar for the isolation and presumptive identification of Yersinia species from milk and milk products. 44.56 gms/litre	3591.00	100 gm
DM 1890A	* Listeria Enrichment Medium Base (UVM) for selective isolation and cultivation of Listeria monocytogenes from clinical specimens. 54.35 gms/litre	1639.00 7525.00	100 gm 500 gm	DM 1376	Lysine Decarboxylase Broth for differentiating Salmonella arizonae from the Bethesda Ballerup group of Enterobacteriaceae. 14.02 gms/litre * Sterile mineral oil	905.00 3699.00	100 gm 500 gm
MS 2136	* Listeria UVM Supplement I	1067.00	5 vl	DM 1376I	Lysine Decarboxylase Broth w/o Peptone recommended for distinguishing the Salmonella arizonae from the Bethesda Ballerup group of Enterobacteriaceae. 9.01 gms/litre * Sterile mineral oil	905.00 3699.00	100 gm 500 gm
MS 2137	* Listeria UVM Supplement II	1067.00	5 vl	DM 1377	Lysine Iron Agar for differentiation of enteric organisms especially Salmonella arizonae, based on their ability to decarboxylate or deaminate lysine and to form Hydrogen sulphide (H ₂ S). 34.56 gms/litre	829.00 3430.00	100 gm 500 gm
DM 2215	Listeria Motility Medium recommended for testing motility of Listeria monocytogenes. 29.60 gms/litre	4487.00	500 gm	DM 1845	Lysine Iron Cystine Broth Base for rapid presumptive detection of Salmonellae in foods, food ingredients and feed materials. 25.72 gms/litre	950.00 4150.00	100 gm 500 gm
DM 1114	Litmus Lactose Agar for differentiation of lactose fermenting and lactose nonfermenting microorganisms. 29.00 gms/litre	4797.00	500 gm	MS 2101	* Novobiocin Selective Supplement	1540.00	5 vl
DM 1609	Litmus SM Broth for maintenance of Lactobacilli and for determining the action of bacteria on milk 101.00 gms/litre	927.00 3924.00	100 gm 500 gm	DM 1330	Lysine Lactose Broth for determination of lysine decarboxylase activity of lactose nonfermenting members of Enterobacteriaceae especially Salmonellae. 24.02 gms/litre	4150.00	500 gm
DM 1373	Littman Oxgall Agar Base for primary isolation of pathogenic fungi. 55.01 gms/litre * Sterile streptomycin - 30 mcg/ml	4797.00	500 gm	DM 1642	Lysine Medium Base for isolation and enumeration of wild yeasts in pitching yeasts. 66.27 gms/litre	1062.00 4383.00	100 gm 500 gm
DM 1663	Littman Oxgall Broth Base for selective enrichment and cultivation of pathogenic fungi. 35.01 gms/litre	4487.00	500 gm	MS 2123	* 50% Potassium Lactate (10 ml per vial)	1386.00	5 vl
BA 2326	Liver Extract Powder for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, Steroids,enzymes etc.	2844.00	500 gm	DM 1846	* M-Broth for detecting Salmonellae in foods and feeds by the accelerated enrichment Serology procedures. 36.23 gms/litre	3564.00	100 gm
BA 2023	Liver Hydrolysate, an ideal ingredient of culture media used for the cultivation of fastidious Anaerobic bacteria.	2817.00	500 gm	DM 2119	M-Azide Broth Base for the cultivation and enumeration of Enterococci from water samples by membrane filter Technique. 156.40 gms/litre	5994.00	500 gm
DM 1162	Lowenstein Jensen Medium Base (L.J. Medium) for isolation and cultivation of Mycobacterium species. 37.24 gms/litre * Egg emulsion base - 1000 ml ➤ Glycerol - 12 ml/lit	864.00 3564.00	100 gm 500 gm	MS 2057	* TTC Solution 1% (10 ml per vial)	1054.00	5 vl
MS 2053	* Gruft Mycobacterial Supplement	1233.00	5 vl	DM 2130	M-BCG Yeast and Mould Broth for the detection of fungi in routine analysis of beverages using membrane filter technique 73.23 gms/litre	4487.00	500 gm
DM 1557	Luria Agar for routine cultivation and estimation of not particularly fastidious microorganisms. 35.00 gms/litre	4131.00	500 gm				
DM 2151	Luria Bertani Agar, Miller for the cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies, may be used for routine isolation and cultivation of not particularly fastidious microorganisms. 40.00 gms/litre	864.00 3807.00 7750.00 POR	100 gm 500 gm 1 kg 2.5 kg				

L
M

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C ➤ If required use

DEHYDRATED CULTURE MEDIA

M

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2101	M-Bismuth Sulphite Broth for selective detection of Salmonellae by the membrane filter technique. 64.65 gms/litre	4487.00	500 gm	DM 2023	M-Lauryl Sulphate Broth for enumeration of Escherichia coli in water using membrane filter technique. 76.20 gms/litre	4487.00	500 gm
DM 2102	M-Brilliant Green Broth for selective differentiation for primary screening of Salmonellae in polluted water using membrane filter technique. 76.19 gms/litre	4487.00	500 gm	DM 20231	M-Lauryl Sulphate Broth recommended for enumeration of Escherichia coli and coliforms in water using membrane filter technique. 77.20 gms/litre	4487.00	500 gm
DM 2105	M-EMB Broth for the detection of members of the coliform group by the membrane filter technique. 84.33 gms/litre	4487.00	500 gm	DM 2126	M-Nutrient Broth for enumeration of bacteria using membrane filter technique. 46.00 gms/litre	4212.00	500 gm
DM 2106	M-Endo Agar LES for enumeration of coliforms in water using a two step membrane filter technique. 51.05 gms/litre	1166.00 4743.00	100 gm 500 gm	DM 2121	M-PA Agar Base for detection and isolation of Pseudomonas aeruginosa by membrane filter technique. 39.68 gms/litre	4689.00	500 gm
DM 2107	M-Endo Broth for estimation of coliforms in water samples using membrane filter technique. 61.50 gms/litre	1067.00 4420.00	100 gm 500 gm	MS 2202	*M-PA Selective Supplement	1593.00	5 vl
DM 2103	M-Endo Broth (MF Endo Medium) M-Coliform Broth for the enumeration of coliform bacteria in water samples using one step membrane filter technique. 48.05 gms/litre	4420.00	500 gm	DM 2113	M-Slanetz Enterococcus Broth Base for isolation and detection of Enterococci using membrane filter technique. 156.40 gms/litre	4487.00	500 gm
DM 2109	M-Enrichment Broth for enumeration of bacteria by membrane filter technique and preliminary enrichment of organisms on membrane filter prior to using selective media. 54.00 gms/litre	5940.00	500 gm	MS 2057	*TTC Solution 1% (10 ml per vial)	1054.00	5 vl
DM 2108	*M-Enterococcus Agar Base for isolation and enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens. 41.50 gms/litre	4743.00	500 gm	DM 2114	M-Standard Methods Broth for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique. 17.00 gms/litre	4487.00	500 gm
DM 2048	*M-Enterococcus Agar Base, Modified for recovery of Enterococci in water samples using membrane filter technique, along with Esculin Iron Agar for identification. 71.45 gms/litre	3591.00	100 gm	DM 2120	M-Staphylococcus Broth for detection and isolation of Staphylococci by membrane filter technique. 104.55 gms/litre	3987.00	500 gm
MS 2057	*TTC solution 1% (10 ml per vial)	1054.00	5 vl	DM 2115	M-Tetrathionate Broth Base for selective enrichment of Salmonellae using membrane filter technique. 36.00 gms/litre	4455.00	500 gm
DM 2123	M-(HPC) Heterotrophic Plate Count Agar Base for enumeration of heterotrophic microorganisms from water samples using membrane filter Technique. 60.00 gms/litre * Glycerol - 10ml/lit	4797.00	500 gm	DM 2116	M-Tryptone Glucose Extract Broth for determination of bacterial count in milk and other samples in dairy sanitization by membrane filter technique. 18.00 gms/litre	4455.00	500 gm
DM 2110	M-HD Endo Broth for detection of coliforms in water samples by membrane filter technique. 57.14 gms/litre	4487.00	500 gm	DM 1929	M17 Agar Base for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages. 33.25 gms/litre * Disodium B-Glycerophosphate - 19 gm/Litre	4797.00	500 gm
DM 2118	M-HD Endo Broth w/BG for detection of coliforms in highly polluted waters using membrane filter technique. 56.44 gms/litre	4487.00	500 gm	DM 2019	M17 Agar w/o Lactose on addition of lactose, this medium can be used for cultivation and isolation of lactic Streptococci. 48.25 gms/litre	4797.00	500 gm
				DM 2029	M17 Broth for cultivation and isolation of lactic Streptococci and their bacteriophages. 42.25 gms/litre	1134.00 4703.00	100 gm 500 gm
				DM 2063	M17 Agar w/ Glycerophosphate for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages. 52.25 gms/litre	4770.00	100 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1858	M2 Agar a semisynthetic culture medium used as a general purpose plate count Agar. 40.15 gms/litre * Glycerine - 13ml/lit	4532.00	500 gm	DM 1081	MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl for selective isolation and differentiation of coliform organisms and other enteric pathogens. 51.53 gms/litre	747.00 3366.00	100 gm 500 gm
DM 1378	MIO Medium (Motility Indole Ornithine Medium) for the identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity. 31.02 gms/litre	4455.00	500 gm	DM 1081A	MacConkey Agar w/ CV, NaCl and 0.15% Bile Salts to identify Enterobacteriaceae in the presence of coliforms and lactose nonfermenters from water, sewage, food products etc. 51.55 gms/litre	3430.00	500 gm
DM 2076	MIU Medium Base for detection of motility, urease and indole production. 18.00 gms/litre	4941.00	500 gm	DM 1081H	MacConkey Agar (Agar Medium H) MacConkey Agar is recommended for selective isolation and differentiation of coliforms from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. 49.53 gms/litre	747.00 3366.00	100 gm 500 gm
MS 2048	*Urea 40% (5 ml per vial)	469.00	5 vl	DM 1008	MacConkey Agar w/o CV w/ 0.15% Bile Salts for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. 51.53 gms/litre	684.00 3033.00	100 gm 500 gm
DM 1379	MOF Medium (Marine Oxidation Fermentation Medium) for differentiation of marine bacteria on the basis of fermentative and oxidative Metabolism of carbohydrates. 22.14 gms/litre	4941.00	500 gm	DM 1008B	MacConkey Agar w/o CV, w/ 1.2% Agar for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. 48.53 gms/litre	3430.00	500 gm
DM 1070S	MR-VP Medium (Buffered Glucose Broth) for performance of Methyl Red and Voges Proskauer tests in differentiation of coli-aerogenes group. 15.00 gms/litre	693.00 2961.00	100 gm 500 gm	DM 1008A	MacConkey Agar w/o CV, w/ 0.5% Bile Salts for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. 52.00 gms/litre	3430.00	500 gm
DM 1641	*MRS Agar See Lactobacillus MRS Agar	4203.00	500 gm	DM 1008E	MacConkey Agar Medium for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria and also isolation for faecal Streptococci. 55.37 gms/litre	3430.00	500 gm
DM 2163	*MRS Agar, Modified (Lactobacilli Heteroferm Screen Agar) for isolation and cultivation of Lactobacillus species from salad dressings 62.19 gms/litre	5193.00	500 gm	DM 1008S	MacConkey Agar for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria. 55.07 gms/litre	734.00 3294.00	100 gm 500 gm
DM 1594	MY 40 Agar (Osmophilic Agar) for detection and isolation of osmophilic microorganisms from food samples. 445.00 gms/litre	4941.00	500 gm	DM 1061	MacConkey Agar w/ Bromo Thymol Blue for detection of lactose fermenting enteric bacteria. 51.53 gms/litre	963.00 3861.00	100 gm 500 gm
DM 2168	MY 40G Agar (Osmophilic Glucose Agar) for isolation and cultivation of osmotolerant microorganisms from foods. 427.00 gms/litre	5103.00	500 gm	DM 2024	MacConkey Agar Base for studying carbohydrate fermentation reactions of coliforms by adding carbohydrates either individually or in combination. 40.00 gms/litre	3492.00	500 gm
DM 1082	MacConkey Agar w/o CV, NaCl w/0.5% Sodium Taurocholate for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram-positive organisms. 55.04 gms/litre	783.00 3443.00	100 gm 500 gm POR 2.5 kg 5 kg	DM 1051	MacConkey Agar, Modified for isolation of Klebsiella species from water samples. 50.00 gms/litre	3101.00	100 gm
DM 1082A	MacConkey Agar w/o CV, NaCl w/ 0.5% Bile Salts for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram-positive organisms. 47.00 gms/litre	3555.00	500 gm	DM 1007	MacConkey Broth w/Neutral Red for selective enrichment and enumeration of coliforms. 40.07 gms/litre	675.00 2872.00	100 gm 500 gm

M

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

M

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1007S	MacConkey Broth w/ Neutral Red for selective enrichment and enumeration of coliforms, 40.07 gms/litre	711.00 2997.00	100 gm 500 gm	DM 1253	Malt Agar for detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also for carrying stock cultures of yeasts and Moulds. 45.00 gms/litre	1422.00 5702.00	100 gm 500 gm
DM 1539	MacConkey Broth (Double Strength) W/Neutral Red for primary isolation of coliforms from large samples such as water or waste water. 80.15 gms/litre	603.00 2736.00	100 gm 500 gm	BA 2004	Malt Extract Powder ideally suitable for use in media for cultivation of fungi.	2912.00	500 gm
DM 1539S	MacConkey Broth (Double Strength) w/ Neutral Red for primary isolation of coliforms from large samples such as water or waste water. 80.14 gms/litre	873.00 3582.00	100 gm 500 gm	BC 2004	Malt Extract Certified, ideally suitable for use in media for cultivation of fungi.	5391.00	500 gm
DM 1083	MacConkey Broth Purple w/BCP) for the presumptive identification of coliforms from variety of specimens such as water,milk, and food etc. 40.01 gms/litre	653.00 2872.00	100 gm 500 gm	DM 1137	Malt Extract Agar Base (Malt Extract Agar w/Mycological Peptone) for detection, isolation and enumeration of yeasts and moulds. 50.00 gms/litre	5607.00	500 gm
DM 1083I	MacConkey Broth Purple w/BCP recommended for presumptive identification of coliforms from water. 40.01 gms/litre	693.00 3042.00	100 gm 500 gm	MS 2095	*10% Lactic Acid Solution (10 ml per vial)	954.00	5 vl
DM 1083S	MacConkey Broth Purple w/ BCP for presumptive identification of coliforms from variety of specimens such as water, milk and food etc. 40.02 gms/litre	693.00 3042.00	100 gm 500 gm	DM 1995	Malt Extract Agar Base, Modified as per Thom and Church for isolation and cultivation of yeasts and moulds. 31.28 gms/litre * Glycerol - 2.35 gm/Litre	5850.00	500 gm
DM 1796	MacConkey Broth Purple (DoubleStrength) w/BCP for the presumptive identification of coliforms from large samples. 80.00 gms/litre	873.00 3582.00	100 gm 500 gm	DM 1255	Malt Extract Broth Base for detection and enumeration of yeasts, moulds and aciduric microorganisms. 20.00 gms/litre	5373.00	500 gm
DM 1298	MacConkey Sorbitol Agar See Sorbitol Agar for isolation and identification of enteropathogenic Escherichia coli strains associated with infant diarrhoea. 50.03 gms/litre	1323.00 5360.00	100 gm 500 gm	MS 2095	*10% Lactic Acid Solution (10 ml per vial)	954.00	5 vl
DM 1777	Maintenance (SCY) Medium for the maintenance of iron bacteria. 12.26 gms/litre * Cyanocobalamin - 0.01 mg/Litre	7047.00	500 gm	DM 2128	Malt Extract Broth, Modified as per Thom and Church for cultivation and enumeration of yeasts and moulds and to check sterility to detect presence of these organisms. 15.00 gms/litre	5504.00	500 gm
DM 1418	Maintenance Medium for B. subtilis ATCC 6633 for maintenance of Bacillus subtilis ATCC 6633, used as the test organism formicrobiological assay of antibiotics. 30.50 gms/litre	1692.00	100 gm	BA 2569	D(+) Maltose, Monohydrate, Extra pure NRC grade, for vaccine production	797.00 3645.00	100 gm 500 gm
DM 2266	Malachite green Broth for selective enrichment of Pseudomonas Aeruginosa. 25.13 gms/litre	3582.00	500 gm	DM 2071	Mannitol Lysine Agar for selective isolation of Salmonellae other than Salmonella serotype Typhi and Salmonella serotype Paratyphi A. 49.02 gms/litre	4874.00	500 gm
DM 1382	Malonate Broth for differentiation of Enterobacter and Escherichia on the basis of malonate utilization. 8.02 gms/litre	4712.00	100 gm	DM 1118	Mannitol Salt Agar Base for selective isolation of pathogenic Staphylococci. 111.02 gms/litre	810.00 3259.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1779	Malonate Broth, Ewing Modified for differentiation of members of Enterobacteriaceae on the basis of malonate Utilization. 9.27 gms/litre	5081.00	100 gm	DM 1383	Mannitol Salt Broth for selective isolation of presumptive pathogenic Staphylococci. 96.02 gms/litre	1099.00 4420.00	100 gm 500 gm
				DM 2534	Mannitol Selenite Broth (Selenite Mannitol Broth) (Twin Pack) for selective enrichment of Salmonellae from clinical materials. 19.00 gms of Part A + 4 gms of Part B	5500.00	500 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2537	Mannitol Selenite Broth w/ Brilliant Green (Twin Pack) for enrichment of Salmonellae from faeces, foodstuffs and other materials. 23.75 of Part A + 4 of Part B	5391.00	500 gm	DM 1917	Mehlman's Maintenance Medium for maintenance of Campylobacter 38.02 gms/litre * Sodium sulphite solution - 2.5%	4532.00	500 gm
DM 1384	Marine Agar 2216 (Zobell Marine Agar) for isolation and enumeration of heterotrophic marine bacteria. 55.25 gms/litre	900.00 4064.00	100 gm 500 gm	DM 1132	Micro Vitamin Test Culture Agar for cultivation and maintenance of stock cultures of Lactobacilli used in microbiological assays of vitamins. 52.10 gms/litre	1323.00	100 gm
DM 1385	Marine Broth 2216 (Zobell Marine Broth) for cultivation of heterotrophic marine bacteria. 40.25 gms/litre	900.00 4064.00	100 gm 500 gm	DM 1133	Micro Vitamin Test Inoculum Broth for preparation of inocula of Lactobacilli used in microbiological assays of vitamins. 37.10 gms/litre	1279.00	100 gm
DM 1379	Marine Oxidation Fermentation Medium See MOF Medium for differentiation of marine bacteria on the basis of fermentative and oxidative metabolism of carbohydrates. 22.14 gms/litre	4941.00	500 gm	DM 1197	Middlebrook 7H9 Agar Base A for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis. 19.69 gms/litre	4644.00	500 gm
DM 2030	Maximum Recovery Diluent a protective and isotonic diluent used for maximal recovery of microorganisms. 9.50 gms/litre	3727.00	500 gm	MS 2018	*Middlebrook OADC Growth Supplement	2592.00	5 vl
BA 2274	Meat Extract Paste for use in microbial culture media.	1197.00	500 gm	DM 1198	Middlebrook 7H9 Broth Base for cultivation and sensitivity testing of Mycobacterium tuberculosis. 4.69 gms/litre	4554.00	500 gm
BA 2002	Meat Extract Powder refined for use in microbial culture media	2300.00 POR	500 gm 2.5 kg	MS 2019	*Middlebrook ADC Growth Supplement	2534.00	5 vl
BC 2002	Meat Extract, Certified for the maximum recovery and growth of a wide variety of microorganisms.	4095.00	500 gm	DM 1199	Middlebrook 7H10 Agar Base for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis. 19.47 gms/litre	4644.00	500 gm
BA 2003	Meat Extract Powder used in general purpose and diagnostic media preparations	2644.00	500 gm	MS 2018	*Middlebrook OADC Growth Supplement	2592.00	5 vl
BC 2003	Meat Extract, Certified replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological preparations.	4752.00	500 gm	DM 1196	Middlebrook 7H10 Agar Base, Special for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis. 19.49 gms/litre	4644.00	500 gm
DM 1806	Meat Extract Agar for routine cultivation of non fastidious bacteria. 33.00 gms/liter	1103.00 4563.00	100 gm 500 gm	MS 2018	*Middlebrook OADC Growth Supplement	2592.00	5 vl
DM 1807	Meat Extract Broth for routine cultivation of non fastidious bacteria. 18.00 gms/liter	4487.00	500 gm	DM 1511	Middlebrook 7H11 Agar Base for isolation, cultivation and sensitivity testing of Mycobacteria. 20.49 gms/litre	4644.00	500 gm
BA 2192	Meat Infusion Powder a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	2844.00	500 gm	MS 2018	*Middlebrook OADC Growth Supplement	2592.00	5 vl
BA 2635	Meat Peptone for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	2763.00	500 gm	DM 1511A	Middlebrook 7H11 Agar Base w/o Malachite Green for isolation, cultivation and determination of antimicrobial susceptibility of Mycobacteria. 20.50 gms/litre	4644.00	500 gm
BA 3049	Meat Peptone Type P peptone from meat (peptic) is obtained by proteolytic digestion of meat with pepsin.	3731.00	500 gm	MS 2018	*Middlebrook OADC Growth Supplement	2592.00	5 vl
BA 3050	Meat Peptone Type T peptone from meat (peptic) is obtained by proteolytic digestion of meat with trypsin.	3889.00	500 gm	DM 2273	Modified Pseudomonas selective w Cetrimide Agar (Twin Pack) recommended for detection and enumeration of Pseudomonas aeruginosa in water. 26.4 gms Part B +133.33 gms of Part A	5166.00	500 gm
				DM 2273S	Modified Pseudomonas selective w Cetrimide Agar (Twin Pack) for detection and enumeration of Pseudomonas aeruginosa in water. 19.80 gms of Part B + 100 gms of Part A	1252.00 5211.00	100 gm 500 gm
				DM 1661	Modified Salt Agar Base for Streptococci for selective isolation and cultivation of Staphylococci. 88.00 gms/litre	4780.00	500 gm
				DM 2151	Miller Luria Bertani Agar See Luria Bertani Agar, Miller	864.00 4086.00 7750.00 POR	100 gm 500 gm 1 kg 2.5 kg

M

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

M

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2245	Miller Luria Bertani Broth See Luria Bertani Broth, Miller	3375.00 7632.00	500 gm 1 kg	DM 21371	Modified Rappaport Vassiliadis Medium recommended for the isolation of Salmonella species from food and environmental specimens 30.07 gms/litre	4653.00	500 gm
DM 1512	Minimal Agar for isolation and characterization of nutritional mutants of Escherichia coli. 26.60 gms/litre	4977.00	500 gm	DM 1600	*Modified Rogosa Agar (M16 Agar) for cultivation, enumeration of lactic Streptococci used in manufacturing of cheddar cheese. 36.00 gms/litre	4644.00	500 gm
DM 1389	Minimal Broth, Davis for isolation and characterization of nutritional mutants of Escherichia coli. 11.60 gms/litre	4464.00	500 gm	DM 2213	Modified Skim Milk Agar recommended for cultivation and enumeration of Microorganisms encountered in dairy industry. 24.50 gms/litre	5067.00	500 gm
DM 1390	Minimal Broth, Davis w/o Dextrose for isolation and characterization of nutritional mutants of Escherichia coli. 10.60 gms/litre * Dextrose solution - 10%	4617.00	500 gm	DM 1637	Modified V.P. Broth for performing VP test of Bacillus cereus from food samples. 17.00 gms/litre	4194.00	500 gm
DM 2254	Minimum Salts w/ Casein Acid Hydrolysate for the cultivation of Escherichia coli strains used for genetic and molecular studies. 19.54 gms/litre * Glucose solution - 20% * Magnesium sulphate - 0.1M * Calcium chloride - 1.0 M	4527.00	500 gm	DM 1393	Moeller Decarboxylase Broth Base See Decarboxylase Broth Base, Moeller	2331.00 9540.00	100 gm 500 gm
DM 1259	Mitis Salivarius Agar Base for isolation of Streptococci from mixed cultures, especially Streptococcus mitis, Streptococcus salivarius and Enterococcus faecalis. 90.07 gms/litr	4780.00	500 gm	DM 1689	Moeller Decarboxylase Broth w/Arginine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride. 20.52 gms/litre	3290.00	100 gm
MS 2052	*Potassium Tellurite 1% (1ml per vial)	675.00	5 vl	DM 1687	Moeller Decarboxylase Broth w/Lysine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride. 20.52 gms/litre	3290.00	100 gm
DM 2236	Modified AEA Sporulation Medium Base for early sporulation of Clostridium perfringens from foods. 26.31 gms/litre Raffinose- 0.6 ml/litre, Sodium carbonate - 0.66 M, * Cobalt chloride- 0.32 %, Sodium ascorbate- 1.5%	4519.00	500 gm	DM 1688	Moeller Decarboxylase Broth w/Ornithine HCl for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride 20.52 gms/litre.	3420.00	100 gm
DM 2150	Modified Bile Esculin Azide Agar for selective isolation and enumeration of group D Streptococci. 56.25 gms/litre	5643.00	500 gm	DM 1246	*Mould Inhibitory Agar, Ulrich See Inhibitory Mould Agar, Ulrich	4802.00	500 gm
DM 2085	Modified Differential Clostridial Broth for enumeration of Clostridia from food stuffs and other samples by the MPN technique. 27.50 gms/litre	4802.00	500 gm	DM 1474	Monsur Medium Base for selective isolation and differentiation of Vibrio cholerae and other Vibrios from pathological samples. 71.00 gms/litre	1103.00 4712.00	100 gm 500 gm
DM 2237	Modified Duncan Strong (DS) Medium for isolation and differentiation of Clostridium perfringens from other Clostridia from foods on the basis of raffinose fermentation. 34.00 gms/litre	8487.00	500 gm	MS 2052	*Potassium Tellurite 1% (1 ml per vial)	675.00	5 vl
DM 2045	*Modified Fungal Agar Base (Modified Inhibitory Mold Agar Base) for estimation of moulds in cosmetics and toileteries. 54.46 gms/litre * Polysorbate 80 - 20 ml/litre	4644.00	500 gm	DM 1847	Motility-Indole-Lysine Medium (MIL Medium) for identification of members of Enterobacteriaceae on the basis of motility, lysinedecarboxylase, lysine deaminase and indole production. 36.52 gms/litre	1017.00 4370.00	100 gm 500 gm
DM 1946	*Modified Lethen Agar See Lethen Agar, Modified	5607.00	500 gm	DM 1514	Motility Medium S Base for easy detection of bacterial motility by means of TTC reduction. 60.00 gms/litre	4050.00	500 gm
DM 1976	*Modified Lethen Broth See Lethen Broth, Modified	5140.00	500 gm	MS 2057	*TTC Solution 1% (10ml per vial)	1054.00	5 vl
DM 1723	Modified Raggios Medium See Inorganic Salt Medium	1103.00 4554.00	100 gm 500 gm	DM 1630	Motility Nitrate Medium, Buffered for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test. 19.50 gms/litre * Glycerol - 5 ml/litre	4842.00	500 gm
DM 2137	Modified Rappaport Vassiliadis Medium for selective enrichment of Salmonellae from food and environmental specimens. 30.03 gms/liter	4653.00	500 gm	DM 16301	Motility Nitrate Medium, Buffered recommended for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test. 19.50 gms/litre	4842.00	500 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1515	Motility Sulphide Medium for detection of motility and hydrogen sulphide production by pure cultures. 104.40 gms/litre	4428.00	500 gm	DM 1268	Mycoplasma Broth Base w/CV (PPLO Broth Base w/CV) with the addition of enrichment it is used for isolating Mycoplasma species (PPLO) from clinical specimens and mixed cultures. 21.00 gms/litre	4581.00	500 gm
DM 1260	Motility Test Medium for detection of bacterial motility. 20.00 gms/litre	4203.00	500 gm	MS 2052	*Potassium Tellurite 1% (1 ml per vial)	675.00	5 vial
DM 1930	Motility Test Medium (Edwards and Ewing) for testing motility of enteric bacteria. 22.00 gms/litre	4563.00	500 gm	MS 2075	*Mycoplasma Enrichment Supplement	3591.00	5 vial
DM 1930S	Motility Test Medium (Edwards and Ewing) for testing motility of enteric bacteria. 22.00 gms/litre	1134.00 4644.00	100 gm 500 gm	DM 1267	Mycoplasma Broth Base w/o CV (PPLO Broth Base w/o CV) with the addition of enrichment it is recommended for enrichment of Mycoplasmas species (Pleuro-pneumonia-like organisms) 21.00 gms/litre	4581.00	500 gm
DM 1173	Mueller Hinton Agar for determination of susceptibility of microorganisms to antimicrobial agents. 38.00 gms/litre	891.00 3600.00	100 gm 500 gm	MS 2075	*Mycoplasma Enrichment Supplement	3591.00	5 vial
DM 1391	Mueller Hinton Broth to determine the susceptibility of bacteria to Sulphonamides by the tube dilution method. 21.00 gms/litre	1009.00 4343.00	100 gm 500 gm	DM 1194	NIH Agar for sterility testing and for cultivation and maintenance of isolates from sterility testing of biological products. 43.05 gms/litre	1027.00 4136.00	100 gm 500 gm
DM 1876	Mueller Kauffman Tetrathionate Broth Base for improved enrichment and isolation of Salmonellae. 82.05 gms/litre	783.00 3105.00	100 gm 500 gm	DM 1004	Neomycin, Erythromycin Assay Agar (Erythromycin Seed Agar) See Antibiotic Assay medium No.11	959.00 4302.00	100 gm 500 gm
DM 1977	Mutans-Sanguis Agar for differentiation of Streptococcus mutans and Streptococcus sanguinis associated with oral microflora. 98.10 gms/litre	4595.00	500 gm	DM 1217	Nickerson Medium See Bi. G.G.Y. Agar	5153.00	500 gm
DM 1475	*Mycobio Agar See Fungobiotic Agar	7525.00	100 gm	DM 1072	Nitrate Agar for detection of nitrate reducing bacteria. 21.00 gms/litre	4995.00	500 gm
DM 1094	Mycological Agar See Fungal Agar	4842.00	500 gm	DM 1439	Nitrate Broth for detection of nitrate reduction by bacteria. 9.00 gms/litre	1067.00 4554.00	100 gm 500 gm
DM 2422	Mycological Agar, Modified for cultivation of fungi. 36.00 gms/litre	4842.00	500 gm	DM 1439S	Nitrate Broth for detection of nitrate reduction by bacteria. 39.00 gms/litre	1067.00 4554.00	100 gm 500 gm
DM 1095	Mycological Agar w/low pH See Fungal Agar w/low pH	4842.00	500 gm	DM 1001	Nutrient Agar for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids 28.00 gms/litre	720.00 3231.00	100 gm 500 gm
BA 2006	Mycological Peptone See Peptone M	3330.00	500 gm	POR			2.5 kg
BC 2006	Mycological Peptone, Certified nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	4159.00	500 gm	POR			5 kg
DM 1264	Mycological Broth See Fungal Broth	4500.00	500 gm	DM 1012M	Nutrient Agar (Medium) a general culture medium which may be used as enriched medium by incorporating blood or other biological fluids in accordance with I.P. 37.00 gms/litre	792.00 3555.00	100 gm 500 gm
DM 1266	Mycoplasma Agar Base (PPLO Agar Base) with the addition of enrichment, it is used for isolation and cultivation of Mycoplasma species (Pleuropneumonia-like organisms-PPLO). 36.00 gms/litre	1193.00 4941.00	100 gm 500 gm	DM 1087	Nutrient Agar 1.5% for cultivation of bacteria not requiring a highly nutritious medium can be enriched with blood, ascitic fluid or other enriching fluids. 31.00 gms/litre	882.00 3888.00	100 gm 500 gm
MS 2075	*Mycoplasma Enrichment Supplement	3591.00	5 vial	DM 1087I	Nutrient Agar, 1.5% recommended as a general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment. 28.00 gms/litre	4050.00	500 gm
				DM 2269	Nutrient Agar No.2 for general purpose culture medium. 40.00 gms/litre	3771.00	500 gm

M
N

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

N
O
P

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2269S	Nutrient Agar No. 2 for general purpose culture medium. 40.00 gms/litre	887.00 3771.00	100 gm 500 gm	DM 2223	Ornithine Decarboxylase Broth for detection of the ability of microorganisms to decarboxylate ornithine. 9.01 gms/litre * Mineral oil 2-3 ml	3330.00	100 gm
DM 1561	Nutrient Agar, pH 6.8 a general purpose nutrient medium for examination of water, sewage, faeces and other materials. 23.00 gms/litre	887.00 3722.00	100 gm 500 gm	DM 2186	PA Broth for the detection of presence and absence of coliform bacteria in water from treatment plants or distribution systems. 30.50 gms/litre	4581.00	500 gm
DM 1561A	Nutrient Agar, pH 7.0 recommended for cultivation of Salmonella species. 23.00 gms/litre	963.00 3996.00	100 gm 500 gm	DM 1611	PE-2 Medium for detection and cultivation of mesophilic anaerobic sporeformers in specimens collected from food processing plants 23.04 gms/litre.	4716.00	500 gm
DM 1931	Nutrient Agar w/ Manganese for promoting sporulation in Bacillus species. 23.03 gms/litre	3996.00	500 gm	DM 2173	PL Agar for the isolation and cultivation of Plesiomonas shigelloides from foods. 43.58 gms/litre	6670.00	500 gm
DM 1012	Nutrient Agar w/1% Peptone a general culture medium which may be used as enriched medium by Incorporating blood or other biological fluids. 35.00 gms/litre	887.00 3717.00	100 gm 500 gm	DM 1849	*PM Indicator Agar (Penicillin in Milk Indicator Agar) for rapid detection of trace amounts of Penicillin in milk as per AOAC. 32.06 gms/litre	4595.00	500 gm
DM 1090	Nutrient Agar, pH 6.0 w/0.8% NaCl for cultivation of bacteria requiring slightly acidic pH. 31.00 gms/litre	914.00 3834.00	100 gm 500 gm	DM 1266	PPLO Agar Base See Mycoplasma Agar Base	1193.00 4941.00	100 gm 500 gm
DM 2274	Nutrient Agar for Oxidase recommended for confirmation of presence of oxidase in microorganisms in water. 22.00 gms/litre	4095.00	500 gm	DM 1268	PPLO Broth Base w/ CV See Mycoplasma Broth Base w/ CV	4581.00	500 gm
DM 1002	Nutrient Broth for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids 13.00 gms/litre	567.00 2570.00	100 gm 500 gm POR 2.5 kg POR 5 kg	DM 1267	PPLO Broth Base w/o CV See Mycoplasma Broth Base w/o CV	4581.00	500 gm
DM 2362	Nutrient Broth No. 2 for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media 15.00 gms/litre	3187.00	500 gm	DM 1941	PSB Broth Base for primary enrichment and enumeration of Yersinia enterocolitica from foods. 50.65 gms/litre	4424.00	500 gm
DM 1244	Nutrient Broth w/ 1% Peptone a sterility testing medium for aerobes. 25.00 gms/litre	693.00 3141.00	100 gm 500 gm	DM 19411	PSB Broth, Modified recommended for primary enrichment and enumeration of Yersinia enterocolitica from foods. 30.77 gms/litre	4802.00	500 gm
DM 1088	Nutrient Broth, pH 6.9 w/o NaCl as general purpose medium for the cultivation of microorganisms. 8.00 gms/litre	711.00 3150.00	100 gm 500 gm	DM 1940	PSTA Enrichment Broth Base for secondary enrichment of Yersinia enterocolitica from foods. 5.20 gms/litre * Ampicillin - 0.005 gm/lit	1027.00 4424.00	100 gm 500 gm
DM 1244S	Nutrient Broth w/ 1% Peptone as a general purpose culture medium. 25.00 gms/litre	693.00 3141.00	100 gm 500 gm	DM 1037	*Pantothenate Assay Medium for microbiological assay of Pantothenic acid or its salts using Lactobacillus plantarum as the test organism 73.12 gms/litre.	3236.00	100 gm
DM 1060	Nutrient Gelatin for detection of gelatin liquefaction by proteolytic microorganisms. 128.00 gms/litre	3663.00	500 gm	DM 1135	Pantothenate Culture Agar for culturing Lactobacillus plantarum ATCC 8014 used in the microbiological assay of Pantothenic acid or its salts. 45.00 gms/litre	1674.00	100 gm
DM 1280	Nystatin Assay Agar See Antibiotic Assay Medium No. 12	5040.00	500 gm	DM 1542	Pantothenate Inoculum Broth for preparation of inoculum used in microbiological assay of Pantothenic acid or its salts. 38.00 gms/litre	1630.00	100 gm
DM 1848	Orchid Agar for germination of orchid seeds. 30.03 gms/litre	4941.00	500 gm				

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2185	Park and Sanders Enrichment Broth Base recommended for selective enumeration of thermotolerant Campylobacter species from foods. 28.35 gms/litre	4617.00	500 gm	DM 1671	Peptone Yeast Dextrose Broth (Cantino) for cultivation of aquatic fungi like Blastocladiella species. 5.50 gms/litre	1827.00	100 gm
MS 2104	*Park and Sanders Selective Supplement I	1485.00	5 vl	DM 1361	Peptone Yeast Extract Iron Agar See ISP Medium No 6	1166.00 4770.00	100 gm 500 gm
MS 2105	*Park and Sanders Selective Supplement II	2205.00	5 vl	DM 1442	Peptonized Milk Agar for cultivation of lactic acid bacteria and examination of dairy products. 27.00 gms/litre	4977.00	500 gm
DM 2185	Park and Sanders Broth Base recommended for selective enumeration of thermotolerant Campylobacter species in food and animal feed. 29.35 gms/litre	4617.00	500 gm	DM 1579	Perfringens Agar Base (O.P.S.P.) for selective isolation and enumeration of Clostridium perfringens from foods. 50.50 gms/litre	4977.00	500 gm
MS 2104	*Park and Sanders Selective Supplement I	1485.00	5 vl	MS 2011	*Perfringens Supplement-I	891.00	5 vl
MS 2105	*Park and Sanders Selective Supplement II	2205.00	5 vl	MS 2012	*Perfringens Supplement-II	1224.00	5 vl
DM 1867	Peizer TB Medium Base for cultivation of Mycobacterium tuberculosis 49.72 gms/litre * Egg yolk emulsion * Glycerol - 40 ml/lit	4842.00	500 gm	DM 1837	Perfringens Agar Base (T.S.C./S.F.P. Agar Base) with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of Clostridium perfringens. 47.00 gms/litre	846.00 4032.00	100 gm 500 gm
DM 1440	Peptone Iron Agar for detection of hydrogen sulphide production by microorganisms. 36.58 gms/litre	2493.00	100 gm	MS 2013	*S.F.P. Supplement (Perfringens S.F.P. Supplement)	1013.00	5 vl
BA 2001	Peptone, Bacteriological contains high tryptophan content used as culture media ingredient in variety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and Other products.	2745.00 4986.00 POR	500 gm 1 kg 2.5 kg	MS 2014	*T.S.C. Supplement (Perfringens T.S.C. Supplement)	1332.00	5 vl
BC 2001	Peptone, Certified recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.	4928.00	500 gm	MS 2045L	*Egg Yolk Emulsion (50ml/100 ml per vial)	1845.00	50mlx5 vl
BA 2006	Peptone M equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	3330.00	500 gm	MS 2243	*Clostridium Perfringens Supplement	3452.00	5 vl
BA 2015	Peptone Special equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	3213.00	500 gm	DM 1787	Pfizer Selective Enterococcus Agar for selective isolation and cultivation of Enterococci. 57.75 gms/litre	4941.00	500 gm
BA 2667	Peptone Type I, Bacteriological used as culture media ingredient.	2016.00 POR	500 gm 5 kg	DM 1053	Phenol Red Agar Base a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms 31.02 gms/litre.	1027.00 4212.00	100 gm 500 gm
DM 2231	Peptone Sorbitol Bile Broth for identification of Yersinia enterocolitica from dairy products. 30.93 gms/litre	4716.00	500 gm	DM 1055	Phenol Red Dextrose Agar for Dextrose fermentation studies of microorganisms. 41.02 gms/litre	1062.00 4347.00	100 gm 500 gm
DM 1028	Peptone Water all purpose growth medium and as a base of carbohydrate fermentation media. 15.00 gms/litre	693.00 3173.00	100 gm 500 gm	DM 1270	Phenol Red Lactose Agar for Lactose fermentation studies of microorganisms. 41.02 gms/litre	1062.00 4347.00	100 gm 500 gm
DM 1028	Peptone Water w/ Phenol Red recommended for studying fermentation ability of Yersinia enterocolitica. 15.02 gms/litre	3582.00	500 gm	DM 1271	Phenol Red Maltose Agar for Maltose fermentation studies of microorganisms. 41.02 gms/litre	1211.00 4941.00	100 gm 500 gm
DM 1670	Peptone Yeast Dextrose Agar (Cantino) for cultivation of aquatic fungi like Blastocladiella species. 25.50 gms/litre	1971.00	100 gm	DM 1571	Phenol Red Mannitol Agar for Mannitol fermentation studies of microorganisms. 41.02 gms/litre	1211.00 4941.00	100 gm 500 gm
				DM 1273	Phenol Red Sucrose Agar for Sucrose fermentation studies of microorganisms. 41.02 gms/litre	1062.00 4433.00	100 gm 500 gm

P

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

P

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1872	Phenol Red Tartrate Agar for identification and differentiation of Salmonellae on the basis of tartrate utilization. 40.02 gms/litre	3375.00	100 gm	DM 2183	Phenol Red Rhamnose Broth for Rhamnose fermentation studies of microorganisms. 21.00 gms/litre	8487.00	100 gm
DM 1054	Phenol Red Broth Base a basal medium to which carbohydrates are added for determination of fermentation reactions of pure cultures of microorganisms. 16.00 gms/litre	959.00 3906.00	100 gm 500 gm	DM 2011	Phenol Red Salicin Broth for Salicin fermentation studies of microorganisms. 21.00 gms/litre	6840.00	100 gm
DM 1279	Phenol Red Broth Base w/ Meat Extract highly nutritive basal medium which can be used to study fermentation of carbohydrates. 16.02 gms/litre	990.00 4023.00	100 gm 500 gm	DM 2012	Phenol Red Sorbitol Broth for Sorbitol fermentation studies of microorganisms. 21.00 gms/litre	2457.00	100 gm
DM 2200	Phenol Red Adonitol Broth for Adonitol fermentation studies of microorganisms. 21.00 gms/litre	8487.00	100 gm	DM 2016	Phenol Red Starch Broth for Starch fermentation studies of microorganisms. 21.00 gms/litre	2124.00	100 gm
DM 2014	Phenol Red Arabinose Broth for Arabinose fermentation studies of microorganisms. 21.00 gms/litre	6471.00	100 gm	DM 1274	Phenol Red Sucrose Broth for Sucrose fermentation studies of microorganisms. 21.00 gms/litre	990.00 4023.00	100 gm 500 gm
DM 1056	Phenol Red Dextrose Broth for Dextrose fermentation studies of microorganisms. 21.00 gms/litre	990.00 4023.00	100 gm 500 gm	DM 2201	Phenol Red Trehalose Broth for Trehalose fermentation studies of microorganisms. 21.00 gms/litre	8487.00	100 gm
DM 1617	Phenol Red Dulcitol Broth for Dulcitol fermentation studies of microorganisms. 21.00 gms/litre	7677.00	100 gm	DM 2015	Phenol Red Xylose Broth for Xylose fermentation studies of microorganisms. 21.00 gms/litre	3191.00	100 gm
DM 2135	Phenol Red Galactose Broth for Galactose fermentation studies of microorganisms. 21.00 gms/litre	4473.00	100 gm	DM 1652	Phenolphthalein Phosphate Agar for identification of phosphatase positive Staphylococcus aureus. 28.01 gms/litre	1193.00 4874.00	100 gm 500 gm
DM 2017	Phenol Red Inositol Broth for Inositol fermentation studies of microorganisms. 21.00 gms/litre	3191.00	100 gm	DM 1281	Phenylalanine Agar for differentiation of Proteus and Providencia group of organisms from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine. 26.00 gms/litre	1103.00 4644.00	100 gm 500 gm
DM 1275	Phenol Red Lactose Broth for Lactose fermentation studies of microorganisms. 21.00 gms/litre	990.00 4023.00	100 gm 500 gm	DM 1781	Phenylalanine Malonate Broth (Shaw and Clarke Medium) for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine. 11.03 gms/litre	5540.00	100 gm
DM 1275I	Phenol Red Lactose Broth recommended for Lactose fermentation studies of coliforms. 25.02 gms/litre	990.00 4023.00	100 gm 500 gm	DM 1461	Phosphate Buffer, APHA, pH 7.2 for preparation of dilution, blanks for the examination of waters, dairy products, foods, eating utensils and other specimens. 34.00 gms/litre	950.00 4221.00	100 gm 500 gm
DM 1276	Phenol Red Maltose Broth for Maltose fermentation studies of microorganisms. 21.00 gms/litre	1116.00 4563.00	100 gm 500 gm	DM 1783	Photobacterium Broth for cultivation and demonstration of luminiscence of photobacteria. 65.61 gms/litre	3191.00	100 gm
DM 1570	Phenol Red Mannitol Broth for Mannitol fermentation studies of microorganisms. 21.00 gms/litre	1116.00 4563.00	100 gm 500 gm				
DM 2013	Phenol Red Raffinose Broth for Raffinose fermentation studies of microorganisms. 21.00 gms/litre	4487.00	100 gm				

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1519	Pike Streptococcal Broth Base for selective enrichment and cultivation of Streptococci from throat swabs and other clinical specimens. 30.26 gms/litre	1031.00 4617.00	100 gm 500 gm	DM 2178	Pre-Enrichment Broth Base for isolation and enrichment of Yersinia enterocolitica from foods. 39.10 gms/litre * 0.1% Magnesium sulphate - 10 ml/lit * 0.1% Calcium Chloride - 10 ml/lit	4716.00	500 gm
DM 1520	Pikovskaya's Agar for detection of phosphate solubilizing soil microorganisms. 31.30 gms/litre	1193.00 4977.00	100 gm 500 gm	DM 1939	Preston Agar Base recommended for selective isolation of thermotolerant Campylobacter species. 37.00 gms/litre	4671.00	500 gm
DM 1091	Plate Count Agar (Standard Methods Agar) for determination of plate counts of microorganisms in foods, water and waste water and clinical sample. 23.50 gms/litre	837.00 3880.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1956	Propionibacter Isolation Agar Base for selective isolation of Propionibacteria 40.30 gms/litre * Sodium Lactate - 10 gms/lit	4671.00	500 gm
DM 1091A	Plate Count Agar for determining plate counts of microorganisms in milk and dairy products by pour plate technique. 17.50 gms/litre	963.00 4370.00	100 gm 500 gm	BA 2005	Proteose Peptone a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	3294.00 POR	500 gm 5 kg
DM 1091S	Plate Count Agar for determining plate counts of microorganisms in milk and dairy products by pour plate technique. 30.00 gms/litre	941.00 4203.00	100 gm 500 gm	BC 2005	Proteose Peptone, Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics,enzymes, bacterial toxins etc.	6390.00	500 gm
DM 2025	Plate Count Agar, Special for estimation of microbial counts in raw milk and other dairy products as per Netherlands Dairy Association 40.52 gms/litre	7300.00	500 gm	DM 1406	Pseudomonas Isolation Agar Base for selective isolation and identification of Pseudomonas aeruginosa from clinical and nonclinical specimens. 45.03 gms/litre * Glycerol - 20 ml/lit	941.00 4347.00	100 gm 500 gm
DM 2351	Plate Count Agar w/BCP for enumeration of Lactobacilli in cultured milk, yogurt and sour creams. 24.64 gms/litre	4595.00	500 gm	DM 1120	Pseudomonas Agar (For Fluorescein) for detection of fluorescein production by Pseudomonas species. 38.00 gms/liter * Glycerol - 10 ml/lit	963.00 3933.00	100 gm 500 gm
DM 1574	Plesiomonas Differential Agar See Inositol Brilliant Green Bile Agar	5067.00	500 gm	DM 1120U	Pseudomonas Agar Medium For Detection of Fluorescein for detection of fluorescein production by Pseudomonas species in accordance with U.S.P. 37.23 gms/liter * Glycerin - 10 ml/lit	1260.00 5500.00	100 gm 500 gm
DM 1096H	Potato Dextrose Agar for the cultivation of yeasts and moulds from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP. 39.00 gms/litre >10% tartaric acid	756.00 3420.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1119	Pseudomonas Agar (For Pyocyanin) for detection of pyocyanin production by Pseudomonas species. 46.40 gms/liter * Glycerol - 10 ml/lit	927.00 3722.00	100 gm 500 gm
DM 1937	Potato Dextrose Agar w/3% Agar for cultivation of yeasts and moulds from dairy and other food products. 54.00 gms/litre > 10% tartaric acid	4221.00	500 gm	DM 1119M	Pseudomonas Agar Medium (For Detection of Pyocyanin) for detection of pyocyanin production by Pseudomonas species in accordance with I.P. 46.40 gms/liter * Glycerin - 10 ml/lit	1098.00 4761.00	100 gm 500 gm
GM 1403	Potato Dextrose Broth, Granulated for cultivation and enumeration of yeasts and moulds. 24.00 gms/liter 20.83 lit/500g > 10% tartaric acid	4159.00	500 gm	DM 2096	Pseudomonas Asparagine Broth for presumptive determination of Pseudomonas aeruginosa from recreational or natural water as per A.P.H.A. 4.50 gms/liter	3267.00 13055.00	100 gm 500 gm
DM 1938	Potato Dextrose Rose Bengal Agar for promoting ascospore production. 39.00 gms/litre > 10% tartaric acid	4221.00	500 gm	DM 1098	Purple Agar Base for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms. 31.02 gms/liter	5544.00	500 gm
DM 2174	Potato Dextrose Sucrose Agar for the isolation and cultivation of Zygosaccharomyces rouxii from chocolate syrup. 659.00 gms/litre	4977.00	500 gm				
DM 1174	Potato Infusion Agar for isolation of Brucella species. 49.00 gms/litre * Glycerol - 20 ml/lit	3807.00	500 gm				

P

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C > If required use

DEHYDRATED CULTURE MEDIA

P
R
S

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1284	Purple Broth Base for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms. 15.02 gms/liter	4770.00	500 gm	GM 1525	Ringer Salt Solution, Granulated an isotonic diluent for food milk and dairy products during microbiological examination. 8.91 gms/liter 11.22 lit/100g	1900.00	100 gm
DM 1962	R-2A Agar for heterotrophic plate count of treated potable water using longer incubation periods 18.12 gms/liter	1013.00 4545.00 POR 2.5 kg POR 5 kg	100 gm 500 gm	DM 1859	Rippey-Cabelli Agar Base for differential and selective isolation of Aeromonas hydrophila species from water samples using membrane filter technique. 32.34 gms/liter	4172.00	100 gm
DM 2052	R-3A Agar for subculturing microorganisms recovered on less nutritive R-2A Agar from potable water samples. 21.25 gms/liter	5211.00	500 gm	MS 2107	*Rippey Cabelli Selective Supplement	1233.00	5 vl
DM 1149	R.C. Medium See Cooked Meat Medium	855.00 4100.00	100 gm 500 gm	DM 1149	Robertson's Cooked Meat Medium (R.C. Medium) See Cooked Meat Medium	855.00 4100.00	100 gm 500 gm
DM 1576	RS Medium Base for selective isolation, cultivation and presumptive identification of Aeromonas hydrophila. 45.43 gms/liter	4991.00	500 gm	DM 1130	*Rogosa SL Agar for selective cultivation of oral and faecal Lactobacilli. 74.72 gms/liter	4797.00	500 gm
MS 2096	*Novobiocin Supplement	954.00	5 vl	DM 1407	*Rogosa SL Broth for selective cultivation of all Lactobacilli including oral and faecal Lactobacilli. 59.72 gms/liter	4383.00	500 gm
DM 1500	RWC Medium See Culture Medium for RWC/Disinfectant Test Broth	1062.00 4554.00	100 gm 500 gm	DM 2177	SA Agar Base for isolation, cultivation and differentiation of Aeromonas hydrophila from foods based on starch hydrolysis as per APHA. 31.01 gms/liter	6521.00	500 gm
DM 1880	Rappaport Vassiliadis Medium for enrichment of Salmonellae, based on its ability to multiply selectively at high osmotic pressure, low pH and at 43°C, with modest nutritional requirements. 49.17 gms/liter	1099.00 4959.00	100 gm 500 gm	MS 2082	*Ampicillin Supplement	1413.00	5 vl
DM 1154	Reinforced Clostridial Agar for the cultivation and enumeration of Clostridia and other anaerobes. 51.00 gms/liter	1031.00 4320.00	100 gm 500 gm	DM 2535	SBG Enrichment Broth (Twin Pack) for selective enrichment of Salmonellae from clinical specimens. 19.67gms Part of A+ 4gms Part of B > Sodium sulfapyridine - 0.5 g/Lit	1620.00	100 gm
DM 1443	Reinforced Clostridial Broth for cultivation and enumeration of Clostridia and other anaerobes. 38.00 gms/liter	1013.00 4167.00	100 gm 500 gm	DM 2371	SD Agar for the growth of yeasts for molecular biology purposes. 46.71 gms/liter	5373.00	500 gm
DM 1443A	Reinforced Clostridial Broth w/o Agar for the cultivation and enumeration of Clostridia when a semisolid medium is preferred. 37.50 gms/liter	1031.00 4320.00	100 gm 500 gm	DM 1297	SF Broth for selective cultivation, detection and differentiation of Enterococci from other cocci in diagnostic work. 36.03 gms/liter	4005.00	500 gm
DM 1443H	Reinforced Medium for Clostridial for the enrichment of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP (Medium 14). 37.54 gms/liter	954.00 4280.00	100 gm 500 gm	DM 2005	S.F.P. Agar Base for the presumptive identification and enumeration of Clostridium perfringens in foods. 47.00 gms/liter	5301.00	500 gm
DM 1408	Rhizobium Medium for cultivation and isolation of Rhizobium species. 31.80 gms/liter	3259.00	500 gm	MS 2013 MS 2045F	*S.F.P. Supplement (Perfringens S.F.P. Supplement) *Egg Yolk Emulsion (50ml/100 ml per vial)	1013.00 2700.00	5 vl 5 vl
DM 2026	Rice Extract Agar for identification of Candida albicans by means of its chlamydo-spore production. 40.00 gms/liter * Polysorbate 80 - 10 ml/Litre	8631.00	500 gm	DM 1181	SIM Medium for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli. 36.23 gms/liter	4653.00	500 gm
				DM 1632	*SPS Agar for detection of Clostridium perfringens in foods. 40.03 gms/liter	4320.00	500 gm
				DM 1898	*SPS Agar Modified for selective isolation and enumeration of Clostridium perfringens from foodstuffs. 41.28 gms/liter	4320.00	500 gm



DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1108	SS Agar (Salmonella Shigella Agar) for differential and selective isolation of Salmonella and Shigella species from pathological specimens, suspected foodstuffs etc. 63.02 gms/liter	792.00 3619.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1003	Seed Agar See Antibiotic Assay Medium No. 1	1062.00 4244.00	100 gm 500 gm
DM 2067	*Sabouraud Chloramphenicol Agar for selective cultivation of yeasts and moulds. 65.05 gms/liter	1035.00 4654.00	100 gm 500 gm	DM 1052	Selenite Broth (Selenite F Broth) (Twin Pack) an enrichment medium for isolation of Salmonella species from faeces, urine or other pathological materials. 19.00 gms Part A + 4 gms of Part B	1027.00 4622.00	100 gm 500 gm
DM 1063H	Sabouraud Dextrose Agar (Sabouraud Dextrose Agar Medium) for the cultivation of yeasts, moulds and aciduric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonised methodology of USP/EP/BP/JP. 65.00 gms/liter	756.00 3411.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1052M	Selenite F Broth (Twin Pack) (Twin Pack) an enrichment medium for isolation of Salmonella from faeces, urine or other pathological materials, in accordance with I.P. 19.00 Part A + 4 of Part B	1206.00 5000.00	100 gm 500 gm
DM 2313	Sabouraud Dextrose Maltose Agar for cultivation of moulds and yeasts and for testing antimycotic substances. 45.00 gms/liter	5103.00	500 gm	DM 1970	Selenite Broth Base w/o Biselenite with addition of selenite, it is used for enrichment of Salmonellae species from food, dairy products and pathological materials. 19.00 gms/liter	4266.00	500 gm
DM 2460	Sabouraud Dextrose Maltose Broth for cultivation of moulds, yeasts and aciduric organisms as well as testing antimycotic substances. 30.00 gms/liter	4797.00	500 gm	DM 1025	Selenite Cystine Broth (Twin Pack) See Fluid Selenite Cystine Medium	1206.00 5040.00	100 gm 500 gm
DM 1286	Sabouraud Dextrose Agar Base, Modified See Dextrose Agar Base, Emmons	1099.00 4554.00	100 gm 500 gm	DM 2079	Selenite Cystine Broth Base w/o Biselenite for selective enrichment of Salmonella and possibly Shigella sonnei from faeces, urine, water and foodstuffs. 19.01 gms/liter	4266.00	500 gm
MS 2035	*CC Supplement	1242.00	5 vl	DM 2534	Selenite Mannitol Broth (Twin Pack) See Mannitol Selenite Broth	5500.00	500 gm
DM 1062	Sabouraud Maltose Agar for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions. 65.00 gms/liter	4644.00	500 gm	DM 1293	Sellers Differential Agar w/o Biselenite for differentiation and identification of gram-negative nonfermentative bacilli especially Pseudomonas aeruginosa and Acinetobacter calcoaceticus. 44.89 gms/liter *Dextrose solution (50%) - 0.15 ml/Lit	5153.00	500 gm
DM 1064	Sabouraud Maltose Broth for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions. 50.00 gms/liter	4554.00	500 gm	DM 2191	Semisolid Nutrient Agar recommended for detection of Salmonella species on the basis of motility and hydrogen sulphide (H ₂ S) production. 12.00 gms/liter	4500.00	500 gm
DM 1013	Sabouraud Medium, Fluid See Fluid Sabouraud Medium.	540.00 2457.00	100 gm 500 gm	DM 1645	Shapton Medium for enumeration of spores of Bacillus stearothermophilus which causes flat sour spoilage in canned foods with pH more than 4.5 27.53 gms/liter	4644.00	500 gm
DM 1573	Salmonella Agar, ONOZ for selective isolation and identification of Salmonellae from clinical specimens. 76.15 gms/liter	4991.00	500 gm	DM 1411	Simmons Agar Base a synthetic medium recommended for differentiation between faecal coli and members of the aerogenes group on the basis of citrate utilization. 21.28 gms/liter * Sodium citrate solution (0.2%) - 100 ml/Lit	1715.00	100 gm
DM 1821	Salt Polymixin Broth Base for detection and enumeration of Vibrio species. 33.00 gms/liter	4370.00	500 gm	DM 1099	Simmons Citrate Agar for differentiating members of Enterobacteriaceae on the basis of citrate utilization. 24.28 gms/liter	837.00 3762.00	100 gm 500 gm
MS 2003	*Polymyxin-B Selective Supplement 1	1170.00	5 vl				
DM 1821H	Salt Polymixin Broth Base recommended for detection and enumeration of Vibrio species. 29.70 gms/liter	4370.00	500 gm				
MS 2003	*Polymyxin-B Selective Supplement	1170.00	5 vl				
DM 2276	Sauton's Fluid Medium for cultivation and enumeration of Mycobacteria, in accordance with I.P. 3.19 gms/liter * Glycerol - 20 ml/Lit	1323.00 6040.00	100 gm 500 gm				

S

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1530	SM Growth Powder for cultivation of dairy organisms and differentiation of Clostridium species. 100.00 gms/liter	2151.00	500 gm	DM 1207	Soybean Casein Digest Medium w/Yeast Extract and Hemin w/o Dextrose (Tryptone Soya w/Yeast Extract and Hemin w/o Dextrose) a highly nutritious medium which supports luxuriant growth of fastidious bacteria. 32.52 gms/liter	1279.00 5166.00	100 gm 500 gm
DM 1763	SM Agar for cultivation and enumeration of microorganisms encountered in dairy industry. 51.50 gms/liter	4941.00	500 gm	BA 2007	Soya Peptone papaic digest of soyabean meal, plant peptone	2835.00 POR	500 gm 5 kg
DM 1612	Slanetz and Bartley Medium for detection and enumeration of faecal Streptococci by membrane filter technique. 46.50 gms/liter	1193.00 4802.00	100 gm 500 gm	BC 2007	Soya Peptone, Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant growth.	4784.00 POR	500 gm 5 kg
DM 1612I	Slanetz and Bartley Medium recommended for detection and enumeration of faecal Streptococci by membrane filter technique. 46.50 gms/liter	4802.00	500 gm	BA 2015	Special Peptone See Peptone Special	3213.00	500 gm
DM 1106	Snyder Test Agar See BCG-Dextrose Agar	4654.00	500 gm	BC 2015	Special Peptone, Certified specially designed to maximize the growth of fastidious microorganisms.	5265.00	500 gm
BA 2708	Sodium Tauroglycocholate for bacteriological culture media as a selective inhibitory agent.	7830.00	500 gm	DM 1412	Spirolate Broth, OMATA for mass cultivation of Treponema pallidum, Reiter strain for antigen production and other studies. 29.00 gms/liter	1800.00	100 gm
DM 1298	Sorbitol Agar See (Sorbitol MacConkey Agar)	1323.00 5360.00	100 gm 500 gm	DM 1234	Sporulating Agar See AK Agar No 2 (Arret & Krishbaum Medium)	5171.00	500 gm
DM 1299	Sorbitol Iron Agar for cultural identification and differentiation of enteropathogenic Escherichia coli which do not ferment sorbitol. 46.03 gms/liter	5171.00	500 gm	DM 1302	*Standard Methods Agar w/Tween 80 and Lecithin for sanitary examination of surfaces, that is, for counts before and after Application of disinfectants. 29.20 gms/liter	2565.00 10431.00	100 gm 500 gm
DM 1290	Soyabean Casein Digest Agar (Tryptone Soya Agar) (Casein Soyabean Digest Agar) a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing in pharmaceutical procedures. 40.00 gms/liter	891.00 3690.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1588	Standard Methods Caseinate Agar for detection of proteolytic microorganisms. 40.13 gms/liter	1962.00	100 gm
DM 1011	Soyabean Casein Digest Medium (Tryptone Soya Broth) a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria as per various Pharmacopia. 30.00 gms/liter	414.00 1863.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1877	Standard Nutrient Agar a general utility medium for cultivation and enumeration of not particularly fastidious microorganisms. 45.00 gms/liter	4347.00	500 gm
DM 1011H	Soyabean Casein Digest Medium (Casein Soyabean Digest Broth) a general purpose medium used for cultivation of a wide variety of microorganisms and for sterility testing of moulds and lower bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP.. 29.77 gms/liter	468.00 1890.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 2210	Standard Nutrient Agar No. 1 for the cultivation of fastidious bacteria. 37.00 gms/liter	4500.00	500 gm
DM 1322	Soyabean Casein Digest Medium (Tryptone Soya Broth w/o Dextrose.) recommended for cultivation of anaerobic microorganisms when the presence of carbohydrate is not desired. 27.50 gms/liter	3573.00	500 gm	DM 2224	Standard Nutrient Broth No. 1 for the cultivation of fastidious bacteria. 25.00 gms/liter	4343.00	500 gm
DM 1323	Soyabean Casein Digest Medium w/0.1% Agar (Tryptone Soya Broth w/0.1% Agar) for cultivation of anaerobes from root canals, blood and other specimens. 31.00 gms/liter	3452.00	500 gm	DM 1521	Staphylococcus Agar No. 110 See Gelatin Mannitol Salt Agar	963.00 3880.00	100 gm 500 gm
				DM 1156	Staphylococcus Agar No. 110 w/Azide for selective isolation and testing of pathogenic Staphylococci. 149.60 gms/liter	4874.00	500 gm
				DM 1107	Starch Agar for detection of starch hydrolyzing microorganisms. 30.00 gms/liter	4500.00	500 gm
				DM 1182	Stock Culture Agar See Ayers and Johnson Agar	4811.00	500 gm

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1925	Streptococcus Lactis Differential Agar Base for differentiation of citrate utilizing lactic Streptococci-Lactococcus lactis (Streptococcus lactis) subspecies diacetylactis from citrate non-utilizing Lactococcus lactis (Streptococcus lactis) and Lactococcus lactis (Streptococcus lactis) subspecies cremoris. 32.50 gms/liter * 10% Potassium ferricyanide -10ml/Lit * Citrated solution -10ml/Lit	4797.00	500 gm	DM 1311	Sulphite Agar for detection of thermophilic sulphide producing anaerobes. 31.00 gms/liter * 5% Ferric citrate solution - 10ml/Lit	4802.00	500 gm
DM 1304	Streptococcus Selection Agar for selective isolation and enumeration of all types of Streptococci including Group A beta Haemolytic strains. 45.60 gms/liter	4392.00	500 gm	DM 1559	Sulphur Medium (Twin Pack) for cultivation of Thiobacillus thiooxidans. 3.74 gms/liter Part A +10.0 gms Part B	1090.00 4770.00	100 gm 500 gm
DM 1303	Streptococcus Selection Broth for selective isolation and cultivation of streptococci including group A beta Haemolytic strains. 30.60 gms/litre	3663.00	500 gm	DM 1100	TB Broth Base for cultivation of Mycobacterium tuberculosis. 12.10 gms/liter * Dextrose - 0.5% Glycerol - 5ml/Lit, ► Bovine serum albumin V	4554.00	500 gm
DM 1948	Streptococcus Thermophilus Isolation Agar for determining the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt. 42.00 gms/litre	4941.00	500 gm	DM 1034	TB Broth Base w/o Tween 80 for cultivation of Mycobacteria when the presence of oelic acid is undesirable. 11.60 gms/liter * Dextrose - 0.5% Glycerol - 5ml/Lit, ► Bovine serum albumin V	4554.00	500 gm
DM 1006	Streptomycin Assay Agar w/Yeast Extract (Antibiotic Assay Medium No. 5) 25.50 gms/litre	5040.00	500 gm	DM 1189	TCBS Agar for selective isolation and cultivation of Vibrio cholerae and other enteropathogenic Vibrios causing food poisoning. 89.08 gms/liter	1013.00 4572.00	100 gm 500 gm
DM 1306	Stuart Transport Medium (Transport Medium, Stuart) for preservation and transportation of Neisseria species and other fastidious organisms from clinic to the laboratory. 14.10 gms/liter	1746.00 6975.00	100 gm 500 gm	DM 1870	TCBS Agar (Selective) for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios. 89.08 gms/liter	1013.00 4690.00	100 gm 500 gm
DM 2131	Stuart Transport Medium w/o Methylene Blue for routine transport of gonococcal species and other fastidious organisms. 14.00 gms/litre	1746.00 6975.00	100 gm 500 gm	DM 1870A	TCBS Agar, Modified for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios. 88.00 gms/liter	1323.00 5382.00	100 gm 500 gm
DM 1309	*Sulphate API Agar w/o Sodium Lactate for detection and estimation of sulphate reducing bacteria. 25.41 gms/litre	5252.00	500 gm	DM 1870S	TCBS Agar for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios. 89.08 gms/liter	1323.00 5382.00	100 gm 500 gm
DM 1310	*Sulphate API Broth w/o Sodium lactate for detection of sulphate reducing bacteria. 11.41 gms/litre * Sodium Lactate - 4ml/Lit	4892.00	500 gm	DM 1791	TGB Agar (Tryptone Glucose Meat Extract Agar) for enumeration of bacteria in water,air, milk and dairy products. 24.00 gms/liter	1013.00 4743.00	100 gm 500 gm
DM 1523	*Sulphate API Broth w/o NaCl for detection, differentiation and estimation of sulphate reducing bacteria. 1.41 gms/litre * Sodium Lactate - 4ml/Lit	1121.00 4892.00	100 gm 500 gm	DM 1950	TN Agar for isolation and cultivation of Vibrios from food samples. 35.00 gms/liter	4622.00	500 gm
DM 1800	Sulphate Reducing Medium (Twin Pack) for cultivation and enumeration of sulphate reducing bacterium- Thiobacillus thioparus 2.32 gms of Part A+10.00 gms of Part B	1121.00 4892.00	100 gm 500 gm	DM 1402	TPEY Agar Base with addition of supplement, it is recommended for selective isolation and enumeration of Staphylococci from foods. 60.00 gms/liter	4820.00	500 gm
DM 1803	Sulphate Reducing Medium (Triple Pack) for enumeration of sulphate reducing bacteria in water samples. 6.08 gms of Part A+0.492 gms of Part B + 3.50 gms of Part C	1121.00 4892.00	100 gm 500 gm	MS 2045F MS 2052	*Egg Yolk Emulsion (50ml/100 ml per vial) *Potassium Tellurite 1% (1 ml per vial)	2700.00 675.00	5 vl 5 vl
				DM 2250	Tartoff- Hobbs Broth (Terrific Broth) for the cultivation of recombinant strains of Escherichia coli. 47.60 gms/liter	5652.00	500 gm
				DM 1045	Taurocholate Broth for selective isolation of coliforms from water, milk and other food products. 40.03 gms/liter	4554.00	500 gm

S
T

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C ► If required use

DEHYDRATED CULTURE MEDIA

T

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2260	Tellurite Blood Agar Base for the selective isolation and cultivation of <i>Corynebacterium</i> species. 31.00 gms/liter	4874.00	500 gm	DM 1608	Thioglycollate Agar for cultivation of anaerobic microorganisms. 49.00 gms/liter	4581.00	500 gm
MS 2022	*Haemoglobin Powder	2421.00	100 gm	DM 1462	Thioglycollate Broth w/ Liver Extract See B.Q. Vaccine Medium Sterile glucose solution - 0.5%	3141.00	500 gm
MS 2025	*Vitamins Growth Supplement	2084.00	5 vl	DM 1010	Thioglycollate Broth, Alternative See Alternative Thioglycollate Medium (NIH Thioglycollate Medium)	432.00 1737.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
MS 2052	*Potassium Tellurite 1% (1 ml per vial)	675.00	5 vl	DM 1009	Thioglycollate Medium Fluid See Fluid Thioglycollate Medium.	387.00 1746.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
DM 1616	Tergitol-7 Agar Base for selective enumeration and identification of coliform organisms. 33.13 gms/liter	1062.00 4780.00	100 gm 500 gm	DM 1979	Thioglycollate Medium w/ Hemin and Vitamin K for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions. 29.65 gms/liter	4802.00	500 gm
MS 2057	*TTC Solution 1% (10 ml per vial)	1054.00	5 vl	DM 1190	Thioglycollate Medium w/o Dextrose for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates. 25.70 gms/liter	3177.00	500 gm
DM 1850	Tergitol-7 Agar H for selective isolation and differentiation of enteric bacteria from urine specimens. 34.13 gms/liter	5022.00	500 gm	DM 1191	Thioglycollate Medium w/o Indicator See Diagnostic Thioglycollate Medium	3430.00	500 gm
DM 1851	Tergitol-7 Broth selective and differential medium for detection and enumeration of coliforms. 18.13 gms/liter	4581.00	500 gm	DM 1195	Thioglycollate Medium Linden See Brewer Thioglycollate Medium Modified.	739.00 3110.00	100 gm 500 gm
DM 2255	Tetrathionate Brilliant Green Bile Broth for isolation and identification of <i>Salmonellae</i> . 63.07 gms/liter	2620.00	500 gm	DM 1610	Thiogel Medium for cultivation of strictly anaerobic, aerobic as well as facultative microorganisms and for the identification of pure cultures on the basis of their ability to liquefy gelatin. 80.05 gms/liter	693.00 3087.00	100 gm 500 gm
DM 1032M	Tetrathionate Broth Medium an enrichment broth for isolation of <i>Salmonellae</i> from specimens suspected to be contaminated with <i>Salmonellae</i> in accordance with I.P. 77.40 gms/liter * Iodine Solution - 20ml/Lit	694.00 3114.00	100 gm 500 gm	DM 1314	Tinsdale Agar Base for selective isolation and differentiation of <i>Corynebacterium diphtheriae</i> . 40.67 gms/liter	4874.00	500 gm
DM 1032	Tetrathionate Broth Base (w/o Iodine and BG) See Fluid Tetrathionate Medium w/o Iodine and BG	684.00 2817.00	100 gm 500 gm	DM 1313	Todd Hewitt Broth for cultivation of group A haemolytic <i>Streptococci</i> used for serological studies. 37.00 gms/liter	959.00 4131.00	100 gm 500 gm
DM 2256	Tetrathionate CV Enrichment Broth for the selective enrichment of <i>Salmonellae</i> from meat and foodstuffs. 35.00 gms/liter	3344.00	500 gm	DM 1048	*Tomato Juice Agar for cultivation and enumeration of <i>Lactobacilli</i> . 51.00 gms/liter	5103.00	500 gm
DM 1413	Thayer Martin Medium Base for selective isolation of <i>Gonococci</i> from pathological specimens. 42.00 gms/liter	959.00 4163.00	100 gm 500 gm	DM 1879	*Tomato Juice Agar, Special for cultivation and enumeration of <i>Lactobacilli</i> from saliva and of other acidophilic bacteria. 60.00 gms/liter	5103.00	500 gm
MS 2021	*GC Supplement w/ Antibiotics	1503.00	5 vl	DM 2027	*Tomato Juice Broth for cultivation of yeasts and other aciduric microorganisms. 41.23 gms/liter	4797.00	500 gm
MS 2022	*Haemoglobin Powder	2421.00	100 gm	DM 1315	Transport Charcoal Medium for transportation of clinical specimens. 24.00 gms/liter	5022.00	500 gm
MS 2023	*V.C.N. Supplement	2084.00	5 vl				
MS 2024	*V.C.N.T. Supplement	2084.00	5 vl				
MS 2025	*Vitamins Growth Supplement	2084.00	5 vl				
DM 1125	Thermoacidurans Agar for isolation of <i>Bacillus thermoacidurans</i> from food products. 39.00 gms/liter	4941.00	500 gm				
DM 1788	Thiobacillus Agar for isolation and cultivation of <i>Thiobacillus</i> species. 22.66 gms/liter	4581.00	500 gm				
DM 1789	Thiobacillus Broth for cultivation of <i>Thiobacillus</i> species. 10.16 gms/liter	4973.00	500 gm				

DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1306	Transport Medium (Stuart) See Stuart Transport Medium .	1746.00 6975.00	100 gm 500 gm	DM 1364	Tryptone Nitrate Medium See Indole Nitrate Medium	860.00 3492.00	100 gm 500 gm
DM 1202	Transport Medium w/o Charcoal See Cary-Blair Medium .	1143.00 5040.00	100 gm 500 gm	DM 1953	Tryptone Phosphate Broth for enrichment and cultivation of enteropathogenic Escherichia coli from suspected food samples. 30.50 gms/litre	4095.00	500 gm
DM 1157	Tributyryn Agar Base w/o Tributyrin for detection of lipolytic microorganisms. 23.00 gms/liter	1193.00 4977.00	100 gm 500 gm	DM 1290	Tryptone Soya Agar (Casein Soyabean Digest Agar) See Soyabean Casein Digest Agar a general purpose medium used for cultivation of a wide variety of microorganisms.	891.00 3690.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
MS 2081	*Tributyryn (10 ml per vial)	1674.00	5 vl	DM 1011	Tryptone Soya Broth See Soyabean Casein Digest Medium	414.00 1863.00 POR	100 gm 500 gm 2.5 kg
DM 1021	Triple Sugar Iron Agar for identification of gram-negative enteric bacilli on the basis of dextrose, Lactose and sucrose fermentation and hydrogen sulphide production. 64.52 gms/liter	783.00 3740.00	100 gm 500 gm	DM 1323	Tryptone Soya Broth w/0.1% Agar See Soyabean Casein Digest Medium w/ 0.1% Agar	3452.00	500 gm
DM 1021S	Triple Sugar Iron Agar for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production. 64.32 gms/liter	927.00 3996.00	100 gm 500 gm	DM 1322	Tryptone Soya Broth w/o Dextrose See Soyabean Casein Digest Medium w/o Dextrose	3573.00	500 gm
DM 1021I	Triple Sugar Iron Agar recommended for identification of members of Enterobacteriaceae especially Salmonella species. 64.62 gms/liter	3996.00	500 gm	DM 2056	Tryptone Tellurite Agar Base for selective isolation of pathogens from clinical specimens, especially from nose, throat and vagina. 47.00 gms/litre	4941.00	500 gm
BA 2014	Tryptone Type I See Casein Enzyme Hydrolysate used in sterility testing, diagnostic media preparations.	3402.00 POR	500 gm 2.5 kg	MS 2052	*Potassium Tellurite 1% (1 ml per vial)	675.00	5 vl
BC 2014	Tryptone, Certified See Casein Enzyme Hydrolysate, Certified	3889.00	500 gm	DM 1463I	Tryptone Water recommended for detection of indole production 25.00 gms/litre	4032.00	500 gm
BA 2029	Tryptone T, Type-III for tetanus toxin, culture media ingredient.	4113.00	500 gm	DM 1463S	Tryptone Water w/o Sodium Chloride for detection of Vibrio cholerae and Vibrio para-haemolyticus. 10.00 gms/litre	864.00 3510.00	100 gm 500 gm
DM 1319	Tryptone Agar Base for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes. 23.52 gms/liter ➤ Carbohydrate - 0.5%	4842.00	500 gm	DM 2198	Tryptone Water Broth w/BCP for the cultivation of Salmonella species from foods. 17.29 gms/litre	3321.00	500 gm
DM 1463	Tryptone Broth (Tryptone Water) for detection of indole producing microorganisms. 15.00 gms/litre	702.00 3173.00	100 gm 500 gm	DM 2272	Tryptone Yeast Extract Agar recommended for estimation of microbial counts in water. 21.00 gms/litre	5103.00	500 gm
DM 1961	Tryptone Bile Agar for rapid detection and enumeration of Escherichia coli in foods using a modified direct plating method. 36.50 gms/litre	4644.00	500 gm	DM 2193	Tryptone Yeast Extract Agar w/BCP recommended for isolation and enumeration of Enterobacteriaceae and Bacillus cereus. 41.51 gms/litre	5103.00	500 gm
DM 1791	Tryptone Glucose Beef Extract Agar See TGB Agar	1013.00 4743.00	100 gm 500 gm	DM 1356	Tryptone Yeast Extract Broth See ISP Medium No. 1	1395.00 5670.00	100 gm 500 gm
DM 1014	Tryptone Glucose Extract Agar (Tryptone Glucose Yeast Extract Agar) for enumeration of bacteria in water, air, milk and dairy products. 24.00 gms/litre	905.00 3843.00	100 gm 500 gm	BA 2030	Tryptose bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	3731.00 POR	500 gm 2.5 kg
DM 1952	Tryptone Glucose Yeast Extract Broth for enumeration of microorganisms from foods by MPN technique. 17.25 gms/litre	3843.00	500 gm	BC 2030	Tryptose, Certified designed to promote luxuriant growth of highly fastidious microorganisms.	6093.00	500 gm

T

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C ➤ If required use

DEHYDRATED CULTURE MEDIA

T
U
V

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1538	Tryptose Agar for isolation, cultivation and differentiation primarily of Brucella, but also of Streptococci, Pneumococci, Meningococci and other pathogenic microorganisms. 41.00 gms/litre	4941.00	500 gm	DM 1112S	*Urea Agar Base (Christensen) for detection of urease production, particularly by Proteus vulgaris, Micrococci and paracolon organisms. 24.51 gms/litre	1027.00 4136.00	100 gm 500 gm
DM 1996	Tryptose Agar w/Thiamine HCl for isolation, differentiation and cultivation of fastidious microorganisms in an infusion free medium. 41.00 gms/litre	4941.00	500 gm	MS 2048	*Urea 40% (5 ml per vial)	469.00	5 vl
DM 1097	Tryptose Blood Agar Base for the isolation of fastidious organisms and determining the haemolytic reactions. 33.00 gms/litre	1360.00 5481.00	100 gm 500 gm	DM 1111	Urea Broth Base See (Diagnostic Stuart's Urea Broth Base) *Urea 40% (5 ml per vial)	1062.00 4356.00 469.00	100 gm 500 gm 5 vl
DM 1450	Tryptose Blood Agar Base w/Yeast Extract with or without added blood it can be used for culturing fastidious microorganisms. 34.00 gms/litre	4941.00	500 gm	MS 2048	*Urea 40% (5 ml per vial)	469.00	5 vl
DM 1177	Tryptose Broth for the cultivation primarily of .Brucella species 26.00 gms/litre	3834.00	500 gm	GM 1111A	Urea Broth Granulated (Filter Sterilizable) for identification of bacteria on the basic of urea utilization, specifically for the differentiation of proteus species from Salmonella and Shigella species. 38.71 gms/litre 12.92 lit/500g	4680.00	500 gm
DM 1997	Tryptose Broth w/Thiamine HCl for cultivation and differentiation of fastidious microorganisms in an infusion free medium. 26.00 gms/litre ➤ Agar - 0.5-1%	4761.00	500 gm	DM 1416	Veillonella Agar Base for selective isolation of Veillonella . species 23.75 gms/litre * Sodium Lactate - 21 ml/Lit * Vancomycin - 7.5 mg/ml ➤ Cween 80 - 1gm/Lit	4644.00	500 gm
DM 1093	Tryptose Phosphate Broth for cultivation of fastidious bacteria. 29.50 gms/litre	900.00 3681.00	100 gm 500 gm	DM 1820	Vibrio Agar for selective cultivation of Vibrio species. 79.92 gms/litre	4644.00	500 gm
DM 1634	*Tryptose Sulphite Neomycin Agar for selective isolation and enumeration of Clostridium perfringens in foods or other specimens. 40.07 gms/litre ➤ Thioglycollate Solution - 20ml/Lit	2700.00	100 gm	DM 2153	Vibrio Parahaemolyticus Sucrose Agar for isolation and enumeration of Vibrio parahaemolyticus from seafood samples as per APHA. 73.52 gms/litre	5616.00	500 gm
DM 1415	Universal Beer Agar (UB Agar) for culturing microorganisms of significance in the brewing industry. 62.16 gms/litre	2359.00	100 gm	DM 1049S	Violet Red Bile Agar recommended for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products. 41.53 gms/litre	810.00 3645.00	100 gm 500 gm
DM 1112	Urea Agar Base (Christensen) (Autoclavable) for detection of urease production, particularly by Proteus vulgaris, Micrococci and paracolon organisms. 24.01 gms/litre	927.00 3727.00	100 gm 500 gm	DM 1049A	Violet Red Bile Agar (1.2%) recommended for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products. 38.53 gms/litre	3762.00	500 gm
MS 2048	*Urea 40% (5 ml per vial)	469.00	5 vl	DM 1458	Violet Red Bile Broth for detection and enumeration of coliforms from water and food. 26.53 gms/litre	3699.00	500 gm
DM 1112I	Urea Agar Base, Christensen for the detection of urease production, particularly by members of the genus Proteus. The composition and performance criteria are in accordance with ISO 1993, ISO DIS 6579. 24.01 gms/litre	4356.00	500 gm	DM 1581H	Violet Red Bile Glucose Agar recommended for detection and enumeration of Enterobacteriaceae from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP. 40.62 gms/litre	936.00 3753.00 POR POR	100 gm 500 gm 2.5 kg 5 kg
MS 2048	*Urea 40% (5 ml per vial)	469.00	5 vl	DM 1036	*Vitamin B12 Assay Medium See B12 Assay Medium	3618.00	100 gm
GM 1112A	Urea Agar Base Granulated (Filter Sterilizable) (w/o Agar) with added agar it is used for detection of urea splitting microorganism. 29.00 gms/litre 17.24 lit/500g	4203.00	500 gm	DM 1023	Vogel-Johnson Agar Base w/o Tellurite (V.J. Agar) for selective isolation of coagulase positive, mannitol fermenting Staphylococcus aureus from heavily contaminated foods and clinical specimens. 61.02 gms/litre	887.00 3654.00	100 gm 500 gm
				MS 2052	*Potassium Tellurite 1% (1ml per vial)	675.00	5 vl



DEHYDRATED CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 2152	Wesley Broth Base used as a selective enrichment medium for isolation of <i>Campylobacter jejuni</i> from poultry products as per APHA. 39.25 gms/litre	9423.00	500 gm	DM 2413	Yeast and Mould Broth for isolation and cultivation of yeasts and moulds. 20.00 gms/litre	4424.00	500 gm
MS 2077	*Campylobacter Selective Supplement	1602.00	5 vl	DM 1140	Yeast Meat Agar See Antibiotic Assay Medium No.4	5130.00	500 gm
DM 1832	Wilkins Chalgren Anaerobic Agar Base for selective isolation and cultivation of anaerobic bacteria and susceptibility testing of anaerobes by the agar dilution method. 43.01 gms/litre	4519.00	500 gm	BA 2025	Yeast Extract Paste suitable for culture media	1503.00	500 gm
MS 2001	*Non Spore Anaerobic Supplement	1305.00	5 vl	BA 2027	Yeast Extract Powder a low salt extract refined for use in microbial culture media, fermentation and other biological products. Also used with beef extract or in place of beef extract.	2102.00 POR	500 gm 2.5 kg
MS 2002	*G.N. Spore Anaerobic Supplement	1431.00	5 vl	BC 2027	Yeast Extract Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	3245.00	500 gm
DM 1863	Wilkins Chalgren Anaerobic Broth Base for cultivation and susceptibility testing of anaerobic bacteria. 33.01 gms/litre	4194.00	500 gm	BA 2668	Yeast Extract Powder Type I specially developed for routine bacteriological work.	2322.00 POR	500 gm 5 kg
MS 2001	*Non Spore Anaerobic Supplement	1305.00	5 vl	DM 1456	Yeast Extract Agar highly nutritive medium recommended for plate count of microorganisms in water. 23.00 gms/litre	711.00 2970.00	100 gm 500 gm
MS 2002	*G.N. Spore Anaerobic Supplement	1431.00	5 vl	DM 1955	Yeast Extract Rose Bengal Broth Base for the cold enrichment for the recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from food sample. 26.30 gms/litre * 4% Sorbose solution - 100 ml/Lit	4001.00	500 gm
DM 1331	Wilson Blair Agar Base with the addition of selective reagent used for the isolation of <i>Salmonella</i> serotype Typhi. 60.00 gms/litre * Brilliant green solution - 4 ml/Lit * Selective reagent - 70 ml/Lit	1233.00 4941.00	100 gm 500 gm	DM 1676	Yeast Fermentation Broth Base See Bromo Cresol Purple Broth	4743.00	500 gm
DM 1332	Wilson Blair Agar w/BG for isolation and preliminary identification of <i>Salmonella typhi</i> from clinical specimens. 52.32 gms/litre	1233.00 4941.00	100 gm 500 gm	DM 1720	Yeast Lactose Agar for cultivation of soil microorganisms such as <i>Rhizobium</i> species. 26.80 gms/litre	2620.00	100 gm
DM 1129	Wort Agar for the cultivation and enumeration of yeasts. 48.28 gms/litre	1216.00 4874.00	100 gm 500 gm	DM 1424	Yeast Malt Agar (YM Agar) See ISP Medium No. 2	1233.00 5040.00	100 gm 500 gm
DM 1333	Wort Broth for cultivation and enumeration of yeasts. 33.28 gms/litre * Glycerol - 2.35 gm/Lit	4532.00	500 gm	DM 1425	Yeast Malt Broth (YM Broth) for isolation and cultivation of yeasts, moulds and aciduric microorganisms. 21.00 gms/litre	963.00 4023.00	100 gm 500 gm
DM 1336	Xylose Lysine Agar Base for isolation and identification of pathogenic enteric bacilli. 45.08 gms/litre * 34% Sodium thiosulphate - 20 ml/Lit * 4% Ferric ammonium citrate - 20 ml/Lit	4150.00	500 gm	MS 2095	*10% Lactic Acid Solution (10 ml per vial)	954.00	5 vl
DM 1031	Xylose Lysine Deoxycholate Agar (XLD Agar) for selective isolation and enumeration of <i>Salmonella</i> serotype Typhi and other <i>Salmonella</i> species. 56.68 gms/litre	864.00 3870.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1715	Yeast Mannitol Agar w/1.5% Agar for cultivation, isolation & enumeration of soil microorganisms like <i>Rhizobium</i> species. 27.80 gms/litre	1134.00 4622.00	100 gm 500 gm
DM 1031H	XLD Agar a selective medium recommended for the isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP 54.80 gms/litre	864.00 3870.00 POR POR	100 gm 500 gm 2.5 kg 5 kg	DM 1716	Yeast Mannitol Broth for cultivation of <i>Rhizobium</i> species. 12.80 gms/litre	3375.00	500 gm
DM 2251	YT Broth (2XYT Broth) for the cultivation of recombinant strains of <i>Escherichia coli</i> . 31.00 gms/litre	4842.00	500 gm	DM 1138	*Yeast Morphology Agar for classification of yeasts on the basis of their colonial characteristics & cell morphology. 34.75 gms/litre	2043.00	100 gm
BA 2194	Yeast Autolysate extract from autolysing yeast cells (<i>Saccharomyces</i>) specially cultivated to obtain yeast autolysate.	2745.00	500 gm	DM 1139	*Yeast Nitrogen Base for classification of yeasts on the basis of their ability to assimilate carbon compounds. 6.75 gms/litre	2772.00	100 gm

W
X
Y

* To be added but not provided.
* On receipt store between 2 - 8°C
* Store below 8°C > If required use

DEHYDRATED CULTURE MEDIA

Y
Z

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DM 1878	*Yeast Nitrogen Base w/o Amino Acids for investigating carbon and nitrogen requirements of yeasts. 67.0 gms/litre	2772.00	100 gm	DM 2221	Yersinia Identification Broth Base recommended for identification of Yersinia species. 10.02 gms/litre *Urea 40% (5 ml per vial)	4802.00	500 gm
DM 1151	*Yeast Nitrogen Base w/o Amino Acids and Ammonium Sulphate for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds. 17.1 gms/litre	3330.00	100 gm	MS 2048		469.00	5 vI
DM 2061	Yeast Phosphate Agar for isolation of dimorphic pathogenic fungi from clinical specimens. 21.50 gms/litre * Conc. ammonia	7137.00	500 gm	DM 1564	Yersinia Isolation Agar recommended for selective isolation of Yersinia species from foods. 79.02 gms/litre	4941.00	500 gm
DM 2367	Yersinia Enrichment Broth Base for the enrichment of Yersinia species, in particular Yersinia enterocolitica from human and animal intestinal contents. 13.01 gms/litre	4532.00	500 gm	DM 1843	Yersinia Selective Agar Base recommended for selective isolation and enumeration of Yersinia enterocolitica from clinical specimens and foods samples. 58.04 gms/litre	4941.00	500 gm
				MS 2034	*Yersinia Selective Supplement	1242.00	5 vI
				DM 1384	Zobell Marine Agar 2216 See Marine Broth 2216	900.00 4064.00	100 gm 500 gm
				DM 1385	Zobell Marine Broth 2216 See Marine Broth 2216	900.00 4064.00	100 gm 500 gm



CE Certified
ISO 13485:2016

dehydrated culture media
media bases & supplements





MEDIA SUPPLEMENTS

MICROBIOLOGY PRODUCTS

Ready Prepared Media can meet your quality control and research needs, to enable right detection of microorganisms.



Product	Page
Media Supplements (MS)	326-337
• Enrichment Supplements	
• Selective Inhibitory Supplements	
• Selective Growth Supplements	
• Vitamin & Growth Factor Supplements	
• Antibiotic Mixtures	
• Supplements for Diagnostic Purpose	
• Supplements for identification and growth of	
- <i>Listeria, Campylobacteria, Legionella, Neisseria, Leptospira, Mycoplasma, Lactobacilli, Bacillus anthracis, Mycobacteria, Pseudomonas, Haemophilus, Bacillus, Aeromonas, Bacteroides, Bifidobacteria, Burkholderia, Clostridia</i> etc.	
• Supplements for Selective Growth of Mycobacteria	
• Supplement for processing of sputum samples of Mycobacteria	
• Egg Yolk Supplements	
• Supplements with Tellurite formulations	
• Chromogenic & Fluorogenic Supplements	
• Supplements for detecting enzymatic activity	
• Sterile Enrichments	
• Serum and other derivatives of Biological origin such as	
- Horse serum	
- Rabbit serum	
- Coagulase Plasma	
- Haemoglobin Powder	
• Supplements for selective isolation of drug resistant strains like MRSA, VRE, ESBLs, Carbapenem Resistant, MDR strains etc.	



BETA-LACTAMASES MEDIA SUPPLEMENTS

Environmental monitoring during aseptic production of Betalactam antibiotics can give deceptive results if the traces of the antibiotic are found in the environment. The air sampling thus should be conducted with agar medium containing a Beta-lactamase for neutralization of antibiotic to avoid any false negative results.

Microgen offers a range of products to aid the environmental monitoring in the antibiotic production area.

Beta-lactamase Supplements in Powder Form are available as :

MS2267 : Beta-lactamase I Supplement (containing 3300 IU of Penicillinase enzyme)

MS2268 / MS2268G : Beta-lactamase Mixture Supplement (containing ³ 50 IU / vial of Cephalosporinase & ³ 500 IU / vial of Penicillinase enzyme)

Ms2289 : Beta-lactamase Mixture Supplement (containing ³ 2 KIU / vial of Cephalosporinase & ³ 20 KIU / vial of Penicillinase enzyme)

MS2267 : Can inactivate penicillin group of antibiotics whereas

MS2268 / MS2268G / MS2289 : can inactivate a wide range of antibiotics like penicillins, Cephalosporins of first, second, third and fourth generations and Penems.



MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2284	Acrlavin-Cefsulodin-Vancomycin Supplement (ACV Supplement) recommended for the isolation of Enterohemorrhagic E. Coli. (EHEC). One vial is sufficient for 500 ml medium	4159.00	5vl	MS 2059A	★ Basic Fuchsin (0.17 gm per vial) recommended for preparation of Endo Agar which is used for confirmation of the presumptive test for the members of the coliform group One vial is sufficient for 100 ml medium	604.00	5vl
MS 2039	Aeromonas Selective Supplement recommended for the isolation of Aeromonas species. One vial is sufficient for 500 ml medium	1171.00	5vl	MS 2059	★ Basic Fuchsin (6.0 gm per vial) recommended for preparation of Endo Agar which is used for confirmation of the presumptive test for the members of the coliform group	630.00	1vl
MS 2201	Albumin Glucose Supplement recommended for rapid cultivation of Mycobacterium tuberculosis. One vial is sufficient for 200 ml medium	1360.00	5vl	MS 2361	BCSA Selective Supplement An antibiotic supplement recommended for isolation of burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens.	1620.00	5vl
MS 2107A	Albumin Dextrin Selective Supplement recommended for selective isolation and differentiation of Aeromonas species from water samples using membrane filter Technique. One vial is sufficient for 1000 ml medium	1233.00 3861.00	5vl 5x5vl	MS 2267	Beta Lactamase I Supplement (w/ 3300 IU of Penicillinase) A Beta lactamase enzyme recommended for inactivation of penicillin group of antibiotics.	13050.00	1vl
MS 2082	Ampicillin Supplement recommended for isolation of Aeromonas hydrophila from foods. One vial is sufficient for 1000 ml medium	1413.00	5vl	MS 2316	Beta Lactamase II non sterile powder Supplement for inactivation wide range of antibiotics like Penicillins, Cephalosporins of first, second, third & fourth generations and Penems.	POR	1vl
MS 2185	Anthraxis Selective Supplement recommended for the selective isolation of Bacillus anthracis. Aeromonas hydrophila from foods. One vial is sufficient for 1000 ml medium	1098.00	5vl	MS 2268	Beta Lactamase Mixture Supplement w/ > 50IU of Cephalosporinase & > 500 IU of Penicillinase A mixture of Beta Lactamase enzymes recommended for inactivation of a wide range of antibiotics like Penicillins, Cephalosporins of first, second, third and fourth generations and Penems.	7092.00	1vl
MS 2179	Antibiotic Mixture for Borrelia (100 X) (5 ml per vial) recommended for cultivation of Borrelia burgdorferi. One vial is sufficient for 500 ml medium	1440.00	5vl	MS 2268G	Beta Lactamase Mixture Supplement (sterile) w/ > 50IU of Cephalosporinase & > 50IU of Penicillinase use and media as specified in Ms1268	7803.00	1vl
MS 2304	Arcobacter Selective Supplement a selective supplement for the isolation of Arcobacter species from food samples One vial is sufficient for 1000 ml medium	2052.00	5vl	MS 2289	Beta Lactamase Mixture Supplement w/ > 2KIU of Cephalosporinase & 20KIU of Penicillinase use and media as specified in Ms1268	39623.00	1vl
MS 2069	B P Sulpha Supplement recommended for suppression of Proteus species growing on Baird Parker Agar Base. One vial is sufficient for 1000 ml medium	1067.00	5vl	MS 2296	Sterile Beta Lactamase Liquid Mixture (Ready to use) (Each vial contains 10ml of >100IU of Cephalosporinase and >1KIU of Penase.) media as specified in Ms1268	66533.00	5vl
MS 2180	★ BSK-H Supplement selected for ability to support growth of Borrelia burgdorferi. One vial is sufficient for 1000 ml medium	2912.00	1x100ml	MS 2297A	Sterile Beta Lactamase I Concentrate (Each vial contains 20 ml of 20,000 Levy units per ml of Penicillinase that can inactivate 10,000,000 IU/ml of Penicillin-G) media as specified in Ms1268	14500.00	5vl
MS 2324	Bacillus Selective Supplement recommended for selective isolation of Bacillus species One vial is sufficient for 1000 ml medium :	1540.00	5vl	MS 2314	Sterile Beta Lactamase I Supplement (Ready to use) (Each vial contains 20 ml solution. Activity : 2000 Levy units per ml per min which inactivates 1000,000 IU/ml of Penicillin-G)9)	19810.00	6vl
MS 2062	Bacteroides Selective Supplement recommended for the selective isolation of Bacteroides species. One vial is sufficient for 500 ml medium	1053.00	5vl				

★ Store between 10-30°C.
+ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2285	Bifidobacterin Selective Supplement recommended for the selective isolation of Bifidobacterium species. One vial is sufficient for 1000 ml medium	450.00	5vl	MS 2077	Campylobacter Selective Supplement recommended for the selective isolation of Campylobacter species. One vial is sufficient for 1000ml medium	1602.00	5vl
MS 2250	Bifido Selective Supplement A A selective supplement recommended for the selective isolation of Bifidobacterium species by colony count method from milk products. One vial is sufficient for 500 ml medium	2359.00	5vl	MS 2090	Campylobacter Selective Supplement recommended for the selective isolation of Campylobacter pylori. One vial is sufficient for 500ml medium	1463.00	5vl
MS 2251	Bifido Selective Supplement B A selective supplement recommended for the selective isolation of Bifidobacterium species by colony count method from milk products. One vial is sufficient for 500 ml medium	608.00	5vl	MS 2294	Campylobacter Selective Supplement, Abeyta recommended by FDA BAM for selective isolation of Campylobacter species. One vial is sufficient for 500ml medium	1643.00	5vl
MS 2231	Bolton Selective Supplement recommended for selective isolation of Campylobacter species One vial is sufficient for 500 ml medium	1540.00	5vl	MS 2042	Campylobacter Selective Supplement IV (Preston Selective Supplement) recommended for the selective isolation of Campylobacter species. One vial is sufficient for 500ml medium	1242.00	5vl
MS 2004	Bordetella Selective Supplement recommended for the selective isolation of Bordetella pertussis. One vial is sufficient for 500ml or 1000ml medium	1292.00	5vl	MS 2132	Campylobacter Selective Supplement IV w/ Hemin (Karmali) recommended for isolating thermotolerant Campylobacter species. One vial is sufficient for 500ml medium	1540.00 4320.00	5vl 5x5vl
MS 2228	Brettanomyces Selective Supplement An antimicrobial supplement recommended for the selective isolation of Brettanomyces species. One vial is sufficient for 1000 ml medium	2003.00	5vl	MS 2078	Campylobacter Selective Supplement Karmali recommended for isolating thermotolerant Campylobacter species. One vial is sufficient for 500ml medium	1607.00 3358.00	5vl 5x5vl
MS 2093	★ Bromo Cresol Purple (15 mg per vial) a dye supplement recommended for identification of faecal Streptococci. One vial is sufficient for 1000 ml medium	693.00	5vl	MS 2006	Campylobacter Supplement-I (Blaser-Wang) recommended for the isolation of Campylobacter species. One vial is sufficient for 500ml medium	1442.00	5vl
MS 2091	★ Bromo Thymol Blue Supplement (20 mg per vial) a dye supplement which helps to differentiate microflora in urinary tract. One vial is sufficient for 1000 ml medium	482.00	5vl	MS 2007	Campylobacter Supplement-II (Butzler) an antibiotic supplement for the isolation of Campylobacter species. One vial is sufficient for 500ml medium	1503.00 4221.00	5vl 5x5vl
MS 2005	Brucella Selective Supplement recommended for the selective isolation of Brucella species from milk. One vial is sufficient for 500 ml medium	1413.00 3538.00	5vl 5x5 vl	MS 2008	Campylobacter Supplement-III (Skirrow) recommended for the isolation of Campylobacter species. One vial is sufficient for 500ml medium	1341.00	5vl
MS 2232	Burkholderia Cepacia Selective Supplement recommended for the selective isolation Burkholderia Cepacia One vial is sufficient for 500 ml medium	1683.00	5vl	MS 2067	Campylobacter Supplement-V (BFCSA) recommended for the selective isolation of Campylobacter species. One vial is sufficient for 500ml medium	1674.00	5vl
MS 2049	C.B.I. Supplement recommended for the selective isolation of Clostridium Botulinum. One vial is sufficient for 450ml medium	1323.00	5vl	MS 2106	Campylobacter Supplement-VI (Butzler) recommended by ISO for the selective isolation of thermotolerant Campylobacter species. One vial is sufficient for 470ml medium	1602.00 4221.00	5vl 5x5vl
MS 2009	Campylobacter Growth Supplement recommended for the enhanced growth and aerotolerance of Campylobacter fetus. One vial is sufficient for 500ml medium	1341.00	5vl	MS 2357	Carba Selective Supplement for selective isolation of carbapenem resistant Enterobacteriaceae One vial is sufficient for 500ml medium	2359.00	5vl

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2145	CAT Selective Supplement recommended for isolation of thermophilic Campylobacter species. One vial is sufficient for 500ml medium	1521.00	5vl	MS 2120F	Chlortetracycline Selective Supplement, Modified for use, selective isolation of fungal cultures, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	1017.00	5vl
MS 2235	CATC Supplement recommended for selective isolation and detection of Enterococcus faecalis by means of TTC reduction. One vial is sufficient for 500ml medium	1341.00	5vl	MS 2346	Ciprofloxacin-Clindamycin Selective Supplement for the selective isolation of Lactobacillus from a mixed culture. One vial is sufficient for 1000ml medium	2547.00	5vl
MS 2360	C.auris Selective Supplement A selective sulpment for the isolation of MDR C.auris One vial is sufficient for 500 ml medium	3992.00	5vl	MS 2345	Ciprofloxacin Supplement for the selective isolation of Lactobacillus from a mixed culture. One vial is sufficient for 1000ml medium	1134.00	5vl
MS 2035	CC Supplement recommended for the selective isolation of pathogenic fungi. One vial is sufficient for 500ml medium	1242.00	5vl	MS 2010	Clostridium Difficile Supplement recommended for the selective isolation of Clostridium difficile. One vial is sufficient for 500ml medium	1350.00 3538.00	5vl 5x5vl
MS 2135F	CCDA Supplement An antibiotic supplement recommended for the selective cultivation of Campylobacter. One vial is sufficient for 1000 ml medium	1602.00	5vl	MS 2243	Clostridium Perfringens Supplement An antibiotic supplement recommended for selective isolation of Clostridium perfringens One vial is sufficient for 500ml medium	3452.00	5vl
MS 2135	CCDA Selective Supplement An antibiotic supplement recommended for the selective cultivation of Campylobacter or Arcobacter species. One vial is sufficient for 500 ml medium	1521.00	5vl	MS 2320	Clostridium Difficile Selective Supplement used for cultivation of Clostridium difficile from certain clinical specimens. One vial is sufficient for 1000ml medium	2016.00	5vl
MS 2246	Cefixime Supplement recommended for selective isolation of E. coli O157:H7 One vial is sufficient for 500 ml medium	653.00	5vl	MS 2115	CNA Supplement recommended for selective isolation of anaerobic Gram-positive cocci. One vial is sufficient for 950ml medium	1544.00	5vl
MS 2259	Cefoxitin Supplement recommended for selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens.	1540.00	5vl	MS 2248	Coagulase Plasma (0.1gm per vial) recommended for studying coagulation reaction in diagnosis of Staphylococci.	3430.00	5vl
MS 2029	Cetrinix Supplement Recommended for the selective isolation of Pseudomonas species. One vial is sufficient for 500ml medium	1494.00 3798.00	5vl 5x5vl	MS 2248A	Coagulase Plasma W/EDTA Recomended for studying coagulase reaction in diagnosis of staphylococci	4059.00	5vl
MS 2036	CFC Supplement recommended for selective isolation of Pseudomonas species. One vial is sufficient for 500 ml medium	1351.00 4194.00	5vl 5x5 vl	MS 2362	Coagulase Supplement Recommended for enumeration of coagulase positive staphylococci 10 vials are sufficient for 1000ml medium	5580.00 18423.00	5vl 5x5vl
MS 2033	Chloramphenicol Selective Supplement recommended for the selective isolation of yeasts and moulds. One vial is sufficient for 500 ml medium :	1053.00 3186.00	5vl 5x5 vl	MS 2298	Colistin Selective Supplement for use in cultivation and identification of Vibrio species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000ml medium	1962.00	5vl
MS 2270	Chromogenic Supplement recommended for enumeration of faecal caliform by membrane filter technique. One vial is sufficient for 100 ml medium	2331.00	5vl	MS 2110	CPC Supplement recommended for selective isolation and enumeration of Vibrio species from foods. One vial is sufficient for 500ml medium	2097.00	5vl
MS 2120	Chlortetracycline Selective Supplement recommended for selective isolation of Penicillium viridicatum and related species from foods. One vial is sufficient for 1000 ml medium	1117.00	5vl				

* Store between 10-30°C.
+ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2015	Dermato Supplement recommended for selective isolation of pathogenic dermatophytes. One vial is sufficient for 500ml medium	1350.00	5vl	MS 2195	Fibrinogen Plasma Trypsin Inhibitor recommended by ISO committee for enumeration of coagulase positive Staphylococci One vial is sufficient for 100 ml medium	5419.00 18423.00	5vl 5x5vl
MS 2073	Diphtheria Virulence Supplement (Part A & B) for isolation and presumptive identification of <i>Corynebacterium diphtheriae</i> . (1 Kit contains Part A : BA2239-100ML & Part B : MS1073-1VL) One vial is sufficient for 1000ml medium	4140.00	1 kit	MS 2065	Fraser Enrichment Supplement recommended for isolation and enrichment of <i>Listeria monocytogenes</i> from food and environmental specimens. One vial is sufficient for 1000 ml medium	1233.00	5vl
MS 2356	Diphenyl Supplement (Part A & B) for selective isolation and differentiation of <i>Cryptococcus neoformans</i> . One vial is sufficient for 1000ml medium	608.00	5vl	MS 2125	Fraser Selective Supplement recommended for selective isolation and cultivation of <i>Listeria monocytogenes</i> from food and environmental specimens. One vial is sufficient for 1000 ml medium	1611.00	5vl
MS 2043	Doyle's Antibiotic Supplement recommended for the selective isolation of <i>Campylobacter</i> species. One vial is sufficient for 460ml medium	1161.00 3722.00	5vl 5x5vl	MS 2125I	Fraser Selective Supplement recommended for selective isolation and enumeration of <i>Listeria monocytogenes</i> from food, animal feeds etc. One vial is sufficient for 500ml / 1000ml medium	1620.00	5vl
MS 2247	EC0157:H7 Selective Supplement An antibiotic supplement recommended for selective isolation of <i>E. Coli</i> 0157:H7 One vial is sufficient for 1000ml medium	1440.00 3591.00	5vl 5x5vl	MS 2141	★ Fraser Supplement recommended for selective isolation and enumeration of <i>Listeria monocytogenes</i> from food, animal feeds etc. One vial is sufficient for 500ml medium	1022.00	5vl
MS 2344	ECC Selective Supplement, Modified recommended for detection of <i>E. Coli</i> 0157:H7 and other Enterobacteriaceae in water samples One vial is sufficient for 1000ml medium	1143.00	5vl	MS 2317	Friis Supplement A selective supplement for detection of non-avian Mycoplasmas in Pharmaceutical products in accordance with European Pharmacopoeia One vial is sufficient for 1000ml medium	1773.00	5vl
MS 2045L	Egg Yolk Emulsion, (50ml/100ml per vial) recommended for use in following culture Media	1845.00 2183.00	50mlx5vl 100mlx5vl	MS 2056	G. Vaginalis Selective Supplement for selective isolation of <i>Gardnerella vaginalis</i> : One vial is sufficient for 500 ml medium	1170.00	5vl
MS 2046L	Egg Yolk Tellurite Emulsion (50ml / 100ml per vial) recommended for use in Baird Parker Medium for identification of Staphylococci.	1890.00	50mlx5vl	MS 2002	G.N. Spore Anaerobic Supplement an enrichment and antibiotic supplement recommended for the selective isolation of Gramnegative anaerobes. One vial is sufficient for 500 ml medium	1431.00 3898.00	5vl 5x5vl
MS 2045F	Egg Yolk Emulsion, 50% Use in various culture media, in accordance with FDA BAM, 1998.	2700.00	100mlx5vl	MS 2054	GBS Supplement for selective isolation and presumptive identification of group B Streptococci. One vial is sufficient for 450 ml medium	954.00	5vl
MS 2226	Enterococcus faecium Selective Supplement recommended to differentiate <i>Enterococcus faecium</i> from <i>Enterococcus faecalis</i> . One vial is sufficient for 500ml medium	2025.00	5vl	MS 2021	GC Supplement w/ Antibiotics recommended for the selective isolation and cultivation of pathogenic <i>Neisseria</i> . One vial is sufficient for 500 ml medium	1503.00 3803.00	5vl 5x5vl
MS 2050	★ Esculin (0.5 gms per vial) recommended for detection of group D Streptococci by means of esculin hydrolysis.	2673.00	5vl	MS 2252	Gentamicin Supplement w/ Antibiotics An antibiotic supplement used for detection of <i>Clostridium perfringens</i> from pharmaceutical products. One vial is sufficient for 1000 ml medium	954.00	5vl
MS 2303	Exeter Campylobacter Selective Supplement a selective supplement for the isolation of <i>Campylobacter</i> species from food and environmental samples. One vial is sufficient for 1000 ml medium	1584.00	5vl	MS 2131	Genta-Oxy Selective Supplement recommended for selective isolation and enumeration of yeasts and moulds from meat & meat products. One vial is sufficient for 500 ml medium	1350.00 3231.00	5vl 5x5vl

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2112	George Kimming Selective Supplement for selective isolation and cultivation of fungi. One vial is sufficient for 500 ml medium	1305.00	5vl	MS 2230	Microme EC 0157:H7 Selective Supplement I recommended for isolation and easy detection of Escherichia coli 0157:H7 from food and environmental samples. One vial is sufficient for 500 ml medium	1540.00	5vl
MS 2302	Group A Selective Supplement for selective isolation of Group A Streptococci One vial is sufficient for 1000 ml medium	1134.00	5vl	MS 2187	Microme EC 0157:H7 Selective Supplement recommended for selective isolation and easy detection of E. coli 0157:H7 from food samples. One vial is sufficient for 1000 ml medium	864.00	5vl
MS 2287	Growth Supplement I for MSM recommended for the enrichment of Salmonella species. One vial is sufficient for 1000 ml medium	1053.00	5vl	MS 2295	Microme EC 0157:H7 Selective Supplement, Modified for presumptive enumeration of Escherichia coli 0157:H7 by membrane filtration technique. One vial is sufficient for 1000 ml medium	2345.00 10558.00	2vl 2x5vl
MS 2288	Growth Supplement II for MSM recommended for the enrichment of Salmonella species. One vial is sufficient for 1000 ml medium	891.00	5vl	MS 2190	Microme ECC Selective Supplement recommended for detection of E. coli and coliforms in water and food samples. One vial is sufficient for 1000 ml medium	1242.00	5vl
MS 2053	Gruft Mycobacterial Supplement recommended for the selective cultivation of Mycobacteria. One vial is sufficient for 400 ml medium	1233.00	5vl	MS 2278	Microme ESBL Agar Supplement is used for the detection of Extended Spectrum β -Lactamase-producing organisms. One vial is sufficient for 500 ml medium	1683.00	5vl
MS 2117	Haemophilus Growth Supplement a growth supplement for cultivation of Haemophilus influenzae. One vial is sufficient for 500 ml medium	1350.00	5vl	MS 2272	Microme Fluorogenic Agar Supplement recommended for selective detection and confirmation of Escherichia coli and total coliforms on the basis of enzyme substrate reaction from water samples. One vial is sufficient for 1000 ml medium	1540.00	5vl
MS 2022	Haemoglobin Powder recommended for the isolation of Neisseria.	1369.00 2421.00	50gm 100gm	MS 2279	Microme KPC Agar Supplement for detection of Gram-negative bacteria with a reduced susceptibility to carbapenem agents. One vial is sufficient for 500 ml medium	1665.00	5vl
MS 2300	Hayflick growth Supplement recommended for detection of Mycoplasmas in pharmaceutical products, vaccines, cell banks and virus culture in accordance with European Pharmacopoeia. One vial is sufficient for 500 ml medium	1305.00	5vl	MS 2181	Microme Listeria Selective Supplement recommended for rapid and direct identification of Listeria species. One vial is sufficient for 500 ml medium	1413.00	5vl
BA 2239	† Horse Serum (100 ml per vial) used for isolation and cultivation of Mycoplasma or Trichomonas or Streptococcus species.	5000.00	100ml	MS 2245	Microme Nickels & Leesment Selective Supplement A selective supplement recommended for isolation of citrate-fermenting lactic acid bacteria. One vial is sufficient for 500 ml medium	1890.00	5vl
MS 2192	Microme Candida Selective Supplement recommended for rapid & direct isolation & identification of Candida species from mixed cultures. One vial is sufficient for 500 ml medium	1467.00 3501.00	5vl 5x5vl	MS 2273	Microme Strep B Selective Supplement recommended for selective isolation of Group B Streptococci from clinical samples. One vial is sufficient for 1000 ml medium	1836.00	5vl
MS 2283R	Microme Candida Differential Selective Supplement recommended for rapid & direct isolation and identification of Candida species from mixed cultures. One vial is sufficient for 500 ml medium	1058.00	5vl	MS 2274	Microme Selective Salmonella Agar Supplement for selective isolation & differentiation of Salmonella species from coliforms by chromogenic method. One vial is sufficient for 1000 ml medium	1278.00 3407.00	5vl 5x5vl
MS 2355	Microme Colistin Resistant Selective Supplement for selective isolation of colistin resistant gram negative bacteria. One vial is sufficient for 1000 ml medium	1900.00	5vl				

* Store between 10-30°C.
† On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2277	Microme VRE Agar Supplement recommended for selective isolation of Vancomycin Resistant Enterococci (VRE). One vial is sufficient for 500 ml medium	1602.00	5vl	MS 2212	L.mono Selective Supplement I recommended by ISO for isolation of Listeria species. One vial is sufficient for 500 ml medium	1090.00	5vl
MS 2363	HiMRSA Selective Supplement Recommended for the selective isolation of methicillin resistant staphylococcus aureus (MRSA) One vial is sufficient for 1000ml medium	1656.00	5vl	MS 2330	LM Selective Supplement recommended for presumptive enumeration of Listeria species One vial is sufficient for 1000 ml medium	2205.00	5vl
MS 2193	IMRV/RV Selective Supplement recommended for isolation of Salmonella from food stuffs and other materials. One vial is sufficient for 1000 ml medium	1773.00	5vl	MS 2209	Lachica's Supplement recommended for selective isolation of of Aeromonas hydrophila. One vial is sufficient for 1000 ml medium	702.00	1vl
MS 2237	Iron Sulphate Supplement recommended for preparation of Modified iron Sulphate Agar which is used for the detection and enumeration of Clostridia. One vial is sufficient for 500 ml medium	657.00 2655.00	5vl 5x5vl	MS 2095	10% Lactic Acid Solution (10 ml per vial) recommended for the adjustment of acidic pH. One vial is sufficient for 500 ml medium	954.00 3073.00	5vl 5x5vl
MS 2146	Kanamycin Sulphate Selective Supplement recommended for the selective isolation of Enterococci. One vial is sufficient for 500 ml medium	1413.00	5vl	MS 2055	Lactic Supplement for selective isolation of lactic acid bacteria in beer and brewing processes. One vial is sufficient for 500 ml medium	1189.00	5vl
MS 2111	Kimmin Selective Supplement (Twin Pack) for selective isolation and cultivation of fungi. One vial is sufficient for 500 ml medium	1818.00	5vl	MS 2098	Lactobacilli Supplement recommended for selective isolation of Lactobacilli from wine. One vial is sufficient for 500 ml medium	1440.00 4572.00	5vl 5x5vl
MS 2072	KL Virulence Enrichment (20 ml per vial) recommended for cultivation and in-vitro toxicity testing of Corynebacterium diphtheriae One vial is sufficient for 100 ml medium	1323.00 3461.00	5vl 5x5vl	MS 2338	LCN Supplement recommended for selective isolation of Mycobacterium from specimens containing mixed flora. One vial is sufficient for 500 ml medium	1540.00 4460.00	5vl 5x5vl
MS 2225	Klebsiella Selective Supplement for selective isolation and easy detection of Klebsiella species from water and other sources. One vial is sufficient for 500 ml medium	1350.00	5vl	MS 2332	Lecithin solution for detection of PCPLC activity. One vial is sufficient for 500 ml medium	3452.00	5vl
MS 2116	KV Supplement recommended for the selective isolation of Gram-negative anaerobes. One vial is sufficient for 950 ml medium	1540.00	5vl	MS 2335	Leeds Acinetobacter Selective Supplement for selective isolation of Acinetobacter species. One vial is sufficient for 1000 ml medium	2007.00	5vl
MS 2214	★ L.mono Enrichment Supplement I recommended for the selective differentiation of Listeria monocytogenes from other Listeria species. One vial is sufficient for 500 ml medium	8460.00	5vl	MS 2143	Legionella (GVPC) Selective Supplement recommended for isolation of Legionella species. One vial is sufficient for 500 ml medium	1296.00 3893.00	5vl 5x5vl
MS 2227	★ L.mono Enrichment Supplement II recommended for the selective differentiation of Listeria monocytogenes from other Listeria species. One vial is sufficient for 500 ml medium	4172.00	5vl	MS 2144	Legionella BMPA Selective Supplement recommended for selective isolation of Legionella species. One vial is sufficient for 450 ml medium	1386.00 4163.00	5vl 5x5vl
MS 2305	L.mono Selective Supplement for selective isolation of Listeria monocytogenes from food and environmental samples One vial is sufficient for 1000 ml medium	1467.00	5vl	MS 2016A	Legionella Growth Supplement (Twin Pack) recommended for enhancing growth of Legionella species. One vial is sufficient for 500 ml medium	1004.00	5vl

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2206	Legionella Growth Supplement w/o L-Cysteine recommended for enhancing growth of Legionella species. One vial is sufficient for 440 ml medium	1612.00 4262.00	5vl 5x5vl	MS 2266	Listeria Moxalactam Supplement Modified recommended for the selective isolation of Listeria species. One vial is sufficient for 500 ml medium	1611.00	5vl
MS 2142	Legionella Growth Supplement (BCYE) recommended for enhancing growth of Legionella species. One vial is sufficient for 440 ml medium	1800.00	5vl	MS 2061	Listeria Selective Supplement (PALCAM) recommended for the selective isolation and identification of Listeria monocytogenes. One vial is sufficient for 500 ml medium	1215.00 4127.00	5vl 5x5vl
MS 2142X	Legionella Growth Supplement A chemical enrichment supplement recommended for enhancing growth of legionella species. One vial is sufficient for 100 ml medium	342.00 1674.00	5vl 5x5vl	MS 2063	Listeria Selective Supplement II recommended for the selective cultivation of Listeria species. One vial is sufficient for 1000 ml medium	1224.00	5vl
MS 2017	Legionella Selective Supplement recommended for the selective isolation of Legionella species. One vial is sufficient for 500 ml medium	1170.00	5vl	MS 2063I	Listeria Selective Supplement II recommended for the selective cultivation of Listeria species. One vial is sufficient for 500 ml medium	1242.00 4365.00	5vl 5x5vl
MS 2037	Legionella Selective Supplement II recommended for the selective isolation of Legionella species from mixed cultures. One vial is sufficient for 500 ml medium	1575.00	5vl	MS 2136	Listeria UVM Supplement I for selective isolation and cultivation of Listeria monocytogenes species. One vial is sufficient for 500 ml medium	1067.00	5vl
MS 2038	Legionella Selective Supplement III recommended for the selective isolation of Legionella species from mixed cultures. One vial is sufficient for 500 ml medium	1485.00	5vl	MS 2137	Listeria UVM Supplement II for selective isolation and cultivation of Listeria monocytogenes from clinical specimens One vial is sufficient for 500 ml medium	1067.00	5vl
MS 2040	Legionella Selective Supplement IV (MWY) recommended for the selective isolation of Legionella species. One vial is sufficient for 500 ml medium	1742.00	5vl	MS 2070	McBride Listeria Supplement recommended for the selective isolation of Listeria species. One vial is sufficient for 1000 ml medium	1386.00	5vl
MS 2242	Legionella Selective Supplement (GVPN) An antibiotic supplement recommended for the selective isolation of Legionella species. One vial is sufficient for 500 ml medium	1540.00	5vl	MS 2153	M-CP Selective Supplement - I recommended by the Directive of the Council of the European Union 98/83 EC for selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1413.00	5vl
MS 2041A	Legionella Supplement (Twin Pack) recommended for enhanced growth of Legionella species. One vial is sufficient for 500 ml medium	1134.00	5vl	MS 2154	M-CP Selective Supplement - II recommended by the Directive of the Council of the European Union 98/83 EC for selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1270.00	5vl
MS 2066	Leptospira Enrichment recommended for cultivation of Leptospira species. One vial is sufficient for 180 ml medium	2039.00	5vl	MS 2154A	M-CP Selective Supplement, Modified recommended for selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1270.00	5vl
MS 2026	Linco T Supplement recommended for the selective isolation and cultivation of Neisseria species. One vial is sufficient for 500 ml medium	1467.00 4262.00	5vl 5x5vl	MS 2271	MDR Acinetobacter Selective Supplement recommended for selective isolation of MDR strains of Acinetobacter One vial is sufficient for 1000 ml medium	1944.00	5vl
MS 2126	Listeria Moxalactam Supplement recommended for the isolation of Listeria monocytogenes from mixed flora. One vial is sufficient for 500 ml medium	1611.00	5vl				

* Store between 10-30°C.
+ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2229	MeReSa Selective Supplement recommended for selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens. One vial is sufficient for 500 ml medium	1540.00	5vl	MS 2309	Monensin Selective Supplement A selective supplement recommended for the detection of coliform bacteria using membrane filtration technique. One vial is sufficient for 1000 ml medium	2340.00 10558.00	2vl 2x5vl
MS 2262	Meropenem Supplement recommended for enrichment of Enterococci. One vial is sufficient for 500 ml medium	1720.00	5vl	MS 2151	Moxalactam Supplement recommended for isolation and cultivation Listeria monocytogenes. One vial is sufficient for 1000 ml medium	1494.00	5vl
MS 2019	Middlebrook ADC Growth Supplement recommended for the cultivation of Mycobacteria. One vial is sufficient for 500 ml medium	2534.00	5vl	MS 2202	M-PA Selective Supplement recommended for selective isolation of Pseudomonas aeruginosa. One vial is sufficient for 1000 ml medium	1593.00	5vl
MS 2018	Middlebrook OADC Growth Supplement recommended for the isolation and cultivation of Mycobacteria. One vial is sufficient for 500 ml medium	2592.00	5vl	MS 2319	MRSA Selective Supplement recommended for the selective isolation of Methicillin Resistant Staphylococcus aureus. One vial is sufficient for 1000 ml medium	1638.00 4591.00	5vl 5x5vl
MS 2329	Middlebrook OADC Enrichment Supplement recommended for the cultivation of Mycobacteria. One vial is sufficient for 180 ml medium	3483.00	5vl	MS 2118	Mucosal for dilution and digestion of sputm.	1575.00	5vl
MS 2203	MKTT Novobiocin Supplement recommended for the selective enrichment and isolation Salmonellae One vial is sufficient for 1000 ml medium	1935.00	5vl	MS 2100	★ Mueller Tellurite Serum (25 ml per vial) recommended for isolation, cultivation and differentiation of Corynebacterium diphtheriae. One vial is sufficient for 975 ml medium	2502.00	5vl
MS 2281	Modified C.F.C. Selective Supplement recommended for the selective isolation of Pseudomonas species. One vial is sufficient for 500 ml medium	1373.00	5vl	MS 2092	MUG Supplement (50 mg per vial) a fluorogenic substrate for measuring B-glucuronidase activity, in rapid sensitive identification of Escherichia coli. One vial to be added in media as per recommendation	2124.00	5vl
MS 2110F	Modified C.P.C. Supplement For use in cultivation and identification of Vibrio species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	2196.00	5vl	MS 2198	Mycoplasma Cultivation Supplement recommended for the isolation and cultivation of Mycoplasma. One vial is sufficient for 70 ml medium	5175.00	5vl
MS 2333	Modified L.mono Selective Supplement for selective isolation and differentiation of Listeria monocytogenes and other Listeria species based on PCPLC activity. One vial is sufficient for 500 ml medium	1926.00	5vl	MS 2075	Mycoplasma Enrichment Supplement recommended for the isolation of Mycoplasma. One vial is sufficient for 70 ml medium	3591.00 13550.00	5vl 5x5vl
MS 2126F	Modified Listeria Moxalactam Supplement For use in isolation of Listeria species from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 500 ml medium	2196.00	5vl	MS 2334	Mycoplasma Selective Supplement selective supplement for the isolation of Mycoplasma. One vial is sufficient for 1000 ml medium	3123.00	5vl
MS 2306	Modified Listeria Oxford Selective Supplement Modified Listeria Oxford Selective Supplement One vial is sufficient for 1000 ml medium	1575.00	5vl	MS 2182	Mycoplasma Supplement - P a selective supplement for the isolation of Mycoplasma pneumoniae. One vial is sufficient for 500 ml medium	2772.00	1vl

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2175	Mycoplasma Urogenital Selective Supplement recommended for selective cultivation of Mycoplasma associated with urogenital infections. One vial is sufficient for 500 ml medium	1540.00 3591.00	5vl 5x5vl	MS 2290	Novobiocin Selective Supplement recommended for the detection of Escherichia coli O157:H7 from food. One vial is sufficient for 1000 ml medium Also recommended for the detection of motile Salmonella species from food, faeces and environmental specimens.	2745.00	5vl
MS 2173	Mycoprep (for 2 tests) sputum liquefaction and decontamination mixture.	1422.00	1 kit	MS 2096	Novobiocin Supplement an antibiotic supplement for presumptive identification of Aeromonas hydrophila. One vial is sufficient for 250/1000 ml medium :	954.00 3538.00	5vl 5x5vl
MS 2173B	Mycoprep (for 10 tests) sputum liquefaction and decontamination mixture.	5697.00	1 kit	MS 2150	NYC Supplement recommended for the isolation and cultivation of pathogenic Neisseria species. One vial is sufficient for 500 ml medium	1350.00	5vl
MS 2327	NAD Supplement recommended for preparation of Mueller Hinton Agar F medium as per EUCAST guidelines. One vial is sufficient for 1000 ml medium	2079.00	5vl	MS 2348	OADS Supplement recommended for the isolation and cultivation of Mycobacteria. One vial is sufficient for 500 ml medium	2592.00	5vl
MS 2130	Nalidixic Selective Supplement recommended for selective isolation of Pseudomonas aeruginosa from clinical specimens. One vial is sufficient for 1000 ml medium	1053.00	5vl	MS 2212A	OA Listeria Selective Supplement A selective supplement recommended by ISO committee for the isolation of listeria Species One vial is sufficient for 500 ml medium	2507.00	5vl
MS 2341	NAMC Listeria Selective Supplement An antibiotic supplement recommended for the selective enrichment of Listeria species from food. One vial is sufficient for 1000 ml medium	1215.00	5vl	MS 2269	OPBL Selective Supplement recommended for selective isolation of Burkholderia cepacia from clinical specimens as well as non-clinical samples. One vial is sufficient for 1000 ml medium	1791.00	5vl
MS 2249	Neo Enrichment Selective Supplement An antimicrobial supplement recommended for selective isolation of Listeria species from samples in 24 hours. One vial is sufficient for 500 ml medium	1494.00	5vl	MS 2020	Oleic Albumin Supplement recommended for the cultivation of Mycobacterium tuberculosis One vial is sufficient for 200 ml medium	1305.00 4644.00	5vl 5x5vl
MS 2149	Neomycin Supplement recommended for selective isolation of Streptococcus species. One vial is sufficient for 940 ml medium	1013.00	5vl	MS 2191	Oxacillin Resistant Selective Supplement recommended for screening Oxacillin Resistant microorganisms. One vial is sufficient for 500 ml medium	1179.00	5vl
MS 2174	Neomycin Supplement recommended for isolation and differentiation of Candida species. One vial is sufficient for 500 ml medium	1278.00	5vl	MS 2071	Oxford Listeria Supplement recommended for the selective isolation of Listeria species. One vial is sufficient for 500 ml medium	1413.00	5vl
MS 2001	Non Spore Anaerobic Supplement an enrichment Supplement recommended for the selective isolation or cultivation of nonsporing anaerobic bacteria. One vial is sufficient for 500 ml medium	1305.00	5vl	MS 2032	Oxytetra Selective Supplement recommended for the selective isolation and cultivation of yeasts and moulds. One vial is sufficient for 500 ml medium	954.00 3133.00	5vl 5x5vl
MS 2101	Novobiocin Selective Supplement recommended for the rapid presumptive detection of Salmonella species in foods and feed materials. One vial is sufficient for 1000 ml medium	1540.00	5vl	MS 2104	Park and Sanders Selective Supplement I recommended for selective isolation and enumeration of thermotolerant Campylobacter species. One vial is sufficient for 950 ml medium	1485.00	5vl

* Store between 10-30°C.
+ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2105	Park and Sanders Selective Supplement II recommended for selective isolation and enumeration of thermotolerant <i>Campylobacter</i> species. One vial is sufficient for 950 ml medium	2205.00	5vl	MS 2123	50% Potassium Lactate (10ml per vial) recommended for isolation and enumeration of wild yeasts and in pitching yeasts. One vial is sufficient for 1000 ml medium	1386.00	5vl
MS 2347	PCP Supplement for selective isolation and cultivation of <i>Legionella</i> species from cooling towers, clinical and other materials. The composition and performance criteria of this medium are as per the specifications laid down in ISO 11731-2 One vial is sufficient for 1000 ml medium	1575.00	5vl	MS 2124	Potassium Sorbate 10% (10ml per vial) for the detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bailii</i> and <i>Zygosaccharomyces rouxii</i> in salads, sauces and dressings.	1161.00	5vl
MS 2200	PEMBA Supplement recommended for selective cultivation of <i>Bacillus cereus</i> . One vial is sufficient for 90 ml medium	1180.00 3618.00	5vl 5x5vl	MS 2052	Potassium Tellurite 1% (1 ml per vial) for selective isolation of <i>Staphylococci</i> and <i>Corynebacteria</i> . One vial is sufficient for 500 ml medium	675.00 2381.00	5vl 5x5vl
MS 2260	Penta Mix An Antibiotic mixture recommended to add in media to reduce contamination of other organisms from suspected tuberculosis positive clinical samples prior to inoculation. If desired can be added to (Middlebrook 7H9 Broth Base).	1620.00	5vl	MS 2047	Potassium Tellurite 3.5% (1 ml per vial) for the selective isolation of <i>Staphylococci</i> and <i>Corynebacteria</i>	730.00	5vl
MS 2307	Perfringens Selective Supplement recommended for rapid detection of <i>Clostridium perfringens</i> from food. One vial is sufficient for 1000 ml medium	1161.00	5vl	MS 2264	PP Pseudomonas Selective Supplement selective supplement recommended for selective isolation of <i>Pseudomonas</i> species. One vial is sufficient for 500 ml medium	1152.00	5vl
MS 2011	Perfringens Supplement-I recommended for the selective isolation of <i>Clostridium perfringens</i> . One vial is sufficient for 500 ml medium	891.00 2503.00	5vl 4x5vl	MS 2265	PP Pseudomonas Selective Supplement II selective supplement recommended for isolation of <i>Pseudomonas</i> species. One vial is sufficient for 500 ml medium	972.00	5vl
MS 2012	Perfringens Supplement-II recommended for the selective isolation of <i>Clostridium perfringens</i> . One vial is sufficient for 500 ml medium	1224.00 3218.00	5vl 4x5vl	MS 2097	Propionibacteria Growth Supplement a growth supplement for selective cultivation of <i>Propionibacteria</i> . One vial is sufficient for 500 ml medium	1009.00	5vl
MS 2241	Poctri Supplement An antimicrobial supplement recommended for selective isolation of <i>M.tuberculosis</i> from suspected clinical specimens. One vial is sufficient for 4 ml medium	392.00	5vl	MS 2342	Rapid Listeria Selective Supplement for selective enrichment of <i>Listeria</i> species from food samples. One vial is sufficient for 500 ml medium	1431.00	5vl
MS 2003	Polymyxin B Selective Supplement antibiotic supplement recommended for the selective isolation of various microorganisms. One vial is sufficient for 500 ml medium	1170.00 3384.00	5vl 5x5vl	MS 2107	Rippey Cabelli Selective Supplement recommended for cultivation of <i>Aeromonas hydrophila</i> . One vial is sufficient for 500 ml medium	1233.00	5vl
MS 2103	Potassium Chlorate Supplement a liquid Potassium Chlorate Supplement for selective enrichment of <i>Yersinia enterocolitica</i> . One vial is sufficient for 1000 ml medium	837.00	5vl	MS 2058	★Rosolic Acid (0.1 gm per vial) recommended for the selective isolation of coliform bacteria. One vial is sufficient for 1000 ml medium	1440.00	5vl
				MS 2013	S.F.P. Supplement (Perfringens S.F.P. Supplement) recommended for the selective isolation of <i>Clostridium perfringens</i> . One vial is sufficient for 500 ml medium	1013.00 2637.00	5vl 4x5vl
				MS 2238	★ SalEnrich Selective Supplement recommended for two-step enrichment of sublethally injured <i>Salmonellae</i> from foods and feeds. One vial is sufficient for 250 ml medium	2151.00 8470.00	5vl 5x5vl

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2275	Salmonella Selective Enrichment Supplement for selective isolation and differentiation of Salmonella species from coliforms by chromogenic method. One vial is sufficient for 1000 ml medium	1683.00	5vl	MS 2068	Sulpha Supplement recommended for the selective isolation of Salmonella species. One vial is sufficient for 500 ml medium	1485.00	5vl
MS 2299	Selective Enrichment for MRSA recommended for improved detection of Methicillin Resistant Staphylococcus aureus (MRSA) One vial is sufficient for 500 ml medium	2034.00 6130.00	5vl 5x5vl	MS 2014	T.S.C. Supplement (Perfringers T.S.C. Supplement) recommended for the selective isolation of Clostridium perfringens. One vial is sufficient for 500 ml medium	1332.00 3308.00	5vl 4x5vl
MS 2354	Shiga toxin EC Selective supplement A selective supplement for the isolation of Shiga toxin producing Escherichia coli. Two vial is sufficient for 1000 ml medium	2727.00	5vl	MS 2147	Tellurite - Cefixime Supplement recommended for the isolation of Escherichia coli O157:H7 One vial is sufficient for 500 ml medium	1215.00	5vl
MS 2108	Shigella Selective supplement recommended for the selective isolation of Shigella species. One vial is sufficient for 1000 ml medium	1224.00	5vl	MS 2196	Tetracycline Selective Supplement recommended for selective cultivation of yeasts and moulds. One vial is sufficient for 1000 ml medium	1224.00	5vl
MS 2122	SM Selective supplement recommended for the selective isolation and cultivation of Pseudomonas solanacearum. One vial is sufficient for 1000 ml medium	1224.00	5vl	MS 2102	Ticarcillin Supplement used for the selective enrichment of Yersinia enterocolitica. One vial is sufficient for 1000 ml medium	1386.00	5vl
DB 2001	Sodium Biselenite Bud (1 pack contains 50 buds) One bud is sufficient for 100 ml medium	3060.00	1pk	MS 2051	★ Toluidine Blue (0.1 gm per vial) recommended for detection of deoxyribonuclease activity. One vial is sufficient for 1000 ml medium	653.00 1098.00	5vl 2x5vl
MS 2236	Sorbic Acid Supplement recommended for cultivation of Lactobacillus species. One vial is sufficient for 500 ml medium	640.00	5vl	MS 2081	Tributyryn (10 ml per vial) recommended for detection of lipolytic microorganisms. One vial is sufficient for 990 ml medium	1692.00	5vl
MS 2030	Staph-Strepto Supplement recommended for the selective isolation of Staphylococci and Streptococci. One vial is sufficient for 500 ml medium	1404.00	5vl	MS 2276	Trichoderma Harzianum Selective Supplement for the selective isolation of Trichoderma harzianum One vial is sufficient for 1000 ml medium	4320.00	5vl
MS 2280	★ Sterile Charcoal Supplement for Legionella Agar recommended for growth of Legionella species. One vial is sufficient for 500 ml medium	1755.00 1648.00	5vl 5x5vl	MS 2099	Trichomonas Selective Supplement I for selective isolation of Trichomonas species from clinical specimens. One vial is sufficient for 500 ml medium	1611.00	5vl
MS 2031	Strepto Supplement recommended for the selective cultivation of Streptococcus species. One vial is sufficient for 500 ml medium	1134.00 3538.00	5vl 5x5vl	MS 2094	Trichomonas Selective Supplement II recommended for selective isolation of Trichomonas species. One vial is sufficient for 500 ml medium	1233.00	5vl
MS 2119	Streptococcus Selective Supplement recommended for the selective isolation and cultivation of Streptococci. One vial is sufficient for 500 ml medium	1440.00 3533.00	5vl 5x5vl	MS 2057	TTC Solution 1% (10 ml per vial) recommended for the detection microbial growth by means of TTC reduction. One vial is sufficient for 1000 ml medium	1054.00 3276.00	5vl 5x5vl
				MS 2321	TYCSB Supplement recommended for the selective isolation of Streptococcus mutans One vial is sufficient for 1000 ml medium	756.00	5vl

★ Store between 10-30°C.
+ On receipt store at (-20°C)
All the above product to be stored between 2-8°C.

MEDIA SUPPLEMENTS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MS 2048	Urea 40% (5 ml per vial) recommended for detection of urease activity in following media : One vial is sufficient for 100 ml medium	469.00 1881.00	5vl 5x5vl	MS 2233	Vancomycin Supplement recommended of isolation of Cronobacter sakazakii. One vial is sufficient for 1000 ml medium	1710.00	5vl
MS 2157	Urea 5% (5 ml per vial) recommended for selective cultivation of Mycoplasma hominis and Ureaplasma urealyticum. One vial is sufficient for 425 ml medium	410.00 1665.00	5vl 5x5vl	MS 2261	Vancomycin Supplement recommended of selective isolation of Vancomycin Resistant Enterococci. One vial is sufficient for 500 ml medium	1643.00 3645.00	5vl 5x5vl
MS 2253	Urea Solution (Filter sterilized) recommended for isolation of Ureaplasma urealyticum and other ureaplasma species. One vial is sufficient for 1000 ml medium	576.00 2673.00	5vl 5x5vl	MS 2114	Vitamin K1 Supplement a vitamin growth supplement for the isolation of anaerobic organisms. One vial is sufficient for 1000 ml medium	1067.00	5vl
MS 2254	Ureaplasma Selective Supplement as selective supplement for isolation of Ureaplasma urealyticum and other ureaplasma species. One vial is sufficient for 1000 ml medium	1233.00 3430.00	5vl 5x5vl	MS 2025	Vitamino Growth Supplement (Twin Pack) recommended for the cultivation of a wide variety of microorganisms. One vial is sufficient for 500 ml medium	2084.00 8200.00	5vl 5x5vl
MS 2255	Ureaplasma Growth Supplement A chemically defined growth supplement recommended for the isolation of Ureaplasma urealyticum and other ureaplasma species. One vial is sufficient for 1000 ml medium	1981.00 7340.00	5vl 5x5vl	MS 2215	Vitamino Growth Supplement, Modified (Twin Pack) recommended for the cultural isolation of Neisseria and Haemophilus species from a variety of clinical. One vial is sufficient for 500 ml medium	1485.00	5vl
MS 2023	V.C.N. Supplement recommended for selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis species. One vial is sufficient for 500 ml medium	2084.00 7722.00	5vl 5x5vl	MS 2156	Willis and Hobb's Supplement recommended for isolation of Clostridium perfringens and Clostridium botulium species from food. One vial is sufficient for 475 ml medium	1413.00	5vl
MS 2024	V.C.N.T. Supplement recommended for the selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis. One vial is sufficient for 500 ml medium	2084.00 8200.00	5vl 5x5vl	MS 2152	XLT4 Supplement recommended for isolation of non-typhi Salmonella. One vial is sufficient for 1000 ml medium	1522.00	1vl
MS 2312	VIA Supplement for the cultural isolation of Stenotrophomonas maltophilia. One vial is sufficient for 1000 ml medium	1935.00	5vl	MS 2027	Yeast Autolysate Supplement recommended for the cultivation of Neisseria species. One vial is sufficient for 500 ml medium	990.00 3186.00	5vl 5x5vl
MS 2349	VP Supplement Recommended for isolation of legionella species One vial is sufficient for 1000ml Medium	1440.00	5vl	MS 2034	Yersinia Selective Supplement recommended for the selective isolation Yersinia enterocolitica. One vial is sufficient for 500 ml medium	1242.00 3753.00	5vl 5x5vl
MS 2028	Vanclor T Supplement recommended of the selective isolation of Neisseria species. One vial is sufficient for 500 ml medium	1764.00 4262.00	5vl 5x5vl	MS 2286	Yersinia Selective Supplement used for the selective isolation of Yersinia enterocolitica. One vial is sufficient for 1000 ml medium	1323.00 3601.00	5vl 5x5vl
				MS 2301	Yersinia Selective Supplement - 2 For use, in selective isolation of and enumeration of Yersinia enterocolitica from food samples, in accordance with FDA BAM, 1998. One vial is sufficient for 1000 ml medium	185.00	5vl



CULTURE MEDIA BASES

MICROBIOLOGY PRODUCTS

Your perfect choice of media for utilizing raw materials as media ingredients for cultivation of bacteria in small scale and large scale. It is recommended for biomass cultivation required in fermentation studies in various applications; antibiotic manufacturing, enzyme manufacturing, vaccine manufacturing etc.



Product	Page
CULTURE MEDIA BASES	339-342
<ul style="list-style-type: none">• Peptones, Extracts, Hydrolysates, Infusions from Animal origin & Plant Origin• Ingredients to suit Cell Culture Applications• Ingredients for Vaccine production, Antibiotic production etc.• Ingredients for Media Fill Trials• Range of Yeast Extracts• Range of Malt Extracts• Range of Soyapeptones• Equivalent Bacteriological ingredients of Plant origin	



CULTURE MEDIA BASES

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
BA 2274	Meat Extract Paste	1197.00	500 gm	BA 2013	Casein Acid Hydrolysate , Technical used in antibiotic sensitivity test media, vaccine preparation media etc.	5239.00	500 gm
BA 2002	Meat Extract Powder refined for use in microbial culture media	2300.00 POR	500 gm 2.5 kg	BC 2013	Casein Acid Hydrolysate , Certified (Acicase, Certified) recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	7812.00	500 gm
BC 2002	Meat Extract Powder , Certified for the maximum recovery and growth of a wide variety of microorganisms. It is usually incorporated in a concentration of 0.3% to 0.5% when combined with suitable peptones.	4095.00	500 gm	BA 2498	Casein Acid Hydrolysate Recommended Special for Pertussis Vaccine production.	8820.00	500 gm
BA 2003	Meat Extract Powder used in general purpose and diagnostic media preparations	2644.00	500 gm	BA 2190	Casein Acid Hydrolysate (Acicase, Vitamin Free) used in bacteriological assay of vitamins and antibiotic sensitivity.	8082.00	500 gm
BC 2003	Meat Extract , Certified replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological Preparations.	4752.00	500 gm	BA 2014	Casein Enzyme Hydrolysate , Type-I Tryptone, used in sterility testing, diagnostic media preparations.	3402.00 POR	500 gm 2.5 kg
BA 2669	Meat Extract Powder Type 1 used in media for routine cultivation and diagnostic purposes.	495.00 2350.00 POR	100 gm 500 gm 5 kg	BC 2014	Casein Enzyme Hydrolysate , Certified Tryptone, rich in tryptophan and is used by a wide variety of microorganisms, recommended in a number of media such as Sterility Testing media. Diagnostic media for biochemical characterization, etc.	3889.00	500 gm
BA 2008	Bile Salts for Bacteriology. for Use in Bacteriological culture media as selective inhibitory agent.	8964.00	500 gm	BA 2028	Casein Enzyme Hydrolysate , Type-II equivalent to Casitone, used in Antibiotic Assay Media.	2916.00 POR	500 gm 5 kg
BC 2008	Bile Salts, Certified a specially manufactured extract of bile salts, prepared from fresh ox bile, is recommended as a selectively inhibitory agent in microbiological culture media	9927.00	500 gm	BC 2028	Casein Enzyme Hydrolysate , Type-II, Certified is a refined product providing high quality soluble source of amino acids, polypeptides and peptides. It is a very rich source of Amino Nitrogen. Recommended for Laboratory and fermentation media, for commercial production of antibiotics, toxins and enzymes.	3182.00	500 gm
BA 2009	Bile Salts Mixture equivalent to Bile Salt No. 3 for use in Bacteriological culture media as selective inhibitory agent	4221.00	100 gm	BA 9707	Casein Enzyme Hydrolysate (MB grade) suitable for recombinant strains growth and molecular biology work	4122.00	500 gm
BC 2009	Bile Salts Mixture, Certified recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria	7610.00	100 gm	BA 2714	Casein Peptone enzymic, digest of casein	2907.00 POR	500 gm 2.5 kg
BA 2021	Bio Peptone mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.	2863.00	500 gm	BA 6902	Casein Peptone Soya Meat a mixture of casein, soya and meat peptones that provides broad spectrum of peptides and amino acids that supports better microbiological growth characteristics.	6435.00	500 gm
BC 2021	Bio Peptone , Certified provides a broad spectrum of peptides amino acids which supports better microbiological growth characteristics to a large variety of organisms	4257.00	500 gm	BC 2032	Certified Heart Infusion a rich nutritive component used in media for cultivation of fastidious microorganisms.	6660.00	500 gm
BA 2189	Casein Acid Hydrolysate , Certified (Acicase, Certified) Sodium chloride less than 3%	8865.00	500 gm				

CULTURE MEDIA BASES

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
BA 2202	Cholic Acid, Sodium Salt See Sodium Chololate	1512.00 5333.00	25 gm 100 gm	BA 2192	Meat Infusion Powder a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	2844.00	500 gm
BA 2020	Gelatin Peptone enzymic digestion of gelatin, used, for antibiotic assay media and various fermentation media.	3105.00 POR	500 gm 2.5 kg	BA 2635	Meat Peptone for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	2763.00	500 gm
BA 2191	Heart Infusion Powder a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity test.	3893.00	500 gm	BA 3049	Meat Peptone Type P peptone from meat (peptic) is obtained by proteolytic digest of meat with pepsin.	3731.00	500 gm
BA 9710	Liver Extract Paste used for cultivation of fastidious anaerobic bacteria and bulk production of vaccines, steroides, enzymes etc.	1242.00	500 gm	BA 3050	Meat Peptone Type T peptone from meat (tryptic) is obtained by proteolytic digest of meat with trypsin.	3889.00	500 gm
BA 2326	Liver Extract Powder for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, steroids, enzymes etc.	2844.00	500 gm	BA 2006	Mycological Peptone See Peptone M	3330.00	500 gm
BA 2023	Liver Hydrolysate an ideal ingredient of culture media used for the cultivation of fastidious anaerobic bacteria.	2817.00	500 gm	BC 2006	Mycological Peptone, Certified nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	4159.00	500 gm
BA 8405	Liver Hydrolysate, Neutralized recommended for use in culture medium for cultivation of fastidious anaerobic bacteria.	3564.00	500 gm	BA 4565	Oat Meal Powder recommended for cultivation of fungi in microbiological culture media.	1364.00	500 gm
BA 2022	Liver Infusion Powder suitable for vaccine manufacturing.	2817.00	500 gm	BA 2656	Papaic Digest of Casein it is rich in proteases, peptides and free amino acids, recommended for bulk production of antibiotics, enzymes and biomolecule production.	POR	500 gm
BA 2004	Malt Extract Powder ideally suitable for use in media for cultivation of fungi.	612.00 2912.00	100 gm 500 gm	BA 2001	Peptone, Bacteriological contains high tryptophan content used as culture media ingredient in variety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and other Products.	2745.00 4986.00 POR	500 gm 1 kg 2.5 kg
BR 2004	Malt Extract Powder, Refined purified under controlled condition which is ideally suitable for broth media.	5391.00	500 gm	BC 2031	Peptone Certified recommended as a source of organic nitrogen and growth factor for cultivation of wide variety of microorganisms.	6516.00	500 gm
BC 2004	Malt Extract, Certified ideally suitable for use in media for cultivation of fungi.	5391.00	500 gm	BC 2001	Peptone, Certified recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.	4928.00	500 gm
BA 2569	D(+) Maltose, Monohydrate , Extra pure NRC grade, for vaccine production	797.00 3645.00	100 gm 500 gm				
BA 2018	D(+) Maltose, Monohydrate , for bacteriological purpose	585.00 2507.00	100 gm 500 gm				
BA 2570	D-Mannitol, A.R. Sterile (γ irradiated) suitable for use in media fill trials.	POR POR	5 kg 50 kg				

All the above Products to be Stored between 10-30°C

CULTURE MEDIA BASES

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
BA 2006	Peptone M equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	3330.00	500 gm	BA 2011	Sodium Taurocholate as a selective inhibitory agent for bacteriological culture media.	9000.00	500 gm
BA 2015	Peptone Special equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	3213.00	500 gm	BC 2011	Sodium Taurocholate, Certified a purified component of Ox bile (free from bile acid) is recommended as a selective agent in microbiological culture media.	9900.00	500 gm
BA 2667	Peptone Type I, Bacteriological used as culture media ingredient.	423.00 2016.00 POR	100 gm 500 gm 5 kg	BA 2708	Sodium Tauroglycocholate as Selective inhibitory agent Bacteriological Grade.	7830.00	500 gm
BA 9709	Peptone Type III, Bacteriological recommended for general bacteriological work including mass cultivation.	1440.00	500 gm	BA 2007	Soya Peptone papain digest of soyabean meal, plant peptone	2835.00	500 gm
BA 2275	Peptonized Milk (SH Powder) suitable for Lactobacilli, yeasts and moulds.	3123.00	500 gm	BC 2007	Soya Peptone, Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant Growth.	4784.00	500 gm
BA 2005	Proteose Peptone a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	3294.00 POR	500 gm 5 kg	BA 9714	Soya Peptone Type I plant peptone is a soluble end product of the enzymic digestion of soyabean meal by papain.	1674.00 POR	500 gm 5 kg
BC 2005	Proteose Peptone, Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	6390.00	500 gm	BA 2015	Special Peptone See Peptone Special	3213.00	500 gm
BA 8394	Proteose Peptone A enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, recommended for cultivation of fastidious pathogens and particularly for bulk production of antibiotics, enzyme, veterinary preparations and bacterial toxins, specially diphtheria toxin.	3366.00	500 gm	BC 2015	Special Peptone, Certified specially designed to maximize the growth of fastidious microorganisms.	5265.00	500 gm
BA 8392	Proteose Peptone B enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, provides superior nutrition for fastidious organisms including pyogenic cocci.	3285.00 POR	500 gm 2.5 kg	BA 2014	Tryptone Type I See Casein Enzyme Hydrolysate	3402.00 POR	500 gm 2.5 kg
BA 2280	Protose enzymic digest of mixed proteins, recommended for fermentation and vaccine industries.	2925.00	500 gm	BC 2014	Tryptone, Certified See Casein Enzyme Hydrolysate, Certified tryptone, recommended in a number of media such as Sterility Testing media, Diagnostic media and media for biochemical characterization etc.	3889.00	500 gm
BA 2202	Sodium Cholate cholic acid, sodium salt as a selective inhibitory agent for bacteriological culture media.	1512.00 5333.00	25 gm 100 gm	BA 2193	Tryptone D, Type IV tryptic digest of casein, recommended for vaccine production.	4203.00	500 gm
BA 2131	Sodium Deoxycholate as a selective inhibitory agent for bacteriological culture media.	5310.00 18540.00 POR	25 gm 100 gm 500 gm	BA 2029	Tryptone T, Type-III for tetanus toxin, culture media ingredient.	4113.00	500 gm
				BA 2030	Tryptose bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	3731.00 POR	500 gm 2.5 kg
				BC 2030	Tryptose, Certified designed to promote luxuriant growth of highly fastidious microorganisms.	6093.00	500 gm

CULTURE MEDIA BASES

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
BA 2194	Yeast Autolysate extract from autolysing yeast cells (Saccharomyces) specially cultivated to obtain yeast autolysate.	2745.00	500 gm	BC 2027	Yeast Extract Powder , Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	3245.00	500 gm
BA 2025	Yeast Extract Paste suitable for culture media	1503.00	500 gm	BA 2668	Yeast Extract Powder Type I specially developed for routine bacteriological work.	486.00	100 gm
BA 2027	Yeast Extract Powder Yeast extract is manufactured from selected strains of Saccharomyces cerevisiae under control conditions by retaining all the nutritive values, amino acids, vitamins, especially B group and growth factors. It contains low salt and is recommended for microbiological media and for mass cultivation of various microorganisms.	2102.00 POR	500 gm 2.5 kg			2322.00 POR	100 gm 5 kg



Culture Media Bases

Ingredients

Culture Media bases used for isolation cultivation of microorganisms which also provides a broad spectrum of peptides with better microbiological growth to variety of organism.





ANTIMICROBIAL SUSCETIBILITY TESTING SYSTEMS

MICROBIOLOGY PRODUCTS

Your perfect choice of AST for in-vitro determination of antibiograms and minimum inhibitory concentration (MIC) of antibiotics against microbes.

It includes Sensitivity Discs, which are available as Single Discs and Multi Discs (combination of antibiotics)-Hexa, Octo, Dodeca and Icosa Discs.

Micomb Strips and Mic Ezy Strips to determine MIC of single, dual or multiple antibiotics using simple technologies.



Product	Prefix	Page
• Mic Ezy Strips	EM	
>> Antibacterial Mic Ezy Strips(Single)		346-351
>> ESBL Detection Multi Mic Ezy Strips		351
>> Ampc Detection Multi Mic Ezy Strips		352
>> MBL - ESBL - AmpC Detection Mic Ezy Strips		352
>> MBL Detection Dual Mic Ezy Strips		352
>> KPC Detection Mic Ezy Strips		353
>> Dual Mic Ezy Strips		353
>> Antifungal Mic Ezy Strips		353
>> MicPer Mic Ezy Microbiology Teaching Kit		354
•MiComb Mic Test Strips	MD	354-357
Study 16 concentrations of an antibiotic at one time		
>> Antifungal Agents		358
•Antibacterial Agents	SD	358-362
Concentration of Antibiotics as per CLSI (formerly NCCLS) & EUCAST standards		
>> ESBL Identification Test Kits		362
>> Antifungal Agents		362
•Antibacterial Agents		363
Concentration of Antibiotics only as per EUCAST standard		
•Antibacterial Agents		364-371
Concentration of Antibiotics not as per CLSI (formerly NCCLS) & not as per EUCAST standards		
>> ESBL Identification Test Kits		370
>> Antifungal Agents		370-371
• Mic6 (Hexa) Discs	HX	372-375
Test 6 different antibiotics at once		
>> Gram - Negative Organisms		373
>> Pseudomonas		374
>> UTI Pathogenic Organisms		374
>> Haemophilus		374
>> Pneumococci		374
>> Anaerobic Bacteria		375
>> Antifungal		375

Product	Prefix	Page
• Mic8 (Octo) Discs	OD	376-380
Test 8 different antibiotics in one shot		
>> Gram - Negative Organisms		378
>> Pseudomonas		379
>> UTI Pathogenic Organisms		379
>> Sputum & Respiratory Pathogenic Organisms		380
>> General Purpose		380
• Mic12 (Dodeca) Discs	DE	381-384
Test 12 different antibiotics, for testing on a single 150 mm plate		
>> Gram-positive Organisms		381
>> Gram-negative Organisms		382
>> UTI Pathogenic Organisms		383
>> Pseudomonas		384
• Mic20 (Icosa) Discs	IC	385-386
Test 20 different antibiotics, in one shot-efficiently, easily and rapidly		
>> Gram-positive Organisms		385
>> UTI Pathogenic Organisms		386
>> Pseudomonas		386



MIC EZY STRIPS

Antimicrobial Susceptibility Testing - Mic Ezy Strips

MIC DETERMINATION STRIPS

Mic Ezy Strip is a thin, inert and porous paper strip coated with antibiotic. Both sides of the strip are likewise printed with the MIC reading scale in mcg/ml and the two or three- letter symbol printed on the top of the strip helps in easy identification of the antibiotic. A predefined exponential gradient of antibiotic, dried and stabilized, is immobilized on either sides of the strip with the concentration maximum at one end and minimum at the other. The gradient covers a continuous concentration range across 15 two-fold dilutions of a conventional MIC method.

- Determines the MIC of fastidious, slow-growing or nutritionally deficient micro-organisms, or for a specific type of patient or infection.
- Confirms/ detects a specific resistant phenotype e.g. ES, MBL, VISA/hVISA, AmpC, MRSA, HLAR.
- Detects low levels resistance.
- Provides high medical value to critical care cases to, refine or guide treatment decisions. Also helps in determining the choice and dosage of antimicrobials in patients with sterile site infections (e.g. endocarditic), severe nosocomial infections, chronic infections, (e.g. cystic fibrosis) and immuno suppressed patients.
- Promotes antibiotic stewardship.





Effects of medium components

The quality of the medium plays major role in antimicrobial susceptibility system. Free electrolyte present in the medium can affect sensitivity of few antimicrobial agents. Hence, Mueller Hinton Agar should be monitored to make sure that it contains acceptable concentrations of divalent cations such as Cs^{++} and Mg^{++} as the increased concentration of Cs^{++} and Mg^{++} results in decreased activity of Aminoglycosides and Tetracyclines whereas the decreased concentration of Cs^{++} and Mg^{++} will have the opposite effect.

If Mueller Hinton Agar contains excessive amounts of thymine or thymidine content, they will reversibly inhibit the action of certain antimicrobial agents such as Sulfonamides, Trimethoprim-Sulphomethoxazole etc. which gives smaller or less distinct or even no zones and will be misinterpreted as resistant antibiotics. If zone of inhibition of Sulfonamides, Trimethoprim, Trimethoprim-Sulphomethoxazole will be ≤ 20 mm for *E. faecalis* ATCC 29212 can interpret as medium contains high thymine or thymidine content. Mueller Hinton Agar is low in thymine and thymidine content and it can be used successfully to study the susceptibility of antibiotics.

pH of medium

The pH of the prepared medium is one of the important parameter of disc diffusion method. The pH of prepared medium should fall within acceptable range which is 7.2 to 7.4 as per CLSI. If the pH is outside the stated parameters the zone sizes will be altered, with the degree of alteration determined by the antibiotic group.

For e.g. an increase in pH will result in a decrease in Penicillins and Tetracyclines zones and increase in quinolones, macrolids and aminoglycosides zone; conversely, decrease in pH will result in increase in and aminoglycosides zone; pH should perform as a part of the routine quality control tests for each batch of medium prepared.

Depth of agar medium in petri plates

For antimicrobial activity, growth rate of the test organism affects the rate of diffusion of the antimicrobial agent. Hence it is advisable to pour the plates on uniform bench to achieve depth of 4 to 5 mm (Usually 70 ml medium for 150 mm Petri plate, 25 to 30 ml medium for 100 mm Petri plate and 20 to 25 ml medium for 90 mm Petri plate). Variation in depth of medium will affect the zone of inhibition which can give false positive or negative results.

For e.g. If the depth of agar is too thin, larger zones will appear as the antimicrobial compound will diffuse further than it should. If the depth of agar is too thick, smaller zones will appear as the diffusion of antimicrobial agent will be restricted.

Inoculum level

The inoculum level is also one of the most important, and variable factors in susceptibility testing, and will have a profound effect on the zone size obtained. The zone edge is determined when the critical mass is achieved. If the inoculum is heavy, then the critical mass will be achieved in a shorter time and the zone will be smaller. If the inoculum is light, the critical mass takes longer to develop, the antibiotic diffuses further and a larger zone is achieved. It is advisable to use a technique which yields a uniform suspension of correct number of organisms i.e. 10^5 - 10^6 cells/ml. Even if the density of culture is adjusted due to improper inoculation false results could be obtained. Inoculation method includes correct & even swabbing of plates & correct placement of discs.

Incubation

Incubation for correct time and correct temperature is also very important parameter. Incubation at temperature above 35 C may fail to detect Methicillin Resistant Staphylococci. At temperatures lower than 35 C, the rate of growth of most bacteria is prolonged; also antimicrobial agents diffuse more slowly. Increased CO_2 atmosphere results in decreased pH, which affects the activity of some antimicrobial agents. The plates should therefore be incubated in ambient air atmosphere unless CO_2 is necessary for the growth of the organisms. Hence, calibration of instruments is a must at all stages.

Disc Storage

The antibiotic discs must be stored according to manufacturer's instructions i.e. between -20 C and +8 C in a sealed, desiccated environment. Cartridges not in use should be stored unopened in their original packaging in order to prevent moisture ingress. This is extremely important since it is well known that moisture is a major cause of antibiotic degradation. Opened cartridges must be refrigerated and sealed in the disc dispenser or other suitable container when not in use. Opened cartridges should not be stored for more than one week; cartridges containing β -lactamase inhibitors (e.g. clavulanic acid, tazobactam and sulbactam) are particularly susceptible to moisture which may result in degradation of antibiotics.

Effect of Inoculum level

Inoculum : $<10^5$ - 10^6 cells/ml

Inoculum : 10^5 - 10^6 cells/ml

Inoculum : $>10^5$ - 10^6 cells/ml

Observed zone : SD1035 - 30mm
SD1045 - 45mm

Observed zone : SD1035 - 23mm
SD1045 - 20mm

Observed zone : SD1035 - 19mm
SD1045 - 16mm

Staphylococcus aureus ATCC 25923

Std. zone : SD1035 Amikacin 30mcg : 20-26 mm
SD1045 Vancomycin 10mcg : 17-21 mm

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
EM1001	Amikacin AMK Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Amikacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st	EM1126	Bacitracin BAC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Bacitracin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1002	*Amoxicillin AMX Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Amoxicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st	EM1107	*Cefaclor CEC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefaclor on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1003	*Amoxycylav (2:1) (Amoxicillin/Clavulanic Acid) AMC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated which is coated with Amoxycylav (Amoxicillin & Clavulanic Acid) on a single strip in a concentration gradient manner, of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st	EM1008	*Cefazolin CFZ Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefazolin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1139	*Amoxycylav (Amoxicillin/Clavulanic acid (2 mcg/ml) (As per EUCAST) AUG Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Amoxycylav (Amoxicillin & Clavulanic acid) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st	EM1009	*Cefdinir CDR Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefdinir on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1068	*Ampicillin AMP Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ampicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st	EM1070	*Cefepime CPM Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefepime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1109	*Ampicillin/Sulbactam (2:1) AMS Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ampicillin & Sulbactam on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st	EM1093	*Cefepime/Tazobactam CPT Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefepime & Tazobactam on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1140	*Ampicillin/Sulbactam (4mcg/ml) (As per EUCAST) SAM Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ampicillin & Sulbactam on a single strip in a concentration gradient manner, capable showing MIC's range predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st	EM1110	*Cefixime FIX Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefixime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1004	Azithromycin AZI Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Azithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st	EM1148	*Cefixime/Clavulanic acid FIC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefixime & Clavulanic acid on a single strip in a concentration gradient, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1006	*Aztreonam AZT Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Aztreonam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st	EM1114	*Cefmetazole CMZ Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefmetazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00 4932.00 8991.00 12272.00 14990.00 16182.00	10st 30st 60st 90st 120st 150st
				EM1113	*Cefonicid CID Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefonicid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
 * On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
 For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
EM1112	*Cefoperazone CFP Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefoperazone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1138	* Cefpodoxime/Clavulanic acid CPC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefpodoxime & Clavulanic acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00	10st
		4797.00	30st			5031.00	30st
		8730.00	60st			9162.00	60st
		11903.00	90st			12501.00	90st
		14553.00	120st			15282.00	120st
15710.00	150st	16497.00	150st				
EM1094	*Cefoperazone/Sulbactam (2:1) CPS Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefoperazone & Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00	10st	EM1130	*Cefprozil CPR Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefprozil on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		5031.00	30st			4797.00	30st
		9162.00	60st			8730.00	60st
		12501.00	90st			11903.00	90st
		15282.00	120st			14553.00	120st
16497.00	150st	15710.00	150st				
EM1100	*Cefotaxime CTX Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Cefotaxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1012	*Ceftazidime CAZ Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ceftazidime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1064	*Cefotaxime CTX Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefotaxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st	EM1149	*Ceftazidime/Tazobactam CAT Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ceftazidime & Tazobactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00	10st
		4932.00	30st			5031.00	30st
		8991.00	60st			9162.00	60st
		12272.00	90st			12501.00	90st
		14990.00	120st			15282.00	120st
16182.00	150st	16497.00	150st				
EM1105	*Cefotetan CTN Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefotetan on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1123	*Ceftizoxime ZOX Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ceftizoxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1101	*Cefoxitin FOX Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefoxitin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1013	*Ceftriaxone CTR Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Ceftriaxone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1011	*Cefpirome CR Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefpirome on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1066	*Ceftriaxone CTR Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ceftriaxone on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st
		4797.00	30st			4932.00	30st
		8730.00	60st			8991.00	60st
		11903.00	90st			12272.00	90st
		14553.00	120st			14990.00	120st
15710.00	150st	16182.00	150st				
EM1129	*Cefpodoxime CPD Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefpodoxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1097	*Ceftriaxone/Sulbactam (2:1) CTS Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ceftriaxone & Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1904.00	10st
		4797.00	30st			5180.00	30st
		8730.00	60st			9442.00	60st
		11903.00	90st			12884.00	90st
		14553.00	120st			15732.00	120st
15710.00	150st	16992.00	150st				

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
EM1102	*Cefuroxime CXM Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cefuroxime on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1021	Co-Trimoxazole (1:19) COT (Trimethoprim/Sulfamethoxazole) Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Co-Trimoxazole (Trimethoprim & Sulfamethoxazole) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1106	*Cephalothin CEP Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Cephalothin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1083	Co-Trimoxazole (1:19) TSH (Trimethoprim/Sulfamethoxazole) Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Co-Trimoxazole (Trimethoprim & Sulfamethoxazole) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st
		4797.00	30st			4932.00	30st
		8730.00	60st			8991.00	60st
		11903.00	90st			12272.00	90st
		14553.00	120st			14990.00	120st
15710.00	150st	16182.00	150st				
EM1016	Chloramphenicol CHL Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Chloramphenicol on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1088	Daptomycin DAP (Supplemented with Calcium ions) Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Daptomycin along with Calcium ions on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1971.00	10st
		4797.00	30st			5365.00	30st
		8730.00	60st			9775.00	60st
		11903.00	90st			13330.00	90st
		14553.00	120st			16301.00	120st
15710.00	150st	17605.00	150st				
EM1017	Ciprofloxacin CIP Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Ciprofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1090	*Doripenem DOR Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Doripenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00	10st
		4797.00	30st			5135.00	30st
		8730.00	60st			9342.00	60st
		11903.00	90st			12740.00	90st
		14553.00	120st			15580.00	120st
15710.00	150st	16803.00	150st				
EM1082	Ciprofloxacin CPH Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ciprofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st	EM1103	Doxycycline DOX Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Doxycycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00	10st
		4932.00	30st			5135.00	30st
		8991.00	60st			9342.00	60st
		12272.00	90st			12740.00	90st
		14990.00	120st			15580.00	120st
16182.00	150st	16803.00	150st				
EM1018	Clarithromycin CLR Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Clarithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1115	Enrofloxacin EFX Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Enrofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1019	Clindamycin CLI Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Clindamycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1085	*Ertapenem ETP Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Ertapenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00	10st
		4797.00	30st			5135.00	30st
		8730.00	60st			9342.00	60st
		11903.00	90st			12740.00	90st
		14553.00	120st			15580.00	120st
15710.00	150st	16803.00	150st				
EM1020	Colistin CL Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Colistin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st				
		4932.00	30st				
		8991.00	60st				
		12272.00	90st				
		14990.00	120st				
16182.00	150st						

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
 * On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
 For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
EM1022	Erythromycin ERY Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Erythromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1104	#Imipenem IPM Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Imipenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st
		4797.00	30st			4932.00	30st
		8730.00	60st			8991.00	60st
		11903.00	90st			12272.00	90st
		14553.00	120st			14990.00	120st
15710.00	150st	16182.00	150st				
EM1091	*Faropenem FAR Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Faropenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st	EM1026	Kanamycin KAN Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Kanamycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4932.00	30st			4797.00	30st
		8991.00	60st			8730.00	60st
		12272.00	90st			11903.00	90st
		14990.00	120st			14553.00	120st
16182.00	150st	15710.00	150st				
EM1108	Fosfomycin FOS (Supplemented with Glucose-6-phosphate) ange in µg : 0.064 - 1024 mcg/ml A unique MIC determination paper strip which is coated with Fosfomycin along with Glucose-6-phosphate on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1971.00	10st	EM1027	Levofloxacin LEV Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Levofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		5365.00	30st			4797.00	30st
		9775.00	60st			8730.00	60st
		12884.00	90st			11903.00	90st
		16301.00	120st			14553.00	120st
17605.00	150st	15710.00	150st				
EM1023	Fusidic Acid FC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Fusidic Acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1029	Linezolid LNZ Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Linezolid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1024	Gatifloxacin GAT Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Gatifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1124	*Mecillinam MEC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Mecillinam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1076	Gemifloxacin GEM Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Gemifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1080	*Meropenem MRP Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Meropenem on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st
		4797.00	30st			4932.00	30st
		8730.00	60st			8991.00	60st
		11903.00	90st			12272.00	90st
		14553.00	120st			14990.00	120st
15710.00	150st	16182.00	150st				
EM1025	Gentamicin GEN Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Gentamicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1128	Metronidazole MTZ Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Metronidazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1061	Gentamicin HLG Range in µg : 0.064 - 1024 mcg/ml A unique MIC determination paper strip which is coated with Gentamicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st	EM1032	Minocycline MIN Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Minocycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00	10st
		4932.00	30st			5135.00	30st
		8991.00	60st			9342.00	60st
		12272.00	90st			12740.00	90st
		14990.00	120st			15580.00	120st
16182.00	150st	16803.00	150st				

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
EM1033	Moxifloxacin MXF Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Moxifloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1084	*Penicillin PEN Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Penicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1087	Mupirocin MUP Range in µg : 0.064 - 1024 mcg/ml A unique MIC determination paper strip which is coated with Mupirocin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00	10st	EM1062	*Penicillin PEN Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Penicillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st
		5135.00	30st			4932.00	30st
		9342.00	60st			8991.00	60st
		12740.00	90st			12272.00	90st
		15580.00	120st			14990.00	120st
16803.00	150st	16182.00	150st				
EM1035	Nalidixic acid NAL Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Nalidixic acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1041	*Piperacillin PIP Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Piperacillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1095	Netilmicin NET Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Netilmicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1042	*Piperacillin/Tazobactam PTZ Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Piperacillin & Tazobactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00	10st
		4797.00	30st			5031.00	30st
		8730.00	60st			9162.00	60st
		11903.00	90st			12501.00	90st
		14553.00	120st			15282.00	120st
15710.00	150st	16497.00	150st				
EM1037	Nitrofurantoin NIT Range in µg : 0.032 - 512 mcg/ml A unique MIC determination paper strip which is coated with Nitrofurantoin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1043	Polymixin B PB Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Polymixin B on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st
		4797.00	30st			4932.00	30st
		8730.00	60st			8991.00	60st
		11903.00	90st			12272.00	90st
		14553.00	120st			14990.00	120st
15710.00	150st	16182.00	150st				
EM1038	Norfloxacin NOR Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Norfloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1044	Pristinomycin (Quinupristin/Dalfopristin) QDA Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Pristinomycin (Quinupristin & Dalfopristin) on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00	10st
		4797.00	30st			5031.00	30st
		8730.00	60st			9162.00	60st
		11903.00	90st			12501.00	90st
		14553.00	120st			15282.00	120st
15710.00	150st	16497.00	150st				
EM1039	Ofloxacin OFX Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Ofloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1045	Rifampicin RIF Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Rifampicin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1065	*Oxacillin OXA Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Oxacillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1046	Roxithromycin ROX Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Roxithromycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
 * On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
 For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
EM1047	Sparfloxacin SPA Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Sparfloxacin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1058	Tobramycin TOB Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Tobramycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1048	Streptomycin STR Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Streptomycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1059	Trimethoprim TMP Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Trimethoprim on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1131	*Sulbactam SUL Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Sulbactam on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1060	Vancomycin VAN Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Vancomycin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st
		4797.00	30st			4797.00	30st
		8730.00	60st			8730.00	60st
		11903.00	90st			11903.00	90st
		14553.00	120st			14553.00	120st
15710.00	150st	15710.00	150st				
EM1055	Teicoplanin TEI Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Teicoplanin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1814.00	10st	ESBL Detection Multi Mic EZY Strips MultiMIXEZY			
		4932.00	30st				
		8991.00	60st	EM1116	*Cefepime / Cefepime + Clavulanic acid CPM+ / CPM Range : CPM+ : Cefepime with Clavulanic acid : 0.064 - 4 CPM : Cefepime : 0.25 - 16 For ESBL detection : A unique phenotypic detection strip which is coated with Cefepime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with cefepime in a reverse direction.	2021.00	10st
		12272.00	90st			5522.00	30st
		14990.00	120st			10044.00	60st
16182.00	150st	13703.00	90st				
		16749.00	120st				
		18072.00	150st				
EM1056	Tetracycline TET Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Tetracycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00	10st	EM1099	*Cefotaxime / Cefotaxime + Clavulanic acid CTX + / CTX Range : CTX+ : Cefotaxime with Clavulanic acid: 0.016 - 1 CTX : Cefotaxime : 0.25-16 For ESBL detection : A unique phenotypic detection strip which is coated with Cefotaxime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Cefotaxime in a reverse direction.	2021.00	10st
		5135.00	30st			5522.00	30st
		9342.00	60st			10044.00	60st
		12740.00	90st			13703.00	90st
		15580.00	120st			16749.00	120st
16803.00	150st	18072.00	150st				
EM1057	*Ticarcillin TIC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ticarcillin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00	10st	EM1098	*Ceftazidime / Ceftazidime+ Clavulanic acid CAZ + / CAZ Range : CAZ+ : Ceftazidime with Clavulanic acid: 0.064 - 4 CAZ : Ceftazidime : 0.5 - 32 For ESBL detection : A unique phenotypic detection strip which is coated with Ceftazidime + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime in a reverse direction.	2021.00	10st
		4797.00	30st			5522.00	30st
		8730.00	60st			10044.00	60st
		11903.00	90st			13703.00	90st
		14553.00	120st			16749.00	120st
15710.00	150st	18072.00	150st				
EM1125	*Ticarcillin/Clavulanic Acid TCC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Ticarcillin & Clavulanic Acid on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00	10st	EM1089	Tigecycline TGC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Tigecycline on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1890.00	10st
		5031.00	30st			5135.00	30st
		9162.00	60st			9342.00	60st
		12501.00	90st			12740.00	90st
		15282.00	120st			15580.00	120st
16497.00	150st	16803.00	150st				



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing	
EM1117	*Ceftriaxone / Ceftriaxone + Clavulanic acid CTR+ / CTR Range : CTR+ : Ceftriaxone with Clavulanic acid : 0.016 - 1 CTR : Ceftriaxone : 0.25 - 16 For ESBL detection : A unique phenotypic detection strip which is coated with Ceftriaxone + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftriaxone in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st	MBL-ESBL-AmpC Detection Mic EZY Strips				
EM1132	*Improved ESBL Detection Strip MIX+ / MIX Range : MIX+ : Ceftazidime, Cefotaxime, mixture with Clavulanic acid : 0.032- 4 MIX: Ceftazidime, Cefotaxime mixture: 0.125-16 For ESBL detection : A unique phenotypic detection strip which is coated with Ceftazidime & Cefotaxime mixture + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime & Cefotaxime mixture in a reverse direction.	2196.00 5990.00 10917.00 17532.00 18199.00 19643.00	10st 30st 60st 90st 120st 150st	EM1135	*MBL Plus AmpC Detection Strip AmpC+ / AmpC Range : AmpC+: Ceftazidime, Cefotaxime, Cloxacillin & EDTA with Clavulanic acid : 0.032- 4 AmpC : Ceftazidime, Cefotaxime, Cloxacillin & EDTA : 0.125-16 For MBL, ESBL & AmpC Detection : A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime, Cloxacillin, EDTA mixture + clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime, Cloxacillin & EDTA mixture in a reverse direction.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st	
Ampc Detection Multi Mic EZY Strips				EM1134	*MBL Plus ESBL Detection Strip ESBL+ / ESBL Range : ESBL+: Ceftazidime, Cefotaxime & EDTA with Clavulanic acid : 0.032- 4 ESBL : Ceftazidime, Cefotaxime & EDTA : 0.125-16 For MBL + ESBL Detection : A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime, EDTA mixture + clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime, EDTA mixture in a reverse direction.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st	
EM1127	*Cefotetan / Cefotetan + Cloxacillin CTN+ / CTN Range : CTN+ : Cefotetan with Cloxacillin : 0.5 - 32 mcg/ml CTN : Cefotetan : 0.5 - 32 mcg/ml For AmpC Detection : A unique phenotypic detection strip which is coated with Cefotetan + Cloxacillin on upper half with highest concentration tapering downward whereas lower half is coated with Cefotetan in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st	EM1137	*MBL-ESBL-AmpC Co-existence Kit Kit Content : 10 strips each of EM1134 - MBL plus ESBL Detection Strip EM1135 - MBL plus AmpC Detection Strip	6066.00	1 kit	
EM1133	*Improved AmpC Detection Strip MIX+ / MIX Range : MIX+ : Ceftazidime, Cefotaxime & Cloxacillin mixture with Clavulanic acid : 0.032- 4 MIX : Ceftazidime, Cefotaxime & Cloxacillin mixture : 0.125-16 For ESBL & AmpC Detection: A unique phenotypic detection strip which is coated with Ceftazidime, Cefotaxime & Cloxacillin mixture + Clavulanic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ceftazidime, Cefotaxime & Cloxacillin mixture in a reverse direction.	2196.00 5990.00 10917.00 17532.00 18199.00 19643.00	10st 30st 60st 90st 120st 150st	MBL Detection Dual Mic EZY Strips				
EM1136	*ESBL- AmpC Co-existence Detection Kit Kit Content : 10 strips each of EM1132 - Improved ESBL Detection Strip EM1133 - Improved AmpC Detection Strip	5886.00	1 kit	EM1078	#Imipenem with & without EDTA IPM+ / IPM Range : Imipenem+EDTA : 1 - 64 Imipenem: 4 - 256 For MBL detection : A unique phenotypic detection strip which is coated with Imipenem + EDTA on upper half with highest concentration tapering downward whereas lower half is coated with Imipenem in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st	
				EM1092	*Meropenem with & without EDTA MRP+ / MRP Range : Meropenem+EDTA : 1 - 64 Meropenem: 4 - 256 For MBL detection : A unique phenotypic detection strip which is coated with Meropenem + EDTA on upper half with highest concentration tapering downward whereas lower half is coated with Meropenem in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st	

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
 * On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
 For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
KPC Detection Mic EZY Strip							
EM1141	*Ertapenem/ Ertapenem + Boronic acid ETP+/ETP Range : ETP+ : Ertapenem + Boronic acid : 0.032-2 ETP : Ertapenem : 0.125 - 8 For KPC Detection : A unique phenotypic detection strip which is coated with Ertapenem + Boronic acid on upper half with highest concentration tapering downward whereas lower half is coated with Ertapenem in a reverse direction.	2021.00 5522.00 10044.00 13703.00 16749.00 18072.00	10st 30st 60st 90st 120st 150st	EM1119	Caspofungin CAS Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Caspofungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st
Dual Mic EZY Strips							
EM1063	*Oxacillin - Vancomycin OXA / VAN Range : Oxacillin : 0.064 - 8 mcg/ml Vancomycin : 0.19 - 16 mcg/ml For MRSA detection : MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Oxacillin with a highest concentration tapering downwards, whereas lower half is similarly coated with Vancomycin concentration gradient in reverse direction.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st	EM1144	Clotrimazole CLO Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Clotrimazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1077	*Vancomycin - Cefoxitin VAN / CX Range : Cefoxitin : 0.5 - 64 mcg/ml Vancomycin : 0.19 - 16 mcg/ml For MRSA detection : MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Vancomycin with a highest concentration tapering downwards, whereas lower half is similarly coated with Cefoxitin concentration gradient.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st	EM1072	Fluconazole FLC Range in µg : 0.016 - 256 mcg/ml A unique MIC determination paper strip which is coated with Fluconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st
EM1111	Vancomycin - Teicoplanin VAN / TEI Range : Vancomycin : 0.5 - 32 mcg/ml Teicoplanin : 0.5 - 32 mcg/ml For GRD detection : MIC strip which is coated with two different antibiotics on a single strip in a concentration gradient manner. The upper half has Vancomycin with a highest concentration tapering downwards, whereas lower half is similarly coated with Teicoplanin concentration gradient in reverse direction.	1890.00 5135.00 9342.00 12740.00 15580.00 16803.00	10st 30st 60st 90st 120st 150st	EM1118	Flucytosine FLU Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Flucytosine on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st
Antifungal Mic EZY Strips							
EM1071	Amphotericin B AP Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Amphotericin B on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1760.00 4797.00 8730.00 11903.00 14553.00 15710.00	10st 30st 60st 90st 120st 150st	EM1143	Griseofulvin GRI Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Griseofulvin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
EM1122	Anidulafungin AND Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Anidulafungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st	EM1073	Itraconazole ITR Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Itraconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
				EM1074	Ketoconazole KET Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Ketoconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st
				EM1121	Micafungin MYC Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Micafungin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing				
EM1146	Miconazole MIC Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Miconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st	<p style="text-align: center;">Micomb MIC Test strip</p> <p style="text-align: center;">Study 16 concentrations of an antibiotic at one time.</p> <p style="text-align: center;">Easy, Accurate & Fast</p> <p style="text-align: center;">Convenient and the most economical test for the assessment of minimum inhibitory concentration (MIC) of antimicrobial agent.</p> <ol style="list-style-type: none"> Micomb consists of a strip made of an inert material, with 8 extensions that carry the discs of 4 mm, resembling the 'tooth' of a comb Towards the stem of the strip, MIC reading scale in mcg/ml is given along with the Microgen Code. A defined concentration of antibiotic is loaded on each of the disc so as to form a gradient when placed on agar plate. When applied to the agar surface, the antibiotic instantaneously diffuses into the surrounding medium in high to low amounts from one end of the strip to the other. The gradient remains stable after diffusion, and the zone of inhibition created takes the form of ellipse. 							
EM1145	Nystatin NYT Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Nystatin on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st					MD1001	Amikacin AK Range A : 256-0.1 in µg B : 4-0.001 Levels A : 256, 128, 64, 32, 16, 8, 4, 0.1 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1260.00	1pk
EM1120	Posaconazole POS Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Posaconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	2291.00 6237.00 11350.00 15490.00 18927.00 20430.00	10st 30st 60st 90st 120st 150st					MD1067	Amikacin AK Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk
EM1142	Terbinafine TRB Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Terbinafine on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st					MD1002	*Amoxicillin AMX Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1260.00	1pk
EM1086	Voriconazole VRC Range in µg : 0.002 - 32 mcg/ml A unique MIC determination paper strip which is coated with Voriconazole on a single strip in a concentration gradient manner, capable of showing MIC's in the range of predefined Gradient.	1850.00 5031.00 9162.00 12501.00 15282.00 16497.00	10st 30st 60st 90st 120st 150st					MD1003	*Amoxycylav (Amoxicillin/ Clavulanic acid) AMC Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1332.00	1pk
MicPer Mic Ezy Microbiology Teaching Kits											
HTM1006	MicPer Teaching Kit Microgen MicPer Mic Ezy Teaching Kit facilitates the determination of the Minimum Inhibitory Concentration (MIC) of an antimicrobial agent required to inhibit growth of a microorganism under defined condition. Contents: S. aureus culture, MIC Strips (Ciprofloxacin, Vancomycin, Azithromycin, Linezolid, Amikacin), Mueller Hinton Agar, Sterile cotton swabs, Applicator, Saline.	6237.00	10pr	MD1068	*Ampicillin AMP Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk				
				MD1004	Azithromycin AZM Range A : 128-0.01 in µg B : 2-0.0001 Levels A : 128, 64, 32, 16, 8, 4, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.0001	1260.00	1pk				

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
 * On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
 For prolonged use, store at or below -20°C. • 1 Pack contains 10 strips of A + 10 strips of B.
 # Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MD1005	*Azlocillin AZ Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	1260.00	1pk	MD1011	*Cefpirome CFP Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk
MD1006	Aztreonam AT Range A : 240-0.01 in µg B : 2-0.0001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.05, 0.01, 0.005, 0.0001	1260.00	1pk	MD1012	*Ceftazidime CAZ Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk
MD1062	*Benzyl Penicillin P Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk	MD1069	*Ceftazidime CAZ Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk
MD1007	*Carbenicillin CB Range A : 512-0.1 in µg B : 32-0.01 Levels A : 512, 256, 128, 64, 32, 16, 4, 0.1 in µg B : 32, 16, 8, 4, 2, 1, 0.1, 0.01	1260.00	1pk	MD1013	*Ceftriaxone CTR Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk
MD1014	*Cefalexin (Cephalexin) CN Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk	MD1066	*Ceftriaxone CTR Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk
MD1008	*Cefazolin CZ Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1260.00	1pk	MD1016	Chloramphenicol C Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.01, 0.001	1260.00	1pk
MD1009	*Cefdinir CDR Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.01, 0.008, 0.001	1260.00	1pk	MD1017	Ciprofloxacin CIP Range A : 240-0.01 in µg B : 2-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.25, 0.01, 0.008, 0.004, 0.001	1260.00	1pk
MD1010	*Cefepime CPM Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk	MD1018	Clarithromycin CLR Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	1260.00	1pk
MD1070	*Cefepime CPM Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk	MD1019	Clindamycin CD Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 0.5, 0.08, 0.06, 0.01, 0.001	1260.00	1pk
MD1015	*Cefotaxime (Cephotaxime) CTX Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk	MD1020	Colistin (Methane Sulphonate) CL Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1674.00	1pk
MD1064	*Cefotaxime (Cephotaxime) CTX Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk	MD1021	Co-Trimoxazole (Sulpha/Trimethoprim) COT Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1260.00	1pk



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MD1022	Erythromycin Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1260.00	1pk	MD1031	*Methicillin Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1260.00	1pk
MD1023	Fusidic Acid Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1674.00	1pk	MD1032	Minocycline Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1260.00	1pk
MD1024	Gatifloxacin Range A : 64-0.01 in µg B : 2-0.001 Levels A : 64, 32, 16, 8, 4, 2, 0.1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.03, 0.008, 0.004, 0.001	1341.00	1pk	MD1033	Moxifloxacin Range A : 240-0.01 in µg B : 32-0.005 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 0.1, 0.06, 0.03, 0.005	1260.00	1pk
MD1076	Gemifloxacin Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1260.00	1pk	MD1034	Mupirocin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk
MD1025	Gentamicin Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1260.00	1pk	MD1035	Nalidixic Acid Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.05, 0.001	1260.00	1pk
MD1061	Gentamicin Range A : 1024-8 in µg B : 8.192-0.064 Levels A : 1024, 512, 256, 128, 64, 32, 16, 8 in µg B : 8.192, 4.096, 2.048, 1.024, 0.512, 0.256, 0.128, 0.064	1260.00	1pk	MD1036	Neomycin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk
MD1026	Kanamycin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1549.00	1pk	MD1037	Nitrofurantoin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk
MD1027	Levofloxacin Range A : 240-0.01 in µg B : 5-0.005 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 4, 2, 1, 0.5, 0.25, 0.05, 0.005	1260.00	1pk	MD1038	Norfloxacin Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.05, 0.001	1260.00	1pk
MD1028	Lincomycin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk	MD1039	Ofloxacin Range A : 64-0.01 in µg B : 8-0.001 Levels A : 64, 32, 16, 8, 4, 2, 0.1, 0.01 in µg B : 8, 4, 2, 0.5, 0.15, 0.06, 0.004, 0.001	1260.00	1pk
MD1029	Linezolid Range A : 240-0.01 in µg B : 8-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 8, 4, 2, 1, 0.5, 0.1, 0.01, 0.001	1260.00	1pk	MD1065	*Oxacillin Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1557.00	1pk
MD1030	Lomefloxacin Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.25, 0.1, 0.01, 0.001	1260.00	1pk	MD1040	Pefloxacin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
 * On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
 For prolonged use, store at or below -20°C. * 1 Pack contains 10 strips of A + 10 strips of B.
 # Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
MD1041	*Piperacillin Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 1, 0.5, 0.1, 0.08, 0.06, 0.01, 0.001	1557.00	1pk	MD1052	Sulphamethizole Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1341.00	1pk
MD1042	*Piperacillin/Tazobactam Range A : 240-0.01 in µg B : 5-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 1, 0.5, 0.1, 0.08, 0.06, 0.01, 0.001	1639.00	1pk	MD1053	Sulphamethoxyipyridazine Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1341.00	1pk
MD1043	Polymyxin-B Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 1, 0.1, 0.01, 0.001	1341.00	1pk	MD1054	Sulphaphenazole Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1341.00	1pk
MD1044	Pristinomycin (Quinupristin/Dalfopristin) Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk	MD1055	Teicoplanin Range A : 240-0.01 in µg B : 1-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 1, 0.8, 0.5, 0.25, 0.1, 0.05, 0.01, 0.001	1557.00	1pk
MD1045	Rifampicin Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 1, 0.1, 0.01, 0.001	1260.00	1pk	MD1056	Tetracycline Range A : 240-0.01 in µg B : 5-0.01 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 5, 3, 2, 1, 0.5, 0.25, 0.1, 0.01	1260.00	1pk
MD1046	Roxithromycin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1260.00	1pk	MD1057	*Ticarcillin Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	1260.00	1pk
MD1047	Sparfloxacin Range A : 64-0.01 in µg B : 2-0.001 Levels A : 64, 32, 16, 8, 4, 2, 1, 0.01 in µg B : 2, 1, 0.5, 0.1, 0.06, 0.03, 0.004, 0.001	1260.00	1pk	MD1058	Tobramycin Range A : 240-0.01 in µg B : 16-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 16, 8, 4, 2, 1, 0.1, 0.01, 0.001	1341.00	1pk
MD1048	Streptomycin Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1341.00	1pk	MD1059	Trimethoprim Range A : 240-0.01 in µg B : 32-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 32, 16, 8, 4, 2, 0.1, 0.01, 0.001	1260.00	1pk
MD1049	Sulfasomidine Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1341.00	1pk	MD1060	Vancomycin Range A : 240-0.01 in µg B : 4-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 4, 2, 1, 0.5, 0.1, 0.05, 0.01, 0.001	1260.00	1pk
MD1050	Sulphadiazine Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1341.00	1pk	MD1063	Vancomycin Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk
MD1051	Sulphafurazole (Sulfisoxazole) Range A : 240-0.01 in µg B : 30-0.001 Levels A : 240, 120, 60, 30, 10, 5, 0.1, 0.01 in µg B : 30, 15, 7.5, 3.0, 1.0, 0.1, 0.01, 0.001	1341.00	1pk				



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Antifungal Agents				SD1204	Azithromycin AZM 15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
MD1071	Amphotericin B AP Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002	1674.00	1pk	SD1064	*Azlocillin AZ 75 mcg	972.00 441.00 1827.00 991.00 1013.00	1pk 1vl 5vl 5x50ds 5ct
MD1072	Fluconazole FLC Range A : 256-2 in µg B : 2.048-0.016 Levels A : 256, 128, 64, 32, 16, 8, 4, 2 in µg B : 2.048, 1.024, 0.512, 0.256, 0.128, 0.064, 0.032, 0.016	1260.00	1pk	SD1212	*Aztreonam # AT 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
MD1073	Itraconazole IT Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002	1260.00	1pk	SD1004	*Carbenicillin CB 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
MD1074	Ketoconazole KT Range A : 32-0.25 in µg B : 0.256-0.002 Levels A : 32, 16, 8, 4, 2, 1, 0.5, 0.25 in µg B : 0.256, 0.128, 0.064, 0.032, 0.016, 0.008, 0.004, 0.002	1260.00	1pk	SD1157	*Cefaclor # CF 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
Antibacterial Agents Concentration of Antibiotics as per CLSI (formerly NCCLS) & EUCAST standards Now Microgen AST product range also offers Sensitivity discs as per EUCAST standard (The European Committee on Antimicrobial Susceptibility Testing). For more convenience of user we have separated the list of antibiotic discs as per CLSI, EUCAST & non CLSI & non EUCAST items. The following packaging are our standard packs for Antimicrobial Susceptibility Testing products.				SD1200	*Cefamandole FAM 30 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1035	Amikacin # AK 30 mcg	392.00 199.00 415.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1047	*Cefazolin CZ 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1063	*Amoxyclav # AMC 30 mcg (Amoxicillin/Clavulanic acid) (20/10 mcg)	360.00 271.00 1027.00 545.00 392.00	1pk 1vl 5vl 5x50ds 5ct	SD1218	*Cefdinir CDR 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1002	*Ampicillin # AMP 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1219	*Cefepime # CPM 30 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct
SD1112	*Ampicillin/Sulbactam # A/S 10/10 mcg	473.00 239.00 914.00 505.00 500.00	1pk 1vl 5vl 5x50ds 5ct	SD1211	*Cefixime # CFM 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct

Customer specific ranges of antibiotic other than the ones available can be designed as per the requirements.
 * On receipt store at -20°C. On receipt all the other products to be stored between -20°C to 8°C.
 For prolonged use, store at or below -20°C. * 1 Pack contains 10 strips of A + 10 strips of B.
 # Preparation Δ : Stored at 15 - 25°C except certain components specified in each kit (as specified on label).



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1244	*Cefmetazole CMZ 30 mcg	1207.00 576.00 2259.00 1225.00 1233.00	1pk 1vl 5vl 5x50ds 5ct	SD1207	*Ceftazidime / Clavulanic acid CAC 30/10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1248	*Cefonicid CID 30 mcg	941.00 441.00 1782.00 963.00 981.00	1pk 1vl 5vl 5x50ds 5ct	SD1110	*Ceftizoxime CZX 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1072	*Cefoperazone CPZ 75 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1065	*Ceftriaxone # CTR 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1040	*Cefotaxime # (Cephotaxime) CTX 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1061	*Cefuroxime # CXM 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1724	*Cefotaxime/ Clavulanic acid CEC 30/10 mcg	473.00 239.00 914.00 491.00 500.00	1pk 1vl 5vl 5x50ds 5ct	SD1050	*Cephalothin CEP 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1249	*Cefotetan CTN 30 mcg	603.00 284.00 1143.00 621.00 630.00	1pk 1vl 5vl 5x50ds 5ct	SD1006	Chloramphenicol # C 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1041	*Cefoxitin # (Cephoxitin) CX 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1245	Cinoxacin CIN 100 mcg	1242.00 576.00 2322.00 1225.00 1270.00	1pk 1vl 5vl 5x50ds 5ct
SD1725	*Cefpodoxime # CPD 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1060	Ciprofloxacin # CIP 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1209	*Cefprozil CPR 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1192	Clarithromycin CLR 15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1062	*Ceftazidime CAZ 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1051	Clindamycin # CD 2 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing		
SD1010	Co-Trimoxazole # (Sulpha/Trimethoprim) (23.75/1.25 mcg)	473.00	1pk	SD1016	Gentamicin # GEN 10 mcg	392.00	1pk		
		239.00	1vl			199.00	1vl		
		914.00	5vl			756.00	5vl		
		491.00	5x50ds			405.00	5x50ds		
		500.00	5ct			415.00	5ct		
SD1283	*Doripenem # DOR 10 mcg	1251.00	1vl	SD1195	Gentamicin HLG 120 mcg For detection of HLAR Strains.	482.00	1pk		
		4910.00	5vl			221.00	1vl		
		2601.00	5x50ds			914.00	5vl		
SD1012	Doxycycline Hydrochloride DO 30 mcg	392.00	1pk			SD1073	*Imipenem # IPM 10 mcg	630.00	1vl
		199.00	1vl					2475.00	5vl
		756.00	5vl	1314.00	5x50ds				
		405.00	5x50ds	SD1017	Kanamycin K 30 mcg			473.00	1pk
415.00	5ct	217.00	1vl						
SD1237	Enoxacin EN 10 mcg	603.00	1pk			SD1216	Levofloxacin # LE 5 mcg	392.00	1pk
		284.00	1vl					199.00	1vl
		1143.00	5vl	756.00	5vl				
		621.00	5x50ds	405.00	5x50ds				
SD1280	*Ertapenem # ETP 10 mcg	630.00	1vl	SD1215	Linezolid LZ 30 mcg	392.00	1pk		
		2475.00	5vl			199.00	1vl		
		1314.00	5x50ds			756.00	5vl		
SD1013	Erythromycin # E 15 mcg	392.00	1pk	SD1206	Lomefloxacin LOM 10 mcg	482.00	1pk		
		199.00	1vl			221.00	1vl		
		756.00	5vl			914.00	5vl		
		405.00	5x50ds			495.00	5x50ds		
SD1279	*Faropenem FAR 5 mcg	707.00	1vl	SD1176	*Mecillinam # MEC 10 mcg	482.00	1pk		
		2781.00	5vl			221.00	1vl		
		1481.00	5x50ds			914.00	5vl		
SD1205	Fosfomycin # FO 200 mcg	770.00	1pk	SD1727	*Meropenem MRP 10 mcg	630.00	1vl		
		387.00	1vl			2475.00	5vl		
		1485.00	5vl			1314.00	5x50ds		
		819.00	5x50ds			SD1019	*Methicillin MET 5 mcg	392.00	1pk
		837.00	5ct					199.00	1vl
SD1171	Fusidic Acid # FC 10 mcg	505.00	1pk	SD1250	Gemifloxacin GEM 5 mcg			482.00	1pk
		239.00	1vl					221.00	1vl
		954.00	5vl					914.00	5vl
		522.00	5x50ds			495.00	5x50ds		
SD1737	Gatifloxacin GAT 5 mcg	392.00	1pk	SD1737	Gatifloxacin GAT 5 mcg	392.00	1pk		
		199.00	1vl			199.00	1vl		
		756.00	5vl			756.00	5vl		
		405.00	5x50ds			405.00	5x50ds		
		415.00	5ct			415.00	5ct		

Packing : NEW 5x50DS = 5 vials of 50 discs each.
 1PK contains 5ct = 5x50 discs in plastic container, #: Concentration of antibiotic also as per EUCAST
 1VL = contains 100 discs in vial, *: On receipt, store at -20°C.
 5VL = 5x100 discs in vial, On receipt all the other products to be stored between -20°-8°C.
 5CT = contains 5x50 discs in blister pack. For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1225	Mezlocillin # MZ 75 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1088	*Oxacillin OX 1 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1158	Minocycline # MI 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1070	Pefloxacin # PF 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1220	Moxalactam MX 30 mcg	392.00 199.00 756.00 415.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1028	*Penicillin-G P 10 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1217	Moxifloxacin # MO 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1066	*Piperacillin PI 100 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1246	Nafcillin NAF 1 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct	SD1210	*Piperacillin/ Tazobactam PIT 100/10 mcg	603.00 289.00 1152.00 630.00 653.00	1pk 1vl 5vl 5x50ds 5ct
SD1021	Nalidixic Acid # NA 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1029	Polymyxin-B PB 300 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1046	Netillin (Netilmicin Sulphate) NET 30 mcg	473.00 217.00 882.00 482.00 495.00	1pk 1vl 5vl 5x50ds 5ct	SD1178	Pristinomycin # RP (Quinupristin / Dalfopristin) 15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1023	Nitrofurantoin NIT 300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1268	Prulifloxacin (Ulifloxacin) PRU 5 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct
SD1057	Norfloxacin # NX 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1030	Rifampicin # RIF 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1087	Ofloxacin # OF 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1162	Sparfloxacin SPX 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1181	Spectinomycin SPT 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1039	Trimethoprim # TR 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1031	Streptomycin S 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1045	Vancomycin VA 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1236	Streptomycin HLS 300 mcg For detection of HLAR Strains.	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct	ESBL Identification Test Kits			
SD1032	Sulphafurazole (Sulfisoxazole) SF 300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1238	*Kit I for ESBL Identification, Cefotaxime (Cephotaxime) Kit contains 6 cartridges (6CT): 3CT of SD1040 Cefotaxime (Cephotaxime) 30 mcg, 3CT of SD1724 Cefotaxime (Cephotaxime)/Clavulanic acid 30/10 mcg	657.00	1 kit
Sd1213	Teicoplanin # TEI 30 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct	SD1240	*Kit III for ESBL Identification, Ceftazidime Kit contains 6 cartridges (6CT): 3CT of SD1062 Ceftazidime 30 mcg, 3CT of Sd1207 Ceftazidime /Clavulanic acid 30/10 mcg	657.00	1 kit
SD1037	Tetracycline # TE 30mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	Antifungal Agents			
SD1074	*Ticarcillin # TI 75 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1232	Fluconazole FLC 25 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1201	*Ticarcillin / Clavulanic Acid # TCC 75/10 mcg	473.00 239.00 914.00 491.00 500.00	1pk 1vl 5vl 5x50ds 5ct	SD1277	Voriconazole VRC 1 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1278	Tigecycline # TGC 15 mcg	680.00 320.00 1242.00 693.00 707.00	1pk 1vl 5vl 5x50ds 5ct				
SD1044	Tobramycin # TOB 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct				

Packing : NEW 5x50DS = 5 vials of 50 discs each.
 1PK contains 5ct = 5x50 discs in plastic container, #: Concentration of antibiotic also as per EUCAST
 1VL = contains 100 discs in vial, *: On receipt, store at -20°C.
 5VL = 5x100 discs in vial, On receipt all the other products to be stored between -20°-8°C.
 5CT = contains 5x50 discs in blister pack. For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing				
Antibacterial Agents Concentration of Antibiotics only as per EUCAST standard (The European Committee on Antimicrobial Susceptibility Testing)				SD1085	Netillin (Netilmicin Sulphate)	NET 10 mcg	473.00 217.00 882.00 482.00 495.00	1pk 1vl 5vl 5x50ds 5ct			
SD1002A	*Ampicillin	AMP	2mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1086	Nitrofurantoin	NIT	100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1116	*Cefadroxil (Cephadroxil)	CFR	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1196	Nitroxoline	NO	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1048	*Cefalexin (Cephalexin)	CN	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1089	*Penicillin-G	P	1 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1295E	*Cefotaxime	CTX	5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1066A	*Piperacillin	PI	30 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1062A	*Ceftazidime	CAZ	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1292E	*Piperacillin / Tazobactam	PIT	30/6 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1170	Gentamicin	GEN	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1293E	Mupirocin	MUP	200 mcg	1269.00 680.00 2673.00 1422.00 1440.00	1pk 1vl 5vl 5x50ds 5ct
SD1296E	Linezolid	LZ	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1731	Neomycin	N	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
						SD1155	Vancomycin	VA	5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing		
<p align="center">Antibacterial Agents</p> <p>Concentration of Antibiotics not as per CLSI (formerly NCCLS) & not as per EUCAST standards These codes do not have concentration of Antibiotics as per CLSI (formerly NCCLS) & EUCAST standards, however Microgen provides these concentrations as required by our users. Although zone interpretative criteria for these codes can not be provided, Quality control limits of standard organisms can be made available.</p>				SD1124	Azithromycin	AZM	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1082	Amikacin	AK	10 mcg	SD1094	*Azlocillin	AZ	30 mcg	495.00 221.00 932.00 513.00 505.00	1pk 1vl 5vl 5x50ds 5ct
SD1001	*Amoxicillin	AMX	10 mcg	SD1263	*Aztreonam	AT	50 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct
SD1129	*Amoxicillin	AMX	25mcg	SD1105	Bacitracin	B	8 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1076	*Amoxicillin	AMX	30 mcg	SD1003	Bacitracin	B	10 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1264	*Amoxicillin/Sulbactam	AMS 30/15 mcg		SD1079	*Cefaloridine (Cephaloridine)	CR	10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1078	*Amoxyclav	AMC	10 mcg	SD1005	*Cefaloridine (Cephaloridine)	CR	30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1281	*Amoxyclav	AMC	50/10 mcg	SD1262	*Cefepime	CPM	50 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct
SD1077	*Ampicillin	AMP	25 mcg	SD1234	*Cefepime/ Clavulanic acid	CFC	30/10 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct
SD1113	*Ampicillin/ Cloxacillin	AX	10 mcg	SD1257	*Cefepime/ Tazobactam	CPT	30/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
 1PK contains 5ct = 5x50 discs in plastic container
 1VL = contains 100 discs in vial,
 5VL = 5x100 discs in vial,
 5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
 On receipt all the other products to be stored between -20°-8°C.
 For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing		
SD1247	*Cefepime/ Tazobactam	CPT 80/10 mcg	630.00 293.00 1184.00 649.00 657.00	1pk 1vl 5vl 5x50ds 5ct	SD1235	*Cefpirome/ Clavulanic acid	CPC 30/7.5 mcg	473.00 239.00 914.00 491.00 500.00	1pk 1vl 5vl 5x50ds 5ct
SD1820	*Cefixime	CFM 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1160	*Cefradine (Cephradine)	CH 25 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1266	*Cefixime/ Clavulanic acid	CMC 5/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct	SD1704	*Cefradine (Cephradine)	CH 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1259	*Cefoperazone/ Sulbactam	CFS 50/50 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct	SD1252	*Ceftazidime/ Tazobactam	CAT 30/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct
SD1254	*Cefoperazone/ Sulbactam	CFS 75/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct	SD1269	*Ceftazidime/ Tazobactam	CAT 80/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct
SD1203	*Cefoperazone/ Sulbactam	CFS 75/30 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct	SD1109	*Ceftriaxone	CTR 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1253	*Cefoperazone/ Tazobactam	CST 75/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct	SD1261	*Ceftriaxone/ Sulbactam	CIS 30/15 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct
SD1040A	*Cefotaxime (Cephotaxime)	CTX 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1256	*Ceftriaxone/ Tazobactam	CIT 30/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct
Sd1285	*Cefoxitin- Cloxacillin For detection of AmpC.	CXX 30/200 mcg	1152.00 545.00 2120.00 1179.00 1207.00	1pk 1vl 5vl 5x50ds 5ct	SD1251	*Ceftriaxone/ Tazobactam	CIT 80/10 mcg	576.00 271.00 1094.00 595.00 603.00	1pk 1vl 5vl 5x50ds 5ct
SD1738	*Cefpirome	CFP 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1081	Chloramphenicol	C 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1153	Chloramphenicol C 25 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1165	*Cloxacillin COX 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1131	Chloramphenicol C 50 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1284	*Cloxacillin COX 200 mcg	1112.00 518.00 2021.00 1125.00 1134.00	1pk 1vl 5vl 5x50ds 5ct
SD1007	Chlortetracycline CT 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1009	Colistin (Methane Sulphonate) CL 10 mcg	581.00 284.00 1107.00 603.00 621.00	1pk 1vl 5vl 5x50ds 5ct
SD1060A	Ciprofloxacin CIP 1 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1108	Colistin (Methane Sulphonate) CL 25 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1080	Ciprofloxacin CIP 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1097	Colistin (Methane Sulphonate) CL 50 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1142	Ciprofloxacin CIP 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1071	Co-Trimazine (Human) CM 25 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1164	Clindamycin CD 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1052	*Dicloxacillin D/C 1 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1008	*Cloxacillin COX 1 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1120	Doxycycline Hydrochloride DO 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1075	*Cloxacillin COX 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1156	Enrofloxacin EX 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1143	*Cloxacillin COX 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1150	Enrofloxacin EX 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
				SD1222	Erythromycin E 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1083	Erythromycin E 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1740	Gatifloxacin GAT 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1140	Floxidin FL 20 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1166	Gentamicin GEN 50 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1141	Floxidin FL 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1265	*Imipenem/Cilastin IC 10/10 mcg	1463.00 707.00 2781.00 1490.00 1557.00	1pk 1vl 5vl 5x50ds 5ct
SD1179	Fosfomycin FO 50 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1282	*Imipenem-EDTA IE 10/750 mcg For detection of MBL producers.	770.00 3020.00 1899.00	1vl 5vl 5x50ds
SD1014	Framycetin F 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1214	Isepamicin IP 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1169	Fusidic Acid FC 30 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct	SD1223	Kanamycin K 5 mcg	473.00 217.00 882.00 482.00 495.00	1pk 1vl 5vl 5x50ds 5ct
SD1015	Furazolidone FR 50 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1837	Kanamycin K 1000 mcg Recommended for use in the presumptive identification and differentiation of gram-negative anaerobic bacilli and not for therapeutic purposes.	1602.00 756.00 2970.00 1639.00 1737.00	1pk 1vl 5vl 5x50ds 5ct
SD1197	Furazolidone FR 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1018	Lincomycin L 2 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1042	Furoxone FX 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1084	Lincomycin L 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1753	Gatifloxacin GAT 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1098	Lincomycin L 15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1260	Lomefloxacin LOM 15 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct	SD1731	Neomycin N 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1125	Lomefloxacin LOM 30mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct	SD1022	Neomycin N 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1177	Mecillinam MEC 25 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct	SD1090	Nitrofurantoin NIT 200 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1068	Methanamine Mandalate ME 3 mg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1024	Nitrofurazone NR 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1136	*Methicillin MET 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1184	Norfloxacin NX 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1137	*Methicillin MET 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1121	Novobiocin NV 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1099	Metronidazole MT 4 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1053	Novobiocin NV 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1020	Metronidazole MT 5 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1069	Ofloxacin OF 2 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1748	Mupirocin MUP 5 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct	SD1026	Oleandomycin OL 15 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1258	Nadifloxacin NAD 5 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct	SD1043	*Oxacillin OX 5 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
 1PK contains 5ct = 5x50 discs in plastic container
 1VL = contains 100 discs in vial,
 5VL = 5x100 discs in vial,
 5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
 On receipt all the other products to be stored between -20°-8°C.
 For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1027	Oxytetracycline O 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1127	Rifampicin RIF 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1144	*Penicillin-G P 2 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1126	Roxithromycin RO 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1185	Pipemidic Acid PA 20 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1059	Sisomicin SS 10 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct
SD1175	Pipemidic Acid PA 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1054	Spiramycin SR 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1132	*Piperacillin PI 75 mcg	505.00 239.00 954.00 527.00 540.00	1pk 1vl 5vl 5x50ds 5ct	SD1101	Spiramycin SR 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1106	Polymyxin-B PB 50 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1067	Sterile Discs — —	311.00 162.00 603.00 325.00 338.00	1pk 1vl 5vl 5x50ds 5ct
SD1139	Polymyxin-B PB 100 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1091	Streptomycin S 25 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1267	Prulifloxacin (Ulifloxacin) PRU 10 mcg	482.00 221.00 914.00 495.00 505.00	1pk 1vl 5vl 5x50ds 5ct	SD1056	Sulfasomidine SO 300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1096	Rifampicin RIF 2 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1092	Sulphadiazine SZ 100 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1128	Rifampicin RIF 15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1034	Sulphadiazine SZ 300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1033	Sulphamethizole SM 300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1163	Vancomycin VA 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1055	Sulphamethoxy-pyridazine ST 300 mcg	405.00 199.00 779.00 415.00 432.00	1pk 1vl 5vl 5x50ds 5ct	SD1182	Virginamycin VI 15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1036	Sulphaphenazole SP 200 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	ESBL Identification Test Kits			
SD1133	Tetracycline TE 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1239	*Kit II for ESBL Identification, Cefepime Kit contains 6 cartridges (6CT): 3CT of SD1219 Cefepime 30 mcg, 3CT of SD1234 Cefepime /Clavulanic acid 30/10 mcg	792.00	1 kit
SD1154	Tobramycin TOB 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1241	*Kit IV for ESBL Identification, Cefpirome Kit contains 6 cartridges (6CT): 3CT of SD1738 Cefpirome 30 mcg, 3CT of SD1235 Cefpirome /Clavulanic acid 30/7.5 mcg	792.00	1 kit
SD1093	Trimethoprim TR 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	Antifungal Agents			
SD1148	Trimethoprim TR 25 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1111	Amphotericin-B AP 100 units	657.00 311.00 1233.00 662.00 693.00	1pk 1vl 5vl 5x50ds 5ct
SD1149	Trimethoprim TR 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1233	Amphotericin B AP 20 mcg	657.00 311.00 1233.00 662.00 693.00	1pk 1vl 5vl 5x50ds 5ct
SD1038	Triple Sulphas S3 300 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1270	Amphotericin B AP 50 mcg	657.00 311.00 1233.00 662.00 693.00	1pk 1vl 5vl 5x50ds 5ct
SD1199	Tylosine TL 15 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1115	Clotrimazole CC 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
				SD1114	Fluconazole FLC 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct

Packing : NEW 5x50DS = 5 vials of 50 discs each.
1PK contains 5ct = 5x50 discs in plastic container
1VL = contains 100 discs in vial,
5VL = 5x100 discs in vial,
5CT = contains 5x50 discs in blister pack.

* : On receipt, store at -20°C.
On receipt all the other products to be stored between -20°-8°C.
For prolonged use, store at or below -20°C.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
SD1221	Itraconazole IT 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1273	Miconazole MIC 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1276	Itraconazole IT 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1272	Miconazole MIC 50 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1224	Ketoconazole KT 10 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1025	Nystatin NS 100 units	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1275	Ketoconazole KT 30 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct	SD1271	Nystatin NS 50 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct
SD1274	Ketoconazole KT 50 mcg	392.00 199.00 756.00 405.00 415.00	1pk 1vl 5vl 5x50ds 5ct				



Product Code	Product Name	Price	Packing
<p>Antimicrobial Susceptibility Testing - Mic6 (Hexa) Discs Microgen 6-in one ready antibiotic combination modules</p> <p>[To be used on 90 mm plates or 100 mm plates]</p> <h2>Mic6 (HEXA) DISCS</h2> <p>Test 6 different antibiotics at once.</p> <ul style="list-style-type: none"> • Microgen's Mic6 (Hexa) discs are enhanced extensions of Single Discs. These series of discs gives the privilege to study 6 antibiotics on a single plate. • These are flat circular rings, made of inert material w/ 6 equidistant arms on the outer periphery w/ a 6 mm filter paper disc at the end. • These discs placed at a distance of 24 mm apart from each other are impregnated with 6 different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging. • The unique inert material used for making the rings allows faster absorption of the rings and hence a uniform diffusion of the antibiotics on to the medium. • The discs are available in various pre-selected combinations of 6 antibiotics. However rings can be made as per individual customized specification. • These discs are to be used on 100 mm plates like 90mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (90 mm) and Mueller Hinton Agar (100 mm) <p>Note: In product description column Symbol & Quantity are given in bracket after the Antibiotics name.</p>			
HX1001	*Mic6 (Hexa) G-plus 1 Penicillin-G (P - 10 units), Oxacillin (OX - 1mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Amoxyclav (AMC - 30 mcg)	252.00	1pk
HX1002	*Mic6 (Hexa) G-plus 2 Penicillin-G (P - 10 units), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Vancomycin (VA - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg)	230.00	1pk
HX1003	*Mic6 (Hexa) G-plus 3 Vancomycin (VA - 30 mcg), Ofloxacin (OF - 5 mcg), Teicoplanin (TEI - 30 mcg), Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Cefoxitin (CX - 30 mcg)	230.00	1pk
HX1004	Mic6 (Hexa) G-plus 4 Piperacillin (PI - 100 mcg), Linezolid (LZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Teicoplanin (TEI - 30 mcg), Vancomycin (VA - 30 mcg), Gentamicin (GEN - 10 mcg)	230.00	1pk

Product Code	Product Name	Price	Packing
HX1005	*Mic6 (Hexa) G-plus 5 Tetracycline (TE - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Cloxacillin (COX - 1 mcg), Lincomycin (L - 2 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	207.00	1pk
HX1022	*Mic6 (Hexa) G-plus 6 Ampicillin (AMP - 10 mcg), Chloramphenicol (C - 25 mcg), Penicillin-G (P - 1 unit), Streptomycin (S - 10 mcg), Sulphatriad (S3 - 300 mcg), Tetracycline (TE - 25 mcg)	207.00	1pk
HX1023	*Mic6 (Hexa) G-plus 7 Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk
HX1024	*Mic6 (Hexa) G-plus 8 Penicillin-G (P - 10 units), Methicillin (MET - 5 mcg), Vancomycin (VA - 30 mcg), Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Ampicillin (AMP - 10 mcg)	207.00	1pk
HX1027	*Mic6 (Hexa) G-Plus 9 Gentamicin (GEN - 10 mcg), Vancomycin (VA - 30 mcg), Fusidic acid (FC - 10 mcg), Chloramphenicol (C - 30 mcg), Methicillin (MET - 5 mcg), Cefepime (CPM - 30 mcg)	239.00	1pk
HX1031	*Mic6 (Hexa) G-Plus 10 Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1034	*Mic6 (Hexa) G-plus 11 Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00	1pk
HX1040	*Mic6 (Hexa) G-plus 13 Cloxacillin (COX - 5 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1047	*Mic6 (Hexa) G-plus 25 Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
HX1048	*Mic6 (Hexa) G-plus 26 Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Penicillin-G (P - 10 units)	207.00	1pk
HX1049	*Mic6 (Hexa) G-plus 27 Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
HX1080	*Mic6 (Hexa) G-plus 14 Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Linezolid (LZ - 30 mcg), Streptomycin (S - 10 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk	HX1028	*Mic6 (Hexa) G-minus 7 Recommended for use in the presumptive identification and differentiation of gram-negative anaerobic bacilli and not for therapeutic purposes. Kanamycin (K - 1000 mcg), Rifampicin (RIF - 15 mcg), Penicillin-G (P - 2 units), Vancomycin (VA - 5 mcg), Erythromycin (E - 60 mcg), Colistin (CL - 10 mcg)	482.00	1pk
HX1081	*Mic6 (Hexa) G-plus 15 Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Linezolid (LZ - 30 mcg), Penicillin-G (P - 10 units), Streptomycin (S - 10 mcg), Vancomycin (VA - 30 mcg)	207.00	1pk	HX1030	*Mic6 (Hexa) G-Minus 8 Amikacin (AK - 30mcg), Ceftazidime (CAZ - 30 mcg), Aztreonam (AT - 30 mcg), Piperacillin (PI - 100 mcg), Imipenam (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg)	239.00	1pk
HX1083	*Mic6 (Hexa) G-plus 17 Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Fosfomycin (FO - 200 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk	HX1035	*Mic6 (Hexa) G-minus 9 Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Nalidixic acid (NA - 30 mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1090	*Mic6 (Hexa) G-plus 18 Ciprofloxacin (CIP - 5 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Lincomycin (L - 15 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30 mcg)	207.00	1pk	HX1056	*Mic6 (Hexa) G-minus 26 Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg)	207.00	1pk
HX1091	*Mic6 (Hexa) G-plus 19 Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Levofloxacin (LE - 5 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA - 30 mcg)	230.00	1pk	HX1058	*Mic6 (Hexa) G-minus 28 Amoxycylav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Levofloxacin (LE - 5 mcg)	207.00	1pk
HX1092	Mic6 (Hexa) G-plus 20 Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Fusidic Acid (FC - 30 mcg), Linezolid (LZ - 30 mcg), Rifampicin (RIF - 5 mcg), Tetracycline (TE - 30 mcg)	239.00	1pk	HX1060	*Mic6 (Hexa) G-minus 11 Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Ceftriaxone (CTR - 30 mcg), Ofloxacin (OF - 5 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg)	207.00	1pk
HX1101	*Mic6 (Hexa) G-plus 24 Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Clindamycin (CD - 2 mcg), Amoxycylav (AMC - 30 mcg), Clarithromycin (CLR - 30 mcg)	239.00	1pk	HX1063	*Mic6 (Hexa) G-minus 14 Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
Gram - Negative Organisms				HX1064	*Mic6 (Hexa) G-minus 15 Ampicillin (AMP - 10 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenam (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	239.00	1pk
HX1006	*Mic6 (Hexa) G-minus 1 Ampicillin (AMP - 10 mcg), Amoxycylav (AMC - 30 mcg), Cefotaxime (CTX - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Tobramycin (TOB - 10 mcg)	207.00	1pk	HX1070	*Mic6 (Hexa) G-minus 21 Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
HX1007	*Mic6 (Hexa) G-minus 2 Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Amikacin (AK - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Netillin (NET - 30 mcg), Nalidixic acid (NA - 30 mcg)	217.00	1pk	HX1095	*Mic6 (Hexa) G-minus 23 For Initial Screen test of ESBL producers Aztreonam (AT - 30 mcg), Cefpodoxime (CPD - 10 mcg), Cefpodoxime/Clavulanic acid (CCL - 10/5 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefotaxime (CTX - 30 mcg)	230.00	1pk
HX1008	*Mic6 (Hexa) G-minus 3 Co-Trimoxazole (COT - 25 mcg), Amoxycylav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg), Tetracycline (TE - 30 mcg), Ofloxacin (OF - 5 mcg), Cefuroxime (CXM - 30 mcg)	207.00	1pk				
HX1010	*Mic6 (Hexa) G-minus 5 Cefotaxime (CTX - 30 mcg), Levofloxacin (LE - 5 mcg), Aztreonam (AT - 30 mcg), Imipenam (IPM - 10 mcg), Amikacin (AK - 30 mcg), Ceftazidime (CAZ - 30 mcg)	239.00	1pk				



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
HX1096	*Mic6 (Hexa) G-minus 24 For Phenotypic Confirmation of ESBL producers Cefpodoxime (CPD - 10 mcg), Cefpodoxime/Clavulanic acid (CCL - 10/5 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefotaxime (CTX - 30 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10mcg)	252.00	1pk	HX1074	*Mic6 (Hexa) UTI 6 Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefuroxime axetil (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
Pseudomonas				HX1075	*Mic6 (Hexa) UTI 7 Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
HX1011	*Mic6 (Hexa) Pseudo 1 Cefoperazone (CPZ - 75 mcg), Piperacillin (PI - 100 mcg), Levofloxacin (LE - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30mcg), Colistin (CL - 10 mcg)	239.00	1pk	HX1077	*Mic6 (Hexa) UTI 9 Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk
HX1051	*Mic6 (Hexa) Pseudo 7 Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg)	239.00	1pk	HX1079	*Mic6 (Hexa) UTI 11 Amikacin (AK - 30 mcg), Amoxyclav (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Fosfomycin (FO - 200 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	207.00	1pk
HX1055	*Mic6 (Hexa) Pseudo 11 Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg), Tobramycin (TOB - 10 mcg)	239.00	1pk	Haemophilus			
HX1103	*Mic6 (Hexa) Pseudo 12 Ciprofloxacin (CIP - 5 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Ertapenem (ETP - 10 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	289.00	1pk	HX1086	*Mic6 (Hexa) Haemophilus 6 Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg)	207.00	1pk
UTI Pathogenic Organisms				Pneumococci			
HX1014	*Mic6 (Hexa) UTI 1 Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg), Oxytetracycline (O - 30 mcg), Cefuroxime (CXM - 30 mcg), Amoxyclav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg)	207.00	1pk	HX1020	*Mic6 (Hexa) Pneumococci 2 Vancomycin (VA - 30 mcg), Cefuroxime (CXM - 30 mcg), Levofloxacin (LE - 5 mcg), Gentamicin (GEN - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg) Co-Trimoxazole (COT - 25 mcg)	207.00	1pk
HX1072	*Mic6 (Hexa) UTI 13 Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Fosfomycin (FO - 200 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk	HX1042	*Mic6 (Hexa) Pneumococci-4 Oxacillin (OX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Levofloxacin (LE - 5 mcg), Lincomycin (L - 15 mcg), Tetracycline (TE - 30 mcg)	239.00	1pk
HX1073	*Mic6 (Hexa) UTI 5 Amoxyclav (AMC - 30 mcg), Ampicillin (AMP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	207.00	1pk	HX1046	*Mic6 (Hexa) Pneumococci-8 Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Oxacillin (OX - 1 mcg), Rifampicin (RIF - 5 mcg), Vancomycin (VA - 30 mcg)	239.00	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Anaerobic Bacteria				Antifungal			
HX1021	*Mic6 (Hexa) Anaerobic 1 Penicillin-G (P - 10 units), Tetracycline (TE - 30 mcg), Lincomycin (L - 2 mcg), Gentamicin (GEN - 10 mcg), Cefotaxime (CTX - 30 mcg), Cefoxitin (CX - 30 mcg)	207.00	1pk	HX1104	Mic6 (Hexa) Antimyc0-01 Amphotericin-B (AP - 100 units), Clotrimazole (CC - 10 mcg), Fluconazole (FLC - 25 mcg), Itraconazole (IT - 10 mcg), Ketoconazole (KT - 10 mcg), Nystatin (NS - 100 units)	239.00	1pk
HX1032	*Mic6 (Hexa) Universal - 1 Bacitracin (B - 10 units), Chloramphenicol (C - 30 mcg), Penicillin-G (P - 10 units), Polymyxin B (PB - 300 mcg), Gentamicin (GEN - 10 mcg), Neomycin (N - 30 mcg)	207.00	1pk	HX1715	*Mic6 (Hexa) Universal - 4 Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Gentamicin (HLG - 120 mcg), Ceftriaxone (CTR - 30 mcg)	203.00	1pk
HX1038	*Mic6 (Hexa) Universal-2 Cefotaxime (CTX - 30 mcg), Augmentin (AMC - 30 mcg), Erythromycin (E - 10 mcg), Chloramphenicol (C - 30 mcg), Ofloxacin (OF - 5 mcg), Co-Trimoxazole (COT - 25 mcg)	207.00	1pk	HX1716	Mic6 (Hexa) Universal - 5 Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5mcg), Clindamycin (CD - 2 mcg), Teicoplanin (TEI - 30 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg)	203.00	1pk



Antimicrobial Susceptibility Testing-Mic8(Octo) discs Microgen
8-in-one ready antibiotic combination modules

Mic8 (OCTO) DISCS

Test 8 different antibiotics in one shot

- Available in two different sizes, Microgen Mic8 (Octo) Discs will help in testing 8 different antibiotics in one shot.
- These are flat circular rings, made of inert material w/ 8 equidistant arms on the outer periphery w/ a 6 mm filter paper disc at the end. Available in 2 sizes, the smaller size can be used on 90 mm plates, whereas the bigger sizes are to be used on 120 mm plates.
- For the bigger size rings, the discs placed at a distance of 24 mm apart from each other are impregnated w/ 8 different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging.
- However for smaller rings, the distance between the two discs is lesser than 24 mm which might lead to merging of zones.
- The unique inert material used for making the rings allows faster absorption of the rings and hence a uniform diffusion of the antibiotics on to the medium.
- The discs are available in various pre-selected combinations of 8 antibiotics. Also rings can be made as per individual customized specification.
- The smaller size rings are to be used on 100 mm plates or 90mm plates.

Also available are ready prepared media plates of Mueller Hinton Agar (90 mm) and Mueller Hinton Agar (100 mm)

- For the bigger size rings, 120 mm plates are to be used. Also available are ready prepared media plates of Mueller Hinton Agar (120 mm)

Note: In product description column Symbol & Quantity are given in bracket after the Antibiotics name.

Product Code	Product Name	Price	Packing
OD1020	*Mic8 Combi I	230.00	1pk
OD1020R	Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 1 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30mcg)	230.00	1pk
OD1023	*Mic8 Combi IV	262.00	1pk
OD1023R	Ampicillin (AMP - 10 mcg), Cephalothin (CEP - 30 mcg), Chloramphenicol (C - 30 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Oxacillin (OX - 1 mcg), Vancomycin (VA-30mcg)	262.00	1pk
OD1026	*Mic8 Combi VII	230.00	1pk
OD1026R	Amoxicillin (AMX - 10 mcg), Cloxacillin (COX - 5 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 10 mcg), Penicillin-G (P - 2 units), Co-Trimoxazole (COT - 25 mcg), Penicillin-V (PV - 3 mcg), Cefalexin (CN - 30 mcg)	230.00	1pk
OD1271	*Mic8 Combi 69	230.00	1pk
OD1271R	Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Gatifloxacin (GAT - 5 mcg), Aztreonam (AT - 30 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg)	230.00	1pk
OD1277	*Mic8 Combi 77	230.00	1pk
OD1277R	Amikacin (AK - 30 mcg), Cefotaxime (CTX - 30 mcg), Amoxicillin (AMX - 30 mcg), Cefepime (CPM - 30mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Isepamicin (IP - 30 mcg)	230.00	1pk
OD1280	*Mic8 Combi 80	230.00	1pk
OD1280R	Penicillin-G (P - 10 units), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Cefazolin (CZ - 30 mcg), Clindamycin (CD - 2 mcg), Cloxacillin (COX - 30 mcg), Erythromycin (E - 15 mcg), Teicoplanin (TEI - 30 mcg)	230.00	1pk
OD1281	*Mic8 Combi 85	230.00	1pk
OD1281R	Co-Trimoxazole (COT - 25 mcg), Gatifloxacin (GAT - 5 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefalexin (CN - 30 mcg), Chloramphenicol (C - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Azithromycin (AZM - 15 mcg)	230.00	1pk
OD1291	*Mic8 Combi 90	262.00	1pk
OD1291R	Ampicillin (AMP - 10 mcg), Levofloxacin (LE - 5 mcg), Vancomycin (VA - 30 mcg), Cephalothin (CEP - 30 mcg), Gentamicin (GEN - 10 mcg), Oxacillin (OX - 1 mcg), Clindamycin (CD - 2 mcg), Erythromycin (E - 15 mcg)	262.00	1pk
OD1298	*Mic8 Combi 94	320.00	1pk
OD1298R	Amikacin (AK - 30 mcg), Amoxyclav (AMC - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Azithromycin (AZM - 15mcg), Cefepime (CPM - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Cefpirome (CFP - 30 mcg), Ceftazidime (CAZ - 30 mcg)	320.00	1pk
OD1286	*Mic8 Combi 510	230.00	1pk
OD1286R	Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Clindamycin (CD - 2 mcg), Ofloxacin (OF - 5 mcg), Azithromycin (AZM - 15 mcg), Tetracycline (TE - 30 mcg)	230.00	1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used. * On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C. The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
OD1290	*Mic8 Combi 514	230.00	1pk	OD1002	*Mic8 G-II-plus	262.00	1pk
OD1290R	Penicillin-G (P - 2 units), Erythromycin (E - 10 mcg), Cefazolin (CZ - 30 mcg), Lincomycin (L - 2 mcg), Cloxacillin (COX - 5 mcg), Vancomycin (VA - 30 mcg), Gentamicin (GEN - 10 mcg), Teicoplanin (TEI - 30 mcg)	230.00	1pk	OD1002R	Ampicillin (AMP - 10 mcg), Carbenicillin (CB - 100 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Co-trimazine (CM - 25 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Oxacillin (OX - 5 mcg)	262.00	1pk
OD1740	*Mic8 Combi 523	333.00	1pk	OD1003	*Mic8 G-III-plus	230.00	1pk
OD1740R	Amoxycylav (AMC - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Cefuroxime (CXM - 30 mcg)	333.00	1pk	OD1003R	Amikacin (AK - 10 mcg), Amoxicillin (AMX - 10 mcg), Bacitracin (B - 10 units), Cephalothin (CEP - 30 mcg), Erythromycin (E - 15 mcg), Novobiocin (NV - 30 mcg), Oxytetracycline (O - 30 mcg), Vancomycin (VA - 30 mcg)	230.00	1pk
OD1741	*Mic8 Combi 524	302.00	1pk	OD1033	*Mic8 G-V-plus	230.00	1pk
OD1741R	Levofloxacin (LE - 5 mcg), Cefpodoxime (CPD - 10 mcg), Ceftizoxime (CZX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Ofloxacin (OF - 5 mcg), Ticarcillin (TI - 75 mcg)	302.00	1pk	OD1033R	Amoxicillin (AMX-10 mcg), Tetracycline (TE-30 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Erythromycin (E - 15 mcg), Chloramphenicol (C - 30 mcg), Cefalexin (CN - 30 mcg)	230.00	1pk
OD1750	*Mic8 Combi 533	302.00	1pk	OD1034	*Mic8 G-VI-plus	243.00	1pk
OD1750R	Amoxycillin (AMX - 10 mcg), Amoxycylav (AMC - 10 mcg), Ceftriaxone (CTR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg)	302.00	1pk	OD1034R	Ceftriaxone (CTR - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Lincomycin (L - 2 mcg), Netilmicin (NET - 30 mcg), Ofloxacin (OF - 2 mcg), Vancomycin (VA - 30 mcg), Amikacin (AK - 30 mcg)	243.00	1pk
OD1751	*Mic8 Combi 534	387.00	1pk	OD1041	*Mic8 G-XII-plus	230.00	1pk
OD1751R	Ceftazidime (CAZ - 30 mcg), Cefotaxime (CTX - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Colistin (CL - 10 mcg), Cefepime (CPM - 30 mcg)	387.00	1pk	OD1041R	Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Amikacin (AK - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00	1pk
OD1752	*Mic8 Combi 535	302.00	1pk	OD1050	*Mic8 G-XIV-plus	230.00	1pk
OD1752R	Ampicillin (AMP - 10 mcg), Amoxycylav (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gatifloxacin (GAT - 5 mcg), Lincomycin (L - 2 mcg), Cefotaxime (CTX - 30 mcg)	302.00	1pk	OD1050R	Penicillin-G (P - 10 units), Gentamicin (GEN - 10 mcg), Augmentin (AMC - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Erythromycin (E - 10 mcg), Fusidic acid (FC - 10 mcg), Chloramphenicol (C - 30 mcg), Vancomycin (VA - 30 mcg)	230.00	1pk
OD1753	*Mic8 Combi 536	302.00	1pk	OD1303	*Mic8 G Plus-15	262.00	1pk
OD1753R	Cefoxitin (CX - 30 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Cefpirome (CFP - 30 mcg)	302.00	1pk	OD1303R	Penicillin-G (P - 10 units), Ampicillin (AMP - 10 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Erythromycin (E - 15 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Gentamicin (HLG - 120 mcg), Levofloxacin (LE - 5 mcg)	262.00	1pk
OD1754	*Mic8 Combi 537	320.00	1pk	OD1304	*Mic8 G Plus-16	262.00	1pk
OD1754R	Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Co-trimoxazole (COT - 25 mcg), Ofloxacin (OF - 5 mcg), Tobramycin (TOB - 10 mcg), Roxithromycin (RO - 15 mcg), Cefoperazone/Subactam (CFS - 75/10 mcg), Cefixime (CFM - 5 mcg)	320.00	1pk	OD1304R	Penicillin-G (P - 10 units), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Cefoxitin (CX - 30 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Gentamicin (GEN - 10 mcg)	262.00	1pk
OD1001	*Mic8 G-I-plus	230.00	1pk	OD1305	*Mic8 G Plus-17	271.00	1pk
OD1001R	Amoxycylav (AMC - 10 mcg), Cefalexin (CN - 10 mcg), Ciprofloxacin (CIP - 10 mcg), Clindamycin (CD - 2 mcg), Cloxacillin (COX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Tetracycline (TE - 30 mcg)	230.00	1pk	OD1305R	Doxycycline Hydrochloride (DO - 30 mcg), Levofloxacin (LE - 5 mcg), Cefepime (CPM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Quinupristin/Dalfopristin (RP - 15/15 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg), Sparfloxacin (SPX - 5 mcg)	271.00	1pk
				OD1309	*Mic8 G Plus-18	284.00	1pk
				OD1309R	Oxacillin (OX - 1 mcg), Penicillin-G (P - 10 units), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Teicoplanin (TEI - 30 mcg), Gentamicin (HLG - 120 mcg)	284.00	1pk



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Gram - Negative Organisms				OD1297	*Mic8 Combi 518	271.00	1pk
OD1258	Mic8 Combi 61	289.00	1pk	OD1297R	Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ofloxacin (OF - 5 mcg), Gatifloxacin (GAT - 5 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrochloride (DO - 30 mcg)	271.00	1pk
OD1258R	Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Levofloxacin (LE - 5 mcg)	289.00	1pk	OD1005	*Mic8 G-I-minus	230.00	1pk
OD1272	*Mic8 Combi 70	230.00	1pk	OD1005R	Ampicillin (AMP-10 mcg), Ciprofloxacin (CIP-10 mcg), Colistin (CL - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg), Tetracycline (TE - 30 mcg)	230.00	1pk
OD1272R	Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg) Norfloxacin (NX - 10 mcg), Levofloxacin (LE - 5 mcg), Aztreonam (AT - 30 mcg), Gatifloxacin (GAT - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00	1pk	OD1006	*Mic8 G-II-minus	230.00	1pk
OD1278	*Mic8 Combi 78	230.00	1pk	OD1006R	Cefotaxime (CTX - 30 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Chloramphenicol (C - 30 mcg), Nalidixic acid (NA - 30 mcg), Furazolidone (FR - 50 mcg), Norfloxacin (NX - 10 mcg), Oxytetracycline (O - 30 mcg)	230.00	1pk
OD1278R	Ceftriaxone (CTR - 30 mcg), Gentamicin (GEN - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Netillin (NET - 30 mcg), Tetracycline (TE - 30 mcg), Amoxycylav (AMC - 30 mcg), Ofloxacin (OF - 5 mcg)	230.00	1pk	OD1007	*Mic8 G-III-minus	230.00	1pk
OD1293	*Mic8 Combi 92	230.00	1pk	OD1007R	Amikacin (AK - 10 mcg), Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 10 mcg), Co-Trimazine (CM - 25 mcg), Kanamycin (K - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Streptomycin (S - 10 mcg), Tetracycline (TE - 30 mcg)	230.00	1pk
OD1293R	Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefoxitin (CX - 30 mcg), Cefoxatime (CTX - 30 mcg), Ceftriaxone (CTR - 30 mcg)	230.00	1pk	OD1042	*Mic8 G-VI-minus	243.00	1pk
OD1284	*Mic8 Combi 508	243.00	1pk	OD1042R	Ceftazidime (CAZ - 30 mcg), Ciprofloxacin (CIP - 30 mcg), Cefotaxime (CTX - 30 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Netillin (NET - 30 mcg), Ofloxacin (OF - 5 mcg)	243.00	1pk
OD1284R	Ceftazidime (CAZ-30 mcg), Cefotaxime (CTX-30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Netillin (NET - 30 mcg), Gatifloxacin (GAT - 30 mcg)	243.00	1pk	OD1043	*Mic8 G-VII-minus	230.00	1pk
OD1285	*Mic8 Combi 509	262.00	1pk	OD1043R	Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Kanamycin (K - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg), Streptomycin (S - 25 mcg)	230.00	1pk
OD1285R	Tobramycin (TOB - 10 mcg), Imipenem (IPM - 10 mcg), Augmentin (AMC - 30 mcg), Cefoxitin (CX - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Cefoperazone (CPZ - 75 mcg), Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg)	262.00	1pk	OD1044	*Mic8 G-VIII-minus	230.00	1pk
OD1289	*Mic8 Combi 513	230.00	1pk	OD1044R	Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 300 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 25 mcg), efalexin (CN - 30 mcg), Norfloxacin (NX - 10 mcg), Mecillinam (MEC - 33 mcg)	230.00	1pk
OD1289R	Cefuroxime (CXM - 30 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Ceftriaxone (CTR - 30 mcg), Amikacin (AK - 30 mcg), Cephalothin (CEP - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00	1pk	OD1047	*Mic8 G-XI-minus	230.00	1pk
OD1296	*Mic8 Combi 517	230.00	1pk	OD1047R	Chloramphenicol (C - 25 mcg), Ampicillin (AMP - 25 mcg), Tetracycline (TE - 25 mcg), Gentamicin (GEN - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Ceftriaxone (CTR -30 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 10 mcg)	230.00	1pk
OD1296R	Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefpirome (CFP - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ceftizoxime (CZX - 30 mcg), Polymyxin-B (PB - 300 units)	230.00	1pk				

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used. * On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C. The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
OD1061	*Mic8 G-XXII-minus	243.00	1pk	OD1256	*Mic8 Combi 59	243.00	1pk
OD1061R	Chloramphenicol (C - 30 mcg), Ampicillin (AMP - 10 mcg), Tetracycline (TE - 30 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Kanamycin (K - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Amikacin (AK - 30 mcg)	243.00	1pk	OD1256R	Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Carbenicillin (CB - 100 mcg), Cephalothin (CEP - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 75 mcg)	243.00	1pk
OD1301	*Mic8 G minus-24	262.00	1pk	OD1257	*Mic8 Combi 60	230.00	1pk
OD1301R	Piperacillin /Tazobactam (PIT - 100/10 mcg), Piperacillin (PI - 100 mcg), Gentamicin (GEN - 10 mcg), Cefotaxime (CTX - 30 mcg), Amikacin (AK - 30 mcg), Meropenem (MRP - 10 mcg), Cefepime (CPM - 30 mcg), Levofloxacin (LE - 5 mcg)	262.00	1pk	OD1257R	Amoxycylav (AMC-10 mcg), Ceftriaxone (CTR-30 mcg), Ceftizoxime (CZX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefpodoxime (CPD - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	230.00	1pk
OD1302	*Mic8 G minus-25	289.00	1pk	OD1294	*Mic8 Combi 93	289.00	1pk
OD1302R	Ampicillin (AMP - 10 mcg), Amoxicillin /Clavulanic acid (AMC - 20/10 mcg), Cefoxitin (CX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime /Clavulanic acid (CAC - 30/10 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Aztreonam (AT - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	289.00	1pk	OD1294R	Amikacin (AK - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Gentamicin (GEN - 10 mcg), Meropenem (MRP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Aztreonam (AT - 30 mcg), Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg)	289.00	1pk
OD1310	*Mic8 G minus-26	342.00	1pk	OD1008	*Mic8 Pseudo	230.00	1pk
OD1310R	Piperacillin /Tazobactam (PIT - 100/10 mcg), Ampicillin /Sulbactam (A/S - 10/10 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Ceftriaxone (CTR - 75 mcg), Cefepime (CPM - 30 mcg), Imipenem/Cilastin (IC - 10/10 mcg), Nalidixic acid (NA - 30 mcg)	342.00	1pk	OD1008R	Amikacin (AK - 10 mcg), Carbenicillin (CB - 100 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 10 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg)	230.00	1pk
OD1311	*Mic8 G minus-27	284.00	1pk	OD1063	*Mic8 Pseudo V	230.00	1pk
OD1311R	Cefixime (CFM - 5 mcg), Polymyxin B (PB - 300 units), Norfloxacin (NX - 10 mcg), Netilmicin (NET - 30 mcg), Levofloxacin (LE - 5 mcg), Cefoperazone (CPZ - 75 mcg), Colistin (CL - 10 mcg), Aztreonam (AT - 30 mcg)	284.00	1pk	OD1063R	Amikacin (AK - 30 mcg), Carbenicillin (CB - 100 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg)	230.00	1pk
OD1312	*Mic8 G Minus-28	320.00	1pk	OD1307	*Mic8 Pseudo-6	271.00	1pk
OD1312R	Piperacillin /Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Cefepime (CPM - 30 mcg), Cefotaxime (CTX - 30 mcg), Levofloxacin (LE - 5 mcg)	320.00	1pk	OD1307R	Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 100 mcg), Piperacillin /Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Cefoperazone (CPZ - 75 mcg), Levofloxacin (LE - 5 mcg), Meropenem (MRP - 10 mcg)	271.00	1pk
OD1313	*Mic8 G Minus-29	289.00	1pk	UTI Pathogenic Organisms			
OD1313R	Cefepime /Tazobactam (CPT - 30/10 mcg), Netillin (NET - 30 mcg), Amoxicillin /Clavulanic acid (AMC - 20/10 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Imipenem (IPM - 10 mcg), Aztreonam (AT - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefuroxime (CXM - 30 mcg)	289.00	1pk	OD1022	*Mic8 Combi III	230.00	1pk
Pseudomonas				OD1022R	Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Cephalothin (CEP - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg)	230.00	1pk
OD1025	*Mic8 Combi VI	243.00	1pk	OD1030	*Mic8 Combi XI	230.00	1pk
OD1025R	Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Cefoxitin (CX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 100 mcg)	243.00	1pk	OD1030R	Ampicillin (AMP - 25 mcg), Tetracycline (TE - 50 mcg), Co-Trimoxazole (COT - 25 mcg), Nalidixic acid (NA - 30 mcg), Mecillinam (MEC - 25 mcg), Gentamicin (GEN - 10 mcg), Colistin (CL - 50 mcg), Norfloxacin (NX - 10 mcg)	230.00	1pk
OD1031	*Mic8 Combi XII	243.00	1pk	OD1270	*Mic8 Combi 68	230.00	1pk
OD1031R	Amikacin (AK - 10 mcg), Augmentin (AMC - 30 mcg), Cefotaxime (CTX - 10 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 75 mcg), Ceftazidime (CAZ - 30 mcg), Colistin (CL - 25 mcg)	243.00	1pk	OD1270R	Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	230.00	1pk



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
OD1273	*Mic8 Combi 71	230.00	1pk	OD1054	*Mic8 UTI-XII	230.00	1pk
OD1273R	Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 50 mcg)	230.00	1pk	OD1054R	Ampicillin (AMP - 25 mcg), Gentamicin (GEN - 10 mcg), Carbenicillin (CB - 100 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 50 mcg), Tetracycline (TE - 100 mcg), Co-Trimoxazole (COT - 25 mcg), Nicene (NI - 30 mcg)	230.00	1pk
OD1066	*Mic8 Combi 82	262.00	1pk	OD1306	*Mic8 UTI-18	262.00	1pk
OD1066R	Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	262.00	1pk	OD1306R	Norfloxacin (NX - 10 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Ofloxacin (OF - 5 mcg), Carbenicillin (CB - 100 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Co-Trimoxazole (COT - 25 mcg), Ceftazidime (CAZ - 30 mcg)	262.00	1pk
OD1067	*Mic8 Combi 83	230.00	1pk	Sputum & Respiratory Pathogenic Organisms			
OD1067R	Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Nalidixic acid (NA - 30 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 300 mcg)	230.00	1pk	OD1269	*Mic8 Combi 67	271.00	1pk
OD1292	*Mic8 Combi 91	230.00	1pk	OD1269R	Ampicillin (AMP - 10 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	271.00	1pk
OD1292R	Augmentin (AMC - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Nalidixic acid (NA - 30 mcg), Cefuroxime (CXM - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg), Cefixime (CFM - 5 mcg)	230.00	1pk	OD1276	*Mic8 Combi 84	320.00	1pk
OD1300	*Mic8 Combi 96	338.00	1pk	OD1276R	Chloramphenicol (C - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg)	320.00	1pk
OD1300R	Imipenem (IPM - 10 mcg), Linezolid (LZ - 30 mcg), Meropenem (MRP - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Ofloxacin (OF - 5 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Polymyxin-B (PB - 300 units), Vancomycin (VA - 30 mcg)	338.00	1pk	General Purpose			
OD1287	*Mic8 Combi 511	230.00	1pk	OD1282	*Mic8 Combi 505	262.00	1pk
OD1287R	Ampicillin (AMP - 25 mcg), Cefalexin (CN - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 100 mcg), Gentamicin (GEN - 10 mcg), Ceftriaxone (CTR - 30 mcg), Norfloxacin (NX - 10 mcg)	230.00	1pk	OD1282R	Cefoperazone (CPZ - 75 mcg), Cefpodoxime (CPD - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Moxifloxacin (MO - 5 mcg)	262.00	1pk
OD1035	Mic8 UTI III	230.00	1pk	OD1283	Mic8 Combi 506	262.00	1pk
OD1035R	Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Amoxicillin (AMX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Chloramphenicol (C - 30 mcg)	230.00	1pk	OD1283R	Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Gatifloxacin (GAT - 5 mcg), Teicoplanin (TEI - 30 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg)	262.00	1pk
OD1019	*Mic8 UTI-V	230.00	1pk	OD1308	*Mic8 Universal-1	284.00	1pk
OD1019R	Ampicillin (AMP - 25 mcg), Gentamicin (GEN - 10 mcg), Carbenicillin (CB - 100 mcg), Nalidixic acid (NA - 30 mcg), Nitrofurantoin (NIT - 50 mcg), Sulphamethizole (SM - 200 mcg), Tetracycline (TE - 100 mcg), Co-Trimoxazole (COT - 25 mcg)	230.00	1pk	OD1308R	Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoxitin (CX - 30 mcg), Amoxicillin/Clavulanic acid (AMC - 20/10 mcg), Tetracycline (TE - 30 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg)	284.00	1pk
				OD1295	*Mic8 Combi 516	320.00	1pk
				OD1295R	Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Amoxycyclam (AMC - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Azithromycin (AZM - 15 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Nitrofurantoin (NIT - 300 mcg)	320.00	1pk

Code Nos which are having suffix 'R' (OD0000R) can be used on 90 mm media plates whereas for all regular codes 120 mm media plates are to be used. * On receipt, store at -20°C. For prolonged use, store at or below -20°C. On receipt all the other products to be stored between -20° to 8°C. The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
<p>Antimicrobial Susceptibility Testing - Mic12 Dodeca Discs Microgen 12-in-one ready antibiotic combination modules [To be used on 150 mm plates]</p> <h2>Mic12 (DODECA) DISCS</h2> <p>Test 12 different antibiotics, for testing on a single 150 mm plate</p> <ul style="list-style-type: none"> - These discs are placed at a distance of 24 mm from each other. - These are flat circular rings, made of inert material w/ 8 & 4 equidistant arms on the outer & inner periphery respectively w/ a 6 mm filter paper disc at the end. - Microgen Mic12 (Dodeca) discs are enhanced extensions of Single Discs. This series of discs gives the privilege to study 12 antibiotics on a single plate. - These discs are impregnated w/ 12 different antibiotics, w/corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter with minimal merging. - The unique inert material used for making the rings aids in quicker absorption of the rings and hence a proper diffusion of the antibiotics on to the medium. - The discs are available in various pre-selected combinations of 12 antibiotics. However rings can also be made as per individual customized specification. - These discs are to be used on 150 mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (150 mm) <p>Note: In product description column Symbol & Quantity are given in bracket after the Antibiotics name.</p>							
DE1008	*Mic12 (Dodeca) Universal-III Ampicillin (AMP - 10 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Augmentin (AMC - 30 mcg), Penicillin-G (P - 10 units), Cefotaxime (CTX - 30 mcg), Cefaclor (CF - 30 mcg) Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Cefoperazone (CPZ - 75 mcg), Clarithromycin (CLR - 15 mcg), Ciprofloxacin (CIP - 5 mcg)	347.00	1pk	DE1012	*Mic12 (Dodeca) Universal-IV Cefuroxime (CXM - 30 mcg), Cefaclor (CF - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefalexin (CN - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftizoxime (CZX - 30 mcg), Cefadroxil (CFR - 30 mcg), Ampicillin/Cloxacillin (AX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefotaxime (CTX - 30 mcg), Cefixime (CFM - 5 mcg), Cefazolin (CZ - 30 mcg)	347.00	1pk
DE1035	*Mic12 (Dodeca) Universal-XIV Imipenem (IPM - 10 mcg), Amoxycylav (AMC - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefuroxime (CXM - 30 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Cefoxitin (CX - 30 mcg)	387.00	1pk	DE1042	*Mic12 (Dodeca) Universal-XV Augmentin (AMC - 30 mcg), Amikacin (AK - 30 mcg), Gatifloxacin (GAT - 5 mcg), Cefepime (CPM - 30 mcg), Meropenem (MRP - 10 mcg), Ceftazidime (CAZ - 30 mcg), Chloramphenicol (C - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Imipenem (IPM - 10 mcg)	432.00	1pk
Gram-positive Organisms							
DE1002	*Mic12 (Dodeca) G-I-Plus Azithromycin (AZM - 15 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Cefadroxil (CFR - 30 mcg), Cefuroxime (CXM - 30 mcg), Roxithromycin (RO - 30 mcg), Ampicillin / Cloxacillin (AX - 10 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (CPZ - 75 mcg), Clarithromycin (CLR - 15 mcg), Sparfloxacin (SPX - 5 mcg)	347.00	1pk	DE1009	*Mic12 (Dodeca) G-II-Plus Cefotaxime (CTX - 30 mcg), Augmentin (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone (CTR - 30 mcg), Amoxicillin (AMX - 10 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 5 mcg), incomycin (L - 2 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg)	347.00	1pk
DE1001	*Mic12 (Dodeca) Universal-I Cefpodoxime (CPD - 10 mcg), Chloramphenicol (C - 30 mcg), Vancomycin (VA - 30 mcg), Streptomycin (S - 10 mcg), Rifampicin (RIF - 5 mcg), Levofloxacin (LE - 5 mcg), Ceftriaxone (CTR - 30 mcg), Clindamycin (CD - 2 mcg), Augmentin (AMC - 30 mcg), Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Tetracycline (TE - 30 mcg)	347.00	1pk	DE1007	*Mic12 (Dodeca) Universal-II Amikacin (AK - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Augmentin (AMC - 30 mcg), Netillin (NET - 30 mcg), Norfloxacin (NX - 10 mcg), Ceftriaxone (CTR - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Furazolidone (FR - 50 mcg), Amoxicillin (AMX - 10 mcg)	369.00	1pk



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DE1018	*Mic12 (Dodeca) G-III-Plus Penicillin-G (P - 10 units), Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Tetracycline (TE - 30 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg)	347.00	1pk	DE1048	*Mic12 (Dodeca) Staphylococci-1 Penicillin-G (P - 10 units), Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Clarithromycin (CLR - 15 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Cefoxitin (CX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gatifloxacin (GAT - 5 mcg), Ofloxacin (OF - 5 mcg), Clindamycin (CD - 2 mcg)	347.00	1pk
DE1023	*Mic12 (Dodeca) G-IV-Plus Amikacin (AK - 30 mcg), Amoxicillin (AMX - 25 mcg), Cefalexin (CN - 30 mcg), Cefazolin (CZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Amoxycylav (AMC - 30 mcg), Tetracycline (TE - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Teicoplanin (TEI - 30 mcg), Erythromycin (E - 15 mcg)	379.00	1pk	DE1049	*Mic12 (Dodeca) Staphylococci-2 Tigecycline (TGC - 15 mcg), Moxifloxacin (MO - 5 mcg), Gentamicin (GEN - 10 mcg), Rifampicin (RIF - 5 mcg), Lomefloxacin (LOM - 10 mcg), Norfloxacin (NX - 10 mcg), Novobiocin (NV - 30 mcg), Teicoplanin (TEI - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Pristinomycin (RP - 15 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	369.00	1pk
DE1032	*Mic12 (Dodeca) G-V-Plus Penicillin-G (P - 10 units), Amoxicillin (AMX - 10 mcg), Carbenicillin (CB - 100 mcg), Methicillin (MET - 5 mcg), Azithromycin (AZM - 15 mcg), Clindamycin (CD - 2 mcg), Roxithromycin (RO - 15 mcg), Lincomycin (L - 2 mcg), Vancomycin (VA - 30 mcg), Rifampicin (RIF - 5 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg)	379.00	1pk	DE1050	*Mic12 (Dodeca) Enterococcus -1 Ampicillin (AMP - 10 mcg), Penicillin-G (P - 10 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Gentamicin (HLG - 120 mcg), Tigecycline (TGC - 15 mcg), Erythromycin (E - 15 mcg), Pristinomycin (RP - 15 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 5 mcg), Fosfomycin (FO - 200 mcg)	369.00	1pk
DE1036	*Mic12 (Dodeca) G-VI-Plus Penicillin-G (P - 10 units), Cloxacillin (COX - 10 mcg), Oxacillin (OX - 1 mcg), Cefazolin (CZ - 30 mcg), Azithromycin (AZM - 15 mcg), Clindamycin (CD - 2 mcg), Vancomycin (VA - 30 mcg), Linezolid (LZ - 30 mcg), Teicoplanin (TEI - 30 mcg), Novobiocin (NV - 5 mcg), Minocycline (MI - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	379.00	1pk	Gram-negative Organisms			
DE1038	*DMic12 (Dodeca) G-VII-Plus Amoxycylav (AMC - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg), Erythromycin (E - 15 mcg), Cefoperazone (CPZ - 75 mcg), Cefepime (CPM - 30 mcg), Cloxacillin (COX - 5 mcg), Gentamicin (GEN - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg)	347.00	1pk	DE1003	*Mic12 (Dodeca) G-I-Minus Amikacin (AK - 30 mcg), Lomefloxacin (LOM - 10 mcg), Cefadroxil (CFR - 30 mcg), Sparfloxacin (SPX - 5 mcg), Netillin (NET - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Gentamicin (GEN - 10 mcg), Cefoperazone (CPZ - 75 mcg), Ampicillin/ Sulbactam (A/S - 10/10 mcg)	369.00	1pk
DE1047	*Mic12 (Dodeca) G-IX-plus Penicillin-G (P - 10 units), Cefoxitin (CX - 30 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Amoxycylav (AMC - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Erythromycin (E - 15 mcg), Co-Trimoxazole (COT - 25 mcg)	379.00	1pk	DE1010	*Mic12 (Dodeca) G-II-Minus Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefotaxime (CTX - 30 mcg), Cefuroxime (CXM - 30 mcg), Augmentin (AMC - 30 mcg), Lomefloxacin (LOM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefoperazone (CPZ - 75 mcg), Gentamicin (GEN - 10 mcg), Netillin (NET - 30 mcg), Pefloxacin (PF - 5 mcg), Ofloxacin (OF - 5 mcg)	369.00	1pk
DE1736	*Mic12 (Dodeca) G-Plus 15 Amoxycylav (AMC - 20/10 mcg), Penicillin-G (P - 10 Units), Roxithromycin (RO - 15 mcg), Azithromycin (AZM - 15 mcg), Cefuroxime (CXM - 30 mcg), Cefazolin (CZ - 30 mcg), Cefoxitin (CXM - 30 mcg), Clindamycin (CD - 2 mcg), Tetracycline (TE - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Gentamicin (GEN - 10 mcg)	383.00	1pk	DE1019	*Mic12 (Dodeca) G-III-Minus Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Cephalothin (CEP - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10mcg), Cefuroxime (CXM - 30 mcg), Cefepime (CPM - 30mcg), Cefoperazone (CPZ - 75 mcg), Cefoxitin (CX - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg)	347.00	1pk

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DE1031	*Mic12 (Dodeca) G-VI minus Piperacillin/ Tazobactam (PIT - 100/10 mcg), Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Kanamycin (K - 30 mcg), Tobramycin (TOB - 10 mcg), Netillin (NET - 30 mcg), Sisomicin (SS - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefotaxime/ Sulbactam (CES - 30/15 mcg), Ceftriaxone/ Sulbactam (CIS - 30/15 mcg), Ceftriaxone/Tazobactam (CIT - 30/10 mcg)	379.00	1pk	DE1737	*Mic12 (Dodeca) G-Minus 23 Amoxycylav (AMC - 20/10 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefoperazone (GPZ - 30 mcg), Ceftazidime (CAZ - 30 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Tetracycline (TE - 30 mcg)	383.00	1pk
DE1033	*Mic12 (Dodeca) G-VII Minus Cefixime (CFM - 5 mcg), Cefpodoxime (CPD - 10 mcg), Ceftizoxime (CZX - 30 mcg), Cefpirome (CFP - 30 mcg), Cefepime (CPM - 30 mcg), Nalidixic acid (NA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 10 mcg), Lomefloxacin (LOM - 10 mcg), Norfloxacin (NX - 10 mcg), Ceftriaxone (CTR - 30 mcg)	360.00	1pk	DE1738	*Mic12 (Dodeca) G-Minus 24 Ceftazidime/Tazobactam (CAT - 30/10 mcg), Ceftiaxone/Sulbactam (CIS - 75/30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg), Cefepime (CPM - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ticarcillin/Clavulanic Acid (TCC - 75/10 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Levofloxacin (LE - 5 mcg), Prulifloxacin (PRU - 5 mcg), Cefotaxime/Clavulanic acid (CEC - 30/10 mcg), Cefixime/Clavulanic acid (CMC - 05/10 mcg)	459.00	1pk
DE1037	*Mic12 (Dodeca) G-VIII-Minus Ampicillin (AMP - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefpodoxime (CPD - 10 mcg), Gatifloxacin (GAT - 5 mcg), Aztreonam (AT - 30 mcg), Netillin (NET - 30 mcg), Tobramycin (TOB - 10 mcg), Colistin (CL - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	379.00	1pk	DE1053	*Mic12 (Dodeca) Enterobacteriaceae-1 Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Amoxycylav (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg)	432.00	1pk
DE1039	*Mic12 (Dodeca) G-IX-Minus Ampicillin (AMP - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Cefuroxime (CXM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Amoxycylav (AMC - 10 mcg)	387.00	1pk	DE1054	*Mic12 (Dodeca) Enterobacteriaceae-2 Cefotaxime (CTX - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefoxitin (CX - 30 mcg), Meropenem (MRP - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Aztreonam (AT - 75 mcg), Gatifloxacin (GAT - 5 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefoperazone (CPZ - 75 mcg), Levofloxacin (LE - 5 mcg), Ceftizoxime (CZX - 30 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg)	387.00	1pk
DE1045	*Mic12 (Dodeca) G-XI-minus Amikacin (AK - 30 mcg), Amoxicillin/Clavulanic acid (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefepime (CPM - 30 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Chloramphenicol (C - 30 mcg)	347.00	1pk	UTI Pathogenic Organisms			
DE1046	*Mic12 (Dodeca) G-XII minus Ceftazidime (CAZ - 30 mcg), Colistin (Methane Sulphonate) (CL - 10 mcg), Minocycline (MI - 30 mcg), Imipenem (IPM - 10 mcg), Tigecycline (TGC - 15 mcg), Cefuroxime (CXM - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Levofloxacin (LE - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Ciprofloxacin (CIP - 5 mcg), Aztreonam (AT - 30 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	387.00	1pk	DE1004	*Mic12 (Dodeca) UTI-I Amikacin (AK - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Nalidixic acid (NA - 30 mcg), Netillin (NET - 30 mcg), Norfloxacin (NX - 10 mcg), Cefaclor (CF - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Gentamicin (GEN - 10 mcg), Cefoperazone (CPZ - 75 mcg), Ofloxacin (OF - 5 mcg)	369.00	1pk
				DE1005	*Mic12 (Dodeca) UTI-II Ceftriaxone (CTR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefaclor (CF - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Cefotaxime (CTX - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefadroxil (CFR - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Furazolidone (FR - 50 mcg), Augmentin (AMC - 30 mcg), Cefalexin (CN - 30 mcg), Amikacin (AK - 30 mcg)	347.00	1pk



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
DE1011	*Mic12 (Dodeca) UTI-IV Amikacin (AK - 30 mcg), Cefalexin (CN - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefixime (CFM - 5 mcg), Cefoperazone (CPZ - 75 mcg), Nalidixic acid (NA - 30 mcg), Kanamycin (K - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Lomefloxacin (LOM - 30 mcg), Ofloxacin (OF - 5 mcg), Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg)	347.00	1pk	DE1739	*Mic12 (Dodeca) UTI 13 Cephalothin (CEP - 30 mcg), Ceftizoxime (CZX - 30 mcg), Cefuroxime (CXM - 30 mcg), Cefotaxime (CTX - 30 mcg), Amoxycylav (AMC - 20/10 mcg), Norfloxacin (NX - 10 mcg), Ofloxacin OF (OF - 2 mcg), Levofloxacin (LE - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Trimethoprim (TR - 5 mcg), Amikacin (AK - 30 mcg), Tobramycin (TOB - 10 mcg)	383.00	1pk
DE1021	*Mic12 (Dodeca) UTI-V Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Lomefloxacin (LOM - 10 mcg), Gatifloxacin (GAT - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg), Netillin (NET - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Ceftizoxime (CZX - 30 mcg)	369.00	1pk	DE1020	*Mic12 (Dodeca) Pseudo-I Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin (PI - 100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Tobramycin (TOB - 10 mcg), Netillin (NET - 30 mcg), Meropenem (MRP - 10 mcg)	387.00	1pk
DE1025	*Mic12 (Dodeca) UTI-VI Amikacin (AK - 30 mcg), Amoxicillin (AMX - 25 mcg), Cefalexin (CN - 30 mcg), Cefazolin (CZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Streptomycin (S - 10 mcg), Amoxycylav (AMC - 30 mcg), Norfloxacin (NX - 10 mcg), Ceftazidime (CAZ - 30 mcg), Imipenem (IPM - 10 mcg), Cefoperazone/Sulbactam (CFS - 75/30 mcg)	379.00	1pk	DE1041	*Mic12 (Dodeca) Pseudo-II Gentamicin (GEN - 10 mcg), Netillin (NET - 30 mcg), Amikacin (AK - 30 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Amoxycylav (AMC - 30 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Levofloxacin (LE - 5 mcg), Tobramycin (TOB - 10 mcg), Cefuroxime (CXM - 30 mcg), Ceftriaxone/Tazobactam (CIT - 30/10 mcg), Cefepime (CPM - 30 mcg)	432.00	1pk
DE1030	*Mic12 (Dodeca) UTI-VII Sparfloxacin (SPX - 10 mcg), Levofloxacin (LE - 5 mcg), Gatifloxacin (GAT - 10 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Meropenem (MRP - 10 mcg), Imipenem (IPM - 10 mcg), Polymyxin B (PB - 300 units), Furazolidone (FR - 100 mcg), Aztreonam (AT - 30 mcg), Cloxacillin (COX - 1 mcg)	432.00	1pk	DE1051	*Mic12 (Dodeca) Pseudomonas -1 Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI-100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Aztreonam (AT - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	432.00	1pk
Pseudomonas							
DE1034	*Mic12 (Dodeca) UTI-VIII Pefloxacin (PF 10 mcg), Levofloxacin (LE - 5 mcg), Gatifloxacin (GAT - 10 mcg), Chloramphenicol (C - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Nitrofurantoin (NIT - 300 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Polymyxin B (PB - 300 units), Furazolidone (FR - 100 mcg), Aztreonam (AT - 30 mcg), Cloxacillin (COX - 1 mcg)	Discontinue	1pk				
DE1040	*Mic12 (Dodeca) UTI-IX Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Amoxycylav (AMC - 10 mcg), Norfloxacin (NX - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Nalidixic acid (NA - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Co-Trimoxazole (COT - 25 mcg), iperacillin/Tazobactam (PIT - 100/10 mcg), Ciprofloxacin (CIP - 5 mcg)	369	1pk				

* On receipt, store at -20°C.
For prolonged use, store at or below -20°C.
On receipt all the other products to be stored between -20° to 8°C.
The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.

ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS


Product Code	Product Name	Price	Packing
	<p>Antimicrobial Susceptibility Testing - Mic20 Icosa Discs Microgen 20-in-one ready antibiotic combination modules [To be use on 200 mm plates]</p> <h2>Mic20 (ICOSA) DISCS</h2> <p>Test 20 different antibiotics, in one shot- efficiently, easily and rapidly</p> <ul style="list-style-type: none"> • Microgen Mic20 Icosa discs are enhanced extensions of Single Discs. These series of discs gives the privilege to study 20 antibiotics at one time. • These are flat circular rings, made of inert material w/ 12 & 8 equidistant arms on the outer & inner periphery respectively w/ a 6 mm filter paper disc at the end. • These discs are impregnated w/ different antibiotics, w/ corresponding symbols & concentrations printed on the ring. The antibiotic impregnated discs function as individual antibiotic susceptibility discs, generating precise circular zones of inhibition for measurement of the zone diameter. • Moreover the discs are designed in such a way that each antibiotic disc on a single ring is atleast 24 mm apart from the others, thus reducing the merging of zones. • The unique inert material used for making the rings enhances the absorption of the ring and hence a proper diffusion of the antibiotics on to the medium. • The discs are available in various pre-selected combinations of 20 antibiotics. But rings can be made as per individual customized specification. • These discs are to be used on 200 mm plates. Also available are ready prepared media plates of Mueller Hinton Agar (200 mm). <p>Note: In product description column Symbol & Quantity are given in bracket after the Antibiotics name.</p>		

Product Code	Product Name	Price	Packing
IC1001	<p>*Mic20 (Icosa) Universal - 1 Norfloxacin (NX - 10 mcg), Gentamicin (GEN - 10 mcg), Chloramphenicol (C - 30 mcg), Cefuroxime (CXM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefoperazone (CPZ - 75 mcg), Ceftazidime (CAZ - 30 mcg), Roxithromycin (RO - 30 mcg), Clarithromycin (CLR - 15 mcg), Co-Trimoxazole (COT - 25 mcg), Netillin (NET - 30 mcg), Cefaclor (CF - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefadroxil (CFR - 30 mcg), Azithromycin (AZM - 15 mcg), Ampicillin/Cloxacillin (AX - 10 mcg), Penicillin-G (P - 10 units), Amikacin (AK - 30 mcg), Sparfloxacin (SPX - 5 mcg), Ampicillin/ Sulbactam (A/S - 10/10 mcg)</p>	833.00	1pk
IC1006	<p>*Mic20 (Icosa) Universal - 2 Amikacin (AK - 30 mcg), Ampicillin (AMP - 10 mcg), Amoxicillin (AMX - 10 mcg), Cefadroxil (CFR - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ceftazidime (CAZ - 30 mcg), Ceftriaxone (CTR - 30 mcg), Chloramphenicol (C - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cloxacillin (COX - 1 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Nalidixic Acid (NA - 10 mcg), Netillin (NET - 30 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Penicillin-G (P - 10 units), Tobramycin (TOB - 10 mcg), Vancomycin (VA - 30 mcg)</p>	833.00	1pk
Gram-positive Organisms			
IC1002	<p>*Mic20 (Icosa) G-I-Plus Cephalothin (CEP - 30 mcg), Clindamycin (CD - 2 mcg), Co-Trimoxazole (COT - 25 mcg), Erythromycin (E - 15 mcg), Gentamicin (GEN - 10 mcg), Ofloxacin (OF - 5 mcg), Penicillin-G (P - 10 units), Vancomycin (VA - 30 mcg), Ampicillin (AMP - 10 mcg), Chloramphenicol (C - 30 mcg), Oxacillin (OX - 1 mcg), Linezolid (LZ - 30 mcg), Azithromycin (AZM - 15 mcg), Amikacin (AK - 30 mcg), Clarithromycin (CLR - 15 mcg), Teicoplanin (TEI - 10 mcg), Methicillin (MET - 5 mcg), Amoxyclav (AMC - 30 mcg), Novobiocin (NV - 5 mcg), Tetracycline (TE - 30 mcg)</p>	833.00	1pk
IC1003	<p>*Mic20 (Icosa) G-I-Minus Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Sparfloxacin (SPX - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Nalidixic acid (NA - 30 mcg), Augmentin (AMC - 30 mcg), Kanamycin (K - 30 mcg), Gatifloxacin (GAT - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Streptomycin (S - 25 mcg), Ceftriaxone (CTR - 30 mcg), Cefpodoxime (CPD - 10 mcg), Ticarcillin (TI - 75 mcg)</p>	900.00	1pk
IC1008	<p>*Mic20 (Icosa) G-II-Minus Imipenem (IPM - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Tobramycin (TOB - 10 mcg), Moxifloxacin (MO - 5 mcg), Ofloxacin (OF - 5 mcg), Ceftazidime (CAZ - 30 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Colistin (CL - 10 mcg), Nalidixic acid (NA - 30 mcg), Augmentin (AMC - 30 mcg), Cefoxitin (CX - 30 mcg), Gatifloxacin (GAT - 5 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefpodoxime (CPD - 10 mcg), Nitrofurantoin (NIT - 300 mcg)</p>	900.00	1pk



ANTIMICROBIAL SUSCEPTIBILITY SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
UTI Pathogenic Organisms				Pseudomonas			
IC1004	*Mic20 (Icosa) UTI - 1 Ampicillin (AMP - 10 mcg), Cefotaxime (CTX - 30 mcg), Cephalothin (CEP - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Norfloxacin (NX - 10 mcg), Cefoperazone (CPZ - 75 mcg), Amikacin (AK - 30 mcg), Piperacillin /Tazobactam (PIT - 100/10 mcg), Cefepime (CPM - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Cefazolin (CZ - 30 mcg), Streptomycin (S - 10 mcg), Doxycycline Hydrochloride (DO - 30 mcg), Moxifloxacin (MO - 5 mcg), Carbenicillin (CB - 100 mcg), Gatifloxacin (GAT - 5 mcg), Tetracycline (TE - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg)	833.00	1pk	IC1005	*Mic20 (Icosa) Pseudo - 1 Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Carbenicillin (CB - 100 mcg), Piperacillin (PI - 100 mcg), Aztreonam (AT - 30 mcg), Tobramycin (TOB - 10 mcg), Norfloxacin (NX - 10 mcg), Ciprofloxacin (CIP - 5 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone (CPZ - 75 mcg), Azlocillin (AZ - 75 mcg), Levofloxacin (LE - 5 mcg), Ticarcillin (TI - 75 mcg), Ofloxacin (OF - 5 mcg), Mezlocillin (MZ - 75 mcg), Gatifloxacin (GAT - 5 mcg), Piperacillin/Tazobactam (PIT - 100 / 10 mcg) Ceftriaxone (CTR - 30 mcg), Netillin (NET - 30 mcg)	900.00	1pk
				IC1007	*Mic20 (Icosa) Pseudo - 2 Amikacin (AK - 30 mcg), Gentamicin (GEN - 10 mcg), Imipenem (IPM - 10 mcg), Carbenicillin (CB - 100 mcg), Piperacillin (PI - 100 mcg), Aztreonam (AT - 30 mcg), Tobramycin (TOB - 10 mcg), Polymyxin-B (PB - 300 mcg), Ciprofloxacin (CIP - 5 mcg), Ticarcillin/Clavulanic acid (TCC - 75/10 mcg), Cefoperazone (CPZ - 75 mcg), Cefoperazone/Sulbactam (CFS - 75/10 mcg), Levofloxacin (LE - 5 mcg), Ticarcillin (TI - 75 mcg), Colistin (CL - 10 mcg), Cefepime (CPM - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ceftriaxone (CTR - 30 mcg), Netillin (NET - 30 mcg)	900.00	1pk



* On receipt, store at -20°C.
 For prolonged use, store at or below -20°C.
 On receipt all the other products to be stored between -20° to 8°C.
 The Code nos. indicated in red have the concentration of antibiotics as per CLSI (formerly NCCLS) Standards.



CELL BIOLOGY

A wide range of media both in dehydrated powder and liquid forms can help accelerate your research and optimize your process.



Product	Prefix	Page
Cell Culture Platform		
Cell Culture Media		
Classical Media (Liquid)	AL	390-396
<ul style="list-style-type: none"> * Basal Medium Eagle (BME) * Click's Medium (EHAA) * Chick Embryo Fibroblast Medium * CMRL 1066 Medium * Dulbecco's Modified Eagle Medium (DMEM) * Dulbecco's Modified Eagle Medium (DMEM), Low Glucose * Dulbecco's Modified Eagle Medium (DMEM), High Glucose * (DMEM / F12, 1:1 Mixture) * Glasgow's Minimum Essential Medium (GMEM) * Iscove's Modified Dulbecco's Medium (IMDM) * Leibovitz's L-15 Medium * MCDB 131 Medium * McCoy's 5A Medium * Medium 199 * Minimum Essential Medium Eagle (MEM) * Minimum Essential Medium Eagle (Joklik Modification) * Minimum Essential Medium Eagle (Alpha Modification) * Minimum Essential Medium Eagle (MEM) (For Suspension Culture) * Nutrient Mixture F-10 Ham * Nutrient Mixture F-12 Ham * Nutrient Mixture F-10 Ham * Nutrient Mixture F-12 Ham, Kaighn's Modification * Nutrient Mixture F-12 Ham, Coon's Modification * NCTC-109 Medium * RPMI-1640 * RPMI - 1640, Dutch modification * Waymouth Medium MB 752/1 * William's Medium E 		
Classical Media (Powder)	AT	396-402
<ul style="list-style-type: none"> * AME's Medium * BGjb Medium Fitton - Jackson Modification * Basal Medium Eagle (BME) * Click's Medium (EHAA) Eagle Hank's Amino Acids * CMRL 1066 Medium * Chick Embryo Fibroblast Medium * Dulbecco's Modified Eagle Medium (DMEM) * Dulbecco's Modified Eagle Medium (DMEM), Low Glucose * Dulbecco's Modified Eagle Medium (DMEM), High Glucose 		

Product	Prefix	Page
<ul style="list-style-type: none"> * DMEM / F12, 1:1 Mixture * DMEM / F12, 3:1 Mixture, High Glucose * Fischer's Medium * Glasgow's Minimum Essential Medium, GMEM * Tryptose Phosphate Broth * Iscove's Modified Dulbecco's Medium (IMDM) * Leibovitz's L-15 Medium * McCoy's 5A Medium * McCoy's 5A Medium (For Suspension Culture) * MCDB Medium * Medium 199 * Medium 199 (For Suspension Culture) * Minimum Essential Medium Eagle (MEM) * Minimum Essential Medium Eagle (For Suspension Culture) * Minimum Essential Medium Eagle (Joklik Modification) * Minimum Essential Medium Eagle (Alpha Modification) * MEM / F12 1:1 Mixture * NCTC 109 Medium * Nutrient Mixture F-12 Ham * Nutrient Mixture F-10 Ham * Nutrient Mixture F-12 Ham, Kaighn's Modification * Nutrient Mixture F-12 Ham, Coon's Modification * RPMI-1640, * SFRE Medium 199-1 * Swim's S-77 Medium * Waymouth Medium MB 752/1 * William's Medium E 		
Insect Media (Liquid)	IML	402
Insect Media (Powder)	IM	402
Insect Diets	ID/TS	402
MicGlutaXL Media	AL ***G	402-403
MicSera Media	RSL	403-404
Mic XL Series of Cell Freezing Media TCL		404
<ul style="list-style-type: none"> * Freezing Media for regular and sensitive cell lines * Animal origin-free and serum-free cell freezing media * Stem cell freezing media * Hybridoma Cell freezing media 		
Cell Culture Reagents		
Antibiotic Solutions	AO	404-405



CELL BIOLOGY



Product	Prefix	Page
Balanced Salts	TS / TL	405-407
* Balanced Salt Solutions (Liquid)		
* Balanced Salt (Powder)		
Cell Dissociation Reagents	TCL	407-408
* Trypsin Solution		
* Trypsin EDTA Solution		
* TPVG Solution		
* Versene Solution		
* Trypsin Inhibitors		
Miscellaneous Reagents	TCL	408-409
* Carrier Proteins		
* Attachment Factors		
* Media Supplements and Buffers		
* Solubilized Growth Factors		
* Others		
* Water		
* Cell Lysis Solution		
Cell Culture Supplements		
Amino Acid Concentrates	AC / ACL	409
* Amino Acid Concentrates (Liquid)		
* Amino Acid Concentrates (Powder)		
Hydrolysates	TC / TCL	409-410
* Casein Enzyme Hydrolysate		
* Cotton Hydrolysate		
* Lactalbumin Hydrolysate		
* Meat Peptone		
* Pea Hydrolysate		
* Soya Peptone		
* Tryptose Phosphate Broth		
* Wheat Hydrolysate		
* Yeast Extract		
Vitamin Solutions	VA	410
* Vitamin Solution (Sterile Filtered)		
Specialty Product Segment		410-411
Mouse IVF Platform	AL	
Hybridoma Platform	AT / AL / TC / TCL	411
* Hybridoma Culture Media		
* Hybridoma Tested DMSO		
* Freezing Medium for Hybridoma		
* Hybridoma Selection Supplements		
Transfection Platform	SFM / RSL / CCK	411
* Media and Kits		

Product	Prefix	Page
Cytogenetics Platform	AL/TCL	411
Peripheral Blood Karyotyping		
* Media Countaining PHA-M as Mitogen		
* Media Countaining PHA-P as Mitogen		
* Media Without Mitogen		
* Mitotic Stimulators		
* Mitotic Inhibitors		
* Related Reagents		
Viral Transport Systems	AL / MS	411-412
* Media without Glass beads		
* Media Glass beads		
* Media without Glass beads		
Cell Culture Tested Chemical		
Amino Acids	TC	415-416
FMOC Amino Acids	TC	417-418
Antibiotics		
Contamination Control Antibiotics	TC	418-420
Gene Selection Antibiotics	TC	420
Anticancer Antibiotics	TC	420-421
Cytotoxic Anticancer Antibiotics	TC	421
Attachement Factors	TC	421
Biological Buffers	TC	421-423
Biochemicals and Components	TC	423-427
Carbohydrates	TC	427-428
Carrier Proteins	TC	428
Cell Dissociation Products	TC	428-429
Cell Proliferation & Cytotoxicity Indicators	TC	429
Cryoprotectants	TC	429-430
Cyclodextrins	TC	430
Detergents	TC	430
Differentiation Reagents	TC	430
Enzymes	TC	431-432
Fatty Acids	TC	432
Hormones and Hormone Alternatives	TC	432-433
Lipids	TC	433
Nucleotides and Nucleosides	TC	433-434
Chemicals Meeting Pharmacopeial Testing Specifications	TC	434-439
Vaccine stabilizers and adjuvants	TC	439-440
Vitamins	TC	440-441



CELL CULTURE PLATFORM

The introduction of cell culture methodology to the biological sciences ushered in a new era of rapid and exciting advances in the fields of virology, cytology, drug discovery, toxicology, cancer and stem cell research and therapy. Microgen's comprehensive portfolio includes cell culture platform (media, sera and regenAths), cell analysis and detection solutions, cell culture tested chemicals, cell culture systems, stem cells and primary cells, filtration solutions and also skill development modules to enable scientists to achieve milestone in their research endeavors.

Media : Microgen's core expertise lies in manufacturing cell culture media, both in powdered as well as liquid form, for mammalian and insect cell. Comprehensive design of experiments, rigorous raw material qualification and media production with no manual intervention using automated liquid handling platform and automatic filling line are our strengths that enable us to provide the widest range of cell culture media.

Customized Media : It has been our endeavor to help researchers with their specific requirements related to media and cell culture reagents. We provide customized products as per the unique requirements of the customer in terms of : media formulations, packaging, labeling, documentation (e.g. certificates of origin, BSE/TSE risk statements) and additional.

QC testing (e.g. virus testing, mycoplasma detection, amino acid profiling). We are firmly committed to maintain the confidentiality of your project and we sign a confidentiality agreement to ensure that the integrity of your projects is not compromised.

Sera : Microgen provides a wide range of quality assured serum over decades that helps achieving consistency in cell growth, Our product listing includes sera from bovine fetus, adult bovine, new born calf and other animals and speciality sera including charcoal treated, dialyzed, tetracycline negative and ES cell tested sera. All lots of sera undergo comprehensive quality control testing that include sterility testing against mycoplasma, viruses and bacteria, antibody testing, analysis of growth promotion capacity, protein profiling, endotoxin content and physicochemical analysis.

Specialty Platforms : For the specialized segments such as cytogenetics, transfection, hydridoma technology, IVF, viral transport, separation of different types of leukocytes, Microgen Offers a complete range of media and cell culture reagents

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com





CELL CULTURE PLATFORM

ANIMAL CELL CULTURE PRODUCTS

Microgen's core expertise in cell culture media enables us to provide the widest range of cell culture media along with a wide range of quality assured cell culture reagents, supplements and sera.



Product	Prefix	Page
Cell Culture Media		
Classical Media	AL / AT	390-402
Insect Media	IML / IM	402
Insect Diets	ID	402
MicGlutaXL Media	AL ***G	402-403
MicSera Media	RSL	403-404
Mic XL Cell Freezing Media	TCL	404
Cell Culture Reagents		
Antibiotic Solutions	A	404-405
Balanced Salts	TS / TL	405-407
Cell Dissociation Reagents	TCL	407-408
Miscellaneous Reagents	TCL	408-409
Cell Culture Supplements		
Amino Acid Concentrates	AC / ACL	409
Hydrolysates	TC / TCL	409-410
Vitamin Solutions	VA	410
Specialty Product Segment		
Mouse IVF Platform	AL	410-411
Hybridoma Platform	AT / AL / T / TCL	411
Transfection Platform	SFM / RS L / CCK	411
Cytogenetics Platform		
Peripheral Blood Karyotyping	TC / TCL	411
Viral Transport Systems	AL / MS	411-412

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
CELL CULTURE MEDIA							
Classical Media (Liquid)							
Basal Medium Eagle (BME)							
AL1242	Basal Medium Eagle (BME) w/ Earle's salts and Sodium bicarbonate W/o L-Glutamine	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml	AL1006F	Dulbecco's Modified Eagle Medium (DMEM), Low glucose W/ 1gm Glucose per litre, L- Glutamine Sodium bicarbonate and Sodium pyruvate W/o Folic acid	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
Click's Medium (EHAA)							
AL1117	Click's Medium (EHAA) Eagle Hank's Amino Acids w/ Sodium bicarbonate W/o Mercaptoethanol and L-Glutamine	2489.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1149	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose W/ 1 gm Glucose per litre, 25mM HEPES buffer, Sodium pyruvate and Sodium bicarbonate W/o L- Glutamine	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
Chick Embryo Fibroblast Medium							
AL1168A	Click's Embrya Fibroblast Medium w/ L-Glutamine and Sodium bicarbonate	4712.00 4230.00 6408.00 17316.00 43056.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml	AL1149A	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose W/ 1 gm Glucose per litre, L- Glutamine, 25mM HEPES buffer, Sodium pyruvate and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
CMRL 1066 Medium							
AL1110A	CMRL 1066 Medium w/ L-Glutamine and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1183	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose W/ 1 gm Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o L- Glutamine and Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1226	CMRL 1066 Medium w/ Sodium bicarbonate W/o L-Glutamine and Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1183A	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose W/ 1 gm Glucose per litre, L- Glutamine, Sodium bicarbonate and Sodium pyruvate, W/o Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
Dulbecco's Modified Eagle Medium (DMEM)				Dulbecco's Modified Eagle Medium (DMEM), High Glucose			
AL1186	Dulbecco's Modified Eagle Medium (DMEM) W/ Sodium pyruvate and Sodium bicarbonate W/o Glucose and L- Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1111	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate Hybridoma Tested	2615.00 3978.00 10755.00 25324.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1186A	Dulbecco's Modified Eagle Medium (DMEM) W/ L- Glutamine, Sodium bicarbonate and Sodium pyruvate W/o Glucose	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml	AL1066	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1269A	Dulbecco's Modified Eagle Medium (DMEM) W/ L- Glutamine and Sodium bicarbonate W/o Glucose and Sodium pyruvate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1066A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, L- Glutamine and Sodium bicarbonate W/o and Sodium pyruvate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
Dulbecco's Modified Eagle Medium (DMEM), Low Glucose							
AL1006	Dulbecco's Modified Eagle Medium (DMEM), Low glucose W/ 1gm Glucose per litre, Sodium bicarbonate and Sodium pyruvate, W/o L- Glutamine	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml	AL1007	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o L- Glutamine	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1006A	Dulbecco's Modified Eagle Medium (DMEM), Low glucose W/ 1gm Glucose per litre, L- Glutamine Sodium bicarbonate and Sodium pyruvate	3650.00 2538.00 3790.00 10220.00 25407.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml	AL1007A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, L- Glutamine, 3.7 gms per litre Sodium bicarbonate and Sodium pyruvate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
				AL1007S	Dulbecco's Modified Eagle Medium (DMEM), High glucose w/ 4.5gms glucose per litre, 1mM Sodium pyruvate, L-Glutamine and 1.5 gms per litre Sodium bicarbonate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AL1007F	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, L- Glutamine, Sodium bicarbonate and Sodium pyruvate W/o Folic acid	3204.00	500 ml	AL1251	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre Sodium bicarbonat, D-Valine and Sodium pyruvate W/o L-Valine and L- Glutamine	3204.00	500 ml
		4883.00	2x500 ml			4883.00	2x500 ml
		13181.00	6x500 ml			13181.00	6x500 ml
		32720.00	20x500 ml			32720.00	20x500 ml
AL1101S	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, 1mm Sodium pyruvate, L- Glutamine, and 1.5 gms per litre Sodium bicarbonate w/o Phenol red	2480.00	500 ml	AL1281A	Dulbecco's Modified Eagle Medium High glucose W/ 4.5gms Glucose per litre, L- Glutamine W/o Sodium pyruvate and Sodium bicarbonate	2480.00	500 ml
		3790.00	2x500 ml			3790.00	2x500 ml
		10233.00	6x500 ml			10233.00	6x500 ml
		25470.00	20x500 ml			25470.00	20x500 ml
AL1219A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, L- Glutamine, Sodium pyruvate and Sodium bicarbonate W/o Calcium Chloride	3645.00	5x100 ml	AL1291	Dulbecco's Modified Eagle Medium (DMEM), High glucose, 10X W/ 4.5gms Glucose per litre, Sodium pyruvate and Sodium bicarbonate w/o L- Glutamine	13041.00	500 ml
		2480.00	500 ml			19530.00	2x500 ml
		3790.00	2x500 ml			52281.00	6x500 ml
		10233.00	6x500 ml			131005.00	20x500 ml
AL1264A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, L- Glutamine, Sodium pyruvate and Sodium bicarbonate W/o Phenol red	2480.00	500 ml	AL1293	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, and Sodium bicarbonate, w/o L- Glutamine, Calcium chloride, HEPES buffer and Sodium pyruvate	4257.00	5x100 ml
		3790.00	2x500 ml			2817.00	500 ml
		10233.00	6x500 ml			4185.00	2x500 ml
		25470.00	20x500 ml			11340.00	6x500 ml
AL1067	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre 25mM HEPES Buffer and Sodium bicarbonate W/o L-Glutamine and Sodium pyruvate	2454.00	500 ml	AL1294A	Dulbecco's Modified Eagle Medium (DMEM), High glucose, 2X W/ 4.5gms Glucose per litre and L- Glutamine w/o Sodium pyruvate and Sodium bicarbonate 2X Liquid Cell Culture Medium	6012.00	500 ml
		4185.00	2x500 ml			8811.00	2x500 ml
		11340.00	6x500 ml			25092.00	6x500 ml
		28170.00	20x500 ml			58770.00	20x500 ml
(DMEM / F12, 1:1 Mixture)							
AL1067A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre L-Glutamine, 25mM HEPES Buffer and Sodium bicarbonate W/o Sodium pyruvate	2454.00	500 ml	AL1127	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/o Sodium bicarbonate and Trace elements w/o L- Glutamine and HEPES buffer	2454.00	500 ml
		4185.00	2x500 ml			4185.00	2x500 ml
		11340.00	6x500 ml			11340.00	6x500 ml
		28170.00	20x500 ml			28170.00	20x500 ml
AL1068A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre L-Glutamine, and Sodium bicarbonate W/o Sodium pyruvate and Sodium phosphate	4253.00	5x100 ml	AL1127A	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L- Glutamine, Sodium bicarbonate and Trace elements w/o HEPES buffer	2454.00	500 ml
		2454.00	500 ml			4185.00	2x500 ml
		4185.00	2x500 ml			11340.00	6x500 ml
		11340.00	6x500 ml			28170.00	20x500 ml
AL1151	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre 25mM HEPES Buffer, Sodium pyruvate and Sodium bicarbonate W/o L-Glutamine	4253.00	5x100 ml	AL1127S	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ Trace elements, L- Glutamine 1.5 gms per litre Sodium bicarbonate w/o HEPES buffer	2454.00	500 ml
		2454.00	500 ml			4185.00	2x500 ml
		4185.00	2x500 ml			11340.00	6x500 ml
		11340.00	6x500 ml			28170.00	20x500 ml
AL1151A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre 25mM HEPES Buffer, L-Glutamine, Sodium pyruvate and Sodium bicarbonate	4253.00	5x100 ml	AL1155A	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L- Glutamine and 2.438 gms per litre Sodium bicarbonate w/o HEPES buffer Trace elements	2480.00	500 ml
		2454.00	500 ml			3790.00	2x500 ml
		4185.00	2x500 ml			10233.00	6x500 ml
		11340.00	6x500 ml			25470.00	20x500 ml
AL1241A	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre L-Glutamine, Sodium pyruvate, 25mM HEPES Buffer and Sodium bicarbonate W/o Phenol red	2454.00	500 ml	AL1139	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ 15mM HEPES buffer, Sodium bicarbonate and Trace elements	4640.00	5x100 ml
		4185.00	2x500 ml			3250.00	500 ml
		11340.00	6x500 ml			4914.00	2x500 ml
		28170.00	20x500 ml			13293.00	6x500 ml
AL1101	Dulbecco's Modified Eagle Medium (DMEM), High glucose W/ 4.5gms Glucose per litre, Sodium bicarbonate and Sodium pyruvate W/o Phenol red and L-Glutamine	2480.00	500 ml	AL1139A	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L- Glutamine, 15mM HEPES buffer, Sodium bicarbonate and Trace elements	4635.00	5x100 ml
		3790.00	2x500 ml			3250.00	500 ml
		10233.00	6x500 ml			4914.00	2x500 ml
		25470.00	20x500 ml			13293.00	6x500 ml
AL1215A	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L- Glutamine, 15mM HEPES buffer and Sodium bicarbonate w/o Phenol red and Trace elements	3024.00	500 ml	AL1215A	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L- Glutamine, 15mM HEPES buffer and Sodium bicarbonate w/o Phenol red and Trace elements	3024.00	500 ml
		4590.00	2x500 ml			4590.00	2x500 ml
		12420.00	6x500 ml			12420.00	6x500 ml
		30880.00	20x500 ml			30880.00	20x500 ml

Unless indicated all the above products to be stored at 2 - 8°C

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AL1140	Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture) w/ 15M HEPES buffer and Sodium bicarbonate w/o L-Glutamine and Trace elements	3250.00	500 ml	AL1230A	Iscove's Modified Dulbecco's Medium w/ L-Glutamine, 25mM HEPES buffer and Sodium, bicarbonate w/o Glucose	4257.00	5x100 ml
		4914.00	2x500 ml			2300.00	500 ml
		13293.00	6x500 ml			3492.00	2x500 ml
		33066.00	20x500 ml			9486.00	6x500 ml
						25443.00	20x500 ml
AL1140S	Dulbecco's Modified Eagle Medium Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture) w/2/5mM L-Glutamine, 15mM HEPES buffer, 0.5mM Sodium pyruvate and 1.2gms per litre Sodium bicarbonate	3250.00	500 ml	Leibovitz's L-15 Medium			
		4914.00	2x500 ml	AL1011	Leibovitz's L-15 Medium w/ L-Glutamine	2454.00	500 ml
		13293.00	6x500 ml			4185.00	2x500 ml
		33066.00	20x500 ml			11340.00	6x500 ml
						28170.00	20x500 ml
AL1243A	Dulbecco's Modified Eagle Medium Nutrient Mixture F-12 Ham (DMEM/ F12, 1:1 mixture) w/ L-Glutamine, 2mg/L Riboflavin, 55mg/L Sodium pyruvate and Sodium bicarbonate w/o HEPES buffer Trace elements and Pyridoxal hydrochloride	4253.00	5x100 ml	AL1011A	Leibovitz's L-15 Medium w/ L-Glutamine	2454.00	500 ml
		2454.00	500 ml			4185.00	2x500 ml
		4185.00	2x500 ml			11340.00	6x500 ml
		11340.00	6x500 ml			28170.00	20x500 ml
Glasgow's Minimum Essential Medium (GMEM)							
AL1058	Glasgow's Minimum Essential Medium (GMEM) w/ Sodium bicarbonate and NEAA w/o L-Glutamine, Sodium phosphate and Tryptose Phosphate Broth	3645.00	5x100 ml	AL1204A	Leibovitz's L-15 Medium w/ L-Glutamine and Sodium bicarbonate w/o Phenol red and Sodium pyruvate	2454.00	500 ml
		2480.00	500 ml			4185.00	2x500 ml
		3790.00	2x500 ml			11340.00	6x500 ml
		10233.00	6x500 ml			28197.00	20x500 ml
AL1069	Glasgow's Minimum Essential Medium (GMEM) w/ Tryptose phosphate broth and Sodium bicarbonate w/o L-Glutamine	3645.00	5x100 ml	AL1011S	Leibovitz's L-15 Medium w/ 2mM L-Glutamine	4253.00	5x100 ml
		2480.00	500 ml			2454.00	500 ml
		3790.00	2x500 ml			4185.00	2x500 ml
		10233.00	6x500 ml			11340.00	6x500 ml
AL1166A	Glasgow's Minimum Essential Medium (GMEM) w/ L-Glutamine and Sodium Bicarbonate w/o Tryptose Phosphate Broth Note: See page 407 for TCL009 - Tryptose Phosphate Broth	3645.00	5x100 ml	AL1247A	Leibovitz's L-15 Medium 2X w/ L-Glutamine	3870.00	500 ml
		2480.00	500 ml			5868.00	2x500 ml
		3790.00	2x500 ml			15840.00	6x500 ml
		10233.00	6x500 ml			39430.00	20x500 ml
MCDB 131 Medium							
AL1133A	MCDB 131 Medium w/ Trace elements, L-Glutamine and Sodium bicarbonate	3443.00	500 ml	AL1135A	MCDB 153 Medium w/ Trace elements, L-Glutamine 28 mM HEPES buffer and Sodium bicarbonate 1x Liquid Cell Culture Medium	3780.00	500 ml
		5230.00	2x500 ml			5743.00	2x500 ml
		14094.00	6x500 ml			15530.00	6x500 ml
		35100.00	20x500 ml			38570.00	20x500 ml
McCoy's 5A Medium							
AL1160A	Iscove's Modified Dulbecco's (IMDM) w/ L-Glutamine and Sodium Bicarbonate w/o HEPES buffer	2417.00	500 ml	AL1057	McCoy's 5A Medium w/ Sodium bicarbonate w/o L-Glutamine	2417.00	500 ml
		3663.00	2x500 ml			3672.00	2x500 ml
		9918.00	6x500 ml			9918.00	6x500 ml
		24620.00	20x500 ml			24620.00	20x500 ml
AL1070	Iscove's Modified Dulbecco's Medium (IMDM) w/ Sodium bicarbonate and 25mM HEPES buffer W/o L- Glutamine	2454.00	500 ml	AL1057A	McCoy's 5A Medium w/ L-Glutamine and Sodium bicarbonate	2417.00	500 ml
		4185.00	2x500 ml			3663.00	2x500 ml
		11340.00	6x500 ml			9918.00	6x500 ml
		28170.00	20x500 ml			24620.00	20x500 ml
AL1070H	Iscove's Modified Dulbecco's Medium (IMDM) w/ L-glutamine, sodium bicarbonate and 25mM HEPES buffer Hybridoma Tested	3105.00	500 ml	AL1057S	McCoy's 5A Medium w/ 1.5mM L-Glutamine and 2.2gms per litre Sodium bicarbonate	2417.00	500 ml
		4698.00	2x500 ml			3663.00	2x500 ml
		12704.00	6x500 ml			9918.00	6x500 ml
		31550.00	20x500 ml			24620.00	20x500 ml
AL1070S	Iscove's Modified Dulbecco's Medium (IMDM) w/ 4mM L-Glutamine, 4.5 gms Glucose per litre, 25 mM HEPES buffer and 1.5 gms per litre Sodium bicarbonate 1X Liquid Cell Culture Medium	2454.00	500 ml	AL1057F	McCoy's 5A Medium w/ L-Glutamine and Sodium bicarbonate w/o Folic acid	3204.00	500 ml
		4185.00	2x500 ml			4887.00	2x500 ml
		11340.00	6x500 ml			13181.00	6x500 ml
		28170.00	20x500 ml			32720.00	20x500 ml
AL1070A	Iscove's Modified Dulbecco's Medium (IMDM) w/ L-Glutamine, 3.024 gms per litre Sodium bicarbonate and 25mM HEPES buffer	2454.00	500 ml				
		4185.00	2x500 ml				
		11340.00	6x500 ml				
		28170.00	20x500 ml				

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AL1179A	McCoy's 5A Medium w/ L-Glutamine and Sodium bicarbonate w/o Phenol red	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1047	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, NEAA and Sodium bicarbonate w/o , L-Glutamine	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
Medium 199				AL1047A	AMinimum Essential Medium Eagle (MEM) w/ Earle's salts, L-Glutamine, NEAA and 2.2gms w/o Sodium bicarbonate	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1014	Medium 199 w/ Earle's Salts and Sodium bicarbonate W/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1047H	Minimum Essential Medium Eagle (MEM) w/ Earle's salts,NEAA, Sodium bicarbonate L-Glutamine Hybridoma Tested	2601.00 3942.00 10675.00 26550.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1014A	Medium 199 w/ Earle's Salts, L-Glutamine and Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1047S	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, 2mM L-Glutamine, 1mM Sodium pyruvate, NEAA and 1.5 gms per litre Sodium bicarbonate	3650.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1258A	Medium 199 (2X) w/ Earle's Salts, L-Glutamine and Sodium bicarbonate	3906.00 5913.00 15984.00 50140.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1182A	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, L-Glutamine, NEAA, Sodium pyruvate, 15mM HEPES Buffer and Sodium bicarbonate	2934.00 4473.00 12078.00 30007.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1094	Medium 199 w/ Earle's Salts, 25 mM HEPES buffer and Sodium bicarbonate w/o L-Glutamine	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1046	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, NEAA and Sodium bicarbonate w/o L-Glutamine and Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1094A	Medium 199 w/ Earle's Salts, 25 mM HEPES buffer L-Glutamine and Sodium bicarbonate	4248.00 2454.00 4185.00 11340.00 28170.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml	AL1046A	Minimum Essential Medium (MEM) w/ Earle's salts, NEAA, L-Glutamine and Sodium bicarbonate w/o Phenol red	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1189	Medium 199 (10X) w/ Earle's Salts, w/o L-Glutamine and Sodium bicarbonate	12762.00 19378.00 52308.00 129996.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1191	Minimum Essential Medium Eagle (MEM)(10X) w/ Earle's salts w/o NEAA, L-Glutamine and Sodium bicarbonate	13950.00 18945.00 51192.00 127193.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1267	Medium 199 w/ Hank's salts and Sodium bicarbonate w/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1260A	Minimum Essential Medium Eagle (MEM) with Earle's salts, L-Glutamine, 25mM HEPES NEAA and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1192	Medium 199 w/ Hank's salts w/o L-Glutamine and Sodium bicarbonate	12762.00 19378.00 52308.00 129996.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1056A	Minimum Essential Medium Eagle (MEM) w/ Hank's salts, L-Glutamine and Sodium bicarbonate	2480.00 3888.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1209A	Medium 199 w/ Hank's salts, 25mM HEPES buffer, L-Glutamine and Sodium bicarbonate	2454.00 4185.00 11340.00 28170.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1048A	Minimum Essential Medium Eagle (MEM) w/ Hank's salts, L-Glutamine, NEAA and Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
Minimum Essential Medium Eagle (MEM)				AL1075A	Minimum Essential Medium Eagle (MEM) w/ Hank's salts, 25mM HEPES buffer, L-Glutamine and Sodium bicarbonate	4253.00 2934.00 4473.00 12060.00	5x100 ml 500 ml 2x500 ml 6x500 ml
AL1020	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, and Sodium bicarbonate w/o NEAA and L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1190	Minimum Essential Medium Eagle (MEM) 10X w/ Hank's salts W/o L-Glutamine and Sodium bicarbonate	13950.00 18945.00 47394.00 117770.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1020A	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, L-Glutamine and 2.2gms per Sodium bicarbonate w/o NEAA	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1154A	Minimum Essential Medium Eagle (MEM) w/ Earle's salts L-Glutamine, Sodium pyruvate and Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1020S	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, and 1.5gms per litre Sodium bicarbonate w/o NEAA and L-Glutamine	2620.00 3987.00 10746.00 26766.00	500 ml 2x500 ml 6x500 ml 20x500 ml				

Unless indicated all the above products to be stored at 2 - 8°C

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AL1178A	Minimum Essential Medium Eagle	2862.00 4330.00 11710.00 29125.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1196	Nutrient Mixture F-10 Ham w/ 20mM HEPES buffer W/o L-Glutamine and Sodium bicarbonate	2997.00 4473.00 12060.00 29916.00	500 ml 2x500 ml 6x500 ml 20x500 ml
Minimum Essential Medium Eagle (Joklik Modification)				AL1184	Nutrient Mixture F-10 Ham w/ 20mM HEPES buffer and Sodium bicarbonate W/o L-Glutamine	4734.00 3384.00 5022.00 13572.00 33741.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1079	Minimum Essential Medium Eagle (MEM) (Joklik Modification) (For Suspension Culture) w/ Sodium bicarbonate W/o L-Glutamine	2710.00 4123.00 10872.00 27801.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1024	Nutrient Mixture F-10 Ham w/ Sodium bicarbonate W/o L-Glutamine	3528.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
Minimum Essential Medium Eagle (Alpha Modification)				AL1024A	Nutrient Mixture F-10 Ham w/ Sodium bicarbonate and L-Glutamine	3524.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1080	Minimum Essential Medium Eagle (Alpha modification) w/ Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate w/o L-Glutamine	3155.00 4788.00 12942.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml	Nutrient Mixture F-12 Ham			
AL1080A	Minimum Essential Medium Eagle (Alpha Modification) w/ Deoxyribonucleoside, Ribonucleoside, L-Glutamine and Sodium bicarbonate	3155.00 4788.00 12942.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1025	Nutrient Mixture F-12 Ham w/ Sodium bicarbonate W/o L-Glutamine	3645.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1285A	Minimum Essential Medium Eagle (Alpha Modification) w/ L-Glutamine and Sodium bicarbonate W/o Sodium Pyruvate, Ribonucleoside and Deoxyribonucleoside	3155.00 4788.00 12943.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1025A	Nutrient Mixture F-12 Ham w/ L-Glutamine and 1.176gms per litre Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1253A	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ L-Glutamine, Deoxyribonucleoside Ribonucleoside and Sodium bicarbonate W/o Phenol red	3110.00 4734.00 12830.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1025S	Nutrient Mixture F-12 Ham w/ 2mM L-Glutamine and 1.5gms per litre Sodium bicarbonate	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1221A	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ Deoxyribonucleoside Ribonucleoside L-Glutamine and Sodium bicarbonate W/o Ascorbic acid	3308.00 5022.00 13590.00 33750.00	500 ml 2x500 ml 6x500 ml 20x500 ml	Nutrit Mixture F-10 Ham			
AL1081	Minimum Essential Medium Eagle (Alpha Modification) w/ Sodium bicarbonate W/o L-Glutamine, Deoxyribonucleosides and Ribonucleoside	2925.00 4473.00 12074.00 30007.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1290A	Nutrient Mixture F-10 Ham w/ 10mM HEPES buffer, L-Glutamine and 1.2 g/L Sodium bicarbonate W/o Phenol red	4253.00 2925.00 4473.00 12070.00 29997.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1081A	Minimum Essential Medium Eagle (Alpha Modification) w/ L-Glutamine and Sodium bicarbonate W/o Deoxyribonucleosides and Ribonucleoside	2925.00 4473.00 12078.00 29997.00	500 ml 2x500 ml 6x500 ml 20x500 ml	Nutrient Mixture F-12 Ham, Kaighn's Modification			
Minimum Essential Medium Eagle (MEM) (For Suspension Culture)				AL1106	Nutrient Mixture F-10 Ham, Kaighn's Modification w/ Sodium bicarbonate W/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1019	Minimum Essential Medium Eagle (MEM) (For Suspension Culture) w/ Spinner salts and Sodium bicarbonate W/o L-Glutamine	2480.00 3790.00 10233.00 25470.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1106A	Nutrient Mixture F-12 Ham, Kaighn's Modification w/ L-Glutamine and 2.5 gms per liter Sodium bicarbonate	3627.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
Nutrit Mixture F-10 Ham				AL1106S	Nutrient Mixture F-12 Ham, Kaighn's Modification w/ L-Glutamine and 1.5 gms per liter Sodium bicarbonate	3627.00 2480.00 3790.00 10233.00 25470.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
AL1083A	Nutrient Mixture F-10 Ham w/ Sodium bicarbonate, 25mM HEPES buffer and L-Glutamine	2925.00 4473.00 12074.00 29997.00	500 ml 2x500 ml 6x500 ml 20x500 ml				

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AL1271S	Nutrient Mixture F-12 Ham, Kaighn's Modification w/ 1.5 gms per liter Sodium bicarbonate W/o L-Glutamine	2493.00	500 ml	AL1223S	RPMI-1640 w/ 2mM L-Glutamine, 10mM HEPES buffer 4.5 gms Glucose per litre, and 1.5gms per litre Sodium bicarbonate w/o Sodium pyruvate	4725.00	5x100 ml
		3790.00	2x500 ml			3308.00	500 ml
		10233.00	6x500 ml			5022.00	2x500 ml
		26154.00	20x500 ml			13590.00	6x500 ml
Nutrient Mixture F-12 Ham, Coon's Modification							
AL1146	Nutrient Mixture F-12 Ham, Coon's Modification w/ Sodium bicarbonate W/o L-Glutamine	2480.00	500 ml	AL1223A	RPMI-1640 w/ 2mM L-Glutamine, 10mM HEPES buffer, 4.5 gms Glucose per litre, and 2gms per litre Sodium bicarbonate w/o Sodium pyruvate	3308.00	500 ml
		3790.00	2x500 ml			5022.00	2x500 ml
		10233.00	6x500 ml			13590.00	6x500 ml
		25470.00	20x500 ml			33786.00	20x500 ml
NCTC-109 Medium							
AL1138	NCTC - 109 Medium w/ Phenol red and coenzymes W/o L-Glutamine and HEPES buffer	3425.00	500 ml	AL1199A	RPMI-1640 w/ 1mM Sodium pyruvate, 2mM L-Glutamine, 4.5 gms Glucose per litre, and 2.0gms per litre Sodium bicarbonate w/o HEPES buffer	3308.00	500 ml
		5234.00	2x500 ml			5022.00	2x500 ml
		15710.00	6x500 ml			13590.00	6x500 ml
		35100.00	20x500 ml			33786.00	20x500 ml
RPMI-1640							
AL1028	RPMI - 1640 w/ Sodium bicarbonate W/o L-Glutamine	3627.00	5x100 ml	AL1199S	RPMI-1640 w/ 1mM Sodium pyruvate, 2mM L-Glutamine, 4.5 gms Glucose per litre, and 1.5gms per litre Sodium bicarbonate w/o HEPES buffer	4725.00	5x100 ml
		2480.00	500 ml			3308.00	500 ml
		3790.00	2x500 ml			5022.00	2x500 ml
		10233.00	6x500 ml			13590.00	6x500 ml
		25443.00	20x500 ml			33786.00	20x500 ml
AL1028A	RPMI-1640 w/ L-Glutamine and Sodium bicarbonate	3627.00	5x100 ml	AL1214A	RPMI-1640 w/ 3.05mM L-Glutamine, 10mM and 2gms per litre Sodium bicarbonate	3308.00	500 ml
		2480.00	500 ml			5022.00	2x500 ml
		3790.00	2x500 ml			13590.00	6x500 ml
		10233.00	6x500 ml			33786.00	20x500 ml
AL1028B	RPMI-1640 w/ Sodium bicarbonate w/o L-Glutamine Hybridoma tested	3407.00	500 ml	AL1157	RPMI-1640 w/ 25mM HEPES buffer, Sodium bicarbonate and Sodium pyruvate w/o L-Glutamine	3308.00	500 ml
		5176.00	2x500 ml			4892.00	2x500 ml
		13293.00	6x500 ml			13590.00	6x500 ml
		33003.00	20x500 ml			33786.00	20x500 ml
AL1028F	RPMI-1640 w/ Sodium bicarbonate w/o Folic acid and L-Glutamine	2714.00	500 ml	AL1060	RPMI-1640 w/ Sodium bicarbonate and 25mM HEPES buffer w/o L-Glutamine	4725.00	5x100 ml
		4123.00	2x500 ml			3308.00	500 ml
		11170.00	6x500 ml			4892.00	2x500 ml
		27801.00	20x500 ml			13590.00	6x500 ml
AL1120A	RPMI-1640 w/ L-Glutamine and Sodium bicarbonate w/o Phenol red	2480.00	500 ml	AL1060A	RPMI-1640 w/ L-Glutamine, 25mM HEPES buffer and Sodium bicarbonate	4725.00	5x100 ml
		3790.00	2x500 ml			3308.00	500 ml
		10233.00	6x500 ml			4892.00	2x500 ml
		25470.00	20x500 ml			13590.00	6x500 ml
AL1150A	RPMI-1640 w/ L-Glutamine and Sodium bicarbonate w/o Glucose and HEPES	2480.00	500 ml	AL1197A	RPMI-1640 w/ L-Glutamine and 20mM HEPES buffer w/o Sodium bicarbonate	3425.00	500 ml
		3790.00	2x500 ml			5225.00	2x500 ml
		10233.00	6x500 ml			14094.00	6x500 ml
		25470.00	20x500 ml			35046.00	20x500 ml
AL1162A	RPMI-1640 w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and 2 gms per litre Sodium bicarbonate	4725.00	5x100 ml	AL1180A	RPMI-1640 w/ L-Glutamine, 2gms Glucose per liter, 0.165 moles per liter MOPS buffer and Sodium bicarbonate	3807.00	500 ml
		3308.00	500 ml			5796.00	2x500 ml
		5022.00	2x500 ml			15642.00	6x500 ml
		13590.00	6x500 ml			38943.00	20x500 ml
AL1171A	RPMI-1640 w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and Sodium bicarbonate w/o Phenol red	4608.00	5x100 ml	AL1200A	RPMI-1640 w/ L-Glutamine, and 2gms Glucose per liter and 0.165 moles per liter MOPS buffer w/o Sodium bicarbonate	4896.00	5x100 ml
		3205.00	500 ml			4010.00	500 ml
		4883.00	2x500 ml			6093.00	2x500 ml
		13190.00	6x500 ml			16470.00	6x500 ml
		32805.00	20x500 ml			40950.00	20x500 ml
AL1162S	RPMI-1640 w/ 1mM Sodium pyruvate, 2mM L-Glutamine 4.5 gms Glucose per litre, 10mM HEPES buffer and 1.5gms per litre Sodium bicarbonate	4725.00	5x100 ml	AL1201A	RPMI-1640 w/ 25mM HEPES buffer, L-Glutamine, and 2.2gms per litre Sodium bicarbonate	4010.00	500 ml
		3308.00	500 ml			6093.00	2x500 ml
		5022.00	2x500 ml			16443.00	6x500 ml
		13590.00	6x500 ml			40950.00	20x500 ml
AL1102	RPMI-1640 10X w/ Sodium bicarbonate and L-Glutamine	16232.00	5x100 ml			12771.00	500 ml
		12771.00	500 ml			19350.00	2x500 ml
		19350.00	2x500 ml			52300.00	6x500 ml
		52300.00	6x500 ml			129996.00	20x500 ml
		129996.00	20x500 ml				

Unless indicated all the above products to be stored at 2 - 8°C

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
RPMI - 1640, Dutch modification				CMRL 1066 Medium			
AL1198	RPMI-1640, Dutch modification w/ 20mM HEPES buffer and 1gm per liter Sodium bicarbonate w/o L-Glutamine	3425.00 5225.00 14094.00 35046.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AT1110	CMRL 1066 Medium w/ L-Glutamine w/o Sodium bicarbonate	1085.00 4824.00 10944.00 17209.00 30150.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
Weymouth Medium MB 752/1				Chick Embryo Fibroblast Medium			
AL1091A	Weymouth Medium MB 752/1 w/ L-Glutamine and Sodium bicarbonate	3110.00 4734.00 12798.00 31842.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AT1226A	CMRL 1066 Medium w/o L-Glutamine, Phenol red and Sodium bicarbonate	4824.00 10944.00 17209.00 30150.00	5 lit 10x1 lit 20 lit 50 lit
William's Medium E				Dulbecco's Modified Eagle Medium (DMEM)			
AL1125	William's Medium E w/ Sodium bicarbonate w/o L-Glutamine	2822.00 4307.00 11652.00 26001.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AT1168	Chick Embryo Fibroblast Medium w/ L-Glutamine w/o Sodium bicarbonate	617.00 4590.00 7520.00 12492.00	1 lit 10x1 lit 20 lit 50 lit
AL1240	William's Medium E w/ Sodium bicarbonate w/o Phenol red and L-Glutamine	2822.00 4307.00 11652.00 26001.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AT1063A	Dulbecco's Modified Eagle Medium (DMEM) w/o L-Glutamine, Glucose, Phenol red Sodium pyruvate and Sodium bicarbonate	509.00 1575.00 3992.00 5522.00 9410.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
Classical Media (Powder)				Dulbecco's Modified Eagle Medium (DMEM), Low Glucose			
AME's Medium				AT1063A	Dulbecco's Modified Eagle Medium (DMEM) w/ L-Glutamine and Sodium pyruvate w/o Glucose and Sodium bicarbonate	531.00 1575.00 3992.00 5522.00 9410.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1121	AME's Medium w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	450.00 3438.00 4644.00	1 lit 10x1 lit 20 lit	AT1186	Dulbecco's Modified Eagle Medium (DMEM) w/ L-Glutamine and Sodium pyruvate w/o Glucose and Sodium bicarbonate	531.00 3992.00 5522.00 9410.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
BGjb Medium Fitton - Jackson Modification				AT1195	Dulbecco's Modified Eagle Medium (DMEM) w/ L-Glutamine w/o D-Glucose, Sodium pyruvate and Sodium bicarbonate	531.00 3992.00 5522.00	1 lit 10x1 lit 20 lit
AT1123	BGJB Medium Fitton-Jackson Modification w/ L-Glutamine w/o Sodium bicarbonate	477.00 1404.00 3510.00 4743.00	1 lit 5 lit 10x1 lit 20 lit	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose			
Basal Medium Eagle (BME)				AT1006	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate	464.00 1400.00 3510.00 4932.00 8110.00	1 lit 5 lit 10x1 lit 20 lit 50 lit
AT1001	Basal Medium Eagle (BME) w/ Earle's salts and L-Glutamine w/o Sodium bicarbonate	428.00 1310.00 3272.00 4424.00	1 lit 5 lit 10x1 lit 20 lit	AT1006A	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose w/ 1gm Glucose per litre and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	468.00 3510.00 4932.00 8110.00	1 lit 10x1 lit 20 lit 50 lit
AT1242A	Basal Medium Eagle (BME) w/ Earle's salts W/o L-Glutamine and Sodium bicarbonate	Discontinue 3272.00 4424.00	5 lit 10x1 lit 20 lit	AT1065A	Dulbecco's Modified Eagle Medium (DMEM) Low Glucose (Modified for Autoclaving) w/ 1gm Glucose per litre and Sodium pyruvate W/o L-Glutamine and Sodium bicarbonate	522.00 1548.00 3992.00 5522.00	1 lit 5 lit 10x1 lit 20 lit
AT1002	Basal Medium Eagle (BME) w/ Hanks' salts and L-Glutamine w/o Sodium bicarbonate	3276.00 4424.00	10x1 lit 20 lit	AT1149	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose w/ 1gm Glucose per litre, L-Glutamine, 25mM HEPES buffer and Sodium pyruvate w/o Sodium bicarbonate	572.00 1746.00 4343.00 7173.00	1 lit 5 lit 10x1 lit 20 lit
AT1062	Basal Medium Eagle (BME) w/ Hanks' salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	1620.00 4082.00 6804.00	5 lit 10x1 lit 20 lit	AT1183	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	464.00 1400.00 3510.00 4932.00	1 lit 5 lit 10x1 lit 20 lit
AT1004A	Basal Medium Eagle (BME) (Modified For Autoclaving) w/ Earle's salts w/o L-Glutamine and Sodium bicarbonate	3272.00 4424.00	10x1 lit 20 lit	Click's Medium (EHAA) Eagle Hank's Amino Acids			
AT1122A	Click's Medium (EHAA) Eagle Hanks' Amino Acids w/ L-Glutamine, Mercaptoethanol and Sodium bicarbonate	1472.00 3690.00 4892.00	5 lit 10x1 lit 20 lit				

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AT1235	Dulbecco's Modified Eagle Medium (DMEM), Low Glucose w/ 1gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Calcium chloride and Sodium bicarbonate	1400.00	5 lit	AT1067A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, and 25mM HEPES buffer w/o L-Glutamine, Sodium bicarbonate and Sodium pyruvate	4707.00	10x1 lit
		3510.00	10x1 lit			7650.00	20 lit
		4932.00	20 lit				
Dulbecco's Modified Eagle Medium (DMEM), High Glucose							
AT1187	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, 25mM HEPES Buffer, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	572.00	1 lit	AT1068	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, and L-Glutamine w/o Sodium pyruvate, Sodium phosphate and Sodium bicarbonate	500.00	1 lit
		4343.00	10x1 lit			1701.00	5 lit
		7173.00	20 lit			3807.00	10x1 lit
						5954.00	20 lit
AT1007	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate	500.00	1 lit	AT1151	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ L-Glutamine, 4.5gm Glucose per litre, and Sodium pyruvate and 25mM HEPES buffer w/o Sodium bicarbonate	572.00	1 lit
		1701.00	5 lit			1746.00	5 lit
		3807.00	10x1 lit			4221.00	10x1 lit
		5954.00	20 lit			7173.00	20 lit
		8920.00	50 lit			12492.00	50 lit
AT1007A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	500.00	1 lit	AT1241	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, L-Glutamine Sodium pyruvate and 25mM HEPES buffer w/o Phenol red and Sodium bicarbonate	4221.00	10x1 lit
		3807.00	10x1 lit			17173.00	20 lit
		5954.00	20 lit			12492.00	50 lit
		8920.00	50 lit				
AT1007F	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Folic acid and Sodium bicarbonate	3807.00	10x1 lit	AT1287A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre w/o L-Glutamine, Calcium chloride HEPES buffer and Sodium pyruvate	585.00	1 lit
		5954.00	20 lit			1800.00	5 lit
		8920.00	50 lit			4311.00	10x1 lit
						7300.00	20 lit
						12700.00	50 lit
DMEM / F12, 1:1 Mixture							
AT1262F	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Phenol red, acid and Sodium bicarbonate	3807.00	10x1 lit	AT1127	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture) w/ L-Glutamine and Trace elements w/o HEPES buffer and Sodium bicarbonate	810.00	1 lit
		5954.00	20 lit			5882.00	10x1 lit
		8920.00	50 lit			8244.00	20 lit
AT1219	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Calcium Chloride and Sodium bicarbonate	500.00	1 lit	AT1127G	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture) w/ L- Alanyl-L-Glutamine and Trace elements w/o HEPES buffer and Sodium bicarbonate	2574.00	5 lit
		1701.00	5 lit			6710.00	10x1 lit
		3807.00	10x1 lit			8946.00	20 lit
		5954.00	20 lit				
AT1190	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, L-Glutamine and Sodium pyruvate w/o Sodium bicarbonate and Phenol red	500.00	1 lit	AT1147	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture) w/ L-Glutamine and Trace elements w/o Phenol red, Sodium bicarbonate and HEPES buffer	810.00	1 lit
		1701.00	5 lit			5882.00	10x1 lit
		3807.00	10x1 lit			8244.00	20 lit
		5954.00	20 lit				
AT1190A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, and Sodium pyruvate w/o L-Glutamine, Sodium bicarbonate and Phenol red	3807.00	10x1 lit	AT1147A	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture) w/ Trace elements w/o L-Glutamine, Phenol red, and Sodium bicarbonate and HEPES buffer	2448.00	5 lit
		5954.00	20 lit			5882.00	10x1 lit
						8244.00	20 lit
AT1066	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, and L-Glutamine w/o Sodium bicarbonate and Sodium pyruvate	500.00	1 lit	AT1139	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture) w/ L-Glutamine, 15mM HEPES buffer and Trace elements w/o Sodium bicarbonate	810.00	1 lit
		1701.00	5 lit			2462.00	5 lit
		3807.00	10x1 lit			6107.00	10x1 lit
		5954.00	20 lit			8352.00	20 lit
		8920.00	50 lit			14706.00	50 lit
AT1066A	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, w/o L-Glutamine, Sodium bicarbonate and Sodium pyruvate	500.00	1 lit				
		3807.00	10x1 lit				
		5954.00	20 lit				
AT1067	Dulbecco's Modified Eagle Medium (DMEM), High Glucose w/ 4.5gm Glucose per litre, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate and Sodium pyruvate	622.00	1 lit				
		1881.00	5 lit				
		4707.00	10x1 lit				
		7650.00	20 lit				

Unless indicated all the above products to be stored at 2 - 8°C

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AT1140	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture) w/ L-Glutamine and 15mM HEPES buffer w/o Trace elements and Sodium bicarbonate	2448.00	5 lit	AT1069	Glasgow's Minimum Essential Medium (GMEM) w/ L-Glutamine and Tryptose Phosphate Broth w/o Sodium bicarbonate	1746.00	5 lit
		6107.00	10x1 lit			4410.00	10x1 lit
		8352.00	20 lit			5963.00	20 lit
		14706.00	50 lit			Tryptose Phosphate Broth	
AT1140A	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 mixture) w/ 15mM HEPES buffer w/o L-Glutamine, Trace elements and Sodium bicarbonate	6107.00	10x1 lit	AT1811	Tryptose Phosphate Broth Cell Culture Grade	2142.00	100 gm
		8352.00	20 lit			7452.00	500 gm
		14706.00	50 lit			Iscove's Modified Dulbecco's Medium (IMDM)	
AT1155	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Glutamine w/o HEPES buffer, Phenol Trnce Elements and Sodium bicarbonate	2448.00	5 lit	AT1160	Iscove's Modified Medium (GMEM) w/ L-Glutamine w/o HEPES buffer and Sodium bicarbonate	1602.00	5 lit
		5882.00	10x1 lit			4055.00	10x1 lit
		8253.00	20 lit			5625.00	20 lit
AT1239	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Glutamine, w/o HEPES buffer, Trnce Elements, Phenol red and Sodium bicarbonate	2462.00	5 lit	AT1261A	Iscove's Modified Dulbecco's Medium (IMDM) w/o L-Glutamine, HEPES, Sodium bicarbonate and Phenol red	522.00	1 lit
		5882.00	10x1 lit			4055.00	10x1 lit
		8244.00	20 lit			5625.00	20 lit
AT1192	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ 15mM HEPES buffer, Trnce Elements and L-Glutamine w/o Phenol red and Sodium bicarbonate	810.00	1 lit	AT1070	Iscove's Modified Dulbecco's Medium (IMDM) w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	1800.00	5 lit
		2448.00	5 lit			4424.00	10x1 lit
		6107.00	10x1 lit			7308.00	20 lit
AT1243	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Glutamine, 2mg/L Riboflavin and 55mg/L Sodium Pyruvate w/o HEPES buffer, Trance elements, Pyridoxal hydrochloride and Sodium bicarbonate	2475.00	5 lit	AT1070A	Iscove's Modified Dulbecco's Medium (IMDM) w/ 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	572.00	1 lit
		5882.00	10x1 lit			1800.00	5 lit
		8244.00	20 lit			4424.00	10x1 lit
AT1189	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Glutamine w/o Calcium chloride, HEPES buffer and Sodium bicarbonate	810.00	1 lit	AT1188	Iscove's Modified Dulbecco's Medium (IMDM) w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate and Phenol red	1800.00	5 lit
		2448.00	5 lit			4424.00	10x1 lit
		6107.00	10x1 lit			7308.00	20 lit
AT1054	Fischer's Medium / w/ L-Glutamine w/o Sodium bicarbonate	932.00	1 lit	AT1230	Iscove's Modified Dulbecco's Medium w/ L-Glutamine and 25mM HEPES buffer w/o Glucose and Sodium bicarbonate	1827.00	5 lit
		4230.00	5 lit			4518.00	10x1 lit
		9743.00	10x1 lit			7452.00	20 lit
DMEM / F12, 3:1 Mixture, High Glucose				Leibovitz's L-15 Medium			
AT1189	Dulbecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Glutamine w/o Calcium chloride, HEPES buffer and Sodium bicarbonate	810.00	1 lit	AT1011	Leibovot's L-15 Medium w/ L-Glutamine w/o Sodium bicarbonate	860.00	1 lit
		2448.00	5 lit			3475.00	5 lit
		6107.00	10x1 lit			6741.00	10x1 lit
AT1054	Fischer's Medium / w/ L-Glutamine w/o Sodium bicarbonate	932.00	1 lit	AT1011A	Leibovot's L-15 Medium w/ L-Glutamine and Sodium bicarbonate	3475.00	5 lit
		4230.00	5 lit			6741.00	10x1 lit
		9743.00	10x1 lit			12123.00	20 lit
Fischer's Medium				McCoy's 5A Medium			
AT1054	Fischer's Medium / w/ L-Glutamine w/o Sodium bicarbonate	932.00	1 lit	AT1164	Leibovot's L-15 Medium w/ L-Glutamine w/o Sodium Pyruvate and Sodium bicarbonate	3475.00	5 lit
		4230.00	5 lit			6741.00	10x1 lit
		9743.00	10x1 lit			12123.00	20 lit
Glasgow's Minimum Essential Medium, GMEM				AT1207	Leibovot's L-15 Medium w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	1116.00	1 lit
AT1102	Glasgow's Minimum Essential Medium (GMEM) w/ L-Glutamine w/o Tryptose Phosphate Broth and Sodium bicarbonate	1323.00	5 lit			3983.00	5 lit
		3384.00	10x1 lit			9180.00	10x1 lit
		4527.00	20 lit	14706.00	20 lit		
AT1058	Glasgow's Minimum Essential Medium (GMEM) w/ L-Glutamine and NEAA w/o Sodium Phosphate, Sodium bicarbonate Tryptose Phosphate Broth	428.00	1 lit	AT1057	McCoy's 5A Medium w/ L-Glutamine w/o Sodium bicarbonate	500.00	1 lit
		3250.00	10x1 lit			1701.00	5 lit
		4424.00	20 lit			3807.00	10x1 lit
						5954.00	20 lit
						8920.00	50 lit



Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AT1057A	McCoy's 5A Medium w/ L-Glutamine and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit				
AT1057F	McCoy's 5A Medium w/ L-Glutamine w/o Folic acid and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit				
AT1179F	McCoy's 5A Medium w/ L-Glutamine W/o Phenol red, Folic Acid and Sodium Bicarbonate	3807.00 5954.00	10x1 lit 20 lit				
McCoy's 5A Medium (For Suspension Culture)							
AT1071	McCoy's 5A Medium (For Suspension Culture) w/ L-Glutamine w/o Calcium chloride and Sodium bicarbonate	1746.00 4221.00 7173.00	5 lit 10x1 lit 20 lit				
MCDB Medium							
AT1131	MCDB Medium w/ L-Glutamine w/o Phenol red, Folic Acid and Sodium bicarbonate	6940.00 15894.00 23805.00	5 lit 10x1 lit 20 lit				
AT1132	MCDB 110 Medium w/ Trace elements, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	6940.00 15894.00 23805.00	5 lit 10x1 lit 20 lit				
AT1133	MCDB 131 Medium w/ Trace elements and L-Glutamine w/o Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit				
AT1134	MCDB 151 Medium w/ Trace elements, L-Glutamine and HEPES buffer w/o Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit				
AT1135	MCDB 153 Medium w/ Trace elements, L-Glutamine and HEPES buffer w/o Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit				
AT1137	MCDB 302 Medium w/ Trace elements, L-Glutamine and w/o Nucleosides and Sodium bicarbonate	2350.00 6940.00 15894.00 23805.00	1 lit 5 lit 10x1 lit 20 lit				
Medium 199							
AT1014	Medium 199 w/ Earle's Salts and L-Glutamine w/o Sodium bicarbonate	572.00 1746.00 4221.00 7173.00 10009.00	1 lit 5 lit 10x1 lit 20 lit 50 lit				
AT1014A	Medium 199 w/ Earle's Salts w/o L-Glutamine and Sodium bicarbonate	4221.00 7173.00	10x1 lit 20 lit				
AT1094	Medium 199 w/ Earle's Salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	1161.00 8829.00 13190.00	1 lit 10x1 lit 20 lit				
AT1094A	Medium 199 w/ Earle's Salts and 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	8829.00 13190.00	10x1 lit 20 lit				
					Medium 199 (For Suspension Culture)		
AT1043	Medium 199 (For Suspension Culture) w/ Earle's Salts and L-Glutamine w/o Calcium Chloride, Magnesium Sulphate and Sodium bicarbonate	572.00 4221.00 7173.00	1 lit 10x1 lit 20 lit				
Minimum Essential Medium Eagle (MEM)							
AT1020	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts and L-Glutamine w/o NEAA and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit				
AT1020G	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts and L-Alanyl-L-Glutamine w/o NEAA and Sodium bicarbonate	1638.00 4109.00 5643.00 9770.00	5 lit 10x1 lit 20 lit 50 lit				
AT1159A	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts w/o L-Glutamine, NEAA, Phenol red and Sodium bicarbonate	1701.00 3807.00 5954.00	5 lit 10x1 lit 20 lit				
AT1047	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts, NEAA and L-Glutamine w/o Sodium bicarbonate	500.00 1701.00 3807.00 5954.00 8920.00	1 lit 5 lit 10x1 lit 20 lit 50 lit				
AT1047A	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts and NEAA w/o L-Glutamine and Sodium bicarbonate	500.00 3807.00 5954.00	1 lit 10x1 lit 20 lit				
AT1046	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts, NEAA and L-Glutamine w/o Phenol red and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit				
AT1046A	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts and NEAA w/o L-Glutamine, Phenol red and Sodium bicarbonate	500.00 3807.00 5954.00	1 lit 10x1 lit 20 lit				
AT1153	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts, NEAA, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	4343.00 7173.00	10x1 lit 20 lit				
AT1154	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts, L-Glutamine, NEAA and Sodium Pyruvate w/o and Sodium bicarbonate	500.00 1701.00 3807.00 5954.00	1 lit 5 lit 10x1 lit 20 lit				
AT1074	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts, L-Glutamine and 25mM HEPES Sodium Pyruvate w/o Sodium bicarbonate	572.00 4343.00 7173.00	1 lit 10x1 lit 20 lit				
AT1182	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts, L-Glutamine, NEAA, Sodium Pyruvate and 25mM HEPES w/o Sodium bicarbonate	572.00 1746.00 4343.00 7173.00	1 lit 5 lit 10x1 lit 20 lit				
AT1056	Minimum Essential Medium Eagle (MEM) w/ Hanks' Salts and L-Glutamine w/o Sodium bicarbonate	500.00 3807.00 5954.00	1 lit 10x1 lit 20 lit				
AT1056A	Minimum Essential Medium Eagle (MEM) w/ Hanks' Salts w/o L-Glutamine and Sodium bicarbonate	1701.00 3807.00 5954.00	5 lit 10x1 lit 20 lit				

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AT1048	Minimum Essential Medium Eagle (MEM) w/ Hanks' Salts, L-Glutamine and NEAA w/o Sodium bicarbonate	1701.00	5 lit	AT1285	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ L-Glutamine w/o Sodium Pyruvate, Ribonucleosides and Deoxyribonucleosides,	702.00	1 lit
		3807.00	10x1 lit			2106.00	5 lit
		5954.00	20 lit			4932.00	10x1 lit
AT1075	Minimum Essential Medium Eagle (MEM) w/ Hanks' Salts, L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	572.00	1 lit	AT1300	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ L-Glutamine W/o Deoxyribose nucleosides, Ribonucleosides Phenol red and Sodium bicarbonate	702.00	1 lit
		4343.00	10x1 lit			2106.00	5 lit
		7173.00	20 lit			4932.00	10x1 lit
AT1017A	Minimum Essential Medium Eagle (MEM) w/ Earle's Salts NEAA w/o L-Glutamine and Sodium bicarbonate	572.00	1 lit	MEM / F12 1:1 Mixture			
		1746.00	5 lit	AT1237	Minimum Essential Medium Eagle / Nutrient Mixture F-12 Ham (MEM / F12 1:1 Mixture) w/ 15mM HEPES buffer, 25mM L-Glutamine w/o Sodium bicarbonate	6471.00	10x1 lit
		4221.00	10x1 lit			9550.00	20 lit
7173.00	20 lit	NCTC 109 Medium					
AT1077A	Minimum Essential Medium Eagle (MEM) (Modified for Autoclaving) w/ Earle's Salts w/o L-Glutamine, NEAA and Sodium bicarbonate	4221.00	10x1 lit	AT1138	NCTC 109 Medium w/ L-Glutamine w/o Sodium bicarbonate	2350.00	1 lit
		7173.00	20 lit			6940.00	5 lit
		Minimum Essential Medium Eagle (For Suspension Culture)				15894.00	10x1 lit
AT1238	Minimum Essential Medium Eagle (MEM) (For Suspension Culture) w/ Earle's Salts, L-Glutamine and NEAA w/o Calcium Chloride, Magnesium Sulfate and Sodium bicarbonate	1701.00	5 lit	AT1138A	NCTC 109 Medium w/o L-Glutamine and Sodium bicarbonate	2385.00	1 lit
		3807.00	10x1 lit			7074.00	5 lit
		5954.00	20 lit			16182.00	10x1 lit
Minimum Essential Medium Eagle (Joklik Modification)				Nutrient Mixture F-12 Ham			
AT1079	Minimum Essential Medium Eagle (MEM) (Joklik Modification) (For Suspension Culture) w/ L-Glutamine w/o Calcium Chloride and Sodium bicarbonate	4230.00	5 lit	AT1024	Nutrient Mixture F-10 Ham w/ L-Glutamine w/o Sodium bicarbonate	572.00	1 lit
		9792.00	10x1 lit			1746.00	5 lit
		14850.00	20 lit			4221.00	10x1 lit
Minimum Essential Medium Eagle (Alpha Modification)				AT1024A	Nutrient Mixture F-10 Ham w/ L-Glutamine and w/o Sodium bicarbonate	7173.00	20 lit
AT1080	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ L-Glutamine, Ribonucleosides and Deoxyribonucleosides w/o Sodium bicarbonate	865.00	1 lit			10009.00	50 lit
		2574.00	5 lit			AT1083	Nutrient Mixture F-10 Ham w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate
		6471.00	10x1 lit	4707.00	10x1 lit		
9550.00	20 lit	7650.00	20 lit				
AT1080A	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ Ribonucleosides and Deoxyribonucleosides w/o L-Glutamine and Sodium bicarbonate	2574.00	5 lit	AT1184	Nutrient Mixture F-10 Ham w/ 20mM HEPES buffer and L-Glutamine w/o Sodium bicarbonate	635.00	1 lit
		6471.00	10x1 lit			1881.00	5 lit
		9550.00	20 lit			4707.00	10x1 lit
AT1253	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ L-Glutamine Ribonucleosides and Deoxyribonucleosides w/o Sodium bicarbonate and Phenol red	2574.00	5 lit	AT1184	Nutrient Mixture F-10 Ham w/ 20mM HEPES buffer and L-Glutamine w/o Sodium bicarbonate	4707.00	10x1 lit
		6471.00	10x1 lit			7650.00	20 lit
		9550.00	20 lit			Nutrient Mixture F-10 Ham	
AT1221	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ Deoxyribonucleosides, Ribonucleosides and L-Glutamine w/o Ascorbic acid and Sodium bicarbonate	6471.00	10x1 lit	AT1025	Nutrient Mixture F-12 Ham w/ L-Glutamine w/o Sodium bicarbonate	914.00	1 lit
		9550.00	20 lit			2705.00	5 lit
		Minimum Essential Medium Eagle (Alpha Modification)				4824.00	10x1 lit
AT1081	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/ L-Glutamine w/o Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	702.00	1 lit	AT1025A	Nutrient Mixture F-12 Ham w/o L-Glutamine and Sodium bicarbonate	8110.00	20 lit
		2106.00	5 lit			14706.00	50 lit
		4932.00	10x1 lit			AT1144	Nutrient Mixture F-12 Ham w L-Glutamine w/o Phenol red and Sodium bicarbonate
7412.00	20 lit	2705.00	5 lit				
13302.00	50 lit	4824.00	10x1 lit				
AT1081A	Minimum Essential Medium Eagle (MEM) (Alpha Modification) w/o L-Glutamine, Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	2106.00	5 lit	AT1095	Nutrient Mixture F-12 Ham w L-Glutamine w/o Folic acid, Phenol red and Sodium bicarbonate	8110.00	20 lit
		4932.00	10x1 lit			927.00	1 lit
		7412.00	20 lit			2754.00	5 lit

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AT1119A	Nutrient Mixture F-12 Ham w/o Folic acid L-Glutamine, Phenol red and Sodium bicarbonate	2705.00	5 lit	AT1120	RPMI-1640 w/ L-Glutamine w/o Phenol red and Sodium bicarbonate	590.00	1 lit
		4824.00	10x1 lit			1746.00	5 lit
		8145.00	20 lit			4590.00	10x1 lit
AT1290	Nutrient Mixture F-12 Ham w/ 10mM HEPES buffer acid L-Glutamine w/o Sodium bicarbonate and Phenol red	Discontinue	1 lit	AT1060	RPMI-1640 w/ L-Glutamine and 25mM HEPES buffer w/o Sodium bicarbonate	810.00	1 lit
		Discontinue	5 lit			2350.00	5 lit
		Discontinue	10x1 lit			5882.00	10x1 lit
AT1144A	Nutrient Mixture F-12 Ham w/o L-Glutamine, Phenol red and Sodium bicarbonate	914.00	1 lit	AT1060A	RPMI-1640 w/ 25mM HEPES buffer w/o L-Glutamine and Sodium bicarbonate	810.00	1 lit
		2705.00	5 lit			5882.00	10x1 lit
		4824.00	10x1 lit			8829.00	20 lit
Nutrient Mixture F-12 Ham, Kaighn's Modification				AT1157A	RPMI-1640 w/ 25mM HEPES buffer and Sodium pyruvate w/o L-Glutamine and Sodium bicarbonate	810.00	1 lit
AT1106	Nutrient Mixture F-12 Ham, Kaighn's Modification w/ L-Glutamine w/o Sodium bicarbonate	1107.00	1 lit			2350.00	5 lit
		3285.00	5 lit			5882.00	10x1 lit
		8244.00	10x1 lit	8829.00	20 lit		
AT1106A	Nutrient Mixture F-12 Ham, Kaighn's Modification w/o L-Glutamine and Sodium bicarbonate	8244.00	10x1 lit	AT1113A	RPMI-1640 w/ 25mM HEPES buffer w/o L-Glutamine, Phenol red and Sodium bicarbonate	810.00	1 lit
		11547.00	20 lit			5882.00	10x1 lit
		Nutrient Mixture F-12 Ham, Caon's Modification				AT1162	RPMI-1640 w/ L-Glutamine, Sodium Pyruvate, 4.5gms Glucose per liter and 10mM HEPES buffer w/o Sodium bicarbonate
AT1146	Nutrient Mixture F-12 Ham, Caon's Modification w L-Glutamine w/o Sodium bicarbonate	810.00	1 lit	2350.00	5 lit		
		2228.00	5 lit	5882.00	10x1 lit		
		5760.00	10x1 lit	8829.00	20 lit		
AT1146A	Nutrient Mixture F-12 Ham, Caon's Modification w/o L-Glutamine and Sodium bicarbonate	833.00	1 lit	AT1171	RPMI-1640 w/ 2mM L-Glutamine, 1mM Sodium Pyruvate, 4.5gms Glucose per liter and 10mM HEPES buffer w/o Phenol red and Sodium bicarbonate	810.00	1 lit
		2277.00	5 lit			5882.00	10x1 lit
		5877.00	10x1 lit			8829.00	20 lit
RPMI-1640				AT1126A	RPMI-1640 (Modified for Autoclaving) w/o L-Glutamine and Sodium bicarbonate	1503.00	1 lit
AT1150	RPMI-1640 w/ L-Glutamine w/o Glucose and Sodium bicarbonate	563.00	1 lit			5292.00	5 lit
		1710.00	5 lit			13190.00	10x1 lit
		4275.00	10x1 lit	18360.00	20 lit		
AT1028	RPMI-1640 w/ L-Glutamine w/o Sodium bicarbonate	509.00	1 lit	AT1180	RPMI-1640 w/ L-Glutamine, Phenol red, 0.2% Glucose 0.165 moles per litre MOPS buffer w/o Sodium bicarbonate	1503.00	1 lit
		1530.00	5 lit			5292.00	5 lit
		3884.00	10x1 lit			13190.00	10x1 lit
AT1028A	RPMI-1640 w/o L-Glutamine and Sodium bicarbonate	509.00	1 lit	SFRE Medium 199-1			
		1530.00	5 lit	AT1089	SERE Medium 199-1 w/ Hanks' salts, L-Glutamine, Galactose and Glucose w/o Sodium bicarbonate and Insulin	1035.00	1 lit
		3884.00	10x1 lit			4671.00	5 lit
5292.00	20 lit	10683.00	10x1 lit				
AT1028F	RPMI-1640 w L-Glutamine w/o Folic acid and Sodium bicarbonate	590.00	1 lit	AT1090	SERE Medium 199-2 w/ Earle's salts, L-Glutamine, Galactose and Glucose w/o Sodium bicarbonate and Insulin	4590.00	5 lit
		4590.00	10x1 lit			10440.00	10x1 lit
		6107.00	20 lit			16007.00	20 lit
AT1161A	RPMI-1640 w/o Folic acid, L-Glutamine and Sodium bicarbonate	590.00	1 lit	Swim's S-77 Medium			
		4590.00	10x1 lit	AT1124	Swim's S-77 Medium w/ L-Glutamine w/o Streptomycin sulphate, Phenol red and Sodium bicarbonate	1611.00	5 lit
		6107.00	20 lit			4077.00	10x1 lit
Waymouth Medium MB 752/1						5522.00	20 lit
AT1229A	RPMI-1640 w/ Sodium pyruvate w/o L-Glutamine, Phenol red and Sodium bicarbonate	590.00	1 lit	AT1091	Waymouth Medium MB 752/1 w/ L-Glutamine w/o Sodium bicarbonate	3285.00	5 lit
		4590.00	10x1 lit			8110.00	10x1 lit
		6107.00	20 lit			10944.00	20 lit
AT1112A	RPMI-1640 w/o L-Glutamine, Phenol red and Sodium bicarbonate	509.00	1 lit				
		3884.00	10x1 lit				
		5292.00	20 lit				

Unless indicated all the above products to be stored at 2 - 8°C
50L bulk packing available for powder media

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
William's Medium E							
AT1125	William Medium E w/ L-Glutamine w/o Sodium bicarbonate	860.00 6921.00 13185.00	1 lit 10x1 lit 20 lit	ID1001	Drosophila Diet	2673.00 8010.00	1 lit 5 lit
Insect Media (Liquid)				Insect Diets			
IML1001	Grace's Insect Medium w/ Sodium bicarbonate w/o L-Glutamine	3272.00 4977.00 12465.00 30915.00	500 ml 2x500 ml 6x500 ml 20x500 ml	ID1003	Vanderzant Vitamin Mixture Animal Component Free	5922.00 30573.00	100 gm 1 kg
IML1001A	Grace's Insect Medium w/ L-Glutamine and Sodium bicarbonate	3272.00 4977.00 12465.00 30915.00	500 ml 2x500 ml 6x500 ml 20x500 ml	TS2100	Wesson's Salt Mixture Insect Cell Culture Tested	4735.00 9473.00 15093.00	500 gm 2 kg 10 kg
IML1002	Mitsuhashi and Maramorosch Insect Medium w/ Sodium bicarbonate	2844.00 4320.00 10836.00	500 ml 2x500 ml 6x500 ml	MicglutaXL Media			
IML1003	Schneider's Insect Medium w/ Calcium Chloride and Sodium bicarbonate w/o L-Glutamine	3425.00 5207.00 13010.00 30852.00	500 ml 2x500 ml 6x500 ml 20x500 ml	Media Containing Stable Glutamine			
IML1003A	Schneider's Insect Medium w/ Calcium Chloride, L-Glutamine and Sodium bicarbonate	3672.00 5580.00 13960.00	500 ml 2x500 ml 6x500 ml	AL1066G	MicglutaXL Dubecco's Modified Eagle Medium, High Glucose w/ 4.5gms Glucose per litre, L-Alanyl-L-Glutamine and Sodium bicarbonate w/o Sodium Pyruvate	2601.00 3942.00 9910.00 24593.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1007	TC-100 Insect Medium w/ Sodium bicarbonate w/o L-Glutamine	3411.00 5193.00 12987.00 32283.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1007G	MicglutaXL Dubecco's Modified Eagle Medium, High Glucose w/ L-Alanyl-L-Glutamine, Sodium Pyruvate and Sodium bicarbonate	2601.00 3942.00 9910.00 24593.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1008	TNM-FH Insect Medium w/ Lactalbumin hydrolysate, Yeast extract and Sodium bicarbonate w/o L-Glutamine	4140.00 6314.00 15773.00 39141.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1067G	MicglutaXL Dubecco's Modified Eagle Medium (DMEM) w/ 4.5gms Glucose per litre, L-Alanyl-L-Glutamine, 2.5mM HEPES buffer and Sodium bicarbonate w/o Sodium Pyruvate	2601.00 3942.00 9910.00 24593.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IML1008A	TNM-FH Insect Medium w/ Lactalbumin hydrolysate, Yeast extract and Sodium bicarbonate	4140.00 6314.00 15773.00 39141.00	500 ml 2x500 ml 6x500 ml 20x500 ml	AL1127G	MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Alanyl-L- Glutamine, Sodium bicarbonate and Trace elements W/o HEPES buffer	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml
Insect Media (Powder)				AL1273G	MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Alanyl-L- Glutamine and 1.2 gms per liter Sodium bicarbonate w/o HEPES buffer and Trace elements	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IM1001	Grace's Insect Medium w/ L- Glutamine w/o Sodium bicarbonate	1323.00 7083.00 10098.00	1 lit 10 lit 10x1 lit	AL1155G	MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Alanyl-L- Glutamine and 2.438gms per liter Sodium bicarbonate w/o HEPES buffer and Trace elements	2907.00 4311.00 11107.00 27572.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IM1002	Mitsuhashi and Maramorosch Insect Medium w/o Sodium bicarbonate	1350.00 7052.00 10170.00	1 lit 10 lit 10x1 lit	AL1139G	MicglutaXL Dubecco's Modified Eagle Medium / Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L-Alanyl-L- Glutamine, HEPES buffer, Sodium bicarbonate and Trace elements	3798.00 5760.00 14454.00 35933.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IM1003	Schneider's Insect Medium w/ L- Glutamine w/o Calcium Chloride and Sodium bicarbonate	1323.00 7083.00 10098.00	1 lit 10 lit 10x1 lit	AL1014G	MicglutaXL Medium 199 w/ Earie's Salts, L-Alanyl-L- Glutamine and Sodium bicarbonate w/o HEPES buffer	3798.00 5760.00 14454.00 33273.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IM1004	Sheilds and Sang M3 Insect Medium w/ L- Glutamine w/o Potassium bicarbonate	964.00 5166.00 7250.00	1 lit 10 lit 10x1 lit	AL1020G	MicglutaXL Minium Essential Medium Eagle (MEM) w/ L-Alanyl-L- Glutamine, Earie's Salts and Sodium bicarbonate w/o NEAA	3798.00 5760.00 14454.00 35933.00	500 ml 2x500 ml 6x500 ml 20x500 ml
IM1007	TC-100 Insect Medium w/ L- Glutamine w/o Sodium bicarbonate	1323.00 7083.00 10098.00	1 lit 10 lit 10x1 lit				
IM1008	TNM-FH Insect Medium Grance's Medium Supplemented w/ L- Glutamine, Lactalbumin hydrolyste and Yeast extract w/o Sodium bicarbonate	2007.00 10548.00 15210.00	1 lit 10 lit 10x1 lit				

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AL1047G	MicglutaXL Minium Essential Medium Eagle w/ L-Alanyl-L- Glutamine, Earle's Salts NEAA and Sodium bicarbonate	2601.00 3942.00 9910.00 24633.00	500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1003	MicSera Dulbecco's Modified Eagle Medium, High Glucose w/ Sodium Pyruvate and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34506.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1056G	MicglutaXL Minium Essential Medium Eagle w/ L-Alanyl-L- Glutamine, Hanks' Salts and Sodium bicarbonate	2601.00 3942.00 9910.00 24633.00	500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1003G	MicSera Dulbecco's Modified Eagle Medium, High Glucose w/ L-Alanyl-L- Glutamine, Sodium Pyruvate and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3447.00 5373.00 13500.00 36243.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1080G	MicglutaXL Minium Essential Medium (Alpha Modification) w/ L-Alanyl-L- Glutamine, Deoxyribonucleosides, Ribonucleosides and Sodium bicarbonate	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1005	MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ Trace Elements and Sodium bicarbonate w/o L- Glutamine and HEPES buffer 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3785.00 5913.00 14810.00 39745.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1081G	MicglutaXL Minium Essential Medium (Alpha Modification) w/ L-Alanyl-L- Glutamine and Sodium bicarbonate w/o Deoxyribonucleosides and Ribonucleosides	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1006	MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ HEPES buffer, Sodium bicarbonate and Trace Elements w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4356.00 6813.00 19062.00 51246.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1255G	MicglutaXL Minium Essential Medium Eagle (MEM) (Alpha Modification) w/ L-Alanyl-L- Glutamine and Sodium bicarbonate w/o Deoxyribonucleosides, Ribonucleosides and Phenol red	3110.00 4734.00 11880.00 29493.00	500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1006G	MicSera Dulbecco's Modified Eagle Medium/ Nutrient Mixture F-12 Ham (DMEM / F12, 1:1 Mixture) w/ L- Alanyl-L- Glutamine HEPES buffer, Sodium bicarbonate and Trace Elements 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4572.00 7155.00 17892.00 48042.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1024G	MicglutaXL Minium Mixture F-10 Ham w/ L-Alanyl-L- Glutamine and Sodium bicarbonate	4446.00 3110.00 4734.00 11880.00 29493.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1007	MicSera Iscove's Modified Dulbecco's Medium w/ HEPES buffer and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4284.00 6693.00 16722.00 44910.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1028G	MicglutaXL RPMI-1640 w/ L-Alanyl-L- Glutamine and Sodium bicarbonate	2601.00 3942.00 9910.00 24633.00	500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1008	MicSera Minimum Essential Medium Eagle w/ Earle's Salts, NEAA and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34506.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1060G	MicglutaXL RPMI-1640 w/ L-Alanyl-L- Glutamine, HEPES buffer and Sodium bicarbonate	3438.00 5225.00 13050.00 32450.00	500 ml 2x500 ml 6x500 ml 20x500 ml	RSL1008A	MicSera Minimum Essential Medium Eagle (MEM) w/ Earle's Salts, NEAA and L- Glutamine and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3245.00 5031.00 12614.00 33885.00	500 ml 2x500 ml 6x500 ml 20x500 ml
AL1751G	MicglutaXL RPMI-1640 w/ L-Alanyl-L- Glutamine, HEPES buffer 60mg per litre Penicillin, 100mg per liter Streptomycin, 15% FBS and Sodium bicarbonate (*8ml medium in 15ml round bottom centrifuge tube)	8753.00 6350.00 9648.00 24152.00 67122.00 107820.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml 20x50 NO	RSL1008G	MicSera Minimum Essential Medium Eagle w/ Earle's Salts, L-Alanyl-L- Glutamine NEAA and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3447.00 5373.00 13500.00 36243.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TCL1030	MicglutaXL Supplement 200mM w/ L-Alanyl-L- Glutamine in 0.85% normal Saline	2395.00 8348.00	100 ml 5x100 ml	RSL1009	MicSera Nutrient Mixture F-10 Ham w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4284.00 6693.00 16722.00 44910.00	500 ml 2x500 ml 6x500 ml 20x500 ml
MicSera Media Media requiring reduced serum Supplementation							
RSL1019	MicSera Dulbecco's Modified Eagle Medium, Low Glucose w/ 1gm Glucose per litre, Sodium Pyruvate and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34542.00	500 ml 2x500 ml 6x500 ml 20x500 ml				

Unless indicated all the above products to be stored at 2 - 8°C

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
RSL1010	MicSera Nutrient Mixture F-12 Ham w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	4284.00 6693.00 16722.00 44910.00	500 ml 2x500 ml 6x500 ml 20x500 ml				
RSL1011	MicSera RPMI-1640 w/ Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3285.00 5135.00 12843.00 34551.00	500 ml 2x500 ml 6x500 ml 20x500 ml				
RSL1011G	MicSera RPMI-1640 w/ L-Alanyl-L- Glutamine and Sodium bicarbonate 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3447.00 5373.00 13500.00 36243.00	500 ml 2x500 ml 6x500 ml 20x500 ml				
RSL1012	MicSera RPMI-1640 w/ HEPES buffer and Sodium bicarbonate w/o L- Glutamine 1X Liquid Cell Culture Medium requiring reduced serum Supplementation	3785.00 5913.00 14810.00 39745.00	500 ml 2x500 ml 6x500 ml 20x500 ml				
MicXL Series of Cell Freezing Media							
Freezing Media for regular and sensitive cell lines							
TCL1043	*MicXL Cell Freezing Medium-DMSO, 1X w/ FBS and DMSO w/o Antibiotics Sterile filtered	10755.00	50 ml				
TCL1093	*MicXL Cell Freezing Medium-DMSO, 1X w/ FBS and DMSO w/o Antibiotics Sterile filtered This medium contains high, concentration of FBS and can be used for Freezing of sensitive cell lines.	13320.00	50 ml				
TCL1056	*MicXL Cell Freezing Medium-DMSO, 1X w/ FBS and DMSO w/o Antibiotics and Phenol red Sterile filtered	10755.00	50 ml				
TCL1044	*MicXL Cell Freezing Medium-Glycerol, 1X w/ FBS and Glycerol w/o Antibiotics Sterile filtered	10144.00	50 ml				
TCL1078	*MicXL Cell Freezing Medium-Glycerol, 1X w/ FBS and Glycerol w/o Antibiotics and Phenol red Sterile filtered	10144.00	50 ml				
Animal origin-free and serum-free cell freezing media							
TCL1098	*MicXL Universal Freezing Medium w/ DMSO w/o Antibiotics, Antimycotics and Phenol red Sterile filtered	16497.00	50 ml				
Stem cell freezing media							
TCL1107	*MicXL Stem Cell Freezing Medium w/ FBS and DMSO w/o Antibiotics Sterile filtered	12708.00	50 ml				
Hybridoma Cell freezing media							
TCL1123	*MicXL Hybridoma Cell Freezing Medium, DMSO, 1X w/ FBS and DMSO w/o Antibiotics This medium is optimized for cryopreservation of hybridoma cells	16362.00	50 ml				
Cell Culture Reagents							
Antibiotic Solution							
A01011	*Amphotericin B Solution 250µg/ml Cell Culture Tested	6255.00	5x20 ml				
A01022	*Ampicillin Solution w/ 10mg/ml Ampicillin sodium salt in sterile tissue culture grade water	2651.00 8010.00	20 ml 5x20 ml				
A01023	*Ampicillin Solution w/ 100mg/ml Ampicillin Solution salt in sterile tissue culture grade water	7803.00	20 ml				
A01001	*Antibiotic Solution 100X Liquid w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	Discontinue Discontinue Discontinue Discontinue	50 ml 5x50 ml 100 ml 5x100 ml				
A01001A	*Antibiotic Solution 100X Liquid Endotoxin tested w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	1728.00 6282.00 2223.00 9774.00	50 ml 5x50 ml 100 ml 5x100 ml				
A01014	*Antibiotic Solution 100X Liquid w/ 10,000 U Penicillin and 10mg Streptomycin per ml in 0.9% normal saline	6975.00 10863.00	5x50 ml 5x100 ml				
A01018	*Antibiotic Solution 100X Liquid w/ 10,000 U Penicillin, 5mg Streptomycin per ml in 0.9% normal saline	6975.00 10863.00	5x50 ml 5x100 ml				
A01002	*Antibiotic Antimycotic Solution 100X Liquid w/ 10,000 U Penicillin, 10mg Streptomycin and 25 g Amphotericin B per ml in 0.9% normal saline	1386.00 5297.00 7857.00 3492.00 12861.00	20 ml 5x20 ml 5x50 ml 100 ml 5x100 ml				
A01002A	*Antibiotic Antimycotic Solution 100X Liquid, Endotoxin tested w/ 10,000 U Penicillin, 10mg Streptomycin and 25 g Amphotericin B per ml in 0.9% normal saline	1422.00 6903.00 10400.00 3654.00 18131.00	20 ml 5x20 ml 5x50 ml 100 ml 5x100 ml				
A01003	*Antibiotic Solution 50X Liquid w/ 5,000 U Penicillin and 5mg/ml Streptomycin in 0.9% normal saline	1022.00 3807.00	50 ml 5x50 ml				
A01019	*Carbenicillin Solution 100mg/ml w/ 100mg/ml carbenicillin in sterile tissue culture grade water	4482.00 8316.00	20 ml 5x20 ml				
A01032	*Ciprofloxacin 2% Solution 5X w/ 2% Ciprofloxacin in sterile tissue culture grade water	2745.00	100 ml				
A01016	*Geneticin Solution (G418 Solution) w/ 50 mg/ml Geneticin in sterile tissue culture grade water	12240.00 44802.00	20 ml 5x20 ml				
A01005	*Gentamicin Solution w/ 50 mg/ml Gentamicin in sterile tissue culture grade water	2718.00 5445.00	1x100 ml 20 ml				

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TL2109	Hanks' Balanced Salt Solution 10X w/ Calcium and Magnesium w/o Sodium bicarbonate and Phenol red	5508.00	5X100 ml	TL2126	Phosphate Buffered Saline pH 7.4 1X w/ Phenol red	2075.00	500 ml
		6534.00	500 ml			3132.00	2x500 ml
		9756.00	2x500 ml			7610.00	6x500 ml
		19099.00	6x500 ml			17721.00	20x500 ml
		44631.00	20X500 ml				
TL2021	Hanks' Balanced Salt Solution 10X w/ Phenol red w/o Sodium bicarbonate	6534.00	500 ml	TL2153	Potassium Phosphate Buffer, pH 6.8 (1X)	2448.00	5x100 ml
		9923.00	2x500 ml			1890.00	500 ml
		19121.00	6x500 ml			2835.00	2x500 ml
		44631.00	20x500 ml			6930.00	6x500 ml
		15975.00	20x500 ml				
TL2122	Hanks' Balanced Salt Solution 10X w/ Phenol red w/o Calcium chloride, Magnesium sulfate and Sodium bicarbonate	4356.00	500 ml	TL2104	Potassium Phosphate Buffered Saline 1X	2178.00	500 ml
		6606.00	2x500 ml			3303.00	2x500 ml
		15966.00	6x500 ml			7983.00	6x500 ml
		37211.00	20x500 ml			18396.00	20x500 ml
TL2098	Hanks' Balanced Salt Solution 1X w/ Sodium bicarbonate w/o Calcium, Magnesium and Phenol red	2178.00	500 ml	TL2011	Spinner Balanced Salts, Eagle 1X w/ Phenol red and Sodium bicarbonate w/o Calcium Chloride	2822.00	5x100 ml
		3303.00	2x500 ml			2178.00	500 ml
		7983.00	6x500 ml			3312.00	2x500 ml
		18396.00	20x500 ml			7956.00	6x500 ml
		18396.00	20x500 ml			18396.00	20x500 ml
TL2155	Hanks' Balanced Salt Solution 1X w/ Calcium and Magnesium w/o Sodium bicarbonate and Phenol red	2822.00	5x100 ml	Balanced Salt (Powder)			
		2178.00	500 ml	TS2119	Dulbecco's Phosphate Buffered Saline w/ Calcium and Magnesium w/o Phenol red	378.00	1 lit
		3312.00	2x500 ml			1193.00	5 lit
		7956.00	6x500 ml			2970.00	10x1 lit
		18396.00	20x500 ml			4047.00	20 lit
TL2097	Krebs-Ringer Bicarbonate Buffer 1X w/ 1.8gms Glucose per litre and Sodium bicarbonate w/o Calcium Chloride	2178.00	500 ml	TS2006	Dulbecco's Phosphate Buffered Saline w/ Calcium, Magnesium and Phenol red	378.00	1 lit
		3303.00	2x500 ml			1193.00	5 lit
		7983.00	6x500 ml			2970.00	10x1 lit
		18396.00	20x500 ml			4047.00	20 lit
		18396.00	20x500 ml			7075.00	50 lit
TL2143	Krebs-Ringer Bicarbonate Buffer 1X w/ Calcium Chloride, HEPES buffer, 0.2% Bovine serum Albumin and Sodium bicarbonate w/o Glucose	2822.00	500 ml	TS2003	Hanks' Balanced Salts w/ Phenol red w/o Sodium bicarbonate	284.00	1 lit
		4302.00	2x500 ml			865.00	5 lit
		10360.00	6x500 ml			2178.00	10x1 lit
		23873.00	20x500 ml			2925.00	20 lit
		23873.00	20x500 ml			5148.00	50 lit
TL2152	Krebs-Ringer Phosphate HEPES Buffer pH 7.4 w/ 20mM HEPES buffer, Calcium and Magnesium w/o Phenol red	3060.00	500 ml	TS2010	Hanks' Balanced Salts w/o Phenol red and Sodium bicarbonate	284.00	1 lit
		4563.00	2x500 ml			865.00	5 lit
		11214.00	6x500 ml			2178.00	10x1 lit
		25750.00	20x500 ml			2925.00	20 lit
		25750.00	20x500 ml			5148.00	50 lit
TL2031	Phosphate Buffered Saline pH 7.2 1X	2178.00	500 ml	TS2033	Hanks' Balanced Salts w/ Phenol red w/o Calcium, Magnesium and Sodium bicarbonate	325.00	1 lit
		3303.00	2x500 ml			995.00	5 lit
		7983.00	6x500 ml			2493.00	10x1 lit
		17474.00	20x500 ml			3375.00	20 lit
		17474.00	20x500 ml				
TL2032	Phosphate Buffered Saline pH 7.2 10X	5211.00	5x100 ml	TS2020	Hanks' Balanced Salts w/ Phenol red w/o Calcium and Sodium bicarbonate	325.00	1 lit
		4356.00	500 ml			995.00	5 lit
		6516.00	2x500 ml			2493.00	10x1 lit
		15912.00	6x500 ml			3375.00	20 lit
		37211.00	20x500 ml				
TL2033	Phosphate Buffered Saline pH 7.2 20X	8280.00	5x100 ml	TS2098	Hanks' Balanced Salts w/o Calcium, Magnesium, Phenol red and Sodium bicarbonate	325.00	1 lit
		7650.00	500 ml			995.00	5 lit
		11277.00	2x500 ml			2493.00	10x1 lit
		27900.00	6x500 ml			3375.00	20 lit
		65547.00	20x500 ml				
TL2101	Phosphate Buffered Saline pH 7.4 1X	2822.00	5x100 ml	TS2097	Krebs-Ringer Bicarbonate Buffer w/ 1.8 gms Glucose per liter w/o Phenol red, Calcium Chloride and Sodium bicarbonate	325.00	1 lit
		2178.00	500 ml			995.00	5 lit
		3312.00	2x500 ml			2480.00	10x1 lit
		7956.00	6x500 ml			3344.00	20 lit
		18396.00	20x500 ml				
TL2099	Phosphate Buffered Saline pH 7.4 10X	5211.00	5x100 ml	TS2152	Krebs-Ringer Phosphate HEPES Buffer pH 7.4 w/ 20mM HEPES buffer, Calcium and Magnesium w/o Phenol red	657.00	1 lit
		4356.00	500 ml			2025.00	5 lit
		6515.00	2x500 ml			5072.00	10x1 lit
		15912.00	6x500 ml			6885.00	20 lit
		37211.00	20x500 ml				

Unless indicated all the above products to be stored at 2 - 8°C

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
A01006	*Gentamicin L-Glutamine Solution w/ 200mM L-Glutamine and 5 mg/ml Gentamicin in 0.9% normal Saline	8028.00	5x20 ml	TL2106	Dulbecco's Phosphate Buffered Saline 1X w/ 1000mg/ml D-Glucose, 36mg Sodium pyruvate per liter, Calcium and Magnesium w/o Phenol red	2822.00 2178.00 3105.00 8775.00 20210.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01010	Gentamicin Solution w/ 10 mg/ml Gentamicin sulfate in sterile tissue culture grade water	2215.00 5243.00 4735.00	20 ml 5X20 ml 100 ml	TL2022	Dulbecco's Phosphate Buffered Saline 10X w/o Phenol red, Calcium and Magnesium	5211.00 4356.00 6516.00 15912.00 37211.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01031	*Gentamicin-Amphotericin B Solution 1000X w/ 30 mg/ml Gentamicin nd 25 g/ml Amphotericin B in sterile tissue culture grade water	7430.00 26046.00	20 ml 5x20 ml	TL2145	Dulbecco's Phosphate Buffered Saline with Gentamicin w/ 120 g/ml Gentamicin Sulphate w/o Calcium, Magnesium and Phenol red contains 20ml DPBS in 50ml self-standing centrifuge tube	POR	5x20 ml
A01015	Hygromycin B Solution w/ 50 mg/ml Hygromycin B in sterile tissue culture grade water	8487.00 34902.00	20 ml 5x20 ml	TL2002	Earle's Balanced Salt Solution 1X w/ Phenol red and sodium bicarbonate	2178.00 3312.00 7974.00 18396.00	500 ml 2x500 ml 6x500 ml 20x500 ml
A01008	Kanamycin Solution w/ 10 mg/ml Kanamycin 0.9% normal saline	1764.00 5292.00	20 ml 5x20 ml	TL2110	Earle's Balanced Salt Solution 1X w/ Sodium bicarbonate and Phenol red w/o Calcium and Magnesium	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01009	Kanamycin Solution w/ 50 mg/ml Kanamycin in 0.9% normal saline	4158.00 7025.00	20 ml 5x20 ml	TL2107	Earle's Balanced Salt Solution 1X w/ Sodium bicarbonate w/o Calcium, Magnesium and Phenol red	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01024	Neomycin Sulphate Solution w/ 10 mg/ml Neomycin in 0.9% normal saline	1670.00 5373.00	20 ml 5x20 ml	TL2024	Hanks' Balanced Salt Solution 1X w/ Phenol red and Sodium bicarbonate w/o Calcium	2178.00 3303.00 7983.00 18396.00	500 ml 2x500 ml 6x500 ml 20x500 ml
A01012	Nystatin Suspension w/ 10,000units Nystatin per ml in Dulbecco's Phosphate Buffered Saline	4671.00 8883.00	5x20 ml 5x50 ml	TL2003	Hanks' Balanced Salt Solution 1X w/ Phenol red and Sodium bicarbonate	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01027	Polymyxin B Solution w/ 50mg/ml Polymyxin B in sterile tissue culture grade water Suitable for vaccine Production	3807.00	5x20 ml	TL2010	Hanks' Balanced Salt Solution 1X w/ Sodium bicarbonate w/o Phenol red	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01007	*L-Glutamine-Penicillin-Streptomycin Solution w/ 200mM L-Glutamine, 10,000 units/ml Penicillin and 10 mg/ml Streptomycin in 0.9% normal saline	4910.00 10206.00	5x20 ml 5x100 ml	TL2151	Hanks' Balanced Salt Solution 1X w/ 10mM HEPES and Sodium bicarbonate w/o Phenol red	2372.00 3618.00 8793.00 20210.00	500 ml 2x500 ml 6x500 ml 20x500 ml
A01028	*Penicillin-Streptomycin-Neomycin Solution w/ 5000 units Penicillin, 5mg Streptomycin and 10 mg Neomycin per ml in Citrate buffer	7983.00	5x20 ml	TL2019	Hanks' Balanced Salt Solution 1X w/ Phenol red w/o Sodium bicarbonate	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01004	Penicillin-Streptomycin Powder w/ 5000 units Penicillin, 5mg Streptomycin per ml in 0.9% normal saline when reconstituted with sterile tissue culture grade water to indicated volume	5184.00 10369.00	5x50 ml 5x100 ml	TL2108	Hanks' Balanced Salt Solution 1X w/ Phenol red w/o Calcium, Magnesium Sulphate and Sodium bicarbonate	2822.00 2178.00 3312.00 7956.00 18396.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
A01038	Puromycin dihydrochloride Solution w/ 10mg/ml Puromycin dihydrochloride in cell culture grade water	27477.00 108765.00	20 ml 5x20 ml				
Balanced Salts							
Balanced Salt Solutions (Liquid)							
TL2006	Dulbecco's Phosphate Buffered Saline 1X w/ Phenol red, Calcium and Magnesium	2822.00 2178.00 3312.00 8775.00 20210.00 2763.00 24966.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml 1000 ml 20x1000 ml				
TL2023	Dulbecco's Phosphate Buffered Saline 1X w/ Calcium and Magnesium w/o Phenol red	2822.00 2178.00 3105.00 8775.00 20210.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml				



Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TS2148	Krebs-Henseleit Buffer w/ 2gms Glucose per liter w/o Calcium chloride and Sodium bicarbonate	378.00 1193.00 2970.00 4047.00	1 lit 5 lit 10x1 lit 20 lit				
TS2099	Phosphate Buffered Saline, pH 7.2	293.00 865.00 2178.00 2925.00 5162.00	1 lit 5 lit 10x1 lit 20 lit 50 lit				
TS2120	Phosphate Buffered Saline, pH 7.4 w/ 1% Bovine Serum Albumin	1085.00 3312.00 8190.00 11115.00	1 lit 5 lit 10x1 lit 20 lit				
TS2101	Phosphate Buffered Saline, pH 7.4	284.00 865.00 2178.00 2925.00 5162.00	1 lit 5 lit 10x1 lit 20 lit 50 lit				
TS2150	Phosphate Buffered Saline, pH 7.4 w/ 1gm/ litre Glucose and phenol red w/o Calcium, Magnesium and Sodium bicarbonate	307.00 923.00 2331.00 3524.00	1 lit 5 lit 10x1 lit 20 lit				
TS2011	Spinner Salts, Eagle w/ Phenol red w/o Calcium chloride and Sodium bicarbonate	378.00 1193.00 2970.00 4047.00	1 lit 5 lit 10x1 lit 20 lit				
Cell Dissociation Reagents							
Trypsin Solution							
TCL1011	*Trypsin 0.1% Solution 1X 0.1% Trypsin in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1007	*Trypsin-EDTA Solution 1X 0.25% Trypsin and 0.02% EDTA in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1148.00 5562.00 4023.00 13050.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1006	*Trypsin 0.25% Solution 1X 0.25% Trypsin in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1049	*Trypsin-EDTA Solution 1X 0.25% Trypsin and 0.02% EDTA in Hank's Balanced Salt Solution w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1047	*Trypsin 0.25% Solution 1X 0.25% Trypsin in Hank's Balanced Salt Solution w/ Phenol red w/o Calcium and Magnesium Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1152	*Trypsin-EDTA Solution 1X 0.25% Trypsin and 0.02% EDTA in Hank's Balanced Salt Solution w/o Calcium, Magnesium and Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1151	*Trypsin 0.25% Solution 1X 0.25% Trypsin in Hank's Balanced Salt Solution w/o Calcium and Magnesium and Phenol red Sterile Filtered	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml	TCL1165	*Trypsin-EDTA Solution 1X 0.25% Trypsin and 0.02% EDTA in 0.8% normal Saline w/ 0.4 g/L Potassium Chloride, 1.0g/L Glucose, 0.35 g/L Sodium bicarbonate and 0.01 g/L Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1008	*Trypsin 0.25% Solution 10X 2.5% Trypsin in Hank's Balanced Salt Solution 10X w/o Phenol red Sterile Filtered	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml	TCL1155	*Trypsin-EDTA Solution 1X 0.25% Trypsin Gamma irradiated and 0.02% EDTA in Hanks' Balanced Salt Solution With Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1111	*Trypsin 0.25% Solution 1X 0.25% Trypsin in Citrate buffer w/o Phenol red Sterile Filtered	1148.00 5243.00 4023.00 13482.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1048	*Trypsin-EDTA Solution 1X 0.25% Trypsin, 0.038% EDTA in Hanks' Balanced Salt Solution w/o Calcium and Magnesium w/ Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
				TCL1154	*Trypsin-EDTA Solution 1X 0.25% Trypsin, 0.038% EDTA in Hanks' Balanced Salt Solution w/o Calcium and Magnesium and Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
				TCL1014	*Trypsin-EDTA Solution 1X 0.25% Trypsin, and 0.001% EDTA in Dulbecco's Phosphate Buffered Balanced Saline w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
				TCL1033	*Trypsin-EDTA Solution 1X 0.05% Trypsin, 0.02% EDTA in Hanks' Balanced Salt Solution w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
				TCL1139	*Trypsin-EDTA Solution 1X w/ 0.05% Trypsin, and 0.02% EDTA in Dulbecco's Phosphate Buffered Saline w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml
				TCL1042	*Trypsin-EDTA Solution 1X w/ 0.25% Trypsin, 0.1% EDTA in Hanks' Balanced Salt Solution w/o Phenol red Sterile Filtered	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml

Unless indicated all the above products to be stored at 2 - 8°C
* Store at (-20°C)

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TCL1081	*Trypsin-EDTA Solution 1X w/ 500 BAEE units Porcine Trypsin and 180 g EDTA tetrasodium salt per ml in Dulbecco's Phosphate Buffered Saline w/o Calcium, Magnesium and Phenol red	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1120	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14292.00	100 ml 5x100 ml 500 ml 6x500 ml
TCL1099	*Trypsin-EDTA Solution 1X w/ 0.025% Trypsin and 0.01% EDTA Dulbecco's Phosphate Buffered Saline w/o Phenol red	1161.00 5751.00 4109.00 13590.00	100 ml 5x100 ml 500 ml 6x500 ml	Versene Solution			
TCL1034	*Trypsin-EDTA Solution 10X 0.5% Trypsin, 0.2% EDTA in 0.85% normal Saline w/o Phenol red	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml	TCL1020	Versene (EDTA) 0.1% Solution 1X 0.1% Versene in Dulbecco's Phosphate Buffered Saline w/o Phenol red	3308.00 5517.00	5x100 ml 2x500 ml
TCL1144	*Trypsin-EDTA Solution 10X 0.5% Trypsin, (1:250) Gamma irradiated and 0.2% EDTA in 0.85% normal Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	Trypsin Inhibitors			
TCL1140	*Trypsin-EDTA Solution 10X w/ 0.5% Trypsin, and 0.2% EDTA Dulbecco's Phosphate Buffered Saline w/o Phenol red	4293.00 8703.00 7344.00	100 ml 5x100 ml 500 ml	TCL1068	Trypsin Inhibitor from Soyabean 1X, Liquid w/ 1mg/ml of Trypsin inhibitor in Dulbecco's Phosphate Buffered Saline	3524.00 12047.00	100 ml 5x100 ml
TCL1070	*Trypsin-EDTA Solution 10X w/ 2.5% Trypsin, (1:250) 0.2% EDTA in 0.85% normal Saline w/o Phenol red	4185.00 8703.00 7344.00	100 ml 5x100 ml 500 ml	Miscellaneous Reagents			
TCL1145	*Trypsin-EDTA Solution 1X w/ 0.05% Trypsin, 0.02% EDTA and 0.1% Glucose, 0.8% Sodium Chloride, 0.04% Potassium Chloride and 500mg per liter Sodium bicarbonate w/o Phenol red	1296.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	Carrier Proteins			
TCL1179	*Trypsin-EDTA Solution 1X 0.25% Trypsin, 0.03% EDTA in PBS w/ Phenol red	1148.00 5562.00 4023.00 13050.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1036	Bovine Albumin Fraction V 7.5% Solution in Dulbecco's Phosphate Buffered Saline	3600.00	100 ml
TCL1184	*Trypsin-EDTA Solution 1X 0.05% Trypsin, and 0.02% EDTA in 0.04% KCl, 0.1% Glucose, 0.58g/L Sodium bicarbonate and phenol red in 0.8% normal saline	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	Attachment Factors			
TPVG Solution				TCL1127	Collagen Peptide Solution 1% w/ 1% Collagen Peptide in Dulbecco's Phosphate Buffered Saline	1782.00 3294.00	50 ml 100 ml
TCL1022	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6471.00 4158.00 18180.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1109	Gelatin Solution 0.5% w/ 0.5% Type B Gelatin from bovine skin in sterile tissue culture grade water	1530.00	100 ml
TCL1143	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/ Phenol red	1287.00 6471.00 4158.00 18180.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1059	Gelatin Solution 2% w/ 2% Type B Gelatin from bovine skin in sterile tissue culture grade water	2363.00	100 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1148	Poly-L-Ornithine Solution, 0.01%	7173.00	100 ml
TPVG Solution				Media Supplements and Buffers			
TCL1022	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6471.00 4158.00 18180.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1012	*L-Glutamine 200mM Solution L-Glutamine in 0.85% normal Saline Cell Culture tested	3695.00 7120.00 4563.00 9144.00	5x20 ml 5x100 ml 500 ml 2x500 ml
TCL1143	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.25% Trypsin, 0.5% PVP, 0.02% EDTA and 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/ Phenol red	1287.00 6471.00 4158.00 18180.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1030	*MiglutaXLTM Supplement 200mM w/ L-Alanyl-L-Glutamine in 0.85% normal Saline	2395.00 8348.00	100 ml 5x100 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1021	HEPES 1M Solution Cell Culture tested	3825.00 6300.00 7785.00 15251.00	100 ml 5x50 ml 500 ml 2x500 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1003	1N Hydrochloric Acid Solution	2633.00	10x20 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1024	Potassium bicarbonate Solution 7.5%	2520.00	5x100 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1013	Sodium bicarbonate Solution 7.5%	855.00 3074.00 2570.00	100 ml 5x100 ml 500 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1002	1N Sodium Hydroxide	2448.00	10x20 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1015	Sodium Pyruvate Solution 100mM	855.00 2363.00	100 ml 5x100 ml
TCL1031	*Trypsin Phosphate Versene Glucose (TPVG) Solution 1X 0.1% Trypsin, 0.02% EDTA, 0.05% Glucose, in Dulbecco's Phosphate Buffered Saline w/o Phenol red	1287.00 6512.00 4158.00 14270.00	100 ml 5x100 ml 500 ml 6x500 ml	TCL1188	0.5M EGTA Solution, pH 8.0	2710.00 10881.00	100 ml 500 ml

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TCL1189	0.5M EDTA Solution, pH 8.0	3083.00 10881.00	100 ml 500 ml	Cell Culture Supplements			
TCL1190	HEPES Solution 1M in normal saline	4932.00 8650.00	100 ml 500 ml	Amino Acid Concentrates			
Solubilized Growth Factors				Amino Acid Concentrates (Liquid)			
TCL1211	Dexamethasone- Water Soluble Lyophilized	17910.00	100 mg	ACL1002	MEM Amino Acids Solutoon 100X w/o L-Glutamine 5472.00	1746.00 5x100 ml	100 ml
Others				ACL1003	MEM Glasgow's Modification Amino Acids Solution 100X w/o L-Glutamine	1746.00 5472.00	100 ml 5x100 ml
TCL1077	D-(+)-Glucose Solution 45% Autoclaved w/ 45% D-(+)-Glucose in sterile tissue culture grade water	2700.00 6246.00	100 ml 500 ml	ACL1005	MEM Non Essential Amino Acids Solution 50X	1548.00 4833.00	100 ml 5x100 ml
TCL1129	Heparin Solution, 1000 units/ml sterile filtered Cell culture tested	3744.00	50 ml	ACL1006	MEM Non Essential Amino Acids Solution 100X	1962.00 6130.00	100 ml 5x100 ml
TCL1138	DL-Lactic acid Sodium salt Solution, 60%	3708.00 12173.00	100 ml 500 ml	Amino Acid Concentrates (Powder)			
TCL1023	Pluronic F-68 Solution 10%, 100X	2210.00	100 ml	AC1004	MEM Dulbecco's Modification Amino Acids 50X	1116.00 8379.00	1 lit 10x1 lit
TCL1035	Recombinant Human Insulin Solution, 10mg/ml	6422.00 10850.00	10 ml 20 ml	AC1003	MEM Glasgow Modification Amino Acids 50X w/o L-Glutamine	1116.00 8379.00	1 lit 10x1 lit
TCL1125	Recombinant Human Insulin Solution, 5mg/ml	5220.00 9410.00	10 ml 20 ml	AC1005	MEM-Non Essential Amino Acids (NEAA) 50X	932.00 7128.00	1 lit 10x1 lit
TCL1119	Paraformaldehyde Solution, 4% 4% Paraformaldehyde in Phosphate Buffered Saline	585.00	100 ml	Hydrolysats			
Water				Hydrolysates are enzymatic digests of proteins. They are obtained from sources such as animal tissue, milk, soyabean, yeast, wheat and many others. The end product is a source of vitamins, lipids, minerals, dipeptides and tripeptides that supply a rich source of basic amino acids for cell growth. Hydrolysates are widely used in cell culture as a supplement to basal medium to enhance cell growth and maximize product yield.			
TCL1016	Water, Sterile, Molecular Biology Grade DEPC treated, Nuclease and Protease free	4892.00 1287.00 9045.00 13482.00	10x100 ml 500 ml 10x500 ml 10x1000 ml	Casein Enzyme Hydrolysate			
TCL1018	Water, Sterile, Molecular Biology Grade Endotoxin tested DEPC treated, Nuclease and Protease free	5877.00 1355.00 9702.00 13482.00	20x100 ml 500 ml 10x500 ml 10x1000 ml	TC1370	Casitose Cell Culture Tested Store below 30°C	5103.00 40910.00 POR	500 gm 5 kg 25 kg
TCL1010	Water, Sterile, Tissue Culture Grade	4892.00 1287.00 9045.00 13482.00	20x100 ml 500 ml 10x500 ml 10x1000 ml	Cotton Hydrolysate			
TCL1019	Water, Sterile, Tissue Culture Grade Endotoxin Tested	5877.00 1287.00 9045.00 13482.00	20x100 ml 500 ml 10x500 ml 10x1000 ml	TC1651	Cotton hydrolysate Cell Culture Tested Store below 30°C	10692.00 85545.00 POR	500 gm 5 kg 25 kg
Cell Lysis Solution				Lactalbumin Hydrolysate			
TCL1131	RIPA buffer Sterile filtered	3897.00 12960.00	100 ml 500 ml	TC1367	Lactalbumin Hydrolysate Cell Culture Tested Store below 30°C	6174.00 50508.00 POR	500 gm 5 kg 25 kg
TCL1135	Criton™ X-100 Solution, 10% Sterile filtered	3618.00 12573.00	100 ml 500 ml	TC1367G	Lactalbumin Hydrolysate Cell Culture Tested Gamma irradiated Store below 30°C	60710.00 POR	5 kg 25 kg
TCL1136	Criton™ X-100 Solution, 20% Sterile filtered	3897.00 13230.00	100 ml 500 ml	TC1367V	Lactalbumin Hydrolysate Cell Culture Tested Recommended as a vaccine stabilizer Store below 30°C	6710.00 53730.00 POR	500 gm 5 kg 25 kg
TCL1161	Urea Buffer Sterile filtered	3402.00 13600.00	100 ml 500 ml	Meat Peptone			
TCL1166	20% Cween 20 Sterile filtered	3402.00 11880.00	100 ml 500 ml	TC1371	Meat Peptone Henceforth referred as HM Peptone Cell Culture Tested Store below 30°C	4788.00 38300.00 POR	500 gm 5 kg 25 kg

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Pea Hydrolysate							
TC1650	Pea hydrolysate Cell Culture Tested Store below 30°C	POR POR POR	500 gm 5 kg 25 kg	AL1143	M16 Medium w/ Sodium bicarbonate and Sodium lactate Mouse embryos in M16 Medium	16488.00	500 ml
Soya Peptone							
TC1608	Soya Peptone Cell Culture Tested Store below 30°C	5472.00 69804.00 POR	500 gm 5 kg 25 kg	AL1233	HTF Medium w/ HEPES buffer and Sodium bicarbonate w/o Phenol red	6606.00 15426.00	100 ml 500 ml
TC1437	Soya Peptone, Ultrafiltered Cell Culture Tested Store below 30°C	10962.00 139394.00 POR	500 gm 5 kg 25 kg	AL1234	HTF Medium w/ Sodium bicarbonate and Phenol red w/o HEPES buffer	13986.00	500 ml
Tryptose Phosphate Broth				Hybridoma Platform			
				Hybridoma Culture Media			
AT1811	Tryptose Phosphate Broth Cell Culture Grade	2142.00 7452.00	100 gm 500 gm	AT1191	Hybridoma Medium Hybridoma Medium is a modified mixture of DMEM and NCTC 135 specially developed for propagation and rapid growth of hybridomas and other fastidious cell lines. It is supplemented with insulin Part A: Chemically defined powdered medium Part B: Recombinat Human Insulin Powder	918.00 6903.00 9374.00	1 lit 10x1 lit 20 lit
TCL1009	Tryptose Phosphate Broth 50X	1701.00 4420.00	100 ml 5x100 ml	AL1206A	Hybridoma Medium w/ L-Glutamine, HEPES buffer, Insulin and 1.5gms per litre Sodium bicarbonate 1X Liquid Cell Culture Medium Hybridoma Medium is a modifies mixture of DMEM and NCTC 135 specially developed for propagation and rapid growth of hybridomas and other fastidious cell lines. It is supplemented with insulin.	5954.00 9023.00 19535.00 49910.00	500 ml 2x500 ml 6x500 ml 20x500 ml
Wheat Hydrolysate							
TC1649	Wheat hydrolysate Cell Culture Tested Store below 30°C	17046.00 134793.00 POR	500 gm 5 kg 25 kg	AL1057H	McCoy's 5A Medium w/ L-Glutamine and Sodium bicarbonate Hybridoma Tested	3906.00 2534.00 3843.00 10414.00 25893.00	5x100 ml 500 ml 2x500 ml 6x500 ml 20x500 ml
Yeast Extract							
TC1369	Yeast Extract Cell Culture Tested Store below 30°C	3663.00 29385.00 POR	500 gm 5 kg 25 kg	AL1047H	Minimum Essential Medium Eagle (MEM) w/ Earle's salts, NEAA, Sodium bicarbonate and L-Glutamine Hybridoma Tested	2601.00 3942.00 10675.00 26550.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TC1438	Yeast Extract, Ultrafiltered Cell Culture Tested Store below 30°C	16245.00 124893.00 POR	500 gm 5 kg 25 kg	AL1028B	RPMI-1640 w/ Sodium bicarbonate w/o L-Glutamine Hybridoma Tested	3407.00 5176.00 13293.00 33003.00	500 ml 2x500 ml 6x500 ml 20x500 ml
TC1535	Yeast Extract, Granulated Cell Culture Tested Store below 30°C	POR POR POR	500 gm 5 kg 25 kg	Hybridoma Tested DMSO			
TC1593	Yeast Extract, Ultrafiltered Granulated Cell Culture Tested Store below 30°C	POR POR POR	500 gm 5 kg 25 kg	TC1429	Hybridoma DMSO Cell Culture Tested hybridoma Tested	13185.00	100 ml
TCL1041	Yeast Extract, Solution, 150g/l Cell Culture Tested	2183.00 4842.00	100 ml 500 ml	TC1433	Hybridoma DMSO Sterile Filtered Cell Culture Tested	16254.00	100 ml
Vitamin Solution				Freezing Medium for Hybridoma			
Vitamin Solution (Sterile Filtered)							
VA1001	*BME Vitamin Solution 100X Sterile filtered	3618.00 7200.00	100 ml 5x100 ml	TCL1123	Hybridoma Cell Freezing Medium, DMSO, 1X w/ FBS and DMSO w/o Antibiotics	16390.00	50 ml
VA1002	*MEM Vitamin Solution 100X Sterile filtered	3744.00 7304.00	100 ml 5x100 ml				
VA1003	*RPMI 1640 Vitamin Solution 100X Sterile filtered Media containing PHA-M as mitogen	3618.00 7200.00	100 ml 5x100 ml				
Speciality Product Segment							
Mouse IVF Platform							
AL1142	M2 Medium w/ HEPES buffer, Sodium bicarbonate and Sodium lactate Mouse embryos in M2 Medium	17073.00	500 ml				



Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Hybridoma Selection Supplements				Cytogenetics Platform			
TCL1072	*HAT Medium Supplement 50X, Liquid w/ 680.5 mg/litre Hypoxanthine, 8.8 mg/litre Aminopterin and 193.8 mg/litre Thymidine in Phosphate Buffered Saline 10ml HAT Supplement is Sufficient for 500ml medium	3663.00 5499.00 5013.00	5x10 ml 10x10 ml 100 ml	Peripheral Blood Karyotyping Optimized for short-term cultures of peripheral blood lymphocytes for chromosome analysis			
TCL1073	*HAT Medium Supplement 50X, Liquid w/ 680.5 mg/litre Hypoxanthine and 193.8 mg/litre Thymidine in Phosphate Buffered Saline 10ml HT Supplement is Sufficient for 500ml medium	3160.00 5292.00 4640.00	5x10 ml 10x10 ml 100 ml	Media Countaining PHA-M as Mitogen			
Transfection Platform				AL1165A	RPMI Medium w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate	12060.00 3420.00 10962.00	50x10 ml 100 ml 5x100 ml
Media and Kits				AL1169A	Nutrient Mixture F10 Medium w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate Media countaining PHA-M as mitogen	12060.00 10962.00	50x10 ml 5x100 ml
SFM1015	Rabsfection Medium, Serum Free, Animal Component Free, Low Protein w/ Sodium bicarbonate w/o L-Glutamine PartA-Basal Medium *PartB-Low Protein Growth Supplement VERO cells cultured in SFM1015 and transfectedwith GFP Plasmid (100X)	4645.00	500 ml	Media Countaining PHA-P as Mitogen			
RSL1013	Trabsfection Medium, Reduced Serum w/ Sodium bicarbonate w/o L-Glutamine Part A-Basal Medium *Part B-Reduced Serum Supplement VERO cells cultured in RSL1013 and transfected with GFP Plasmid (100X)	4379.00	500 ml	AL1249A	RPMI Medium w/ L-Glutamine, FBS, PHA-M, Penicillin Streptomycin and Sodium bicarbonate Media without mitogen	12852.00 11633.00	50x10 ml 5x100 ml
RSL1020	Trabsfection Medium, Reduced Serum w/ Sodium bicarbonate w/o Phenol red and L-Glutamine Part A-Basal Medium *Part B-Reduced Serum Supplement VERO cells cultured in RSL1020 and transfected with GFP Plasmid (100X)	4379.00	500 ml	RPMI Media without Mitogen			
CCK1064	b-Gal Staining Kit b-Gal Staining Kirt provides a method for determining the percentage of cells transfected with the plasmid expressing the b-galactosidase gene, LacZ, X-Gal acts as a substrate for b-Galactosidase and is hydrolyzed to form a blue coloured product, staining the transfected cells blue in colour b-Gal Staining of CHO Cells transfected with LanZ plasmid (10X).	10710.00	Kit for 300 tests in a 35mm dish	AL1173A	RPMI Medium w/ L-Glutamine, FBS, Penicillin, Streptomycin and Sodium bicarbonate w/o PHA-M	12060.00 3420.00 10962.00	50x10 ml 100 ml 5x100 ml
				AL1185	ANutrient Mixture F-10 Ham Medium w/ L-Glutamine, FBS, Penicillin, Streptomycin and Sodium bicarbonate w/o PHA-M	3420.00 10962.00	100 ml 5x100 ml
				Mitotic Stimulators			
				TCL1061	PHA-M Solution w/ 0.1 mg per ml PHA-M in sterile tissue culture grade water	4262.00 13293.00	10 ml 5x10 ml
				TCL1071	PHA-M Solution w/ 1 mg per ml PHA-M in sterile tissue culture grade water	6840.00 21303.00	10 ml 5x10 ml
				Mitotic Inhibitors			
				TCL1062	Colchicine Solution w/ 10µg per ml Colchicine in Phosphate Buffered Saline	2210.00	20 ml
				TCL1074	Colchicine Solution w/ 10µg per ml Colchicine in Hanks Balanced salt solution	2448.00 7893.00	20 ml 100 ml
				TCL1133	Colcemid Solution w/ 10µg per ml Colchicine in Phosphate Buffered Saline	2943.00 7893.00	20 ml 100 ml
				Related Reagents			
				TCL1122	*Trypsin Solution for G-Banding w/ 0.025% Trypsin in Dulbecco's Phosphate Buffered Saline	3087.00 5094.00	100 ml 5x100 ml
				TCL2139	Gurr Buffer Solution pH 6.8	1341.00	500 ml

Unless indicated all the above products to be stored at 2 - 8°C

* Store at (-20°C)

Store kit contents as per storage temperature of individual components

CELL CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Viral Transport Systems Recommended for collection and transport of viruses							
Media without Glass beads							
AL1167	Viral Transport Medium with 3ml viral transport medium in a self-standing tube	1494.00	50X3 ml	MS3760D	Viral Transport Kit (D) w/ 3ml viral transport medium in a self-standing tube and one sterile viscose swab without breakpoint	POR	50 nos
AL1296	Viral Transport Medium w/ 1ml viral transport medium in a self-standing tube	POR	50 nos	MS3760E	Viral Transport Kit (E) w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab and one sterile polyester swab with breakpoint	POR	50 nos
Media Glass beads							
AL1270	Viral Transport Medium w/ Amphotericin B contains 3ml viral transport medium self-standing tube with 3 glass beads	POR	50x3 ml	MS3760F	Viral Transport Kit (F) w/ 3ml viral transport medium in a self-standing tube and one sterile polyester swab with breakpoint	POR	50 nos
AL1297	Viral Transport Medium w/ 1ml viral transport medium in a self-standing tube with 3 glass beads	POR	50 nos	MS3760G	Viral Transport Kit (G) w/ 3ml viral transport medium in a self-standing tube and one sterile foam tipped swab with breakpoint	POR	50 nos
Media without Glass beads							
MS3760	Viral Transport Kit w/ 3ml viral transport medium in a self-standing tube and one sterile flocked nylon swab with breakpoint.	POR	50 nos	MS3760H	Viral Transport Kit (H) w/ 3ml viral transport medium in a self-standing tube and two sterile flocked nylon swabs with breakpoint	POR	50 nos
MS3760A	Viral Transport Kit (A) w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab with breakpoint and one sterile viscose swab without breakpoint	POR	50 nos	MS3760R	Viral Transport Kit (R) With viral transport medium in self-standing / conical bottom tube, one sterile Nasopharyngeal Nylon flocked swab with breakpoint and One sterile oropharyngeal nylon flocked swab with breakpoint	POR	50 nos
MS3760B	Viral Transport Kit (A) w/ 3ml viral transport medium in a self-standing tube, one sterile flocked nylon swab with breakpoint and one sterile swab without breakpoint	POR	50 nos	MS3760S	Viral Transport Kit (S) With viral transport medium in self-standing / conical bottom tube, one sterile Nasopharyngeal Nylon flocked swab with breakpoint and One sterile oropharyngeal Viscose swab with breakpoint	POR	50 nos

Viral Transport Systems

Viral Transport Medium (VTM) KIT for collection & Transport of clinical specimens containing viruses. Is a specially designed transport system to collect and transport viruses in an active form to the laboratory for isolation. It is designed to maintain the viability and the virulence of the viral sample.

It is prepared by Hanks Balanced Salt Solution and contains a protective protein, antibiotics to control microbial and fungal contamination and buffers to control the pH. Phenol red is used as a pH indicator. The medium also contains a cryoprotectant which helps in preserving the viruses if specimens are frozen for prolonged storage.



icmr

APPROVED

microgen



CELL CULTURE TESTED CHEMICALS

ANIMAL CELL CULTURE PRODUCTS

CDH supplies a comprehensive range of chemicals and speciality chemicals that are tested for cell culture applications. Our product portfolio also includes chemicals meeting United States Pharmacopeia (USP), European Pharmacopoeia, British Pharmacopoeia (EP) and Japanese Pharmacopoeia testing specifications.

Product	Prefix	Page
Amino Acids	TC	415-416
Fmoc Amino Acids	TC	417-418
Antibiotics		
Contamination Control Antibiotics	TC	418-420
Gene Selection Antibiotics	TC	420
Anticancer Antibiotics	TC	420-421
Cytotoxic Anticancer Antibiotics	TC	421
Attachment Factors	TC	421
Biological Buffers	TC	421-423
Biochemicals and Components	TC	423-427
Carbohydrates	TC	427-428
Carrier Proteins	TC	428
Cell Dissociation Products	TC	428-429
Cell Proliferation & Cytotoxicity Indicators	TC	429
Cryoprotectants	TC	429-430
Cyclodextrins	TC	430
Detergents	TC	430
Differentiation Reagents	TC	430
Enzymes	TC	431-432
Fatty Acids	TC	432
Hormones and Hormone Alternatives	TC	432-433
Lipids	TC	433
Nucleotides and Nucleosides	TC	433-434
Chemicals Meeting Pharmacopeial Testing Specifications	TC	434-439
Vaccine stabilizers and adjuvants	TC	439-440
Vitamins	TC	440-441





CELL CULTURE TESTED CHEMICALS

CDH is one of the leading supplier of comprehensive range of chemicals and specialty chemicals including amino acids, antibiotics, growth factors, biochemicals, cell dissociation and cryopreservation reagents used in cell culture. These chemicals apart from the analytical testing undergo cell culture test to verify their suitability in cell culture application.

In view of the challenges that some companies face in responding to an increasingly complex regulatory compliance, we provide quality grade chemicals meeting United States Pharmacopoeia (USP), European Pharmacopoeia, British Pharmacopoeia (EP) and Japanese Pharmacopoeia testing specifications. Every lot released for supply is provided with a detailed Certificate of Analysis (COA) defining the product specifications.

Multicompendial Biopharmaceutical Grade Chemicals are

- USP, EP, JP & BP Compliant
- Reduce regulatory hassles
- Complete documentation available
- Guaranteed quality and consistency

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com



CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
AMINO ACIDS							
TC1054	N-Acetyl-L-Cysteine (From non-animal source) Cell Culture Tested	1450.00	5 gm	C ₃ H ₇ NO ₂ S (52-90-4)	L-Cysteine (From non-animal source) Cell Culture Tested MW : 121.16 Assay : ≥98% Store below 30°C	2800.00	25 gm
		3591.00	25 gm			8389.00	100 gm
		13010.00	100 gm			25200.00	500 gm
C ₅ H ₉ NO ₃ S (616-91-1)	MW : 163.19 Assay : ≥98% Store at 2 - 8°C					38052.00	1 kg
TC1055	N-Acetyl-L-Tyrosine (From non-animal source) Cell Culture Tested	5590.00	5 gm	C ₆ H ₁₂ N ₂ O ₄ S ₂ (56-89-3)	L-Cystine (From non-animal source) Cell Culture Tested MW : 240.3 Assay : ≥98.5% Store below 30°C	1575.00	25 gm
		19620.00	25 gm			4707.00	100 gm
		61489.00	100 gm			17496.00	500 gm
C ₁₁ H ₁₃ NO ₄ (537-55-3)	MW : 223.23 Assay : ≥98% Store at 2 - 8°C					25070.00	1 kg
TC1056	L-Alanine (From non-animal source) Cell Culture Tested	1360.00	25 gm	C ₆ H ₁₂ N ₂ O ₄ S ₂ .2HCl (30925-07-6)	L-Cysteine Dihydrochloride (From non-animal source) Cell Culture Tested MW : 313.22 Assay : ≥98.5% Store below 30°C	8397.00	25 gm
		3033.00	100 gm			31950.00	100 gm
		12110.00	500 gm			101610.00	500 gm
C ₃ H ₇ NO ₂ (56-41-7)	MW : 89.09 Assay : ≥99% Store below 30°C					180189.00	1 kg
TC1089	L-Alanyl-L-Glutamine (Glutamine-s) Cell Culture Tested	1773.00	5 gm	C ₅ H ₉ NO ₄ (56-86-0)	L-Glutamic Acid (From non-animal source) Cell Culture Tested MW : 147.13 Assay : ≥98.5% Store below 30°C	910.00	25 gm
		7110.00	25 gm			1845.00	100 gm
		21375.00	100 gm			6440.00	500 gm
C ₈ H ₁₅ N ₃ O ₄ (39537-23-0)	MW : 217.22 Assay : ≥98% Store below 30°C					9576.00	1 kg
TC1052	L-Arginine (From non-animal source) Cell Culture Tested	1450.00	25 gm	C ₅ H ₈ NNaO ₄ H ₂ O (6106-04-3)	L-Glutamic Acid Monosodium Monohydrate (From non-animal source) Cell Culture Tested MW : 187.13 Assay : ≥99% Store below 30°C	1260.00	100 gm
		4383.00	100 gm			3780.00	500 gm
		12033.00	500 gm			5670.00	1 kg
C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	MW : 174.2 Assay : ≥98% Store below 30°C						
TC1053	L-Arginine Monohydrochloride (From non-animal source) Cell Culture Tested	1260.00	25 gm	C ₅ H ₁₀ N ₂ O ₃ (56-85-9)	L-Glutamine (From non-animal source) Cell Culture Tested MW : 146.14 Assay : ≥99% Store below 30°C	1161.00	10 gm
		3160.00	100 gm			2331.00	25 gm
		9500.00	500 gm			7002.00	100 gm
C ₆ H ₁₄ N ₄ O ₂ HCl (1119-34-2)	MW : 210.66 Assay : ≥98.5% Store below 30°C					39006.00	1 kg
TC1057	L-Asparagine Monohydrate (From non-animal source) Cell Culture Tested	1332.00	25 gm	C ₂ H ₅ NO ₂ (56-40-6)	Glycine (From non-animal source) Cell Culture Tested MW : 75.07 Assay : ≥98% Store below 30°C	2142.00	100 gm
		4014.00	100 gm			14301.00	1 kg
		15561.00	500 gm				
C ₄ H ₈ N ₂ O ₃ .H ₂ O (5794-13-8)	MW : 150.13 Assay : ≥99% Store below 30°C						
TC1059	L-Aspartic Acid (From non-animal source) Cell Culture Tested	482.00	25 gm	C ₆ H ₉ N ₃ O ₂ (71-00-1)	L-Histidine (From non-animal source) Cell Culture Tested MW : 155.15 Assay : ≥98.5% Store below 30°C	4410.00	100 gm
		1459.00	100 gm			15850.00	500 gm
		4383.00	500 gm			27360.00	1 kg
C ₄ H ₇ NO ₄ (56-84-8)	MW : 133.1 Assay : ≥99% Store below 30°C						
TC1058	L-Cysteine Hydrochloride Monohydrate (From non-animal source) Cell Culture Tested	1459.00	25 gm	C ₆ H ₉ N ₃ O ₂ .HCl.H ₂ O (5934-29-2)	L-Histidine Monohydrochloride Monohydrate (From non-animal source) Cell Culture Tested MW : 209.63 Assay : ≥99% Store below 30°C	1571.00	25 gm
		4401.00	100 gm			4716.00	100 gm
		18441.00	500 gm			35411.00	1 kg
C ₃ H ₇ NO ₂ S.HCl.H ₂ O (7048-04-6)	MW : 175.63 Assay : ≥98.5% Store below 30°C						

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1049 C ₆ H ₁₃ NO ₂ (73-32-5)	L-Isoleucine	1602.00	10 gm
	(From non-animal source)	1917.00	25 gm
	Cell Culture Tested	5742.00	100 gm
	MW : 131.17 Assay : ≥99% Store below 30°C	43070.00	1 kg
TC1078 C ₆ H ₁₃ NO ₂ (61-90-5)	L-Leucine	1287.00	10 gm
	(From non-animal source)	2030.00	25 gm
	Cell Culture Tested	6102.00	100 gm
	MW : 131.17 Assay : ≥99% Store below 30°C	42760.00	1 kg
TC1207 C ₆ H ₁₄ N ₂ O ₂ (56-87-1)	L-Lysine	5590.00	25 gm
	(From non-animal source)	16110.00	100 gm
	Cell Culture Tested	48600.00	500 gm
	MW : 146.19 Assay : ≥98.5% Store below 30°C	72810.00	1 kg
TC1079 C ₆ H ₁₄ N ₂ O ₂ HCl (657-27-2)	L-Lysine Monohydrochloride	1233.00	25 gm
	(From non-animal source)	3722.00	100 gm
	Cell Culture Tested	15840.00	1 kg
	MW : 182.65 Assay : ≥98.5% Store below 30°C		
TC1080 C ₅ H ₁₁ NO ₂ S (63-68-3)	L-Methionine	1827.00	25 gm
	(From non-animal source)	5504.00	100 gm
	Cell Culture Tested	38493.00	1 kg
	MW : 149.21 Assay : ≥99% Store below 30°C		
TC1093 C ₅ H ₁₂ N ₂ O ₂ .HCl (3184-13-2)	L-Ornithine Monohydrochloride	2745.00	25 gm
	(From non-animal source)	6390.00	100 gm
	Cell Culture Tested	20016.00	500 gm
	MW : 168.62 Assay : ≥99% Store below 30°C	30015.00	1 kg
TC1098 C ₉ H ₁₁ NO ₂ (63-91-2)	L-Phenylalanine	1143.00	10 gm
	(From non-animal source)	2034.00	25 gm
	Cell Culture Tested	6102.00	100 gm
	MW : 165.19 Assay : ≥98.5% Store below 30°C	42750.00	1 kg
TC1109 C ₅ H ₉ NO ₂ (147-85-3)	L-Proline	1431.00	25 gm
	(From non-animal source)	4293.00	100 gm
	Cell Culture Tested	17110.00	500 gm
	MW : 115.13 Assay : ≥99% Store below 30°C	25776.00	1 kg
TC1377 C ₃ H ₇ NO ₃ (302-84-1)	DL-Serine	2412.00	25 gm
	(±) 2-Amino-3-hydroxypropionic acid	5590.00	100 gm
	Cell Culture Tested		
	MW : 105.09 Assay : ≥98% Store below 30°C		
TC1113 C ₃ H ₇ NO ₃ (56-45-1)	L-Serine	3353.00	25 gm
	(From non-animal source)	7110.00	100 gm
	Cell Culture Tested	23031.00	500 gm
	MW : 105.09 Assay : ≥98.5% Store below 30°C	43956.00	1 kg

Product Code	Product Name	Price	Packing
TC1028 C ₂ H ₇ NO ₃ S (107-35-7)	Taurine	1170.00	25 gm
	(From non-animal source)	3510.00	100 gm
	Cell Culture Tested	14067.00	500 gm
	MW : 125.15 Assay : ≥99% Store below 30°C	24620.00	1 kg
TC1378 C ₄ H ₉ NO ₃ (80-68-2)	DL-Threonine	3960.00	25 gm
	(±)-2-Amino-3-hydroxybutyric acid	14940.00	100 gm
	Cell Culture Tested		
	MW : 119.12 Assay : ≥99% Store below 30°C		
TC1120 C ₄ H ₉ NO ₃ (72-19-5)	L-Threonine	3182.00	25 gm
	(From non-animal source)	9550.00	100 gm
	Cell Culture Tested	28620.00	500 gm
	MW : 119.12 Assay : ≥99% Store below 30°C	42980.00	1 kg
TC1121 C ₁₁ H ₁₂ N ₂ O ₂ (73-22-3)	L-Tryptophan	3182.00	25 gm
	(From non-animal source)	9554.00	100 gm
	Cell Culture Tested	28620.00	500 gm
	MW : 204.23 Assay : ≥99% Store below 30°C	42980.00	1 kg
TC1122 C ₉ H ₁₁ NO ₃ (60-18-4)	L-Tyrosine	1737.00	25 gm
	(From non-animal source)	6066.00	100 gm
	Cell Culture Tested	24354.00	500 gm
	MW : 181.19 Assay : ≥95% Store below 30°C	36522.00	1 kg
TC1461 C ₉ H ₉ NO ₃ ·2Na·XH ₂ O (69847-45-6)	L-Tyrosine Disodium Salt Hydrate	4113.00	25 gm
	L-3-(4-Hydroxyphenyl) alanine disodium salt	13176.00	100 gm
	(From non-animal source)	50067.00	500 gm
	Cell Culture Tested		
TC1477 C ₉ H ₉ NO ₃ ·2Na·2H ₂ O (122666-87-9)	L-Tyrosine Disodium Salt Dihydrate	POR	25 gm
	L-3-(4-Hydroxyphenyl) alanine disodium salt	POR	100 gm
	(From non-animal source)	POR	500 gm
	Cell Culture Tested		
TC1132 C ₅ H ₁₁ NO ₂ (72-18-4)	L-Valine	1287.00	25 gm
	(From non-animal source)	3870.00	100 gm
	L-2-Amino-3-methylbutanoic acid	11655.00	500 gm
	Cell Culture Tested	17492.00	1 kg
	MW : 117.15 Assay : ≥99% Store below 30°C		

Product Code	Product Name	Price	Packing
FMOC AMINO ACIDS			
TC1653 C ₁₉ H ₁₉ NO ₄ (94744-50-0)	FMOC-Aib-OH N ^ε -Fmoc-α-aminoisobutyric acid MW : 325.36	POR POR	1 gm 5 gm
Store below 30°C			
TC1654 C ₁₈ H ₁₇ NO ₄ (35661-39-3)	FMOC-Ala-OH Fmoc-L-alanine; N-(9-Fluorenylmethoxycarbonyl)-L-alanine MW : 311.33	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1655 C ₃₄ H ₄₀ N ₄ O ₇ S (154445-77-9)	FMOC-L-Arg(Pbf)-OH N ^ε -Fmoc-N ^ω -Pbf-L-arginine MW : 648.77	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1656 C ₃₈ H ₃₂ N ₂ O ₅ (132388-59-1)	Fmoc-Asn(trt)-OH N ^ε -Fmoc-N ^γ -trityl-L-asparagine MW : 596.67	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1657 C ₂₃ H ₂₅ NO ₆ (71989-14-5)	FMOC-L-Asp(OtBu)-OH Fmoc-L-aspartic acid 4-tert-butyl ester MW : 411.45	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1658 C ₂₁ H ₂₂ N ₂ O ₅ S (86060-81-3)	FMOC-Cys(Acm)-OH N ^ε -Fmoc-S-acetaminomethyl-L-cysteine MW : 414.47	POR POR	5 gm 25 gm
Store below 30°C			
TC1659 C ₂₂ H ₂₅ NO ₄ S ₂ (73724-43-3)	FMOC-L-Cys(SiBu)-OH N ^ε -Fmoc-S-tert-butylthio-L-cysteine MW : 431.57	POR	1 gm
Store below 30°C			
TC1660 C ₃₇ H ₃₁ NO ₄ S (103213-32-7)	FMOC-Cys(Trt)-OH N ^ε -Fmoc-S-trityl-L-cysteine MW : 585.71	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1661 C ₃₉ H ₃₄ N ₂ O ₅ (132327-80-1)	FMOC-L-Gln(Trt)-OH N ^ε -Fmoc-N-trityl-L-glutamine MW : 610.7	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1662 C ₂₄ H ₂₇ NO ₆ (71989-18-9)	FMOC-L-Glu(otBu)-OH Fmoc-L-glutamic acid 5-tert-butyl ester MW : 425.47	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			

Product Code	Product Name	Price	Packing
TC1663 C ₁₇ H ₁₅ NO ₄ (29022-11-5)	FMOC-Gly-OH Fmoc-glycine MW : 297.31	POR POR POR POR	5 gm 25 gm 100 gm 500 gm
Store below 30°C			
TC1664 C ₄₀ H ₃₃ N ₃ O ₄ (109425-51-6)	FMOC-L-His(trt)-OH N ^ε -Fmoc-N ^(im) -trityl-L-histidine MW : 619.71	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1665 C ₂₁ H ₂₃ NO ₄ (71989-23-6)	FMOC-Ile-OH Fmoc-L-isoleucine MW : 353.41	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1666 C ₂₁ H ₂₃ NO ₄ (35661-60-0)	FMOC-L-Leu-OH Fmoc-L-leucine MW : 353.41	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1667 C ₂₆ H ₃₂ N ₂ O ₆ (71989-26-9)	FMOC-L-Lys(Boc)-OH N ^ε -Fmoc-N ^ε (Boc)-L-lysine MW : 468.54	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			
TC1668 C ₃₁ H ₃₆ N ₂ O ₆ (150629-67-7)	FMOC-Lys(Dde)-OH N ^ε -Fmoc-N ^ε -1-(4,4-dimethyl-2,6-dioxycyclohex-1-ylidene)ethyl-L-lysine MW : 532.63	POR	1 gm
Store below 30°C			
TC1669 C ₂₀ H ₂₁ NO ₄ S (71989-28-1)	FMOC-L-Met-OH Fmoc-L-methionine MW : 371.45	POR POR POR	5 gm 25 gm 100 gm
Store below 30°C			
TC1670 C ₂₅ H ₃₀ N ₂ O ₆ (109425-55-0)	FMOC-Orn(Boc)-OH N ^ε -Fmoc-N ^ε -Boc-L-Ornithin MW : 454.52	POR POR	5 gm 25 gm
Store below 30°C			
TC1671 C ₂₄ H ₂₁ NO ₄ (35661-40-6)	FMOC-L-Phe-OH Fmoc-L-phenylalanine MW : 387.43	POR POR POR	5 gm 25 gm 100 gm
Store below 30°C			
TC1672 C ₂₀ H ₁₉ NO ₄ (71989-31-6)	FMOC-Pro-OH Fmoc-L-proline MW : 337.37	POR POR	25 gm 100 gm
Store below 30°C			
TC1673 C ₂₂ H ₂₅ NO ₅ (71989-33-8)	FMOC-L-Ser(tBu)-OH Fmoc-O-tert-Butyl-L-serine MW : 383.44	POR POR POR POR	5 gm 25 gm 100 gm 1 kg
Store below 30°C			

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1674 C ₂₃ H ₂₇ NO ₅ (71989-35-0)	FMOC-Thr(tBu)-OH Fmoc-O-tert-Butyl-L-threonine MW : 397.46 Store below 30°C	POR	5 gm
		POR	25 gm
		POR	100 gm
		POR	1 kg
TC1675 C ₃₁ H ₃₀ N ₂ O ₆ (143824-78-6)	FMOC-L-Trp(Boc)-OH N _ε -Fmoc-N(in)-Boc-L-tryptophan MW : 526.58 Store below 30°C	POR	5 gm
		POR	25 gm
		POR	100 gm
		POR	1 kg
TC1676 C ₂₈ H ₂₉ NO ₅ (71989-38-3)	FMOC-L-Tyr(tBu)-OH Fmoc-O-tert-Butyl-L-tyrosine MW : 459.53 Store below 30°C	POR	5 gm
		POR	25 gm
		POR	100 gm
		POR	1 kg
TC1677 C ₂₀ H ₂₁ NO ₄ (68858-20-8)	FMOC-L-Val-OH Fmoc-L-valine MW : 339.39 Store below 30°C	POR	25 gm
		POR	100 gm
ANTIBIOTICS CONTAMINATION CONTROL ANTIBIOTICS			
TC1018 C ₆₂ H ₈₆ N ₁₂ O ₁₆ (50-76-0)	Actinomycin D Cell Culture Tested Recommended for use in cell culture applications at 1 mg/L MW : 1255.42 Assay : ≥97.5% Store at 2 - 8°C	12420.00	5 mg
		20170.00	2x5 mg
		40275.00	5x5 mg
TC1019 C ₄₇ H ₇₃ NO ₁₇ (1397-89-3)	Amphotericin B Cell Culture Tested Recommended for use in cell culture applications at 2.5 mg/L MW : 924.08 Assay : ≥90% Potency : ≥750 µg/mg Store at 2 - 8°C	6210.00	1 gm
		24170.00	5 gm
TC1021 C ₁₆ H ₁₈ N ₃ NaO ₄ S (69-52-3)	Ampicillin Sodium Salt Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L MW : 371.39 Assay : ≥91% Potency : ≥845 µg/mg Store at 2 - 8°C	743.00	1 gm
		2952.00	5 gm
		11520.00	25 gm
TC1201 C ₆₆ H ₁₀₃ N ₁₇ O ₁₆ S (1405-87-4)	Bacitracin 50,000 units per vial Cell Culture Tested MW : 1422.69 Potency : ≥60 units/mg Store at 2 - 8°C	1692.00	1 vial
		6120.00	5 vial
TC1421 C ₁₇ H ₂₆ N ₈ O ₅ .HCl (3513-03-9)	Blasticidin S Hydrochloride Blasticidin S Cell Culture Tested MW : 458.9 Assay : ≥99.5 Store at 2 - 8°C	15003.00	25 mg
		52443.00	100 mg
		POR	1 gm

Product Code	Product Name	Price	Packing
TC1199 C ₁₇ H ₁₆ N ₂ O ₆ SNa ₂ (4800-94-6)	Carbenicillin Disodium Salt Cell Culture Tested MW : 422.36 Potency : ≥770 µg/mg Store at 2 - 8°C	1422.00	250 mg
		3114.00	1 gm
		9342.00	5 gm
		14022.00	10 gm
TC1022 C ₁₆ H ₁₅ N ₂ NaO ₆ S ₂ (58-71-9)	Cephalothin Sodium Salt Cell Culture Tested Recommended for use in cell culture Applications at 100 mg/L MW : 418.42 Assay : ≥95% Store at 2 - 8°C	3520.00	250 mg
		10630.00	1 gm
		34034.00	5 gm
TC1352 C ₁₆ H ₁₆ N ₅ O ₇ S ₂ Na (64485-93-4)	*Cefotaxime Sodium Salt Cell Culture Tested MW : 477.45 Assay : ≥98% Potency : 916-964 µg/mg Store below 2 - 8°C	16830.00	1 gm
		34700.00	5 gm
		100630.00	25 gm
TC1204 C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ (56-75-7)	Chloramphenicol Cell Culture Tested MW : 323.13 Assay : ≥98% Store below 30°C	1953.00	5 gm
		5364.00	25 gm
TC1447 C ₁₇ H ₁₈ FN ₃ O ₃ HCl.H ₂ O (86393-32-0)	Ciprofloxacin Hydrochloride Monohydrate Cell Culture Tested MW : 385.82 Assay : ≥98% Store below 30°C	900.00	1 gm
		3627.00	5 gm
		14500.00	25 gm
TC1196 C ₁₅ H ₂₃ NO ₄ (66-81-9)	Cycloheximide Cell Culture Tested MW : 281.35 Assay : ≥96% Store below 2 - 8°C	3033.00	1 gm
		11260.00	5 gm
TC1024 C ₃₇ H ₆₇ NO ₁₃ (114-07-8)	Erythromycin Cell Culture Tested Recommended for use in Cell culture applications at 100 mg/L MW : 733.93 Assay : ≥98% Potency : ≥920 µg/mg Store below 30°C	1476.00	1gm
		5616.00	5 gm
TC1026 (1405-41-0)	Gentamicin Sulphate Cell Culture Tested Recommended for use in Cell Culture application 50 mg/L Potency : ≥590 IU/mg Store below 2 - 8°C	2070.00	1 gm
		6237.00	5 gm
		24966.00	25 gm
TC1136 C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	Kanamycin Sulphate Cell Culture Tested Recommended for use in Cell Culture application 100 mg/L MW : 582.58 Potency : ≥750 µg/mg Store below 2 - 8°C	1377.00	1 gm
		4510.00	5 gm
		15111.00	25 gm

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1636	Kanamycin Acid Sulphate Meets IP and BP testing specifications MW : 680.64 Potency : ≥ 750 $\mu\text{g}/\text{mg}$ Store below 2 - 8°C	POR POR	5 gm 25 gm	TC1032	Nystatin (Mycostatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mL Potency : ≥ 4400 USP units/mg Store below 2 - 8°C	900.00 3690.00 11952.00	1x1 mu 5x1 mu 25x1 mu
$\text{C}_{18}\text{H}_{40}\text{N}_4\text{O}_{16}\text{S}_2$ (64013-70-3)				(1400-61-9)			
TC1136G	Kanamycin sulphate Gamma irradiated Cell Culture Tested Recommended for use in cell culture applications at 100 mg/L MW : 582.58 Potency : ≥ 750 $\mu\text{g}/\text{mg}$ Store below 2 - 8°C	1485.00 4842.00 16245.00	1 gm 5 gm 25 gm	TC1032G	Nystatin Gamma Irradiated (Mycostatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mg/L MW : 926.09 Potency : ≥ 4400 USP units/mg Store at 2 - 8°C	1125.00 4600.00 14940.00	1x1 mu 5x1 mu 25x1 mu
$\text{C}_{18}\text{H}_{36}\text{N}_4\text{O}_{11}\cdot\text{H}_2\text{SO}_4$ (25389-94-0)				$\text{C}_{47}\text{H}_{75}\text{NO}_{17}$ (1400-61-9)			
TC1203	Lincomycin Hydrochloride (Lincocin hydrochloride) Cell Culture Tested MW : 443.0 Assay : $\geq 95\%$ Store below 2 - 8°C	2952.00 10026.00	1x1mu 5x1mu	TC1200	Oxytetracycline Dihydrate Cell Culture Tested MW : 496.46 Potency : ≥ 832 $\mu\text{g}/\text{mg}$ Store below 30°C	1112.00 7520.00	1 gm 10 gm
$\text{C}_{18}\text{H}_{34}\text{N}_2\text{O}_6\text{S}\cdot\text{HCl}$ (859-18-7)				$\text{C}_{22}\text{H}_{24}\text{N}_2\text{O}_9\cdot 2\text{H}_2\text{O}$ (6153-64-6)			
TC1274	Minocycline Hydrochloride Cell Culture Tested MW : 493.94 Assay : $\geq 98\%$ Store below 2 - 8°C	2394.00 6921.00 14320.00 37827.00	25 mg 100 mg 250 mg 1 gm	TC1353	Paromomycin Sulphate Cell Culture Tested MW : 713.71 Assay : $\geq 98\%$ Store at 30°C	3276.00 15210.00	1 gm 5 gm
$\text{C}_{23}\text{H}_{27}\text{N}_3\text{O}_7\cdot\text{HCl}$ (13614-98-7)				$\text{C}_{23}\text{H}_{45}\text{N}_2\text{O}_{14}\cdot\text{H}_2\text{SO}_4$ (1263-89-4)			
TC1406	Mitomycin C Cell Culture Tested MW : 334.33 Store below 2 - 8°C	22721.00	10 mg	TC1187	Penicillin G Potassium Salt Cell Culture Tested 1 million units per vial MW : 372.48 Assay : $\geq 99\%$ Potency : 1400-1680 U/mg Store at 2 - 8°C	1530.00 3402.00 23760.00	1 mu 10 mu 100 mu
$\text{C}_{15}\text{H}_{18}\text{N}_4\text{O}_5$ (50-07-7)				$\text{C}_{16}\text{H}_{17}\text{KN}_2\text{O}_4\text{S}$ (113-98-4)			
TC1032	Mycostatin (Nystatin) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mL Potency : ≥ 4400 USP units/mg Store below 2 - 8°C	900.00 3690.00 11952.00	1x1 mu 5x1 mu 25x1 mu	TC1020	Penicillin G sodium Salt Cell Culture Tested 1 million units/vl Recommended for use in cell culture applications at 100000 U/L MW : 356.37 Potency : 1500-1750 IU/mg Store at 2 - 8°C	1125.00 1737.00 2809.00 9550.00	1x1 mu 10x1 mu 25x1 mu 100x1 mu
(1400-61-9)				$\text{C}_{16}\text{H}_{17}\text{N}_2\text{NaO}_4\text{S}$ (69-57-8)			
TC1032G	Mycostatin Gamma Irradiated (Nystatin Gamma irradiated) Cell Culture Tested 1,000,000 units per vial Recommended for use in cell culture application at 50 mL MW : 926.09 Potency : ≥ 4400 USP units/mg Store below 2 - 8°C	1125.00 4600.00 14940.00	1x1 mu 5x1 mu 25x1 mu	TC1033	Polymyxin B Sulphate Cell Culture Tested (1 million units/vl) Recommended for use in cell culture applications at 50mg/L MW : 1385.61 Potency : ≥ 6500 IU/mg Store at 2 - 8°C	2673.00 5913.00 17055.00	1x1 mu 5x1 mu 25x1 mu
$\text{C}_{47}\text{H}_{75}\text{NO}_{17}$ (1400-61-9)				$\text{C}_{55}\text{H}_{96}\text{N}_{16}\text{O}_{13}\cdot 2\text{H}_2\text{SO}_4$ (1405-20-5)			
TC1407	Natamycin Cell Culture Tested MW : 665.73 Assay : ≥ 900 $\mu\text{g}/\text{mg}$ Store below 2 - 8°C	12150.00 27810.00	100 mg 1 gm	TC1354	Rifampicin (Rifampin) Cell Culture Tested MW : 822.94 Potency : $\geq 97\%$ Store at 2 - 8°C	11070.00 22140.00	1 gm 5 gm
$\text{C}_{33}\text{H}_{47}\text{NO}_{13}$ (7681-93-8)				$\text{C}_{43}\text{H}_{58}\text{N}_4\text{O}_{12}$ (13292-46-1)			

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1408 C ₁₉ H ₂₂ F ₂ N ₄ O ₃ (110871-86-8)	Sparfloxacin	3380.00	1 gm
	5-Amino-1-cyclohexyl-7-(cis-3,5-dimethylpiperazino-6,8-difluoro-1,4-dihydro-4-oxo-3-quinolinecaroxylic acid Cell Culture Tested MW : 392.4 Assay : ≥98.5% Store at 2 - 8°C	27100.00	10 gm
TC1034 C ₁₄ H ₂₄ N ₂ O ₇ .2HCl.5H ₂ O (22189-32-8)	Spectinomycin Dihydrochloride Pentahydrate	2052.00	1 gm
	Cell Culture Tested Recommended for use in cell culture application at 7.5-20 mg/L MW : 495.35 Potency : ≥603 µg/mg Store at 2 - 8°C	6710.00 29430.00	5 gm 25 gm
TC1035 C ₂₁ H ₃₉ N ₇ O ₁₂ .1.5H ₂ SO ₄ (3810-74-0)	Streptomycin Sulphate	1112.00	5 gm
	Cell Culture Tested Recommended for use in cell culture application at 100 mg/L MW : 728.69 Potency : ≥730 Units/mg Store at 2 - 8°C	2772.00	25 gm
TC1036 C ₂₂ H ₂₄ N ₂ O ₈ .HCl (64-75-5)	Tetracycline Hydrochloride	1656.00	5 gm
	Cell Culture Tested Recommended for use in cell culture MW : 480.9 Potency : ≥720 IU/mg Store at 2 - 8°C	6300.00	25 gm
TC1470 C ₉ H ₉ HgNaO ₂ S (54-64-8)	Thimerosal	10270.00	10 gm
	Cell Culture Tested Thiomersal; Thiomersalate; Mercuriothiolate; Sodium ethylmercurithiosalicylate MW : 404.81 Potency : ≥97% Store below 30°C	21132.00 67631.00 227120.00	25 gm 100 gm 500 gm
TC1205 C ₆₆ H ₇₅ Cl ₂ N ₉ O ₂₄ .HCl (1404-93-9)	Tylosin Tartrate	3213.00	1 gm
	Cell Culture Tested Potency : ≥900 U/mg Store at 2 - 8°C	12843.00 20520.00	5 gm 10 gm
TC1202 C ₆₆ H ₇₅ Cl ₂ N ₉ O ₂₄ .HCl (1404-93-9)	Vancomycin Hydrochloride	5310.00	500 mg
	Cell Culture Tested MW : 1485.71 Assay : ≥80% Potency : ≥900 µg/mg Store at 2 - 8°C	9774.00 36720.00	1 gm 5 gm
GENE SELECTION ANTIBIOTICS			
TC1025 C ₂₀ H ₄₀ N ₄ O ₁₀ .2H ₂ SO ₄ (108321-42-2)	Geneticin Disulphate	12051.00	1 gm
	G418 Disulfate salt Cell Culture Tested Recommended for use in cell culture applications at 100-800 mg/L MW : 692.71 Potency : ≥650 µg/mg Store at 2 - 8°C	42120.00	5 gm

Product Code	Product Name	Price	Packing
TC1027 C ₂₀ H ₃₇ N ₃ O ₁₃ (31282-04-9)	Hygromycin-B	2790.00	50 mg
	Cell Culture Tested Recommended for use in cell culture applications at 200-400 mg/L MW : 527.52 Assay : ≥80% Potency : ≥1170 µg/mg Store at 2 - 8°C	4824.00 9756.00 28220.00	100 mg 250 mg 1 gm
TC1404 C ₂₀ H ₂₀ N ₈ Na ₂ O ₅ (7413-34-5)	Methotrexate Disodium Salt	41004.00	250 mg
	Cell Culture Tested MW : 498.4 Assay : ≥98.5% Store at 2 - 8°C		
TC1405 C ₂₀ H ₂₀ N ₈ Na ₂ O ₅ (24280-93-1)	Mycophenolic Acid	2736.00	25 mg
	Cell Culture Tested MW : 320.34 Assay : ≥99% Store at 2 - 8°C	5603.00 42442.00	50 mg 250 mg
Tc1031 C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ (1405-10-3)	Neomycin Sulphate Salt	1017.00	5 gm
	Cell Culture Tested Recommended for use in cell culture application at 50 mg/L MW : 908.88 Assay : ≥600 IU/mg Store below 30°C	2421.00	25 gm
TC1198 C ₂₂ H ₂₉ N ₇ O ₅ .2HCl (58-58-2)	Puromycin Dihydrochloride	4320.00	10 mg
	Cell Culture Tested MW : 544.43 Assay : ≥98% Store below 2 - 8°C	9081.00	25 mg
ANTICANCER ANTIBIOTICS			
TC1409 C ₃₁ H ₄₃ N ₃ O ₈ (75747-14-7)	17-AAG	32760.00	1 mg
	17-(Allylamino)-17-demethoxygeldanamycin Cell Culture Tested MW : 585.69 Assay : ≥99% Store at 2 - 8°C	77813.00	5 mg
TC1410 C ₄₈ H ₇₂ O ₁₄ (65195-55-3)	Avermectin B1a, EvoPure®	185130.00	5 mg
	5-O-Demethylavermectin A1a Cell Culture Tested MW : 873.1 Assay : ≥99% Store at - 20°C		
TC1411 C ₂₈ H ₃₈ N ₂ O ₆ (72263-05-9)	Conglobatin	29340.00	1 mg
	(3Z,5R,7S,8S,11Z,13R,15S,16S)-3,5,7,11,13,15-hexamethyl-8,16-bis(1,3-oxazol-5-ylmethyl)-1,9-dioxacyclohexadeca-3,11-diene-2,10-dione Cell Culture Tested MW : 498.61 Assay : ≥95% Store at - 20°C		
TC1412 C ₂₂ H ₂₃ N ₃ O ₄ (183321-74-6)	Erlotinib Hydrochloride	29196.00	1 gm
	Cell Culture Tested MW : 492.9 Assay : ≥98% Store at 2 - 8°C	121221.00	5 gm

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1414 C ₂₂ H ₂₄ ClFN ₄ O ₃ (184475-35-2)	Gefitinib Cell Culture Tested MW : 446.9 Assay : ≥98% Store at 2 - 8°C	26640.00	1 gm
		87300.00	5 gm
TC1415 C ₂₉ H ₄₀ N ₂ O ₉ (30562-34-6)	Geldanamycin 2-azabicyclo[16.3.1]docosa-4,6,10,18,21-pentaene-3, 20, 22-trione, 9, 13-dihydroxy-8, 14,19-trimethoxy-4, 10,12,16-tetramethyl-9-carbamate Cell Culture Tested MW : 560.64 Assay : ≥99% Store at 2 - 8°C	43560.00	25 mg
		58203.00	50 mg
		73530.00	100 mg
TC1413 C ₄₇ H ₅₁ NO ₁₄ (33069-62-4)	Paclitaxel Taxol Cell Culture Tested MW : 853.9 Assay : ≥95% Store at 2 - 8°C	7650.00	10 mg
TC1416 C ₅₁ H ₇₉ NO ₁₃ (53123-88-9)	Rapamycin 23,27-Epoxy-3H-pyrido[2,1-c][1,4]oxaazacyclohentricontine, AY 22989, Sirolimus Cell Culture Tested MW : 914.17 Assay : ≥90% Store at 2 - 8°C	33850.00	10 mg
		90936.00	50 mg
TC1418 C ₈ H ₁₅ N ₃ O ₇ (18883-66-4)	Streptozotocin N-(methyl nitroso carbamoyl)-α-D-glucosamine Cell Culture Tested MW : 265.22 Assay : ≥98% Store at -20°C	4690.00	100 mg
		26073.00	1 gm
CYTOTOXIC ANTICANCER ANTIBIOTICS			
TC1419 C ₄₂ H ₅₃ NO ₁₅ .HCl (75443-99-1)	Aclarubicin Hydrochloride Cell Culture Tested MW : 848.33 Assay : ≥90% Store at 2 - 8°C	35433.00	5 mg
TC1417 C ₂₇ H ₂₉ NO ₁₀ .HCl (23541-50-6)	Daunorubicin Hydrochloride Cell Culture Tested MW : 563.98 Assay : ≥90% Store at 2 - 8°C	7551.00	5 mg
		28310.00	25 mg
TC1420 C ₂₇ H ₂₉ NO ₁₁ .HCl (25316-40-9)	Doxorubicin Hydrochloride DOX, Hydroxydaunorubicin hydrochloride MW : 579.98 Assay : ≥98% Store at 2 - 8°C	25785.00	10 mg
ATTACHMENT FACTORS			
TC1242 (9012-76-4)	Chitosan Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥75% Store below 30°C	3627.00	50 gm
		6040.00	100 gm
		18756.00	500 gm

Product Code	Product Name	Price	Packing
TC1633 (9012-76-4)	Chitosan Source: Shrimp shells Cell Culture Tested Degree of Deacetylation : ≥90% Store below 30°C	4473.00	50 gm
		6714.00	100 gm
		20170.00	500 gm
Tc1040 (39455-18-0)	Chondroitin Sulphate A Sodium Salt Cell Culture Tested Assay : ≥90% Store at 2 - 8°C	3690.00	5 gm
		13860.00	25 gm
TC1343	Collagen Peptide Hydrolysed form of collagen type I Cell Culture Tested Assay : 90% Store below 30°C	4410.00	5 gm
		6615.00	10 gm
		11570.00	25 gm
TC1278 (9014-81-7)	Fetuin Cell Culture Tested Store at 2 - 8°C	POR	100 mg
		POR	1 gm
		POR	5 gm
TC1041 (9000-70-8)	Gelatin Cell Culture Tested Store below 30°C	810.00	100 gm
		3141.00	500 gm
TC1306 (83380-82-9)	Human Vitronectin Bloom Strength : 120g Cell Culture Tested Store at -20°C	POR	100 mcg
		POR	1 mg
BIOLOGICAL BUFFERS			
TC1578 (NH ₄) ₂ HPO ₄ (7783-28-0)	di-Ammonium Hydrogen Phosphate Ammonium monohydrogen phosphate, Ammonium phosphate dibasic Cell Culture Tested MW : 132.06 Assay : ≥98% Store below 30°C	2170.00	100 gm
		4780.00	500 gm
TC1042 C ₆ H ₁₅ NO ₅ S (10191-18-1)	BES buffer, Free acid (NN-bis[2-Hydroxyethyl]-2-aminoethanesulphonic acid; 2-[bis(2-Hydroxyethyl)amino]-ethanesulfonic acid) Cell Culture Tested MW : 213.25 Assay : ≥99% Store at 2 - 8°C	2223.00	25 gm
		6687.00	100 gm
		27720.00	500 gm
		46000.00	1 kg
TC1043 C ₈ H ₁₉ NO ₅ (6976-37-0)	BIS TRIS (bis[2-Hydroxy Methyl]amino-tris(hydroxyethyl) methane; 2-bis[2-Hydroxyethyl] amino-2-[2-Hydroxy Methyl]-1,3 propanediol) Cell Culture Tested MW : 209.24 Assay : ≥99% Store below 30°C	2970.00	25 gm
		8910.00	100 gm
		34700.00	500 gm
		50500.00	1 kg

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1267 C ₁₁ H ₂₆ N ₂ O ₆ (64431-96-5)	BIS-TRIS propane	5913.00	25 gm
	1,3-Bis[tris(hydroxy methyl) methylamino] propane	17100.00	100 gm
	Cell Culture Tested	62330.00	500 gm
	MW: 282.33 Assay : ≥99% Store below 30°C		
TC1063 C ₉ H ₂₀ N ₂ O ₄ S (16052-06-5)	EPPS	2457.00	25 gm
	(HEPPS)	10450.00	100 gm
	[N-(2-Hydroxyethyl) piperazine-N'-3-propanesulphonic acid]	20141.00	500 gm
	Cell Culture Tested	30214.00	1 kg
TC1044 C ₂ H ₇ NO.HCl (2002-24-6)	Ethanolamine hydrochloride	612.00	5 gm
	(2-Aminoethanol; 2-Amino ethyl alcohol; Monoethanolamine)	2466.00	25 gm
TC1061 C ₄ H ₈ N ₂ O ₃ (556-50-3)	Glycylglycine	2890.00	25 gm
	(Gly-Gly)	11070.00	100 gm
	Cell Culture Tested	37350.00	500 gm
	MW: 132.12 Assay : ≥99% Store at 2 - 8°C	63630.00	1 kg
TC1065 C ₇ H ₁₃ N ₃ O ₄ .H ₂ O (172669-64-6)	Glycyl-L- glutamine monohydrate	3501.00	1 gm
	Cell Culture Tested	12830.00	5 gm
TC1050 C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)	HEPES Free Acid	2790.00	25 gm
	[N-(2Hydroxyethyl)-piperazine-N'-(2-ethane sulphonic acid)]	8370.00	100 gm
	Cell Culture Tested	24210.00	500 gm
	MW: 238.30 Assay : ≥99% Store below 30°C	35361.00	1 kg
TC1066 C ₈ H ₁₇ N ₂ NaO ₄ S (75277-39-3)	HEPES Sodium Salt	2907.00	25 gm
	[N-2Hydroxyethyl)-piperazine-N'-(2-ethanesulphonic acid) sodium salt]	8730.00	100 gm
	Cell Culture Tested	25200.00	500 gm
	MW : 260.29 Assay : ≥99% Store below 30°C	39340.00	1 kg
TC1063 C ₉ H ₂₀ N ₂ O ₄ S (16052-06-5)	HEPPS	2466.00	25 gm
	(EPPS)	10450.00	100 gm
	[N-2Hydroxyethyl)-piperazine-N'-(3-propanesulphonic acid)]	20151.00	500 gm
	Cell Culture Tested	POR	1 kg
TC1268 C ₆ H ₁₂ NNaO ₄ S (71119-23-8)	MES Sodium Salt	4392.00	25 gm
	Cell Culture Tested	13190.00	100 gm
	MW : 217.22	44510.00	500 gm
	Assay : ≥99% Store below 30°C	60580.00	1 kg

Product Code	Product Name	Price	Packing
TC1067 C ₇ H ₁₅ NO ₄ S (1132-61-2)	MOPS Free Acid	2601.00	25 gm
	[3-(N-Morpholino)-propanesulphonic acid]	7830.00	100 gm
	Cell Culture Tested	22640.00	500 gm
	MW : 209.26 Assay : ≥99% Store below 30°C	33030.00	1 kg
TC1269 C ₇ H ₁₄ NO ₄ SNa (71119-22-7)	MOPS Sodium Salt	4433.00	25 gm
	[3-(N-Morpholino)-propanesulphonic acid]	11120.00	100 gm
	Cell Culture Tested	31086.00	500 gm
	MW : 231.25 Assay : ≥98% Store below 30°C	45270.00	1 kg
TC1270 C ₈ H ₁₈ N ₂ O ₆ S ₂ (5625-37-6)	PIPES Buffer	11772.00	50 gm
	Cell Culture Tested	17033.00	100 gm
TC1011 KH ₂ PO ₄ (7778-77-0)	Potassium Dihydrogen Phosphate	1251.00	100 gm
	Anhydrous	3231.00	500 gm
	(Potassium phosphate monobasic; Monopotassium phosphate)	5616.00	1 kg
	Cell Culture Tested	11232.00	5 kg
TC1596 K ₂ HPO ₄ (7758-11-4)	di-Potassium Hydrogen Phosphate	1220.00	100 gm
	Anhydrous	4905.00	500 gm
	(di-Potassium phosphate Potassium Hydrogen Phosphate)		
	Cell Culture Tested		
TC1023 C ₂ H ₃ O ₂ Na (127-09-3)	Sodium Acetate Anhydrous	595.00	100 gm
	[Acetic acid sodium salt]	1773.00	500 gm
	Cell Culture Tested		
	MW : 82.03 Assay : ≥99% Store below 30°C		
TC1230 NaHCO ₃ (144-55-8)	Sodium Bicarbonate	833.00	100 gm
	(Sodium hydrogen carbonate)	2502.00	500 gm
	Cell Culture Tested	3762.00	1 kg
	MW : 84.01 Assay : ≥99.5% Store below 30°C	11286.00	5 kg
TC1068 NaH ₂ PO ₄ .H ₂ O (10049-21-5)	Sodium Dihydrogen Phosphate	1494.00	100 gm
	Monohydrate	3807.00	500 gm
	(Sodium phosphate monobasic; Monosodium phosphate)	4761.00	1 kg
	Cell Culture Tested	12790.00	5 kg
	MW : 137.99		
	Assay : ≥98% Store below 30°C		

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1051 Na ₂ HPO ₄ (7558-79-4)	di-Sodium Hydrogen Phosphate	1746.00	100 gm
	Anhydrous	3803.00	500 gm
	(Sodium phosphate dibasic; Disodium phosphate)	5283.00	1 kg
	Cell Culture Tested	13095.00	5 kg
	MW : 141.96 Assay : ≥99% Store below 30°C		
TC1507 Na ₂ HPO ₄ ·2H ₂ O (10028-24-7)	di-Sodium hydrogen phosphate	1800.00	500 gm
	Dihydrate	3160.00	1 kg
	(Sodium phosphate dibasic dihydrate)	11052.00	5 kg
	Cell Culture Tested		
	MW : 177.99 Assay : ≥99% Store below 30°C		
TC1508 Na ₂ HPO ₄ ·12H ₂ O (10039-32-4)	di-sodium Hydrogen Phosphate	1944.00	500 gm
	Dodecahydrate	11620.00	5 kg
	(Sodium phosphate dibasic dodecahydrate)		
	Cell Culture Tested		
	MW : 358.14 Assay : ≥99% Store below 30°C		
TC1459 NaH ₂ PO ₄ (7558-80-7)	Sodium Phosphate Monobasic	1540.00	100 gm
	Anhydrous	3852.00	500 gm
	(Sodium phosphate monobasic)	4802.00	1 kg
	Cell Culture Tested	12821.00	5 kg
	MW : 119.98 Assay : ≥98% Store below 30°C		
TC1271 C ₇ H ₁₇ NO ₆ S (29915-38-6)	TAPS Buffer	2142.00	25 gm
	Cell Culture Tested	6201.00	100 gm
	MW : 243.28	19450.00	500 gm
	Assay : ≥99.5% Store below 30°C	POR	1 kg
TC1272 C ₇ H ₁₇ NO ₇ S (68399-81-5)	TAPSO Buffer	2552.00	25 gm
	Cell Culture Tested	8091.00	100 gm
	MW : 259.28	25083.00	500 gm
	Assay : ≥99% Store below 30°C		
TC1273 C ₆ H ₁₅ NO ₆ S (7365-44-8)	TES Buffer	4370.00	25 gm
	Cell Culture Tested	13100.00	100 gm
	MW : 229.25		
	Assay : ≥99% Store below 30°C		
TC1069 C ₆ H ₁₃ NO ₅ (5704-04-1)	Tricine	1818.00	25 gm
	[N-Tris[Hydroxymethyl]-methylglycine]; (N-[2-Hydroxy-1,1-bis-(hydroxymethyl)ethylglycine])	5445.00	100 gm
	Cell Culture Tested	21025.00	500 gm
	MW : 179.17 Assay : ≥99% Store below 30°C	30627.00	1 kg
TC1072 C ₄ H ₁₁ NO ₃ (77-86-1)	Tris Base	1260.00	100 gm
	[Tris(hydroxymethyl) aminomethane]	5130.00	500 gm
	Cell Culture Tested	7830.00	1 kg
	MW : 121.14 Assay : ≥99% Store below 30°C		

Product Code	Product Name	Price	Packing
TC1073 C ₄ H ₁₁ NO ₃ .HCl (1185-53-1)	Tris Hydrochloride	1791.00	100 gm
	[Tris(hydroxymethyl) aminomethane] hydrochloride]	7470.00	500 gm
	Cell Culture Tested		
	MW : 157.60 Assay : ≥98% Store below 30°C		
BIOCHEMICALS AND COMPONENTS			
TC1081 C ₈ H ₁₅ NO ₆ (7512-17-6)	N-Acetyl-D-Glucosamine	2350.00	10 gm
	Cell Culture Tested	3340.00	25 gm
	MW : 221.21	10009.00	100 gm
	Assay : ≥98.5% Store at 2 - 8°C		
TC1086 C ₅ H ₁₂ O ₅ (488-81-3)	Adonitol	4960.00	10 gm
	(Adonite, Ribitol)	9711.00	25 gm
	Cell Culture Tested	30411.00	100 gm
	MW : 152.15 Assay : ≥99% Store below 30°C		
TC1090 C ₄ H ₉ NO ₂ (1492-24-6)	L-α-Amino-n-Butyric Acid	1872.00	250 mg
	(L-(+)-2-Aminobutyric acid)	5463.00	1 gm
	Cell Culture Tested	21726.00	5 gm
	MW : 103.12 Assay : ≥98% Store below 30°C		
TC1091 C ₁₉ H ₂₀ N ₈ O ₅ (54-62-6)	Aminopterin	3636.00	10 mg
	(4-Aminofolic acid)	8964.00	25 mg
	Cell Culture Tested	27810.00	100 mg
	MW : 440.41 Assay : ≥98% Store at 2 - 8°C		
TC1092 NH ₄ Cl (12125-02-9)	Ammonium Chloride	460.00	100 gm
	Cell Culture Tested	1206.00	500 gm
	MW : 53.49		
	Assay : ≥99.5% Store below 30°C		
TC1717 C ₂₈₄ H ₄₃₂ N ₈₄ O ₇₉ S ₇ (9087-70-1)	Aprotinin	13320.00	25 mg
	Source: Bovine lung	25430.00	50 mg
	Cell Culture Tested		
	MW : 6511.44 Store at 2 - 8°C		
TC1723 C ₃₄ H ₄₀ N ₂ O ₁₈ (126150-97-8)	BAPTA AM	19190.00	25 gm
	1,2-Bis (2-aminophenoxy) ethane-N,N,N',N'-tetraacetic acid tetrakis (acetoxy methyl ester)		
	Cell Culture Tested		
	MW : 764.68 Store below -20°C		
TC1097 CaCl ₂ (10043-52-4)	Calcium Chloride Anhydrous	2089.00	100 gm
	Cell Culture Tested	8343.00	500 gm
	MW : 110.98		
	Assay : ≥93% Store below 30°C		
TC1001 CaCl ₂ ·2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate	5814.00	500 gm
	Cell Culture Tested	9140.00	1 kg
	MW : 147.01		
	Assay : ≥98% Store below 30°C		

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1099 Ca(NO ₃) ₂ ·4H ₂ O (13477-34-4)	Calcium Nitrate Tetrahydrate Cell Culture Tested MW : 236.15 Assay : ≥99% Store below 30°C	1755.00 2637.00	500 gm 1 Kg
TC1502 CaSO ₄ (7778-18-9)	Calcium Sulphate, Anhydrous Cell Culture Tested MW : 136.14 Store below 30°C	1130.00	500 gm
TC1100 C (7440-44-0)	Charcoal, Activated HCl-washed Cell Culture Tested AW : 12.01 Store below 30°C	2241.00 16740.00	500 gm 5 kg
TC1105 C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous Cell Culture Tested MW : 192.12 Assay : ≥97% Store below 30°C	1143.00 1737.00	100 gm 500 gm
TC1106 C ₆ H ₅ K ₃ O ₇ ·H ₂ O (6100-05-6)	Citric Acid Tripotassium Salt (Tripotassium citrate monohydrate) MW : 324.41 Assay : ≥99% Store below 30°C	1656.00	500 gm
TC1107 CoCl ₂ ·6H ₂ O (7791-13-1)	Cobalt Chloride Hexahydrate Cell Culture Tested MW : 237.93 Assay : ≥98% Store below 30°C	3960.00 10350.00	25 gm 100 gm
TC1566 C ₂₁ H ₂₅ NO ₅ (477-30-5)	Colcemid® Demecolcine Cell Culture Tested MW : 371.43 Assay : ≥95% Store at 2 - 8°C	12870.00 23680.00 108950.00	5 mg 10 mg 50 mg
TC1030 C ₂₂ H ₂₅ NO ₆ (64-86-8)	Colchicine Cell Culture Tested MW : 399.44 Assay : ≥95% Store below 30°C	2520.00 4203.00 38430.00	500 mg 1 gm 10 gm
TC1220 (11028-71-0)	Concanavalin A Cell Culture Tested Assay : ≥90% Store at 2 - 8°C	2331.00 6840.00	25 mg 100 mg
TC1108 CuCl ₂ ·2H ₂ O (10125-13-0)	Cupric Chloride Dihydrate (Copper chloride dihydrate) Cell Culture Tested MW : 170.48 Assay : ≥99% Store below 30°C	1206.00 4266.00	100 gm 500 gm
TC1003 CuSO ₄ ·5H ₂ O (7758-99-8)	Cupric Sulphate Pentahydrate (Copper sulphate pentahydrate) Cell Culture Tested MW : 249.69 Assay : ≥98.5% Store below 30°C	1422.00 2570.00	500 gm 1 kg

Product Code	Product Name	Price	Packing
TC1224 C ₂₉ H ₃₇ NO ₅ (14930-96-2)	Cytochalasin B Cell Culture Tested MW : 479.61 Assay : ≥98% Store at -20°C	64000.00	10 mg POR 5x10 mg
TC1540 HSCH ₂ CH(OH)CH(OH)CH ₂ SH (3483-12-3)	DL-Dithiothreitol Threo-1,4-Dimercapto-2,3-butanediol, Cleland's reagent, DTT Cell Culture Tested MW : 154.25 Assay : ≥99% Store at 2 - 8°C	2925.00 8613.00 28710.00	1 gm 5 gm 25 gm
TC1736 C ₃ H ₇ NO (68-12-2)	N,N-dimethylformamide DMF Cell Culture Tested MW : 73.09 Store below 30°C	POR	500 ml
TC1115 C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4)	EDTA Free Acid Anhydrous Cell Culture Tested MW : 292.24 Assay : ≥99% Store below 30°C	1062.00 4077.00	100 gm 500 gm
TC1038 C ₁₀ H ₁₄ N ₂ O ₈ ·Na ₂ ·2H ₂ O (6381-92-6)	EDTA Disodium Salt Dihydrate Cell Culture Tested MW : 372.24 Assay : ≥99% Store below 30°C	1350.00 2070.00 POR	500 gm 1 kg 5 kg
TC1116 C ₁₀ H ₁₂ N ₂ Na ₄ O ₈ ·2H ₂ O (10378-23-1)	EDTA Tetrasodium Salt Dihydrate Cell Culture Tested MW : 416.2 Assay : ≥99% Store below 30°C	1944.00 5860.00	100 gm 500 gm
TC1721 C ₁₄ H ₂₄ O ₁₀ N ₂ (67-42-5)	EGTA Ethylene glycol-bis(2-aminoethyl ether)-N,N,N',N'-tetraacetic acid Cell Culture Tested MW : 380.35 Assay : ≥97% Store at 30°C	4176.00 9460.00 36144.00	10 gm 25 gm 100 gm
TC1722 C ₂₆ H ₄₀ N ₂ O ₈ (99590-86-0)	EGTA AM Ethylene glycol-bis(β-aminoethyl ether)-N,N,N',N'-tetraacetoxy methyl ester Cell Culture Tested Store at -20°C	22266.00	10 mg
TC1453 (1185-57-5)	Ferric Ammonium Citrate, Brown Ammonium iron (III) citrate Cell Culture Tested Assay : 16.5-22.5% Fe Store below 30°C	1044.00 4343.00	100 gm 500 gm
TC1583 FeCl ₂ (7705-08-0)	Ferric Chloride Anhydrous Ferric chloride Cell Culture Tested MW : 162.2 Assay : 14-16% Fe Store below 30°C	1422.00 2719.00 5841.00	5 gm 25 gm 100 gm

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1117 C ₆ H ₅ FeO ₇ .H ₂ O (2338-05-8)	Ferric Citrate Monohydrate	1179.00	250 gm
	Cell Culture Tested	1760.00	500 gm
	MW : 262.96 Assay : ≥98% Store below 30°C	2646.00	1 kg
TC1118 FeN ₃ O ₉ .9H ₂ O (7782-61-8)	Ferric Nitrate Nonahydrate	1395.00	100 gm
	Cell Culture Tested	5553.00	500 gm
	MW : 404 Assay : ≥98% Store below 30°C		
TC1119 FeSO ₄ .7H ₂ O (7782-63-0)	Ferrous Sulphate Heptahydrate	1647.00	500 gm
	Cell Culture Tested	2601.00	1 kg
	MW : 278.01 Assay : ≥99.5% Store below 30°C		
TC1125 C ₄ H ₄ O ₄ (110-17-8)	Fumaric Acid	1071.00	100 gm
	Cell Culture Tested	4240.00	500 gm
	MW : 116.07 Assay : ≥99% Store below 30°C		
TC1282 C ₂₀ H ₃₂ N ₆ O ₁₂ S ₂ (27025-41-8)	Glutathione Oxidized	2120.00	100 mg
	Aminomethanamide hydrochloride,	4266.00	250 mg
	Guanidinium chloride	8910.00	1 gm
	Cell Culture Tested	30663.00	5 gm
TC1134 C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)	Glutathione Reduced (GSH)	5175.00	10 gm
	Cell Culture Tested	10360.00	25 gm
	MW : 307.32 Assay : ≥98% Store at 2 - 8°C	31005.00	100 gm
TC1138 (9041-08-1)	Heparin Sodium Salt	5220.00	1 vial
	Cell Culture Tested		POR 10x1 vial
	Potency : ≥140 USP U/mg 100000 unit Store at 2 - 8°C		
TC1139 C ₅ H ₄ N ₄ O (68-94-0)	Hypoxanthine (6-Hydroxypurine)	1485.00	5 gm
	Cell Culture Tested	5940.00	25 gm
	MW : 136.11 Assay : ≥99% Store below 30°C		
TC1711 (56090-82-1)	Inomycin Calcium Salt	48510.00	10 mg
	Cell Culture Tested		
	MW : 747.07 Assay : ≥98% Store at 2 - 8°C		
TC1539 (CH ₃) ₂ CHC ₆ H ₄ CO ₂ H (536-66-3)	4-Isopropylbenzoic Acid	5050.00	5 gm
	Cumic acid, Cuminic acid	22770.00	25 gm
	Cell Culture Tested MW : 164.2 Assay : ≥98% Store below 30°C		
TC1140 C ₆ H ₁₂ O ₆ (87-89-8)	myo-Inositol	1341.00	25 gm
	(meso-Inositol; l-Inositol)	3996.00	100 gm
	Cell Culture Tested	15912.00	500 gm
	MW : 180.16 Assay : ≥97% Store below 30°C	24003.00	1 kg

Product Code	Product Name	Price	Packing
TC1141 C ₅ H ₆ O ₅ (328-50-7)	α-Ketoglutaric Acid	1602.00	25 gm
	Cell Culture Tested	4833.00	100 gm
	MW : 146.1 Assay : ≥99% Store at 2 - 8°C	16390.00	500 gm
TC1541 CH ₃ (CH ₂) ₁₀ CON(CH ₃)CH ₂ COONa (137-16-6)	N-Lauroylsarcosine Sodium Salt	770.00	5 gm
	N-Dodecanoyl-N-methylglycine sodium salt	3501.00	25 gm
	Cell Culture Tested MW : 293.38 Assay : ≥99% Store below 30°C		
TC1713 C ₃ H ₅ LiO ₃ (867-55-0)	Lithium Lactate	3636.00	100 gm
	Cell Culture Tested		
	MW : 96.01 Assay : ≥95% Store below 30°C		
TC1728 C ₁₁ H ₈ N ₂ O ₃ S ₂ (2951-17-5)	D-Luciferin, Free Acid	4320.00	1 mg
	Cell Culture Tested	23760.00	10 mg
	MW : 280.32 Store at -20°C		
TC1186 MgCl ₂ (7786-30-3)	Magnesium Chloride Anhydrous	2539.00	100 gm
	Cell Culture Tested	15264.00	1 kg
	MW : 95.21 Assay : ≥97% Store below 30°C		
TC1006 MgCl ₂ .6H ₂ O (7791-18-6)	Magnesium chloride hexahydrate	1530.00	100 gm
	Cell Culture Tested	4617.00	500 gm
	MW : 203.30 Assay : ≥99% Store below 30°C		
TC1146 MgSO ₄ (7487-88-9)	Magnesium Sulphate Anhydrous	2295.00	500 gm
	Cell Culture Tested	3465.00	1 kg
	MW : 120.37 Assay : ≥62% Store below 30°C		
TC1149 MnSO ₄ .H ₂ O (10034-96-5)	Magnesium (II) Sulphate Monohydrate	1067.00	100 gm
	Cell Culture Tested	4212.00	500 gm
	MW : 169.02 Assay : ≥99% Store below 30°C		
TC1152 C ₂ H ₆ OS (60-24-2)	2-Mercaptoethanol	1737.00	100 ml
	Cell Culture Tested	3402.00	250 ml
	MW : 78.13. Assay : ≥99% Store below 30°C	5202.00	500 ml
TC1155 NiCl ₂ .6H ₂ O (7791-20-0)	Nickel (II) Chloride Hexahydrate	1746.00	100 gm
	Cell Culture Tested	4743.00	500 gm
	MW : 237.69. Assay : ≥98% Store below 30°C		

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1699 C ₂₁ H ₂₇ N ₇ Na ₂ O ₁₄ P ₂ .xH ₂ O (606-68-8)	β-Nicotinamide Adenine	4266.00	100 mg	TC1010 KCl (7447-40-7)	Potassium Chloride	2790.00	250 gm
	Dinucleotide, Reduced Disodium	9252.00	500 mg		Cell Culture Tested	4343.00	500 gm
	Salt Hydrate (NADH)	12700.00	1 gm		MW : 74.55	8055.00	1 kg
	Cell Culture Tested	49284.00	5 gm		Assay : ≥98.5%		
	MW : 709.40. (anhydrous basis)				Store below 30°C		
TC1700 C ₂₁ H ₂₆ N ₇ Na ₂ O ₁₇ P ₃ (24292-60-2)	Nicotinamide Adenine	4302.00	50 mg	TC1505 KOH (1310-58-3)	Potassium Hydroxide Pellets	720.00	500 gm
	Dinucleotide, Phosphate Disodium	14220.00	250 mg		Potash caustic	5580.00	5 kg
	salt (NADP)	47610.00	1 gm		Cell Culture Tested		
	Cell Culture Tested				MW : 56.11		
	MW : 787.37				Assay : ≥85%		
	Store at 2 - 8°C				Store below 30°C		
TC1701 C ₂₁ H ₂₆ N ₇ Na ₄ O ₁₇ P ₃ .XH ₂ O (2646-71-1)	Nicotinamide Adenine	12520.00	100 mg	TC1161 KNO ₃ (7757-79-1)	Potassium Nitrate	3240.00	500 gm
	Dinucleotide 2 -phosphate Reduced	46900.00	500 mg		Cell Culture Tested	4883.00	1 kg
	Tetrasodium Salt Hydrate (NADPH)	84510.00	1 gm		MW : 101.10		
	Cell Culture Tested				Assay : ≥99%		
	MW : 833.35				Store below 30°C		
	Store at 2 - 8°C			TC1163 C ₄ H ₁₂ N ₂ .2HCl (333-93-7)	Putrescine Dihydrochloride	2480.00	5 gm
			Cell Culture Tested		10854.00	25 gm	
			MW : 161.07				
			Assay : ≥98%				
					Store below 30°C		
TC1702 C ₆ H ₅ NO ₃ (100-02-7)	p-Nitrophenol	3033.00	5 gm	TC1456 CH ₃ COONa . 3H ₂ O (6131-90-4)	Sodium Acetate Trihydrate	2507.00	250 gm
	Cell Culture Tested	10917.00	25 gm		Acetic acid sodium salt trihydrate	4392.00	500 gm
	MW : 139.11				Cell Culture Tested	7034.00	1 kg
					MW : 136.08	21096.00	5 kg
	Store below 30°C				Assay : ≥98%		
TC1533 H ₃ PO ₄ (7664-38-2)	Orthophosphoric Acid	3024.00	100 gm	TC1704 NaN ₃ (26628-22-8)	Sodium Azide	1215.00	25 gm
	Phosphoric acid	4330.00	500 gm		Cell Culture Tested	3636.00	100 gm
	Cell Culture Tested				MW : 65.01	14553.00	500 gm
	MW : 98				Store below 30°C		
	Assay : ≥95%			TC1471 CH ₃ CH ₂ CH ₂ COONa (156-54-7)	Sodium Butyrate	882.00	5 gm
	Store below 30°C		Butyric acid sodium salt trihydrate		1566.00	100 gm	
			Cell Culture Tested		6103.00	500 gm	
			MW : 110.09				
					Assay : ≥99%		
					Store below 30°C		
TC1703 HO(CH ₂ O) _n H (30525-89-4)	Paraformaldehyde	1944.00	500 gm	TC1046 NaCl (7647-14-5)	Sodium Chloride	1540.00	500 gm
	Cell Culture Tested	3340.00	1 kg		Cell Culture Tested	2350.00	1 kg
	MW : 30.03				MW : 58.44	5814.00	5 kg
	(as monomer)				Assay : ≥99%	7480.00	10 kg
	Store below 30°C				Store below 30°C		
TC1209 (9008-97-3)	PHA-M	3510.00	10 mg	TC1249 Na ₃ C ₆ H ₅ O ₇ .2H ₂ O (6132-04-03)	tri-Sodium Citrate Dihydrate	1584.00	500 gm
	(Phytohemagglutinin-M)	6201.00	25 mg		Cell Culture Tested	2570.00	1 kg
	Cell Culture Tested	18630.00	4x25 mg		MW : 294.10	9054.00	5 kg
	Assay : ≥60%				Assay : ≥99%		
	Store at -20°C				Store below 30°C		
TC1226 (9008-97-3)	PHA-P	3771.00	5 mg	TC1460 NaOH (1310-73-2)	Sodium Hydroxide Pellets	405.00	500 gm
	(Phytohemagglutinin-P)	11322.00	5x5 mg		Caustic Soda	739.00	1 kg
	Cell Culture Tested				Cell Culture Tested	2961.00	5 kg
	Potency : ≥62.5 mcg/ml				MW : 40		
	Store at -20°C				Assay : ≥99%		
TC1706 C ₇ H ₇ FO ₂ S (329-98-6)	Phenylmethanesulfonyl Fluoride	1692.00	1 gm	TC1166 C ₃ H ₃ O ₃ Na (113-24-6)	Sodium Pyruvate	3960.00	25 gm
	(PMSF)	5454.00	5 gm		(Pyruvic acid sodium salt)	14004.00	100 gm
	Cell Culture Tested	24570.00	25 gm		Cell Culture Tested	31680.00	250 gm
	Assay : ≥99%				MW : 110.04	88371.00	1 kg
	Store below 30°C				Assay : ≥99%		
					Store below 30°C		

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1169 Na ₂ SeO ₃ (10102-18-8)	Sodium Selenite	1485.00	10 gm	TC1611	L-(-)-Fucose (Fucose) Cell Culture Tested MW : 164.16 Assay : ≥95% Store below 30°C	38840.00	25 gm
	Cell Culture Tested	2394.00	25 gm			133772.00	100 gm
	MW : 172.94	5013.00	100 gm			C ₆ H ₁₂ O ₅ (2438-80-4)	
	Assay : ≥99%						
Store below 30°C							
TC1219 C ₄ H ₄ O ₄ Na ₂ .6H ₂ O (6106-21-4)	Sodium Succinate Hexahydrate	653.00	25 gm	TC1126	D-(+)-Galactosamine Hydrochloride Cell Culture Tested MW : 215.63 Assay : ≥99% Store below 30°C	3591.00	500 mg
	Cell Culture Tested	1990.00	100 gm			5410.00	1 gm
	MW : 270.14	8415.00	500 gm			C ₆ H ₁₃ NO ₅ .HCl (1772-03-8)	
	Assay : ≥99%					20853.00	5 gm
Store below 30°C							
TC1347 C ₂₆ H ₄₄ NO ₆ SNa.XH ₂ O (207737-97-1)	Sodium Taurodeoxycholate Hydrate	864.00	500 mg	TC1127	D-(+)-Galactose Anhydrous Cell Culture Tested MW : 180.16 Assay : ≥98% Store below 30°C	2980.00	100 gm
	Cell Culture Tested	1584.00	1 gm			13500.00	500 gm
	MW : 521.69 (anhydrous basis)	7520.00	5 gm			C ₆ H ₁₂ O ₆ (59-23-4)	
	Assay : ≥99%					24850.00	1 kg
Store below 30°C							
TC1275 C ₁₀ H ₂₆ N ₄ (71-44-3)	Spermine (Free base)	5184.00	1 gm	TC1129	D-(+)-Glucosamine Hydrochloride Cell Culture Tested MW : 215.63 Assay : ≥98% Store below 30°C	3042.00	100 gm
	Cell Culture Tested	23265.00	5 gm			12231.00	500 gm
	MW : 202.34					C ₆ H ₁₃ NO ₅ .HCl (66-84-2)	
	Assay : ≥96%					3042.00	100 gm
Store at 2 - 8°C							
TC1276 C ₇ H ₁₉ N ₃ (124-20-9)	Spermidine	5175.00	1 gm	TC1130	D-(+)-Dextrose Anhydrous (Dextrose anhydrous) Cell Culture Tested MW : 180.16 Assay : ≥99% Store below 30°C	333.00	100 gm
	Cell Culture Tested	21744.00	5 gm			1940.00	1 kg
	MW : 145.25					4743.00	5 kg
	Assay : ≥98%					7020.00	10 kg
Store at 2 - 8°C							
TC1047 C ₄ H ₆ O ₄ (110-15-6)	Succinic Acid, Free Acid	1463.00	100 gm	TC1208	D-(+)-Dextrose Monohydrate (Dextrose monohydrate) Cell Culture Tested MW : 198.17 Assay : ≥99% Store below 30°C	873.00	500 gm
	Cell Culture Tested	4370.00	500 gm			1287.00	1 kg
	MW : 118.09					3825.00	5 kg
	Assay : ≥99%					5733.00	10 kg
Store below 30°C							
TC1705 C ₁₆ H ₂₀ N ₂ (54827-17-7)	TMB 3,3',5,5' Tetramethyl benzidine	1386.00	100 mg	TC1128	D-Glucuronic Acid Sodium Salt Monohydrate (Sodium glucuronate) Cell Culture Tested MW : 234.14 Assay : ≥98% Store below 30°C	1459.00	5 gm
	Cell Culture Tested	5391.00	1 gm			5860.00	25 gm
	MW : 240.34	18072.00	5 gm			C ₆ H ₉ NaO ₇ .H ₂ O (207300-70-7)	
	Assay : ≥99%					1459.00	5 gm
Store below 30°C							
TC1180 CH ₄ N ₂ O (57-13-6)	Urea (Carbamide)	1386.00	500 gm	TC1144	Lactose Monohydrate (Milk Sugar) Cell Culture Tested MW : 360.31 Assay : ≥99% Store below 30°C	864.00	500 gm
	Cell Culture Tested	2070.00	1 kg			6400.00	5 kg
	MW : 60.06	6732.00	5 kg			C ₁₂ H ₂₂ O ₁₁ .H ₂ O (64044-51-5)	
	Assay : ≥99.5%					864.00	500 gm
Store below 30°C							
TC1184 ZnCl ₂ (7646-85-7)	Zinc Chloride Anhydrous	1017.00	100 gm	TC1148	Maltose Monohydrate Cell Culture Tested MW : 360.31 Assay : ≥95% Store below 30°C	1450.00	100 gm
	Cell Culture Tested	3011.00	500 gm			5670.00	500 gm
	MW : 136.3	4527.00	1 Kg			8550.00	1 kg
	Assay : ≥97%					C ₁₂ H ₂₂ O ₁₁ .H ₂ O (6363-53-7)	
Store below 30°C							
TC1131 ZnSO ₄ .7H ₂ O (7446-20-0)	Zinc Sulphate Heptahydrate	1504.00	100 gm	TC1513	D-Mannitol Mannite Cell Culture Tested MW : 182.17 Assay : ≥99% Store below 30°C	1620.00	25 gm
	Cell Culture Tested	3173.00	500 gm			2655.00	100 gm
	MW : 287.56					C ₆ H ₁₄ O ₆ (69-65-8)	
	Assay : ≥99.5%					1620.00	25 gm
Store below 30°C							
CARBOHYDRATES							
TC1124 C ₆ H ₁₂ O ₆ (57-48-7)	D-(-)-Fructose (Fruit sugar) Cell Culture Tested	910.00	100 gm				
	Cell Culture Tested	2727.00	500 gm				
	MW : 180.16	17730.00	5 kg				
	Assay : ≥99.5%						
Store below 30°C							

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1150 C ₆ H ₁₂ O ₆ (3458-28-4)	D-(+)-Mannose	3020.00	25 gm
	Cell Culture Tested	9100.00	100 gm
	MW : 180.16	35100.00	500 gm
	Assay : ≥99% Store below 30°C		
TC1162 C ₁₈ H ₃₂ O ₁₆ .5H ₂ O (17629-30-0)	D-(+)-Raffinose Pentahydrate (Melitose; Melitriose)	4240.00	25 gm
	Cell Culture Tested	15660.00	100 gm
	MW : 594.51	60462.00	500 gm
	Assay : ≥98% Store below 30°C		
TC1168 C ₅ H ₁₀ O ₅ (50-69-1)	D-(-)-Ribose	3267.00	25 gm
	Cell Culture Tested	8204.00	100 gm
	MW : 150.13		
	Assay : ≥99% Store at 2 - 8°C		
TC1170 C ₆ H ₁₄ O ₆ (50-70-4)	D-(-)-Sorbitol	1540.00	500 gm
	Cell Culture Tested	2313.00	1 kg
	MW : 182.17	9540.00	5 kg
	Assay : ≥98% Store below 30°C		
TC1048 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose	2210.00	500 gm
	Source : Sugarcane	3591.00	1 kg
	Cell Culture Tested	10630.00	5 kg
	MW : 342.30 Store below 30°C		
TC1648 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose	6732.00	500 gm
	Source : Beetroot	11790.00	1 kg
	Cell Culture Tested	48303.00	5 kg
	MW : 342.30 Store below 30°C		
TC1177 C ₁₂ H ₂₂ O ₁₁ .2H ₂ O (6138-23-4)	D(+)-Trehalose Dihydrate	2520.00	10 gm
	Cell Culture Tested	4950.00	25 gm
	MW : 378.33	13600.00	100 gm
	Assay : ≥98% Store below 30°C		
CARRIER PROTEINS			
TC1545	Bovine serum Albumin pH 7.0	1360.00	5 gm
	Cell Culture Tested	5427.00	25 gm
	Ultra-low IgG	20350.00	100 gm
	Store at 2 - 8°C	86400.00	500 gm
TC1546	Bovine serum Albumin pH 6.5-7.0	1279.00	5 gm
	Cell Culture Tested	4671.00	25 gm
	Protease free, Diagnostic grade	17415.00	100 gm
	Store at 2 - 8°C	76311.00	500 gm
TC1548	Bovine serum Albumin	12843.00	5 gm
	Cell Culture Tested	41310.00	25 gm
	Manufacturing grade	125330.00	100 gm
	New Zealand/ Australia origin Store at 2 - 8°C		
TC1194	Bovine serum Albumin Fraction-V	1090.00	5 gm
	Cell Culture Tested	4257.00	25 gm
	Store at 2 - 8°C	14760.00	100 gm
	pH 6.5-7.0	62721.00	500 gm

Product Code	Product Name	Price	Packing
TC1348	Bovine serum Albumin, pH 7.0	2493.00	10 gm
	Low Fatty acid	5990.00	25 gm
	Cell Culture Tested	10990.00	50 gm
	Store at 2 - 8°C		
TC1613 (70024-90-7)	Human serum albumin	2592.00	1 gm
	Low Fatty acid	11350.00	5 gm
	Cell Culture Tested	35055.00	25 gm
	Store at 2 - 8°C		
CELL DISSOCIATION PRODUCTS			
TC1037 (9001-05-2)	Catalase	3285.00	1 gm
	Source : Bovine Liver	14940.00	5 gm
	Cell Culture Tested	27900.00	10 gm
	Activity : 100000 U/g protein Store at 2 - 8°C		
TC1211 (9001-12-1)	Collagenase Type I	7416.00	100 mg
	Source : Clostridium histolyticum	29403.00	500 mg
	Suggested for epithelial, liver, lung and adrenal primary cell isolations	44100.00	1 gm
	Cell Culture Tested	208440.00	5 gm
Activity : ≥125 units per mg of dry weight MW : 68- 130 kDa Store at 2 - 8°C			
TC1212 (9001-12-1)	Collagenase Type II (Clostridopeptidase A)	7061.00	100 mg
	Source : Clostridium histolyticum	28009.00	500 mg
	Suggested for bone, heart, liver, thyroid and salivary primary cell isolation	42012.00	1 gm
	Cell Culture Tested	198500.00	5 gm
Activity : ≥125 units per mg of dry weight Store at 2 - 8°C			
TC1214 (9001-12-1)	Collagenase Type IV	7061.00	100 mg
	Source : Clostridium histolyticum	28009.00	500 mg
	Prepared to contain lower tryptic activity levels to limit damage to membrane proteins and receptors but with normal to above normal collagenase activity, Suggested for pancreatic islet primary isolation	42012.00	1 gm
	Cell Culture Tested	198531.00	5 gm
Activity : ≥160 units per mg (dry weight basis) Store at 2 - 8°C			
TC1280 (9001-12-1)	Collagenase Animal origin free	8352.00	100 mg
	Cell Culture Tested	38070.00	500 mg
	Activity : ≥150 units per mg of dry weight	60930.00	1 gm
	Store at 2 - 8°C		

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1253	Collagenase Purified 50 Caseinase units/mg Chromatographically purified collagenase which is specially purified to reduce caseinase activity and provide high specific activity. It is typically used for pancreatic and parotid acini isolations and collagen structural analysis Cell Culture Tested Activity : ≥ 500 U/mg dry basis	39420.00	10000 Units
(9001-12-1)	Store at 2 - 8°C		
TC1303	Dispase® Cell Culture Tested Activity : ≥ 0.5 Units/mg dry weight	4140.00	100 mg
(42613-33-2)	Store at 2 - 8°C		
TC1311	Elastase Suitable for the isolation of Type II lung cells Cell Culture Tested Activity : ≥ 3 Units/mg Protein MW : 282.46	5958.00 11889.00 45450.00	10 mg 25 mg 100 mg
(39445-21-1)	Store at 2 - 8°C		
TC1331	Hyaluronidase Cell Culture Tested Activity : 400 - 1000 units/mg solid	5031.00	25 mg
(37326-33-3)	Store below -20°C		
TC1598	Trypsin Source : Bovine Pancreas Cell Culture Tested	2421.00 19414.00 27270.00	25 gm 250 gm 500 gm
(9002-07-7)	Store at 2 - 8°C		
TC1245	Trypsin 1:250 Powder Porcine Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEE units/mg	4914.00 13343.00 24957.00	25 gm 250 gm 500 gm
(9002-07-7)	Store at 2 - 8°C		
TC1245G	Trypsin 1:250 Powder Porcine Gamma irradiated Source : Porcine Pancreas Cell Culture Tested Activity : 1000-1500 BAEE units/mg	15030.00	100 gm
(9002-07-7)	Store at 2 - 8°C		
TC1485	Trypsin Recombinant, Porcine Source : E.coli Cell Culture Tested	3240.00 7650.00 52497.00	25 mg 100 mg 1 gm
(9002-07-7)	Store at 2 - 8°C		

Product Code	Product Name	Price	Packing
TC1251	Trypsin Inhibitor, Powder Source : Soyabean Cell Culture Tested Activity : ≥ 7000 BAEE units of inhibition/mg	3132.00 9396.00 37593.00 60156.00	25 mg 100 mg 500 mg 1 gm
(9035-81-8)	Store at 2 - 8°C		
TC1318	Trypsin inhibitor from Lima bean Cell Culture Tested Source Lima Bean	10692.00 18720.00	50 mg 100 mg
(9035-81-8)	Store at 2 - 8°C		
CELL PROLIFERATION AND CYTOTOXICITY INDICATORS			
TC1235	Alamar Blue® Resazurin Sodium salt Cell Culture Tested MW : 251.17	2854.00 6670.00	1 gm 5 gm
C ₁₂ H ₆ NNaO ₄ (62758-13-8)	Store below 2 - 8°C		
TC1476	5-Bromo-4-Chloro 3-Indolyl Phosphate, Disodium Salt BCIP®, X-phosphate disodium salt Cell Culture Tested	1530.00 4095.00 28710.00	25 mg 100 mg 1 gm
C ₈ H ₄ BrClNO ₄ P · 2Na (102185-33-1)	Store at -20°C		
TC1191	MTT (Thiazoyl blue tetrazolium bromide) Cell Culture Tested MW : 414.32 Activity : $\geq 98\%$	5427.00 9090.00	500 mg 1 gm
C ₁₈ H ₁₆ BrN ₅ S (298-93-1)	Store at 2 - 8°C		
TC1475	Nitroblue Tetrazolium Chloride Cell Culture Tested MW : 817.64 Activity : $\geq 98\%$	1670.00 3681.00 10026.00 30060.00	100 mg 250 mg 1 gm 5 gm
C ₄₀ H ₃₀ N ₁₀ O ₆ ·2Cl (298-83-9)	Store at 2 - 8°C		
TC1484	Phenazine Methosulfate Cell Culture Tested MW : 306.34 Activity : $\geq 90\%$	1044.00 1431.00 6003.00 10900.00 22923.00	500 mg 1 gm 5 gm 10 gm 25 gm
C ₁₃ H ₁₁ N ₂ · CH ₃ SO ₄ (299-11-6)	Store at -20°C		
TC1239	XTT Sodium Salt Cell Culture Tested MW : 673.52	23000.00 110250.00	100 mg 500 mg
C ₂₂ H ₁₆ N ₇ NaO ₁₃ S ₂ (111072-31-2)	Store at -20°C		
CRYPROTECTANTS			
TC1450M	DMSO DMSO Sterile Filtered Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 78.13 Assay : $\geq 99.5\%$	18190.00	100 ml
C ₂ H ₆ OS (67-68-5)	Store below 30°C		

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1349 C ₂ H ₆ O (67-68-5)	Dimethyl Sulphoxide (DMSO), Sterile Sterile Filtered Cell Culture Tested MW : 78.13 Assay : ≥99.5% Store below 30°C	13311.00	100 ml
TC1185 C ₂ H ₆ O (67-68-5)	Dimethyl sulphoxide (DMSO) Cell Culture Tested MW : 78.13 Assay : ≥99.5% Store below 30°C	6210.00 14310.00	100 ml 250 ml
Tc1503 C ₃ H ₈ O ₃ (56-81-5)	Glycerol 1,2,3-Propanetriol Cell Culture Tested MW : 92.09 Assay : ≥98.5% Store below 30°C	1755.00 3150.00	500 ml 1 lit
CYCLODEXTRINS			
TC1103 C ₃₆ H ₆₀ O ₃₀ (10016-20-3)	α - Cyclodextrin Cell Culture Tested MW : 972.84 Assay : ≥98% Store below 30°C	2934.00 11682.00	1 gm 5 gm
TC1104 C ₄₂ H ₇₀ O ₃₅ (7585-39-9)	β - Cyclodextrin Cell Culture Tested MW : 1134.98 Assay : ≥98.5% Store below 30°C	1683.00 6732.00 20187.00	5 gm 25 gm 100 gm
TC1446 C ₅₄ H ₁₀₂ O ₃₉ (94035-02-6)	Hydroxypropyl-β-cyclodextrin 2-Hydroxypropylether-B-cyclodextrin Cell Culture Tested MW : 1375.36 Assay : ≥98.5% Store at 15 - 30°C	9153.00 34340.00	5 gm 5x5 gm
TC1227 (128446-36-6)	β-Methyl cyclodextrin Cell Culture Tested Store at 2 - 8°C	3267.00 15507.00 29556.00	1 gm 5 gm 10 gm
DETERGENTS			
TC1589 C ₃ H ₈ O ₃ (9011-18-1)	Dextran Sulphate, Sodium Salt Cell Culture Tested MW : 5,00,000 Assay : ≥98% Store at 2 - 8°C	5000.00 23400.00	10 gm 50 gm
TC1698 C ₁₂ H ₂₅ NaO ₄ S	Dodecyl sulphate sodium salt (Lauryl sulphate sodium salt) Cell Culture Tested MW : 288.38 Store below 30°C	1760.00 5270.00 10557.00 13222.00 26010.00	25 gm 100 gm 250 gm 500 gm 1 kg
TC1708 (9016-45-9)	Nonidet® P-40 4-Nonylphenyl-polyethylene glycol, NP-40 Cell Culture Tested Store below 30°C	1022.00 4527.00	100 ml 500 ml

Product Code	Product Name	Price	Packing
TC1698 C ₁₂ H ₂₅ NaO ₄ S	SDS (Dodecyl sulphate sodium salt) Cell Culture Tested MW : 288.38 Store below 30°C	1760.00 5270.00 10557.00 13222.00 26010.00	25 gm 100 gm 250 gm 500 gm 1 kg
TC1286 C ₃₄ H ₆₂ O ₁₁ (9002-93-1)	Criton® X-100 Cell Culture Tested MW : 646.87 Store below 30°C	3349.00 5004.00	100 ml 500 ml
TC1287 (9005-64-5)	Cween® -20 Cell Culture Tested Store below 30°C	2160.00 4545.00	100 ml 5x100 ml
DIFFERENTIATION REAGENTS			
TC1466 C ₈ H ₁₂ N ₄ O ₅ (320-67-2)	5-Azacytidine 4-Amino-1-(β-D-ribofuranosyl)-1,3,5 triazin-2(1H)-one, Lada kamycin Cell Culture Tested MW : 244.2 Assay : ≥98% Store at -20°C	5355.00 11133.00 33183.00	100 mg 250 mg 1 gm
TC1472 C ₂₂ H ₃₄ O ₇ (66575-29-9)	Forskolin 7β-Acetoxy-8,13-epoxy-1α,6β,9α-trihydroxylabd-14-en-11-one, Coleonol, Colforsin Cell Culture Tested MW : 410.5 Assay : ≥99.5% Store below 30°C	24422.00 49050.00	10 mg 25 mg
TC1465 C ₁₉ H ₁₆ ClNO ₄ (53-86-1)	Indomethacin 1-(4-Chlorobenzoyl)-5-methoxy-2-methyl-3-indoleacetic acid Cell Culture Tested MW : 357.79 Assay : ≥99% Store at 2 - 8°C	5040.00 8870.00 21020.00 64332.00	5 gm 10 gm 25 gm 100 gm
TC1464 C ₁₀ H ₁₄ N ₄ O ₂ (28822-58-4)	3-Isobutyl-1-methylxanthine 1-Methyl-3-isobutylxanthine IBMX Cell Culture Tested MW : 222.24 Assay : ≥99% Store at -20°C	8442.00 15813.00 46710.00	100 mg 250 mg 1 gm
ENZYMES			
TC1678 (9001-77-8)	Acid Phosphatase Cell Culture Tested Store at -20°C	5230.00 17730.00	50 units 200 units
TC1679 (9028-88-0)	Aldehyde dehydrogenase Cell Culture Tested Activity : NLT 1U/mg Store at 2 - 8°C	10670.00	10 mg
TC1488 (9001-78-9)	Alkaline phosphatase From Bovine Intestine Cell Culture Tested MW : ~160 kDa Activity : 2000-4000 DAE unit/mg Store at 2 - 8°C	7790.00	1000 units

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1680	Bromelain Source : Pineapple stem Cell Culture Tested MW : ~33 kDa	6813.00 23850.00	25 gm 100 gm	TC1487	Horseradish Peroxidase Cell Culture Tested Activity : NLT 250 U/mg	9045.00 15822.00	25 mg 50 mg
(9001-00-7)	Store at -20°C			(9003-99-0)	Store at 2 - 8°C		
TC1462	Diaphorase Source : Cl. Kluyveri Cell Culture Tested Activity: NLT 30 U/mg	16700.00	1 ku	TC1491	D-Lactate Dehydrogenase Cell Culture Tested	20520.00 37350.00	5 Ku 10 Ku
(9001-18-7)	Store at 2 - 8°C			(9028-36-8)	Store at 2 - 8°C		
TC1696	Deoxyribonuclease Type I Dnase I Source : Pineapple stem Cell Culture Tested Av MW : ~84.5 kDa Activity : NLT 30 U/mg	6156.00 9243.00 13860.00	10 ku 20 ku 40 ku	TC1493	Luciferase Source : Vibrio fischeri Cell Culture Tested	POR	25 mg
(9003-98-9)	Store at -20°C			(9014-00-0)	Store at -20°C		
TC1681	β-Glucosidase Source : Sweet almond Cell Culture Tested	24773.00 43713.00	2500units 5000units	TC1597	Luciferase from firefly Source : Photinus pyralis (firefly) Cell Culture Tested	POR	1 mgm
(9001-22-3)	Store at 2 - 8°C			(61970-00-1)	Store at -20°C		
TC1486	Glucose oxidase Cell Culture Tested Activity : NLT 100 U/mg	2034.00 3771.00 6597.00	25 mg 50 mg 100 mg	TC1684	Lysozyme Source : Chicken egg white Cell Culture Tested MW : 14.4 kDa	4240.00 16920.00 50940.00	1 gm 5 gm 25 gm
(9001-37-0)	Store at -20°C			(12650-88-3)	Store at 2 - 8 °C		
TC1682	Glucose-6-Phosphate dehydrogenase Cell Culture Tested Activity : ≥ 400 U/mg	27270.00	500 units	TC1694	Neuraminidase Cell Culture Tested	POR POR POR	1 units 5 units 10 units
(9001-40-5)	Store at 2 - 8°C			(9001-67-6)	Store at 2 - 8 °C		
TC1490	Glutamate dehydrogenase From E.coli Cell Culture Tested Activity : NLT 80 U/mg	6615.00 11120.00 19400.00	25 mg 50 mg 100 mg	TC1685	Papain Source : Carica papaya Cell Culture Tested Activity : NLT 30000 USP units/mg	5922.00 20700.00	25 gm 100 gm
(9029-12-3)	Store at 2 - 8°C			(9001-73-4)	Store at -20°C		
TC1489	Glutaminase L-Glutamine amidohydrolase Cell Culture Tested Activity : NLT 100 U/mg	7020.00 11790.00 20520.00	25 mg 50 mg 100 mg	TC1686	Pepsin (Bovine) Cell Culture Tested Activity : ≥140U/mg	5094.00	5 gm
(9001-47-2)	Store at 2 - 8°C			(9001-75-6)	Store at 2 - 8°C		
TC1695	Glutathione Peroxidase Cell Culture Tested MW : 84.5kDa	POR POR POR	100 units 200 units 500 units	TC1687	Proteinase K Cell Culture Tested MW: 28.9 kDa	1944.00 8730.00	10 mg 100 mg
(9013-66-5)	Store at -20°C			(39450-01-6)	Store below 30°C		
TC1492	Glutathione-S-Transferase Cell Culture Tested Activity : NLT 25 U/mg	7506.00	1 mg	TC1692	Pyruvate kinase Cell Culture Tested MW : 237 kDa Assay : ≥95%	POR	1000 units
(50812-37-8)	Store at 2 - 8°C			(9001-59-6)	Store at 2 - 8°C		
TC1683	Hexokinase Cell Culture Tested	5454.00 14760.00	1000 units 5000 units	TC1688	RNase A (DNase free) Source : Bovine Pancreas Cell Culture Tested MW : ~13.7 kDa	9531.00 22563.00 38421.00	100 mg 500 mg 1 gm
(9001-51-8)	Store at 2 - 8°C			(9001-99-4)	Store at -20°C		
				TC1689	Renin Cell Culture Tested Rennet strength : NLT 800 MCU/g	3033.00 12132.00	1 gm 5 gm
				(9001-98-3)	Store at 2 - 8°C		

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1693 (9054-89-1)	Superoxide Dismutase (SOD) Cell Culture Tested MW : 32.5 kDa Activity : NLT 1000U/mg Store at -20°C	10009.00	15 kg
TC1697 (9027-67-2)	TUNEL enzyme (Terminal deoxynucleotidyl transferase) Cell Culture Tested MW : 60 kDa Activity : NLT 5000Units/mg Store at -20°C	POR 1000 units	
TC1691 (9002-13-5)	Urease Cell Culture Tested Av MW : 90.77 kDa Store at -20°C	18810.00	25 gm
TC1690 (9002-17-9)	Xanthine Oxidase Cell Culture Tested Activity : ~15U/mg Store at 2 - 8°C	39600.00	250 units
FATTY ACIDS			
TC1389 C ₂₀ H ₃₂ O ₂ (506-32-1)	Arachidonic Acid Cell Culture Tested MW : 304.47 Assay : ≥90% Store at 2 - 8°C	4019.00 12700.00	10 mg 50 mg
TC1383 C ₁₉ H ₃₄ O ₂ (112-63-0)	Linoleic Acid Methyl Ester Cell Culture Tested MW : 294.47 Assay : ≥99% Store at 2 - 8°C	4545.00 8663.00 13190.00	1 gm 5 gm 10 gm
TC1381 C ₁₈ H ₃₂ O ₂ (60-33-3)	Linoleic Acid, Free Acid Cell Culture Tested MW : 280.45 Assay : ≥99% Store at 2 - 8°C	1485.00 3123.00 9019.00	100 mg 1 gm 5 gm
TC1449 C ₈ H ₁₄ O ₂ S ₂ (1077-28-7)	α-Lipoic Acid (±)-α-Lipoic acid, (±)-1,2-Dithiolane-3-pentanoic acid, 6,8-Dithiooctanoic acid, DL-α-Lipoic acid, DL-6,8-Thioctic acid, Lip(S2) Cell Culture Tested MW : 206.33 Assay : ≥98% Store at 2 - 8°C	2597.00 9100.00 27306.00	1 gm 5 gm 25 gm
TC1382 C ₁₈ H ₃₄ O ₂ (112-80-1)	Oleic Acid Cell Culture Tested MW : 282.46 Assay : ≥97% Store at 2 - 8°C	2453.00 7830.00 23652.00	1 ml 5 ml 25 ml
TC1386 C ₁₆ H ₃₂ O ₂ (57-10-3)	Palmitic Acid Cell Culture Tested MW : 256.42 Assay : ≥98% Store below 30°C	3654.00 6651.00 12987.00	10 gm 25 gm 100 gm

Product Code	Product Name	Price	Packing
TC1387 C ₁₇ H ₃₄ O ₂ (112-39-0)	Palmitic Acid Methyl Ester Cell Culture Tested MW : 270.45 Assay : ≥95% Store below 30°C	1530.00 4212.00 13527.00	1 gm 5 gm 25 gm
TC1388 C ₁₆ H ₃₀ O ₂ (373-49-9)	Palmitoleic Acid Cell Culture Tested MW : 254.41 Assay : ≥99% Store at 2 - 8°C	4482.00 27270.00	100 mg 1 gm
TC1384 C ₁₈ H ₃₆ O ₂ (57-11-4)	Stearic Acid Cell Culture Tested MW : 284.48 Assay : ≥99% Store below 30°C	1270.00 3803.00 5615.00 10692.00	1 gm 5 gm 10 gm 25 gm
HORMONES AND HORMONE ALTERNATIVE			
TC1277 C ₂₂ H ₂₉ FO ₅ (50-02-2)	Dexamethasone Cell Culture Tested MW : 392.46 Assay : ≥97% Store at 2 - 8°C	1845.00 5355.00 15300.00 23252.00	25 mg 100 mg 500 mg 1 gm
TC1281 C ₈ H ₁₁ NO ₂ .HCl (62-31-7)	Dopamine Hydrochloride Cell Culture Tested MW : 189.64 Assay : ≥98% Store at 2 - 8°C	473.00 2160.00 8010.00	1 gm 5 gm 25 gm
TC1283 C ₂₀ H ₄₂ O (629-96-9)	1-Eicosanol Cell Culture Tested MW : 298.55 Assay : ≥98% Store below 30°C	2323.00 10540.00	5 gm 25 gm
TC1284 C ₁₉ H ₃₀ O ₂ (481-29-8)	Epiandrosterone Cell Culture Tested MW : 290.44 Assay : ≥97% Store below 30°C	2493.00 7506.00	1 gm 5 gm
TC1346 C ₁₈ H ₂₄ O ₂ (50-28-2)	β-Estradiol Cell Culture Tested MW : 272.38 Assay : ≥97% Store below 30°C	6012.00	1 gm
TC1302	Human Recombinant Prolactin Source : E-coli Cell Culture Tested Store at -20°C	POR POR	10 mcg 50 mcg
TC1344 C ₂₁ H ₃₀ O ₅ (50-23-7)	Hydrocortisone Cell Culture Tested MW : 362.46 Assay : ≥98% Store below 30°C	1971.00 7020.00 12281.00	1 gm 5 gm 10 gm
TC1329	Murine Recombinant Prolactin Source : E-coli Cell Culture Tested Store at -20°C	22662.00 28134.00	10 mcg 50 mcg
TC1379 C ₂₁ H ₃₀ O ₂ (57-83-0)	Progesterone Cell Culture Tested MW : 314.46 Assay : ≥97% Store below 30°C	1944.00 3960.00 13770.00	1 gm 5 gm 25 gm

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
LIPIDS			
TC1101	Cholesterol (5-Cholesten-3β-ol) Cell Culture Tested	3240.00 12942.00 37440.00	5 gm 25 gm 100 gm
C ₂₇ H ₄₆ O (57-88-5)	MW : 386.65 Assay : ≥98% Store at 2 - 8°C		
TC1279	Sphingomyelin Cell Culture Tested Source : Bovine brain	21663.00 62321.00	100 mg 500 mg
(85187-10-6)	Assay : ≥98% Store at -20°C		
NUCLEOTIDES AND NUCLEOSIDES			
TC1082	Adenine Cell Culture Tested	1440.00 5760.00 16700.00	5 gm 25 gm 100 gm
C ₅ H ₅ N ₅ (73-24-5)	MW : 135.13 Assay : ≥99% Store below 30°C		
TC1071	Adenine Sulfate Cell Culture Tested	2250.00 9019.00 26100.00 76230.00	5 gm 25 gm 100 gm 500 gm
C ₅ H ₅ N ₅ .½H ₂ SO ₄ (321-30-2)	MW : 184.17 Assay : ≥99% Store below 30°C		
TC1083	Adenosine Cell Culture Tested	1670.00 6615.00	5 gm 25 gm
C ₁₀ H ₁₃ N ₅ O ₄ (58-61-7)	MW : 267.24 Assay : ≥99% Store at 2 - 8°C		
TC1312	Adenosine-5'-Monophosphate Disodium Salt Cell Culture Tested	630.00 4640.00 12700.00	1 gm 5 gm 25 gm
C ₁₀ H ₁₂ N ₅ Na ₂ O ₇ P (4578-31-8)	MW : 391.18 Assay : ≥95% Store at 2 - 8°C		
TC1084	Adenosine 5'-Monophosphate Sodium Salt Cell Culture Tested	2930.00 10143.00	1 gm 5 gm
C ₁₀ H ₁₄ N ₅ O ₇ P.xNa ⁺ .yH ₂ O (149022-20-8)	MW : 347.22 (Anhydrous free acid basis) Assay : ≥99% Store at 2 - 8°C		
TC1085	Adenosine 5'-Triphosphate Disodium Salt Cell Culture Tested	1130.00 2745.00 9603.00	1 gm 5 gm 25 gm
C ₁₀ H ₁₄ N ₅ Na ₂ O ₁₃ P ₃ (987-65-5)	MW : 554.14 Assay : ≥95% Store at 2 - 8°C		
TC1372	5-Bromo-2'-Deoxyuridine 5-BrdU Cell Culture Tested	2660.00 4131.00 6750.00	100 mg 250 mg 500 mg
C ₉ H ₁₁ BrN ₂ O ₅ (59-14-3)	MW : 307.10 Assay : ≥96.5% Store at 2 - 8°C		
TC1110	Cytidine Cell Culture Tested	1287.00 3852.00 27900.00	1 gm 5 gm 50 gm
C ₉ H ₁₃ N ₃ O ₅ (65-46-3)	MW : 243.22 Assay : ≥99% Store below 30°C		

Product Code	Product Name	Price	Packing
TC1111	2'-Deoxyadenosine Monohydrate Cell Culture Tested	1990.00 8001.00	1 gm 5 gm
C ₁₀ H ₁₃ N ₅ O ₃ .H ₂ O (16373-93-6)	MW : 269.26 Assay : ≥99% Store at 2 - 8°C		
TC1112	2'-Deoxycytidine Hydrochloride Cell Culture Tested	1845.00 5535.00 39960.00	250 mg 1 gm 10 gm
C ₉ H ₁₃ N ₃ O ₄ .HCl (3992-42-5)	MW : 263.68 Assay : ≥99% Store below 30°C		
TC1114	2'-Deoxy-D-ribose Cell Culture Tested	1440.00 5059.00	1 gm 5 gm
C ₅ H ₁₀ O ₄ (533-67-5)	MW : 134.13 Assay : ≥99% Store at 2 - 8°C		
TC1467	N6-2'-O-Dibutryladenine-3',5' Cyclic Monophosphate Sodium Salt Bucladesine sodium salt, Dibutryl cAMP sodium salt, Dibutryl cyclic-AMP sodium salt Cell Culture Tested	4519.00 13563.00 27109.00 76005.00	25 mg 100 mg 250 mg 1 gm
C ₁₈ H ₂₃ N ₅ O ₈ PNa (16980-89-5)	MW : 491.37 Assay : ≥95% Store at -20°C		
TC1156	β-Nicotinamide Adenine Dinucleotide, From Yeast Cell Culture Tested	1557.00 6490.00 22500.00 27190.00	100 mg 1 gm 5 gm 10 gm
C ₂₁ H ₂₇ N ₇ O ₁₄ P ₂ (53-84-9)	MW : 663.43 Assay : ≥95% Store at 2 - 8°C		
TC1174	Thymidine Cell Culture Tested	1729.00 5832.00 9045.00 20070.00	1 gm 5 gm 10 gm 25 gm
C ₁₀ H ₁₄ N ₂ O ₅ (50-89-5)	MW : 242.23 Assay : ≥99% Store below 30°C		
TC1175	Thymine Cell Culture Tested	1279.00 3803.00	5 gm 25 gm
C ₅ H ₆ N ₂ O ₂ (65-71-4)	MW : 126.11 Assay : ≥98% Store below 30°C		
TC1178	Uracil Cell Culture Tested	1503.00 3609.00 14310.00	25 gm 100 gm 500 gm
C ₄ H ₄ N ₂ O ₂ (66-22-8)	MW : 112.09 Assay : ≥99% Store below 30°C		
TC1181	Uridine Cell Culture Tested	2250.00 6210.00 9153.00	5 gm 25 gm 50 gm
C ₉ H ₁₂ N ₂ O ₆ (58-96-8)	MW : 244.2 Assay : ≥99% Store at 2 - 8°C		
CHEMICALS MEETING PHARMACOPEIAL TESTING SPECIFICATIONS			
TC1574M	Acetic Acid, Glacial Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	3960.00	1 lit
CH ₃ COOH (64-19-7)	MW : 60.05 Store below 30°C		

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1054M C ₅ H ₉ NO ₃ S (616-91-1)	N-Acetyl-L-Cysteine	4730.00	5 gm	TC1001M	Calcium Chloride Dihydrate	7272.00	500 gm
	Acetylcysteine	18180.00	25 gm		Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	10900.00	1 kg
	(From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 163.191	48520.00	100 gm		CaCl ₂ .2H ₂ O (10035-04-8)	MW : 147.01	
	Store at 2 - 8°C				Store below 30°		
TC1056M C ₃ H ₇ NO ₂ (56-41-7)	L-Alanine	1809.00	25 gm	TC1105M	Citric Acid Anhydrous	2300.00	100 gm
	(From non-animal source)	5247.00	100 gm		Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	7272.00	500 gm
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 89.09	18198.00	500 gm		C ₆ H ₈ O ₇ (77-92-9)	MW : 192.12	
	Store below 30°C				Store below 30°		
TC1092M ClH ₄ N (12125-02-9)	Ammonium Chloride	1819.00	100 gm	TC1454M	Citric Acid Monohydrate	4671.00	500 gm
	Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications	5454.00	500 gm		Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	7002.00	1 kg
	MW : 53.49				C ₆ H ₈ O ₇ .H ₂ O (5949-29-1)	MW : 210.14	
	Store below 30°C				Store below 30°C		
TC1052M C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	L-Arginine	2300.00	25 gm	TC1108M	Cupric Chloride Dihydrate	3024.00	100 gm
	(From non-animal source)	5697.00	100 gm		Copper dichloride; Copper(II) chloride Meets USP 41-NF 36 testing specifications	9081.00	500 gm
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 174.2	14922.00	500 gm		CuCl ₂ .H ₂ O (10125-13-0)	MW : 170.48	
	Store below 30°C				Store below 30°C		
TC1053M C ₆ H ₁₄ N ₄ O ₂ .HCl (1119-34-2)	L-Arginine Monohydrochloride	2430.00	25 gm	TC1609M	Cupric Sulphate Anhydrous	1809.00	100 gm
	(From non-animal source)	6170.00	100 gm		Copper(II)sulphate	6048.00	1 kg
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 210.66	18180.00	500 gm		Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 159.61		
	Store below 30°C				Store below 30°C		
TC1057M C ₄ H ₈ N ₂ O ₃ .H ₂ O (5794-13-8)	L-Asparagine Monohydrate	3033.00	25 gm	TC1003M	Cupric Sulphate Pentahydrate	3024.00	500 gm
	(From non-animal source)	9090.00	100 gm		Copper(II) sulphate pentahydrate	5571.00	1 kg
	Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 150.13	26676.00	500 gm		Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 249.69		
	Store below 30°C				Store below 30°C		
TC1059M C ₄ H ₇ NO ₄ (56-84-8)	L-Aspartic Acid	1215.00	25 gm	TC1183M	Cyanocobalamin	3033.00	100 mg
	(From non-animal source)	3636.00	100 gm		(See: Vitamin B12)	3870.00	250 mg
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 133.11	16920.00	500 gm		Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 1355.37	6490.00	1 gm
	Store below 30°C				24260.00	5 gm	
TC1580M H ₃ BO ₃ (10043-35-3)	Boric acid	3033.00	500 gm	TC1058M	L-Cysteine Hydrochloride	1611.00	25 gm
	Hydrogen borate	5153.00	1 kg		Monohydrate	4600.00	100 gm
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 61.83				(From non-animal source)	20620.00	500 gm
	Store below 30°C				30933.00	1 kg	
					Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications		
					HSCH ₂ CH(NH ₂)COOH.HCl.H ₂ O		
					MW : 175.63		
					(7048-04-6)		
					Store below 30°C		
				TC1070M	L-Cystine	3259.00	25 gm
					(From non-animal source)	10171.00	100 gm
					Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 240.3	33710.00	500 gm
					60030.00	1 kg	
					HSCH ₂ CH(NH ₂)CO ₂ H		
					MW : 240.3		
					(56-89-3)		
					Store below 30°C		

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1450M	Dimethyl Sulfoxide (See: Micryo SL DMSO) Sterile Filtered Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 78.13 Assay : ≥99.5% Store at 2 - 8°C	18190.00	100 ml	TC1127U	α-(D)-Galactose Anhydrous Meets USP 41-NF 36 testing specifications MW : 180.16 Store below 30°C	9216.00 36270.00 53550.00	100 gm 500 gm 1 kg
C ₂ H ₆ O _S (67-68-5)				C ₆ H ₁₂ O ₆ (3646-73-9)			
TC1115M	Edetic Acid Anhydrous (See: EDTA free acid, anhydrous) Diaminoethane-tetraacetic acid, Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 292.24 Store below 30°C	1062.00 4077.00	100 gm 500 gm	TC1130M	D-(+)-Glucose anhydrous Dextrose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 180.16 Store below 30°C	684.00 3960.00	100 gm 1 kg
C ₁₀ H ₁₆ N ₂ O ₈ (60-00-4)				C ₆ H ₁₂ O ₆ (50-99-7)			
TC1038M	EDTA Disodium Salt Dihydrate EDTA disodium salt Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 372.24 Store below 30°C	3690.00 13100.00	100 gm 500 gm	TC1074M	L-Glutamic Acid (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 147.13 Store below 30°C	1251.00 3636.00 14553.00 24242.00	25 gm 100 gm 500 gm 1 kg
C ₁₀ H ₁₄ N ₂ O ₈ Na ₂ ·2H ₂ O (6381-92-6)				C ₅ H ₉ NO ₄ (56-86-0)			
TC1453U	Ferric Ammonium Citrate, Brown (Ammonium iron(III) citrate) Meets USP 41-NF 36 testing specifications Store below 30°C	1260.00 5022.00	100 gm 500 gm	TC1243M	L-Glutamine (From non-animal source) Meets USP 41-NF 36 and JP 17 testing specifications MW : 146.14 Store below 30°C	1809.00 2907.00 9702.00 53380.00	10 gm 25 gm 100 gm 1 kg
C ₆ H ₈ O ₇ ·xFe ₃ + . yNH ₃ (1185-57-5)				C ₅ H ₁₀ N ₂ O ₃ (56-85-9)			
TC1587M	Ferric Chloride Hexahydrate Iron(III) chloride hexahydrate Meets EP 9.0, and BP 2016 testing specifications MW : 270.28 Store below 30°C	1872.00 2817.00 9612.00	5 gm 25 gm 100 gm	TC1503M	Glycerol Glycerin Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications HOCH ₂ CH(OH)CH ₂ OH MW : 92.09 Store below 30°C	4050.00 7830.00	500 ml 1 lt
FeCl ₃ ·6H ₂ O (10025-77-1)				TC1075M	Glycine 2-Aminoacetic acid Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 75.07 Store below 30°C	5823.00 20385.00	100 gm 1 kg
TC1119M	Ferrous Sulphate Heptahydrate Iron(II) sulphate hexahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 278.01 Store below 30°C	1971.00 3123.00	500 gm 1 kg	NH ₂ CH ₂ COOH (56-40-6)			
FeSO ₄ ·7H ₂ O (7782-63-0)				TC1076M	L-Histidine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 155.15 Store below 30°C	7272.00 24260.00 43610.00	100 gm 500 gm 1 kg
TC1123M	Folic Acid Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 441.4 Store at 2- 8°C	1360.00 5850.00	5 gm 25 gm	C ₆ H ₉ N ₃ O ₂ (71-00-1)			
C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)				TC1077M	L-Histidine Monohydrochloride Monohydrate (From non-animal source) Meets EP 9.0, JP 17 and BP 2016 testing specifications MW : 209.63 Store below 30°C	2907.00 8001.00 43677.00	25 gm 100 gm 1 kg
TC1127M	D-(+)-Galactose Anhydrous Meets EP 9.0 and BP 2016 testing specifications MW : 180.16 Store below 30°C	4824.00 21740.00 32580.00	100 gm 500 gm 1 kg	C ₆ H ₉ N ₃ O ₂ ·HCl·H ₂ O (5934-29-2)			
C ₆ H ₁₂ O ₆ (59-23-4)							

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1049M	L-Isoleucine (From non-animal source)	2142.00	10 gm	TC1513M	D-Mannitol Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 182.172	2421.00	25 gm
		4176.00	25 gm			7272.00	100 gm
C ₆ H ₁₃ NO ₂ (73-32-5)	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 131.18	14400.00	100 gm	C ₆ H ₁₄ O ₆ (69-65-8)	Store below 30°C		
		86625.00	1 kg				
Store below 30°C				TC1080M	L-Methionine (From non-animal source)	3510.00	25 gm
TC1136M	Kanamycin sulphate Meets USP 41-NF 36 and JP 17 testing specifications MW : 582.58	1656.00	1 gm	C ₅ H ₁₁ NO ₂ S (63-68-3)	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 149.21	10071.00	100 gm
		5436.00	5 gm			54540.00	1 kg
C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	Potency : ≥750 µg/mg Store at 2 - 8°C	18163.00	25 gm	Store below 30°C			
				TC1154M	Nicotinamide Niacinamide	1819.00	100 gm
TC1636M	Kanamycin Acid Sulphate Meets IP 2018 and BP 2016 testing specifications MW : 680.64	POR	1 gm	C ₆ H ₆ N ₂ O (98-92-0)	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 122.12	4842.00	500 gm
		POR	5 gm			Store below 30°C	
C ₁₈ H ₄₀ N ₄ O ₁₉ S ₂ (64013-70-3)	Potency : ≥750 µg/mg Store at 2 - 8°C	POR	25 gm	TC1533M	Orthophosphoric Acid Phosphoric acid	4842.00	100 gm
				H ₃ PO ₄ (7664-38-2)	Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 98	14553.00	500 gm
TC1541E	N-Lauroylsarcosine Sodium Salt N-Dodecanoyl-N-methylglycine sodium salt Meets EP 9.0 testing specifications MW : 293.38	932.00	5 gm			Store below 30°C	
		4190.00	25 gm	TC1098M	L-Phenylalanine (From non-animal source)	1819.00	10 gm
CH ₃ (CH ₂) ₁₀ CON(CH ₃)CH ₂ COONa (137-16-6)	Store below 30°C			C ₉ H ₁₁ NO ₂ (63-91-2)	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 165.19	3636.00	25 gm
						10310.00	100 gm
TC1078M	L-Leucine (From non-animal source)	1818.00	10 gm	TC1222M	Poloxamer F-68 Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 60.09	2061.00	100 gm
		3393.00	25 gm			18180.00	1 kg
C ₆ H ₁₃ NO ₂ (61-90-5)	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 131.17	11277.00	100 gm	(C ₂ H ₆ O.C ₂ H ₄ O) _x (9003-11-6)	Store at 2 - 8°C		
		60660.00	1 kg				
Store below 30°C				TC1223M	Poloxamer P-188 (Pluronic®F-68)	2061.00	100 gm
TC1079M	L-Lysine Monohydrochloride L-Lysine hydrochloride (From non-animal source)	2179.00	25 gm	C ₃ H ₆ O.C ₂ H ₄ O (9003-11-6)	Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 60.09	18180.00	1 kg
		4240.00	100 gm			Store at 2 - 8°C	
C ₆ H ₁₄ N ₂ O ₂ .HCl (657-27-2)	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 182.65	18190.00	1 kg	Store below 30°C			
				TC1287M	Polysorbate 20 (See: Tween®20)	2790.00	100 ml
TC1577M	Magnesium Sulphate Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 246.466	2952.00	100 gm	(9005-64-5)	Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications	8352.00	5x100 ml
		4923.00	1 kg			Store below 30°C	
H ₁₄ MgO ₁₁ S (10034-99-8)	Store below 30°C			TC1010M	Potassium Chloride	4181.00	250 gm
				KCl (7447-40-7)	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 74.55	6516.00	500 gm
TC1149M	Magnesium (II) Sulphate Monohydrate Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 169	3033.00	100 gm			Store below 30°C	
		9702.00	500 gm				
MnO ₄ S.H ₂ O (10034-96-5)	Store below 30°C						

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1011M	Potassium Dihydrogen Phosphate Anhydrous	2430.00	100 gm	TC1456M	Sodium Acetate Trihydrate	4986.00	250 gm
	Monobasic Potassium phosphate	4176.00	500 gm		Acetic acid sodium salt trihydrate	7470.00	500 gm
	Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications	7110.00	1 kg		Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	13104.00	1 kg
	MW : 136.09	21344.00	5 kg		MW : 136.079	23590.00	2 kg
KH ₂ PO ₄ (7778-77-0)	Store below 30°C			C ₂ H ₉ NaO ₅ (6131-90-4)	54540.00	5 kg	Store below 30°C
TC1596M	di-Potassium Hydrogen Phosphate Anhydrous	3636.00	500 gm	TC1230M	Sodium Bicarbonate	1818.00	100 gm
	Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications	7272.00	1 kg		Sodium hydrogen carbonate	5454.00	500 gm
HK ₂ O ₄ P (7758-11-4)	MW : 174.2	POR	5 kg	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	8487.00	1 kg	
	Store below 30°C			MW : 84.01	2464.00	5 kg	Store below 30°C
TC1109M	L-Proline	1540.00	25 gm	TC1046M	Sodium Chloride	3033.00	500 gm
	(From non-animal source)	4653.00	100 gm		Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	5454.00	1 kg
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	18153.00	500 gm		MW : 58.44	16371.00	5 kg
	MW : 115.13	28881.00	1 kg		MW : 58.44	24260.00	10 kg
C ₅ H ₉ NO ₂ (147-85-3)	Store below 30°C			NaCl (7647-14-5)	Store below 30°C		
TC1571M	1-Propanol	5400.00	500 ml	TC1526M	Sodium Citrate Anhydrous	8843.00	100 gm
	N-Propanol	8235.00	1 lit		Meets USP 41-NF 36 testing specifications	22140.00	500 gm
C ₃ H ₈ O (71-23-8)	Meets EP 9.0 and BP 2016 testing specifications			MW : 214.11			Store below 30°C
	MW : 60.09			NaC ₆ H ₇ O ₇ (68-04-2)			
	Store below 30°C						
TC1039M	Pyridoxine Hydrochloride	3636.00	10 gm	TC1249M	tri-Sodium Citrate Dihydrate	5463.00	500 gm
	Vitamin B ₆ ; Pyridoxol hydrochloride	7272.00	25 gm		Sodium citrate dihydrate	9864.00	1 kg
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	14544.00	100 gm		Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	36702.00	5 kg
	MW : 205.64				MW : 294.1		
C ₈ H ₁₁ NO ₃ .HCl (58-56-0)	Store at 2 - 8°C			Na ₃ C ₆ H ₅ O ₇ .HO ₂ (6132-04-3)			
TC1167M	(-)-Riboflavin	3155.00	25 gm	TC1460M	Sodium Hydroxide Pellets	1215.00	500 gm
	Vitamin G; Vitamin B ₂ ;	9100.00	100 gm		Caustic Soda	2179.00	1 kg
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications			Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	6543.00	5 kg	
C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)	MW : 376.36			MW : 40			Store below 30°C
	Store below 30°C			NaOH (1310-73-2)			
TC1113M	L-Serine	4014.00	25 gm	TC1051M	di-Sodium Hydrogen Phosphate	2628.00	100 gm
	(From non-animal source)	7776.00	100 gm		Anhydrous	7579.00	500 gm
	Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	25300.00	500 gm		Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications	11862.00	1 kg
	MW : 105.09	48920.00	1 kg		MW : 141.96	22752.00	5 kg
C ₃ H ₇ NO ₃ (56-45-1)	Store below 30°C			Na ₂ HPO ₄ (7558-79-4)	Store below 30°C		
TC1023U	Sodium Acetate Anhydrous	1431.00	100 gm	TC1507M	di-Sodium Hydrogen Phosphate	2170.00	500 gm
	Acetic acid sodium salt, Sodium acetate	6399.00	500 gm		Dihydrate	3790.00	1 kg
	Meets USP 41-NF 36 testing specifications			Disodium phosphate dihydrate	13262.00	5 kg	
CH ₃ COONa (127-09-3)	MW : 82.03			Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications			Store below 30°C
	Store below 30°C			MW : 177.99			
				Na ₂ HPO ₄ ·2H ₂ O (10028-24-7)			
				TC1581M	Sodium Molybdate Dihydrate	1819.00	25 gm
					Meets EP 9.0 and and BP 2016 testing specifications	5823.00	100 gm
				MW : 241.95	24462.00	500 gm	
				MW : 241.95	49510.00	1 kg	Store below 30°C
				Na ₂ MoO ₄ ·2H ₂ O (10102-40-6)			

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1459M NaH ₂ PO ₄ (7558-80-7)	Sodium Phosphate Monobasic	5243.00	100 gm	TC1121M	L-Tryptophan (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 204.23	5220.00	25 gm
	Anhydrous Monosodium dihydrogen orthophosphate, Monosodium phosphate, anhydrous Meets USP 41-NF 36 and BP 2016 testing specifications MW : 119.98	17240.00	500 gm			15156.00	100 gm
		30465.00	1 kg			45450.00	500 gm
						60660.00	1 kg
TC1169E Na ₂ SeO ₃ (10102-18-8)	Sodium Selenite Anhydrous	1810.00	10 gm	TC1287M	Cween®20 (See: Polysorbate 20) Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications (9005-64-5)	2790.00	100 ml
	Meets EP 9.0 testing specifications MW : 172.94	3115.00	25 gm			8352.00	5x100 ml
		6606.00	100 gm				
TC1572M Na ₂ SO ₄ (7757-82-6)	Sodium Sulphate Anhydrous	1260.00	500 gm	TC1122M	L-Tyrosine (From animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications 4-(HO)C ₆ H ₄ CH ₂ CH(NH ₂)CO ₂ H MW : 181.19 (60-18-4)	3150.00	25 gm
	Meets USP 41-NF 36, EP 9.0 BP 2016 testing specifications MW : 142.04	1900.00	1 kg			10170.00	100 gm
		8523.00	5 kg			27270.00	500 gm
TC1170M C ₆ H ₁₄ H ₆ (50-70-4)	D-(-)-Sorbitol	1863.00	500 gm	TC1180M	Urea (Carbamide) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 60.06 NH ₂ CONH ₂ (57-13-6)	2718.00	500 gm
	Polyhydric alcohol; D- Glucitol; Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications MW : 182.17	2781.00	1 kg			4032.00	1 kg
		11430.00	5 kg			13060.00	5 kg
TC1048M C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose	4240.00	500 gm	TC1132M	L-Valine (From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 117.15 C ₆ H ₁₁ NO ₂ (72-18-4)	1575.00	25 gm
	D-(+)-Saccharose, Sugar Meets USP 41-NF 36, EP 9.0, JP 17 BP 2016 testing specifications MW : 342.30	9702.00	1 kg			4730.00	100 gm
		38800.00	5 kg			21816.00	500 gm
TC1173M C ₁₂ H ₁₇ ClN ₄ OS.HCl (67-03-8)	Thiamine Hydrochloride	1944.00	25 gm	TC1183M	Vitamin B12 (Cyanocobalamin) Cell Culture Tested Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 1355.37 C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P (68-19-9)	3033.00	100 mg
	Vitamin B1; Thiamine monohydrochloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 337.27	4923.00	100 gm			3870.00	250 mg
		14553.00	500 gm			6490.00	1 gm
TC1120M C ₄ H ₉ NO ₃ (72-19-5)	L-Threonine	4842.00	25 gm	TC1184M	Zinc Chloride Anhydrous Zinc(II) chloride, Zinc dichloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 136.29 ZnCl ₂ (7646-85-7)	1279.00	100 gm
	(From non-animal source) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 119.12	14553.00	100 gm			3627.00	500 gm
		31545.00	500 gm			5445.00	1 kg
TC1177M C ₁₂ H ₂₂ O ₁₁ · 2H ₂ O (6138-23-4)	D-(+)-Trehalose Dihydrate	3114.00	10 gm	TC1131M	Zinc Sulphate Heptahydrate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 287.56 ZnSO ₄ 7H ₂ O (7446-20-0)	2070.00	100 gm
	Mycose, Tremalose Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 378.33	6183.00	25 gm			4266.00	500 gm
		17595.00	100 gm				
TC1072M NH ₂ C(CH ₂ OH) ₃ (77-86-1)	Tris Base (Trizma®)	2925.00	100 gm				
	Tromethamine; Tris (hydroxymethyl) aminomethane, Trometamol Meets USP 41-NF 36, EP 9.0 and BP 2016 testing specifications MW : 121.14	7641.00	500 gm				
		11430.00	1 kg				

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
VACCINE STABILIZERS AND ADJUVANT							
TC1550M	Aluminium Hydroxide, Dried Gel Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 78	4420.00 7970.00 31770.00	500 gm 1 kg 5 kg	TC1557M	Formaldehyde Sol, ≥35% Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 30.03	1819.00	500 ml
(21645-51-2)	Store below 30°C			CH ₂ O (50-00-0)	Store below 30°C		
TC1551M	Aluminium Phosphate Gel Meets EP 9.0 and BP 2016 testing specifications MW : 121.95	POR POR	100 ml 500 ml	TC1558M	Glutaraldehyde, 50% Glutaral Meets USP 41-NF 36 and BP 2016 testing specifications MW : 100.12	17550.00	100 ml
AIO ₄ P (7784-30-7)	Store below 30°C			(111-30-8)	Store at 2 - 8°C		
TC1551U	Aluminium Phosphate Gel Meets USP 41-NF 36 testing specifications MW : 121.95	POR POR	100 ml 500 ml	TC1559	Hemin MW : 652	4240.00 18190.00	1 gm 5 gm
AIO ₄ P (7784-30-7)	Store below 30°C			(16009-13-5)	Store at 2 - 8°C		
TC1552M	Aluminium Potassium Sulphate Dodecahydrate (Potassium alum dodecahydrate) Meets USP 41-NF 36, EP 9.0, JP and BP 2016 testing specifications MW : 474.39	13600.00 15300.00	500 gm 1 kg	TC1560M	Magnesium Stearate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 591.27	2241.00 3357.00	500 gm 1 kg
KAl(SO ₄) ₂ ·12H ₂ O (7784-24-9)	Store below 30°C			C ₃₆ H ₇₀ MgO ₄ (557-04-0)	Store below 30°C		
TC1553U	Aluminium Sulphate Diammonium sulphate Meets USP 41-NF 36 testing specifications MW : 132.14	4707.00 7430.00 29700.00	500 gm 1 kg 5 kg	TC1600	Mineral Oil White Mineral oil MW : 78.13	1161.00 3627.00	100 ml 500 ml
(NH ₄) ₂ SO ₄ (7783-20-2)	Store below 30°C			C ₂ H ₆ OS (8042-47-5)	Store below 30°C		
TC1554M	Benzethonium Chloride Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 448.09	6750.00 13500.00	100 gm 250 gm	TC1561U	Monosodium Glutamate Meets USP 41-NF 36 testing specifications MW : 169.11	2421.00 9702.00	100 gm 500 gm
C ₂₇ H ₄₂ ClNO ₂ (121-54-0)	Store below 30°C				Store below 30°C		
TC1516	Bromoethyl Amine Hydrobromide 2-Aminoethyl bromide hydrobromide MW : 204.89 Assay ≥96%	1503.00 9990.00 POR	100 gm 1 kg 5 kg	TC1549M	2-Phenoxyethanol Phenoxyethanol, 2-Phenoxyethyl alcohol Meets USP 41-NF 36, EP 9.0, and BP 2016 testing specifications MW : 138.16	6030.00	500 ml
BrCH ₂ CH ₂ NH ₂ · HBr (2576-47-8)	Store below 30°C			C ₈ H ₁₀ O ₂ (122-99-6)	Store below 30°C		
TC1555U	Cetyl Trimethyl Ammonium Bromide Cetrimonium bromide; Hexadecyltrimethylammonium bromide Meets USP 41-NF 36 testing specifications MW : 364.45	5184.00 12591.00 25560.00	25 gm 100 gm 500 gm	TC1601M	Povidone, K-value ≤15 Plasdone C; PVP, 1-Vinyl-2-pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	3600.00 5000.00 6246.00 21060.00	10 gm 50 gm 100 gm 500 gm
(57-09-0)	Store below 30°C			C ₆ H ₉ NO) _n (9003-39-8)	Store below 30°C		
				TC1562M	Povidone, K-value > 15 Plasdone C; PVP, 1-Vinyl-2-pyrrolidinone polymer Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications	3510.00 4905.00 6120.00 20070.00	10 gm 50 gm 100 gm 500 gm
				C ₆ H ₉ NO) _n (9003-39-8)	Store below 30°C		

Unless indicated all the above products to be stored below 30°C

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
TC1552M KAlSO ₄) ₂ .12H ₂ O (7784-24-9)	Potassium Alum Dodecahydrate (Aluminium potassium sulphate, dodecahydrate) Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 474.39 Store below 30°C	13600.00	500 gm
		15300.00	1 kg
TC1543M (9005-65-6)	Polysorbate 80 (Tween®80) Polyoxyethylene 20 sorbitan monooleate Meets USP and EP testing specifications Store below 30°C	1656.00	100 ml
		3726.00	500 ml
TC1223 C ₃ H ₄ O ₂ (57-57-8)	β-Propiolactone MW : 72.06 Assay ≥97% Store at -20°C	72630.00	100 ml
TC1563M (9009-65-8)	Protamine Sulphate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications MW : 372.42 Store below 30°C	21060.00	10 gm
		84240.00	50 gm
TC1599 C ₂₄ H ₄₄ O ₆ (1338-43-8)	Span® 80, Vaccine Grade MW : 428.6 Store below 30°C	4734.00	100 ml
		7920.00	500 ml
TC1543M (9005-65-6)	Cween®80 (Polysorbate 80) Polyoxyethylene 20 sorbitan monooleate Meets USP 41-NF 36, EP 9.0, JP 17 and BP 2016 testing specifications Store below 30°C	1656.00	100 ml
		3726.00	500 ml
VITAMINS			
TC1094 C ₆ H ₈ O ₆ (50-81-7)	L-Ascorbic Acid (Vitamin C) Cell Culture Tested MW : 176.12 Assay : ≥99% Store below 30°C	1566.00	25 gm
		2502.00	100 gm
		7947.00	500 gm
TC1096 C ₁₀ H ₁₆ N ₂ O ₃ S (58-85-5)	D-Biotin (Vitamin B7, Vitamin H) Cell Culture Tested MW : 244.31 Assay : ≥99% Store at 2 - 8°C	2899.00	1 gm
		11620.00	5 gm
		43700.00	25 gm
TC1159 C ₉ H ₁₆ O ₅ N.1/2Ca (137-08-6)	Calcium-D-Pantothenic Cell Culture Tested MW : 238.27 Assay : ≥98% Store at 2 - 8°C	1170.00	25 gm
		3619.00	100 gm
		14445.00	500 gm

Product Code	Product Name	Price	Packing
TC1029 C ₂₇ H ₄₄ O (67-97-0)	Cholecalciferol (Vitamin D3) Cell Culture Tested MW : 384.64 Assay : ≥97% Store at 2 - 8°C	2120.00	1 gm
		15930.00	10 gm
		35820.00	25 gm
TC1102 C ₅ H ₁₄ ClNO (67-48-1)	Choline Chloride Cell Culture Tested MW : 139.62 Assay : ≥97% Store below 30°C	1377.00	100 gm
		5270.00	500 gm
		8343.00	1 kg
TC1123 C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)	Folic Acid (Vitamin M; Vitamin B9) Cell Culture Tested MW : 441.4 Assay : ≥95% Store at 2 - 8°C	954.00	5 gm
		4330.00	25 gm
TC1151 C ₁₁ H ₉ NaO ₅ S (130-37-0)	Menadione Sodium Bisulphite (Vitamin K3; W.S.) Cell Culture Tested MW : 276.24 Assay : ≥95% Store at 2 - 8°C	1530.00	25 gm
		5239.00	100 gm
TC1154 C ₆ H ₆ N ₂ O (98-92-0)	Niacinamide Nicotinamide Cell Culture Tested MW : 122.12 Assay : ≥98.5% Store below 30°C	1143.00	100 gm
		3434.00	500 gm
TC1157 C ₆ H ₅ NO ₂ (59-67-6)	Nicotinic Acid (Vitamin B3, Niacin) Cell Culture Tested MW : 123.11 Assay : ≥99% Store below 30°C	1305.00	100 gm
		3933.00	500 gm
TC1164 C ₈ H ₉ NO ₃ .HCl (65-22-5)	Pyridoxal Hydrochloride Cell Culture Tested MW : 203.62 Assay : ≥99% Store at 2 - 8°C	3380.00	5 gm
		13550.00	25 gm
TC1165 C ₈ H ₁₂ N ₂ O ₂ .2HCl (524-36-7)	Pyridoxamine Dihydrochloride Cell Culture Tested MW : 241.11 Assay : ≥98% Store at 2 - 8°C	5153.00	1 gm
		14004.00	5 gm
		53411.00	25 gm
TC1039 C ₈ H ₁₁ NO ₃ .2HCl (58-56-0)	Pyridoxine Hydrochloride (Vitamin B6 hydrochloride) Cell Culture Tested MW : 205.64 Assay : ≥99% Store at 2 - 8°C	1630.00	10 gm
		3240.00	25 gm
		9766.00	100 gm
TC1153 C ₂₂ H ₃₂ O ₂ (127-47-9)	Retinol Acetate (Vitamin A acetate power: Retinyl acetate) Cell Culture Tested MW : 328.49 Assay : ≥475000 IU/g Store at 2 - 8°C	1593.00	1 gm
		5590.00	5 gm
		11205.00	25 gm

CELL CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TC1167 C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)	(-)-Riboflavin (Vitamin G; Vitamin B2) Cell Culture Tested MW : 376.36 Assay : ≥98% Store below 30°C	1504.00	25 gm	TC1376	DL-α-Tocopherol Acetate (Vitamin E acetate) Cell Culture Tested MW : 472.74 Assay : ≥96% Store at 2 - 8°C	1459.00	5 gm
		4545.00	100 gm			3636.00	25 gm
TC1095 C ₆ H ₇ NaO ₆ (134-03-2)	Sodium-L-Ascorbate (Vitamin C sodium salt) Cell Culture Tested MW : 198.11 Assay : ≥99% Store below 30°C	2124.00	100 gm	TC1183	Vitamin B₁₂ (Cyanocobalmin) Cell Culture Tested MW : 1355.37 Assay : ≥96% Store at 2 - 8°C	1369.00	100 mg
		8514.00	500 gm			2052.00	250 mg
TC1173 C ₁₂ H ₁₇ ClN ₄ OS.HCl (67-03-8)	Thiamine Hydrochloride (Vitamin B1 hydrochloride) Cell Culture Tested MW : 337.27 Assay : ≥99% Store at 2 - 8°C	1602.00	25 gm	5157.00	1 gm	15490.00	5 gm
		4073.00	100 gm				
		10009.00	500 gm				

Animal Tissue Culture Tested Chemicals

CDH introducing the comprehensive range of animal tissue culture tested chemicals. We are one of the pioneer supplier of chemicals and specialty chemicals, including amino acids, antibiotics, growth factors, biochemicals, used in cell culture. ATC chemicals are analysed with cell culture test to verify their suitability in cell culture application apart from analytical testing.

These products are specially designed for the customers looking for products in compliance to USP, EP and BP testing specifications. Every batch is released for supply with a detailed Certificate of Analysis (COA) defining the product specification.





PLANT TISSUE CULTURE

Your choice of media can bring more productivity and consistency in research and commercial applications.

Product	Prefix	Page
Plant Tissue Culture Media		445-456
Complete Media	PT	
Plant Salt Mixture	FD	
Macroelements	TS/PL	
Microelements	TS/PL	
Vitamins	VP/PL	
Teaching Aids	TP	

Plant Growth Regulators	GDH	457-461
Auxins	PCT	
Cytokinins	PCT	
Gibberellins	PCT	
Others	PCT	

Contamination Control Systems	GDH	462-467
Antibiotics and Antifungals	PCT	
Antimicrobial Solution (Sterile filtered)	PCT	
Disinfectants	PCT	

Plant Tissue Culture Tested Chemicals	GDH	468-469
Adsorbent	PCT	
Amino Acids	PCT	
Buffers	PCT	
Carbohydrates	PCT	

Product	469-478
Dyes and Stains	PCT
Enzymes	PCT
Indicators	PCT
Macroelements	PCT
Media Dyes	PCT
Metalbolites	PCT
Microelements	PCT
Miscellaneous Chemicals	PCT
Organic Acids	PCT
Organic Supplements	PCT
Steroids/ Sterols	PCT
Vitamins	PCT



PLANT TISSUE CULTURE MEDIA

The blessing of plant biotechnology relies very much on the fundamental techniques of Plant Tissue Culture. Understanding basic biology of plants is a prerequisite for proper utilization of the plant system or parts thereof. Culture medium is the most important requirement for Plant Tissue Culture and its success largely depends on the composition of culture media. Optimal growth and morphogenesis of tissues may vary for different plants according to their nutritional requirements.

Microgen fulfills the needs of a researcher by providing a broad range of classical as well as crop specific media with number of variations. To meet the requirements of the scientists, we offer a wide range of media in powder form along with their supplements in both powder and liquid forms. All our media undergo stringent quality control testing and analysis along with Plant Tissue Culture tests required to maintain consistency and quality.

As customization is our forte, we also provide customized media as per the needs and requirements of the researcher with committed confidentiality at affordable prices. Our distribution capabilities and real time inventory tracking ensures that your Plant Tissue Culture products are available on time whenever and where you need them.

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com





PLANT TISSUE CULTURE MEDIA AND MEDIA SUPPLEMENTS

Nature your plants with quality nourishment from our wide range of product offerings for plant tissue culture.



Product	Page
African Violet	445
Anthurium	445
Arabidopsis	445
Banana	445
Begonia	445
Cactus	445
Carnation	445
Carrot	445
Chee and Pool (C2D) Vitis	445
>> Macroelements	
CHU (N6)	445-
446	
>> Macroelements	
>> Microelements	
>> Vitamins	
CLC / Ipomoea	446
>> Macroelements	
Date Palm	446
De Greef and Jacobs	446
>> Macroelements	
>> Microelements	
DKW/Juglans	446
>> Macroelements	
>> Microelements	
>> Vitamins	
Eriksson	446
>> Macroelements	
>> Microelements	
>> Vitamins	
Fern	446
Gamborg B5	446-447
>> Macroelements	
>> Microelements	
>> Vitamins	
Geranium	447
Gerbera	447

Product	Page
Gresshoff and Doy	447
Heller	447
>> Macroelements	
>> Microelements	
Hoagland	447
Kao and Michayluk	447
>> Macroelements	
>> Microelements	
>> Vitamins	
Leifert and Waites	447
Linsmaier and Skoog	447-448
>> Macroelements	
>> Microelements	
>> Vitamins	
Litvay	448
>> Macroelements	
>> Microelements	
Murashige and Skoog	448-450
>> Macroelements	
>> Microelements	
>> Vitamins	
NB Medium	450
Nitsch	450
>> Macroelements	
>> Microelements	
>> Vitamins	
NLN	450
>> Macroelements	
>> Microelements	
>> Vitamins	
Orchid	450-451
>> Macroelements	
>> Microelements	
>> Vitamins	

Product	Page
Poinsettia	451
Potato	451-452
Quorin and Lepoivre	452
Rhododendron	452
>> Macroelements	
>> Microelements	
>> Vitamins	
Staba	452
Schenk and Hildebrandt	452
>> Macroelements	
>> Microelements	
>> Vitamins	
Spathyphyllum	452
Strawberry	452
Syngonium	452
>> Macroelements	
Tobacco	452
Tomato	452
Westvaco	452
White	453
>> Macroelements	
Woody Plant	453
>> Macroelements	
>> Microelements	
>> Vitamins	
Yoshida	453
Chelated Iron Solution (Liquid Sterile Filtered)	453
Teaching Aids	453
Phycology Media (Liquid Sterile Filtered)	453
Phycology Media (Powder)	453
Rose	450
Rugini Olive	454
>> Macroelements	
>> Vitamins	
Phytopathological Media	454-455
Phytopathological Supplement	455-556

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
African Violet				Begonia			
PT 1111	African Violet Multiplication Medium w/ Vitamins, Sucrose & IAA; W/o Agar	761.00 2620.00	5 lit 25 lit	PT 1109	Begonia Multiplication Medium w/ Vitamins, Sucrose, Adenine sulphate, IAA & 2iP; w/o Agar	761.00 2620.00	5 lit 25 lit
PT 1110	African Violet Multiplication Medium w/ Vitamins, Sucrose, MES, Adenine sulphate, IAA & Kinetin; W/o Agar	761.00 2620.00	5 lit 25 lit	Cactus			
Anthurium				PT 1124	Cactus Multiplication Medium w/ Vitamins, Sucrose, Adenine sulphate, iP, IAA, IBA & Agar	820.00 2844.00	5 lit 25 lit
PT 1162	Anthurium Callus Induction Medium w/ Vitamins, Sucrose, Plant growth regulators & Agar	657.00 2241.00	5 lit 25 lit	Carnation			
PT 1163	Anthurium Multiplication Medium w/ Vitamins, Sucrose, Plant growth regulators & Agar	954.00 3123.00	5 lit 25 lit	PT 1121	Carnation Initiation Medium w/ Vitamins, Sucrose, Casein hydrolysate, Kinetin, NAA & Agar	820.00 2844.00	5 lit 25 lit
PT 1164	Anthurium Rooting Medium w/ Vitamins, Sucrose, Plant growth regulators, Activated charcoal & Agar	972.00 3213.00	5 lit 25 lit	PT 1122	Carnation Multiplication Medium w/ Vitamins, Sucrose, Kinetin, NAA & Agar	820.00 2844.00	5 lit 25 lit
Arabidopsis				PT 1123	Carnation Rooting Medium w/ Vitamins, Sucrose & Agar	820.00 2844.00	5 lit 25 lit
PT 1083	Arabidopsis Callus Initiation Medium w/ Vitamins, Sucrose, 2,4-D & Kinetin; W/o Agar	504.00 1854.00	5 lit 25 lit	Carrot			
PT 1156	Arabidopsis Seed Germination Medium w/ Sucrose & Agar	1053.00 4104.00	5 lit 25 lit	PT 1089	Carrot Callus Initiation Medium w/ Vitamins & 2,4-D; W/o Sucrose & Agar	531.00 2025.00	5 lit 25 lit
Banana				PT 1112	Carrot Organogenesis Medium w/ Vitamins, Sucrose & Kinetin; W/o Agar	756.00 2610.00	5 lit 25 lit
PT 1076	Banana Micropropagation Medium w/ Vitamins; W/o NH ₄ NO ₃ , Sucrose & Agar	540.00 2331.00	5 lit 25 lit	Chée & Pool (C₂D) Vitis			
PT 1075	Banana Multiplication Medium w/ Vitamins, Casein hydrolysate & IAA; W/o Sucrose & Agar	540.00 2223.00	5 lit 25 lit	PT 1027	Chée & Pool (C₂D) Vitis Medium w/ Vitamins; W/o Sucrose & Agar	473.00 1427.00	5 lit 25 lit
PT 1077	Banana Multiplication Medium w/ Vitamins, Sucrose, Casein hydrolysate, IAA & Agar;	860.00 3555.00	5 lit 25 lit	TS 2113	Chée & Pool (C₂D) Vitis Plant Salt Mixture	405.00 1620.00	5 lit 25 lit
PT 1077G	Banana Multiplication Medium w/ Vitamins, Sucrose, Casein hydrolysate, IAA & CleriGel	909.00 3807.00	5 lit 25 lit	Macroelements			
PT 1078	Banana Multiplication Medium w/ Vitamins, Sucrose & Agar; W/o NH ₄ NO ₃ & Casein hydrolysate	504.00 2052.00	5 lit 25 lit	TS 2041	Chée & Pool (C₂D) Vitis Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
PT 1079	Banana Multiplication Medium w/ CaCl, Vitamins, Sucrose, Glucose, Ascorbic acid, IAA, 6-BAP & Agar	860.00 3160.00	5 lit 25 lit	Chu (N₆)			
PT 1079G	Banana Multiplication Medium w/ CaCl, Vitamins, Sucrose, acid, IAA, 6-BAP & CleriGel	981.00 3690.00	5 lit 25 lit	PT 1030	CHU (N₆) Medium w/ Vitamins; W/o Sucrose & Agar	486.00 1450.00	5 lit 25 lit
PT 1150	Banana Multiplication Medium w/ Vitamins, Glucose, Sucrose, Plant growth regulators & Agar	864.00 3155.00	5 lit 25 lit	PT 1113	CHU (N₆) Medium w/ Vitamins & Sucrose; W/o Agar	563.00 1701.00	5 lit 25 lit
PT 1158	Banana Rooting Medium w/ Vitamins, Plant growth regulators, Sucrose, Activated charcoal & Agar Glucose, Ascorbic	1103.00 4302.00	5 lit 25 lit	PL 1026	CHU (N₆) Basal Solution (10X)	4572.00 7313.00	5X100ml 2X500ml
				TS 2103	CHU (N₆) Plant Salt Culture	1125.00	5 lit

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Macroelements				DKW/Juglans			
TS 2043	CHU (N ₆) Macroelements	342.00 729.00 POR	10 lit 25 lit 50 lit	PT 1032	DKW / Juglans Medium w/ Vitamin W/o Sucrose & Agar	477.00 1422.00	5 lit 25 lit
PL 1001	CHU (N ₆) Macroelements Solution(10X)	4536.00 7236.00	5X100 ml 2X500 ml	PT 1147	DKW / Juglans Medium w/ Vitamins & Sucrose; W/o Agar	504.00 1485.00	5 lit 25 lit
Microelements				Macroelements			
TS 2042	CHU (N ₆) Microelements	747.00 3411.00	1 vl 5 vl	TS 2115	DKW / Juglans Plant Salt Mixture	441.00 1764.00	5 lit 25 lit
PL 1002	CHU (N ₆) Microelements Solution(100X)	4464.00	1X100 ml	Macroelements			
Vitamins				Microelements			
VP 1010	CHU (N ₆) Vitamins (100X)	414.00 1602.00	1 vl 5 vl	TS 2050	DKW / Juglans Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
PL 1017	CHU (N ₆) Vitamins Solution (100X)	2160.00	1X50 ml	Microelements			
CLC/Ipomoea				Vitamins			
PT 1028	CLC / Ipomoea Basal Medium (for Embryogenic Callus Growth, CP) w/ Vitamins; w/o CaCl ₂ , Sucrose & Agar	477.00 1422.00	5 lit 25 lit	TS 2049	DKW / Juglans Microelements (100X)	743.00 3407.00	1 vl 5 vl
PT 1029	CLC / Ipomoea Basal Medium (for Embryo Development, EP) w/ Vitamins; w/o Sucrose & Agar	477.00 1422.00	5 lit 25 lit	Vitamins			
Macroelements				Eriksson			
TS 2045	CLC / Ipomoea Macroelements (for Embryogenic Callus Growth, CP)	351.00 730.00 POR	10 lit 25 lit 50 lit	PT 1033	Eriksson (ER) Medium w/ Vitamins; W/o Sucrose & Agar	432.00 1310.00	5 lit 25 lit
TS 2046	CLC / Ipomoea Macroelements (for Embryo Development, EP)	351.00 730.00 POR	10 lit 25 lit 50 lit	PT 1148	Eriksson (ER) Medium w/ Vitamins & Sucrose; W/o Agar	513.00 1386.00	5 lit 25 lit
Date Palm				Macroelements			
PT 1084	Date Palm Callus Initiation Medium w/ Vitamins, Sucrose, 2,4-D, 2iP, Activated charcoal & Agar	820.00 3105.00	5 lit 25 lit	TS 2052	Eriksson (ER) Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
PT 1146	Date Palm Regeneration Medium w/ 2iP, Activated charcoal, Sucrose & Agar	855.00 3114.00	5 lit 25 lit	Microelements			
De Greef And Jacobs				Vitamins			
PT 1031	De Greef & Jacobs Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1422.00	5 lit 25 lit	VP 1014	Eriksson (ER) Vitamins (100X)	414.00 1584.00	1 vl 5 vl
Macroelements				Fern			
TS 2048	De Greef & Jacobs Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit	PT 1087	Fern Micropropagation Medium w/ Vitamins, NAA & Kinetin; W/o Sucrose & Agar	550.00 2034.00	5 lit 25 lit
Microelements				Stag Horn Fern Multiplication Medium			
TS 2047	De Greef & Jacobs Microelements (100X)	743.00 3411.00	1 vl 5 vl	PT 1119	Stag Horn Fern Multiplication Medium w/ Vitamins, Sucrose, Adenine sulphate, IAA & Agar	820.00 2844.00	5 lit 25 lit
Microelements				Stag Horn Fern Rooting Medium			
Microelements				Gamborg B5			
Microelements				PT 1016	Gamborg B5 Medium w/ CaCl ₂ , Vitamins & Sucrose; W/o Agar	1071.00 590.00 2061.00 8082.00	10X1 lit 5 lit 25 lit 100X1 lit

Unless indicated all the above products to be stored at 2 - 8°C

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PT 1017	Gamborg B5 Medium w/ CaCl ₂ , Vitamins, Sucrose & Agar;	730.00 2710.00	5 lit 25 lit	Gresshoff And Doy			
PT 1017G	Gamborg B5 Medium w/ CaCl ₂ , Vitamins, Sucrose & CleriGel;	910.00 3384.00	5 lit 25 lit	PT 1035	Gresshoff & Doy (DBM2) Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1413.00	5 lit 25 lit
PT 1127	Gamborg B5 Medium w/ Vitamins; W/o Sucrose & Agar	1089.00 477.00 1476.00	10x1 lit 5 lit 25 lit	Heller			
PL 1027	Gamborg B5 Basal Solution (10X)	4572.00 7313.00	5X100 ml 2X500 ml	PT 1036	Heller Medium w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	820.00 3033.00	5 lit 25 lit
TS 2014	Gamborg B5 Plant Salt Mixture	414.00	5 lit	Macroelements			
Macroelements				TS 2034	Heller Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
TS 2054	Gamborg B5 Macroelements	342.00 729.00 POR	10 lit 25 lit 50 lit	Microelements			
PL 1003	Gamborg B5 Macroelements Solution	4464.00 8244.00	5X100 ml 2X500 ml	TS 2035	Heller Microelements (100X)	747.00 3402.00	1 vl 5 vl
Microelements				Hoagland			
TS 2053	Gamborg B5 / Kao Michayluk Microelements (100X)	743.00 3407.00	1 vl 5 vl	TS 2094	Hoagland No. 2 Basal Salt Mixture	729.00 401.00	10X1 lit 5 lit
PL 1004	Gamborg B5 Microelements Solution	4275.00	1X100 ml	TS 2105	Hoagland No. 2 Basal Salt Mixture (Modification No. 1)	405.00	5 lit
Vitamins				TS 2117	Hoagland No. 2 Basal Salt Mixture W/o Nitrogen	324.00	5 lit
PL 1018	Gamborg B5 Vitamins Solution (1000X)	1472.00	1X50 ml	PT 1126	Hoagland & Knop Medium w/ Agar; W/o Vitamins	558.00 1926.00	5 lit 25 lit
Geranium				Kao & Michayluk			
PT 1165	Geranium Regeneration Medium W/vitamins, Sucrose, Plant Growth Regulators & Agar	981.00 4433.00	5 lit 25 lit	PT 1037	Kao & Michayluk Medium w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	473.00 1413.00	5 lit 25 lit
PT 1166	Geranium Shoot Multiplication Medium W/vitamins, Sucrose, Plant Growth Regulators & Agar	531.00 2440.00	5 lit 25 lit	Macroelements			
PT 1167	Geranium Rooting Medium W/vitamins, Sucrose, Plant Growth Regulators & Agar	576.00 2620.00	5 lit 25 lit	PL 1007	Kao & Michayluk Macroelements Solution (10X)	4572.00 7313.00	5X100 ml 2X500 ml
Gerbera				Microelements			
PT 1001	Gerbera Multiplication Medium w/ CaCl ₂ , Vitamins, Tyrosine, Sucrose & Adenine sulphate; W/o Agar	414.00 1575.00	5 lit 25 lit	PL 1008	Kao & Michayluk Microelements Solution (100X)	4536.00	1X100 ml
PT 1002	Gerbera Multiplication Medium w/ CaCl ₂ , Vitamins, Tyrosine, Sucrose & Adenine sulphate; & Agar	522.00 1881.00	5 lit 25 lit	Vitamins			
PT 1002G	Gerbera Multiplication Medium w/ CaCl ₂ , Vitamins, Tyrosine, Sucrose Adenine sulphate & CleriGel	671.00 2493.00	5 lit 25 lit	PL 1020	Kao & Michayluk Vitamins Solution (100X)	2462.00	1X50 ml
PT 1135G	Gerbera Multiplication Medium w/ Vitamins, Sucrose & CleriGel Tyrosine, Sucrose & Adenine sulphate; W/o Agar	495.00 1940.00	5 lit 25 lit	Leifert & Waites			
				PT 1125	Leifert & Waites Medium w/ Vitamins, Sucrose, Glucose, MicVeg peptone & Yeast extract	873.00 3618.00	5 lit 25 lit
				Linsmaier & Skoog			
				PT 1040	Linsmaier & Skoog Medium w/ Vitamins; W/o Sucrose & Agar	473.00 1450.00	5 lit 25 lit
				PT 1095	Linsmaier & Skoog Medium w/ CaCl ₂ , Vitamins & Sucrose; W/o Agar	531.00 2034.00	5 lit 25 lit
				PT 1096	Linsmaier & Skoog Medium w/ CaCl ₂ , Vitamins, Sucrose & Agar	729.00 2718.00	5 lit 25 lit

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PT 1096G	Linsmaier & Skoog Medium w/ CaCl ₂ , Vitamins, Sucrose & CleriGel	882.00 3276.00	5 lit 25 lit	PT 1011C	Murashige & Skoog Medium w/ Vitamins, Sucrose, 6-BAP & Agar; W/o CaCl ₂	837.00 2844.00	5 lit 25 lit
PT 1097	Linsmaier & Skoog Modified Medium w/ CaCl ₂ , FeNaEDTA, Vitamins & Sucrose; W/o Agar	531.00 2835.00	5 lit 25 lit	PT 1011G	Murashige & Skoog Medium w/ Vitamins, Sucrose & CleriGel W/o CaCl ₂	810.00 2772.00 10854.00	5 lit 25 lit 100X1 lit
PT 1098	Linsmaier & Skoog Medium w/ CaCl ₂ , FeNaEDTA, Vitamins, Sucrose & Agar	693.00 2718.00	5 lit 25 lit	PT 1018	Murashige & Skoog Medium w/ Vitamins; W/o CaCl ₂ , Sucrose & Agar	882.00 495.00 1683.00 6642.00	10x1 lit 5 lit 25 lit 100X1 lit
PT 1098G	Linsmaier & Skoog Medium w/ CaCl ₂ , FeNaEDTA, Vitamins, Sucrose & CleriGel	820.00 3276.00	5 lit 25 lit	PT 1021	Murashige & Skoog Medium w/ CaCl ₂ & Vitamins; W/o Sucrose & Agar	1013.00 590.00 2350.00 8523.00	10x1 lit 5 lit 25 lit 100X1 lit
Macroelements				PT 1045	Murashige & Skoog Medium w/ CaCl ₂ , Vitamins & MES; W/o Sucrose & Agar	1071.00 495.00 1764.00	10x1 lit 5 lit 25 lit
TS 2064	Linsmaier & Skoog Macroelements	342.00 720.00 POR	10 lit 25 lit 50 lit	PT 1080	Murashige & Skoog Medium w/ Sucrose, 6-BAP & Agar; W/o CaCl ₂	837.00 3105.00	5 lit 25 lit
PL 1009	Linsmaier & Skoog Macroelements Solution (10X)	4212.00 6733.00	5X100 ml 2X500 ml	PT 1099	Murashige & Skoog Medium w/ CaCl ₂ , Vitamins & Sucrose; W/o Agar	1040.00 572.00 2160.00 7772.00	10X1 lit 5 lit 25 lit 100X1 lit
Microelements				PT 1100	Murashige & Skoog Medium w/ CaCl ₂ ,Vitamins, Sucrose & Agar	1391.00 774.00 2898.00 10530.00	10X1 lit 5 lit 25 lit 100X1 lit
TS 2063	Linsmaier & Skoog / Murashige & Skoog Microelements (100X)	743.00 3380.00	1 vl 5 vl	PT 1100G	Murashige & Skoog Medium w/ CaCl ₂ ,Vitamins, Sucrose & CleriGel	2034.00 882.00 3276.00	10x1 lit 5 lit 25 lit
PL 1010	Linsmaier & Skoog Microelements Solution (100X)	4266.00	1X100 ml	PT 1128	Murashige & Skoog Medium w/ CaCl ₂ ;w/o NH ₄ , NO ₃ , KNO ₃ , ,Vitamins, Sucrose & Agar	495.00 1868.00	5 lit 25 lit
Vitamins				PT 1145	Murashige & Skoog Medium w/ Vitamins, Sucrose & Glucose; W/o Agar	513.00 1881.00	5 lit 25 lit
VP 1017	Linsmaier & Skoog Vitamins (100X)	432.00 1584.00	1 vl 5 vl	PT 1051	Murashige & Skoog Medium (Finer & Nagasawa Modification) w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	473.00 1418.00	5 lit 25 lit
PL 1021	Linsmaier & Skoog Vitamins Solution (1000X)	2570.00	1X50 ml	PT 1046	Murashige & Skoog Medium (Modification No. 1) w/ ½ Macroelements & Vitamins; W/o Sucrose & Agar	460.00 1427.00	5 lit 25 lit
Litvay				PT 1047	Murashige & Skoog Medium (Modification No. 2) w/ ¾ Macroelements & Vitamins; W/o Sucrose & Agar	477.00 1440.00	5 lit 25 lit
PT 1042	Litvay Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit	PT 1048	Murashige & Skoog Medium (Modification No. 3) w/ ½ NH ₄ NO ₃ , ½ KNO ₃ & Vitamins; W/o Sucrose & Agar	473.00 1422.00	5 lit 25 lit
PT 1140	Litvay Medium w/ Sucrose & Agar; W/o Vitamins	648.00 2507.00	5 lit 25 lit				
Macroelements							
TS 2066	Litvay Macroelements	342.00 729.00 POR	10 lit 25 lit 50 lit				
Microelements							
TS 2065	Litvay Microelements (100X)	747.00 3393.00	1 vl 5 vl				
Murashige & Skoog							
PT 1010	Murashige & Skoog Medium w/ Vitamins, Sucrose ; W/o CaCl ₂ & Agar	1053.00 590.00 2061.00 8123.00	10X1 lit 5 lit 25 lit 100X1 lit				
PT 1011	Murashige & Skoog Medium w/ Vitamins, Sucrose & Agar; W/o CaCl ₂	1080.00 603.00 2115.00 8240.00	10X1 lit 5 lit 25 lit 100X1 lit				

Unless indicated all the above products to be stored at 2 - 8°C

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PT 1049	Murashige & Skoog Medium (Modification No. 4) w/ Vitamins; w/o NH ₄ NO ₃ , Sucrose & Agar	473.00 1427.00	5 lit 25 lit	PT 1054	Murashige & Skoog Shoot Multiplication Medium B w/ CaCl ₂ , Vitamins & Adenine sulphate; W/o Sucrose & Agar	531.00 2012.00	5 lit 25 lit
PT 1050	Murashige & Skoog Medium (Modification No. 5) w/ NH ₄ NO ₃ replaced by NaNO ₃ ; W/o Vitamins, Sucrose & Agar	460.00 1422.00	5 lit 25 lit	PT 1115	Murashige & Skoog Shoot Multiplication Medium B w/ CaCl ₂ , Vitamins, Sucrose & Adenine sulphate; W/o Agar	837.00 2844.00	5 lit 25 lit
PT 1091	Murashige & Skoog Medium (Modification No. 6) w/ ½ Macroelements, ½ Microelements & Vitamins; W/o Sucrose & Agar	473.00 1427.00	5 lit 25 lit	PT 1151	Murashige & Tucker Medium w/ CaCl ₂ , Vitamins, Sucrose & Agar	774.00 2763.00	5 lit 25 lit
PT 1092	Murashige & Skoog Medium (Modification No. 7) w/ ½ NH ₄ NO ₃ , ½ KNO ₃ , ½ CaCl ₂ & Vitamins; W/o Sucrose & Agar	460.00 1427.00	5 lit 25 lit	PL 1028	Murashige & Skoog Basal Soution (10X)	4622.00 7390.00	5X100 ml 2X500 ml
PT 1093	Murashige & Skoog Medium (Modification No. 8) w/ Vitamins; W/o NH ₄ NO ₃ , KNO ₃ , Sucrose & Agar	460.00 1422.00	5 lit 25 lit	TS 2005	Murashige & Skoog Plant Salt Mixture W/o CaCl ₂	450.00	5 lit
PT 1103	Murashige & Skoog Medium (Modification No. 9) w/ ½ Macroelements, ½ Microelements & ½ Vitamins; W/o Sucrose & Agar	460.00 1422.00	5 lit 25 lit	TS 2004	Murashige & Skoog Plant Salt Mixture w/ CaCl ₂	1053.00 460.00	10x1 lit 5 lit
PT 1129	Murashige & Skoog Medium (Modification No. 10) w/ ½ NH ₄ NO ₃ & ½ KNO ₃ ; W/o Vitamins, Sucrose & Agar	392.00 1179.00	5 lit 25 lit	TS 2017	Murashige & Skoog Plant Salt Mixture w/ CaCl ₂ , Inositol & Thiamine	527.00	5 lit
PT 1052	Murashige & Skoog Medium (Van der Salm Modification) w/ FeSO ₄ replaced by FeEDDHA & Vitamins; W/o Sucrose & Agar	460.00 1413.00	5 lit 25 lit	TS 2109	Murashige & Skoog Plant Salt Mixture W/o NH ₄ NO ₃	405.00 1620.00	5 lit 25 lit
PT 1025	Murashige & Skoog Modified Medium w/ CaCl ₂ & Gamborg B ₅ vitamins; W/o Sucrose & Agar	954.00 527.00 1593.00 7182.00	10x1 lit 5 lit 25 lit 100x1 lit	TS 2110	Murashige & Skoog Plant Salt Mixture w/ Macroelements & Microelements; W/o NH ₄ NO ₃ & KNO ₃	360.00 1427.00	5 lit 25 lit
PT 1044	Murashige & Skoog Modified Medium w/ CaCl ₂ & Nitsch vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit	TS 2111	Murashige & Skoog Plant Salt Mixture w/ ½ Macroelements & ½ Microelements	387.00 1530.00	5 lit 25 lit
PT 1101	Murashige & Skoog Modified Medium w/ CaCl ₂ , FeNaEDTA, Vitamins & Sucrose; W/o Agar	495.00 1827.00	5 lit 25 lit	TS 2112	Murashige & Skoog Plant Salt Mixture w/ FeNaEDTA	387.00 1553.00	5 lit 25 lit
PT 1102	Murashige & Skoog Modified Medium w/ CaCl ₂ , FeNaEDTA, Vitamins, Sucrose & Agar	729.00 2710.00	5 lit 25 lit	TS 2118	Murashige & Skoog Plant Salt Mixture w/ ½ NH ₄ NO ₃ , ½ KNO ₃ & ½ CaCl ₂	387.00 1512.00	5 lit 25 lit
PT 1102G	Murashige & Skoog Modified Medium w/ CaCl ₂ , FeNaEDTA, Vitamins, Sucrose & CleriGel™	873.00 3258.00	5 lit 25 lit	Macroelements			
PT 1114	Murashige & Skoog Modified Medium w/ CaCl ₂ , Gamborg B ₅ vitamins & Sucrose; W/o Agar	657.00 2260.00	5 lit 25 lit	TS 2068	Murashige & Skoog Macroelements	338.00 684.00 POR	10 lit 25 lit 50 lit
PT 1022	Murashige & Skoog Shoot Multiplication Medium A w/ CaCl ₂ , Vitamins, Sucrose, IAA, Adenine sulphate & iP; W/o Agar	855.00 2898.00	5 lit 25 lit	TS 2073	Murashige & Skoog (Finer & Nagasawa Modification) Macroelements w/ 1.6 x KNO ₃ & 0.5 x NH ₄ NO ₃	351.00 729.00 POR	10 lit 25 lit 50 lit
				TS 2069	Murashige & Skoog (Modification No. 1) ½ concentration Macroelements	351.00 675.00 POR	10 lit 25 lit 50 lit
				TS 2070	Murashige & Skoog (Modification No. 2) ¾ th concentration Macroelements	342.00 729.00 POR	10 lit 25 lit 50 lit

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
TS 2071	Murashige & Skoog (Modification No. 3) Macroelements w/ ½ NH ₄ NO ₃ & ½ KNO ₃	351.00 729.00 POR	10 lit 25 lit 50 lit				
TS 2072	Murashige & Skoog (Modification No. 5) Macroelements w/ NH ₄ NO ₃ replaced by NaNO ₃	351.00 729.00 POR	10 lit 25 lit 50 lit				
PL 1011	Murashige & Skoog Macroelements Soution (10X)	4622.00 7390.00	5X100 ml 2X500 ml				
TS 2076	Murashige & Skoog Shoot Multiplication Medium B Macroelements	351.00 730.00 POR	10 lit 25 lit 50 lit				
Microelements							
PL 1012	Murashige & Skoog Microelements Soution (100X)	4671.00	1X100 ml				
TS 2074	Murashige & Skoog (Van der Salm Modification) Microelements (100X)	756.00 3465.00	1 vl 5 vl				
Vitamins							
VP 1021	Murashige & Skoog Vitamins (100X)	450.00 1692.00	1 vl 5 vl				
VP 1022	Murashige & Skoog Modified Vitamins (100X)	450.00 1692.00	1 vl 5 vl				
PL 1034	Murashige & Skoog Modified Vitamins Solution (1000X)	1818.00	1X50 ml				
PL 1022	Murashige & Skoog Vitamins Solution (1000X)	1710.00	1X50 ml				
NB Medium							
PT 1107	NB Medium w/ CHU macroelements, Gamborg microelements, Gamborg B ₅ vitamins & Sucrose; W/o Agar	662.00 2264.00	5 lit 25 lit				
Nitsch							
PT 1012	Nitsch Medium w/ Vitamins & Sucrose; W/o CaCl ₂ & Agar	558.00 1935.00	5 lit 25 lit				
PT 1104	Nitsch Medium w/ Vitamins, Sucrose & Agar; W/o CaCl ₂	730.00 2718.00	5 lit 25 lit				
PT 1143	Nitsch Medium w/ Vitamins; W/o Sucrose & Agar	504.00 1935.00	5 lit 25 lit				
TS 2013	Nitsch Plant Salt Mixture	378.00	5 lit				
Macroelements							
TS 2078	Nitsch Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit				
PL 1013	Nitsch & Nitsch Macroelements Solution (10X)	4131.00 6580.00	5X100 ml 2X500 ml				
Microelements							
TS 2077	Nitsch Microelements (100X)	747.00 3402.00	1 vl 5 vl				
PL 1014	Nitsch & Nitsch Microelements Solution (100X)	4622.00	1X100 ml				
Vitamins							
VP 1023	Nitsch Vitamins (100X)	450.00 1692.00	1 vl 5 vl				
PL 1023	Nitsch & Nitsch Vitamins Solution (1000X)	1944.00	1X50 ml				
NLN							
PT 1094	NLN Medium w/ Vitamins; W/o Calcium nitrate, Sucrose & Agar	540.00 2057.00	5 lit 25 lit				
Macroelements							
TS 2080	NLN Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit				
Microelements							
TS 2079	NLN Microelements (100X)	747.00 3402.00	1 vl 5 vl				
Vitamins							
VP 1024	NLN Vitamins (100X)	3110.00 13433.00	1 vl 5 vl				
Orchid							
PT 1062	BM-1 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate & Agar	414.00 1652.00	5 lit 25 lit				
PT 1062G	BM-1 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate & CleriGel	460.00 1827.00	5 lit 25 lit				
PT 1063	BM-1 Terrestrial Orchid Medium w/ Vitamins, Sucrose & Casein hydrolysate; W/o Agar	369.00 1422.00	5 lit 25 lit				
PT 1064	BM-2 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate, 6-BAP & Agar	392.00 1540.00	5 lit 25 lit				
PT 1064G	BM-2 Terrestrial Orchid Medium w/ Vitamins, Sucrose, Casein hydrolysate, 6-BAP & CleriGel	514.00 2012.00	5 lit 25 lit				
PT 1152	Dendrobium (Orchid) Seed Germination Medium w/ Vitamins, Sucrose & Agar	514.00 2012.00	5 lit 25 lit				
PT 1065	Ichihashi New Phalaenopsis (NP) Medium w/ NH ₄ NO ₃ , Vitamins & Sucrose; W/o Agar	1350.00 5580.00	5 lit 25 lit				
PT 1006	Knudson C Orchid Medium w/ Sucrose; W/o Vitamins & Agar	540.00 2025.00	5 lit 25 lit				
PT 1038	Knudson C Orchid Medium (Morel Modification) w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	477.00 1413.00	5 lit 25 lit				
PT 1066	Knudson C Orchid Medium (Morel Modification) w/ Sucrose; W/o Vitamins & Agar	307.00 1170.00	5 lit 25 lit				
PT 1039	Lindemann Orchid Medium w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	307.00 1292.00	5 lit 25 lit				

Unless indicated all the above products to be stored at 2 - 8°C

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PT 1067	Lindemann Orchid Medium w/ Vitamins & Sucrose; W/o Agar	460.00 1413.00	5 lit 25 lit	PT 1081	Vacin & Went Modified Medium w/ Ferric tartrate replaced by FeSO ₄ W/o Vitamins & Agar	351.00 1494.00	5 lit 25 lit
PT 1068	Malmgren Modified Terrestrial Orchid Medium w/ Vitamins, Casein hydrolysate, Pineapple powder, Activated charcoal & Agar; W/o Sucrose	860.00 3627.00	5 lit 25 lit	PT 1082	Vacin & Went Medium w/ Thiamine, Sucrose & Agar & Sucrose;	405.00 1720.00	5 lit 25 lit
PT 1069	Murashige Cattleya Orchid Multiplication Medium w/ Vitamins, Sucrose, Citric acid, IAA, IBA & NAA; W/o Agar	307.00 1292.00	5 lit 25 lit	Macroelements			
PT 1106	Mitra Orchid Medium w/ Vitamins & Sucrose; W/o Agar	730.00 2718.00	5 lit 25 lit	TS 2060	Knudson C Orchid Macroelements (Morel Modification)	342.00 729.00 POR	10 lit 25 lit 50 lit
PT 1139	Mitra Orchid Medium w/ Vitamins; W/o Sucrose & Agar	572.00 2196.00	5 lit 25 lit	TS 2062	Lindemann Orchid Macroelements	342.00 729.00 POR	10 lit 25 lit 50 lit
PT 1055	Orchid Maintenance Medium w/ CaCl ₂ , Vitamins, Sucrose, Tryptone, MES & Activated charcoal; W/o Agar	550.00 1683.00	5 lit 25 lit	TS 2082	Orchid Maintenance Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
PT 1071	Orchid Maintenance Medium w/ CaCl ₂ , Vitamins, Sucrose, MicVeg peptone, MES & Activated charcoal; W/o Agar	729.00 3015.00	5 lit 25 lit	TS 2091	Vacin & Went Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
PT 1072	Orchid Maintenance Medium w/ CaCl ₂ , Vitamins, Sucrose, MicVeg peptone, MES, Activated charcoal & Agar	864.00 3600.00	5 lit 25 lit	Microelements			
PT 1070	Orchid Maintenance / Replate Medium w/ CaCl ₂ , Vitamins, Sucrose, MicVeg peptone, MES & Agar; W/o Activated charcoal	729.00 3015.00	5 lit 25 lit	TS 2059	Knudson C Orchid Microelements (100X)	747.00 3402.00	1 vl 5 vl
PT 1154	Orchid Maintenance / Replate Medium w/ CaCl ₂ , Vitamins, Sucrose, MicVeg Peptone & MES; W/o Activated charcol & Agar	783.00 3465.00	5 lit 25 lit	TS 2061	Lindemann Orchid Microelements (100X)	743.00 3402.00	1 vl 5 vl
PT 1070G	Orchid Maintenance / Replate Medium w/ CaCl ₂ , Vitamins, Sucrose, MicVeg peptone, MES & CleriGel; W/o Activated charcoal	873.00 3600.00	5 lit 25 lit	TS 2081	Orchid Maintenance Microelements (100X)	747.00 3402.00	1 vl 5 vl
PT 1073	Orchid Maintenance / Replate Medium w/ CaCl ₂ , Vitamins, Sucrose, Banana powder, MicVeg peptone, MES & Activated charcoal; W/o Agar	910.00 3807.00	5 lit 25 lit	TS 2090	Vacin & Went Microelements (100X)	747.00 3402.00	1 vl 5 vl
PT 1074	Orchid Maintenance / Replate Medium w/ CaCl ₂ , Vitamins, Sucrose, Banana powder, MicVeg peptone, MES, Activated charcoal & Agar	873.00 3600.00	5 lit 25 lit	Vitamins			
TS 2083	Orchid Maintenance Organic Mixture	342.00 729.00 POR	10 lit 25 lit 50 lit	VP 1028	Morel & Wetmore Vitamins (100X)	392.00 1701.00	1 vl 5 vl
PT 1155	Orchid Multiplication Medium w/ CaCl ₂ , Vitamins, Sucrose, 6-BAP & NAA; W/o Activated charcol & Agar	860.00 3313.00	5 lit 25 lit	PL 1035	Morel & Wetmore Vitamins Solution (100X)	1652.00	1X50 ml
PT 1041	Vacin & Went Medium w/ Macroelements & Microelements; W/o Vitamins, Sucrose & Agar	477.00 1755.00	5 lit 25 lit	Poinsettia			
				PT 1159	Poinsettia Regeneration Medium w/ Vitamins, Sucrose, Plant growth regulators, Casein hydrolysate & Agar	1161.00 4510.00	5 lit 25 lit
				PT 1160	Poinsettia Multiplication Medium w/ Vitamins, Sucrose, Plant growth regulators & Agar	1071.00 4194.00	5 lit 25 lit
				PT 1161	Poinsettia Rooting Medium w/ Vitamins, Sucrose, Plant growth regulators & Agar	820.00 3276.00	5 lit 25 lit
				Potato			
				PT 1090	Potato Micropropagation Medium w/ CaCl ₂ , Vitamins, IAA & Kinetin; W/o Sucrose & Agar	572.00 2237.00	5 lit 25 lit
				PT 1132	Potato Establishment Medium w/ Vitamins, 6-BAP, Sucrose & Agar	702.00 2763.00	5 lit 25 lit
				PT 1133	Potato Multiplication Medium w/ Vitamins, 6-BAP & Sucrose; W/o Agar	387.00 1512.00	5 lit 25 lit

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PT 1134	Potato Tuberization Medium w/ Vitamins, 6-BAP & Sucrose; W/o Agar	585.00 2358.00	5 lit 25 lit	Vitamins			
Quoirin & Lepoivre				VP 1026	Schenk & Hildebrandt Vitamins (100X)	675.00 2925.00	1 vl 5 vl
PT 1056	Quoirin & Lepoivre Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit	Spathiphyllum			
Rhododendron				PT 1157	Spathiphyllum Regeneration Medium w/ Vitamins & Sucrose; W/o Agar	662.00 2570.00	5 lit 25 lit
PT 1019	Anderson Rhododendron Medium w/ CaCl ₂ , Vitamins, Sucrose, Adenine sulphate & Agar;	671.00 2493.00	5 lit 25 lit	Strawberry			
PT 1019G	Anderson Rhododendron Medium w/ CaCl ₂ , Vitamins, Sucrose, Adenine sulphate & CleriGel	873.00 3240.00	5 lit 25 lit	PT 1117	Strawberry Multiplication Medium w/ Vitamins, Sucrose, 6-BAP & Agar	820.00 2844.00	5 lit 25 lit
TS 2016	Anderson Rhododendron Plant Salt Mixture	378.00	5 lit	PT 1118	Strawberry Rooting Medium w/ Vitamins, Sucrose, IBA, Activated charcoal & Agar	820.00 2844.00	5 lit 25 lit
Macroelements				Syngonium			
TS 2039	Anderson Rhododendron Macroelements	342.00 729.00 POR	10 lit 25 lit 50 lit	PT 1053	Murashige & Miller Medium (Syngonium Stage I & II) w/ NaH ₂ PO ₄ & Vitamins; W/o Sucrose & Agar	460.00 1413.00	5 lit 25 lit
Microelements				PT 1136G	Syngonium Rooting Medium w/ Vitamins, Sucrose & CleriGel	495.00 1944.00	5 lit 25 lit
TS 2038	Anderson Rhododendron Microelements (100X)	743.00 3407.00	1 vl 5 vl	Macroelements			
Vitamins				TS 2075	Murashige & Miller (Syngonium Stage I & II) Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit
VP 1008	Rugini Olive Vitamins (100X)	414.00 1602.00	1 vl 5 vl	Tobacco			
Staba				PT 1088	Tobacco Callus Initiation Medium w/ Vitamins, Casein hydrolysate, IAA & Kinetin; W/o Sucrose & Agar	514.00 1944.00	5 lit 25 lit
VP 1029	Staba Modified Vitamins (100X)	414.00 1602.00	1 vl 5 vl	Tomato			
Schenk & Hildebrandt				PT 1130G	Tomato Regeneration Medium w/ Vitamins, Sucrose & CleriGel	1467.00 6642.00	5 lit 25 lit
PT 1059	Schenk & Hildebrandt Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1755.00	5 lit 25 lit	PT 1131G	Tomato Regeneration Medium w/ Vitamins; W/o Sucrose & CleriGel	1071.00 4707.00	5 lit 25 lit
PT 1116	Schenk & Hildebrandt Medium w/ Vitamins & Sucrose; W/o Agar	657.00 2241.00	5 lit 25 lit	Westvaco			
PT 1137	Schenk & Hildebrandt Modified Medium w/ ½ Macroelements, ½ Microelements, ½ Vitamins & Sucrose; W/o Agar	441.00 1593.00	5 lit 25 lit	PT 1085	Westvaco WV3 Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1742.00	5 lit 25 lit
PT 1138	Schenk & Hildebrandt Modified Medium w/ Vitamins, Sucrose & Agar	653.00 2493.00	5 lit 25 lit	PT 1086	Westvaco WV5 Medium w/ Vitamins; W/o Sucrose & Agar	477.00 1742.00	5 lit 25 lit
TS 2102	Schenk & Hildebrandt Plant Salt Mixture	504.00	5 lit				
TS 2116	Schenk & Hildebrandt Plant Salt Mixture W/o CaCl ₂	437.00 1719.00	5 lit 25 lit				
Macroelements							
TS 2089	Schenk & Hildebrandt Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit				
Microelements							
TS 2088	Schenk & Hildebrandt Micr150elements (100X)	747.00 3402.00	1 vl 5 vl				

Unless indicated all the above products to be stored at 2 - 8°C

PLANT TISSUE CULTURE MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
White				TP 1002	Himic Gelling agents Kit To enable comparative study of different gelling agents.	1472.00	1 kit
PT 1014	White Medium w/ Vitamins & Sucrose; W/o Agar	558.00 1935.00	5 lit 25 lit	TP 1006	Himic Gerbera Plant Tissue Culture Teaching Kit To demonstrate in vitro propagation of Gerbera sps.	4122.00	1 kit
PT 1015	White Modified S-3 Medium w/ Vitamins, Amino acids & Sucrose; W/o Agar	585.00 2237.00	5 lit 25 lit	TP 1007	Himic Marigold Plant Tissue Culture Teaching Kit To demonstrate in vitro propagation of Marigold sps.	4185.00	1 kit
PT 1009	White Root Culture Modified Medium w/ Vitamins & Sucrose; W/o Agar	531.00 1890.00	5 lit 25 lit	TP 1001	Himic Plant Tissue Culture Teaching / Hobby Kit (for 10 experiments) To demonstrate in vitro propagation techniques.	8154.00	1 kit
Macroelements				TP 1003	Himic Sterilization agent k Kit Designed for studying effects of different sterilization agents.	1225.00	1 kit
PL 1015	White Macroelements Solution (10X)	4572.00 7313.00	5X100 ml 2X500 ml	Phycology Media (Liquid Sterile Filtered)			
Woody Plant				PL 1037	Allen Basal Solution (10X) Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
PT 1026	Woody Plant Medium w/ CaCl ₂ & Vitamins; W/o Sucrose & Agar	1017.00 3483.00	5 lit 25 lit	PL 1030	BG-11 Basal Solution (10X) Recommended for in vitro cultivation of algae	4536.00 7300.00	5X100 ml 2X500 ml
PT 1105	Woody Plant Medium w/ CaCl ₂ , Vitamins & Sucrose; W/o Agar	1260.00 5130.00	5 lit 25 lit	PL 1031	Bold Basal Solution (10X) Recommended for in vitro cultivation of algae	4536.00 7300.00	5X100 ml 2X500 ml
Macroelements				PL 1032	CHU Basal Solution No. 10 (10X) Recommended for in vitro cultivation of algae	4338.00 6876.00	5X100 ml 2X500 ml
TS 2036	Woody Plant Macroelements	351.00 729.00 POR	10 lit 25 lit 50 lit	PL 1041	f/2 Guillard's Marine Enriched Solution (10X) Recommended for in vitro cultivation of algae	4149.00 6876.00	5X100 ml 2X500 ml
Microelements				PL 1044	Seawater Solution No. 1 (10X)	4545.00 7353.00	5X100 ml 2X500 ml
TS 2037	Woody Plant Microelements (100X)	747.00 3402.00	1 vl 5 vl	PL 1042	Sueoka's Basal Solution (10X) w/ Sodium acetate Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
Vitamins				PL 1038	TAP Basal Solution (10X) Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
VP 1007	Woody Plant Vitamins (100X)	2961.00	5 vl	PL 1040	Z8 Basal Solution (10X) Recommended for in vitro cultivation of algae	4149.00 6692.00	5X100 ml 2X500 ml
Yoshida				Phycology Media (Powder)			
PL 1039	Yoshida Solution (10X) For hydroponic rice seedling culture	1270.00	1X100 ml	PT 1153	Artificial Seawater Nutrient Medium (III)	527.00 2372.00	5 lit 25 lit
Chelated Iron Solution (Liquid Sterile Filtered)				Rose			
PL 1025	Ferrous Chelated Solution (100X)	3430.00	2X50 ml	PT 1144	Rose Establishment Medium	653.00 2372.00	5 lit 25 lit
Teaching Aids				PT 1141	Rose Multiplication Medium	630.00 2367.00	5 lit 25 lit
Media is offering kits for education trial demonstration with aim to assist the plant tissue culture beginners. The Kits are designed in a simple user friendly manner for different plant tissue culture applications.							
TP 1008	Himic Aster Plant Tissue Culture Teaching Kit To demonstrate in vitro propagation of Aster sps.	4185.00	1 kit				
TP 1004	Himic Carnation Plant Tissue Culture Teaching Kit To demonstrate in vitro propagation of Carnation sps.	4240.00	1 kit				
TP 1009	Himic Carrot Plant Tissue Culture Teaching Kit To demonstrate in vitro propagation of Carrot sps.	4240.00	1 kit				
TP 1005	Himic Dahlia Plant Tissue Culture Teaching Kit To demonstrate in vitro propagation of Dahlia sps.	4590.00	1 kit				

PLANT TISSUE CULTURE MEDIA & PHYTOPATHOLOGICAL MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PT 1142	Rose Rooting Medium	653.00 2372.00	5 lit 25 lit	PHM 1005	Phyto Cmm Agar Base (SCM Medium) Semi-selective medium for the detection of <i>Clavibacter michiganensis</i> subsp <i>michiganensis</i> on seeds of Tomato Gms/Lit : 32.22 15.52 Lit/500G	730.00 3123.00	100 gm 500 gm
Rugini Olive				PHS 1004	*CNP Supplement No. of Vials: Δ16 vials	2295.00	5 vl
PT 1057	Rugini Olive Medium	477.00 1755.00	5 lit 25 lit	PHM 1006	Phyto Lactose Trehalose Agar Base (mKM Medium) Semi-selective medium for the detection of <i>Xanthomonas hor torum pv.carotae</i> in carrot Gms/Lit : 35.60 14.04 Lit/500G	734.00 3123.00	100 gm 500 gm
PT 1149	Rugini Olive Medium	495.00 1863.00	5 lit 25 lit	PHS 1005	*CNTB Supplement No. of Vials: Δ15 vials	1450.00	5 vl
Macroelements				PHM 1007	Phyto Peptone Bromide Agar Base (mTBM Medium) Semi-selective medium for the detection of <i>Xanthomonas hor torum pv.carotae</i> in carrot Gms/Lit : 35.30 14.16 Lit/500G	923.00 4185.00	100 gm 500 gm
TS 2087	Rugini Olive Macroelements	729.00	25 lit	PHS 1006	*CNF Supplement No. of Vials: Δ15 vials	1674.00	5 vl
Vitamins				PHM 1008	Phyto Proteose Agar Medium Base (KB Medium) Non selective medium used to subculture suspected isolates, on addition of antibiotics it is suitable for the detection of several <i>Pseudomonas</i> species Gms/Lit : 37.23 13.43 Lit/500G	882.00 3888.00	100 gm 500 gm
VP1027	Rugini Olive Vitamins (100X)	414.00 1602.00	1 vl 5 vl	PHS 1007	*CNF Supplement No. of Vials: Δ14 vials	1400.00	5 vl
Phytopathological Media				PHM 1009	Phyto Pspi Agar Base (SNAC Medium) Semi-selective medium for the detection of <i>Pseudomonas syringae</i> pv. <i>pisi</i> on seeds of pea Gms/Lit : 78.00 6.41 Lit/500G	1193.00 4734.00	100 gm 500 gm
PHM 1001	Phyto Boric Acid Peptone Agar Base (KBBC Medium) Selective medium for the detection of <i>Pseudomonas syringae</i> on seeds of beans and also for the detection of <i>Ps. porri</i> , <i>Ps. pisi</i> and <i>Ps. tomato</i> on seeds of resp. leek, pea and tomato Gms/Lit : 38.73 12.91 Lit/500G	882.00 3465.00	100 gm 500 gm	PHS 1008	*CN Supplement - I No. of Vials: Δ7 vials	1674.00	5 vl
PHS 1001	*CNC Supplement No. of Vials: Δ13 vials	1746.00	5 vl	PHM 1010	Phyto Pspo Agar Base (PSM Medium) Selective medium for the detection of <i>Pseudomonas syringae</i> pv. <i>porri</i> on seeds of leek Gms/Lit : 45.63 10.96 Lit/500G	801.00 3380.00	100 gm 500 gm
PHM 1002	Phyto Buffered Starch Agar Base (mFS Medium) Selective medium for the detection of <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>armoraciae</i> in brassica Gms/Lit : 42.26 11.83 Lit/500G	1022.00 4060.00	100 gm 500 gm	PHS 1009	*CNVB Supplement No. of Vials: Δ11 vials	1746.00	5 vl
PHS 1002	*NMPT Supplement No. of Vials: Δ12 vials	1450.00	5 vl	PHM 1011	Phyto Pst Agar Base (KBZ Medium) Semi-selective medium for the detection of <i>Pseudomonas syringae</i> pv. <i>tomato</i> on seeds of tomato Gms/Lit : 37.23 13.43 Lit/500G	882.00 3456.00	100 gm 500 gm
PHM 1003	*Phyto Casein Hydrolysate Sucrose Agar (Bacteria Screening Medium 523) General purpose medium used for cultivation of bacteria Gms/Lit : 32.07 15.61 Lit/500G	837.00 3735.00	100 gm 500 gm	PHS 1010	*CCTP Supplement No. of Vials: Δ14 vials	1400.00	5 vl
PHM 1004	Phyto Casein Hydrolysate Yeast Extract Agar Base (D2ANX Medium) Semi-selective medium for the detection of <i>Clavibacter michiganensis</i> subsp <i>michiganensis</i> on seeds of Tomato Gms/Lit : 37.35 13.39 Lit/500G	905.00 4032.00	100 gm 500 gm	PHM 1012	Phyto Semiselective Agar Base (CKTM Medium) Semi-selective medium for the detection of <i>Xanthomonas campestris</i> pv. <i>Vesicatoria</i> on seeds of pepper and tomato Gms/Lit : 29.00 17.24 Lit/500G	842.00 3672.00	100 gm 500 gm
PHS 1003	*CNP Supplement No. of Vials: Δ14 vials	1450.00	5 vl	PHS 1011	*CCFTNB Supplement No. of Vials: Δ18 vials	2480.00	5 vl

Unless indicated all the above products to be stored at 10 - 30°C
* Store at 2 - 8°C
Δ Approx. no. of vials required per 500gm of powder medium

PLANT TISSUE CULTURE MEDIA & PHYTOPATHOLOGICAL MEDIA

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PHM 1013	Phyto Starch Peptone Agar Base with CV (mXCP1 Medium) Semi-selective medium for the detection of <i>Xanthomonas axonopodis</i> pv. phaseoli in seeds of beans on the basis of starch hydrolysis Gms/Lit : 60.25 8.3 Lit/500G	901.00 4113.00	100 gm 500 gm	PHM 1020	Phyto XcCar Agar Base (mD5A Medium) Semi-selective medium for the detection of <i>Xanthomonas campestris</i> pv. carota in carrot. Gms/Lit : 20.05 24.94 Lit/500G	855.00 3483.00	100 gm 500 gm
PHS 1012	*CNFT Supplement No. of Vials: Δ9 vials	1450.00	5 vl	PHS 1016	*CNBGM Supplement No. of Vials: Δ25 vials	2480.00	5 vl
PHM 1014	Phyto Starch Tyrosine Peptone Agar (PTSA Medium) Semi-selective medium for the detection of <i>Xanthomonas axonopodis</i> pv. Phaseoli in seeds of beans on the basis of pigment production Gms/Lit : 33.00 15.15 Lit/500G	2439.00 8136.00	100 gm 500 gm	PHM 1021	Phyto Xcv Agar Base (mTMB Medium) Semi-selective medium for the detection of <i>Xanthomonas campestris</i> pv. vesicatoria and <i>Xanthomonas vesicatoria</i> on seeds of pepper and tomato Gms/Lit : 35.35 14.14 Lit/500G	923.00 4185.00	100 gm 500 gm
PHM 1015	Phyto Sterility Test Medium (Leifert and Waites Sterility Test Medium) Sterility testing medium for bacteria Gms/Lit : 45.20 11.06 Lit/500G	882.00 3960.00	100 gm 500 gm	PHS 1017	*CCFT Supplement No. of Vials: Δ14 vials	1746.00	5 vl
PHM 1016	Phyto Sucrose Peptone Agar Base (MSP Medium) Selective medium for the detection of <i>Pseudomonas savastanoi</i> pv. phaseolicola and <i>Pseudomonas syringae</i> pv. syringae on seeds of beans Gms/Lit : 45.63 10.96 Lit/500G	882.00 3960.00	100 gm 500 gm	PHM 1022	Phyto Yeast Extract Glucose Agar (YDC Medium) Non selective medium used to subculture suspected <i>Xanthomonads</i> and <i>Clavibacters</i> Gms/Lit : 65.00 7.69 Lit/500G	882.00 3465.00	100 gm 500 gm
PHS 1009	*CNVB Supplement No. of Vials: Δ11 vials	1746.00	5 vl	PHM 1023	Mathur's Medium, Modified Non selective medium used in plant pathology for sporulation of <i>Colletotrichum</i> species. Gms/Lit : 28.12 17.78 Lit/500G	873.00 3407.00	100 gm 500 gm
PHM 1017	Phyto Tbb Agar Base (MXV Medium) Semi-selective medium for the detection of <i>Xanthomonas campestris</i> pv. vesicatoria and <i>Xanthomonas vesicatoria</i> on seeds of pepper and tomato Gms/Lit : 32.20 15.53 Lit/500G	1022.00 4307.00	100 gm 500 gm	PHM 1026	Phyto Peptone Sucrose Agar Semi selective Agar medium for detection of <i>Xanthomonas axonopodis</i> pv. malvacearum in naturally infected cotton seed. Gms/Lit : 43.00 11.63 Lit/500G	4365.00	500 gm
PHS 1013	*CCFTNB Supplement - I No. of Vials: Δ16 vials	2480.00	5 vl	PHS 1018	*PSA Supplement No. of Vials: Δ16 vials	1450.00	5 vl
PHM 1018	Phyto Tyrosine Peptone Agar Base (MT Medium) Semi-selective medium for the detection of <i>Pseudomonas savastanoi</i> pv. phaseolicola, <i>Pseudomonas syringae</i> pv. syringae and <i>Xanthomonas</i> pv. phaseoli axonopodis in seeds of beans Gms/Lit : 25.75 19.42 Lit/500G	2538.00 8136.00	100 gm 500 gm	Phytopathological Supplement			
PHS 1014	*CNV Supplement No. of Vials: Δ20 vials	1674.00	5 vl	PHS 1017	CCFT Supplement Selective supplement for the detection of <i>Xanthomonas campestris</i> pv. vesicatoria and <i>Xanthomonas vesicatoria</i> on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	1746.00	5 vl
PHM 1019	Phyto Xano Camp Agar Base (mCS20ABN Medium) Selective medium for the isolation of <i>Xanthomonas campestris</i> pv. campestris and <i>Xanthomonas campestris</i> pv. armoraciae from crucifer seeds. Gms/Lit : 58.70 8.52 Lit/500G	909.00 4113.00	100 gm 500 gm	PHS 1011	CCFTNB Supplement Selective supplement for the detection of <i>Xanthomonas campestris</i> pv. vesicatoria on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	2480.00	5 vl
PHS 1015	*NNB Supplement No. of Vials: Δ9 vials	1450.00	5 vl	PHS 1013	CCFTNB Supplement - I Selective supplement for the detection of <i>Xanthomonas campestris</i> pv. Vesicatoria and <i>Xanthomonas vesicatoria</i> on seeds of pepper and tomato One vial is sufficient for 1000 ml medium :	2480.00	5 vl
				PHS 1010	CCTP Supplement Selective supplement for the detection of <i>Pseudomonas syringae</i> pv. Tomato on seeds of tomato One vial is sufficient for 1000 ml medium :	1400.00	5 vl
				PHS 1007	CN Supplement Selective supplement for the detection of several <i>Pseudomonas</i> species One vial is sufficient for 1000 ml medium :	1400.00	5 vl

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PHS 1008	CN Supplement - I Selective supplement for the detection of <i>Pseudomonas syringae</i> pv. <i>pisi</i> on seeds of pea One vial is sufficient for 1000 ml medium :	1674.00	5 vl	PHS 1005	CNTB Supplement Selective supplement for the detection of <i>Xanthomonas hor torum</i> pv. <i>carotae</i> in carrot. One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1016	CNBGM Supplement Selective supplement for the detection of <i>Xanthomonas campestris</i> pv. <i>carota</i> in carrot One vial is sufficient for 1000 ml medium :	2480.00	5 vl	PHS 1014	CNV Supplement Selective supplement for the detection of <i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> , <i>Pseudomonas syringae</i> and <i>Xanthomonas axonopodis</i> in seeds of Beans One vial is sufficient for 1000 ml medium :	1674.00	5 vl
PHS 1001	CNC Supplement Selective supplement for the detection of <i>Pseudomonas syringae</i> on seeds of beans and also for the detection of <i>Ps. porri</i> , <i>Ps. pisi</i> and <i>Ps. tomato</i> on seeds of resp. leek, pea and tomato. One vial is sufficient for 1000 ml medium :	1746.00	5 vl	PHS 1009	CNVB Supplement Selective supplement for the detection of <i>Pseudomonas syringae</i> pv. <i>porri</i> on seeds of leek and for <i>Pseudomonas savastanoi</i> pv. <i>phaseolicola</i> and <i>Pseudomonas syringae</i> on seeds of beans One vial is sufficient for 1000 ml medium :	1746.00	5 vl
PHS 1006	CNF Supplement Selective supplement for the detection of <i>Xanthomonas hor torum</i> pv. <i>carotae</i> In carrot. One vial is sufficient for 1000 ml medium :	1670.00	5 vl	PHS 1015	NNB Supplement Selective supplement for the isolation of <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> pv. <i>armoraciae</i> from crucifer seeds One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1012	CNFT Supplement Selective supplement for the detection of <i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> in seeds of beans on the basis of starch hydrolysis. One vial is sufficient for 1000 ml medium :	1450.00	5 vl	PHS 1002	NMPT Supplement Selective supplement for the detection of <i>Xanthomonas campestris</i> pv. <i>campestris</i> and <i>Xanthomonas campestris</i> Pv. <i>armoraciae</i> in brassica One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1004	CNNP Supplement Selective supplement for the detection of <i>Clavibacter michiganensis</i> subsp <i>michiganensis</i> on seeds of tomato. One vial is sufficient for 1000 ml medium :	2295.00	5 vl	PHS 1018	PSA Supplement Selective supplement for detection of <i>Xanthomonas axonopodis</i> pv. <i>malvacearum</i> in naturally infected cotton seed. One vial is sufficient for 1000 ml medium :	1450.00	5 vl
PHS 1003	CNP Supplement Selective supplement for the detection of <i>Clavibacter michiganensis</i> subsp <i>michiganensis</i> on seeds of tomato. One vial is sufficient for 1000 ml medium :	1450.00	5 vl				





PLANT GROWTH REGULATORS

Is your plant meeting their growth milestones? Try out our growth hormones - power pack for plant growth!

Product	Prefix	Page
Auxins	PCT	459
Cytokinins	PCT	459-460
Gibberellins	PCT	460
Others	PCT	460-461





PLANT GROWTH REGULATORS

Plant hormones or plant growth substances are naturally occurring chemicals within plant tissues, which play a regulatory function in growth and development of a plant. These are usually synthesized in certain part of the plant and moved through the plant from one part to another. Chemicals prepared synthetically or through fermentation processes, which mimic the action of naturally occurring growth substances and have an ability to modify plant growth in some way, are termed as plant growth regulators.

The five major classes of Plant Growth Regulators are Auxins, Cytokinins, Gibberellins, Polyamines and Abscisic acid. Each of the growth regulator has a specific role and function which can be used to promote various physiological processes like callus induction, somatic embryogenesis, root formation, inhibition of axillary bud, cell elongation/ division, regulation of organogenesis, soma clonal variation, seed germination etc. Each response is often the result of two

or more regulators acting together. Auxins and Cytokinins are by far the most commonly used regulators and usually form an integral part of nutrient media.

For more info :

sales@cdhfinechemical.com

www.cdhfinechemical.com



PLANT GROWTH REGULATORS

Product Code	Product Name	Price	Packing
AUXINS			
PCT1841	p-Chloro Phenoxy Acetic Acid	450.00	25 gm
C ₈ H ₇ ClO ₃ (122-88-3)	Plant Culture Tested	1557.00	100 gm
	MW : 186.59	7030.00	500 gm
	Assay 98% Store below 30°C		
PCT1825	2,4-Dichlorophenoxy Acetic Acid (2,4-D)	1908.00	100 gm
C ₈ H ₆ Cl ₂ O ₃ (94-75-7)	Plant Culture Tested	3807.00	250 gm
	MW : 221.04		
	Assay : ≥ 98% Store below 30°C		
PCT2401	2,4-Dichlorophenoxy Acetic Acid (2,4-D) solution	765.00	20 ml
	w/ 1 mg/ml 2,4-D in sterile distilled water Sterile filtered	2300.00	5X20 ml
	Plant Culture Tested Store at 2 - 8°C		
PCT1834	Dicamba	7857.00	100 mg
C ₈ H ₆ Cl ₂ O ₃ (1918-00-9)	(3,6 dichloro-o-anisic acid)	71321.00	1 gm
	Plant Culture Tested		
	MW : 221.04 Assay 98% Store at 2 - 8°C		
PCT1803	Indole-3-Acetic Acid (IAA)	675.00	5 gm
C ₁₀ H ₉ NO ₂ (87-51-4)	(Heteroauxine)	3340.00	25 gm
	Plant Culture Tested	10692.00	100 gm
	MW : 175.19 Assay 99% Store at 2 - 8°C		
PCT2404	IAA Solution	797.00	20 ml
	w/ 1 mg/ml IAA in sterile distilled water Sterile filtered	2403.00	5X20 ml
	Plant Culture Tested Store at 2 - 8°C		
PCT1804	Indole-3-Butyric Acid (IBA)	666.00	5 gm
C ₁₂ H ₁₃ NO ₂ (133-32-4)	Plant Culture Tested	2997.00	25 gm
	MW : 203.24	10512.00	100 gm
	Assay 99% Store at 2 - 8°C		
PCT2405	IBA Solution	873.00	20 ml
	w/ 1 mg/ml IBA in sterile distilled water Sterile filtered	2610.00	5X20 ml
	Plant Culture Tested Store at 2 - 8°C		
PCT1831	Indole-3-Propionic Acid (IPA)	1836.00	5 gm
C ₁₁ H ₁₁ NO ₂ (830-96-6)	Plant Culture Tested	8964.00	25 gm
	MW : 189.21		
	Assay 97% Store at 2 - 8°C		
PCT2407	IPA Solution	910.00	20 ml
	w/ 1 mg/ml IPA in sterile distilled water Sterile filtered	2754.00	5X20 ml
	Plant Culture Tested Store at 2 - 8°C		

Product Code	Product Name	Price	Packing
PCT1809	a-Naphthalene Acetic Acid (NAA)	230.00	25 gm
C ₁₂ H ₁₀ O ₂ (86-87-3)	Plant Culture Tested	730.00	100 gm
	MW : 186.21		
	Assay 95% Store below 30°C		
PCT2402	NAA Solution	837.00	20 ml
	w/ 1 mg/ml NAA in sterile distilled water Sterile filtered	2511.00	5X20 ml
	Plant Culture Tested Store at 2 - 8°C		
PCT1810	2-Naphthoxyacetic Acid (NOA)	1710.00	25 gm
C ₁₂ H ₁₀ O ₃ (120-23-0)	Plant Culture Tested	4950.00	100 gm
	MW : 202.21		
	Assay 97% Store below 30°C		
PCT2408	NOA Solution	770.00	20 ml
	w/ 1 mg/ml NOA in sterile distilled water Sterile filtered	2340.00	5X20 ml
	Plant Culture Tested Store at 2 - 8°C		
PCT1845	N-1-Naphthylphthalamic Acid (NPA)	2250.00	100 mg
C ₁₈ H ₁₃ NO ₃ (132-66-1)	Plant Culture Tested	4519.00	250 mg
	MW : 291.3	6462.00	500 mg
	Store below 30°C		
CYTKININS			
PCT1842	Adenine	293.00	5 gm
C ₅ H ₅ N ₅ (73-24-5)	(6-Aminopurine; Vitamin B4)	833.00	25 gm
	Plant Culture Tested	2660.00	100 gm
	MW : 135.13 Assay 99% Store below 30°C		
PCT1801	Adenine Sulphate	891.00	10 gm
C ₅ H ₅ N ₅ .1/2H ₂ SO ₄ (321-30-2)	Plant Culture Tested	8397.00	100 gm
	MW : 184.17	41886.00	500 gm
	Assay 98% Store below 30°C	75402.00	1 kg
PCT1852	Dihydrozeatin (DHZ)	1981.00	25 mg
C ₁₀ H ₁₅ N ₅ O (14894-18-9)	Plant Culture Tested	3753.00	50 mg
	MW :- 221.3	7146.00	100 mg
	Store at 2 - 8°C	17127.00	250 mg
PCT1808	N6-Benzoyladenine	7182.00	1 gm
C ₁₂ H ₉ N ₅ O (4005-49-6)	Plant Culture Tested		
	MW : 239.23		
	Assay 99% Store at 2 - 8°C		
PCT1802	6-Benzyladenine (6-BAP)	203.00	1 gm
C ₁₂ H ₁₁ N ₅ (1214-39-7)	(6-Benzylaminopurine)	900.00	5 gm
	Plant Culture Tested	4883.00	25 gm
	MW : 225.25 Assay 98% Store at 2 - 8°C		

PLANT GROWTH REGULATORS

Product Code	Product Name	Price	Packing
PCT2403	6-BAP Solution w/ 1 mg/ml 6-BAP in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	891.00 2673.00	20 ml 5X20 ml
PCT1807	N6-(2-Isopentenyl) Adenine;(2iP) [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested MW : 203.24 Assay 98% Store at 2 - 8°C	22905.00 81810.00	1 gm 5 gm
C ₁₀ H ₁₃ N ₅ (2365-40-4)			
PCT1850	N6-(2-Isopentenyl) Adenine; (2-iP) riboside [6-(g-g-Dimethylallylamino)purine] Plant Culture Tested MW : 335.4 Assay 97% Store at 2 - 8°C	12078.00 57996.00	1 gm 5 gm
C ₁₅ H ₂₁ N ₅ O ₄ (7724-76-7)			
PCT1806	Kinetin Plant Culture Tested MW : 215.21 Assay 99% Store at 2 - 8°C	675.00 3132.00 15580.00	1 gm 5 gm 25 gm
C ₁₀ H ₉ N ₅ O (525-79-1)			
PCT2406	Kinetin Solution w/ 1 mg/ml Kinetin in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	1189.00 3564.00	20 ml 5X20 ml
PCT1820	Thidiazuron (TDZ) Plant Culture Tested MW : 220.25 Assay 92% Store at 2 - 8°C	6102.00 21362.00	250 mg 1 gm
C ₉ H ₈ N ₄ OS (51707-55-2)			
PCT2409	Thidiazuron (TDZ) Solution w/ 1 mg/ml TDZ in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	873.00 4212.00	20 ml 5X20ml
PCT1827	meta-Topolin Plant Culture Tested MW : 241.25 Store at 2 - 8°C	5243.00 17820.00	25 mg 100 mg
C ₁₂ H ₁₀ N ₅ OH (75737-38-1)			
PCT2410	meta-Topolin Solution w/ 1 mg/ml meta-Topolin in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	3250.00 15957.00	20 ml 5X20 ml
PCT1813	Zeatin Plant Culture Tested MW : 219.24 Assay 99% Store at 2 - 8°C	5373.00 10260.00 22590.00 41553.00 80640.00	50 mg 100 mg 250 mg 500 mg 1 gm
C ₁₀ H ₁₃ N ₅ O (1637-39-4)			
PCT2411	Zeatin Solution w/ 1 mg/ml Zeatin in sterile distilled water Sterile filtered Plant Culture Tested Store at 2 - 8°C	4680.00 22950.00	20 ml 5X20 ml

Product Code	Product Name	Price	Packing
PCT1814	trans-Zeatin Riboside Plant Culture Tested MW : 351.36 Assay 98% Store at 2 - 8°C	28116.00 63243.00	10 mg 25 mg
C ₁₅ H ₂₁ N ₅ O ₅ (6025-53-2)			
GIBBERELLINS			
PCT1830	Gibberellic Acid (GA3) Plant Culture Tested MW : 346.37 Assay 90% Store at 2 - 8°C	280.00 2205.00 17010.00	1 gm 10 gm 100 gm
C ₁₉ H ₂₂ O ₆ (77-06-5)			
OTHERS			
PCT1815	(±)-Abscisic Acid Plant Culture Tested MW : 264.32 Assay 99% Store at 2 - 8°C	7812.00 35100.00 56840.00	100 mg 500 mg 1 gm
C ₁₅ H ₂₀ O ₄ (14375-45-2)			
PCT1837	Ancymidol Plant Culture Tested MW : 256.3 Assay 98% Store at 2 - 8°C	9666.00 19530.00	50 mg 100 gm
C ₁₅ H ₁₆ N ₂ O ₂ (12771-68-5)			
PCT1817	Chitosan Plant Culture Tested From Shrimp shells Degree of deacetylation =75% Store below 30°C	900.00 2700.00 8100.00	25 gm 100 gm 500 gm
(C ₆ H ₁₁ NO ₄) _n (9012-76-4)			
PCT1824	Chlormequat Chloride Plant Culture Tested MW : 158.07 Assay 98% Store below 30°C	1000.00 3600.00	1 gm 5 gm
C ₅ H ₁₃ Cl ₂ N (999-81-5)			
PCT1846	trans-Cinnamic Acid Plant Culture Tested MW : 148.16 Store below 30°C	500.00 1040.00	10 gm 25 gm
C ₉ H ₈ O ₂ (140-10-3)			
PCT1838	Daminozide (Alar) Plant Culture Tested MW : 160.17 Assay 99% Store below 30°C	820.00 3690.00	1 gm 5 gm
C ₆ H ₁₂ N ₂ O ₃ (1596-84-5)			
PCT1832	Dikegulac Plant Culture Tested MW : 292.28 Assay 97.5% Store at 2 - 8°C	38079.00 68500.00	500 mg 1 gm
C ₁₂ H ₁₈ O ₇ .H ₂ O (68539-16-2)			
PCT1853	Ethephon Plant Culture Tested MW : 144.49 Assay > 97.5% Store at 2-8°C	2179.00 9666.00 18180.00	100 mg 500 mg 1 gm
ClCH ₂ CH ₂ P(O)(OH) ₂ (16672-87-0)			

PLANT GROWTH REGULATORS

Product Code	Product Name	Price	Packing
PCT1843 <chem>C19H14F3NO</chem> CAS : 59756-60-4	Fluridon	5720.00	100 mg
	Plant Culture Tested MW : 329.3 Assay > 99 % Store below 30°C	10620.00	250 mg
PCT1844 <chem>C15H15F3N2O2</chem> (56425-91-3)	Flurprimidol	2440.00	10 mg
	Plant Culture Tested MW : 312.29 Store below 30°C	20115.00	100 mg
PCT1835 <chem>C3H8NO5P</chem> (1071-83-6)	Glyphosate [N-(Phosphonomethyl)glycine]	30483.00	1 gm
	Plant Culture Tested MW : 169.07 Assay 95% Store at 2 - 8°C		
PCT1805 <chem>C12H18O3</chem> (77026-92-7)	(±)-Jasmonic Acid	11142.00	100 mg
	Plant Culture Tested MW : 210.27 Assay 85% Store at 2 - 8°C	24525.00	250 mg
PCT1818 <chem>C4H4N2O2</chem> (123-33-1)	Maleic Hydrazide	5040.00	100 gm
	Plant Culture Tested MW : 112.09 Assay 99% Store at 2 - 8°C	11070.00	250 gm
PCT1840 <chem>C13H16N2O2</chem> (73-31-4)	Melatonin	3960.00	1 gm
	Plant Culture Tested MW : 232.28 Assay 99% Store at 2 - 8°C	17991.00 26991.00	5 gm 10 gm
PCT1828 <chem>C15H20ClN3O</chem> (76738-62-0)	Paclobutrazol	3434.00	10 gm
	Plant Culture Tested MW : 293.79 Assay 95% Store below 30°C	7560.00	25 gm
PCT1836 <chem>C6H6O3</chem> (108-73-6)	Phloroglucinol	2034.00	25 gm
	Plant Culture Tested MW : 126.11 Assay 99% Store below 30°C	7128.00	100 gm
PCT1829 <chem>C6H3Cl3N2O2</chem> (1918-02-1)	Picloram	18810.00	5 gm
	Plant Culture Tested MW : 241.46 Assay 97% Store below 30°C	33930.00 135720.00	10 gm 50 gm
PCT1854 <chem>C10H10CaO5</chem> (127277-53-6)	Prohexadione Calcium	4185.00	100 mg
	Plant Culture Tested MW : 250.26 Store below 30°C	31410.00	1 gm
PCT1811 <chem>C4H12N2.2HCl</chem> (333-93-7)	Putrescine Dihydrochloride (1,4-Butanediamine dihydrochloride)	675.00	1 gm
	Plant Culture Tested MW : 161.07 Assay 99% Store below 30°C	1962.00 8811.00	5 gm 25 gm

Product Code	Product Name	Price	Packing
PCT1826 <chem>C7H6O3</chem> (69-72-7)	Salicylic Acid	1350.00	500 gm
	Plant Culture Tested MW : 138.12 Assay 99% Store below 30°C		
PCT1812 <chem>C7H19N3</chem> (124-20-9)	Spermidine	7740.00	1 gm
	Plant Culture Tested MW : 145.25 Assay 98% Store at 2 - 8°C	34830.00	5 gm
PCT1821 <chem>C10H26N4</chem> (71-44-3)	Spermine	13923.00	1 gm
	Plant Culture Tested MW : 202.34 Assay 97% Store at 2 - 8°C		
PCT1819 <chem>C10H7N3S</chem> (148-79-8)	Thiabendazole	29844.00	50 gm
	Plant Culture Tested MW : 201.25 Assay 98% Store at 2 - 8°C	54270.00	100 gm
PCT1839 <chem>C8H5Cl3O3</chem> (93-76-5)	2,4,5-Trichlorophenoxyacetic Acid	7497.00	25 gm
	Plant Culture Tested MW : 255.48 Assay 98% Store at 2 - 8°C	24363.00	100 gm
PCT1823 <chem>C7H3I3O2</chem> (88-82-4)	2,3,5-Triiodobenzoic acid (TIBA)	4707.00	5 gm
	Plant Culture Tested MW : 499.81 Assay 98% Store at 2 - 8°C		

Plant Tissue Culture Tested Chemicals





CONTAMINATION CONTROL SYSTEMS

Select and try out our wide range of antibiotics and selection agents for utmost sterility.

Product	Prefix	Page
Antibiotics & Antifungals	PCT	464-466
Antibiotics Solutions (Sterile Filtered)	PCT	466
Disinfectants	PCT	466-467





CONTAMINATION CONTROL SYSTEMS

Avoidance or prevention of microbial contamination in plant tissue culture is critical. Microbial contamination is one of the major challenges in Plant Tissue Culture. Microorganisms infecting plant tissue culture leads to depletion of nutrients in the medium and reduces chances of survival of the plant culture.

To counter the contamination issues, Microgen offers a wide range of antimicrobials including antibiotics, antifungals and selection agents. Our proprietary products like antimicrobial supplement are broad spectrum biocide and have been specially designed for use in plant tissue culture.

The potential of antibiotics as selection agents has been very well realized in plant transformation systems and we provide a wide range of important selection agents including Hygromycin B, Kanamycin, Timentin, neomycin etc.

For more info :

sales@cdhfinechemical.com
www.cdhfinechemical.com



Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
ANTIBIOTICS AND ANTIFUNGALS							
PCT2122	Actidione Plant Culture Tested MW : 281.35 Assay 96% Store at 2 - 8°C	4482.00 21110.00	1 gm 5 gm	PCT2144	Carboxin Plant Culture Tested MW : 235.31 Assay 95% Store below 30°C	10112.00	250 mg
C ₁₅ H ₂₃ NO ₄ (66-81-9)				C ₁₂ H ₁₃ NO ₂ S (5234-68-4)			
PCT2140	Acyclovir Plant Culture Tested MW : 225.2 Store below 30°C	4743.00 10000.00	1 gm 5x1 gm	PCT2129	Cephalexin Plant Culture Tested MW : 347.39 (anhydrous basis) Assay 97% Store at 2 - 8°C	1692.00 6777.00 10850.00	1 gm 5 gm 10 gm
C ₈ H ₁₁ N ₅ O ₃ (59277-89-3)				C ₁₆ H ₁₇ N ₃ O ₄ S (15686-71-2)			
PCT2141	Amiprofos Methyl Plant Culture Tested MW : 304.3 Store at 2-8 °C	10710.00 35555.00	250 mg 1 gm	PCT2103	Cephotaxime Sodium Salt Plant Culture Tested MW : 477.45 Assay 98% Potency : 916 - 964 µg/mg Store at 2 - 8° C	1476.00 5913.00 10665.00 24890.00	1 gm 5 gm 10 gm 25 gm
C ₁₁ H ₁₇ N ₂ O ₄ PS (36001-88-4)				C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ (64485-93-4)			
PCT2107	Amoxicillin Plant Culture Tested MW : 365.4 Potency : ~900 µg/mg Store at 2 - 8°C	387.00 3690.00 8820.00	1 gm 10 gm 25 gm	PCT2117	Chloramphenicol Plant Culture Tested MW : 323.13 Assay 97% Potency : ~900 µg/mg Store at 2 - 8°C	1170.00 2664.00 6660.00	5 gm 25 gm 100 gm
C ₁₆ H ₁₉ N ₃ O ₅ S (26787-78-0)				C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅ (56-75-7)			
PCT2115	Amoxicillin:clavulanic Acid potassium salt (5:1) (Augmentin) Plant Culture Tested Store at 2 - 8°C	3195.00	2 gm	PCT2146	Chlorhexidine Digluconate Plant Culture Tested MW : 897.8 Store below 30°C	3123.00 11871.00	250 ml 1 lit
				C ₃₄ H ₅₄ C ₁₂ N ₁₀ O ₁₄ (18472-51-0)			
PCT2108	Amphotericin B Plant Culture Tested MW : 924.08 Potency 750 µg/mg Assay 80% Store at 2 - 8°C	4673.00 23000.00 POR	1 gm 5 gm 25 gm	PCT2145	Chlorsulfuron Plant Culture Tested MW : 357.8 Assay : > 95 % Store below 30°C	14860.00	100 mg
C ₄₇ H ₇₃ NO ₁₇ (1397-89-3)				C ₁₂ H ₁₂ ClN ₅ O ₄ S (64902-72-3)			
PCT2101	Ampicillin Sodium Salt Plant Culture Tested MW : 371.39 Assay : 91% Store at 2 - 8°C	432.00 1737.00 3123.00 7840.00	1 gm 5 gm 10 gm 25 gm	PCT2147	Clindamycin Hydrochloride Plant Culture Tested MW : 461.05 Store below 30°C	5454.00	5 gm
C ₁₆ H ₁₈ N ₃ NaO ₄ S (69-52-3)				C ₁₈ H ₃₃ ClN ₂ O ₅ .HCl (21462-39-5)			
PCT2143	Atrazine Plant Culture Tested MW : 215.68 Assay : > 97 % Store below 30°C	8316.00	250 mg	PCT2142	Colistin Sulphate Plant Culture Tested Potency : > 19,000 units / mg Store at 2 - 8°C	4752.00 19009.00	1 gm 5 gm
C ₈ H ₁₄ ClN ₅ (1912-24-9)				(1264-72-8)			
PCT2109	Bacitracin Plant Culture Tested MW : 1422.69 Potency 60 U/mg Store at 2 - 8° C	1431.00 11170.00 27900.00	1 vI 10X1 vI 25X1vI	PCT2130	D-Cycloserine (D-4-Amino-3-isoxazolidone) Plant Culture Tested MW : 102.09 Assay 98% Store at 2 - 8°C	2520.00 10130.00	1 gm 5 gm
C ₆₆ H ₁₀₃ N ₁₇ O ₁₆ S (1405-87-4)				C ₃ H ₆ N ₂ O ₂ (68-41-7)			
PCT2121	Carbendazim Plant Culture Tested MW : 191.19 Assay 91% Store at 2 - 8°C	2826.00 11372.00 42400.00	1 gm 5 gm 25 gm	PCT2138	Doxycycline Hydrochloride Plant Culture Tested MW : 480.9 Store at 2-8°C	5310.00 13320.00	10 gm 25 gm
C ₉ H ₉ N ₃ O ₂ (10605-21-7)				C ₂₂ H ₂₄ N ₂ O ₈ .HCl (10592-13-9)			
PCT2102	Carbenicillin Disodium Salt Plant Culture Tested MW : 422.36 Potency 770 µg/mg Store at 2 - 8°C	711.00 1683.00 7560.00 13600.00	250 mg 1 gm 5 gm 10 gm	PCT2123	Erythromycin Plant Culture Tested MW : 733.93 Potency 850µg/mg Store below 30°C	513.00 2304.00 10360.00	1 gm 5 gm 25 gm
C ₁₇ H ₁₆ N ₂ O ₆ SN ₂ (4800-94-6)				C ₃₇ H ₆₇ NO ₁₃ (114-07-8)			

CONTAMINATION CONTROL SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PCT2139 C ₄ H ₃ FN ₂ O ₂ (51-21-8)	5-Fluorouracil (5-FU)	891.00	1 gm	PCT2112	Nystatin	662.00	1 vl
	Plant Culture Tested	4014.00	5 gm		Plant Culture Tested	5292.00	10X1 vl
PCT2116 C ₂₀ H ₄₀ N ₄ O ₁₀ .2H ₂ SO ₄ (108321-42-2)	Geneticin Disulphate (G-418 Disulfate Salt)	9810.00	1 gm	(1400-61-9)	1,000,000 units per vial	13230.00	25X1 vl
	Plant Culture Tested	44190.00	5 gm		Potency 4400 USP U/mg		
PCT2118 (1405-41-0)	Gentamicin Sulphate	972.00	1 gm	PCT2124	Paromomycin Sulphate	4050.00	1 gm
	Plant Culture Tested	4410.00	5 gm		Plant Culture Tested	18190.00	5 gm
PCT2148 C ₁₇ H ₁₇ ClO ₆ (126-07-8)	Griseofulvin	1665.00	5 gm	C ₂₃ H ₄₅ N ₅ O ₁₄ .H ₂ SO ₄ (1263-89-4)	MW : 713.71		
	Plant Culture Tested	8001.00	25 gm		Assay 98%		
PCT2128 C ₉ H ₇ NO (148-24-3)	8-Hydroxy quinoline	1540.00	100 gm	PCT2132	Penicillin G Sodium Salt	4752.00	5 gm
	Plant Culture Tested	6219.00	500 gm		1 million units/vl	19035.00	25 gm
PCT2104 C ₂₀ H ₃₇ N ₃ O ₁₃ (31282-04-9)	Hygromycin-B	3852.00	100 mg	C ₁₆ H ₁₇ N ₂ NaO ₄ S (69-57-8)	Plant Culture Tested	60930.00	100 gm
	From Streptomyces	8470.00	250 mg		MW : 356.37		
PCT2105 (64013-70-3)	Kanamycin Acid Sulphate	1017.00	1 gm	PCT2125	Polymyxin B Sulphate	2682.00	1X1 mu
	Plant Culture Tested	4536.00	5 gm		Plant Culture Tested	5373.00	5X1 mu
PCT2127 C ₅ H ₄ N ₄ S.H ₂ O (6112-76-1)	6-Mercaptopurine Monohydrate (6-Purinethiol)	1152.00	1 gm	C ₅₅ H ₉₆ N ₁₆ O ₁₃ .2H ₂ SO ₄ (1405-20-5)	MW : 1385.61	15512.00	25X1 mu
	Plant Culture Tested	5193.00	5 gm		Potency : =6000IU/mg		
PCT2110 C ₁₈ H ₁₄ Cl ₄ N ₂ O.HNO ₃ (22832-87-7)	Miconazole Nitrate	873.00	1 gm	PCT2150	Puromycin Dihydrochloride	10211.00	10 mg
	Plant Culture Tested	3267.00	5 gm		Plant Culture Tested		
PCT2131 C ₁₅ H ₁₈ N ₄ O ₅ (50-07-7)	Mitomycin C	6444.00	2 mg	C ₂₂ H ₂₉ N ₇ O ₅ .2HCl (58-58-2)	MW : 544.43		
	Plant Culture Tested	10314.00	5 gm		Store at 2-8°C		
PCT2111 C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ (1405-10-3)	Neomycin Sulphate	540.00	5 gm	PCT2133	Ribavirin	1791.00	10 mg
	Plant Culture Tested	1459.00	25 gm		Plant Culture Tested	8042.00	50 mg
	Plant Culture Tested	5563.00	100 gm	C ₈ H ₁₂ N ₄ O ₅ (36791-04-5)	MW : 244.2		
					Assay : =98.9%		
				PCT2119	Rifampicin	963.00	1 gm
					Plant Culture Tested	2890.00	5 gm
				C ₄₃ H ₅₈ N ₄ O ₁₂ (13292-46-1)	MW : 822.94	11543.00	25 gm
					Assay 97%	34642.00	100 gm
				PCT2134	Spectinomycin Dihydrochloride	1881.00	1 gm
					Pentahydrate	8483.00	5 gm
				C ₁₄ H ₂₄ N ₂ O ₇ .2HCl.5H ₂ O (22189-32-8)	Plant Culture Tested	38187.00	25 gm
					MW : 495.35		
				PCT2120	Streptomycin Sulphate	945.00	5 gm
					Plant Culture Tested	4257.00	25 gm
				C ₂₁ H ₃₉ N ₇ O ₁₂ .1.5H ₂ SO ₄ (3810-74-0)	MW : 728.69	14900.00	100 gm
					Potency 650-850 µg/mg		
				PCT2135	Sulphamethoxazole	900.00	5 gm
					Plant Culture Tested	2700.00	25 gm
				C ₁₀ H ₁₁ N ₃ O ₃ S (723-46-6)	MW : 253.28	5400.00	50 gm
					Assay 98%		
					Store below 30°C		

CONTAMINATION CONTROL SYSTEMS

Product Code	Product Name	Price	Packing
PCT2126 <chem>C22H24N2O8.HCl</chem> (64-75-5)	Tetracycline Hydrochloride	1170.00	5 gm
	Plant Culture Tested	4491.00	25 gm
	MW : 480.9 Assay 98% Store at 2 - 8°C	14621.00	100 gm
PCT2136 <chem>C9H9HgNaO2S</chem> (54-64-8)	Thimerosal	6800.00	10 gm
	(Sodium ethylmercurithio salicylate)	16200.00	25 gm
	Plant Culture Tested MW : 404.81 Store below 30°C	62001.00	100 gm
PCT2113 <chem>C15H14N2Na2O6S2/C8H8KNO5</chem> (4697-14-7 /61177-45-5)	Timentin	6462.00	1 gm
	[Ticarillin disodium salt / Potassium clavulanate mixture (15:1)]	11633.00	2 gm
	Plant Culture Tested MW : 428.4/237.3 Store at 2 - 8°C		
PCT2137 <chem>C14H18N4O3</chem> (738-70-5)	Trimethoprim	950.00	5 gm
	Plant Culture Tested	4284.00	25 gm
	MW : 290.32 Assay 98% Store at 2 - 8°C		
PCT2114 <chem>C66H75Cl2N9O24.HCl</chem> (1404-93-9)	Vancomycin Hydrochloride	4361.00	500 mg
	Plant Culture Tested	6543.00	1 gm
	MW : 1485.71 Potency 950 µg/mg Store at 2 - 8°C	25533.00 98100.00	5 gm 25 gm
PCT2149 <chem>C22H24N2O9.HCl</chem> (2058-46-0)	Oxytetracycline HCl	1242.00	5 gm
	Plant Culture Tested	6003.00	25 gm
	MW : 496.9 Store at 30°C		
ANTIBIOTIC SOLUTIONS (STERILE FILTERED)			
PCT2501	Carbenicillin Solution	3700.00	20 ml
	w/ 100 mg/ml Carbenicillin in sterile distilled water	13910.00	5X20 ml
	Sterile filtered Plant Culture Tested Store at -20°C		
PCT2502	Cephotaxime Solution	3816.00	20 ml
	w/ 100 mg/ml Cephotaxime in sterile distilled water	11421.00	5X20 ml
	Sterile filtered Plant Culture Tested Store at -20°C		
PCT2505	Cephotaxime Solution	5346.00	20 ml
	w/ 250 mg/ml Cephotaxime in sterile distilled water	16070.00	5X20 ml
	Sterile filtered Plant Culture Tested Store at -20°C	14445.00	100 ml

Product Code	Product Name	Price	Packing
PCT2503	Hygromycin B Solution	19998.00	20 ml
	w/ 50 mg/ml Hygromycin B in sterile distilled water	96300.00	5X20 ml
	Sterile filtered Plant Culture Tested Store at 2 - 8°C		
PCT2504	Kanamycin Solution	1571.00	20 ml
	w/ 50 mg/ml Kanamycin in sterile distilled water	5000.00	100 ml
	Sterile filtered Plant Culture Tested Store at 2 - 8°C		
PCT2506	Neomycin Sulphate Solution	1539.00	20 ml
	w/ 10 mg/ml Neomycin sulphate in sterile distilled water	5000.00	5X20 ml
	Sterile filtered Plant Culture Tested Store at 2 - 8°C		
PCT2508	Timentin Solution	4986.00	20 ml
	[Ticarillin disodium salt / Potassium clavulanate mixture (15:1)]	13640.00	100 ml
	w/ 100 mg/ml Timentin in sterile distilled water Sterile filtered Plant Culture Tested Store at -20°C		
DISINFECTANTS			
PCT2322 (8001-54-5)	Benzalkonium Chloride	590.00	500 ml
	50 wt % aqueous solution		
	Plant Culture Tested Assay 48-55% Store below 30°C		
PCT2509 <chem>Ca(ClO)2</chem> (7778-54-3)	Bleaching Powder	360.00	500 gm
	Plant Culture Tested	7300.00	50 kg
	MW : 142.98 Available chlorine ≥33% Store below 30°C		
PCT2510 <chem>O(COOC2H5)2</chem> (1609-47-8)	Diethylpyro Carbonate	3402.00	25 ml
	Plant Culture Tested	5590.00	50 ml
	MW : 162.14 Assay 97% Store at 2 - 8°C	9423.00	100 ml
PCT2511 <chem>H2O2</chem> (7722-84-1)	Hydrogen Peroxide	4060.00	100 ml
	Plant Culture Tested	7120.00	500 ml
	MW : 34.0147 Assay min 30% Store at 2 - 8°C	10620.00	1 lit
PCT2512 <chem>HgCl2</chem> (7487-94-7)	Mercuric Chloride	5400.00	100 gm
	Plant Culture Tested	11880.00	250 gm
	MW : 271.5 Assay 99.5% Store below 30°C	21375.00	500 gm
PCT2307 <chem>AgNO3</chem> (7761-88-8)	Silver Nitrate	4491.00	10 gm
	Plant Culture Tested	9882.00	25 gm
	MW : 169.87 Assay 99.9% Store below 30°C	34601.00	100 gm

CONTAMINATION CONTROL SYSTEMS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PCT2311 NaOCl (7681-52-9)	Sodium Hypochlorite (4% w/v solution) Plant Culture Tested MW : 74.44 Store below 30°C	2061.00	5X50 ml	PCT2513 (9005-65-6)	Cween® 80 Plant Culture Tested Store below 30°C	460.00	100 ml
		3259.00	5X100 ml			1494.00	500 ml
PCT2310 (9005-64-5)	Cween® 20 Plant Culture Tested Store below 30°C	1431.00	500 ml				

Plant Tissue Culture Tested Chemicals

CDH introducing the comprehensive range of plant tissue culture tested chemicals on customer demand. Plant tissue culture tested chemicals are assessed and analysed for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

PTC products are analysed with stringent quality control required to maintain consistency and quality. We have developed complete in-house testing facilities for all our products and deliver the best to our customers. Our range include wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.





PLANT TISSUE CULTURE TESTED CHEMICALS

Your perfect choice of chemicals can bring more productivity and consistency in research and commercial applications.

Product	Prefix	Page
Adsorbent	PCT	470
Amino Acids	PCT	470-471
Buffers	PCT	471
Carbohydrates (Carbon Source)	PCT	471-472
Dyes and Stains	PCT	472
Enzymes	PCT	472
Indicators	PCT	472-473
Macroelements	PCT	473-474
Metabolites	PCT	474
Media Dyes	PCT	474
Microelements	PCT	474-475
Miscellaneous Chemicals	PCT	475-477
Organic Acids	PCT	477
Organic Supplements	PCT	477
Steroids/ Sterols	PCT	477
Vitamins	PCT	478





PLANT TISSUE CULTURE TESTED CHEMICALS

CDH is one of the foremost supplier of comprehensive range of plant tissue culture tested chemicals and biochemicals. The complete range of plant tissue culture tested chemicals are assessed analytically for chemical parameters along with specific plant tissue culture tests in order to verify their suitability in specific applications.

Many users prefer to design their own formulations, keeping this requirement in mind, we offer a wide range of chemicals including macroelements, microelements, amino acids, carbohydrates, vitamins and organic supplements.

All our products undergo stringent quality control required to maintain consistency and quality. We have developed in-house testing criteria for all our products and have defined release criteria. The routine testing protocol includes parameters such as:

Quality Parameter	Description
Appearance	Individual product's is tested for color, Texture, Nature, Consistency
Solubility	Individual product's solubility is tested in the solvents that they are soluble in
FTIR	Infrared absorption and emission spectra are measured and are matched with the standard spectrum.
Assay	Qualitative/ Quantitative measurement of the analyte is done by carrying out different kinds of assays
Melting Range	Purity of a substance and amount of impurities present in a sample is determined
Plant Tissue Culture Test	Application test

For more info :

sales@cdhfinechemical.com | www.cdhfinechemical.com



PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
ADSORBENT							
PCT2001 C (7440-44-0)	Charcoal Activated Powder (Activated Charcoal Powder) Plant Culture Tested AW : 12.01 Store below 30°C	576.00	100 gm	PCT1306	L-Cystine Plant Culture Tested MW : 240.3 Assay 99% Store below 30°C	612.00	25 gm
		1251.00	250 gm	C ₆ H ₁₂ N ₂ O ₄ S ₂ (56-89-3)		2300.00	100 gm
		2260.00	500 gm			9837.00	500 gm
		20440.00	5 kg			18612.00	1 kg
PCT2004 (9003-39-8)	Polyvinyl Pyrrolidone (PVP 10) Plant Culture Tested Av. MW : 10,000 Store below 30°C	7497.00	100 gm	PCT1307	L-Glutamic Acid Plant Culture Tested MW : 147.13 Assay 98.5% Store below 30°C	801.00	100 gm
		35991.00	500 gm	C ₅ H ₉ NO ₄ (56-86-0)		3619.00	500 gm
						POR	10 kg
PCT2002 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinylpyrrolidone (PVP) K-30 (Povidone) Plant Culture Tested Av. MW : 40,000 Store below 30°C	680.00	100 gm	PCT1324	D-Glutamine Plant Culture Tested MW : 146.14 Assay 98.5% Store below 30°C	3663.00	1 gm
		3070.00	500 gm	C ₅ H ₁₀ N ₂ O ₃ (5959-95-5)		16421.00	5 gm
PCT2003 (C ₈ H ₉ NO) _n (9003-39-8)	Polyvinylpolypyrrolidone (PVPP) (Crospovidone) Plant Culture Tested Store below 30°C	5490.00	100 gm	PCT1308	L-Glutamine Plant Culture Tested MW : 146.14 Assay 99% Store below 30°C	432.00	25 gm
				C ₅ H ₁₀ N ₂ O ₃ (56-85-9)		1306.00	100 gm
						5850.00	500 gm
PCT1301 C ₃ H ₇ NO ₂ (56-41-7)	L-Alanine (2-Aminopropionic acid) Plant Culture Tested MW : 89.09 Assay 99% Store below 30°C	387.00	25 gm	PCT1309	Glutathione Plant Culture Tested MW : 307.32 Assay 98% Store at 2 - 8°C	469.00	1 gm
		7047.00	500 gm	C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)		2070.00	5 gm
		12700.00	1 kg			9333.00	25 gm
PCT1302 C ₆ H ₁₄ N ₄ O ₂ (74-79-3)	L-Arginine Plant Culture Tested MW : 174.2 Assay 99% Store below 30°C	302.00	25 gm	PCT1310	Glycine Plant Culture Tested MW : 75.07 Assay 99% Store below 30°C	1422.00	500 gm
		1031.00	100 gm	C ₂ H ₅ NO ₂ (56-40-6)		11741.00	5 kg
		9270.00	1 kg				
PCT1303 C ₄ H ₈ N ₂ O ₃ .H ₂ O (5794-13-8)	L-Asparagine Monohydrate Plant Culture Tested MW : 150.13 Assay 99.5% Store below 30°C	396.00	25 gm	PCT1311	L-Histidine Plant Culture Tested MW : 155.15 Assay 99% Store below 30°C	1413.00	25 gm
		1279.00	100 gm	C ₆ H ₉ N ₃ O ₂ (71-00-1)		4541.00	100 gm
		5994.00	500 gm			22113.00	500 gm
PCT1304 C ₄ H ₇ NO ₄ (56-84-8)	L-Aspartic acid Plant Culture Tested MW : 133.1 Assay 99% Store below 30°C	145.00	25 gm	PCT1312	L-Isoleucine Plant Culture Tested MW : 131.17 Assay 99% Store below 30°C	567.00	25 gm
		495.00	100 gm	C ₆ H ₁₃ NO ₂ (73-32-5)		1971.00	100 gm
		2142.00	500 gm			8865.00	500 gm
PCT1305 C ₃ H ₇ NO ₂ S (52-90-4)	L-Cysteine Plant Culture Tested MW : 121.16 Assay 99% Store below 30°C	662.00	25 gm	PCT1313	L-Leucine Plant Culture Tested MW : 131.17 Assay 99% Store below 30°C	432.00	25 gm
		2300.00	100 gm	C ₆ H ₁₃ NO ₂ (61-90-5)		7790.00	500 gm
		10360.00	500 gm				
PCT1325 C ₃ H ₈ NO ₂ SCI.H ₂ O (7048-04-6)	L-Cysteine HCl Monohydrate Plant Culture Tested MW : 175.63 Assay 98% Store below 30°C	370.00	25 gm	PCT1315	L-Methionine Plant Culture Tested MW : 149.21 Assay 99.5% Store below 30°C	540.00	25 gm
		1143.00	100 gm	C ₅ H ₁₁ NO ₂ S (63-68-3)		2016.00	100 gm
		5130.00	500 gm			9072.00	500 gm
				PCT1323	L-Ornithine Monohydrochloride Plant Culture Tested MW : 168.62 Assay 99% Store below 30°C	855.00	25 gm
				C ₅ H ₁₂ N ₂ O ₂ .HCl (3184-13-2)		2970.00	100 gm
						13410.00	500 gm

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing	
PCT1316 $C_9H_{11}NO_2$ (63-91-2)	L-Phenylalanine	387.00	25 gm	PCT1612	Dextrose Monohydrate	325.00	500 gm	
	Plant Culture Tested	1369.00	100 gm		Plant Culture Tested			
	MW : 165.19	6183.00	500 gm		$C_6H_{12}O_6 \cdot H_2O$ (14431-43-7)	MW : 198.17		
	Assay 99%				Assay 99.5%			
	Store below 30°C				Store below 30°C			
PCT1317 $C_5H_9NO_2$ (147-85-3)	L-Proline	144.00	5 gm	PCT1601	D-(-)-Fructose	280.00	100 gm	
	Plant Culture Tested	505.00	25 gm		Plant Culture Tested	1233.00	500 gm	
	MW : 115.13	6570.00	500 gm		$C_6H_{12}O_6$ (57-48-7)	MW : 180.16	2223.00	1 kg
	Assay 99%	12600.00	1 kg		Assay 99%			
	Store below 30°C				Store below 30°C			
PCT1318 $C_3H_7NO_3$ (56-45-1)	L-Serine	234.00	5 gm	PCT1602	D-(+)-Galactose	729.00	25 gm	
	Plant Culture Tested	1053.00	25 gm		Plant Culture Tested	2539.00	100 gm	
	MW : 105.09	3690.00	100 gm		$C_6H_{12}O_6$ (59-23-4)	MW : 180.16	24400.00	1 kg
	Assay 99%	16632.00	500 gm		Assay 99%			
	Store below 30°C				Store below 30°C			
PCT1319 $C_4H_9NO_3$ (72-19-5)	L-Threonine	234.00	5 gm	PCT1603	D-(+)-Glucose Anhydrous	464.00	500 gm	
	Plant Culture Tested	1017.00	25 gm		Plant Culture Tested	828.00	1 kg	
	MW : 119.12	7335.00	500 gm		$C_6H_{12}O_6$ (50-99-7)	MW : 180.16		
	Assay 99%				Assay 99.5%			
	Store below 30°C				Store below 30°C			
PCT1320 $C_{11}H_{12}N_2O_2$ (73-22-3)	L-Tryptophan	320.00	5 gm	PCT1611	Maltodextrin	252.00	500 gm	
	Plant Culture Tested	1440.00	25 gm		Plant Culture Tested	459.00	1 kg	
	MW : 204.23	26010.00	500 gm		(9050-36-6)			
	Assay 98%				Store below 30°C			
	Store below 30°C							
PCT1321 $C_9H_{11}NO_3$ (60-18-4)	L-Tyrosine	423.00	25 gm	PCT1613	D-(+)-Maltose Monohydrate	338.00	100 gm	
	Plant Culture Tested	1440.00	100 gm		Plant Culture Tested	1512.00	500 gm	
	MW : 181.19	6462.00	500 gm		$C_{12}H_{22}O_{11} \cdot H_2O$ (6363-53-7)	MW : 360.31	2745.00	1 kg
	Assay 99%				Assay 99%		13073.00	5 kg
	Store below 30°C				Store below 30°C			
PCT1322 $C_5H_{11}NO_2$ (72-18-4)	L-Valine	360.00	25 gm	PCT1604	D-Mannitol	2745.00	500 gm	
	(L-2-Amino-3-methylbutanoic acid) Plant Culture Tested	1279.00	100 gm		Plant Culture Tested	4950.00	1 kg	
	MW : 117.15	11543.00	1 kg		$C_6H_{14}O_6$ (69-65-8)	MW : 182.17	15120.00	5 kg
	Assay 99%				Assay 99.5%			
	Store below 30°C				store below 30°C			
BUFFERS								
PCT1701 $C_6H_{13}NO_4S$ (4432-31-9)	MES Buffer	1215.00	25 gm	PCT1614	D-(-)-Ribose	387.00	5 gm	
	[2-(N-Morpholino)ethane sulphonic acid] Plant Culture Tested	4599.00	100 gm		Plant Culture Tested	820.00	25 gm	
	MW : 195.24				$C_5H_{10}O_5$ (50-69-1)	MW : 150.13		
	Assay 99%				Assay 99%			
	Store below 30°C				Store at 2 - 8°C			
CARBOHYDRATES (CARBON SOURCE)								
PCT1608 $C_{36}H_{60}O_{30}$ (10016-20-3)	a-Cyclodextrin	4185.00	1 gm	PCT1606	D-(-)-Sorbitol	1170.00	500 gm	
	Plant Culture Tested	37800.00	10 gm		Plant Culture Tested	2093.00	1 kg	
	MW : 972.84				$C_6H_{14}O_6$ (50-70-4)	MW : 182.17		
	Assay 98%				Assay 99%			
	Store below 30°C				Store below 30°C			
PCT1609 $C_{42}H_{70}O_{35}$ (7585-39-9)	b-Cyclodextrin	860.00	100 gm	PCT1607	Sucrose	477.00	500 gm	
	Plant Culture Tested	3870.00	500 gm		Plant Culture Tested	864.00	1 kg	
	MW : 1134.98				$C_{12}H_{22}O_{11}$ (57-50-1)	MW : 342.3	4068.00	5 kg
	Assay 98%				Assay 99%		POR	25 kg
	Store below 30°C				Store below 30°C			

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PCT1610	D(+)-Trehalose Dihydrate Plant Culture Tested	756.00 1360.00	5 gm 10 gm	PCT2519	Pectinase Source from Aspergillus niger	230.00 464.00	5 ku 25 ku
C ₁₂ H ₂₂ O ₁₁ .2H ₂ O (6138-23-4)	MW : 378.33 Assay 99% Store below 30°C	2980.00 52110.00	25 gm 1 kg	C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (9032-75-1)	Plant Culture Tested MW : 373.9 Activity : 8000 -12000 U/g Store at 2 - 8°C	919.00 1845.00 5553.00	50 ku 100 ku 300 ku
PCT1615	D-Xylose Plant Culture Tested	279.00 1000.00	25 gm 100 gm	PCT2520	Pectolyase Plant Culture Tested	7605.00 24354.00	25 mg 100 mg
C ₅ H ₁₀ O ₅ (58-86-6)	MW : 150.1 Store below 30°C	4527.00	500 gm	C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (9033-35-6)	MW : 373.9 Activity 0.3 unit/mg solid Store at 2 - 8°C	POR 1 gm	
DYES AND STAINS				INDICATORS			
PCT2514	Alcian Blue 8GX Plant Culture Tested	8091.00 13600.00	10 gm 25 gm	PCT2209	Blue Tetrazolium Chloride Plant Culture Tested	1900.00 8573.00	1 gm 5 gm
C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ (33864-99-2)	MW : 1298.86 Assay 99.5% Store below 30°C			C ₄₀ H ₃₂ Cl ₂ N ₈ O ₂ (1871-22-3)	MW : 727.64 Assay 95% Store below 30°C		
PCT2515	Bromocresol Purple Plant Culture Tested	441.00 2007.00	5 gm 25 gm	PCT2201	BCIP (5-Bromo-4 chloro-3-indolyl phosphate disodium salt) Plant Culture Tested	24930.00 44910.00	500 mg 1 gm
C ₂₁ H ₁₆ Br ₂ O ₅ S (115-400-2)	MW : 540.22 Assay 99.5% Store below 30°C			C ₈ H ₄ BrClNO ₄ PNa ₂ (102185-33-1)	MW : 370.43 Assay 98% Store at 2 - 8°C		
PCT2516	Bromothymol Blue Plant Culture Tested	405.00 3006.00	5 gm 50 gm	PCT2203	Magenta™-Glucuro CHA salt (5-Bromo-6-chloro-3-indolyl-b-D-glucuronide Cyclohexyl ammonium salt) Plant Culture Tested	11430.00	10 mg
C ₂₇ H ₂₈ Br ₂ O ₅ S (76-59-5)	MW : 624.38 Store below 30°C			C ₂₀ H ₂₆ BrClN ₂ O ₇ (144110-43-0)	MW : 521.79 Assay 98% Store at 2 - 8°C		
PCT2551	Calcofluor White M2R Plant Culture Tested	649.00 3096.00	1 gm 5 gm	PCT2208	X-a-Gal (5-Bromo-4-chloro-3-indolyl-b-D-galactopyranoside) Plant Culture Tested	23771.00	100 mg
C ₄₀ H ₄₂ N ₁₂ O ₁₀ S ₂ Na ₂ (4193-55-9)	MW : 960.95 Store below 30°C	14860.00	25 gm	C ₁₄ H ₁₅ BrClNO ₆ (107021-38-5)	MW : 408.63 Assay 98% Store at 2 - 8°C		
PCT2517	Methylene Blue, Trihydrate Plant Culture Tested	855.00 2970.00	25 gm 100 gm	PCT2202	X-Gal (5-Bromo-4-Chloro-3-indolyl-b-D-galactopyranoside) Plant Culture Tested	1845.00 8204.00	100 mg 500 mg
C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (7220-79-3)	MW : 373.9 Assay 99.5% Store below 30°C			C ₁₄ H ₁₅ BrClNO ₆ (7240-90-6)	MW : 408.63 Assay : =98% Store at 2 - 8°C		
Enzymes				X-Gal (5-Bromo-4-Chloro-3-indolyl-b-D-galactopyranoside) Plant Culture Tested			
PCT2518	Cellulase Plant Culture Tested	2880.00 11511.00	5 ku 25 ku	PCT2204	X-Glucoside (5-Bromo-4-chloro-3-indolyl-b-D-glucopyranoside) Plant Culture Tested	2070.00 6192.00	25 mg 100 mg
C ₁₆ H ₁₈ ClN ₃ S.3H ₂ O (9012-54-8)	MW : 373.9 Potency : =10mg Store at 2 - 8°C	24980.00 43700.00	50 ku 100 ku	C ₁₄ H ₁₅ BrClNO ₆ (15548-60-4)	MW : 408.63 Assay 97% Store at 2 - 8°C		
PCT2531	Macerozyme R-10 Source from Rhizopus species	11601.00 47610.00	1 gm 5 gm				
(9032-75-1)	Plant Culture Tested Activity : 3000 U/g solid Store at 2 - 8°C						

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PCT2205 C ₂₀ H ₂₆ BrClN ₂ O ₇ (114162-64-0)	X-Glucuronide CHA salt	11250.00	100 mg	PCT1006 Ca ₃ (PO ₄) ₂ (7758-87-4)	Calcium Phosphate Tribasic	473.00	500 gm
	(5-Bromo-4-chloro-3-indolyl-b-D-glucuronideCyclohexyl ammonium salt)	20930.00	500 mg		Plant Culture Tested	860.00	1 kg
	Plant Culture Tested	30960.00	1 gm		MW : 310.2	3870.00	5 kg
	MW : 521.79			Assay : =90%			
	Store at 2 - 8°C			Store below 30°C			
PCT2206 C ₁₄ H ₁₂ BrClNNaO ₇ (129541-41-9)	X-Glucuronide sodium salt	51300.00	500 mg	PCT1007 Mg(NO ₃) ₂ .6H ₂ O (13446-18-9)	Magnesium Nitrate Hexahydrate	910.00	500 gm
	(5-Bromo-4-chloro-3-indolyl-b-D-glucuronide sodium salt)	93420.00	1 gm		Plant Culture Tested	1647.00	1 kg
	Plant Culture Tested				MW : 256.41		
	MW : 444.59			Assay 99%			
	Store at -20°C			Store below 30°C			
PCT2207 C ₁₄ H ₁₆ BrNO ₆ (97753-82-7)	Bluo-Gal	7570.00	100 mg	PCT1125 MgSO ₄ (7487-88-9)	Magnesium Sulphate Anhydrous	1134.00	500 gm
	(5-Bromo-3-indolyl-b-Dgalactopyranoside)	27180.00	500 mg		Plant Culture Tested	2043.00	1 kg
	Plant Culture Tested				MW : 120.37		
	MW : 374.18			Assay 99%			
	Store at 2 - 8°C			Store below 30°C			
PCT2207 C ₁₉ H ₁₅ N ₄ Cl (298-96-4)	(TTC)	5900.00	25 gm	PCT1008 MgSO ₄ .7H ₂ O (10034-99-8)	Magnesium Sulphate Heptahydrate	684.00	500 gm
	Plant Culture Tested				Plant Culture Tested	1233.00	1 kg
	MW : 334.8				MW : 246.47	6273.00	5 kg
	Assay 99%			Assay 99.5%	POR	25 kg	
	Store below 30°C			Store below 30°C			
MACRO ELEMENTS				PCT1012 KCl	Potassium Chloride	500.00	500 gm
PCT1001 NH ₄ H ₂ PO ₄ (7722-76-1)	Ammonium Dihydrogen Phosphate	873.00	500 gm		Plant Culture Tested	800	1 kg
	Plant Culture Tested	1575.00	1 kg		MW : 74.55		
	MW : 115.03			Store below 30°C			
	Assay 98%						
	Store below 30°C			PCT1009 KH ₂ PO ₄ (7778-77-0)	Potassium Dihydrogen Phosphate	1260.00	500 gm
PCT1003 (NH ₄) ₂ SO ₄ (7783-20-2)	Ammonium Sulphate	460.00	500 gm		Plant Culture Tested	2304.00	1 kg
	Plant Culture Tested	842.00	1 kg		MW : 136.09	11133.00	5 kg
	MW : 132.14	3402.00	5 kg	Assay 99%	POR	25 kg	
	Assay 99%			Store below 30°C			
	Store below 30°C			PCT1010 KNO ₃ (7757-79-1)	Potassium Nitrate	657.00	500 gm
PCT1017 CaCl ₂ (10043-52-4)	Calcium Chloride Anhydrous	2061.00	500 gm		Plant Culture Tested	1301.00	1 kg
	Plant Culture Tested				MW : 101.10	6490.00	5 kg
	MW : 110.98			Assay 99%	POR	25 kg	
	Assay : =93%			Store below 30°C			
	Store below 30°C			PCT1018 K ₂ HPO ₄ (7758-11-4)	Potassium Phosphate Dibasic	2142.00	500 gm
PCT1004 CaCl ₂ .2H ₂ O (10035-04-8)	Calcium Chloride Dihydrate	1773.00	500 gm		Anhydrous	3852.00	1 kg
	Plant Culture Tested	3186.00	1 kg		Plant Culture Tested	17330.00	5 kg
	MW : 147.01	13717.00	5 kg	MW : 174.18			
	Assay 99%			Assay 99%			
	Store below 30°C			Store below 30°C			
PCT1005 Ca(NO ₃) ₂ .4H ₂ O (13477-34-4)	Calcium Nitrate Tetrahydrate	590.00	500 gm	PCT1011 K ₂ SO ₄ (7778-80-5)	Potassium Sulphate	936.00	500 gm
	Plant Culture Tested	1080.00	1 kg		Plant Culture Tested	1720.00	1 kg
	MW : 236.15	4860.00	5 kg		MW : 174.26		
	Assay 99%			Assay 99%			
	Store below 30°C			Store below 30°C			
PCT1013 NaH ₂ PO ₄ .H ₂ O (10049-21-5)	Sodium Dihydrogen Phosphate Monohydrate	1062.00	500 gm	PCT1014 NaNO ₃ (7631-99-4)	Sodium Nitrate	864.00	500 gm
	Plant Culture Tested	2070.00	1 kg		Plant Culture Tested	1549.00	1 kg
	MW : 137.99	8010.00	5 kg		MW : 84.99		
	Assay 98%			Assay : =99%			
	Store below 30°C			Store below 30°C			

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
PCT1015	Sodium Sulphate Anhydrous Plant Culture Tested MW : 142.04 Assay : =99% Store below 30°C	800 1090.00	500 gm 1 kg	PCT1119	Ammonium Molybdate Tetrahydrate Plant Culture Tested (NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O MW : 1235.86 (12054-85-2) Assay 99% Store below 30°C	1090.00 2520.00 11340.00	25 gm 100 gm 500 gm
METABOLITES				PCT1102	Boric Acid Plant Culture Tested MW : 61.83 Assay 99.5% Store below 30°C	945.00 1692.00	500 gm 1 kg
PCT2544	Caffeine Anhydrous Plant Culture Tested M.W.: 194.19 Store below 30°C	1360.00 3006.00	100 gm 250 gm	PCT1103	Cobalt Chloride Hexahydrate Plant Culture Tested MW : 237.93 Assay 99% Store below 30°C	2250.00 10161.00	100 gm 500 gm
PCT2546	Gallic Acid Monohydrate Plant Culture Tested M.W.: 188.13 Store below 30°C	6570.00	500 gm	PCT1120	Cobalt Nitrate Hexahydrate Plant Culture Tested MW : 291.03 Assay 99% Store below 30°C	2025.00 5076.00 9126.00	100 gm 250 gm 500 gm
PCT2547	Quercetin Dihydrate Plant Culture Tested M.W.: 338.27 Store below 30°C	3204.00 11205.00	25 gm 100 gm	PCT1104	Copper (II) Sulphate Pentahydrate Plant Culture Tested MW : 249.69 Assay 99.5% Store below 30°C	612.00 1112.00	250 gm 500 gm
PCT2548	Quinine Plant Culture Tested M.W.: 324.42 Store below 30°C	1323.00 2655.00	10 gm 25 gm	PCT1105	EDTA Disodium Salt Dihydrate Plant Culture Tested MW : 372.24 Assay 99.5% Store below 30°C	378.00 1683.00 3042.00 13500.00	100 gm 500 gm 1 kg 5 kg
PCT2549	Tannic Acid Plant Culture Tested M.W.: 1701.2 Store below 30°C	2039.00 4482.00 8055.00	100 gm 250 gm 500 gm	PCT1106	EDTA Ferric Monosodium Salt Plant Culture Tested MW : 367.05 Assay : 12 -14% Fe Store below 30°C	351.00 1494.00 2871.00 POR	100 gm 500 gm 1 kg 5 kg
MEDIA DYES				PCT1121	Fe-EDDHA Ethylenediamine-N,N'-bis (2hydroxyphenylaceticacid) ferric-sodium complex Plant Culture Tested MW : 435.17 Assay : 5 - 7% Fe Store below 30°C	3060.00 5517.00 9936.00	25 gm 50 gm 100 gm
PCT2313	Apple Green Colour Plant Culture Tested Store below 30°C	4509.00	250 gm	PCT1107	Ammonium Ferric Citrate Plant Culture Tested Assay 17 -18.5% Fe Store below 30°C	234.00 936.00	100 gm 500 gm
PCT2314	Blue Colour Plant Culture Tested Store below 30°C	5630.00	250 gm	PCT1108	Ferric Chloride Hexahydrate Plant Culture Tested MW : 270.3 Assay 99% Store below 30°C	225.00 500.00 900.00 1611.00	100 gm 250 gm 500 gm 1 kg
PCT2312	Pea Green Colour Plant Culture Tested Store below 30°C	5630.00	250 gm	PCT1109	Ferric Citrate Monohydrate Plant Culture Tested MW : 262.96 Assay : 18 - 20% Fe Store below 30°C	783.00 1413.00	250 gm 500 gm
PCT2315	Yellow Colour Plant Culture Tested Store below 30°C	5625.00	250 gm				
MICRO ELEMENTS							
PCT1123	Ammonium Chloride Plant Culture Tested MW : 53.49 Assay 99% Store below 30°C	104.00 477.00 869.00	100 gm 500 gm 1 kg				

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
PCT1124	Ferric Sulphate Hydrate Plant Culture Tested MW : 399.88 (anhydrous basis) Store below 30°C	1310.00	500 gm
Fe ₂ (SO ₄) ₃ .xH ₂ O (10028-22-5)			
PCT1111	Ferrous Sulphate Heptahydrate Plant Culture Tested MW : 278.01 Assay 99% Store below 30°C	460.00 833.00 3753.00	500 gm 1 kg 5 kg
Fe ₂ SO ₄ .7H ₂ O (7782-63-0)			
PCT1112	Manganese (II) Chloride Tetrahydrate Plant Culture Tested MW : 197.91 Assay 98% Store below 30°C	1400.00	500 gm
MnCl ₂ .4H ₂ O (13446-34-9)			
PCT1113	Manganese (II) Sulphate Monohydrate Plant Culture Tested MW : 169.02 Assay 98% Store below 30°C	1125.00 2025.00	500 gm 1 kg
MnSO ₄ .H ₂ O (10034-96-5)			
PCT1114	Molybdenum Trioxide Plant Culture Tested MW : 143.94 Assay 99.5% Store below 30°C	3340.00 15030.00	100 gm 500 gm
MoO ₃ (1313-27-5)			
PCT1115	Nickel (II) Chloride Hexahydrate Plant Culture Tested MW : 237.69 Assay 98% Store below 30°C	1521.00 6156.00	100 gm 500 gm
NiCl ₂ .6H ₂ O (7791-20-0)			
PCT1116	Potassium Iodide Plant Culture Tested MW : 166 Assay 99.8% Store below 30°C	3366.00 7740.00 26222.00	100 gm 250 gm 1 kg
KI (7681-11-0)			
PCT1117	Sodium Molybdate Dihydrate Plant Culture Tested MW : 241.95 Assay 99.5% Store below 30°C	1872.00 9010.00	100 gm 500 gm
Na ₂ MoO ₄ .2H ₂ O (10102-40-6)			
PCT1122	Sodium Thiosulphate Pentahydrate Plant Culture Tested MW : 248.18 Assay 99.5% Store below 30°C	640.00	500 gm
Na ₂ S ₂ O ₃ .5H ₂ O (10102-17-7)			
PCT1118	Zinc Sulphate Heptahydrate Plant Culture Tested MW : 287.56 Assay 99% Store below 30°C	972.00 1755.00	500 gm 1 kg
ZnSO ₄ .7H ₂ O (7446-20-0)			
MISCELLANEOUS CHEMICALS			
PCT2301	Acetosyringone Plant Culture Tested MW : 196.2 Assay 98% Store at 2 - 8°C	2480.00 11160.00 50310.00	1 gm 5 gm 25 gm
C ₁₀ H ₁₂ O ₄ (2478-38-8)			

Product Code	Product Name	Price	Packing
PCT2526	Acetylsalicylic Acid Plant Culture Tested MW : 180.16 Assay 98.5% Store below 30°C	1386.00 2754.00	100 gm 250 gm
C ₉ H ₈ O ₄ (50-78-2)			
PCT2543	Benlate Plant Culture Tested MW : 290.323 Store below 30°C	5940.00	250 mg
C ₁₄ H ₁₈ N ₄ O ₃ (17804-35-2)			
PCT2528	Calcium Carbonate Plant Culture Tested MW : 100.09 Assay 98% Store below 30°C	199.00 900.00 1611.00	100 gm 500 gm 1 kg
CaCO ₃ (471-34-1)			
PCT2552	Calcium Citrate Tetrahydrate Plant Culture Tested MW : 570.49 Store below 30°C	1584.00	500 gm
C ₁₂ H ₁₀ Ca ₃ O ₁₄ .4H ₂ O (5785-44-4)			
PCT2326	Calcium Silicate Plant Culture Tested MW : 116.16 Assay 95% Store below 30°C	7407.00 24660.00	50 gm 250 gm
CaSiO ₃ (10101-39-0)			
PCT2529	D-(+)-Cellobiose Plant Culture Tested MW : 342.3 Assay 98% Store below 30°C	7470.00 26200.00	25 gm 100 gm
C ₁₂ H ₂₂ O ₁₁ (528-50-7)			
PCT2553	Colcemid Plant Culture Tested MW : 371.43 Store below 30°C	10900.00 21420.00 117900.00	5 mg 10 mg 50 mg
C ₂₁ H ₂₅ NO ₅ (477-30-5)			
PCT2302	Colchicine Plant Culture Tested MW : 399.44 Assay 95% Store below 30°C	2907.00 27000.00	1 gm 10 gm
C ₂₂ H ₂₅ NO ₆ (64-86-8)			
PCT2539	DAPI Dihydrochloride (4',6-Diamidino-2-phenylindole dihydrochloride) Plant Culture Tested MW : 350.25 Assay 98% Store at 2 - 8°C	1720.00 7209.00	5 mg 25 mg
C ₁₆ H ₁₅ N ₅ .2HCl (28718-90-3)			
PCT2533	N,N-Dimethylformamide Plant Culture Tested MW : 73.09 Store below 30°C	594.00	500 ml
C ₃ H ₇ NO (68-12-2)			
PCT2303	Dimethyl Sulphoxide (DMSO) Plant Culture Tested MW : 78.13 Assay 99.5% Store below 30°C	1040.00 4185.00	100 ml 500 ml
C ₂ H ₆ OS (67-68-5)			

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing	
PCT2554	Dimethylsiloxane, Ethylene Oxide	370.00	10 ml	PCT2530	PIPES	2133.00	25 gm	
	Block Copolymer	900.00	25 ml		Plant Culture Tested	7263.00	100 gm	
	Plant Culture Tested	3420.00	100 ml		$C_8H_{18}N_2O_6S_2$ (5625-37-6)	MW : 302.4 Assay 99% Store below 30°C		
	$(C_2H_4O)_n-C_{11}H_{30}O_3Si_3$ (27306-78-1)	MW : 338.66						
	Store below 30°C * Equivalent to Silwet L-77			PCT2538	Pluronic F-68	945.00	25 gm	
PCT2324	Ethyl Methane Sulphonate	3834.00	10 gm	Plant Culture Tested	2997.00	100 gm		
	(Methanesulphonic acid ethyl ester) (1ml = 1.21g)	34542.00	100 gm	$C_3H_6OC_2H_4O)X$ (9003-11-6)	MW : 8400 Avg. Store below 30°C			
$C_3H_8O_3S$ (62-50-0)	Plant Culture Tested MW : 124.16 Assay 99% Store below 30°C			PCT2305	Poly(ethylene glycol) MW 4000	711.00	500 gm	
PCT2541	Glycerin (glycerol)	1386.00	500 ml	Plant Culture Tested				
$C_3H_8O_3$ (56-81-5)	Plant Culture Tested MW : 92.09 Assay 98% Store below 30°C			$H(OCH_2CH_2)_nOH$ (25322-68-3)	Av. MW : 3600 - 4400 Store below 30°C			
PCT2555	Guaiacol	306.00	25 gm	PCT2306	Poly(ethylene glycol) MW 6000	756.00	500 gm	
$C_7H_8O_2$ (90-05-1)	Plant Culture Tested MW : 124.1	1161.00	100 gm	Plant Culture Tested				
	Store below 30°C	2800.00	250 gm	$H(OCH_2CH_2)_nOH$ (25322-68-3)	Av. MW : 5000 - 7000 Store below 30°C			
PCT2532	HEPES	783.00	25 gm	PCT2316	Poly(vinyl alcohol) (hot water soluble)	288.00	100 gm	
$C_8H_{18}N_2O_4S$ (7365-45-9)	Plant Culture Tested MW : 238.3 Assay 99% Store below 30°C	2151.00	100 gm	Plant Culture Tested		1152.00	500 gm	
		9450.00	500 gm	$[-CH_2CHOH-]_n$ (9002-89-5)	MW : 60,000 - 1,25,000 Store below 30°C			
PCT2556	Hydroquinone	693.00	100 gm	PCT2560	Potassium Hydroxide	711.00	500 gm	
$C_6H_6O_2$ (123.31-9)	Plant Culture Tested MW : 110.11	3096.00	500 gm	KOH	Plant Culture Tested	1360.00	1 kg	
	Store below 30°C			(1310-58-3)	MW : 56.1	6400.00	5 kg	
PCT2321	DL-a-Lipoic Acid	1090.00	1 gm		Store below 30°C			
$C_8H_{14}O_2S_2$ (1077-28-7)	Plant Culture Tested MW : 206.33 Assay 98% Store at 2 - 8°C	4923.00	5 gm	PCT2534	Potassium Permanganate	1755.00	500 gm	
				Plant Culture Tested		3150.00	1 kg	
PCT2557	Luciferin	24930.00	100 mg	$KMnO_4$ (7722-64-7)	MW : 158.03 Store below 30°C			
$C_{11}H_8N_2O_3S_2$ (2591-17-5)	Plant Culture Tested MW : 280.3	59895.00	250 mg					
	Store below 20°C	113400.00	500 mg	PCT2559	Oryzalin	3852.00	100 mg	
		216090.00	1 gm	Plant Culture Tested		16515.00	500 mg	
PCT2558	2-Nitrophenyl-B-Galactopyranoside	6310.00	5 gm	$C_{12}H_{18}N_4O_6S$ (19044-88-3)	MW : 346.36 Store below 30°C	30852.00	1 gm	
$C_{12}H_{15}NO_8$ (369-07-3)	Plant Culture Tested MW : 301.3	10449.00	25 gm					
	Store below 30°C			PCT2308	Silver Thiosulphate	783.00	100 ml	
PCT2542	Pendimethalin	3564.00	100 mg	Plant Culture Tested		2980.00	5X100 ml	
$C_{13}H_{19}N_3O_4$ (40487-42-1)	Plant Culture Tested MW : 281.31			(23149-52-2)	Store at 2 - 8°C			
	Store below 30°C			PCT2317	Sodium Alginate	397.00	100 gm	
PCT2537	DL-Phosphinothricin	8253.00	250 mg	Plant Culture Tested		1611.00	500 gm	
$C_5H_{15}N_2O_4P$ (77182-82-2)	Plant Culture Tested MW : 198.2 Store at 2 - 8°C	26397.00	1 gm	(9005-38-3)	Store below 30°C			
				PCT2535	Sodium Bicarbonate	122.00	100 gm	
				Plant Culture Tested		540.00	500 gm	
				$NaHCO_3$ (144-55-8)	MW : 84.01	981.00	1 kg	
					Store below 30°C	3960.00	5 kg	
				PCT2327	Sodium Metasilicate	2017.00	1 gm	
				Plant Culture Tested		40460.00	25 gm	
				Na_2SiO_3 (6834-92-0)	MW : 122.06 Assay : =95% Store below 30°C			

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
PCT2536 C ₁₃ H ₁₆ F ₃ N ₃ O ₄ (1582-09-8)	Trifluralin Plant Culture Tested MW : 335.28 Assay 97% Store below 30°C	16061.00	100 mg
ORGANIC ACIDS			
PCT1501 C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous Plant Culture Tested MW : 192.12 Assay 99.7% Store below 30°C	910.00	500 gm
PCT1505 C ₅ H ₆ O ₅ (328-50-7)	α-Ketoglutaric Acid Plant Culture Tested MW : 146.1 Assay 99% Store at 2 - 8°C	1090.00	25 gm
PCT1502 C ₄ H ₆ O ₅ (97-67-6)	L-(-)-Malic Acid Plant Culture Tested MW : 134.09 Assay 96.5% Store below 30°C	8910.00	250 gm
PCT1503 C ₃ H ₃ O ₃ Na (113-24-6)	Sodium Pyruvate (Pyruvic acid sodium salt) Plant Culture Tested MW : 110.04 Assay 99% Store below 30°C	684.00 2403.00	25 gm 100 gm
PCT1504 C ₄ H ₆ O ₄ (110-15-6)	Succinic Acid Plant Culture Tested MW : 118.09 Assay 99% Store below 30°C	842.00 3790.00	100 gm 500 gm
ORGANIC SUPPLEMENTS			
PCT1411 (9000-69-5)	Apple Pectin Plant Culture Tested Store below 30°C	4320.00 7776.00	500 gm 1 kg
PCT1401	Apple Powder (Malus sylvestris) Plant Culture Tested Store below 30°C	6102.00	250 gm
PCT1402	Banana Powder Plant Culture Tested Store below 30°C	2106.00	100 gm
PCT1403	Casein Enzymic Hydrolysate Plant Culture Tested Store below 30°C	4460.00	500 gm
PCT1414	Coconut Water Sterile filtered Plant Culture Tested Store at 2 - 8°C	1026.00 3600.00	100 ml 5X100 ml

Product Code	Product Name	Price	Packing
PCT1406	Veg Peptone No.1 Plant Culture Tested Store below 30°C	3880.00	500 gm
PCT2540	Lactalbumin Hydrolysate Plant Culture Tested Store below 30°C	5697.00 45540.00	500 gm 5 kg
PCT1412	Malt Extract Powder Plant Culture Tested Store below 30°C	2322.00	500 gm
PCT1413	Malt Extract Powder, Refined Plant Culture Tested Store below 30°C	3861.00	500 gm
PCT1407 (91079-38-8)	Peptone From Meat Plant Culture Tested Store below 30°C	2719.00	500 gm
PCT1408	Pineapple Powder Plant Culture Tested Store below 30°C	7740.00	250 gm
PCT1409	Potato Powder Plant Culture Tested Store below 30°C	1260.00	100 gm
PCT1410	Tomato Powder Plant Culture Tested Store below 30°C	423.00	250 gm
STERIODS/STEROLS			
PCT2521 C ₂₈ H ₄₆ O (474-67-9)	Brassicasterol Plant Culture Tested MW : 398.66 Assay 98% Store at 2 - 8°C	40410.00 70700.00	5 mg 10 mg
PCT2522 C ₂₈ H ₄₈ O ₆ (72962-43-7)	Brassinolide Plant Culture Tested MW : 480.68 Assay 90% Store below 30°C	33930.00 122400.00	10 mg 50 mg
PCT2550 C ₂₈ H ₄₈ O ₆ (78821-43-9)	Epibrassinolide Plant Culture Tested MW : 480.68 Assay: ≥85% Store below 30°C	7704.00 14310.00	5 mg 10 mg
PCT2524 C ₂₉ H ₅₀ O (83-46-5)	b Sitosterol Plant Culture Tested MW : 414.71 Assay 99% Store at -20°C	2106.00 3663.00 14670.00	10 gm 100 gm 500 gm
PCT2525 C ₂₉ H ₄₈ O (83-48-7)	Stigmasterol Plant Culture Tested MW : 412.69 Assay 95% Store below 30°C	2745.00 12312.00 55440.00	1 gm 5 gm 25 gm

PLANT TISSUE CULTURE TESTED CHEMICALS

Product Code	Product Name	Price	Packing
VITAMINS			
PCT1207	L-Ascorbic Acid (Vitamin C) Plant Culture Tested MW : 176.12 Assay 99% Store below 30°C	590.00 1044.00	50 gm 100 gm
C ₆ H ₈ O ₆ (50-81-7)			
PCT1211	4-Aminobenzoic Acid (PABA; p-Aminobenzoic acid) Plant Culture Tested MW : 137.14 Assay 99% Store below 30°C	801.00 3006.00	100 gm 500 gm
C ₇ H ₇ NO ₂ (150-13-0)			
PCT1201	D-Biotin (Vitamin H) Plant Culture Tested MW : 244.31 Assay 98.5% Store at 2 - 8°C	765.00 6930.00 13833.00	1 gm 10 gm 25 gm
C ₁₀ H ₁₆ N ₂ O ₃ S (58-85-5)			
PCT1202	Calcium D-Pantothenate (D-Pantothenic acid hemicalcium salt) Plant Culture Tested MW : 238.27 Assay 98% Store at 2 - 8°C	1314.00 4635.00	25 gm 100 gm
C ₉ H ₁₆ O ₅ N _{1/2} Ca (137-08-6)			
PCT1216	Cholecalciferol (Vitamin D3) Plant Culture Tested MW : 384.64 Assay 97% Store at 2 - 8°C	2277.00 20421.00	1 gm 10 gm
C ₂₇ H ₄₄ O (67-97-0)			
PCT1203	Choline Chloride Plant Culture Tested MW : 139.62 Assay 99% Store below 30°C	351.00 1575.00	100 gm 500 gm
C ₅ H ₁₄ ClNO (67-48-1)			
PCT1204	Cyanocobalamin (Vitamin B12) Plant Culture Tested MW : 1355.37 Assay 97% Store at 2 - 8°C	1260.00 4343.00	250 mg 1 gm
C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P (68-19-9)			
PCT1205	Folic Acid (Vitamin M; Vitamin B9) Plant Culture Tested MW : 441.4 Assay 98% Store at 2 - 8°C	783.00 1440.00 12960.00	5 gm 10 gm 100 gm
C ₁₉ H ₁₉ N ₇ O ₆ (59-30-3)			
PCT1206	Hypoxanthine (6-Hydroxypurine) Plant Culture Tested MW : 136.11 Assay 99% Store below 30°C	900.00 4041.00 8240.00	5 gm 25 gm 100 gm
C ₅ H ₄ N ₄ O (68-94-0)			

Product Code	Product Name	Price	Packing
PCT1208	Inositol (meso-Inositol) Plant Culture Tested MW : 180.16 Assay 98% Store below 30°C	522.00 1827.00 16470.00	25 gm 100 gm 1 kg
C ₆ H ₁₂ O ₆ (87-89-8)			
PCT1209	Niacinamide (Nicotinamide) Plant Culture Tested MW : 122.12 Assay 99.5% Store below 30°C	540.00	100 gm
C ₆ H ₆ N ₂ O (98-92-0)			
PCT1210	Niacin (Nicotinic acid) Plant Culture Tested MW : 123.11 Assay 99.5% Store below 30°C	221.00 540.00	25 gm 100 gm
C ₆ H ₅ NO ₂ (59-67-6)			
PCT1212	Pyridoxine hydrochloride (Vitamin B6 hydrochloride) Plant Culture Tested MW : 205.64 Assay 99% Store at 2 - 8°C	315.00 707.00	10 gm 25 gm
C ₈ H ₁₁ NO ₃ .HCl (58-56-0)			
PCT1214	(-)-Riboflavin (Vitamin B2) Plant Culture Tested MW : 376.36 Assay 99% Store below 30°C	441.00 963.00	10 gm 25 gm
C ₁₇ H ₂₀ N ₄ O ₆ (83-88-5)			
PCT1215	Thiamine Hydrochloride (Vitamin B1 hydrochloride) Plant Culture Tested MW : 337.27 Assay 99% Store at 2 - 8°C	963.00 3330.00 13356.00	25 gm 100 gm 500 gm
C ₁₂ H ₁₇ ClN ₄ OS.HCl (67-03-8)			

Plant Tissue Culture Tested Chemicals





MOLECULAR BIOLOGY CHEMICALS

MOLECULAR BIOLOGY CHEMICALS PRODUCTS

Your perfect choice for complete range of instant nucleic acid and protein purification, faster amplification and quicker detection needs in molecular research and diagnostics.



Product	Page
MB Chemicals for Multiple Applications	481-492
Nucleic Acid and Protein Extraction/ Purification	
I. Phenols	
ii. Detergents	
iii. Denaturants	
iv. Chaotropic Agents	
v. Reducing Agents	
Solvents	
Enzymes	
Agar	
Antibiotics	
Nucleic Acids	
Proteins and Amino Acids	
MB Chemicals for Chromatography	
MB Chemicals for Gel Electrophoresis	
Dyes and Stains	
i. Nucleic Acids	
ii. Proteins	
MB Chemicals for Density Gradient Centrifugation	
Polymers	
Chromogenic Substrates	
Substrates for ELISA and Western Blotting	
Inorganic Salts	
Sugars and Polysaccharides	
Good's Buffers	



WHY TO USE MB GRADE CHEMICALS

MOLECULAR BIOLOGY CHEMICALS PRODUCTS

For Molecular Biology research experiments highest quality chemicals are a prerequisite to ensure exact and reproducible results as traces of chemical impurities can interfere in the results or during the analysis.

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.



MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing
MOLECULAR BIOLOGY CHEMICALS			
909860	ACES Buffer (N-[2-Acetamido]-2-Aminoethane Sulfonic Acid) For Molecular Biology M. W.: 182.2 Assay : \geq 99% Store Below 30°C	711.00 2642.00 9450.00	5 gm 25 gm 100 gm
C ₄ H ₁₀ N ₂ O ₄ S (7365-82-4)			
909910	Acetamide (Amide C ₂) For Molecular Biology M. W.: 59.07 Assay : \geq 99% Store Below 30°C	891.00	100 gm
C ₂ H ₅ NO (60-35-5)			
909960	Acetic acid For Molecular Biology M. W.: 60.05 Assay : \geq 99.7% Store Below 30°C	1998.00	500 ml
C ₂ H ₄ O ₂ (64-19-7)			
910010	Acetone For Molecular Biology M. W.: 58.08 Assay : \geq 99.5% Store Below 30°C	873.00 2988.00	500 ml 2.5 lit
CH ₃ COCH ₃ (67-64-1)			
910090	Acetonitrile For Molecular Biology M. W.: 41.05 Assay : \geq 99.9% Store Below 30°C	1197.00	500 ml
CH ₃ CN (75-05-8)			
910140	Acridine Orange For Molecular Biology C. I. No. : 46005 M. W.: 369.96 Store Below 30°C	2430.00 5850.00	10 gm 25 gm
C ₁₇ H ₂₀ ClN ₃ .HCl1/2ZnCl ₂ (10127-02-3)			
910200	Acriflavine, Neutral For Molecular Biology C. I. No. : 46000 M. W.: 259.73 Store Below 30°C	5391.00	100 gm
C ₁₄ H ₁₄ ClN ₃ (8048-52-0)			
910550	Acrylamide 3x cryst. For molecular biology DNase, RNase, protease And Phosphate not detected M. W. : 71.08 Assay Min. 99.9%	396.00 1040.00 4442.00 7812.00 28062.00	25 gm 100 gm 500 gm 1 kg 5 kg
C ₃ H ₅ NO (79-06-1)			
910548	Acrylamide for Electrophoresis M. W.: 71.08 Assay 99.0%	221.00 603.00 1602.00	25 gm 100 gm 500 gm
C ₃ H ₅ NO (79-06-1)			
910560	Acrylamide for Electrophoresis (Low Conductance<5uS/cm) 3x Crystallised M. W.: 71.08 Assay (By GC) 99.5%	2286.00 6606.00	100 gm 500 gm
C ₃ H ₅ NO (79-06-1)			

Product Code	Product Name	Price	Packing
910660	Adenosine-5-Diphosphate Disodium Salt For Molecular Biology M. W.: 471.16 Assay : \geq 95% Store at 2-8°C	1692.00 8001.00	1 gm 5 gm
C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ (16178-48-6)			
910780	Agar Powder For Molecular Biology (9002-18-0) Store Below 30°C	2493.00 6507.00 11430.00	100 gm 500 gm 1 kg
911000	Agarose High EEO (9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	1107.00 2403.00 9000.00	10 gm 25 gm 100 gm 500 gm
911010	Agarose High EEO for molecular biology DNase, RNase, Protease not detected (9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	1350.00 2907.00 11250.00	10 gm 25 gm 100 gm 500 gm 1 kg
911020	Agarose Medium EEO type II (9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	1053.00 2205.00 8505.00	10 gm 25 gm 100 gm 500 gm 1 kg
911050	Agarose Medium EEO type II for molecular biology DNase, RNase, Protease not detected (9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	3492.00 6984.00 27900.00 54810.00	10 gm 25 gm 100 gm 500 gm 1 kg
911100	Agarose Low EEO Regular grade (9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	981.00 2106.00 8010.00	10 gm 25 gm 100 gm 500 gm 1 kg
911120	Agarose Low EEO for molecular biology DNase, RNase, Protease not detected (9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis, having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	1260.00 2700.00 9900.00	10 gm 25 gm 100 gm 500 gm 1 kg

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing
911150	Agarose Low EEO	1400.00	10 gm
	Superior grade type II	2970.00	25 gm
	for molecular biology	9990.00	100 gm
		POR	500 gm
		POR	1 kg
(9012-36-6)	A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR &RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp To 25kb.		
911250	Alcian Blue 8GX	12790.00	25 gm
	For Molecular Biology	24220.00	50 gm
	C. I. No. : 74240		
	M. W.: 1298.86		
	C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ (33864-99-2)		
	Store Below 30°C		
911400	Amaranth	324.00	25 gm
	For Molecular Biology	873.00	100 gm
	M. W.: 604.47		
	C ₂₀ H ₁₁ N ₂ Na ₃ O ₁₀ S ₃ (915-67-3)		
	Store Below 30°C		
911420	Amido black 10B	2007.00	25 gm
	For Molecular Biology	4806.00	100 gm
	M. W.: 616.49		
	C ₂₂ H ₁₄ N ₆ Na ₂ O ₉ S ₂ (1064-48-8)		
	Store Below 30°C		
913150	Ammonium Acetate	302.00	100 gm
	for Molecular Biology	801.00	500 gm
	M. W.: 77.08		
	Assay (Acidimetric ex NH ₃ Calc. on dry subs.) 99.0%		
	CH ₃ COONH ₄ (631-61-8)		
913350	Ammonium Chloride	774.00	500 gm
	for Molecular Biology		
	M. W.: 53.49		
	NH ₄ Cl (12125-02-9)		
913780	Ammonium Dihydrogen Ortho Phosphate	1000.00	500 gm
	For Molecular Biology		
	M. W.: 115.03		
	Assay ≥ 99%		
	Store Below 30°C		
	NH ₄ H ₂ PO ₄ (7722-76-1)		
913450	di-Ammonium Hydrogen Citrate	5500.00	500 gm
	For Molecular Biology		
	M. W.: 226.18		
	Assay ≥ 99%		
	Store Below 30°C		
	C ₆ H ₁₄ N ₂ O ₇ (3012-65-5)		
913770	di-Ammonium Hydrogen Ortho Phosphate	1071.00	500 gm
	For Molecular Biology		
	M. W.: 132.06		
	Assay ≥ 98%		
	Store Below 30°C		
	(NH ₄) ₂ HPO ₄ (7783-28-0)		
914110	Ammonium Molybdate Tetrahydrate	2350.00	100 gm
	For Molecular Biology	10530.00	500 gm
	M. W.: 1235.86		
	Assay ≥ 99%		
	Store Below 30°C		
	(NH ₄) ₆ Mo ₇ O ₂₄ ·4H ₂ O (12054-85-2)		

Product Code	Product Name	Price	Packing
914350	Ammonium Persulphate	550.00	100 gm
	for Molecular Biology	1800.00	500 gm
	M. W.: 228.19		
	Assay (iodometric) 98.0%		
	(NH ₄) ₂ S ₂ O ₈ (7727-54-0)		
914550	Ammonium Sulphate	792.00	250 gm
	for Molecular Biology	1566.00	500 gm
	M. W.: 132.14	13005.00	5 kg
	Assay 99.5%		
	(NH ₄) ₂ SO ₄ (7783-20-2)		
914600	Ammonium Thiocyanate	900.00	500 gm
	For Molecular Biology		
	M. W.: 76.12		
	Assay ≥ 99%		
	Store Below 30°C		
	NH ₄ SCN (1762-95-4)		
914750	Ampicillin Sodium Salt	414.00	1 gm
	For Molecular Biology	1602.00	5 gm
	M. W.: 371.39		
	Assay ≥ 91%		
	Store at 2 - 8°C		
	C ₁₆ H ₁₈ N ₃ NaO ₄ S (69-52-3)		
914890	Aprotinin, From Bovine Lung	12222.00	50 mg
	For Molecular Biology	22195.00	100 mg
	M. W.: 6511.14		
	Specific activity : ≥ 3.0 PEU/mg		
	(≥ 5400 KIU/mg)		
	Store at 2 - 8°C		
	C ₂₈₄ H ₄₃₂ N ₈₄ O ₇₉ S ₇ (9087-70-1)		
915250	Avidin, From Egg White	2862.00	10 mg
	For Molecular Biology	22500.00	100 mg
	M. W.: ~68,000		
	Activity : ≥ 10U/mg of protein		
	Store at 2 - 8°C		
	(1405-69-2)		
915435	2,2'-Azino-Bis (3-Ethylbenzothiazoline-6-Sulfonic Acid) Diammonium Salt	8721.00	1 gm
	For Molecular Biology		
	M. W.: 548.68		
	Assay : ≥ 98%		
	Store Below 30°C		
	C ₁₈ H ₂₄ N ₆ O ₆ S ₄ (30931-67-0)		
915740	Barbituric Acid	1540.00	100 gm
	For Molecular Biology	6930.00	500 gm
	M. W.: 128.09		
	Assay : ≥ 99%		
	Store Below 30°C		
	C ₄ H ₄ N ₂ O ₃ (67-52-7)		
915990	BES Buffer	1404.00	25 gm
	For Molecular Biology	4950.00	100 gm
	M. W.: 213.25		
	Assay : ≥ 99.5%		
	Store Below 30°C		
	C ₆ H ₁₅ NO ₅ S (10191-18-1)		
916200	Bicine Buffer	945.00	25 gm
	For Molecular Biology	3070.00	100 gm
	M. W.: 163.17	13590.00	500 gm
	Assay : ≥ 99%		
	Store Below 30°C		
	C ₆ H ₁₃ NO ₄ (150-25-4)		
916370	Bis-Tris	1701.00	25 gm
	(Bis[2-hydroxyethyl]-amino-tris [hydroxymethyl] methane)	5900.00	100 gm
	For Molecular Biology		
	M. W.: 209.24		
	Assay : ≥ 98%		
	Store Below 30°C		
	C ₈ H ₁₉ NO ₅ (6976-37-0)		

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
916850	Biuret For Molecular Biology M. W.: 103.08 Assay : ≥ 97% Store Below 30°C	1260.00 4320.00	25 gm 100 gm	920920	CAPS Buffer (3-[Cyclohexylamino]-1-Propanesulphonic Acid) For Molecular Biology M. W.: 221.32 Assay : ≥ 99% Store Below 30°C	1233.00 4599.00	25 gm 100 gm 250 gm 1 kg
C ₂ H ₅ N ₃ O ₂ (108-19-0)				C ₉ H ₁₉ NO ₃ S (1135-40-6)			
917250	Blue Dextran Form Leuconostoc Mesenteroides For Molecular Biology Av. M. W.: 2,000,000 Store Below 30°C	16812.00	1 gm	920960	Carboxy Methyl Cellulose Sodium Salt Medium Viscosity (CMC) For Molecular Biology Viscosity : 400-800cP (1% In Water) Store Below 30°C	9090.00	100 gm
(87915-38-6)				(9004-32-4)			
917600	Borax Decahydrate For Molecular Biology M. W.: 381.37 Assay : ≥ 99.5% Store Below 30°C	720.00	500 gm	920970	Cefotaxime Sodium Salt For Molecular Biology M. W.: 477.45 Assay : ≥ 98% Store at 2 - 8°C	1170.00 4833.00	1 gm 5 gm 10 gm 25 gm
Na ₂ B ₄ O ₇ ·10H ₂ O (1303-96-4)				C ₁₆ H ₁₆ N ₅ NaO ₇ S ₂ (64485-93-4)			
918000	Boric Acid for Molecular Biology M. W.: 61.83 Assay (Acidimetric) 99.5%	594.00 981.00 1827.00	250 gm 500 gm 1 kg	920990	Cellulose Powder For Molecular Biology Assay : ≥ 97% Store Below 30°C	910.00	500 gm
H ₃ BO ₃ (10043-35-3)				(9004-34-6)			
918730	Bovine Albumin for Molecular Biology Assay (ex N) 98.0% PH 6-7	882.00 1620.00 12006.00	5 gm 10 gm 100 gm	921000	Cesium Chloride for Molecular Biology M. W.: 168.36 Assay (Argentometric) 99.9-100.1%	1944.00 7245.00 33930.00	25 gm 100 gm 500 gm
(9048-46-8)				CsCl (7647-17-8)			
918750	Bovine Serum Albumin pH 6.5-7.5 (Nuclease and Protease Free) For Molecular Biology Assay : ≥ 98% Protein Store at 2 - 8°C	657.00 2907.00 9423.00 45720.00	5 gm 25 gm 100 gm 500 gm	921110	Cetrimide For Molecular Biology M. W.: 336.4 Assay : ≥ 96% Store Below 30°C	630.00 2997.00	100 gm 500 gm
(9048-46-8)				C ₁₇ H ₃₈ BrN (8044-71-1)			
919300	Bromo Phenol Blue For Molecular Biology M. W.: 669.96 Store Below 30°C	423.00 1962.00	5 gm 25 gm	921140	Cetyl dimethyl ethyl ammonium Bromide For Molecular Biology M. W.: 378.47 Assay : ≥ 98% Store at 2 - 8°C	5049.00	100 gm
C ₁₉ H ₁₀ Br ₄ O ₅ S (115-39-9)				C ₂₀ H ₄₄ BrN (124-03-8)			
920000	Bromo Phenol Blue Sodium Salt for Molecular Biology for Electro phoresis M. W.: 691.95	3195.00	5 gm	921160	N-Cetyl-N,N,N-Trimethyl Ammonium Bromide (CTAB) For Molecular Biology M. W.: 364.45 Assay : ≥ 99% Store Below 30°C	558.00 2637.00	100 gm 500 gm
C ₁₉ H ₁₀ Br ₄ O ₅ S.Na				C ₁₉ H ₄₂ BrN (57-09-0)			
920030	Bromo Thymol Blue For Molecular Biology M. W.: 624.38 Store Below 30°C	450.00 3330.00	5 gm 50 gm	921190	CHAPS Buffer For Molecular Biology M. W.: 614.88 Assay : ≥ 98% Store Below 30°C	1935.00 8712.00 15705.00 24210.00	1 gm 5 gm 10 gm 25 gm
C ₂₇ H ₂₈ Br ₂ O ₅ S (76-59-5)				C ₃₂ H ₅₈ N ₂ O ₇ S (75621-03-3)			
920800	n-Butanol (n-Butyl Alcohol) For Molecular Biology M. W.: 74.12 Assay : ≥ 99.5% Store Below 30°C	3700.00	500 ml	921200	Chelex® -100 Sodium Form (50-100 Mesh) For Molecular Biology Cation Exchange Resin Av. MW: 3500 Mesh Size : 50-100 (Dry) Store Below 30°C	26672.00	25 gm
C ₄ H ₁₀ O (71-36-3)				(11139-85-8)			
920600	2-Butanol For Molecular Biology M. W.: 74.12 Assay : ≥ 99% Store Below 30°C	4104.00	500 ml				
C ₄ H ₁₀ O (78-92-2)							
920900	Calcium Chloride Dihydrate for Molecular Biology M. W.: 147.02 Assay 99.0%	401.00 1503.00	100 gm 500 gm				
CaCl ₂ ·2H ₂ O (10035-04-8)							

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing
921300 C ₆ H ₃ ClN ₂ O ₄ (97-00-7)	1-Chloro-2,4-Dinitro Benzene For Molecular Biology M. W.: 202.55 Assay : ≥ 99% Store Below 30°C	2700.00	500 gm
921400 CHCl ₃ (67-66-3)	Chloroform For Molecular Biology M. W.: 119.38 Assay : ≥ 99.8% Store Below 30°C	482.00 2052.00	100 ml 500 ml
921500	Chloroform : Iso Amyl Alcohol 24:1 for Molecular Biology	2367.00	500 ml
922000 C ₆ H ₈ O ₇ (77-92-9)	Citric Acid Anhydrous For Molecular Biology M. W.: 192.12 Assay : ≥ 99.5% Store Below 30°C	2480.00	500 gm
922100 (9000-11-7)	CM-Cellulose Cm 32 (Dry Macrogranular) For Cation Exchange For Molecular Biology Store Below 30°C	140513.00 252900.00	500 gm 1 kg
922460 C ₄₇ H ₄₈ N ₃ NaO ₇ S ₂ (6104-58-1)	Coomassie® Brilliant Blue G - 250 For Molecular Biology C. I. No. : 42655 M. W.: 854.02 Store Below 30°C	1485.00 6840.00	5 gm 25 gm
922510 C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ (6104-59-2)	Coomassie Brilliant Blue R 250 For Molecular Biology C. I. No. : 42660 M. W.: 825.97 Store Below 30°C	1746.00 2763.00 10800.00	5 gm 25 gm 100 gm
923560 (CH ₃ COO) ₂ Cu.H ₂ O (6046-93-1)	Copper Acetate Monohydrate For Molecular Biology M. W.: 199.65 Assay : ≥ 98.0% Store Below 30°C	360.00 550.00 2223.00	50 gm 100 gm 500 gm
922780 CuSO ₄ .5H ₂ O (7758-99-8)	Copper (II) Sulphate Pentahydrate For Molecular Biology M. W.: 249.69 Assay : ≥ 99.5% Store Below 30°C	252.00 1000.00	100 gm 500 gm
923500 C ₃₄ H ₆₂ O ₁₁ (9002-93-1)	CritonX100 for Molecular Biology M. W.: 646.87	558.00 891.00 4356.00	50 ml 100 ml 500 ml
923600 C ₅₈ H ₁₁₄ O ₂₆ (9005-64-5)	Cween 20 for Molecular Biology (Polyoxyethylene (20) Sorbitan Monolaurate) M.W. 1227.72	4311.00	100 ml POR 5x100 ml

Product Code	Product Name	Price	Packing
923800 C ₁₆ H ₁₅ N ₅ .2HCl (28718-90-3)	DAPI Dihydrochloride (4',6-Diamidino-2-Phenylindole Dihydrochloride) For Molecular Biology M. W.: 350.25 Assay : ≥ 95% Store at 2 - 8°C	3906.00 7776.00	10 mg 25 mg
923850 (9013-34-7)	Deae Cellulose - 52 (Diethylaminoethyl-Cellulose) Fine Mesh For Column Chromatography For Molecular Biology Store Below 30°C	2170.00 10053.00 35001.00	5 gm 25 gm 100 gm
923900 (9015-73-0)	Deae Dextran For Molecular Biology Av. MW. : 500000 Store Below 30°C	11800.00 29997.00	25 gm 100 gm
924550 (9003-98-9)	Deoxy ribonuclease I From Bovine Pancreas For Molecular Biology E. C. No. : 3.1.21.1 MW.: ~31 kDa Activity : ≥ 400 Units/mg (Kunitz) Store at -20°C	752.00 7236.00 12402.00	3750 u 37500 u 75000 u
924685 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 5 For Molecular Biology Av.M. W.: 4000-6000	4302.00	25 gm
924690 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 6 For Molecular Biology Av.M. W.: 5500-7500	7110.00	25 gm
924695 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 10 For Molecular Biology Av.M. W.: 9000-11000	5841.00	25 gm
924700 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 20 For Molecular Biology Av.M. W.: 17000-23000	9144.00	25 gm
924705 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 40 For Molecular Biology Av.M. W.: 35000-45000	16830.00	25 gm
924710 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 60 For Molecular Biology Av.M. W.: 54000-66000	6372.00	25 gm
924715 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 70 For Molecular Biology Av.M. W.: 64000-76000	6444.00	25 gm
924720 (C ₆ H ₁₀ O ₅) _n (9004-54-0)	▲Dextran 110 For Molecular Biology Av.M. W.: 1,00,000 - 1,20,000	5841.00	25 gm

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
924730	▲Dextran 250 For Molecular Biology Av.M. W.: 2,25,000 - 2,75,000	12960.00	25 gm	928550	DL-Dithiothreitol (D.T.T.) for Molecular Biology M. W.: 154.24	693.00 2421.00	1 gm 5 gm
(C ₆ H ₁₀ O ₅) _n (9004-54-0)				C ₄ H ₁₀ O ₂ S ₂ (3483-12-3)			
924735	▲Dextran 500 For Molecular Biology Av.M. W.: 4,50,000 - 5,50,000	7992.00	25 gm	932400	Ethidium Bromide For Molecular Biology M. W.: 394.31 Assay : ≥ 95% Store Below 30°C	860.00 3330.00	1 gm 5 gm
(C ₆ H ₁₀ O ₅) _n (9004-54-0)				C ₂₁ H ₂₀ BrN ₃ (1239-45-8)			
924780	▲Dextran Sulphate Sodium Salt For Molecular Biology M. W.: ~8,000	2421.00 10170.00 37350.00	5 gm 25 gm 100 gm	932450	Ethidium Bromide Solution (10mg/ml) For Molecular Biology M. W.: 394.31 Assay : ≥ 95% Store at 2 - 8°C	2925.00	10 ml
(9011-18-1)				C ₂₁ H ₂₀ BrN ₃ (1239-45-8)			
924900	Dextrose Anhydrous For Molecular Biology M. W. : 180.16 Assay : ≥ 99.5% Store Below 30°C	1440.00 7020.00	100 gm 500 gm	932500	Ethylene Diamine Tetra Acetic Acid Disodium Salt for Molecular Biology M. W.: 372.24 Assay (Complexometric) 99.5%	1305.00 2997.00 28800.00	100 gm 500 gm 5 kg
C ₆ H ₁₂ O ₆ (50-99-7)				C ₁₀ H ₁₄ N ₂ Na ₂ O ₈ .2H ₂ O (6381-92-6)			
925600	Dichloromethane for Molecular Biology M. W.: 84.93 Assay (GC) 99.5%	1152.00	500 ml	932600	Ethylene Glycol-O,O-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid (E.G.T.A.) For Molecular Biology M. W.: 380.35 Assay : ≥ 99% Store Below 30°C	3330.00	10 gm
CH ₂ Cl ₂ (75-09-2)				C ₁₄ H ₂₄ N ₂ O ₁₀ (67-42-5)			
926010	Diethyl Pyrocarbonate (DEPC) For Molecular Biology M. W.: 162.14 Assay : ≥ 99%	2502.00 8856.00	25 ml 100 ml	933200	Fast Green FCF For Molecular Biology C. I. No. : 42053 M. W.: 808.85	4510.00 9927.00	10 gm 25 gm
C ₆ H ₁₀ O ₅ (1609-47-8)				C ₃₇ H ₃₄ N ₂ O ₁₀ S ₃ Na ₂ (2353-45-9)			
926490	Diluent For DNA Extraction (For Molecular Biology) Assay : ≥ 99.8% Store Below 30°C	882.00 2170.00 19404.00	100 ml 500 ml 10x500 ml	934400	Ferric Chloride Anhydrous For Molecular Biology M. W.: 162.2 Assay : ≥ 98% Store Below 30°C	243.00 585.00 1103.00	50 mg 1 gm 5 gm
				FeCl ₃ (7705-08-0)			
926500	N,N-Dimethyl Formamide for Molecular Biology M. W.: 73.09	1152.00	500 ml	934650	Ficoll 400 For Molecular Biology Av. MW : 400000 Store Below 30°C	2493.00 11385.00	5 gm 25 gm
C ₃ H ₇ NO (68-12-2)				(26873-85-8)			
926590	Dimethyl Sulphoxide for Molecular Biology M. W.: 78.13 Assay 99.0%	1107.00 3906.00	100 ml 500 ml	935800	Formaldehyde Solution for Molecular Biology Assay 36.5-38.0%	1107.00	500 ml
C ₂ H ₆ SO (67-68-5)				(50-00-0)			
926640	3-(4,5-Dimethyl-2-Thiazolyl)-2,5-Diphenyl-2H-Tetrazolium Bromide (MTT: Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98% Store at 2 - 8°C	640.00 3168.00 4905.00	100 mg 500 mg 1 gm	937530	Formamide for Molecular Biology M. W.: 45.04 Assay (GC) 99.5%	1305.00 2502.00	500 ml 1 lit
C ₁₈ H ₁₆ BrN ₅ S (298-93-1)				CH ₃ NO (75-12-7)			
926780	3,5-Dinitro Salicylic Acid For Molecular Biology M. W.: 228.12 Assay : ≥ 98% Store Below 30°C	1638.00 5715.00	25 gm 100 gm	937600	D-Fructose For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	370.00 1220.00 2205.00	100 gm 500 gm 1 kg
C ₇ H ₄ N ₂ O ₇ (609-99-4)				C ₆ H ₁₂ O ₆ (57-48-7)			
926800	2,2-Diphenyl-1-Picryl Hydrazyl For Molecular Biology M. W.: 394.32 Assay : ≥ 85% Store at 2 - 8°C	11250.00	1 gm	937750	D-Galactose For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	1999.00 9559.00 18801.00	100 gm 500 gm 1 kg
C ₁₈ H ₁₂ N ₅ O ₆ (1898-66-4)				C ₆ H ₁₂ O ₆ (59-23-4)			
928500	Dithioerythreitol (D.T.E.) For Molecular Biology M. W.: 154.24	1584.00 7110.00	1 gm 5 gm				
C ₄ H ₁₀ O ₂ S ₂ (6892-68-8)							

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing
937800 (9000-70-8)	Gelatin, Type A For Molecular Biology Assay : 70-90% Protein (Biuret) Store Below 30°C	1998.00	500 gm
937880 C ₅ H ₈ O ₂ (111-30-8)	Glutaraldehyde Soln. 25% w/w For Molecular Biology M. W. : 100.12 Concentration : 24.5-30% Store at 2 - 8°C	14770.00	100 ml
939200 C ₁₀ H ₁₇ N ₃ O ₆ S (70-18-8)	L-Glutathione Reduced For Molecular Biology M. W.: 307.32 Assay : ≥ 98% Store at 2 - 8°C	730.00 2142.00 8055.00 18702.00	1 gm 5 gm 25 gm 100 gm
940500 C ₃ H ₈ O ₃ (56-81-5)	Glycerol for Molecular Biology M. W.: 92.09 Assay (GC) 99.0%	1890.00 3645.00	500 ml 1 lit
940600 C ₂ H ₅ NO ₂ (56-40-6)	Glycine for Molecular Biology M. W.: 75.07 Assay (Non-aqueous) 99.0%	432.00 1413.00 2610.00 12510.00	100 gm 500 gm 1 kg 5 kg
940900 (C ₆ H ₁₀ O ₅) _n (9005-79-2)	Glycogen (From Oysters) Type II For Molecular Biology Total Sugar : ≥ 90% Store at 2-8°C	1125.00 3893.00 15561.00	1 gm 5 gm 25 gm
941100 (50-01-1)	Guanidine Hydrochloride for Molecular Biology	765.00 3483.00	100 gm 500 gm
941180 CH ₅ N ₃ .CHNS (593-84-0)	Guanidine Thiocyanate (Guanidine Isothiocyanate) For Molecular Biology M. W.: 118.16 Assay : ≥ 99% Store Below 30°C	532.00 873.00 4140.00 8172.00 38350.00	25 gm 100 gm 500 gm 1 kg 5 kg
941220 C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)	HEPES Buffer [N-(2-Hydroxyethyl)Piperazine-N'-(2-Ethanesulphonic Acid)] For Molecular Biology M. W.: 238.3 Assay : ≥ 99.5% Store Below 30°C	837.00 2530.00 9243.00	25 gm 100 gm 500 gm
941390 C ₈ H ₁₈ N ₂ O ₄ S (7365-45-9)	HEPES, Low Sodium For Molecular Biology M. W. : 238.31 Assay : ≥ 99.5% Store Below 30°C	5022.00 13212.00	25 gm 100 gm
941440 C ₈ H ₁₇ N ₂ NaO ₄ S (75277-39-3)	HEPES, Sodium Salt For Molecular Biology M. W.: 260.29 Assay : ≥ 99% Store Below 30°C	1566.00 3700.00 12520.00	25 gm 100 gm 500 gm
941920 C ₆ H ₁₀ CIN ₃ O ₂ .H ₂ O (5934-29-2)	L-Histidine Hydrochloride Monohydrate for Molecular Biology M.W : 209.63 Assay 99.0%	900.00 3006.00	25 gm 100 gm

Product Code	Product Name	Price	Packing
942020 (68131-04-4)	Humic Acid Sodium Salt For Molecular Biology Store Below 30°C	2214.00	100 gm
942120 (7647-01-0)	Hydrochloric Acid Fuming 37% for Molecular Biology	702.00	500 ml
948100 C ₃ H ₄ N ₂ (288-32-4)	Imidazole for Molecular Biology M. W.: 68.08 Assay (GC) 99.5%	2502.00 7560.00	100 gm 500 gm
943600 C ₁₉ H ₁₃ CIN ₅ O ₂ (146-68-9)	I. N. T. Chloride (Int Dye) For Molecular Biology M. W.: 505.7 Assay : ≥ 95% Store at 2 - 8°C	2718.00	1 gm
949000 C ₅ H ₁₁ OH (123-51-3)	Iso Amyl Alcohol for Molecular Biology M. W.: 88.15 Assay (GC) 99.5%	1800.00	500 ml
949110 C ₉ H ₁₈ O ₅ S (367-93-1)	Isopropyl-β-D-Thiogalactopyranoside (Isopropyl-β-D-Thiogalactoside; IPTG) For Molecular Biology M. W.: 238.3 Assay : ≥ 99% Store at 2 - 8°C	396.00 1800.00 3321.00 7713.00	1 gm 5 gm 10 gm 25 gm
950800 C ₁₈ H ₃₆ N ₄ O ₁₁ .H ₂ SO ₄ (25389-94-0)	Kanamycin Sulphate For Molecular Biology Potency : ≥ 750µg/mg M. W.: 582.58	693.00 2934.00 10279.00	1 gm 5 gm 25 gm
950870 C ₅ H ₆ O ₅ (328-50-7)	a- Keto Glutaric Acid For Molecular Biology M. W.: 146.1 Assay : ≥ 99% Store at 2 - 8°C	3627.00	100 gm
951290 C ₁₂ H ₂₂ O ₁₁ .H ₂ O (64044-51-5)	Lactose Monohydrate For Molecular Biology M. W.: 360.31 Assay : ≥ 99.5% Store Below 30°C	720.00 5571.00	500 gm 5 kg
951590 C ₄ H ₆ O ₄ Pb.3H ₂ O (6080-56-4)	Lead Acetate Trihydrate For Molecular Biology M. W.: 379.33 Assay : ≥ 99% Store Below 30°C	405.00 1827.00	100 gm 500 gm
951930 C ₃₇ H ₃₄ N ₂ O ₉ S ₃ Na ₂ (5141-20-8)	Light Green SF Yellowish For Molecular Biology C. I. No. : 42095 M. W.: 792.85 Store Below 30°C	2997.00 9000.00	25 gm 100 gm
952900 LiCl (7447-41-8)	Lithium Chloride For Molecular Biology M. W.: 42.39 Assay : ≥ 99% Store Below 30°C	2700.00 12600.00	100 gm 500 gm

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
953200	*Lysozyme (Muramidase) From Chicken Egg White Lyophilized For Molecular Biology E. C. No. : 3.2.1.17 Av. MW. : 14600 Daltons Activity : ~30,000 U/mg Upon Receipt Store at - 20°C	1090.00 5162.00 22707.00	1 gm 5 gm 25 gm	959800	D-Mannitol For Molecular Biology M. W.: 182.17 Assay : ≥ 99% Store Below 30°C	1440.00 2592.00	500 gm 1 kg
(12650-88-3)				C ₆ H ₁₄ O ₆ (69-65-8)			
953700	*Lyticase From Anthrobacter Luteus For Molecular Biology Activity : ~2000 U/mg of Protein Upon Receipt Store at - 20°C	7227.00 11120.00	10000 u 20000 u	960100	D(+)-Mannose For Molecular Biology M. W.: 180.16 Assay : ≥ 99% Store Below 30°C	5130.00	100 gm
(37340-57-1)				C ₆ H ₁₂ O ₆ (3458-28-4)			
959200	Magnesium Acetate Tetrahydrate for Molecular Biology M. W.: 214.46	603.00 2800.00	100 gm 500 gm	960150	Mercuric Chloride For Molecular Biology M. W.: 271.50 Assay : ≥ 99.5% Store Below 30°C	12006.00	250 gm
(CH ₃ .COO) ₂ Mg.4H ₂ O (16674-78-5)				HgCl ₂ (7487-94-7)			
959300	Magnesium Chloride Anhydrous For Molecular Biology M. W.: 95.21 Assay : ≥ 98% Store Below 30°C	460.00 2043.00	100 gm 500 gm	960250	MES Monohydrate (2-(N-Morpholino)Ethanesulphonic Acid Monohydrate) For Molecular Biology M. W.: 213.25 Assay : ≥ 90% Store Below 30°C	1107.00 4194.00	25 gm 100 gm
MgCl ₂ (7786-30-3)				C ₆ H ₁₃ NO ₄ S.H ₂ O (145224-94-8)			
959340	Magnesium Chloride for Molecular Biology M. W.: 203.30 Assay (Complexometric) 99.0%	1206.00 9801.00	500 gm 5 kg	960400	Methanol For Molecular Biology M. W.: 32.04 Assay : ≥ 99.9% Store Below 30°C	1000.00	500 ml
MgCl ₂ .6H ₂ O (7791-18-6)				CH ₃ OH (67-56-1)			
959580	Magnesium Sulphate for Molecular Biology M. W.: 246.47 Assay (Complexometric) 99.5%	4230.00	500 gm	960500	N'-N'-Methylene-Bis-Acrylamide for Molecular Biology (Bis-acrylamide) M. W.: 154.17	630.00 2003.00 9441.00	25 gm 100 gm 500 gm
MgSO ₄ .7H ₂ O (10034-99-8)				C ₇ H ₁₀ N ₂ O ₂ (110-26-9)			
959600	Maleic Acid For Molecular Biology M. W.: 116.07 Assay : ≥ 99% Store Below 30°C	1197.00	500 gm	961920	Methylene Blue Trihydrate For Molecular Biology C. I. NO. : 52015 M. W.: 319.86 aq. Assay : ≥ 99% Store Below 30°C	630.00 2160.00	25 gm 100 gm
C ₄ H ₄ O ₄ (110-16-7)				C ₁₆ H ₁₈ ClN ₃ S.XH ₂ O (61-73-4)			
959590	DL-Malic Acid For Molecular Biology M. W.: 134.09 Assay : ≥ 99% Store Below 30°C	792.00	500 gm	961070	MOPS Buffer (3-(N-Morpholino) Propanesulphonic Acid) For Molecular Biology M. W.: 209.26 Assay : ≥ 99.5% Store Below 30°C	1170.00 4320.00 19530.00	25 gm 100 gm 500 gm
C ₄ H ₆ O ₅ (6915-15-7)				C ₇ H ₁₅ NO ₄ S (1132-61-2)			
959610	D-(+)-Maltose Monohydrate For Molecular Biology M. W.: 360.31 Assay : ≥ 95% Store Below 30°C	405.00 1800.00	100 gm 500 gm	961120	MOPSO Buffer For Molecular Biology M. W.: 225.26 Assay : ≥ 99% Store Below 30°C	1900.00	25 gm
C ₁₂ H ₂₂ O ₁₁ .H ₂ O (6363-53-7)				C ₇ H ₁₅ NO ₅ S (68399-77-9)			
959640	Manganese (II) Chloride Tetrahydrate For Molecular Biology M. W.: 197.91 Assay : ≥ 98% Store Below 30°C	306.00 1125.00	100 gm 500 gm	961170	MTT (3-(4,5-Dimethyl-2-Thiazolyl)- 2,5-Diphenyl-2H-Tetrazolium Bromide); Thiazolyl Blue) For Molecular Biology M. W.: 414.32 Assay : ≥ 98% Store at 2 - 8°C	756.00 3177.00 6300.00	100 mg 500 mg 1 gm
MnCl ₂ .4H ₂ O (13446-34-9)				C ₁₈ H ₁₆ BrN ₅ S (298-93-1)			
959700	Manganese (II) Sulphate Monohydrate For Molecular Biology M. W.: 169.02 Assay : ≥ 99% Store Below 30°C	1026.00 1540.00	500 gm 1 kg				
MnSO ₄ .H ₂ O (10034-96-5)							

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
962680	Nicotinamide Adenine Dinucleotide (DPN; NAD, From Yeast) For Molecular Biology Store Below 30°C	910.00 4392.00	1 gm 5 gm	970290	Paraffin Wax Pellets Congealling Point : 58 - 60°C For Molecular Biology Store Below 30°C	1193.00 4167.00	500 gm 2 kg
963840	Nicotinamide Adenine Dinucleotide Phosphate Disodium Salt (NADP (TPN) Disodium Salt) For Molecular Biology M. W.: 787.37 Assay : ≥ 90% Store Below 30°C	1233.00 8505.00	100 mg 1 gm	970300	Paraffin Wax Pellets Congealling Point : 60 - 62°C For Molecular Biology Store Below 30°C	1971.00 6903.00	500 gm 2 kg
964710	β-Nicotinamide Adenine Dinucleotide Reduced Disodium Salt (DPNH Disodium Salt; NADH Disodium Salt) For Molecular Biology Store Below 30°C	374.00 3303.00 14832.00	100 mg 1 gm 5 gm	970400	Perchloric Acid ~60% For Molecular Biology M. W.: 100.46 Assay : 60-62% Store Below 30°C	4356.00	500 ml
965170	Nile Red For Molecular Biology M. W.: 318.37 Store Below 30°C	3893.00 32810.00	100 mg 1 gm	970500	Peroxidase, Horseradish For Molecular Biology (Rz ≥ 3.0, Salt Free) Activity : ≥ 250 Units/mg Store at 2 - 8°C	29250.00	25000 u
967260	Ninhydrin (2,2-Dihydroxy-1,3-Indanedione) For Molecular Biology M. W.: 178.14 Assay : ≥ 99% Store Below 30°C	1026.00 2260.00	10 gm 25 gm	970650	Phenazine Methosulphate For Molecular Biology M. W.: 306.34 Assay : ≥ 90% Store at 2 - 8°C	9050.00	10 gm
970100	- Nitro B.T. for Microscopy and for Molecular Biology M. W.: 817.67 Assay (Argentometric, ex Cl), anhydrous) 95.0%	882.00 3870.00 6930.00	100 mgm 500 mgm 1 gm	970698	Phenol for Molecular Biology M. W.: 94.11 Assay (GC) 99.5%	441.00 1602.00	100 gm 500 gm
970150	p-Nitrophenyl Phosphate Disodium Salt Hexahydrate For Molecular Biology M. W.: 371.14 Assay : ≥ 98% Store at 2 - 8°C	860.00 3700.00	5 gm 25 gm	970900	Phenyl Methane Sulphonyl Fluoride (PMSF) For Molecular Biology M. W.: 174.19 Assay : ≥ 99% Store Below 30°C	801.00 3618.00 6903.00	1 gm 5 gm 10 gm
970195	Octylphenyl Polyethylene Glycol {Nonidet P 40, (NP-40,4-nonylphenyl]} (9016-45-9)	882.00 4005.00	100 ml 500 ml	970230	ortho-Phosphoric Acid For Molecular Biology M. W.: 98.00 Assay : ≥ 85% Store Below 30°C	4410.00	250 ml
970210	Orcinol Monohydrate For Molecular Biology M. W.: 142.15 Assay : ≥ 98% Store Below 30°C	1202.00 2084.00 8200.00	10 gm 25 gm 100 gm	971200	Piperazine-N,N'-Bis-(2-Ethane Sulphonic Acid) (PIPES) For Molecular Biology M. W.: 302.37 Assay : ≥ 99.5% Store Below 30°C	5994.00	100 gm 500 gm
970260	Oxalic Acid Dihydrate For Molecular Biology M. W.: 126.07 Assay : ≥ 99% Store Below 30°C	1090.00	1 kg	971730	Polyethylene Glycol MW 4000 For Molecular Biology Av MW. : 3600-4400 Store Below 30°C	630.00	500 gm
961020	Paraffin Liquid For Molecular Biology (Mineral Oil) Store Below 30°C	432.00 1909.00	100 ml 500 ml	971920	Polyethylene Glycol MW 6000 For Molecular Biology Av MW. : 5000-7000 Store Below 30°C	770.00	500 gm

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
972110 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol MW 8000 For Molecular Biology Av MW. : 7000-9000 Store Below 30°C	914.00	500 gm	972350 KNO ₃ (7757-79-1)	Potassium Nitrate For Molecular Biology M. W.: 101.1 Assay : ≥ 99% Store Below 30°C	739.00	500 gm
971540 H(OCH ₂ CH ₂) _n OH (25322-68-3)	Polyethylene Glycol MW 20000 For Molecular Biology Av MW. : 16000-25000 Store Below 30°C	8811.00	500 gm	972430 C ₄ H ₄ KNaO ₆ ·4H ₂ O (6381-59-5)	Potassium Sodium (+) Tartrate Tetrahydrate For Molecular Biology M. W.: 282.22 Assay : ≥ 99% Store Below 30°C	1810.00	500 gm
972440 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-30 (Povidone) For Molecular Biology Water Soluble Polymer Made From N-Vinylpyrrolidone Av. MW. : 40000 Store Below 30°C	585.00 2772.00	100 gm 500 gm	972570 C ₃ H ₈ O (67-63-0)	2-Propanol for Molecular Biology M. W.: 60.10 Assay (GC) 99.5%	1737.00	500 ml
961710 (C ₆ H ₉ NO) _n (9003-39-8)	Polyvinyl Pyrrolidone K-90 for Molecular Biology M.W. 360000 Store Below 30°C	2800.00	100 gm	972510 C ₂₇ H ₃₄ I ₂ N ₄ (25535-16-4)	Propidium Iodide For Molecular Biology M. W.: 668.39 Assay : ≥ 94% Store Below 30°C	2214.00 4032.00	10 mg 25 mg
972800 C ₂₂ H ₁₂ N ₄ O ₁₃ S ₄ Na ₄ (6226-79-5)	Ponceau S Sodium Salt Electrophoretic Stain For Molecular Biology C. I. No. : 27195 M. W. : 760.57 Store Below 30°C	1800.00	25 gm	972590	Protein A Sepharose For Molecular Biology Store at 2 - 8°C	97002.00 174600.00	500 mg 1 gm
971720 CH ₃ COOK (127-08-2)	Potassium Acetate for Molecular Biology M. W.: 98.14 Assay (Non-aqueous) 99.0%	2421.00	500 gm	972670 (39450-01-6)	Proteinase K, From Pichia Pastoris Recombinant PCR Grade For Molecular Biology M. W.: 28.93 kDa Store at 2 - 8°C	720.00 6642.00 51750.00	10 mg 100 mg 1 gm
971800 KCl (7447-40-7)	Potassium Chloride for Molecular Biology M. W.: 74.55 Assay (Argentometric) 99.5%	1260.00 10171.00	500 gm 5 kg	972750 C ₁₇ H ₁₉ ClN ₂ O (92-32-0)	Pyronin Y For Molecular Biology C. I. No.: 45005 M. W.: 302.80 Store Below 30°C	2556.00	5 gm
972100 KH ₂ PO ₄ (7778-77-0)	Potassium Dihydrogen Ortho Phosphate for Molecular Biology M. W.: 136.09 Assay (Acidimetric) 99.5%	2403.00	500 gm	972830 C ₆ H ₆ O ₂ (108-46-3)	Resorcinol (1,3-Dihydroxybenzene) For Molecular Biology M. W.: 110.11 Assay : ≥ 99% Store Below 30°C	2664.00 5211.00 19530.00	25 gm 100 gm 500 gm
972300 K ₂ HPO ₄ (7758-11-4)	di-Potassium Hydrogen Ortho Phosphate for Molecular Biology M. W.: 174.18 Assay (Acidimetric) 99.5%	1450.00 5481.00	100 gm 500 gm	972910 (9001-99-4)	Ribonuclease-A (RNase A) From Bovine Pancreas (DNase Free) For Molecular Biology M. W.: ~13700 Assay : ≥ 50 Units/mg E. C. No. : 3.1.27.5 Protein (Kunitz) Store at 20°C	2682.00 12150.00 22460.00	100 mg 500 mg 1 gm
972220 KOH (1310-58-3)	Potassium Hydroxide Pellets For Molecular Biology M. W.: 56.11 Assay : ≥ 85% Store Below 30°C	657.00	500 gm	972990 (63231-63-0)	Ribonucleic Acid (RNA, From Torula Yeast) For Molecular Biology Assay : ≥ 86% Upon Receipt Store at - 20°C	1008.00 1926.00 7407.00	10 gm 25 gm 100 gm
972260 KI (7681-11-0)	Potassium Iodide For Molecular Biology M. W.: 166.0 Assay : ≥ 99.8% Store Below 30°C	3155.00 6930.00	100 gm 250 gm	973070 (73049-77-1)	Ribonucleic Acid Sodium Salt For Molecular Biology Store at 2 - 8°C	1990.00 4383.00 16623.00	10 gm 25 gm 100 gm

MOLECULAR BIOLOGY CHEMICALS

Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
973180	D-Ribose For Molecular Biology	221.00	1 gm	984840	Sodium Carbonate (Anhydrous) (Soda Ash)	2484.00	100 gm
C ₅ H ₁₀ O ₅ (50-69-1)	M. W.: 150.13 Assay : ≥ 99% Store at 2 - 8°C	927.00	5 gm		For Molecular Biology	4725.00	500 gm
		3033.00	25 gm	Na ₂ CO ₃ (497-19-8)	M. W.: 105.99 Assay : ≥ 99.9% Store Below 30°C	9091.00	1 kg
		7146.00	100 gm				
	RNA See Ribonucleic Acid						
	RNA SEA See Ribonuclease, SDS						
973230	Rubidium Chloride (RbCl)	4014.00	5 gm	984900	Sodium Chloride for Molecular Biology	873.00	500 gm
(7791-11-9)	For Molecular Biology M. W. : 120.92 Assay : ≥ 99.5% Store Below 30°C	19557.00	25 gm	NaCl (7647-14-5)	M. W. : 58.44 Assay (Argentometric after ignition) 99.9%	7470.00	5 kg
				985400	tri Sodium Citrate for Molecular Biology	1305.00	500 gm
				Na ₃ C ₆ H ₅ O ₇ .2H ₂ O (6132-04-3)	M. W.: 294.10 Assay (Non-aqueous) 99.5%		
973310	Saponin (From Plant) For Molecular Biology	5211.00	100 gm	986000	Sodium Dihydrogen Ortho Phosphate Anhydrous Molecular Biology	2097.00	500 gm
(8047-15-2)	Store Below 30°C	25461.00	500 gm	NaH ₂ PO ₄ (7558-80-7)	M.W. : 119.98 Assay 98.0%		
				986010	Sodium Dihydrogen Ortho Phosphate Monohydrate For Molecular Biology	3380.00	250 gm
973390	Sarcosyl For Molecular Biology	640.00	5 gm	NaH ₂ PO ₄ .H ₂ O (10049-21-5)	M. W.: 137.99 Assay : ≥ 99.5% Store Below 30°C		
C ₁₅ H ₂₈ NO ₃ Na (137-16-6)	M. W. : 293.38 Assay : ≥ 94% Store Below 30°C	2881.00	25 gm				
				986110	Sodium Dithionite For Molecular Biology	3114.00	500 gm
973470	Silicon (Anti Foaming Agent) For Molecular Biology	1540.00	100 gm	Na ₂ O ₄ S ₂ (7775-14-6)	M. W.: 174.11 Assay : ≥ 85% Store at 2 - 8°C		
(8047-15-2)	Store Below 30°C	3870.00	500 gm				
				986200	Sodium Hydrogen Carbonate for Molecular Biology	1341.00	500 gm
973550	Silver Nitrate For Molecular Biology	4032.00	10 gm	NaHCO ₃ (144-55-8)	M. W. : 84.01 Assay (Acidimetric) 99.7%		
AgNO ₃ (7761-88-8)	M. W.: 169.87 Assay : ≥ 99% Store Below 30°C	8865.00	25 gm	986350	di-Sodium Hydrogen Ortho Phosphate Anhydrous for Molecular Biology	2070.00	500 gm
		31032.00	100 gm	Na ₂ HPO ₄ (7558-79-4)	M. W.: 141.96 Assay (Acidimetric ;after drying) 99.5%		
				986400	di- Sodium Hydrogen Ortho Phosphate Dihydrate For Molecular Biology	1305.00	500 gm
984300	Sodium Acetate Anhydrous for Molecular Biology	900.00	250 gm	Na ₂ HPO ₄ .2H ₂ O (10028-24-7)	M. W.: 177.99 Assay (Acidimetric) 99.0%	12330.00	5 kg
CH ₃ COONa (127-09-3)	M. W.: 82.03 Assay (Non-aqueous) 99.0%			986460	Sodium Hydroxide Pellets For Molecular Biology	239.00	100 gm
984350	Sodium Acetate Trihydrate for Molecular Biology	603.00	250 gm	NaOH (1310-73-2)	M. W.: 40.00 Assay : ≥ 98% Store Below 30°C	603.00	500 gm
C ₂ H ₃ NaO ₂ 3H ₂ O (6131-90-4)	M. W.: 136.08	1161.00	500 gm			5400.00	5 kg
				986680	Sodium Lauryl Sulphate For Molecular Biology	594.00	25 gm
984400	Sodium Alginate For Molecular Biology	1729.00	100 gm	C ₁₂ H ₂₅ NaO ₄ S (151-21-3)	M. W.: 288.38 Assay (After drying two phase titration) 99.0%	1913.00	100 gm
(9005-38-3)	Store Below 30°C	7750.00	500 gm			6408.00	500 gm
				986780	Sodium Sulphate Anhydrous For Molecular Biology	666.00	1 kg
984500	Sodium Azide For Molecular Biology	1071.00	100 gm	NaSO ₄ (7757-82-6)	M. W.: 142.04 Assay : ≥ 99% Store Below 30°C		
NaN ₃ (26628-22-8)	M. W.: 65.01 Assay : ≥ 98% Store Below 30°C	4500.00	500 gm				
984800	Sodium Cacodylate Trihydrate For Molecular Biology	22500.00	50 gm				
C ₂ H ₆ AsO ₂ Na.3H ₂ O (6131-99-3)	M. W.: 214.03 Assay : ≥ 98% Store Below 30°C						

MOLECULAR BIOLOGY CHEMICALS


Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
986800 Na ₂ SO ₃ (7757-83-7)	Sodium Sulphite Anhydrous For Molecular Biology M. W.: 126.04 Assay : ≥ 98% Store Below 30°C	541.00	500 gm	988500 C ₆ H ₁₆ N ₂ (110-18-9)	n,n,n,n'- Tetramethyl Ethylene Diamine for Electrophoresis/Molecular Biology M. W.: 116.21	1602.00	100 ml
986870 Na ₂ S ₂ O ₃ (7772-98-7)	Sodium Thiosulphate Anhydrous For Molecular Biology M. W.: 158.11 Assay : ≥ 98% Store Below 30°C	405.00	500 gm	988990 CH ₂ N ₄ (288-94-8)	1H-Tetrazole For Molecular Biology M. W.: 70.05 Assay : ≥ 99% Store Below 30°C	784.00 3470.00	1 gm 5 gm
986930 Na ₂ S ₂ O ₃ ·5H ₂ O (10102-17-7)	Sodium Thiosulphate Pentahydrate For Molecular Biology M. W.: 248.18 Assay : ≥ 99% Store Below 30°C	423.00 765.00	500 gm 1 kg		Thiazolyl Blue See MTT;3-(4,5-Dimethyl-2-Thiazolyl)-2,5-Diphenyl-2H-Tetrazolium Bromide)		
987180 C ₆ H ₁₄ O ₆ (50-70-4)	D-Sorbitol Molecular Biology Grade M. W.: 182.17	1584.00 2700.00 9000.00	500 gm 1 kg 5 kg	989300 C ₆ H ₁₃ NO ₅ (5704-04-1)	Tricine For Molecular Biology M. W.: 179.17 Assay : ≥ 99% Store Below 30°C	4770.00	100 gm
987990 (C ₆ H ₁₀ O ₅) _n (9005-25-8)	Starch Hydrolysed For Molecular Biology	2412.00 10854.00	100 gm 500 gm	989490 C ₁₉ H ₁₅ N ₄ Cl (298-96-4)	2,3,5-Triphenyl Tetrazolium Chloride For Molecular Biology M. W.: 334.8 Assay : ≥ 99% Store Below 30°C	1980.00 4815.00	10 gm 25 gm
987050 (9013-20-1)	Streptavidin For Molecular Biology Activity (Fibrinogen) :~14 Units/mg Protein Store at 2 - 8°C	11286.00	5 mg	998660 C ₄ H ₁₁ NO ₃ (77-86-1)	Tris (Hydroxymethyl) Aminomethane for Molecular Biology A 40% at 290 nm.....max 0.03 (Tris Buffer, Tris Base) DNase, RNase, protease not detected M. W.: 121.14 Assay (Acidimetric; on dried material) 99.8%	1107.00 4905.00 44640.00	100 gm 500 gm 5 kg
987380 C ₁₂ H ₂₂ O ₁₁ (57-50-1)	Sucrose For Molecular Biology M. W.: 342.30 Assay 99.5%	585.00 1045.00 4249.00 POR	500 gm 1 kg 5 kg 25 kg	998780 C ₄ H ₁₁ NO ₃ ·HCl (1185-53-1)	Tris (Hydroxymethyl) Aminomethane Hydrochloride for Molecular Biology (Tris HCl) DNase, RNase, protease not detected M. W.: 157.60	1602.00 7002.00	100 gm 500 gm
987420 C ₂₉ H ₂₄ N ₆ (4197-25-5)	Sudan Black B For Molecular Biology C. I. No. : 26150 M. W. : 456.54 Store Below 30°C	3160.00	25 gm	990000 CH ₄ N ₂ O (57-13-6)	Urea for Molecular Biology M. W.: 60.06 Assay 99.5%	820.00 1476.00 6660.00	500 gm 1 kg 5 kg
987560 C ₆ H ₁₅ NO ₆ S (7365-44-8)	TES Buffer (N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) For Molecular Biology M. W. : 229.25 Assay : ≥ 99% Store Below 30°C	7650.00	100 gm	994000 H ₂ O (7732-18-5)	Water for Molecular Biology Grade M. W.: 18.015	3105.00	5 lit
987810 C ₂₂ H ₂₄ N ₂ O ₈ ·HCl (64-75-5)	Tetracycline Hydrochloride For Molecular Biology M. W. : 480.9 Potency : ≥ 900 µg/mg Store at 2 - 8°C	855.00 3861.00	5 gm 25 gm	998905 C ₁₄ H ₁₅ BrClNO ₆ (7240-90-6)	(X-Gal) 5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside For Molecular Biology M. W. : 408.63 Assay : ≥ 98% Store at 2 - 8°C	1656.00 7461.00 14913.00	100 mg 500 mg 1 gm
988900 C ₁₆ H ₂₀ N ₂ (54827-17-7)	3,3',5,5'-Tetramethylbenzidine (TMB) For Molecular Biology M. W. : 240.34 Assay : ≥ 99% Store Below 30°C	2772.00 8235.00	1 gm 5 gm	998907 C ₁₄ H ₁₂ BrClNaO ₇ (129541-41-9)	(X-Glucurono Sodium Salt) 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium Salt For Molecular Biology M. W. : 444.59 Assay : ≥ 98% Store at 20°C	9010.00 21600.00 39510.00	100 mg 500 mg 1 gm

Product Code	Product Name	Price	Packing
998908 C ₁₄ H ₁₂ BrClNO ₆ (15548-60-4)	(X-Glucoside) 5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside For Molecular Biology M. W. : 408.63 Assay : ≥ 97% Store at 2 - 8°C	1944.00	1 mg
		9090.00	5 mg
		16970.00	10 mg
998918 (9014-63-5)	Xylan From Beechwood For Molecular Biology Store Below 30°C	9450.00	10 gm
998923 C ₈ H ₁₀ (1330-20-7)	Xylene Mixture of Isomers For Molecular Biology M. W. : 106.17 Store Below 30°C	900.00 2300.00	500 ml 2.5 lit

Product Code	Product Name	Price	Packing
999000 ZnCl ₂ (7646-85-7)	Zinc Chloride for Molecular Biology M. W.: 136.29	2502.00	500 gm
999050 ZnSO ₄ .7H ₂ O (7446-20-0)	Zinc Sulphate Heptahydrate For Molecular Biology M. W. : 287.56 Assay : ≥ 99.5% Store Below 30°C	621.00	500 gm

Molecular Biology Grade Reagents

CDH offers wide range of Molecular Biology & Electrophoresis reagents - which are free from DNA, RNA & Protease and find application in the purification, isolation & analysis of nucleic acids & related compounds.












STAINS/READYMADE STAINING SOLUTION

Product	Page
Readymade Stains	494- 498
>> Stains for Gram Staining	
>> Stains for Metachromatic Staining	
>> Stains for Capsule Staining	
>> Stains for Spore Staining	
>> Blood Films Stains for Spirochaets, >> Protozoa and other purposes	
>> Stains for Mycobacteria Staining	
>> Stains for Acid Fast Staining	
>> Simple Stains for Bacteria	
>> Stains for Bacteria and Bovine Cells in Milk	
>> Stains for Fungi	
>> Stains for Intestinal Protozoa	
>> Stains for Negative Staining	
>> Staining kits for Haematology	
>> Staining Kit for Histology	
>> Other Stains	
>> Readymade Indicators	
>> Readymade Analytical Reagents	
>> Standard Soutions	




READYMADE STAINING SOLUTIONS



Product Code	Product Name	Price	Packing	Product Code	Product Name	Price	Packing
Readymade Stains							
Stains for Gram Staining							
K032015	Gram's Staining- Kit (Contains All Packing 125 ml Each 840090, 840120, 840200, 840250, 840150)		1296/1kit	K069015	Neisser's Metachromatic Stains-Kit (contains 840200, 868520, and 868790)		469/1kit
 <p>Gram Stains Kit (840051) Gram - positive : violet coloured Gram - negative : pinkish red coloured</p>				840200	Gram's Iodine Solution Iodine content 0.33%		153/125 ml
				868520	Neisser's Stain A Soln. (Methylene Blue)		145/125 ml
868790	Neutral Red pH indicator Solution		149/125 ml	K069025	Neisser's Metachromatic Stains-Kit (contains 840200, 868520, and 868790)		1584/ 1kit
840200	Gram's Iodine Solution		585/500 ml	840200	Gram's Iodine Solution		585/500 ml
868520	Neisser's Stain A Soln. (Methylene Blue)		550/500 ml	868520	Neisser's Stain A Soln. (Methylene Blue)		550/500 ml
868790	Neutral Red pH indicator Solution		540/500 ml	868790	Neutral Red pH indicator Solution		540/500 ml
K064025	Modified Neisser's Metachromatic Stains-Kit (1 minute staining) (Contains All Packing 500 ml Each)		1998/1 Kit	K064025	Modified Neisser's Metachromatic Stains-Kit (1 minute staining) (Contains All Packing 500 ml Each)		1998/1 Kit
868520	Neisser's Stain A Soln. (Methylene Blue)		550/500 ml	868520	Neisser's Stain A Soln. (Methylene Blue)		550/500 ml
868530	Neisser's Stain B Soln. (Crystal Violet)		540/500 ml	868530	Neisser's Stain B Soln. (Crystal Violet)		540/500 ml
868540	Neisser's Stain C Soln. (Chrysoidine Y)		540/500 ml	868540	Neisser's Stain C Soln. (Chrysoidine Y)		540/500 ml
Stains for Capsule Staining							
K032020	Gram's Stains- Kit (Contains All Packing 500 ml Each 840090, 840120, 840200, 840250, 840150)		4460/1kit	K010005	Capsule Stains-Kit (Contains All Packing 125 ml Each 865650 and 869200)		396/1kit
840090	Gram's Crystal Violet		675/500 ml	 <p>Capsule Stains Kit (814810) Clear halos against dark background</p>			
840120	Gram's Decolourizer		2880/2x500 ml				
840200	Gram's Iodine Solution		743/500 ml				
840250	Gram's Safranin 0.5% w/v		725/500 ml				
840150	Gram's Fuchsin Basic 0.1%		725/500 ml				
840090	Gram's Crystal Violet		675/500 ml				
840120	Gram's Decolourizer		2880/2x500 ml				
840200	Gram's Iodine Solution		743/500 ml				
840250	Gram's Safranin 0.5% w/v		725/500 ml				
840150	Gram's Fuchsin Basic 0.1%		725/500 ml				
Stains for Metachromatic Staining							
865630	Methylene Blue Alkaline (Löffler's)		180/125 ml 522/500 ml	865650	Methylene Blue (Aqueous)		153/125 ml
K000495	Albert's Metachromatic Stains- Kit (contains 802370 and 802380)		343/1kit	869200	Nigrosin Stain , 10% w/v		149/125 ml
 <p>Albert's Metachromatic Stains Kit (802390) Metachromatic Granules - Black Cytoplasm - Light Green</p>				K010015	Capsule Stains-Kit (Contains All Packing 500 ml Each 865650 and 869200)		1720/1kit
				865650	Methylene Blue Alkaline (Aqueous)		504/500 ml
802370	Albert's Stain A		162/125 ml	869200	Nigrosin Stain , 10% w/v		540/500 ml
802380	Albert's Stain B		162/125 ml	Stains for Spore Staining			
K000505	Albert's Metachromatic Stains- Kit (contains 802370 and 802380)		1350/1kit	K094005	Schaeffer & Fulton's Spore Stains-Kit (Contains All Packing 100 ml Each 887330 and 887360)		396/ 1kit
802370	Albert's Stain A		495/500 ml	 <p>Schaeffer & Fulton's Spore Stains Kit (887330) Spore - Green Vegetative Cells - Pink</p>			
802380	Albert's Stain B		450/500 ml				

Product Code	Product Name	Price	Packing
887330	Schaeffer & Fulton's Spore Stain A		243/100 ml
887360	Schaeffer & Fulton's Spore Stain B		203/100 ml
K094015	Schaeffer & Fulton's Spore Stains-Kit (Contains All Packing 500 ml Each 887330 and 887360)		1971/ 1kit
887330	Schaeffer & Fulton's Spore Stain A		1215/500 ml
887360	Schaeffer & Fulton's Spore Stain B		990/500 ml
Blood Films Stains for Spirochaets, Protozoa and other purposes			
811220	Brilliant Cresyl Blue Solution		140/125ml
839300	Giemsa's Stain Solution		334/100 ml 1350/500 ml
844050	Haematoxylin (Delafield's)		558/125 ml 1800/500 ml
860370	Leishman's Stain (Twin pack)		244/250 ml 437/500 ml
860400	Leishman's stain Solution with Buffer		234/250 ml
 <p>Leishman's Stains (860400) Neutrophilic Granules - Lilac Eosinophilic Granules - Orange Nucleoli - Blue - Violet Red Cells - Pink Lymphocytes - Blue with purple nucleus</p>			
863970	May Grunwald's Stain		216/125 ml 792/4x125 ml
903010	Wright 's Staining Solution		140/125 ml 261/250 ml
 <p>Wright's Stain (903010) 1. Erythrocytes - Yellowish red 2. Polymorphonuclears - Dark purple nucleus, red-dish lilac granules, pale pink cytoplasm 3. Eosinophils - Blue nuclei, red to orange red granules, blue cytoplasm 4. Basophils - Purple to dark blue nucleus, dark purple granules 5. Lymphocytes - Dark purple nuclei, sky blue cytoplasm 6. Platelets - Violet to purple granules</p>			
K062015	Malarial Parasite-Kit (Contains All Packing 125 ml Each 834430 and 834440)		419/1kit
 <p>Malarial Parasite Kit (863460) 1. Nuclei - Blue 2. Neutrophilic granules - lilac 3. Eosinophilic granules - Orange 4. Red cells - pink</p>			

Product Code	Product Name	Price	Packing
834430	Field's Stain A Solution		162/125 ml
834440	Field's Stain B Solution		162/125 ml
K062025	Malarial Parasite-Kit (Contains All Packing 500 ml Each 834430 and 834440)		900/1kit
834430	Field's Stain A Solution		477/500 ml
834440	Field's Stain B Solution		477/500 ml
Stains for Mycobacteria Staining			
K027015	Fluorescent Stains -Kit for mycobacteria (Contains All Packing 125 ml Each 024684, 867130, 878880)		1584/1kit
807180	Phenolic Auramine		1125/125 ml
867130	Mycobacteria decolourizer		441/125 ml
878880	Potassium Permanganate 1.0 N		135/125 ml
K027025	Fluorescent Stains -Kit for mycobacteria (Contains All Packing 500 ml Each 024684, 867130, 878880)		3303/1kit
807180	Phenolic Auramine		4010/500 ml
867130	Mycobacteria decolourizer		1575/500 ml
878880	Potassium Permanganate 1.0 N		270/500 ml
K027030	Fluorescent Stains Kit for mycobacteria (Contains All Packing 1 lit Each 024684, 867130, 878880)		5544/1kit
807180	Phenolic Auramine		6696/1 lit
867130	Mycobacteria decolourizer		2682/1 lit
878880	Potassium Permanganate 1.0 N		486/1 lit
K063025	MicCold Stain TB-Kit for Mycobacteria [Kit contains 100 ml each of Carbol Fuchsin Solution, Decolourizer, Counter Stain (Loeffler's Methylene Blue)]		2570/1 Kit
K063015	MicCold Phenol Free Stain-Kit for Mycobacteria [Kit contains 200 ml each of Auramine - Rhodamine Solution (Phenol free), Decolourizer , (2x 200) Potassium Permanganate Solution)		10215/1 Kit
K063035	MicCold Stain TB-Kit for Mycobacteria [Kit contains 500 ml each of Carbol Fuchsin Solution, Decolourizer , Counter Stain (Loeffler's Methylene Blue)]		11340/1 Kit

READYMADE STAINING SOLUTIONS


Product Code	Product Name	Price	Packing
Stains for Acid Fast Staining			
K132005	ZN Acid Fast Stains-Kit (Contains All Packing 125 ml Each 801790, 814900, 865630)		725/1kit
 <p>ZN Acid Fast Stains Kit (909810) Acid fast organisms - Bright red Other organisms & cellular material Blue</p>			
801790	Acid fast Decolourizer		423/100 ml
814900	Carbol Fuchsin (ZN, Strong)		162/125 ml
865630	Methylene Blue (Löffler's)		180/125 ml
K132015	ZN Acid Fast Stains-Kit (Contains All Packing 500 ml Each 801790, 814900, 865630)		2736/1kit
801790	Acid fast Decolourizer		1440/500 ml
814900	Carbol Fuchsin (ZN, Strong)		518/500 ml
865630	Methylene Blue (Löffler's)		522/500 ml
Simple Stains for Bacteria			
814920	Carbol Fuchsin (ZN, Dilute)		131/125 ml 369/500 ml
829620	Eosin, 2% w/v		144/125 ml 500/500 ml
839200	Gentian Violet Alcoholic Solution		144/125 ml 550/500 ml
863430	Malachite Green, 1% w/v		81/100 ml 396/500 ml
865650	Methylene Blue (Aqueous)		153/125 ml 504/500 ml
Stains for Bacteria and Bovine Cells in Milk			
868820	Newman's Stain, Modified		370/100 ml 640/500 ml
Stains for Fungi			
859280	Lactophenol		144/100 ml 369/500 ml
859260	Lactophenol Cotton Blue		180/100 ml 540/500 ml

Product Code	Product Name	Price	Packing
 <p>Lactophenol Cotton Blue (859260) Fungal spores & hyphae - Pale to dark blue</p>			
859300	Lactophenol Picric Acid Soln.		162/100 ml 657/500 ml
864070	Mayer's Mucicarmine stain		261/100 ml 810/500 ml
875920	Picric Acid (Saturated, Aqueous)		225/100 ml 702/500 ml
Stains for Intestinal Protozoa			
861390	Lugol's Solution		198/125 ml 702/500 ml
Stains for Negative Staining			
819040	Congo red (1% aqueous) Solution		144/125 ml 513/500 ml
869200	Nigrosin Stain, 10% w/v		149/125 ml 585/500 ml
 <p>Nigrosin Stain, 10% w/v (869200) Capsules - Clear halos Surrounding the bacterial cells.</p>			
Staining kits for Haematology			
819960	C.S.F. Diluting Fluid		108/125 ml
829100	E.D.T.A. (di- sodium) 5%		126/125 ml
840000	R.B.C. Diluting Fluid (Gower's)		432/500 ml
883010	R.B.C. Diluting Fluid (Hayemis)		244/500 ml
897400	Thrombocount reagent		1980/500 ml
902550	W.B.C. Diluting Fluid		230/500 ml
Staining Kit for Histology			
824600	Himic (mild decalcifying solution)		927/500 ml
824603	Himic (strong decalcifying solution)		1350/500 ml


READYMADE STAINING SOLUTIONS

Product Code	Product Name	Price	Packing
Other Stains			
810600	Borax Carmine (Grenacher's) Alcoholic Stain	315/125 ml 1170/500 ml	
810620	Borax Carmine (Grenacher's) Aqueous Stain	190/125 ml 693/500 ml	
834000	FA Rhodamine Counterstain	396/100 ml 1818/500 ml	
834470	Fixative (BFA) , for Rapid fixing of haematological samples	2070/500 ml	
834473	Fixative (Buffered Formalin fixative) for fixing cytological or histological samples	1917/500 ml	
834475	Fixative , for fixing cytological of histological samples	1980/500 ml	
834477	Fixative , for rapid fixing of haematological samples	1998/500 ml	
834479	Fixing Solution , for fixing haemtolgical samples	1602/500 ml	
840203	Grams Iodine , stabilized	558/125 ml 1917/500 ml	
844070	Haematoxylin (Ehrlich)	603/125 ml 2304/500 ml	
844120	Haematoxylin (Gill No.3)	2403/500 ml	
874420	Haematoxylin (Harris)	549/125 ml 2205/500 ml	
844140	Haematoxylin (Mayer)	306/100 ml 657/500 ml	
865752	M'Fadyean Stain (Polychrome Methylene Blue)	207/125 ml 720/500 ml	
883450	Romanowsky-Giemsa (RG) Stain	3006/500 ml	
888060	Schiff's fuchsin-sulphite reagent	2444/500 ml	
888400	Shorr's Stain solution for hormonal cytodiagnosis	820/500 ml	
Readymade Indicators			
806250	Andrade's Indicator	180/125 ml	
811740	Bromo Cresol Green Indicator Solution	127/125 ml	
811780	Bromo Cresol Purple Indicator Solution	117/125 ml	
812000	Bromo Phenol Blue Indicator Solution	117/125 ml	
812170	Bromo thymol Blue Indicator Solution	126/125 ml	
865850	Methyl Orange Indicator Solution	131/125 ml	
866040	Methyl Red Indicator Solution	140/125 ml	
826080	Mixed Indicator Solution (25X) (Dimidium Bromide-Disulphine Blue Indicator)	3002/100 ml	
868790	Neutral Red pH Indicator Solution	149/125 ml	
875156	Phenolphthalein 0.1% w/v	140/125 ml	

Product Code	Product Name	Price	Packing
875200	Phenol Red Indicator Solution	135/125 ml	
897440	Thymol Blue Indicator Solution	131/125 ml	
897490	Thymolphthaleine Indicator Solution	149/125 ml	
901000	Universal Indicator Solution	131/125 ml 333/500 ml	








Readymade Analytical Reagents			
800102	Acetate Buffer, pH 5.6	1467/5x100 ml	
801900	Acid Phosphatase Reagent	3177/5x10ml	
808100	Barium Chloride 10% Solution w/v	144/500 ml	
808700	Barritt Reagent A	145/100 ml	
808710	Barritt Reagent B	90/100 ml	
808810	Benedict's Reagent Qualitative	230/500 ml 1206/5 lit	



808820	Benedict's Reagent Quantitative	405/500 ml	
813035	Butterfield 's Phosphate Buffered Dilution Water	243/500 ml	
819960	C.S.F. Diluting Fluid	108/125 ml	
826630	DMACA Reagent	756/10 ml	
829100	E.D.T.A (di-sodium) 5%	126/125 ml	
829290	EDTA 0.02N solution	243/500 ml	
829520	Ehrlic's Aldehyde Reagent	144/125 ml	
834200	Fehling Solution No.1	410/500 ml	
834220	Fehling Solution No.2	603/500 ml	
802860	Folin & Wu's Alkaline Copper Solution	225/500 ml	
835100	Folin & Wu's Phosphate, Molybdate Solution	783/500 ml	
835500	Fouchet's Reagent	185/125 ml	
839077	Gaby-Hadley Reagent A	315/100 ml	
839078	Gaby-Hadley Reagent B	486/100 ml	
839990	Gordon-McLeod Reagent (Oxidase reagent)	486/100 ml	

READYMADE STAINING SOLUTIONS

Product Code	Product Name	Price	Packing
824600	Himic (Mild Decalcifying Solution)		927/500 ml
824603	Himic (Strong Decalcifying Solution)		1350/500 ml
849600	Iodine Solution 1%		158/125 ml
854500	Kovac's Indole Reagent		221/100 ml
 <p>Kovac's Indole Reagent (854500)</p> <p>1) Control 2) <i>Escherichia coli</i> (ATCC 25922) + 3) <i>Enterobacter arrogenes</i> (ATCC 13048) -</p> <p>*Key :- + Red ring at interface of the medium - No red ring</p>			
866270	Millon's Reagent		1233/125 ml 4392/500 ml
868420	α -Naphthylamine Solution		486/100 ml
868740	Nessler's Reagent (For Ammonia and Ammonium salt)		306/100 ml
868760	Nessler's Reagent King's (for serum urea nitrogen)		405/100 ml
 <p>Nessler's Reagent (868760)</p> <p>1) <i>Proteus mirabilis</i> (ATCC 25933) + 2) <i>Escherichia coli</i> (ATCC 25922) -</p> <p>*Key :- + Brownish yellow ppt - No colour change</p>			
871200	O'Meara Reagent		464/100 ml
877100	Potassium Chromate 5% w/v		99/125 ml
878640	Potassium Oxalate 5% w/v		117/125 ml
879350	PYR Reagent		747/10 ml
 <p>PYR Reagent (879350) (ATCC 29212)</p> <p>1) <i>Enterococcus faecalis</i> Positive reaction red colouration around the colony 2) <i>Escherichia coli</i> (ATCC 25922) Negative reaction no change in colour</p>			
840000	R.B.C. Diluting Fluid (Gower's)		432/500 ml
883010	R.B.C. Diluting Fluid (Hayem's)		244/500 ml
891410	Sodium Citrate 3.8% w/v		100/125 ml
902745	Sterile Distilled Water		1450/5x100 ml
893930	Sterile Mineral Oil		792/100 ml
812687	Sterile Phosphate Buffered Saline Solution pH 7.0		1710/5x100 ml

Product Code	Product Name	Price	Packing
894490	Sulphanilic Acid 0.8% Solution		117/100 ml
894610	5-Sulphosalicylic Acid 3% Solution		145/125 ml
896040	TDA Reagent		324/10 ml
 <p>TDA Reagent (896040)</p> <p>1) <i>Proteus mirabilis</i> (ATCC 25933) Positive reaction dark brown colouration around the colony 2) <i>Escherichia coli</i> (ATCC 25922) Negative reaction</p>			
897900	<i>o</i> -Toluidine Reagent (For chlorine estimation)		221/500 ml
030467	<i>o</i> -Toluidine Reagent (for blood glucose estimation)		783/500 ml
898140	Topfer Reagent		158/125 ml
902550	W.B.C. Diluting Fluid (Truck's)		230/500 ml
Standard Solutions			
804560	Ammonium Buffer Solution		5000/1 lit
810745	Boric Acid Solution		7830/500 ml
812620	Buffer Solution pH 4.00 \pm 0.02		333/500 ml
812690	Buffer Solution pH 7.00 \pm 0.02		320/500 ml
812750	Buffer Solution pH 9.2 \pm 0.02		333/500 ml
829425	EDTA, 1M Solution		212/500 ml
829295	EDTA Titran, 0.035N		270/500 ml
862880	McFarland standard set (Each set contains 1 tube of 0.5,1,2,3,4 McFarland standard)		864/1 No
 <p>McFarland standard set Increasing opacity from McFarland standard 0.5 to McFarland standard 4</p> <p>1. McFarland Standard 0.5 2. McFarland Standard 1.0 3. McFarland Standard 2.0 4. McFarland Standard 3.0 5. McFarland Standard 4.0</p>			
862881	McFarland standard set (Each set contains 1 tube of 0.5,1,2 McFarland standard)		747/1 No
889415	Silver Nitrate Solution, 0.1N		3303/500 ml
893240	Sodium thiosulphate, 0.1N		262/1 lit
891715	Sodium Hydroxide Standard Solution, 0.035N		230/500 ml
818900	Standard Solution for conductivity 1413 μ S/cm		4320/500 ml
818924	Standard Solution for conductivity 12880 μ S/cm		4320/500 ml
902990	Wij's & Iodine Solution		2160/1 lit 4743/2.5 lit



LABORATORY DISINFECTANT & DETERGENT FOR MEDICAL, INDUSTRIAL, DOMESTIC

Product	Page
Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic	500-501
>> Hand Wash Gel/Soap	
>> Environment Disinfectant	
>> Surface Disinfectant	
>> Laboratory Disinfectant	
>> Instrument Disinfectant	
Disinfectant for Laboratory Hospital Hotels and Airy/Food, Industry	501



Product Code	Product Name	Price	Packing
Laboratory Disinfectant & Detergent for Medical, Industrial, Domestic			
HAND WASH GEL/ SOAP			
DI032	HWS09 (Hand Wash Soap)	185.00 423.00	100 ml 500 ml
Description	Liquid Microbicidal Handwash Soap	2772.00	5 lit
Contents	0.5% w/v of Triclosan, Skin Emollients, Soap base q.s., Perfume, Permitted Colours.		
Action	Fights germs leaving hands soft and totally clean		
Use	Domestic Medical Industrial		
DI050	HWG09 Dispenser Pump (Instant hand Sanitizer)	126.00 621.00	50ml 500ml
Description	Liquid Handrub Antiseptic with Triple Action		
Contents	Denatured Alcohol 69.4% w/w Other Ingredients: water, Acrylates C10-30 Alkyl Acrylate copolymer, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume		
Action	Kills 99.9% of germs in seconds without water		
Use	Domestic, Medical, Industrial		
ENVIRONMENT DISINFECTANT			
DI280	ED005 Air and surface spray	387.00 716.00	250ml 500ml
Description	disinfectant solution for preventing cross infection	6894.00	5 lit
Contents	0.5% w/v Benzalkonium chloride solution 70% v/v 2-propanol, perfume, permitted colours		
Action	An air and surface sprayable disinfectant for preventing cross infections		
Use	Medical Industrial		
DI325	ED009 Aerial Fumigant and	1036.00 3672.00	1 lit 5 lit
Description	0.01% w/v Silver Nitrate,	14000.00	25 lit
Contents	10.0% w/v Hydrogen peroxide		
Action	Disinfectant solution for Surface and Water		
Use	Disinfection as well as for Aerial Fumigation Medical Industrial		
SURFACE DISINFECTANT			
DI500	SD005 Disinfectant Cleaner for Floors & Hard Surfaces	225.00 1071.00	500 ml 5 lit
Description	Min. 0.6% Sodium Hypochlorite, Stabilisers, Perfume.		
Contents	Domestic Medical Industrial		
Use			
DI522	SD009 Disinfectant Solution for Floors & Hard Surfaces	225.00 1224.00	500ml 5 lit
Description	4 % w/v of Benzalkonium Chloride, Perfume, Permitted colours.		
Contents	Domestic Medical Industrial		
Use			
DI541	SD014 Disinfectant for hospital, hotels, food and pharmaceutical industry	1998.00 7075.00	500ml 5 lit
Description	3% w/v poly(hexamethyleneguanide) hydrochloride PHMB 10% w/v Didecyl ammonium chloride		
Contents	Medical- Disinfection of NICU, ICU, OT paediatric wards, sterile areas, hospital surface.		
Action	Industry-In hotel, food, dairy and pharmaceutical industry for disinfection of processing areas, work stations, storage objects and processing Equipments		
Use	Medical, Industrial		

Product Code	Product Name	Price	Packing
DI055	Cedepol™ also known as Teepol	288.00 1940.00	500 ml 5 lit
LABORATORY DISINFECTANT			
DI675	LD009 Disinfectant Solution for heat sensitive Lab ware	4518.00 6876.00	10x500ml 2x5lit
Description	5 % w/v Phenol, Permitted colours.		
Contents	Disinfectant solution for laboratory ware and disposal of laboratory bio hazard material		
Action	Medical Industrial		
Use			
INSTRUMENT DISINFECTANT			
DI770	ID018 Multi Enzyme Cleaner for Surgical, Medical & Dental Instruments	1053.00 1998.00	500ml 1 lit
Description	12% Enzymes (Combination of Proteases, Lipases and Amylases), Non Ionic surfactants, Preservatives	4343.00	2.5 lit
Contents	Medical:- To rapidly clean surgical instruments before sterilization	7497.00	5 lit
Action	Industry:- In pharmaceutical, hotel, food & dairy industry for surface cleaning to remove organic debris particularly as a pre-soak to remove biofilms		
Use	Medical, Industrial		
DI774	ID045 High Efficiency Rust Remover	3456.00 10782.00	1 lit 5 lit
Description	Inorganic acid (>30% phosphoric acid) Non Ionic surfactants (<5%).		
Contents	Removal of Rust from Surgical/Medical Instruments and Surfaces.		
Action	Medical, Industrial		
Use			
DI792	ID063 High level Surgical Instrument Sterilizing and Disinfectant Solution	666.00 3825.00	500ml 5 lit
Description	5% w/v Benzalkonium Chloride Solution BP, 2% w/v Glutaraldehyde Solution (Acid Stabilized), Corrosion Inhibitor.		
Contents	Concentrated Acid Stable Glutaraldehyde Solution for High level Surgical Instrument Sterilization and Disinfection		
Action	Medical		
Use			
DI810	ID072 2.4% Glutaraldehyde Solution for High Level Disinfection	423.00 1400.00	1 lit 5 lit
Description	2.45% w/v Glutaraldehyde		
Contents	Surfactant free High level Surgical Instrument Sterilizing and Disinfectant solution		
Action	Medical		
Use			
DI819	ID090 Aldehyde Free High level Disinfectant for medical devices.	5040.00 25020.00	1 lit 5 lit
Description	3% w/v poly(hexamethyleneguanide) hydrochloride PHMB 10% w/v Didecyl dimethyl ammonium chloride		
Contents	Medical-Sterilization of endoscopes & surgical instruments surface disinfection.		
Action	Industry- As a surface disinfectant for general Purposes		
Use	Medical, Industrial		

Product Code	Product Name	Price	Packing
DI837	ID099	595.00	500ml
Description	For high level disinfection.	4851.00	5 lit
Contents	0.55% w/v ortho-Phthalaldehyde, Permitted colours.		
Action Use	Glutaraldehyde free, High level Surgical Medical		
DI065	Criton X100	819.00	500 ml
C ₃₄ H ₆₂ O ₁₁ (9002-93-1)	M. W.: 648.87	3501.00	2.5 lit
	Assay iodometric 98-021%	POR	25 lit
	MB Criton X100 for Molecular Biology See 923500		
	Criton X100 Scintillation Grade See 716990		
DI095	Clentron MA 01 Alkaline For Industrial & Laboratory Cleaning pH 6.0-12.0	320.00 2421.00 POR	500 ml 5 lit 25 lit
DI100	Clentron MA 02 Neutral For Cleaning Laboratory glassware instruments pH 7.2-7.5	460.00 2304.00 POR	500 ml 5 lit 25 lit
DI105	Clentron MA 03 Phosphate Free For Specific Cleaning work in Laboratories	522.00 2520.00 POR	500 ml 5 lit 25 lit

Product Code	Product Name	Price	Packing
DISINFECTANT FOR LABORATORY HOSPITAL, HOTELS AND AIRY/FOOD, INDUSTRY			
DI910	DW009 (Dish Wash)	270.00	500ml
DI1800	Iodophor Disinfectant	1098.00 4707.00	1 lit 5 lit
DI1900	Iodophor-FD	1098.00 4707.00 POR	1 lit 5 lit 10x5 lit
DI2007 (12772-68-8)	Lysol (Cresol and Soap Solution) Assay (cresol) 47-53.0% v/v	604.00 4617.00	500 ml 5 lit
DI2160	Sodium Hypochlorite Solution (Approximately 4% w/v available chlorine)	162.00 280.00 999.00 POR	500 ml 1 lit 5 lit 25 lit
DI918	FCL09 (Fabric Cleaner Liquid)	572.00	1 lit
DI927	FCP09 (Fabric Cleaner Powder)	270.00	1 kg
FW009	FW009 (Floor Wash)	603.00	5 lit
DI963	GC009 (Glass Cleaner)	180.00	500ml
DI3060	TC009 (Toilet Cleaner)	180.00 347.00	500ml 1 lit
DI3150	TW009	180.00	500ml

Bioshell
DISINFECTANTS

Hand Wash
HWS09

BIOSHELL HAND WASH is formulated with antimicrobial agents ensuring highest level of cleansing, using it everyday protects hands from germs and helps keep them hygienically clean and refreshed. Wash hand properly with Bioshell and help keep your family healthy.

SILROX - 10™
ED009

Advanced Hydrogen Peroxide
Silver Stabilized Solution

Salient Features

- Eco-friendly as the breakdown products are water and oxygen
- Remains active and stable for longer periods
- Causes no irritation to skin or eyes
- Non pollutant and biodegradable

Ethyl Alcohol
Hand Sanitizer

Kills 99.99% of Germs

microshell HAND SANITIZER
HWG09

NON STICKY
LIQUID HAND SANITIZER
CLEANERNESS IS NON-STICKINESS

Packing
50 ml / 500 ml
5 Lit

Rinse Free
Protection Instantly

general instructions to the users



The Dehydrated Media are highly hygroscopic and get deteriorated easily unless stored in a cool & dry place away from bright light.

So care must be taken in the storage of dehydrated media.

Following instructions should be followed while using dehydrated culture media.

1. Read carefully the instruction given on the label.
2. Note the batch no. and date before opening the container.
3. Before use confirm that the media is not deteriorated physically.
4. Since the media is hygroscopic in nature, please ensure that the container is tightly closed and stored in cool and dry place after use.

DISSOLVING THE MEDIA : For dissolution use clean undamaged glassware two-three times larger in volume than the final volume of media to be prepared. Water which meets the U.S.P./I.P specifications should only be used.

Place accurately weighed amount of the medium in a clean dry flask. Add part of water and swirl until dissolved then add the remaining water through the sides of the flask to make up the required volume. For complete dissolution heat the media taking care to avoid overheating or scorching.

ADJUSTMENT OF pH : After preparations the pH of the media should be in concordance with value mentioned on the label at 25°C. If required, the pH should be adjusted to the specified value by adding 1N or 0.1N HCl or NaOH solution.


STERILIZATION : Sterilization of the media is usually carried out at 121 °C for 15 minutes using an autoclave. Autoclave efficiency should be checked from time to time.

POURING OF STERILIZED MEDIA : After sterilization Agar media should be poured into petri dishes at 45-50°C. The medium should be mixed well avoiding bubble formation. Agar surface should be dried at 30-40°C in the incubator before inoculation to avoid microbial swarming.

STORAGE OF PREPARED MEDIA : Unless the medium is not used in the same day it is prepared, then it should be kept in moisture proof containers.

Agar containing media should not be stored at higher temperatures. Agar plates should be stored at 2-8°C in sealed moisture proof containers. Stability of the prepared culture media is limited and varies considerably. Never store media below 0°C as it destroys its gel strength.

DISPOSAL OF MEDIA : All specimens and cultures should be carefully handled and must not be disposed without autoclaving. Cultures in vessels should be autoclaved for approximately 30 minutes at 121 °C before disposal.

STORAGE OF MICROGEN CULTURE MEDIA PRODUCTS : For obtaining desired results  culture media products should be stored in specified storing conditions. It is recommended to use the products in the order of Batch number/Mfg. date.

Storage temperature and shelf-life of the  culture media products are as follows.

- (a) **Dehydrated media :** Dehydrated media if stored under specified conditions will have shelf-life of 2 to 5 years. Storage temperature for dehydrated media are preferably between 8 and 25°C.
- (b) **Selective supplements :** Except Horse serum (-20°C) all other supplements are required to store at 2 - 8°C. These products have a shelf-life of 1 - 3 years.
- (c) **Antimicrobial susceptibility discs :** These are to be stored at -20°C but working stock at 28°C Shelf-life is from 1 to 3 years.

certain precautions while using dehydrated media

Faults	Reasons
Drift in pH hydrolysis of	Overheating, incomplete mixing, prolonged sterilization, use of alkaline glass, impure water, ingredients, prolonged storage at high temperature.
Incomplete Solubility	Inadequate heating of agar media incomplete mixing.
Darkening	Overheating of the medium, excess amount of dehydrated powder, improper mixing.
Soft Gel	Agar not in solution, improper reconstitution of dehydrated medium, acid hydrolysis of agar, failure to compensate for dilution of agar by the inoculum.
Loss of Growth differentiating properties	Promoting of repeated remelting, excessive heating, incomplete mixing, failure to compensate for dilution of ingredients, disturbance in the formula by inoculum carriers, etc.
Abnormal Colour of Medium	Deteriorated, dehydrated medium, improperly washed glassware, impure water.
Contamination	Improper/Insufficient sterilization. Poor technique in adding enrichments and pouring plates.

BULK PACKS



*We offer a wide range of chemicals
in attractive containers*



- Fast Deliveries
- Safe & Convenient to handle
- Consistent & High quality as international standards
- And all these at affordable prices.

**Certificate of Analysis is
available on request**

Available Packs

Solids : 25 Kg. & 50 Kg.

Liquids : 25 lit., 100 lit. & 200 lit



Central Drug House (P) Ltd.

AN ISO 9001 : 2015 CERTIFIED COMPANY

Corporate Office: 7/28, Vardaan House, Ansari Road, Daryaganj
New Delhi - 110 002 (India)

Phone : +91-11-49404040 (100 Lines) Fax : 49404050

E-mail : sales@cdhfinechemical.com - (Domestic)
export@cdhfinechemical.com - (Overseas)

Mfg Unit : Plot No. D-2/CH/9, Dahej - 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch - 392130 (Gujarat)

Website : www.cdhfinechemical.com